

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or

REVISION HISTORY



Table 2. Erase Unit Header

Offset	Field	Sz	Description	Example: 4-Meg F008-based Card	
				HEX	Comments



3.2 Block Allocation Information

Each Erase Unit keeps allocation information about every Read/Write block in the Erase Unit. Every Read/Write block has a 4-byte value tracking its current state. A Read/Write block in an Erase Unit is either deleted, bad, free, or allocated at any given time. Read/Write blocks store four types of data: FTL Control

Table 3. Block Allocation Information

32-Bit BAM Entry	Meaning	Description
0xFFFFFFFF	Free	Read/Write block is available for writing.
0xFFFFFFE or 0x00000000	Deleted	Data in block is invalid. This Read/Write block must be erased before it may be reused. The value 0xFFFFFFE indicates that a write operation on this block was interrupted before completion. The value 0x00000000 (all bits programmed) indicates that the data in this block is obsolete.Ba5391on on this





EUH struct – Erase Unit Header Structure (Continued)

Offset	Size	Field	Description
36	WORD	NumVMPages	Total number of VBM pages.
38	BYTE	Flags	Special bit-mapped flags indicating checksum, block allocation information, and flash polarity.



APPENDIX C FTL AVAILABILITY

M-System TrueFFS* (*v3.2 and up are FTL*)

M-Systems, Inc.

4655 Old Ironsides Drive

Suite 290

Santa Clara, CA 95054

*Tel: (408) 654-5820**Fax: (408) 654-9107**email: info@ccm.msyscal.com**WWW: <http://www.m-sys.com>***M-Systems, Ltd**

Atidim Industrial Park

P.O. Box 58036

Tel Aviv, Israel 61580

*Tel: 972-3-647-7776**Fax: 972-3-647-6668**email: info@msys.co.il**WWW: <http://www.m-sys.com>*

SCM SwapFTL* (*v3.0 and up are FTL*)

SCM Microsystems, Inc.

4655 Old Ironsides Drive

131 Albright Way.

Los Gatos, CA 95030

*Tel: (408) 370-4888**FAX: (408) 370-4880**email: pccard@scmmicro.com**WWW: <http://www.scmmicro.com>***SCM Microsystems, GmbH**

Muhlhauser Str. 2

Erfurt D-99092, Germany

*Tel: (49) 361-66-4870**FAX: (49) 361-211-3515**email: pccard@scmmicro.com**WWW: <http://www.scmmicro.com>*

APPENDIX D ADDITIONAL INFORMATION

Related Documents

PC Card Standard

