

[Home](#)":81/cd.iso" "http://www24.brinkster.com/alexweir/"">

---

## Continued

[Table des mati](#)es - [Pr](#)écédente

Khor, G.L., Tee, E.S. & Kandiah, M. 1990. Patterns of food production and consumption in the ASEAN Region. World Rev. Nutr Diet., 61: 1 -40.

Khush, G.S. & Juliano, B.O. 1985. Breeding for high-yielding rices of excellent cooking and eating qualities. In Rice grain quality and marketing, p. 6169. Manila, IRRI.

Kik, M.C. & Williams, R.R. 1945. The nutritional improvement of white rice. Nat. Acad. Sci. Bull. 112. Washington, D.C., National Research Council. 76 pp.

Kitagishi, K. & Yamane, I., eds. 1981. Heavy metal pollution in soils in Japan. Tokyo, Japan Scientific Societies Press. 302 pp.

Kondo, H., Abe, K. & Arai, S. 1989. Immunoassay of oryzacystatin occurring in rice seeds during maturation and germination. *Agric. Biol. Chem.*, 53: 2949-2954.

Kumamaru, T., Satoh, H., Iwata, N., Omura, T., Ogawa, M. & Tanaka, K. 1988. Mutants of rice storage proteins. I. Screening of mutants for rice storage proteins of protein bodies in the starchy endosperm. *Theor. Appl. Genet.*, 76: 11-16.

Kumar, I. & Khush, G.S. 1987. Genetic analysis of different amylose levels in rice. *Crop Sci.*, 27: 1167-1172.

Kumar, I., Khush, G.S. & Juliano, B.O. 1987. Genetic analysis of waxy locus in rice (*Oryza sativa* L.). *Theor. Appl. Genet.*, 73: 481-488.

Kunze, O.R. 1985. Effect of environment and variety on milling qualities of rice. In *Rice grain quality and marketing*, p. 37-47. Manila, IRRI.

Kunze, O.R. & Calderwood, D.L. 1985. Rough rice drying. In B.O. Juliano, ed.

Rice chemistry and technology, 2nd ea., p. 233-263. St Paul, MN, USA, Am. Assoc. Cereal Chem.

Lai, M.-N., Chang, W.T.H. & Luh, B.S. 1980. Rice vinegar fermentation. In B.S. Luh, ed. Rice: production and utilization, p. 690-711. Westport, CT, USA, AVI Publishing Co.

Levitt, M.D., Hirsch, P., Fetzer, C.A., Sheahan, M. & Levine, A.S. 1987. H<sub>2</sub> excretion after ingestion of complex carbohydrates. Gastroenterology, 92: 383-389.

Li, B.-J. & Lai, L.-Z. 1989. The study on the breeding of "black superior rice" by using biotechniques. Proc. 6th Int. Congr. SABRAO, p. 289291.

Li, C.-F. & Luh, B.S. 1980. Rice snack foods. In B.S. Luh, ed. Rice: production and utilization, p. 690-711. Westport, CT, USA, AVI Publishing Co.

Lin, T.-C., Shao, Y.-Y. & Chiang, W. 1988. Investigation of the processing and the quality of rice milk. J. Chin. Agric. Chem. Soc., 26: 130137.

Little, R.R., Hilder, G.B. & Dawson, E.H. 1958. Differential effect of dilute alkali on 25 varieties of milled white rice. *Cereal Chem.*, 35: 111-126.

Liu, J.-X., Lu, Z.-H. & Su, Q. 1985. Regional selenium deficiency of feedstuffs in China. *Sci. Agric. Sin.*, 1985(4): 76-79.

Livesey, G. 1990. The energy values of unavailable carbohydrates and diets. An enquiry and analysis. *Am. J. Clin. Nutr.*, 51: 617-637.

Lopez de Romaña, G., Graham, G.G., Mellits, E.D. & MacLean, W.C. Jr. 1980. Utilization of the protein and energy of the potato by human infants. *J. Nutr.*, 110: 1849-1857.

Lu, J.J. & Chang, T.T. 1980. Rice in its temporal and spatial perspective. In B.S. Luh, ed. *Rice. production and utilization*, p. 1-74. Westport, CT, USA, AVI Publishing Co.

Luh, B.S., ed. 1980. *Rice: production and utilization*. Westport, CT, USA, AVI Publishing Co. 925 pp.

Luh, B.S. & Bhumiratana, A. 1980. Breakfast rice cereals and baby foods. In B.S. Luh, ed. Rice: production and utilization, p. 622649. Westport, CT, USA, AVI Publishing Co.

MacLean, W.C. Jr, Klein, G.L., Lopez de Romaña, G., Massa, E. & Graham, G.G. 1978. Protein quality of conventional and high-protein rice and digestibility of glutinous and nonglutinous rice by preschool children. J. Nutr., 108: 1740-1747.

MacLean, W.C. Jr, Lopez de Romaña, G., Klein, G.L., Massa, E., Mellits, E.D. & Graham, G.G. 1979. Digestibility and utilization of the energy and protein of wheat by infants. J. Nutr., 109: 1290-1298.

MacLean, W.C. Jr, Lopez de Romaña, G., Placko, R.P & Graham, G.G. 1981. Protein quality and digestibility of sorghum in preschool children: balance studies and plasma free amino acid. J. Nutr., 111: 1928-1936.

MacRitchie, F., du Cros, D.L. & Wrigley, C.W. 1990. Flour polypeptides related to wheat quality. Adv. Cereal Sci. Technol., 10: 79-145.

Maneepun, S. 1987. Production and consumption of processed rice products in Thailand. In Proceedings, International Symposium Dietary Life of Rice-Eating Populations, Kyoto, 24 October 1987, p. 33-40. Kyoto, Research Institute for Product Development.

Marfo, E.K., Simpson, B.K., Idowre, J.S. & Oke, O.L. 1990. Effect of local food processing on phytate levels in cassava, cocoyam, yam, maize, sorghum, rice, cowpea and soybean. *J. Agric. Food Chem.*, 38: 1580- 1585.

Matsuda, T., Sugiyama, M., Nakamura, R. & Torii, S. 1988. Purification and properties of an allergenic protein in rice grain. *Agric. Biol. Chem.*, 52: 1465-1470.

Miao, G.-H. & Tang, X.-H. 1986. Isolation, purification and the properties of rice germ lectin receptors in rice embryo and endosperm. *Kexue Tongbao (Engl. transl.)*, 22: 1569-1573.

Mickus, R.R. & Luh, B.S. 1980. Rice enrichment with vitamins and amino acids. In B.S. Luh, ed. *Rice: production and utilization*, p. 486-500. Westport, CT,

USA, AVI Publishing Co.

Misaki, M. & Yasumatsu, K. 1985. Rice enrichment and fortification. In B.O. Juliano, ed. Rice chemistry and technology, 2nd ea., p. 389-401. St Paul, MN, USA, Am. Assoc. Cereal Chem.

Mitchell, C.R., Mitchell, P.R. & Nissenbaum, R. 1988. Nutritional rice milk production. U.S. Patent No. 4,744,992. 8 pp.

Miyoshi, H., Okuda, T., Kobayashi, N., Okuda K. & Koishi, H. 1987a. Effects of rice fiber on mineral balance in young Japanese men. Nippon Eiyo Shokuryo Gakkaishi, 40: 165170 (in Japanese).

Miyoshi, H., Okuda, T. & Koishi, H. 1988. Effects of feeding of polished rice, brown rice and rice bran on digestibility of nutrients by growing rats. Sci. Living Annul Rep., Osaka City Univ., 36: 7-11 (in Japanese).


Miyoshi, H., Okuda, T., Oi, Y. & Koishi, H. 1986. Effect of rice fiber on fecal weight, apparent digestibility of energy, nitrogen and fat and degradation of

neutral detergent fiber in young men. *J. Nutr. Sci. Vitaminol.*, 32: 581-589.


Miyoshi, H., Okuda, T., Okuda, K. & Koishi, H. 1987b. Effect of brown rice on apparent digestibility and balance of nutrients in young men on low protein diets. *J. Nutr. Sci. Vitaminol.*, 33: 207-218.

Molla, A.M., Ahmed, S.M. & Greenough, W.B. 111. 1985. Ricebased oral rehydration solution decreases the stool volume in acute diarrhea. *Bull. WHO*, 63: 751-756.

Morishita, T., Fumoto, N., Yoshizawa, T. & Kagawa, K. 1987. Varietal differences in cadmium levels of rice grains of japonica, indica, javanica, and hybrid varieties produced in the same plot of a field. *Soil Sci. Plant Nutr.*, 33: 629-637.

Moss , J. 1990. Nitrogen to protein conversion factors for ten cereals and six legumes or oilseeds. A reappraisal of its definition and determination. Variation according to species and to seed protein content. *J. Agric. Food Chem.*, 38: 18-24



- Moss , 1., Huet, J.-C. & Baudet, J. 1988. The amino acid composition of rice grain as a function of nitrogen content as compared to other cereals: a reappraisal of rice chemical scores. *J. Cereal Sci.*, 8: 165-175.
- Mossman, A.P. 1986. A review of basic concepts in rice-drying research. *Crit. Rev. Food Sci. Nutr.*, 25: 49-71.
- Murata, K., Kitagawa, T. & Juliano, B.O. 1978. Protein quality of high protein rice in rats. *Agric. Biol. Chem.*, 42: 565-570.
- Murugesan, G. & Bhattacharya, K.R. 1991 Basis for varietal difference in popping expansion of rice. *J. Cereal Sci.*, 13: 71-83.
- Nicolosi, R. 1990. Unsaponifiables in rice bran oil under study. *Int. News Fats Oils Rel. Mater. (INFORM)* 1: 831-832, 834-835.
- Nielsen, H.K., De Weck, D., Finot, P.A., Liardon, R. & Hurrell, R.F. 1985 Stability of tryptophan during food processing and storage. I. Comparative losses of tryptophan, lysine and methionine in different model systems. *Br. J. Nutr.*, 53:

281292

Nikuni, Z., Hizukuri, S., Kumagai, K., Hasegawa, H., Moriwaki, T., Fukui, T., Doi, K., Nara, S. & Maeda, I. 1969. The effect of temperature during the maturation period on the physico-chemical properties of potato and rice starches. Mem. Inst. Sci. Ind. Res. Osaka Univ, 26: 1-27.

Noda, K., Hirai, S. & Dambara, H. 1987 Selenium content of brown rice grown in Japan. Agric Biol. Chem., 51: 2451 -2455.

Normand, F.L., Ory, R.L. & Mod, R.R. 1981. Interactions of several bile acids with hemicelluloses from several varieties of rice J. Food Sci., 46: 1159-1161.

Normand, F.L., Ory, R.L., Mod, R.R., Saunders, R.M. & Gumbmann, M.R. 1984. Influence of rice hemicellulose and a-cellulose on lipid and water content of rice faeces and on blood lipids. J. Cereal Sci., 2: 37-42.

Obata, Y. & Tanaka, H. 1965. Studies on the photolysis of L-cysteine and Lcystine. Formation of the flavor of cooked rice from L-cysteine and Lcystine.

Agric. Biol. Chem., 29: 191195.

Ogawa, M., Kumamaru, T., Satoh, H., Iwata, N., Omura, T., Kasai, Z. & Tanaka, K. 1987. Purification of protein body-I of rice seed and its polypeptide composition. *Plant Cell Physiol.*, 28: 1517-1527.

Ogawa, M., Kumamaru, T., Satoh, H., Omura, T., Park, T., Shintaku, K. & Baba, K. 1989. Mutants of rice storage proteins. 2. Isolation and characterization of protein bodies from rice mutants. *Theor. Appl. Genet.*, 78: 305-310.

Ogawa, M., Tanaka, K. & Kasai, Z. 1977. Note on the phytin-containing particles isolated from rice scutellum. *Cereal Chem.*, 54: 10291034

Ohta, H., Aibara, S., Yamashita, H., Sekiyama, F. & Morita, Y. 1990. Postharvest drying of fresh rice grain and its effects on deterioration of lipids during storage. *Agric. Biol. Chem.*, 54: 11571164.

Omura, T. & Satoh, H. 1984. Mutation of grain properties in rice. In S. Tsunoda & N. Takahashi, eds. *Biology of rice*, p. 293-303. Tokyo, Japan Scientific

Societies Press; Amsterdam, Elsevier.

Ory, R.L., Bog-Hansen, T.C. & Mod, R.R. 1981. Properties of hemagglutinins in rice and other cereal grains. In R.L. Ory, ed. Antinutrients and natural toxicants in foods. Westport, CT, USA, Food & Nutrition Press.

Padua, A.B. & Juliano, B.O. 1974. Effect of parboiling on thiarnin, protein and fat of rice. *J. Sci. Food Agric.*, 25: 697-701.

Palmiano, E.P. & Juliano, B.O. 1972. Physicochemical properties of Niigata waxy rices. *Agric. Biol. Chem.*, 36: 157159.

Panlasigui, L.N. 1989. Glycemic response to rice. Ph.D. dissertation, University of Toronto, Department of Nutritional Sciences. 171 pp.

Pedersen, B. & Eggum, B.O. 1983. The influence of milling on the nutritive value of flour from cereal grains. IV. Rice. *Qual. Plant. Plant Foods Hum. Nutr.*, 33: 267-278.

Pereira, S.M., Begum, A. & Juliano, B.O. 1981. Effect of high protein rice on nitrogen retention and growth of preschool children on a rice-based diet. *Qual. Plant. Plant Foods Hum. Nutr.*, 31: 97-108.

Perez, C.M., Cagampang, G.B., Esmama, B.V, Monserrate, R.U. & Juliano, B.O. 1973. Protein metabolism in leaves and developing grains of rices differing in grain protein content. *Plant Physiol.*, 51: 537-542.

Perez, C.M. & Juliano, B.O. 1988. Varietal differences in quality characteristics of rice layer cakes and fermented cakes. *Cereal Chem.*, 65: 4043.

Perez, C.M., Juliano, B.O., Pascual, C.G. & Novenario, V.G 1987. Extracted lipids and carbohydrates during washing and boiling of milled rice. *Starch*, 39: 386-390.

Pillaiyar, P. 1988. Rice postproduction manual. New Delhi, Wiley Eastern Ltd. 437 pp.

Poola, 1. 1989. Rice lectin: physicochemical and carbohydrate-binding

properties. Carbohydr. Polym., 10: 281 -288.

Raghuram, T.C., Brahmaji Rao, U. & Rukmini, C. 1989. Studies on hypolipidemic effects of dietary rice bran oil in human subjects. Nutr Rep. Int., 39: 889-895.

Rand, W.M., Uauy, R. & Scrimshaw, N.S., eds. 1984. Protein-energyrequirement studies in developing countries: results of international research. UN Univ. Food Nutr. Bull. Suppl., Vol. 10. 369 pp.

Reeck, G.R., Muthukrishnan, S. & Kramer, K.J. 1990. Cereal inhibitors of insect amylases and sulfhydryl proteases. Abstracts 4th Annual Meeting, Rockefeller Foundation's International Program on Rice Biotechnology, IRRI, 9-12 May 1990. New York, Rockefeller Foundation.

Rehana, F., Basappa, S.C. & Sreenivasa Murthy, V. 1979. Destruction of aflatoxin in rice by different cooking methods. J. Food Sci. Technol., 16: 111112.

Reilly, A. 1990. Grain quality as affected by microorganisms in tropical regions. Food Lab. News, 21: 3235.

Resurrección, A.P., Hara, T., Juliano, B.O. & Yoshida, S. 1977. Effect of temperature during ripening on grain quality of rice. Soil Sci. Plant Nutr, 23: 109-112.

Resurrección A.P. & Juliano, B.O. 1981. Properties of poorly digestible fraction of protein bodies of cooked milled rice. Qual. Plant. Plant Foods Hum. Nutr., 31: 119-128.

Resurrección, A.P., Juliano, B.O. & Eggum, B.O. 1978. Preparation and properties of destarched milled rice. Nutr. Rep. Int., 18: 17-25.

Resurrección, A.P., Juliano, B.O. & Tanaka, Y. 1979. Nutrient content and distribution in milling fractions of rice grain. J. Sci. Food Agric., 30: 475-481.

Resurrección A.P., Li, X.S., Okita, T.W. & Juliano, B.O. 1992. Characterization of poorly digested protein of cooked rice protein bodies. Cereal Chem. (in

press).

Rivai, I.F., Koyama, H. & Suzuki, S. 1990. Cadmium content of rice and its daily intake in various countries. *Bull. Environ. Contam. Toxicol.*, 44: 910-916

Rivera, E.F., Aligui, G.L., Taaca, A., Juliano, B.O. & Perez, C.M. 1983. The use of "am" (rice water) among cases of acute gastroenteritis in children. *Philipp. J. Pediatr.*, 32: 2229.

Robert, L.S., Thompson, R.D. & Flavell, R.B. 1989. Tissue-specific expression of a wheat high molecular weight glutenin gene in transgenic tobacco *Plant Cell*, 1: 569-578.

Roberts, R.L. 1972. Quick-cooking rice. In D F. Houston, ed. *Rice chemistry and technology*, p. 381-399 St Paul, MN, USA, Am. Assoc. Cereal Chem.

Roxas, B.V., Intengan, C.LI. & Juliano, B.O. 1975. Effect of protein content of milled rice on nitrogen retention of Filipino children fed a rice-fish diet *Nutr. Rep. Int.*, 11: 393-398.



Roxas, B.V., Intengan, C.Li. & Juliano, B.O. 1976. Protein content of milled rice and nitrogen retention of preschool children fed rice-mung bean diets. *Nutr. Rep. Int.*, 14: 203-207.

Roxas, B.V., Intengan, C.Li. & Juliano, B.O. 1979. Protein quality of highprotein and low-protein milled rices in preschool children. *J. Nutr.*, 109: 832-839.

Roxas, B.V., Intengan, C.Li. & Juliano, B.O. 1980. Effect of zinc supplementation and high-protein rice on the growth of preschool children on a rice-based diet. *Qual. Plant. Plant Foods Hum. Nutr.*, 30: 213-222.

Roxas, B.V., Loyola, A.S. & Reyes, E.L. 1978. The effect of different degrees of rice milling on nitrogen digestibility and retention. *Philipp. J. Nutr.*, 31: 110-113.

Russell, P.L., Berry, C.S. & Greenwell, P. 1989. Characterization of resistant starch from wheat and maize. *J. Cereal Sci.*, 9: 1-15.

Sagara, Y. 1988. The rice surplus, and new technology for rice processing in

Japan. Food Fert. Technol. Cent. Asian Pac. Reg. Ext. Bull., 273: 1127.

Salcedo, J. Jr, Bamba, M.D., Carrasco, E.O., Chan, G.S., Concepcion, I., Jose, F.R., de Leon, J.F., Oliveros, S.B., Pascual, C.R.,

Santiago, L.C. & Valenzuela, R.C. 1950. Artificial enrichment of white rice as a solution to endemic beriberi. Report of field trials in Bataan, Philippines. J. Nutr., 42: 501-523.

Sanchez, P.C., Juliano, B.O., Laude, V.T. & Perez, C.M. 1988. Nonwaxy rice for tapuy (rice wine) production. Cereal Chem., 65: 240-243.

Sanchez, P.C., Laude, V.T., Yap, A.B., & Juliano, B.O. 1989. Effect of toasting and variety on "tapuy" quality. Philipp. Agric., 72: 225-230.

Santiago, M.I.C., Roxas, B.V., Intengan, C.LI. & Juliano, B.O. 1984. Protein and energy utilization of brown, undermilled and milled rices by preschool children. Qual. Plant. Plant Foods Hum. Nutr., 34: 15-25.

Satin, M. 1988. Bread without wheat. In S. Maneepun, P. Varangoon & B. Phithakpol, eds. Food science and technology in industrial development. Proceedings Foods Conference '88, Bangkok, 24-26 October 1988, Vol. 1, p. 42-47. Bangkok, Kasetsart University Institute of Food Research & Product Development.

Saunders, R.M. 1990. The properties of rice bran as a foodstuff. Cereal Foods World, 35: 632, 634-636.

Schaeffer, G.W. & Sharpe, F.T. Jr. 1983. Improved rice proteins in plants regenerated from S-AEC-resistant callus. In Proceedings of a Workshop on Cell and Tissue Culture Techniques for Cereal Crop Improvement, Beijing, 1981, p. 279-290. Beijing, Science Press; Manila, IRRI.

Scrimshaw, N.S. 1988. Nutrition and health-new knowledge, new challenges. In K. Yasumoto, Y. Itokawa, H. Koishi & Y. Sanno, eds. Proceedings, 5th Asian Congress Nutrition, Osaka, 26-29 October 1987, p. 6-23. Tokyo, Center for Academic Publications Japan.

Seiber, J.M., Heinrichs, E.A., Aquino, G.B., Valencia, S.L., Andrade, P. & Argente, A.M. 1978. Residues of carbofuran applied as a systematic insecticide in irrigated wetland rice -implications for insect control. IRRI Research Paper Ser. 17. Manila, IRRI. 27 pp.

Seshu, D.V., Krishnasamy, V. & Siddique, S.B. 1988. Seed vigor in rice. In Rice seed health. Proceedings of IRRI/UNDP International Workshop, IRRI, 16-20 March 1987, p. 315-329. Manila, IRRI.

Shankara, T., Ananthachar, T.K., Narasimha, V., Krishnamurthy, H. & Desikachar, H.S.R. 1984. Improvements of the traditional edge runner process for rice flake production. J. Food Sci. Technol., 21: 121-122.

Sharma, R.D. & Rukmini, C. 1986. Rice bran oil and hypocholesterolemia in rats. Lipids, 21: 715-717.

Sharma, R.D. & Rukmini, C. 1987. Hypocholesterolemic activity of unsaponifiable matter of rice bran oil. Indian J. Med. Res., 85: 278-281.

Shibuya, N. 1989. Comparative studies on the cell wall polymers obtained from different parts of rice grains. In N.G. Lewis & M.G. Paice, eds. Plant cell wall polymers: biogenesis and biodegradation, Symp. No. 399, p. 333344. Washington, D.C., Am. Chem. Soc.

Siscar-Lee, J.J.H., Juliano, B.O., Qureshi, R.H. & Akbar, M. 1990. Effect of saline soil on grain quality of rices differing in salinity tolerance. Plant Foods Hum. Nutr., 40: 31-36.

Soni, S.K. & Sandhu, D.K. 1989. Fermentation of idli: effects of changes in raw materials and physico-chemical conditions. J. Cereal Sci., 10: 227-238.

Sosulski, F.W. & Imafidon, G.I. 1990. Amino acid composition and nitrogen-to-protein conversion factors for animal and plant foods. J. Agric. Food Chem., 38: 1351-1356.

Souci, S.W., Fuchmann, W. & Kraut, H. 1986. Food composition and nutrition tables 1986/187, 3rd rev. ed. Stuttgart, Wissenschaftliche Verlagsgesellschaft mbH.

Sowbhagya, C.M. & Bhattacharya, K.R. 1976. Lipid autoxidation in rice. *J. Food Sci.*, 41: 1018-1023.

Srinivas, T. & Bhashyam, M.K. 1985. Effect of variety and environment on milling quality of rice. In *Rice grain quality and marketing*, p. 51-59. Manila, IRRI.

Srinivas, T. & Desikachar, H.S.R. 1973. Factors affecting the puffing quality of paddy. *J. Sci. Food Agric.*, 24: 883-891.

Srinivasa Rao, P. 1970. Studies on the nature of carbohydrate moiety in high yielding varieties of rice. *J. Nutr.*, 101: 879-884.

Srinivasa Rao, P. 1976. Nature of carbohydrates in red rice varieties. *Plant Foods Man*, 2: 69-74.

Steinkraus, K.H., ed. 1983. *Handbook of indigenous fermented foods*. New York, Marcel Dekker, Inc. 671 pp.

Stemmermann, G.N. & Kolonel, L.N. 1978. Talc-coated rice as a risk factor for stomach cancer. *Am. J. Clin. Nutr.*, 31: 2017-2019.

Stucy Johnson, F.C. 1988. Utilization of American-produced rice in muffins for gluten-sensitive individuals. *Home Econ. Res. J.*, 17: 175- 183.

Sugimoto, T., Tanaka, K. & Kasai, Z. 1986. Molecular species in the protein body II (PB-II) of developing rice endosperm. *Agric. Biol. Chem.*, 50: 3031-3035.

Susheelamma, N.S. & Rao, M.V.L. 1979. Functional role of the arabinogalactan of black gram (*Phaseolus mungo*) in the texture of leavened foods (steamed puddings). *J. Food Sci.*, 44: 1309-1312, 1316.

Suzuki, S., Tetsuka, T., Kajiwara, K. & Mitani, M 1962. Influence of several lipids on human serum cholesterol. V. Effect of rice oil. *Jpn. J. Nutr.*, 20: 139-141 (in Japanese).

Taira, H., Nakagahra, M. & Nagamine, T. 1988. Fatty acid composition of indica, sinica, japonica, and japonica groups of nonglutinous brown rice. *J.*

Agric. Food Chem., 36: 45-47.

Taira, H., Taira, H. & Fujii, K. 1979. Influence of cropping season on lipid content and fatty acid composition of lowland nonglutinous brown rice. Nippon Sakamotsu Gakkai Kiji, 48: 371 377.

Takahashi, K., Sugimoto, T., Miura, T., Wasizu, Y. & Yoshizawa, K. 1989. Isolation and identification of red rice pigments. Nippon Jozo Kyokai Zasshi, 84: 807-812.

Takeda, Y., Hizukuri, S. & Juliano, B.O. 1987. Structures of rice amylopectin with low and high affinities for iodine. Carbohydr. Res., 168: 79-88.

Tanaka, K. & Ogawa, M. 1988. Storage protein genes and their expression control: specially focusing on the improvement of PB-I digestibility. Abstracts Annual Meeting Rockefeller Foundation Program on Rice Biotechnology, IRRI, 20-22 January 1988. Manila, IRRI.

Tanaka, K, Ogawa, M & Kasai, Z. 1977. The rice scutellum. II. A comparison of



scutellar and aleurone electron-dense particles by transmission electron microscopy including energy-dispersive X-ray analysis. *Cereal Chem.*, 54: 684-689.

Tanaka, K., Sugimoto, T., Ogawa, M. & Kasai, Z. 1980. Isolation and characterization of two types of protein bodies in the rice endosperm. *Agric. Biol. Chem.*, 44: 1633-1639.

Tanaka, K., Yoshida, T., Asada, K. & Kasai, Z. 1973. Subcellular particles isolated from aleurone layer of rice seeds. *Arch. Biochem. Biophys.*, 155: 136-143.

Tanaka, Y., Hayashida, S. & Hongo, M. 1975. Quantitative relation between feces protein particles and rice protein bodies. *Nippon Nogei Kagaku Kaishi*, 49: 425-429.

Tanaka, Y., Resurrección A.P., Juliano, B.O. & Bechtel, D.B 1978. Properties of whole and undigested fraction of protein bodies of milled rice. *Agric. Biol. Chem.*, 42: 2015-2023.

Tanchoco, C.C., Castro, M.C.A., Alcaraz, S.A., Bassig, M.C.C., de los Santos, E. & Lana, R.D. 1990. Glycemic effects of different sources and forms of carbohydrate foods and levels of fiber Paper presented at the Food Nutr. Res. Inst. 16th Seminar Ser. Manila, 19-20July.

Tang, S.X., Khush, G.S. & Juliano, B.O. 1989. Diallel analysis of gel consistency in rice (*Oryza. sativa* L.). SABRAO J., 21: 135-142.

Tani, T. 1985. Rice processing industries in Japan. In FAO/UNDP Regional Workshop on Rice Processing Industries, Jakarta, 15-20 July, p. 88101. Bangkok FAO Regional Office for Asia and the Pacific.

Tanphaichitr, V. 1985. Epidemiology and clinical assessment of vitamin deficiencies in Thai children. In R.E. Eeckels, O. Ransome-Kuti & C.C. Kroonenberg, eds. Child health in the tropics, p. 151 - 166. Dordrecht, the Netherlands, M. Nijhoff Publishers.

Toenniessen, G.H. & Herdt, R.W. 1989. The Rockefeller Foundation's international program on rice biotechnology. In J.I. Cohen, ed. Strengthening

collaboration in biotechnology. international agricultural research and the private sector, p. 291 317. Washington, D.C., US Agency for International Development, Bureau for Science and Technology.

Tontisirin, K., Ajmanwra, N. & Valyasevi, A. 1984. Long-term study on the adequacy of usual Thai weaning food for young children. UN Univ. Food Nutr. Bull. Suppl., 10: 265-285.

Tontisirin, K., Sirichakawal, P.P. & Valyasevi, A. 1981. Protein requirements of adult Thai males. UN Univ. Food Nutr. Bull. Suppl., 5: 88-97.

Topping, D.L., Hlman, R.J., Roach, PD., Trimble, R.P., Kambouris, A. & Nestel, P.J. 1990. Modulation of the hypolipidemic effect of fish oils by dietary fiber in fats: studies with rice and wheat bran. J. Nutr., 120: 325-330.

Tor $\diamond$ n, B., Young, V. R. & Rand, W. R., eds. 1981. Protein-energy requirements of developing countries: evaluation of new data. UN Univ. Food Nutr. Bull. Suppl., Vol. 5. 268 pp.

Tribelhorn, R.E., O'Deen, L.A., Harper, J.M. & Fellers, D.A. 1986. Investigation on extrusion for ORT samples. Boulder, CO, USA, Colorado State University Research Foundation. 70 pp.

Trowell, H. 1987. Diabetes mellitus and rice-a hypothesis. *Human Nutr., Food Sci. Nutr.*, 41F: 145-152.

Tsai, S.T., Chwang, L.C., Doong, T.I. & Mu, H.L. 1990. Glycemic response of rice and rice products in NIDDM. In Program and abstracts, Asian Symposium on Rice and Nutrition, Taipei, 22-23 June 1990, p. 54. Taipei, Taipei Dietitians Association.

Tsugita, T. 1986. Aroma of cooked rice. *Food Rev. Int.*, 1: 497-520.

Tsutsumi, C. & Shimomura, C. 1978. Changes of the contents of mineral elements and protein by milling and washing with water. *Shokuhin Sogo Kenkyusho Kenkyu Hokoku*, 33: 1217.

Tulpule, P.G., Nagarajan, V. & Bhat, R.V. 1982. Environment causes of food

contamination. Environment India Review - Series 1. New Delhi, Government of India, Department of Environment.

UNICEF. 1991. State of the world's children. New York, UNICEF.

United Nations. 1987. First report on the world nutrition situation. Rome, FAO Administrative Committee on Coordination, Subcommittee on Nutrition.

Unnevehr, L.J., Juliano, B.O., Perez, C.M. & Marciano, E.B. 1985. Consumer demand for rice grain quality in Thailand, Indonesia, and the Philippines. IRRI Research Paper Ser. 116. Manila, IRRI. 20 pp.

Unnevehr, L.J. & Stanford, M.L. 1985. Technology and the demand for women's labour in Asian rice farming. In Women in rice farming, p. 1-20. Aldershot, Hants., UK, Gower Publishing Co. Ltd. van Ruiten, H.T.L. 1985. Rice milling: an overview. In B.O. Juliano, ed. Rice chemistry and technology, 2nd ea., p. 349-388. St Paul, MN, USA, Am. Assoc. Cereal Chem.

Vasanthi, S. & Bhat, R.V. 1990. Aflatoxins in stored rice. Int. Rice Res. Newsl.,

15(1): 39-40.

Ventura, B. 1977. Rice bran utilization in the prevention and treatment of dental decay (caries). In Proceedings. Rice Byproducts Utilization International Conference, Valencia, 1974, Vol. 4, Rice bran utilization: food and feed, p. 215218. Valencia, Instituto de Agroquímica y Tecnología de Alimentos.

Vijayagopal, P. & Kurup, P.A. 1972. Hypolipidaemic activity of whole paddy in rats fed a high-fat high cholesterol diet. Isolation of an active fraction from the husk and bran. *Atherosclerosis*, 15: 215-222.

Villareal, C.P. & Juliano, B.O. 1987. Varietal differences in quality characteristics of puffed rice. *Cereal Chem.*, 64: 337-342.

Villareal, C.P. & Juliano' B.O. 1989a. Variability in contents of thiamine and riboflavin in brown rice crude oil in brown rice and bran-polish and silicon in hull of IR rices. *Plant Foods Hum. Nutr.*, 39: 287-297.

Villareal, C.P. & Juliano, B.O. 1989h. Comparative level of waxy gene product

of endosperm starch granules of different rice ecotypes. *Starch*, 41: 369-371.

Villareal, C.P., Juliano, B.O. & Sauphanor, B. 1990. Grain quality of rices grown in irrigated and upland cultures. *Plant Foods Hum. Nutr.*, 40: 3747.

Villareal, C.P., Maranville, J.W. & Juliano B.O. 1991. Nutrient content and retention during milling of brown rices from the International Rice Research Institute. *Cereal Chem.*, 68: 437-439.

Villareal, R.M. & Juliano, B.O. 1978. Properties of glutelin from mature and developing rice grain. *Phytochemistry*, 17: 177- 182.

Wang, H.-H. 1980. Fermented rice products. In B.S. Luh, ed. *Rice production and utilization*, p. 650-689. Westport, CT, USA AVI Publishing Co.

Watanabe, M., Miyakawa, J., Ikezawa, Z., Suzuki, Y., Hirao, T., Yoshizawa, T. & Arai, S. 1990a. Production of hypoallergenic rice by enzymatic decomposition of constituent proteins. *J. Food Sci.*, 55: 781-783.

Watanabe, M., Yoshizawa, T., Miyakawa, J., Ikezawa, Z., Abe, K., Yanagesawa, T. & Arai, S. 1990b. Quality improvement and evaluation of hypoallergenic rice grains. *J. Food Sci.*, 55: 1105-1107.

Watt, B.K. & Merrill, A.L. 1963. *Composition of foods. Agric. Handbook S.* Washington, D.C., US Dept. Agric. Consumer and Food Economics Res. Div. 190 pp.

WHO. 1985. Energy and protein requirements. Report of a Joint FAO/WHO/UNU Expert Consultation WHO Tech. Rep. Ser. 724. Geneva WHO. 206 pp.

Williams, R.R. 1956. Williams Waterman Fund for the Comba of Dietary Disease. A history of a period 1935 through 1955. New York, Research Corporation.12

Wolever, T.M.S., Jenkins, D Kalmusky, J., Jenkins, cholesterol diet. Isolation of an active fraction from the husk and bran. *Atherosclerosis*, 15: 215-222.



Villareal, C.P. & Juliano, B.O. 1987. Varietal differences in quality characteristics of puffed rice. *Cereal Chem.*, 64: 337-342.

Villareal, C.P. & Juliano, B.O. 1989a. Variability in contents of thiamine and riboflavin in brown rice, crude oil in brown rice and bran-polish, and silicon in hull of IR rices. *Plant Foods Hum. Nutr.*, 39: 287-297.

Villareal, C.P. & Juliano, B.O. 1989b. Comparative level of waxy gene product of endosperm starch granules of different rice ecotypes. *Starch*, 41: 369-371.

Villareal, C.P., Juliano, B.O. & Sauphanor, B. 1990. Grain quality of rices grown in irrigated and upland cultures. *Plant Foods Hum. Nutr.*, 40: 37-47.

Villareal, C.P., Maranville, J.W. & Juliano, B.O. 1991. Nutrient content and retention during milling of brown rices from the International Rice Research Institute. *Cereal Chem.*, 68: 437-439.

Villareal, R.M. & Juliano, B.O. 1978. Properties of glutelin from mature and developing rice grain. *Phytochemistry*, 17: 177-182.

Wang, H.-H. 1980. Fermented rice products. In B.S. Luh, ed. Rice: production and utilization, p. 650689. Westport, CT, USA, AVI Publishing Co.

Watanabe, M., Miyakawa, J., Ikezawa, Z., Suzuki, Y., Hirao, T., Yoshizawa, T. & Arai, S. 1990a. Production of hypoallergenic rice by enzymatic decomposition of constituent proteins. J. Food Sci., 55: 781 -783.

Watanabe, M., Yoshizawa, T., Miyakawa, J., Ikezawa, Z., Abe, K., Yanagesawa, T. & Arai, S. 1990b. Quality improvement and evaluation of hypoallergenic rice grains. J. Food Sci., 55: 1105-1107.

Watt, B.K. & Merrill, A.L. 1963. Composition of foods. Agric. Handbook 8. Washington, D.C., US Dept. Agric. Consumer and Food Economics Res. Div. 190 pp.

WHO. 1985. Energy and protein requirements. Report of a Joint FAO/WHO/UNU Expert Consultation. WHO Tech. Rep. Ser. 724. Geneva, WHO. 206 pp.

Williams, R.R. 1956. Williams Waterman Fund for the Combat of Dietary Diseases. A history of the period 1935 through 1955. New York, Research Corporation. 120 pp.

Wolever, T.M.S., Jenkins, D.J.A., Kalmusky, J., Jenkins, A., Giordano, C., Guidici, S., Josse, R.G. & Wong, G.S. 1986. Comparison of regular and parboiled rices: explanation of discrepancies between reported glycemic responses to rice. *Nutr. Res.*, 6: 349-357.

Wong, H.B. 1981. Rice water in treatment of infantile gastroenteritis. *Lancet*, (2): 102- 103.

Yamagata, H., Sugimoto, T., Tanaka, K. & Kasai, Z. 1982. Biosynthesis of storage proteins in developing rice seeds. *Plant Physiol.*, 70: 10941100.

Yap, A.B., Ilag, L.L., Juliano, B.O. & Perez, C.M. 1987. Soaking in *Aspergillus parasiticus*-inoculated water and aflatoxin in parboiled rice. *Hum. Nutr: Food Sci. Nutr.*, 41F: 225-229.

Yap, A.B., Perez, C.M. & Juliano, B.O. 1990. Artificial yellowing of rice at 60°C. In J.O. Naewbanij, ed. Advances in grain postharvest technology generation and utilization. Proceedings 11th ASEAN Technical Seminar on Grain Postharvest Technology, Kuala Lumpur, 23-26 August 1988, p. 3-20. Bangkok, ASEAN Crops Postharvest Programme.

Yokoo, M. 1990. Producing new rice (Super-rice program). Farming Jpn., 24(1): 29-40.

Yoshida, S. 1981. Fundamentals of rice crop science. Los Baños, Laguna, the Philippines, IRRI.

Yoshizawa, K. & Kishi, S. 1985. Rice in brewing. In B.O. Juliano, ed. Rice chemistry and technology, 2nd ed., p. 619-645. St Paul, MN, USA, Am. Assoc. Cereal Chem.

---

[Table des matières](#) - [Précédente](#)