




---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

---



---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

---



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 1
2.4 Property Statement 1
3. Related Documents 2
3.1 Superseded Documents 2
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 2
4. External Standards 2
4.1 The Japanese Industrial Standards (JIS) 2
4.2 Relation of IBM and JIS Character Set 2
4.2.1 Character Coverage 2
4.2.1.1 IBM selected characters 3
4.2.1.2 User Definable Characters 3
4.2.2 Code Scheme 3
4.3 Relation with other standards 3
5. Specification of Character Repertoire 3
5.1 Identification of Graphic Characters 3
6. Character Sets and Code Pages 3
6.1 Registration of GCSGID and CPGID 3
6.2 Japanese DBCS-EUC JIS X 0208 Set 4
6.3 Japanese DBCS-EUC JIS X 0212 Set 4
7. Code Translation Correspondence 4
7.1 Code Correspondence of Non-Kanji/Kanji Sets 5
8. Format of Japanese EUC Specification 5
9. JIS X 0201 Roman Set (G0 of Japanese EUC) 6
10. JIS X 0208 Set (G1 of Japanese EUC) 10
10.1 JIS Non-Kanji Set 10
10.2 JIS First Level Kanji Set 31
10.3 JIS Second Level Kanji Set 146
10.4 User Definable Characters 277
11. JIS X 0201 Katakana Set (G2 of Japanese EUC) 312
11.1 JIS KATAKANA Set 312
11.2 IBM Extended SBCS Set 315
12. JIS X 0212 Set (G3 of Japanese EUC) 316
12.1 JIS X 0212 Non-Kanji Set 316
12.2 JIS X 0212 Kanji Set 317
12.3 IBM-Selected Non-Kanji Set 328
12.4 IBM-Selected Kanji Set 329
12.5 User Definable Characters 333
Supplementary Information 368
13. Definition of Terms 368
13.1 Product 368
13.2 Graphic Character 368
13.3 User Definable Character 368
13.4 Graphic Character Global Identifier (GCGID) 368
13.5 Graphic Character Set 368
13.6 Byte 368
13.7 Graphic Character Set Global Identifier (GCSGID) 368
13.8 Code 368
13.9 Code Point 368
13.10 Code Page 368
13.11 Registered Code Page 368
13.12 Unrestricted Code Page 368
13.13 Code Page Global Identifier (CPGID) 368
13.14 Coded Graphic Character 368
13.15 Coded Graphic Character Set 368
13.16 Registered Coded Graphic Character Set 368
13.17 Coded Graphic Character Set Global Identifier (CGCSGID) 368
13.18 SBCS 368
13.18.1 EBCDIC 368
13.18.2 PC Code 368
13.19 DBCS 369
13.19.1 DBCS-Host 369
13.19.2 DBCS-PC 369
13.19.3 DBCS-EUC 369
13.20 Ward 369
13.21 UNIX 369
14. EUC Encoding Scheme 369
14.1 Definition 369
14.2 Japanese environment 370
14.2.1 Common Japanese EUC 370
14.2.2 IBM Japanese EUC 370
15. History of JIS X 0208 371
15.1 JIS C 6226-1978 371
15.2 JIS X 0208-1983 371
15.3 JIS X 0208-1990 371
16. History of JIS X 0201 371
16.1 JIS X 0201-1976 371
17. History of JIS X 0212 371
17.1 JIS X 0212-1990 371
18. Graphic Character Representation 371
19. Consideration for Code Translation Correspondence 372



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Tables

1. Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set . . . . .	3	12. JIS Katakana Set, EUC . . . . .	312
2. Structure of DBCS-EUC JIS X 0208 Set (G1 set) . . . . .	4	13. IBM Extended SBCS Set, EUC . . . . .	315
3. Structure of DBCS-EUC JIS X 0212 Set (G3 set) . . . . .	4	14. JIS X 0212 Non-Kanji Set, EUC . . . . .	316
4. Format of code corresponding table . . . . .	5	15. JIS X 0212 Kanji Set, EUC . . . . .	317
5. JIS Roman Set, EUC . . . . .	6	16. IBM-Selected Non-Kanji Set, EUC . . . . .	328
6. JIS Non-Kanji Set, EUC . . . . .	10	17. IBM-Selected Kanji Set, EUC . . . . .	329
7. JIS First Level Kanji Set (1 of 2), EUC . . . . .	31	18. User Definable Characters (2 of 2), EUC . . . . .	333
8. JIS First Level Kanji Set (2 of 2), EUC . . . . .	93	19. Structure of EUC encoding framework . . . . .	370
9. JIS Second Level Kanji Set (1 of 2), EUC . . . . .	146	20. Common Japanese EUC (AJEC) . . . . .	370
10. JIS Second Level Kanji Set (2 of 2), EUC . . . . .	208	21. IBM Japanese EUC . . . . .	370
11. User Definable Characters (1 of 2), EUC . . . . .	277	22. 57 Coded Characters . . . . .	372



---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**DBCS - EUC

---

**Introduction****1. Scope****1.1 Abstract**

This document is a registry of the IBM Japanese *Graphic Character Set for EUC*, in which the following are set forth:

- the repertoire of the IBM Japanese *Graphic Character Sets* for *EUC* is specified.
- each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier* (GCGID).
- five *graphic character sets*, which are the subsets of the repertoire are specified and identified by *Graphic Character Set Global IDs* (GCSGID).
- two code pages, Japanese *DBCS-EUC* JIS X 0208 Set and *DBCS-EUC* JIS X 0212 Set for the *graphic character sets* are specified and identified by *Code Page Global IDs* (CPGID).
- code translation correspondence between Japanese *DBCS-EUC* JIS X 0208 Set or JIS X 0212 Set and the related *code pages* are specified.

**1.2 Objective**

The objectives of this document are:

- 1) to make available to all developers supporting Japanese the specification of the Japanese *graphic character sets* and *code pages*.
- 2) to ensure consistent implementation of the Japanese *Graphic Character Sets* and *code pages* and code correspondence between Japanese *DBCS-EUC* JIS X 0208 Set or Japanese *DBCS-EUC* JIS X 0212 Set and other related code pages for *EUC*

**Note:** This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.

This document does not specify Japanese *DBCS-Host* and *DBCS-PC*. They are specified in C-H 3-3220-024.

Terms in italics (except in heading) are defined in the Supplementary Information section of this document.

X'nn' or X'nnnn' represents a hexadecimal notation.

**1.3 Application**

This specification is applicable to all IBM products which implement the IBM Japanese *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

**1.4 Effective Date**

This document takes effect with its publication.

**2. Document Administration****2.1 Originating Area and Responsibility**

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (Double-Byte Character Set (DBCS)), location code 93K, Yamato.

**2.2 Authorization**

Publication of this document was approved by the Standards Authorities of the affected operating units.

**2.3 Compliance**

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

**2.4 Property Statement**

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.



---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**DBCS - EUC

---

**3. Related Documents****3.1 Superseded Documents**

none.

**3.2 Referenced External Documents****ISO 646***ISO 7-bit coded character set for information interchange.***ISO 8859***ISO Standard for 8-bit single-byte Coded Graphic Character Sets***ISO 2022***ISO Standard for ISO 7-bit and 8-bit Coded Character Sets - Code extension techniques***JIS X 0201***Code for Information Interchange***JIS X 0202***Information processing - ISO 7-bit and 8-bit Coded Character Sets - Code extension techniques***JIS X 0208***Code of the Japanese graphic character set for information interchange***JIS X 0212***Code of the supplementary Japanese graphic character set for information interchange***3.3 Referenced IBM Documents****C-S 3-3220-002***Extended BCD Interchange Code (EBCDIC)***C-S 3-3220-019***Coded Character Sets, Implementation***C-H 3-3220-024***Japanese Graphic Character Set, Kanji***C-H 3-3220-050***REGISTRY, Graphic Character Sets and Code Pages***C-H 3-3220-055***Graphic Character Identification System***C-S 3-3220-102***Double-Byte Character Set (DBCS)***3.4 Copyright Permission**

Not applicable.

---

**Requirements****4. External Standards****4.1 The Japanese Industrial Standards (JIS)**

JIS X 0201-1976, *Code for Information Interchange*, defines total 162 coded graphic characters, 94 Roman characters, and 63 Katakana characters based on the JIS 7-bit and JIS 8-bit code scheme.

JIS X 0202-1991, *ISO 7-bit and 8-bit coded character sets - Code extension techniques*, defines code extension techniques which are applicable to JIS X 0201, JIS X 0208 and JIS X 0212.

JIS X 0208-1990, *Code of the Japanese graphic character set for information interchange*, defines total of 6,879 characters: 2,965 First Level Kanji characters,

3,390 Second Level Kanji characters, and 524 non-Kanji characters based on the JIS 7-bit code scheme.

JIS X 0212-1991, *Code of the supplementary Japanese graphic character set for Information Interchange*, defines total 6,067 characters: 5,801 Kanji characters and 266 non-Kanji characters based on the JIS 7-bit code scheme.

**4.2 Relation of IBM and JIS Character Set**

**4.2.1 Character Coverage.** The IBM Japanese *Graphic Character Sets* for EUC consist of JIS X 0201-1976, JIS X 0208-1990, and JIS X 0212-1991. IBM unique extension and User Definable Characters are mapped in unassigned code area of JIS standards above.

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**4.2.1.1 IBM selected characters.** For compatibility with other IBM Japanese *coded character sets*, IBM has assigned 5 *SBCS* and 106 *DBCS* characters besides JIS standard *character sets* into unassigned code points of JIS X 0201 or JIS X 0212.

**4.2.1.2 User Definable Characters.** For the convenience of users, IBM has assigned 1,880 (same number as Japanese *DBCS-PC*) User Definable Characters into unassigned code points of JIS X 0208 and JIS X 0212.

**4.2.2 Code Scheme.** The code scheme for the IBM Japanese of *EUC* is an instance of JIS X 0202.

**4.3 Relation with other standards**

This document specifies *code pages* and *character sets*, in compliance with the common Japanese *EUC* (AJEC) which was agreed among Open Software Foundation, UNIX International, and UNIX System Laboratories Pacific in 1991.

**5. Specification of Character Repertoire****5.1 Identification of Graphic Characters**

This document specifies the repertoire of the Japanese *graphic character sets* for *DBCS-EUC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global ID (GCGID)*.

**6. Character Sets and Code Pages****6.1 Registration of GCSGID and CPGID**

This specification registers subsets of the IBM Japanese *Graphic Character Set* and identifies them by *Graphic Character Set Global Identifier (GCSGID)*.

It also specifies relevant *code pages* for those *registered graphic character set*: *DBCS-EUC JIS X 0208 Set*, *DBCS-EUC JIS X 0212 Set* and identifies them by *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and *CPGIDs* of the *registered coded graphic character sets* of Japanese.

The registration category "U" means "Unrestricted", which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

**Note:** See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

**Table 1.** Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set

CGCSGID GCSGID CPGID	Name	Character Set Size	Number of code points in code page	Category of Registration
01058 00952	DBCS-EUC JIS X 0208 Set including 940 UDCs	7,819	8,836	U
01061 00952	DBCS-EUC JIS X 0208 Set	6,879	8,836	U
01059 00953	DBCS-EUC JIS X 0212 Set including IBM selected and 940 UDCs	7,113	8,836	U
01062 00953	DBCS-EUC JIS X 0212 Set	6,067	8,836	U
01060 00953	DBCS-EUC, IBM selected including 940 UDCs	1,326	8,836	U

**Note:** Code pages 00952 and 00953 are defined as 7-bit code pages. With the use of EUC or ISO encoding scheme, the most significant bit of each code point on the code pages may be ignored.

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**6.2 Japanese DBCS-EUC JIS X 0208 Set**

The *coded graphic character set* of the Japanese *DBCS-EUC JIS X 0208 Set* is structured as shown in Table 2.

Wards in Hex	Content	Number of Characters
A1 to A8	Non-Kanji Set <ul style="list-style-type: none"> <li>• Space</li> <li>• Greek, Russian, Roman Numeric</li> <li>• Alphanumeric and Related Symbols</li> <li>• Katakana, Hiragana and Special Symbols</li> </ul>	524
B0 to CF	First Level Kanji Set	2,965
D0 to F4	Second Level Kanji Set	3,390
F5 to FE	User Definable Character Area	940 *
A9 to AF	Reserved for Future IBM Assignments	
<b>Note:</b> * The maximum number of user definable characters.		

The specification of the Japanese *DBCS-EUC JIS X 0208 Set* is shown in Tables 6 to 11.

**6.3 Japanese DBCS-EUC JIS X 0212 Set**

The *coded graphic character set* of the Japanese *DBCS-EUC JIS X 0212 Set* is structured as shown in Table 3.

Wards in Hex	Content	Number of Characters
A1 to AA	JIS Supplementary Non-Kanji Set	1 (266)
B0 to ED	JIS Supplementary Kanji	279 (5,801)
F3	IBM Selected Non-Kanji Set	25
F4	IBM Selected Kanji Set	81
F5 to FE	User Definable Character Area	940 *
AB to AF EE to F2	Reserved for Future IBM Assignments	
<b>Note:</b> * The maximum number of user definable characters. Numbers enclosed by () are for character set 01059.		

The specification of the Japanese *DBCS-EUC JIS X 0212 Set* is shown in Tables 14 to 18.

**7. Code Translation Correspondence**

The following code translation correspondences are defined in this specification:

- *DBCS-EUC JIS X 0208 Set* to *DBCS-PC*
- *DBCS-EUC JIS X 0212 Set* to *DBCS-PC*
- *DBCS-EUC JIS X 0208 Set* to *DBCS-Host*
- *DBCS-EUC JIS X 0212 Set* to *DBCS-Host*
- *DBCS-EUC JIS X 0208 Set* to *JIS X 0208*
- *DBCS-EUC JIS X 0212 Set* to *JIS X 0212*

IBM selected characters and User Definable Characters have an empty entry for the JIS code column in tables as they are not defined in JIS X 0208 or JIS X 0212. There are two methods for the code translation from *EUC* to JIS X 0208 and JIS X 0212:

- To map them into the reserved area for UDC defined in JIS, by ignoring the most significant bit of each code point.
- To substitute them.





IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

7.1 Code Correspondence of Non-Kanji/Kanji Sets

In the code correspondence of Non-Kanji and Kanji Sets between Japanese EUC and DBCS-Host, logical conversion is not applicable, therefore all the code translation correspondence is shown in Tables 6 through 11 and 14 through 18.

However, table driven code translation is required for 57 coded characters in JIS X 0208 Set (CPGID 00952) and all coded characters in JIS X 0212 Set (CPGID 00953). All the code translation correspondence is shown in Tables 6 through 11 and 14 through 18.

8. Format of Japanese EUC Specification

In the code correspondence of Non-Kanji and Kanji Sets between Japanese EUC and DBCS-PC, logical conversion is applicable for most coded characters.

In this section, the specification of the Japanese EUC coded graphic character sets is provided by tables. They are formatted as illustrated in Table 4.

**Table 4.** Format of code corresponding table

Line Number (Decimal)	Graphic	EUC Code (Hex)	PC Code (Hex)	Host Code (Hex)	JIS Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXX	XXXX	XXXXXXXX

**Note:** Line number in column 1 is the serial number of the listed *graphic characters* in the area for the better legibility.



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

## 9. JIS X 0201 Roman Set (G0 of Japanese EUC)

Table 5 (Page 1 of 4). JIS Roman Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
1		20	20	40 40	20	SP010000
2	!	21	21	5A 5A	21	SP020000
3	~	22	22	7F 7F	22	SP040000
4	#	23	23	7B 7B	23	SM010000
5	\$	24	24	5B E0	24	SC030000
6	%	25	25	6C 6C	25	SM020000
7	&	26	26	50 50	26	SM030000
8	'	27	27	7D 7D	27	SP050000
9	(	28	28	4D 4D	28	SP060000
10	)	29	29	5D 5D	29	SP070000
11	*	2A	2A	5C 5C	2A	SM040000
12	+	2B	2B	4E 4E	2B	SA010000
13	,	2C	2C	6B 6B	2C	SP080000
14	-	2D	2D	60 60	2D	SA080000
15	.	2E	2E	4B 4B	2E	SP110000
16	/	2F	2F	61 61	2F	SP120000
17	0	30	30	F0 F0	30	ND100000
18	1	31	31	F1 F1	31	ND010000
19	2	32	32	F2 F2	32	ND020000
20	3	33	33	F3 F3	33	ND030000
21	4	34	34	F4 F4	34	ND040000
22	5	35	35	F5 F5	35	ND050000
23	6	36	36	F6 F6	36	ND060000
24	7	37	37	F7 F7	37	ND070000
25	8	38	38	F8 F8	38	ND080000

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 5 (Page 2 of 4).</b> JIS Roman Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
26	g	39	39	F9 F9	39	ND090000
27	:	3A	3A	7A 7A	3A	SP130000
28	;	3B	3B	5E 5E	3B	SP140000
29	<	3C	3C	4C 4C	3C	SA030000
30	=	3D	3D	7E 7E	3D	SA040000
31	>	3E	3E	6E 6E	3E	SA050000
32	?	3F	3F	6F 6F	3F	SP150000
33	@	40	40	7C 7C	40	SM050000
34	A	41	41	C1 C1	41	LA020000
35	B	42	42	C2 C2	42	LB020000
36	C	43	43	C3 C3	43	LC020000
37	D	44	44	C4 C4	44	LD020000
38	E	45	45	C5 C5	45	LE020000
39	F	46	46	C6 C6	46	LF020000
40	G	47	47	C7 C7	47	LG020000
41	H	48	48	C8 C8	48	LH020000
42	I	49	49	C9 C9	49	LI020000
43	J	4A	4A	D1 D1	4A	LJ020000
44	K	4B	4B	D2 D2	4B	LK020000
45	L	4C	4C	D3 D3	4C	LL020000
46	M	4D	4D	D4 D4	4D	LM020000
47	N	4E	4E	D5 D5	4E	LN020000
48	O	4F	4F	D6 D6	4F	LO020000
49	P	50	50	D7 D7	50	LP020000
50	Q	51	51	D8 D8	51	LQ020000
51	R	52	52	D9 D9	52	LR020000



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 5 (Page 3 of 4). JIS Roman Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
52	S	53	53	E2 E2	53	LS020000
53	T	54	54	E3 E3	54	LT020000
54	U	55	55	E4 E4	55	LU020000
55	V	56	56	E5 E5	56	LV020000
56	W	57	57	E6 E6	57	LW020000
57	X	58	58	E7 E7	58	LX020000
58	Y	59	59	E8 E8	59	LY020000
59	Z	5A	5A	E9 E9	5A	LZ020000
60	[	5B	5B	AD 70	5B	SM060000
61	¥	5C	5C	B2 5B	5C	SC050000
62	]	5D	5D	BD 80	5D	SM080000
63	ˆ	5E	5E	B0 B0	5E	SD150000
64	_	5F	5F	6D 6D	5F	SP090000
65	`	60	60	79 79	60	SD130000
66	a	61	61	81 62	61	LA010000
67	b	62	62	82 63	62	LB010000
68	c	63	63	83 64	63	LC010000
69	e	64	64	84 65	64	LD010000
70	e	65	65	85 66	65	LE010000
71	f	66	66	86 67	66	LF010000
72	g	67	67	87 68	67	LG010000
73	h	68	68	88 69	68	LH010000
74	i	69	69	89 71	69	LI010000
75	j	6A	6A	91 72	6A	LJ010000
76	k	6B	6B	92 73	6B	LK010000
77	l	6C	6C	93 74	6C	LL010000

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 5 (Page 4 of 4).</b> JIS Roman Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
78	m	6D	6D	94 75	6D	LM010000
79	n	6E	6E	95 76	6E	LN010000
80	o	6F	6F	96 77	6F	LO010000
81	p	70	70	97 78	70	LP010000
82	q	71	71	98 8B	71	LQ010000
83	r	72	72	99 9B	72	LR010000
84	s	73	73	A2 AB	73	LS010000
85	t	74	74	A3 B3	74	LT010000
86	u	75	75	A4 B4	75	LU010000
87	v	76	76	A5 B5	76	LV010000
88	w	77	77	A6 B6	77	LW010000
89	x	78	78	A7 B7	78	LX010000
90	y	79	79	A8 B8	79	LY010000
91	z	7A	7A	A9 B9	7A	LZ010000
92	{	7B	7B	C0 C0	7B	SM110000
93		7C	7C	4F 4F	7C	SM130000
94	}	7D	7D	D0 D0	7D	SM140000
95	-	7E	7E	A0 A1	7E	SM150000
<b>Note:</b> This table, which is defined as code page 00895 in C-H 3-3220-050, is listed for reference purpose only.						

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**10. JIS X 0208 Set (G1 of Japanese EUC)***10.1 JIS Non-Kanji Set*

<b>Table 6 (Page 1 of 21).</b> JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1		A1A1	8140	4040	2121	SP010080
2	、	A1A2	8141	4344	2122	JQ730080
3	。	A1A3	8142	4341	2123	JQ700080
4	、	A1A4	8143	426B	2124	SP080080
5	。	A1A5	8144	424B	2125	SP110080
6	・	A1A6	8145	4345	2126	JQ740080
7	:	A1A7	8146	427A	2127	SP130080
8	;	A1A8	8147	425E	2128	SP140080
9	?	A1A9	8148	426F	2129	SP150080
10	!	A1AA	8149	425A	212A	SP020080
11	ゝ	A1AB	814A	43BE	212B	JX710080
12	。	A1AC	814B	43BF	212C	JX720080
13	ゝ	A1AD	814C	4450	212D	SD110080
14	ゝ	A1AE	814D	4279	212E	SD130080
15	ゝ	A1AF	814E	4460	212F	SD170080
16	^	A1B0	814F	4470	2130	SD150080
17	—	A1B1	8150	42A1	2131	SM150080
18	—	A1B2	8151	426D	2132	SP090080
19	ゝ	A1B3	8152	43DC	2133	JQ750080
20	ゝ	A1B4	8153	43DD	2134	JQ760080
21	ゝ	A1B5	8154	44DC	2135	RQ750080
22	ゝ	A1B6	8155	44DD	2136	RQ760080
23	//	A1B7	8156	445B	2137	SV090081
24	全	A1B8	8157	445C	2138	SS760080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 2 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
25	々	A1B9	8158	445D	2139	SS770080
26	々	A1BA	8159	445E	213A	SS720080
27	○	A1BB	815A	445F	213B	ND100087
28	一	A1BC	815B	4358	213C	JX700080
29	—	A1BD	815C	444A	213D	SM120080
30	—	A1BE	815D	445A	213E	SP320080
31	/	A1BF	815E	4261	213F	SP120080
32	\	A1C0	815F	43E0	2140	SM070080
33	~	A1C1	8160	43A1	2141	SD190080
34		A1C2	8161	447C	2142	SV370080
35		A1C3	8162	424F	2143	SM130080
36	...	A1C4	8163	447F	2144	SV440080
37	..	A1C5	8164	447E	2145	SV430080
38	‘	A1C6	8165	4461	2146	SP190080
39	’	A1C7	8166	4471	2147	SP200080
40	“	A1C8	8167	4462	2148	SP210080
41	”	A1C9	8168	4472	2149	SP220080
42	(	A1CA	8169	424D	214A	SP060080
43	)	A1CB	816A	425D	214B	SP070080
44	[	A1CC	816B	4463	214C	SP060081
45	]	A1CD	816C	4473	214D	SP070081
46	[	A1CE	816D	4444	214E	SM060080
47	]	A1CF	816E	4445	214F	SM080080
48	{	A1D0	816F	42C0	2150	SM110080
49	}	A1D1	8170	42D0	2151	SM140080
50	<	A1D2	8171	4464	2152	SP060082



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 3 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
51	>	A1D3	8172	4474	2153	SP070082
52	«	A1D4	8173	4465	2154	SP060083
53	»	A1D5	8174	4475	2155	SP070083
54	┌	A1D6	8175	4342	2156	JQ710080
55	└	A1D7	8176	4343	2157	JQ720080
56	┐	A1D8	8177	4442	2158	JQ710081
57	┑	A1D9	8178	4443	2159	JQ720081
58	【	A1DA	8179	4466	215A	SP060084
59	】	A1DB	817A	4476	215B	SP070084
60	+	A1DC	817B	424E	215C	SA010080
61	—	A1DD	817C	4260	215D	SP100080
62	±	A1DE	817D	444B	215E	SA020080
63	×	A1DF	817E	447A	215F	SA070080
64	÷	A1E0	8180	447B	2160	SA060080
65	=	A1E1	8181	427E	2161	SA040080
66	≠	A1E2	8182	444C	2162	SA540080
67	<	A1E3	8183	424C	2163	SA030080
68	>	A1E4	8184	426E	2164	SA050080
69	≦	A1E5	8185	4467	2165	SA520082
70	≧	A1E6	8186	4477	2166	SA530082
71	∞	A1E7	8187	444D	2167	SA450080
72	∴	A1E8	8188	4468	2168	SA370080
73	♂	A1E9	8189	4469	2169	SM280080
74	♀	A1EA	818A	4479	216A	SM290080
75	°	A1EB	818B	44ED	216B	SM190080
76	’	A1EC	818C	44EE	216C	SM500080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**Table 6 (Page 4 of 21).** JIS Non-Kanji Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
77	”	A1ED	818D	44EF	216D	SM510080
78	℃	A1EE	818E	444E	216E	SM440080
79	¥	A1EF	818F	425B	216F	SC050080
80	\$	A1F0	8190	42E0	2170	SC030080
81	¢	A1F1	8191	434A	2171	SC040080
82	£	A1F2	8192	424A	2172	SC020080
83	%	A1F3	8193	426C	2173	SM020080
84	#	A1F4	8194	427B	2174	SM010080
85	&	A1F5	8195	4250	2175	SM030080
86	*	A1F6	8196	425C	2176	SM040080
87	@	A1F7	8197	427C	2177	SM050080
88	§	A1F8	8198	446A	2178	SM240080
89	☆	A1F9	8199	44E5	2179	SS570080
90	★	A1FA	819A	44E6	217A	SS580080
91	○	A1FB	819B	44E0	217B	SM750080
92	●	A1FC	819C	44E1	217C	SM580080
93	◎	A1FD	819D	44E4	217D	SM810080
94	◇	A1FE	819E	44E7	217E	SA660080
95	◆	A2A1	819F	44E8	2221	SM610080
96	□	A2A2	81A0	44E9	2222	SM450080
97	■	A2A3	81A1	44EA	2223	SM470080
98	△	A2A4	81A2	44E2	2224	SM730080
99	▲	A2A5	81A3	44E3	2225	SM600080
100	▽	A2A6	81A4	44EB	2226	SM740080
101	▼	A2A7	81A5	44EC	2227	SV040080
102	※	A2A8	81A6	446B	2228	SM040088



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 5 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
103	〒	A2A9	81A7	446C	2229	SS730080
104	→	A2AA	81A8	44F0	222A	SM310080
105	←	A2AB	81A9	44F1	222B	SM300080
106	↑	A2AC	81AA	44F2	222C	SM320080
107	↓	A2AD	81AB	44F3	222D	SM330080
108	≡	A2AE	81AC	447D	222E	SS750080
109	∈	A2BA	81B8	4364	223A	SA670080
110	∋	A2BB	81B9	4365	223B	SA310080
111	⊆	A2BC	81BA	4366	223C	SA240080
112	⊇	A2BD	81BB	4367	223D	SA270080
113	⊂	A2BE	81BC	4368	223E	SA400080
114	⊃	A2BF	81BD	4369	223F	SA410080
115	∪	A2C0	81BE	436A	2240	SA390080
116	∩	A2C1	81BF	436B	2241	SA380080
117	∧	A2CA	81C8	436C	224A	SA330080
118	∨	A2CB	81C9	436D	224B	SA320080
119	¬	A2CC	FA54	425F	224C	SM660080
120	⇒	A2CD	81CB	436E	224D	SM420080
121	⇔	A2CE	81CC	436F	224E	SM410080
122	∀	A2CF	81CD	4370	224F	SA210080
123	∃	A2D0	81CE	4371	2250	SA230080
124	∠	A2DC	81DA	434B	225C	SA350088
125	⊥	A2DD	81DB	434C	225D	SA780080
126	∩	A2DE	81DC	434D	225E	SV420080
127	∂	A2DF	81DD	434E	225F	SA490080
128	∇	A2E0	81DE	434F	2260	SL030080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 6 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
129	≡	A2E1	81DF	435B	2261	SA480080
130	≡̇	A2E2	81E0	435C	2262	SA700081
131	≪	A2E3	81E1	435D	2263	SA730080
132	≫	A2E4	81E2	435E	2264	SA740080
133	√	A2E5	81E3	435F	2265	SA800080
134	∞	A2E6	81E4	4360	2266	SA830080
135	∞	A2E7	81E5	4361	2267	SA470080
136	∴	A2E8	FA5B	4478	2268	SS540080
137	∫	A2E9	81E7	4362	2269	SA510080
138	∫∫	A2EA	81E8	4363	226A	SA840080
139	Å	A2F2	81F0	4372	2272	SM220080
140	‰	A2F3	81F1	4373	2273	SM560080
141	♯	A2F4	81F2	4374	2274	SM880080
142	♭	A2F5	81F3	4375	2275	SM890080
143	♪	A2F6	81F4	4376	2276	SM930080
144	♯	A2F7	81F5	4377	2277	SM340080
145	♯	A2F8	81F6	4378	2278	SM350080
146	¶	A2F9	81F7	4379	2279	SM250080
147	○	A2FE	81FC	437A	227E	SV220080
148	0	A3B0	824F	42F0	2330	ND100080
149	1	A3B1	8250	42F1	2331	ND010080
150	2	A3B2	8251	42F2	2332	ND020080
151	3	A3B3	8252	42F3	2333	ND030080
152	4	A3B4	8253	42F4	2334	ND040080
153	5	A3B5	8254	42F5	2335	ND050080
154	6	A3B6	8255	42F6	2336	ND060080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS - EUC

<b>Table 6 (Page 7 of 21).</b> JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
155	7	A3B7	8256	42F7	2337	ND070080
156	8	A3B8	8257	42F8	2338	ND080080
157	9	A3B9	8258	42F9	2339	ND090080
158	A	A3C1	8260	42C1	2341	LA020080
159	B	A3C2	8261	42C2	2342	LB020080
160	C	A3C3	8262	42C3	2343	LC020080
161	D	A3C4	8263	42C4	2344	LD020080
162	E	A3C5	8264	42C5	2345	LE020080
163	F	A3C6	8265	42C6	2346	LF020080
164	G	A3C7	8266	42C7	2347	LG020080
165	H	A3C8	8267	42C8	2348	LH020080
166	I	A3C9	8268	42C9	2349	LI020080
167	J	A3CA	8269	42D1	234A	LJ020080
168	K	A3CB	826A	42D2	234B	LK020080
169	L	A3CC	826B	42D3	234C	LL020080
170	M	A3CD	826C	42D4	234D	LM020080
171	N	A3CE	826D	42D5	234E	LN020080
172	O	A3CF	826E	42D6	234F	LO020080
173	P	A3D0	826F	42D7	2350	LP020080
174	Q	A3D1	8270	42D8	2351	LQ020080
175	R	A3D2	8271	42D9	2352	LR020080
176	S	A3D3	8272	42E2	2353	LS020080
177	T	A3D4	8273	42E3	2354	LT020080
178	U	A3D5	8274	42E4	2355	LU020080
179	V	A3D6	8275	42E5	2356	LV020080
180	W	A3D7	8276	42E6	2357	LW020080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 6 (Page 8 of 21). JIS Non-Kanji Set, EUC</b>						
<b>Line Number</b>	<b>Graphic</b>	<b>EUC Code</b>	<b>PC Code</b>	<b>Host Code</b>	<b>JIS Code</b>	<b>GCGID</b>
181	X	A3D8	8277	42E7	2358	LX020080
182	Y	A3D9	8278	42E8	2359	LY020080
183	Z	A3DA	8279	42E9	235A	LZ020080
184	a	A3E1	8281	4281	2361	LA010080
185	b	A3E2	8282	4282	2362	LB010080
186	c	A3E3	8283	4283	2363	LC010080
187	d	A3E4	8284	4284	2364	LD010080
188	e	A3E5	8285	4285	2365	LE010080
189	f	A3E6	8286	4286	2366	LF010080
190	g	A3E7	8287	4287	2367	LG010080
191	h	A3E8	8288	4288	2368	LH010080
192	i	A3E9	8289	4289	2369	LI010080
193	j	A3EA	828A	4291	236A	LJ010080
194	k	A3EB	828B	4292	236B	LK010080
195	l	A3EC	828C	4293	236C	LL010080
196	m	A3ED	828D	4294	236D	LM010080
197	n	A3EE	828E	4295	236E	LN010080
198	o	A3EF	828F	4296	236F	LO010080
199	p	A3F0	8290	4297	2370	LP010080
200	q	A3F1	8291	4298	2371	LQ010080
201	r	A3F2	8292	4299	2372	LR010080
202	s	A3F3	8293	42A2	2373	LS010080
203	t	A3F4	8294	42A3	2374	LT010080
204	u	A3F5	8295	42A4	2375	LU010080
205	v	A3F6	8296	42A5	2376	LV010080
206	w	A3F7	8297	42A6	2377	LW010080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 9 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
207	x	A3F8	8298	42A7	2378	LX010080
208	y	A3F9	8299	42A8	2379	LY010080
209	z	A3FA	829A	42A9	237A	LZ010080
210	あ	A4A1	829F	4447	2421	RA010080
211	ぁ	A4A2	82A0	4481	2422	RA000080
212	い	A4A3	82A1	4448	2423	RI010080
213	ぃ	A4A4	82A2	4482	2424	RI000080
214	う	A4A5	82A3	4449	2425	RU010080
215	ぅ	A4A6	82A4	4483	2426	RU000080
216	え	A4A7	82A5	4451	2427	RE010080
217	ぇ	A4A8	82A6	4484	2428	RE000080
218	お	A4A9	82A7	4452	2429	RO010080
219	ぉ	A4AA	82A8	4485	242A	RO000080
220	か	A4AB	82A9	4486	242B	RK100080
221	が	A4AC	82AA	44C0	242C	RG100080
222	き	A4AD	82AB	4487	242D	RK200080
223	ぎ	A4AE	82AC	44C1	242E	RG200080
224	く	A4AF	82AD	4488	242F	RK300080
225	っ	A4B0	82AE	44C2	2430	RG300080
226	け	A4B1	82AF	4489	2431	RK400080
227	げ	A4B2	82B0	44C3	2432	RG400080
228	こ	A4B3	82B1	448A	2433	RK500080
229	ご	A4B4	82B2	44C4	2434	RG500080
230	さ	A4B5	82B3	448C	2435	RS100080
231	ざ	A4B6	82B4	44C5	2436	RZ100080
232	し	A4B7	82B5	448D	2437	RS200080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 10 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
233	じ	A4B8	82B6	44C6	2438	RZ200080
234	す	A4B9	82B7	448E	2439	RS300080
235	ず	A4BA	82B8	44C7	243A	RZ300080
236	せ	A4BB	82B9	448F	243B	RS400080
237	ぜ	A4BC	82BA	44C8	243C	RZ400080
238	そ	A4BD	82BB	4490	243D	RS500080
239	ぞ	A4BE	82BC	44C9	243E	RZ500080
240	た	A4BF	82BD	4491	243F	RT100080
241	だ	A4C0	82BE	44CA	2440	RD100080
242	ち	A4C1	82BF	4492	2441	RT200080
243	ぢ	A4C2	82C0	44CB	2442	RD200080
244	っ	A4C3	82C1	4456	2443	RT310080
245	つ	A4C4	82C2	4493	2444	RT300080
246	づ	A4C5	82C3	44CC	2445	RD300080
247	て	A4C6	82C4	4494	2446	RT400080
248	で	A4C7	82C5	44CD	2447	RD400080
249	と	A4C8	82C6	4495	2448	RT500080
250	ど	A4C9	82C7	44CE	2449	RD500080
251	な	A4CA	82C8	4496	244A	RN100080
252	に	A4CB	82C9	4497	244B	RN200080
253	ぬ	A4CC	82CA	4498	244C	RN300080
254	ね	A4CD	82CB	4499	244D	RN400080
255	の	A4CE	82CC	449A	244E	RN500080
256	は	A4CF	82CD	449D	244F	RH100080
257	ば	A4D0	82CE	44CF	2450	RB100080
258	ぱ	A4D1	82CF	44D5	2451	RP100080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 11 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
259	ひ	A4D2	82D0	449E	2452	RH200080
260	び	A4D3	82D1	44D0	2453	RB200080
261	ぴ	A4D4	82D2	44D6	2454	RP200080
262	ふ	A4D5	82D3	449F	2455	RH300080
263	ぶ	A4D6	82D4	44D1	2456	RB300080
264	ぷ	A4D7	82D5	44D7	2457	RP300080
265	へ	A4D8	82D6	44A2	2458	RH400080
266	べ	A4D9	82D7	44D2	2459	RB400080
267	ぺ	A4DA	82D8	44D8	245A	RP400080
268	ほ	A4DB	82D9	44A3	245B	RH500080
269	ぼ	A4DC	82DA	44D3	245C	RB500080
270	ぽ	A4DD	82DB	44D9	245D	RP500080
271	ま	A4DE	82DC	44A4	245E	RM100080
272	み	A4DF	82DD	44A5	245F	RM200080
273	む	A4E0	82DE	44A6	2460	RM300080
274	め	A4E1	82DF	44A7	2461	RM400080
275	も	A4E2	82E0	44A8	2462	RM500080
276	や	A4E3	82E1	4453	2463	RY110080
277	や	A4E4	82E2	44A9	2464	RY100080
278	ゆ	A4E5	82E3	4454	2465	RY310080
279	ゆ	A4E6	82E4	44AA	2466	RY300080
280	よ	A4E7	82E5	4455	2467	RY510080
281	よ	A4E8	82E6	44AC	2468	RY500080
282	ら	A4E9	82E7	44AD	2469	RR100080
283	り	A4EA	82E8	44AE	246A	RR200080
284	る	A4EB	82E9	44AF	246B	RR300080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 12 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
285	れ	A4EC	82EA	44BA	246C	RR400080
286	ろ	A4ED	82EB	44BB	246D	RR500080
287	わ	A4EE	82EC	4457	246E	RW110080
288	わ	A4EF	82ED	44BC	246F	RW100080
289	ゐ	A4F0	82EE	44DA	2470	RW200080
290	ゑ	A4F1	82EF	44DB	2471	RW400080
291	を	A4F2	82F0	4446	2472	RW500080
292	ん	A4F3	82F1	44BD	2473	RN000080
293	ア	A5A1	8340	4347	2521	JA010080
294	ア	A5A2	8341	4381	2522	JA000080
295	イ	A5A3	8342	4348	2523	JI010080
296	イ	A5A4	8343	4382	2524	JI000080
297	ウ	A5A5	8344	4349	2525	JU010080
298	ウ	A5A6	8345	4383	2526	JU000080
299	エ	A5A7	8346	4351	2527	JE010080
300	エ	A5A8	8347	4384	2528	JE000080
301	オ	A5A9	8348	4352	2529	JO010080
302	オ	A5AA	8349	4385	252A	JO000080
303	カ	A5AB	834A	4386	252B	JK100080
304	ガ	A5AC	834B	43C0	252C	JG100080
305	キ	A5AD	834C	4387	252D	JK200080
306	ギ	A5AE	834D	43C1	252E	JG200080
307	ク	A5AF	834E	4388	252F	JK300080
308	グ	A5B0	834F	43C2	2530	JG300080
309	ケ	A5B1	8350	4389	2531	JK400080
310	ゲ	A5B2	8351	43C3	2532	JG400080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 13 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
311	コ	A5B3	8352	438A	2533	JK500080
312	ゴ	A5B4	8353	43C4	2534	JG500080
313	サ	A5B5	8354	438C	2535	JS100080
314	ザ	A5B6	8355	43C5	2536	JZ100080
315	シ	A5B7	8356	438D	2537	JS200080
316	ジ	A5B8	8357	43C6	2538	JZ200080
317	ス	A5B9	8358	438E	2539	JS300080
318	ズ	A5BA	8359	43C7	253A	JZ300080
319	セ	A5BB	835A	438F	253B	JS400080
320	ゼ	A5BC	835B	43C8	253C	JZ400080
321	ソ	A5BD	835C	4390	253D	JS500080
322	ゾ	A5BE	835D	43C9	253E	JZ500080
323	タ	A5BF	835E	4391	253F	JT100080
324	ダ	A5C0	835F	43CA	2540	JD100080
325	チ	A5C1	8360	4392	2541	JT200080
326	ヂ	A5C2	8361	43CB	2542	JD200080
327	ッ	A5C3	8362	4356	2543	JT310080
328	ツ	A5C4	8363	4393	2544	JT300080
329	ヅ	A5C5	8364	43CC	2545	JD300080
330	テ	A5C6	8365	4394	2546	JT400080
331	ヂ	A5C7	8366	43CD	2547	JD400080
332	ト	A5C8	8367	4395	2548	JT500080
333	ド	A5C9	8368	43CE	2549	JD500080
334	ナ	A5CA	8369	4396	254A	JN100080
335	ニ	A5CB	836A	4397	254B	JN200080
336	ヌ	A5CC	836B	4398	254C	JN300080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 14 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
337	ネ	A5CD	836C	4399	254D	JN400080
338	ノ	A5CE	836D	439A	254E	JN500080
339	ハ	A5CF	836E	439D	254F	JH100080
340	バ	A5D0	836F	43CF	2550	JB100080
341	パ	A5D1	8370	43D5	2551	JP100080
342	ヒ	A5D2	8371	439E	2552	JH200080
343	ビ	A5D3	8372	43D0	2553	JB200080
344	ピ	A5D4	8373	43D6	2554	JP200080
345	フ	A5D5	8374	439F	2555	JH300080
346	ブ	A5D6	8375	43D1	2556	JB300080
347	プ	A5D7	8376	43D7	2557	JP300080
348	ヘ	A5D8	8377	43A2	2558	JH400080
349	ベ	A5D9	8378	43D2	2559	JB400080
350	ペ	A5DA	8379	43D8	255A	JP400080
351	ホ	A5DB	837A	43A3	255B	JH500080
352	ボ	A5DC	837B	43D3	255C	JB500080
353	ポ	A5DD	837C	43D9	255D	JP500080
354	マ	A5DE	837D	43A4	255E	JM100080
355	ミ	A5DF	837E	43A5	255F	JM200080
356	ム	A5E0	8380	43A6	2560	JM300080
357	メ	A5E1	8381	43A7	2561	JM400080
358	モ	A5E2	8382	43A8	2562	JM500080
359	ヤ	A5E3	8383	4353	2563	JY110080
360	ャ	A5E4	8384	43A9	2564	JY100080
361	ユ	A5E5	8385	4354	2565	JY310080
362	ュ	A5E6	8386	43AA	2566	JY300080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 15 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
363	ヨ	A5E7	8387	4355	2567	JY510080
364	ヨ	A5E8	8388	43AC	2568	JY500080
365	ヲ	A5E9	8389	43AD	2569	JR100080
366	リ	A5EA	838A	43AE	256A	JR200080
367	ル	A5EB	838B	43AF	256B	JR300080
368	レ	A5EC	838C	43BA	256C	JR400080
369	ロ	A5ED	838D	43BB	256D	JR500080
370	ワ	A5EE	838E	4357	256E	JW110080
371	ワ	A5EF	838F	43BC	256F	JW100080
372	キ	A5F0	8390	43DA	2570	JW200080
373	エ	A5F1	8391	43DB	2571	JW400080
374	ヲ	A5F2	8392	4346	2572	JW500080
375	ン	A5F3	8393	43BD	2573	JN000080
376	ヴ	A5F4	8394	43D4	2574	JV000080
377	カ	A5F5	8395	4359	2575	JK110080
378	ケ	A5F6	8396	435A	2576	JK410080
379	A	A6A1	839F	4161	2621	GA020080
380	B	A6A2	83A0	4162	2622	GB020080
381	Γ	A6A3	83A1	4163	2623	GG020080
382	Δ	A6A4	83A2	4164	2624	GD020080
383	E	A6A5	83A3	4165	2625	GE020080
384	Z	A6A6	83A4	4166	2626	GZ020080
385	H	A6A7	83A5	4167	2627	GE320080
386	Θ	A6A8	83A6	4168	2628	GT620080
387	I	A6A9	83A7	4169	2629	GI020080
388	K	A6AA	83A8	416A	262A	GK020080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 16 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
389	Λ	A6AB	83A9	416B	262B	GL020080
390	Μ	A6AC	83AA	416C	262C	GM020080
391	Ν	A6AD	83AB	416D	262D	GN020080
392	Ξ	A6AE	83AC	416E	262E	GX020080
393	Ο	A6AF	83AD	416F	262F	GO020080
394	Π	A6B0	83AE	4170	2630	GP020080
395	Ρ	A6B1	83AF	4171	2631	GR020080
396	Σ	A6B2	83B0	4172	2632	GS020080
397	Τ	A6B3	83B1	4173	2633	GT020080
398	Υ	A6B4	83B2	4174	2634	GU020080
399	Φ	A6B5	83B3	4175	2635	GF020080
400	Χ	A6B6	83B4	4176	2636	GH020080
401	Ψ	A6B7	83B5	4177	2637	GP620080
402	Ω	A6B8	83B6	4178	2638	GO320080
403	α	A6C1	83BF	4141	2641	GA010080
404	β	A6C2	83C0	4142	2642	GB010080
405	γ	A6C3	83C1	4143	2643	GG010080
406	δ	A6C4	83C2	4144	2644	GD010080
407	ε	A6C5	83C3	4145	2645	GE010080
408	ξ	A6C6	83C4	4146	2646	GZ010080
409	η	A6C7	83C5	4147	2647	GE310080
410	θ	A6C8	83C6	4148	2648	GT610082
411	ι	A6C9	83C7	4149	2649	GI010080
412	κ	A6CA	83C8	414A	264A	GK010080
413	λ	A6CB	83C9	414B	264B	GL010080
414	μ	A6CC	83CA	414C	264C	GM010080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 17 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
415	ν	A6CD	83CB	414D	264D	GN010080
416	ξ	A6CE	83CC	414E	264E	GX010080
417	ο	A6CF	83CD	414F	264F	GO010080
418	π	A6D0	83CE	4150	2650	GP010080
419	ρ	A6D1	83CF	4151	2651	GR010080
420	σ	A6D2	83D0	4152	2652	GS010080
421	τ	A6D3	83D1	4153	2653	GT010080
422	υ	A6D4	83D2	4154	2654	GU010080
423	φ	A6D5	83D3	4155	2655	GF010081
424	χ	A6D6	83D4	4156	2656	GH010080
425	ψ	A6D7	83D5	4157	2657	GP610080
426	ω	A6D8	83D6	4158	2658	GO310080
427	А	A7A1	8440	41C0	2721	KA020080
428	Б	A7A2	8441	41C1	2722	KB020080
429	В	A7A3	8442	41C2	2723	KV020080
430	Г	A7A4	8443	41C3	2724	KG020080
431	Д	A7A5	8444	41C4	2725	KD020080
432	Е	A7A6	8445	41C5	2726	KE020080
433	Ё	A7A7	8446	41C6	2727	KE180080
434	Ж	A7A8	8447	41C7	2728	KZ220080
435	З	A7A9	8448	41C8	2729	KZ020080
436	И	A7AA	8449	41C9	272A	KI020080
437	Й	A7AB	844A	41CA	272B	KJ120080
438	К	A7AC	844B	41CB	272C	KK020080
439	Л	A7AD	844C	41CC	272D	KL020080
440	М	A7AE	844D	41CD	272E	KM020080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 6 (Page 18 of 21).</b> JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
441	H	A7AF	844E	41CE	272F	KN020080
442	O	A7B0	844F	41CF	2730	KO020080
443	Π	A7B1	8450	41D0	2731	KP020080
444	P	A7B2	8451	41D1	2732	KR020080
445	C	A7B3	8452	41D2	2733	KS020080
446	T	A7B4	8453	41D3	2734	KT020080
447	У	A7B5	8454	41D4	2735	KU020080
448	Φ	A7B6	8455	41D5	2736	KF020080
449	X	A7B7	8456	41D6	2737	KH020080
450	Ц	A7B8	8457	41D7	2738	KC020080
451	Ч	A7B9	8458	41D8	2739	KC220080
452	Ш	A7BA	8459	41D9	273A	KS220080
453	Щ	A7BB	845A	41DA	273B	KS160080
454	Ъ	A7BC	845B	41DB	273C	KU220080
455	Ы	A7BD	845C	41DC	273D	KY020080
456	Ь	A7BE	845D	41DD	273E	KX120080
457	Э	A7BF	845E	41DE	273F	KE140080
458	Ю	A7C0	845F	41DF	2740	KU160080
459	Я	A7C1	8460	41E0	2741	KA160080
460	а	A7D1	8470	4180	2751	KA010080
461	б	A7D2	8471	4181	2752	KB010080
462	в	A7D3	8472	4182	2753	KV010080
463	г	A7D4	8473	4183	2754	KG010080
464	д	A7D5	8474	4184	2755	KD010080
465	е	A7D6	8475	4185	2756	KE010080
466	ё	A7D7	8476	4186	2757	KE170080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 6 (Page 19 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
467	Ж	A7D8	8477	4187	2758	KZ210080
468	З	A7D9	8478	4188	2759	KZ010080
469	И	A7DA	8479	4189	275A	KI010080
470	Й	A7DB	847A	418A	275B	KJ110080
471	К	A7DC	847B	418B	275C	KK010080
472	Л	A7DD	847C	418C	275D	KL010080
473	М	A7DE	847D	418D	275E	KM010080
474	Н	A7DF	847E	418E	275F	KN010080
475	О	A7E0	8480	418F	2760	KO010080
476	П	A7E1	8481	4190	2761	KP010080
477	Р	A7E2	8482	4191	2762	KR010080
478	С	A7E3	8483	4192	2763	KS010080
479	Т	A7E4	8484	4193	2764	KT010080
480	У	A7E5	8485	4194	2765	KU010080
481	Ф	A7E6	8486	4195	2766	KF010080
482	Х	A7E7	8487	4196	2767	KH010080
483	Ц	A7E8	8488	4197	2768	KC010080
484	Ч	A7E9	8489	4198	2769	KC210080
485	Ш	A7EA	848A	4199	276A	KS210080
486	Щ	A7EB	848B	419A	276B	KS150080
487	Ъ	A7EC	848C	419B	276C	KU210080
488	Ы	A7ED	848D	419C	276D	KY010080
489	Ь	A7EE	848E	419D	276E	KX110080
490	Э	A7EF	848F	419E	276F	KE130080
491	Ю	A7F0	8490	419F	2770	KU150080
492	Я	A7F1	8491	41A0	2771	KA150080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)


DBCS - EUC

Table 6 (Page 20 of 21). JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
493	—	A8A1	849F	437C	2821	SF100080
494		A8A2	84A0	437D	2822	SF110080
495	┌	A8A3	84A1	437E	2823	SF010080
496	└	A8A4	84A2	437F	2824	SF030080
497	┐	A8A5	84A3	43B0	2825	SF040080
498	└┐	A8A6	84A4	43B1	2826	SF020080
499	┌┐	A8A7	84A5	43B2	2827	SF080080
500	┌└	A8A8	84A6	43B3	2828	SF060080
501	┐└	A8A9	84A7	43B4	2829	SF090080
502	┌┐└	A8AA	84A8	43B5	282A	SF070080
503	┌┐┐	A8AB	84A9	43B6	282B	SF050080
504	—	A8AC	84AA	43B7	282C	SF100082
505		A8AD	84AB	43B8	282D	SF110082
506	┌	A8AE	84AC	43B9	282E	SF010082
507	└	A8AF	84AD	43E1	282F	SF030082
508	┐	A8B0	84AE	43E2	2830	SF040082
509	└┐	A8B1	84AF	43E3	2831	SF020082
510	┌┐	A8B2	84B0	43E4	2832	SF080082
511	┌└	A8B3	84B1	43E5	2833	SF060082
512	┐└	A8B4	84B2	43E6	2834	SF090082
513	┌┐└	A8B5	84B3	43E7	2835	SF070082
514	┌┐┐	A8B6	84B4	43E8	2836	SF050082
515	┌┐┐	A8B7	84B5	43E9	2837	SF080083
516	┌└	A8B8	84B6	43EA	2838	SF060083
517	┐└	A8B9	84B7	43EB	2839	SF090083
518	┌┐└	A8BA	84B8	43EC	283A	SF070083

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 6 (Page 21 of 21).</b> JIS Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
519	+	A8BB	84B9	43ED	283B	SF050083
520	┆	A8BC	84BA	43EE	283C	SF080084
521	┆	A8BD	84BB	43EF	283D	SF060084
522	┆	A8BE	84BC	43F0	283E	SF090084
523	┆	A8BF	84BD	43F1	283F	SF070084
524	+	A8C0	84BE	43F2	2840	SF050084

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*10.2 JIS First Level Kanji Set*

<b>Table 7 (Page 1 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1	亜	B0A1	889F	4867	3021	I17R0080
2	啞	B0A2	88A0	54D4	3022	I32S0080
3	娃	B0A3	88A1	557A	3023	I35M0080
4	阿	B0A4	88A2	46AE	3024	I0Z20080
5	哀	B0A5	88A3	4EF9	3025	I27T0080
6	愛	B0A6	88A4	45C6	3026	I0UE0080
7	挨	B0A7	88A5	4F81	3027	I29T0080
8	始	B0A8	88A6	5179	3028	I2K90080
9	逢	B0A9	88A7	4DCE	3029	I21A0080
10	葵	B0AA	88A8	50D9	302A	I2HL0080
11	茜	B0AB	88A9	50E2	302B	I2HU0080
12	穉	B0AC	88AA	509B	302C	I2FV0080
13	悪	B0AD	88AB	4965	302D	I1D10080
14	握	B0AE	88AC	4D60	302E	I1Y80080
15	渥	B0AF	88AD	4E43	302F	I22R0080
16	旭	B0B0	88AE	47EC	3030	I1640080
17	葦	B0B1	88AF	4E72	3031	I2420080
18	芦	B0B2	88B0	4ADD	3032	I1LP0080
19	鱒	B0B3	E9CB	67AA	3033	I5UY0080
20	梓	B0B4	88B2	50DA	3034	I2HM0080
21	圧	B0B5	88B3	4782	3035	I1360080
22	幹	B0B6	88B4	5581	3036	I35T0080
23	扱	B0B7	88B5	4C69	3037	I1T50080
24	宛	B0B8	88B6	50AB	3038	I2GB0080
25	姐	B0B9	88B7	549C	3039	I3180080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 2 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
26	虻	B0BA	88B8	5144	303A	I2IS0080
27	飴	B0BB	88B9	5245	303B	I2O50080
28	絢	B0BC	88BA	4EF7	303C	I27R0080
29	綾	B0BD	88BB	49DC	303D	I1GC0080
30	鮎	B0BE	88BC	4F8E	303E	I2A60080
31	或	B0BF	88BD	4D7F	303F	I1Z30080
32	粟	B0C0	88BE	4BFB	3040	I1RV0080
33	裕	B0C1	88BF	5448	3041	I2YW0080
34	安	B0C2	88C0	45A8	3042	I0TK0080
35	庵	B0C3	88C1	4EEB	3043	I27F0080
36	按	B0C4	88C2	5489	3044	I30P0080
37	暗	B0C5	88C3	4BE2	3045	I1R60080
38	案	B0C6	88C4	48F1	3046	I1BL0080
39	闇	B0C7	88C5	5364	3047	I2UC0080
40	鞍	B0C8	88C6	504C	3048	I2DO0080
41	杏	B0C9	88C7	50D0	3049	I2HC0080
42	以	B0CA	88C8	46F6	304A	I1120080
43	伊	B0CB	88C9	45B2	304B	I0TU0080
44	位	B0CC	88CA	47C8	304C	I1540080
45	依	B0CD	88CB	4A9E	304D	I1JY0080
46	偉	B0CE	88CC	4DFB	304E	I22J0080
47	囿	B0CF	88CD	4AFA	304F	I1MI0080
48	夷	B0D0	88CE	5147	3050	I2IV0080
49	委	B0D1	88CF	484F	3051	I1730080
50	威	B0D2	88D0	4C65	3052	I1T10080
51	尉	B0D3	88D1	5189	3053	I2KP0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 3 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
52	惟	B0D4	88D2	4FE0	3054	I2CG0080
53	意	B0D5	88D3	4763	3055	I12B0080
54	慰	B0D6	88D4	4FAD	3056	I2B10080
55	易	B0D7	88D5	47E9	3057	I1610080
56	椅	B0D8	88D6	4FF7	3058	I2D30080
57	為	B0D9	88D7	49D7	3059	I1G70080
58	畏	B0DA	88D8	558F	305A	I3670080
59	異	B0DB	88D9	4AA9	305B	I1K90080
60	移	B0DC	88DA	4975	305C	I1DH0080
61	維	B0DD	88DB	4880	305D	I18G0080
62	緯	B0DE	88DC	4E9A	305E	I2560080
63	胃	B0DF	88DD	4DF6	305F	I22E0080
64	萎	B0E0	88DE	5482	3060	I30I0080
65	衣	B0E1	88DF	4AEA	3061	I1M20080
66	謂	B0E2	88E0	5573	3062	I35F0080
67	違	B0E3	88E1	49BC	3063	I1FG0080
68	遺	B0E4	88E2	4CDA	3064	I1WA0080
69	医	B0E5	88E3	4A87	3065	I1JB0080
70	井	B0E6	88E4	456D	3066	I0RX0080
71	亥	B0E7	88E5	4F7F	3067	I29R0080
72	域	B0E8	88E6	48E9	3068	I1BD0080
73	育	B0E9	88E7	48AC	3069	I19O0080
74	郁	B0EA	88E8	49B3	306A	I1F70080
75	磯	B0EB	88E9	48AA	306B	I19M0080
76	一	B0EC	88EA	4541	306C	I0QP0080
77	壹	B0ED	88EB	4EB0	306D	I25S0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 4 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
78	溢	B0EE	88EC	5271	306E	I2PD0080
79	逸	B0EF	88ED	4AD6	306F	I1LI0080
80	稻	B0F0	88EE	476A	3070	I12I0080
81	茨	B0F1	88EF	474C	3071	I11O0080
82	芋	B0F2	88F0	519A	3072	I2L60080
83	鱒	B0F3	88F1	55C8	3073	I37S0080
84	允	B0F4	88F2	4C91	3074	I1U90080
85	印	B0F5	88F3	4799	3075	I13T0080
86	咽	B0F6	88F4	52B1	3076	I2R50080
87	員	B0F7	88F5	46CB	3077	I0ZV0080
88	因	B0F8	88F6	4A49	3078	I1HL0080
89	姻	B0F9	88F7	52B9	3079	I2RD0080
90	引	B0FA	88F8	46DA	307A	I10A0080
91	飲	B0FB	88F9	4BA3	307B	I1PF0080
92	淫	B0FC	88FA	554E	307C	I34E0080
93	胤	B0FD	88FB	4EE9	307D	I27D0080
94	蔭	B0FE	88FC	4E8B	307E	I24R0080
95	院	B1A1	8940	49D8	3121	I1G80080
96	陰	B1A2	8941	4CD2	3122	I1W20080
97	隱	B1A3	8942	4EAE	3123	I25Q0080
98	韻	B1A4	8943	5577	3124	I35J0080
99	吋	B1A5	8944	55BC	3125	I37G0080
100	右	B1A6	8945	485A	3126	I17E0080
101	宇	B1A7	8946	46D5	3127	I1050080
102	烏	B1A8	8947	5099	3128	I2FT0080
103	羽	B1A9	8948	478F	3129	I13J0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
104	迂	B1AA	8949	55DF	312A	I38F0080
105	雨	B1AB	894A	49DD	312B	I1GD0080
106	卯	B1AC	894B	4C82	312C	I1TU0080
107	鶺鴒	B1AD	894C	4BE7	312D	I1RB0080
108	窺	B1AE	894D	559E	312E	I36M0080
109	丑	B1AF	894E	4DEC	312F	I2240080
110	碓	B1B0	894F	4FB1	3130	I2B50080
111	白	B1B1	8950	4A89	3131	I1JD0080
112	渦	B1B2	8951	51A0	3132	I2LC0080
113	嘘	B1B3	8952	50F3	3133	I2IB0080
114	唄	B1B4	8953	4CDB	3134	I1WB0080
115	鬱	B1B5	8954	55F7	3135	I3930080
116	蔚	B1B6	8955	549A	3136	I3160080
117	鰻	B1B7	8956	54AB	3137	I31N0080
118	姥	B1B8	8957	5255	3138	I2OL0080
119	厩	B1B9	8958	5367	3139	I2UF0080
120	浦	B1BA	8959	466B	313A	I0X70080
121	瓜	B1BB	895A	4E64	313B	I23O0080
122	閏	B1BC	895B	545F	313C	I2ZJ0080
123	噂	B1BD	895C	529B	313D	I2QJ0080
124	云	B1BE	895D	499D	313E	I1EL0080
125	運	B1BF	895E	46AB	313F	I0YZ0080
126	雲	B1C0	895F	4ABC	3140	I1KS0080
127	荏	B1C1	8960	515F	3141	I2JJ0080
128	餌	B1C2	8961	50A7	3142	I2G70080
129	穀	B1C3	8962	5194	3143	I2L00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 6 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
130	營	B1C4	8963	48D3	3144	I1AR0080
131	嬰	B1C5	8964	55E8	3145	I38O0080
132	影	B1C6	8965	495E	3146	I1CU0080
133	映	B1C7	8966	47AC	3147	I14C0080
134	曳	B1C8	8967	4EBC	3148	I2640080
135	榮	B1C9	8968	45FA	3149	I0VU0080
136	永	B1CA	8969	45FB	314A	I0VV0080
137	泳	B1CB	896A	4F57	314B	I28N0080
138	洩	B1CC	896B	50B7	314C	I2GN0080
139	瑛	B1CD	896C	4F52	314D	I28I0080
140	盈	B1CE	896D	51B5	314E	I2LX0080
141	穎	B1CF	896E	5254	314F	I2OK0080
142	穎	B1D0	896F	5576	3150	I35I0080
143	英	B1D1	8970	45EE	3151	I0VI0080
144	衛	B1D2	8971	4780	3152	I1340080
145	詠	B1D3	8972	51C1	3153	I2M90080
146	銳	B1D4	8973	4D6F	3154	I1YN0080
147	液	B1D5	8974	4A45	3155	I1HH0080
148	疫	B1D6	8975	50CE	3156	I2HA0080
149	益	B1D7	8976	4774	3157	I12S0080
150	駅	B1D8	8977	49AC	3158	I1F00080
151	悦	B1D9	8978	4873	3159	I1830080
152	謁	B1DA	8979	54E5	315A	I3390080
153	越	B1DB	897A	46DF	315B	I10F0080
154	閱	B1DC	897B	5177	315C	I2K70080
155	榎	B1DD	897C	49EB	315D	I1GR0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
156	厭	B1DE	897D	53B7	315E	I2WN0080
157	円	B1DF	897E	4645	315F	I0W50080
158	園	B1E0	8980	47E1	3160	I15T0080
159	堰	B1E1	8981	50A4	3161	I2G40080
160	奄	B1E2	8982	52F2	3162	I2SY0080
161	宴	B1E3	8983	5078	3163	I2EW0080
162	延	B1E4	8984	47D0	3164	I15C0080
163	怨	B1E5	8985	54DE	3165	I3320080
164	掩	B1E6	8986	55D0	3166	I3800080
165	援	B1E7	8987	4AD5	3167	I1LH0080
166	沿	B1E8	8988	4E6F	3168	I23Z0080
167	演	B1E9	8989	49ED	3169	I1GT0080
168	炎	B1EA	898A	4DAD	316A	I20D0080
169	焰	B1EB	898B	53EE	316B	I2Y60080
170	煙	B1EC	898C	4BDD	316C	I1R10080
171	燕	B1ED	898D	5047	316D	I2DJ0080
172	猿	B1EE	898E	4C5A	316E	I1SQ0080
173	縁	B1EF	898F	4BAA	316F	I1PM0080
174	艶	B1F0	8990	4D54	3170	I1XW0080
175	苑	B1F1	8991	504B	3171	I2DN0080
176	菌	B1F2	8992	4CEC	3172	I1WS0080
177	遠	B1F3	8993	46E3	3173	I10J0080
178	鉛	B1F4	8994	49D4	3174	I1G40080
179	鴛	B1F5	8995	52C3	3175	I2RN0080
180	塩	B1F6	8996	4743	3176	I11F0080
181	於	B1F7	8997	4DA4	3177	I2040080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 8 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
182	汚	B1F8	8998	4E82	3178	I24I0080
183	甥	B1F9	8999	55D7	3179	I3870080
184	凹	B1FA	899A	50E6	317A	I2HY0080
185	央	B1FB	899B	4792	317B	I13M0080
186	奥	B1FC	899C	46E5	317C	I10L0080
187	往	B1FD	899D	4CEA	317D	I1WQ0080
188	応	B1FE	899E	4895	317E	I1910080
189	押	B2A1	899F	49E1	3221	I1GH0080
190	旺	B2A2	89A0	4FA3	3222	I2AR0080
191	横	B2A3	89A1	45F2	3223	I0VM0080
192	欧	B2A4	89A2	4AA0	3224	I1K00080
193	殴	B2A5	89A3	5459	3225	I2ZD0080
194	王	B2A6	89A4	49B1	3226	I1F50080
195	翁	B2A7	89A5	4FFB	3227	I2D70080
196	襖	B2A8	89A6	546C	3228	I2ZW0080
197	鶯	B2A9	E9F2	67D0	3229	I5W00080
198	鷗	B2AA	89A8	5464	322A	I2ZO0080
199	黄	B2AB	89A9	4AC6	322B	I1L20080
200	岡	B2AC	89AA	4572	322C	I0S20080
201	冲	B2AD	89AB	47FD	322D	I16L0080
202	萩	B2AE	89AC	49E0	322E	I1GG0080
203	億	B2AF	89AD	454E	322F	I0R20080
204	屋	B2B0	89AE	45E9	3230	I0VD0080
205	憶	B2B1	89AF	4E6C	3231	I23W0080
206	臆	B2B2	89B0	5474	3232	I3040080
207	桶	B2B3	89B1	4E77	3233	I2470080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 9 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
208	牡	B2B4	89B2	509A	3234	I2FU0080
209	乙	B2B5	89B3	4BBD	3235	I1Q50080
210	俺	B2B6	89B4	4E67	3236	I23R0080
211	卸	B2B7	89B5	4E79	3237	I2490080
212	恩	B2B8	89B6	4C81	3238	I1TT0080
213	温	B2B9	89B7	4950	3239	I1CG0080
214	穩	B2BA	89B8	50B8	323A	I2GO0080
215	音	B2BB	89B9	484D	323B	I1710080
216	下	B2BC	89BA	455F	323C	I0RJ0080
217	化	B2BD	89BB	4590	323D	I0SW0080
218	仮	B2BE	89BC	4D71	323E	I1YP0080
219	何	B2BF	89BD	4770	323F	I12O0080
220	伽	B2C0	89BE	5461	3240	I2ZL0080
221	価	B2C1	89BF	475A	3241	I1220080
222	佳	B2C2	89C0	4876	3242	I1860080
223	加	B2C3	89C1	459F	3243	I0TB0080
224	可	B2C4	89C2	47C6	3244	I1520080
225	嘉	B2C5	89C3	477E	3245	I1320080
226	夏	B2C6	89C4	497E	3246	I1DQ0080
227	嫁	B2C7	89C5	4E89	3247	I24P0080
228	家	B2C8	89C6	4686	3248	I0XY0080
229	寡	B2C9	89C7	52B8	3249	I2RC0080
230	科	B2CA	89C8	48ED	324A	I1BH0080
231	暇	B2CB	89C9	4F46	324B	I2860080
232	果	B2CC	89CA	47B9	324C	I14P0080
233	架	B2CD	89CB	4EE8	324D	I27C0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 10 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
234	歌	B2CE	89CC	46F7	324E	I1130080
235	河	B2CF	89CD	465A	324F	I0WQ0080
236	火	B2D0	89CE	4785	3250	I1390080
237	珂	B2D1	89CF	4C9A	3251	I1UI0080
238	禍	B2D2	89D0	5286	3252	I2PY0080
239	禾	B2D3	89D1	5463	3253	I2ZN0080
240	稼	B2D4	89D2	4DBE	3254	I20U0080
241	箇	B2D5	89D3	4F51	3255	I28H0080
242	花	B2D6	89D4	46D9	3256	I1090080
243	苛	B2D7	89D5	5377	3257	I2UV0080
244	茄	B2D8	89D6	547A	3258	I30A0080
245	荷	B2D9	89D7	4BA1	3259	I1PD0080
246	華	B2DA	89D8	4B6C	325A	I1NW0080
247	菓	B2DB	89D9	4C51	325B	I1SH0080
248	蝦	B2DC	89DA	51C3	325C	I2MB0080
249	課	B2DD	89DB	49D6	325D	I1G60080
250	擘	B2DE	89DC	52CA	325E	I2RU0080
251	貨	B2DF	89DD	4AEB	325F	I1M30080
252	迦	B2E0	89DE	535D	3260	I2U50080
253	過	B2E1	89DF	488D	3261	I18T0080
254	霞	B2E2	89E0	4EE4	3262	I2780080
255	蚊	B2E3	89E1	4FAA	3263	I2AY0080
256	俄	B2E4	89E2	54C7	3264	I32F0080
257	峨	B2E5	89E3	4F9D	3265	I2AL0080
258	我	B2E6	89E4	49DE	3266	I1GE0080
259	牙	B2E7	89E5	53FC	3267	I2YK0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 11 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
260	画	B2E8	89E6	4677	3268	I0XJ0080
261	臥	B2E9	89E7	538A	3269	I2VE0080
262	芽	B2EA	89E8	4EBA	326A	I2620080
263	蛾	B2EB	89E9	5599	326B	I36H0080
264	賀	B2EC	89EA	4641	326C	I0W10080
265	雅	B2ED	89EB	4745	326D	I11H0080
266	餓	B2EE	89EC	554B	326E	I34B0080
267	駕	B2EF	89ED	53BE	326F	I2WU0080
268	介	B2F0	89EE	484B	3270	I16Z0080
269	会	B2F1	89EF	45BD	3271	I0U50080
270	解	B2F2	89F0	47B7	3272	I14N0080
271	回	B2F3	89F1	46A9	3273	I0YX0080
272	塊	B2F4	89F2	5053	3274	I2DV0080
273	壊	B2F5	89F3	4EC8	3275	I26G0080
274	廻	B2F6	89F4	4BAF	3276	I1PR0080
275	快	B2F7	89F5	4C60	3277	I1SW0080
276	怪	B2F8	89F6	4E71	3278	I2410080
277	悔	B2F9	89F7	5091	3279	I2FL0080
278	恢	B2FA	89F8	5594	327A	I36C0080
279	懐	B2FB	89F9	4EF2	327B	I27M0080
280	戒	B2FC	89FA	4DA0	327C	I2000080
281	拐	B2FD	89FB	53A2	327D	I2W20080
282	改	B2FE	89FC	488F	327E	I18V0080
283	魁	B3A1	8A40	52CB	3321	I2RV0080
284	晦	B3A2	8A41	556D	3322	I3590080
285	械	B3A3	8A42	4682	3323	I0XU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 12 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
286	海	B3A4	8A43	45A7	3324	I0TJ0080
287	灰	B3A5	8A44	4AF5	3325	I1MD0080
288	界	B3A6	8A45	47AE	3326	I14E0080
289	皆	B3A7	8A46	4AB0	3327	I1KG0080
290	絵	B3A8	8A47	4AE4	3328	I1LW0080
291	芥	B3A9	8A48	4F7B	3329	I29N0080
292	蟹	B3AA	8A49	5090	332A	I2FK0080
293	開	B3AB	8A4A	46CD	332B	I0ZX0080
294	階	B3AC	8A4B	49A9	332C	I1EX0080
295	貝	B3AD	8A4C	49EA	332D	I1GQ0080
296	凱	B3AE	8A4D	51AC	332E	I2LO0080
297	効	B3AF	8A4E	556A	332F	I3560080
298	外	B3B0	8A4F	4694	3330	I0YC0080
299	咳	B3B1	8A50	53E9	3331	I2Y10080
300	害	B3B2	8A51	4968	3332	I1D40080
301	崖	B3B3	8A52	5074	3333	I2ES0080
302	慨	B3B4	8A53	528A	3334	I2Q20080
303	概	B3B5	8A54	4C42	3335	I1S20080
304	涯	B3B6	8A55	4F91	3336	I2A90080
305	碍	B3B7	8A56	5356	3337	I2TY0080
306	蓋	B3B8	8A57	4F6D	3338	I2990080
307	街	B3B9	8A58	4BA5	3339	I1PH0080
308	該	B3BA	8A59	4D8D	333A	I1ZH0080
309	鎧	B3BB	8A5A	546D	333B	I2ZX0080
310	骸	B3BC	8A5B	559C	333C	I36K0080
311	湮	B3BD	8A5C	55CC	333D	I37W0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 7 (Page 13 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
312	馨	B3BE	8A5D	4B85	333E	I10L0080
313	蛙	B3BF	8A5E	55BB	333F	I37F0080
314	垣	B3C0	8A5F	47CE	3340	I15A0080
315	柿	B3C1	8A60	4AC1	3341	I1KX0080
316	蛎	B3C2	E579	62E1	3342	I55T0080
317	鈎	B3C3	8A62	538F	3343	I2VJ0080
318	劃	B3C4	8A63	55D6	3344	I3860080
319	嚇	B3C5	8A64	55D8	3345	I3880080
320	各	B3C6	8A65	47BA	3346	I14Q0080
321	廓	B3C7	8A66	54AD	3347	I31P0080
322	扞	B3C8	8A67	48E5	3348	I1B90080
323	攪	B3C9	9D98	5B52	3349	I40I0080
324	格	B3CA	8A69	47DE	334A	I15Q0080
325	核	B3CB	8A6A	4B9E	334B	I1PA0080
326	殼	B3CC	8A6B	50C0	334C	I2GW0080
327	獲	B3CD	8A6C	4D61	334D	I1Y90080
328	確	B3CE	8A6D	487A	334E	I18A0080
329	穫	B3CF	8A6E	4F5C	334F	I28S0080
330	覺	B3D0	8A6F	4A4C	3350	I1HO0080
331	角	B3D1	8A70	477D	3351	I1310080
332	赫	B3D2	8A71	53CC	3352	I2X80080
333	較	B3D3	8A72	4A5A	3353	I1I20080
334	郭	B3D4	8A73	5162	3354	I2JM0080
335	閣	B3D5	8A74	4AE9	3355	I1M10080
336	隔	B3D6	8A75	505A	3356	I2E20080
337	革	B3D7	8A76	4AA3	3357	I1K30080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 14 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
338	学	B3D8	8A77	45BE	3358	I0U60080
339	岳	B3D9	8A78	4D46	3359	I1XI0080
340	楽	B3DA	8A79	4761	335A	I1290080
341	額	B3DB	8A7A	47F1	335B	I1690080
342	顎	B3DC	8A7B	548E	335C	I30U0080
343	掛	B3DD	8A7C	4AE3	335D	I1LV0080
344	笠	B3DE	8A7D	47E0	335E	I15S0080
345	櫛	B3DF	8A7E	4B6F	335F	I1NZ0080
346	檀	B3E0	8A80	4FB2	3360	I2B60080
347	梶	B3E1	8A81	49AD	3361	I1F10080
348	鯁	B3E2	8A82	5571	3362	I35D0080
349	渦	B3E3	8A83	46C2	3363	I0ZM0080
350	割	B3E4	8A84	47D6	3364	I15I0080
351	喝	B3E5	8A85	5475	3365	I3050080
352	恰	B3E6	8A86	5384	3366	I2V80080
353	括	B3E7	8A87	4FC5	3367	I2BP0080
354	活	B3E8	8A88	47B4	3368	I14K0080
355	渴	B3E9	8A89	5441	3369	I2YP0080
356	滑	B3EA	8A8A	4BA2	336A	I1PE0080
357	葛	B3EB	8A8B	48DF	336B	I1B30080
358	褐	B3EC	8A8C	545E	336C	I2ZI0080
359	轄	B3ED	8A8D	50FE	336D	I2IM0080
360	且	B3EE	8A8E	4F97	336E	I2AF0080
361	鯉	B3EF	8A8F	53D5	336F	I2XH0080
362	叶	B3F0	8A90	4F59	3370	I28P0080
363	椈	B3F1	8A91	5163	3371	I2JN0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 15 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
364	樺	B3F2	8A92	4E69	3372	I23T0080
365	鞆	B3F3	8A93	5445	3373	I2YT0080
366	株	B3F4	8A94	4856	3374	I17A0080
367	兜	B3F5	8A95	51BE	3375	I2M60080
368	竈	B3F6	E27D	6046	3376	I4QU0080
369	蒲	B3F7	8A97	49B2	3377	I1F60080
370	釜	B3F8	8A98	4ACC	3378	I1L80080
371	鎌	B3F9	8A99	4962	3379	I1CY0080
372	嚙	B3FA	8A9A	547D	337A	I30D0080
373	鴨	B3FB	8A9B	4C54	337B	I1SK0080
374	栢	B3FC	8A9C	5242	337C	I2O20080
375	茅	B3FD	8A9D	4BD3	337D	I1QR0080
376	萱	B3FE	8A9E	4F7C	337E	I29O0080
377	粥	B4A1	8A9F	52AB	3421	I2QZ0080
378	刈	B4A2	8AA0	4B9B	3422	I1P70080
379	苺	B4A3	8AA1	4E5D	3423	I23H0080
380	瓦	B4A4	8AA2	49C2	3424	I1FM0080
381	乾	B4A5	8AA3	4970	3425	I1DC0080
382	侃	B4A6	8AA4	4F98	3426	I2AG0080
383	冠	B4A7	8AA5	4E7B	3427	I24B0080
384	寒	B4A8	8AA6	4B81	3428	I1OH0080
385	刊	B4A9	8AA7	4CD7	3429	I1W70080
386	勘	B4AA	8AA8	4B9A	342A	I1P60080
387	勸	B4AB	8AA9	4C7E	342B	I1TQ0080
388	卷	B4AC	8AAA	4893	342C	I18Z0080
389	喚	B4AD	8AAB	52B5	342D	I2R90080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 16 of 62). JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
390	堪	B4AE	8AAC	4FAC	342E	I2B00080
391	姦	B4AF	8AAD	55DE	342F	I38E0080
392	完	B4B0	8AAE	48C5	3430	I1AD0080
393	官	B4B1	8AAF	49A2	3431	I1EQ0080
394	寬	B4B2	8AB0	47F8	3432	I16G0080
395	干	B4B3	8AB1	4A6F	3433	I1IN0080
396	幹	B4B4	8AB2	48DA	3434	I1AY0080
397	患	B4B5	8AB3	4DEB	3435	I2230080
398	感	B4B6	8AB4	47F7	3436	I16F0080
399	慣	B4B7	8AB5	4DD3	3437	I21F0080
400	憾	B4B8	8AB6	51A5	3438	I2LH0080
401	換	B4B9	8AB7	49AA	3439	I1EY0080
402	敢	B4BA	8AB8	4FCF	343A	I2BZ0080
403	柑	B4BB	8AB9	4EC1	343B	I2690080
404	榎	B4BC	8ABA	536D	343C	I2UL0080
405	棺	B4BD	8ABB	55B6	343D	I37A0080
406	款	B4BE	8ABC	4EFB	343E	I27V0080
407	歡	B4BF	8ABD	4D4E	343F	I1XQ0080
408	汗	B4C0	8ABE	4EC4	3440	I26C0080
409	漢	B4C1	8ABF	4F58	3441	I28O0080
410	澗	B4C2	8AC0	54BA	3442	I3220080
411	灌	B4C3	9FF3	5DAA	3443	I4DM0080
412	環	B4C4	8AC2	4AB9	3444	I1KP0080
413	甘	B4C5	8AC3	4B55	3445	I1N90080
414	監	B4C6	8AC4	49E3	3446	I1GJ0080
415	看	B4C7	8AC5	4DA2	3447	I2020080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 7 (Page 17 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
416	竿	B4C8	8AC6	5287	3448	I2PZ0080
417	管	B4C9	8AC7	46F2	3449	I10Y0080
418	簡	B4CA	8AC8	4BEC	344A	I1RG0080
419	緩	B4CB	8AC9	4CFC	344B	I1X80080
420	缶	B4CC	8ACA	5084	344C	I2F80080
421	翰	B4CD	8ACB	54B6	344D	I31Y0080
422	肝	B4CE	8ACC	4C8C	344E	I1U40080
423	艦	B4CF	8ACD	4C4A	344F	I1SA0080
424	莞	B4D0	8ACE	51EE	3450	I2NI0080
425	觀	B4D1	8ACF	487E	3451	I18E0080
426	諫	B4D2	E67C	63E0	3452	I5B40080
427	貫	B4D3	8AD1	49A1	3453	I1EP0080
428	還	B4D4	8AD2	4DA9	3454	I2090080
429	鑑	B4D5	8AD3	4E4E	3455	I2320080
430	間	B4D6	8AD4	45C1	3456	I0U90080
431	閑	B4D7	8AD5	4DD9	3457	I21L0080
432	関	B4D8	8AD6	45C5	3458	I0UD0080
433	陥	B4D9	8AD7	4FFE	3459	I2DA0080
434	韓	B4DA	8AD8	4E75	345A	I2450080
435	館	B4DB	8AD9	4862	345B	I17M0080
436	鎗	B4DC	8ADA	4CAA	345C	I1UY0080
437	丸	B4DD	8ADB	467A	345D	I0XM0080
438	含	B4DE	8ADC	49CB	345E	I1FV0080
439	岸	B4DF	8ADD	4748	345F	I11K0080
440	巖	B4E0	8ADE	49CF	3460	I1FZ0080
441	玩	B4E1	8ADF	4E4C	3461	I2300080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 18 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
442	癌	B4E2	8AE0	5447	3462	I2YV0080
443	眼	B4E3	8AE1	49A5	3463	I1ET0080
444	岩	B4E4	8AE2	45BF	3464	I0U70080
445	翫	B4E5	8AE3	558B	3465	I3630080
446	贖	B4E6	8AE4	5584	3466	I35W0080
447	雁	B4E7	8AE5	51A4	3467	I2LG0080
448	頑	B4E8	8AE6	539D	3468	I2VX0080
449	顔	B4E9	8AE7	48B8	3469	I1A00080
450	願	B4EA	8AE8	4C57	346A	I1SN0080
451	企	B4EB	8AE9	47D2	346B	I15E0080
452	伎	B4EC	8AEA	4E9F	346C	I25B0080
453	危	B4ED	8AEB	4B91	346D	I10X0080
454	喜	B4EE	8AEC	45D1	346E	I0UP0080
455	器	B4EF	8AED	45FC	346F	I0VW0080
456	基	B4F0	8AEE	46F1	3470	I10X0080
457	奇	B4F1	8AEF	4D69	3471	I1YH0080
458	嬉	B4F2	8AF0	4F8B	3472	I2A30080
459	寄	B4F3	8AF1	49DF	3473	I1GF0080
460	岐	B4F4	8AF2	474A	3474	I11M0080
461	希	B4F5	8AF3	4AB5	3475	I1KL0080
462	幾	B4F6	8AF4	4B57	3476	I1NB0080
463	忌	B4F7	8AF5	5097	3477	I2FR0080
464	揮	B4F8	8AF6	4BF2	3478	I1RM0080
465	机	B4F9	8AF7	4D96	3479	I1ZQ0080
466	旗	B4FA	8AF8	4DAB	347A	I20B0080
467	既	B4FB	8AF9	4B77	347B	I1O70080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 7 (Page 19 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
468	期	B4FC	8AFA	468B	347C	I0Y30080
469	棋	B4FD	8AFB	4EF1	347D	I27L0080
470	棄	B4FE	8AFC	4EB1	347E	I25T0080
471	機	B5A1	8B40	4579	3521	I0S90080
472	帰	B5A2	8B41	4982	3522	I1DU0080
473	毅	B5A3	8B42	4A5B	3523	I1I30080
474	気	B5A4	8B43	45B9	3524	I0U10080
475	汽	B5A5	8B44	494C	3525	I1CC0080
476	畿	B5A6	8B45	50D4	3526	I2HG0080
477	祈	B5A7	8B46	4ED8	3527	I26W0080
478	季	B5A8	8B47	4AEC	3528	I1M40080
479	稀	B5A9	8B48	5264	3529	I2P00080
480	紀	B5AA	8B49	46DB	352A	I10B0080
481	徽	B5AB	8B4A	55E0	352B	I38G0080
482	規	B5AC	8B4B	46FB	352C	I1170080
483	記	B5AD	8B4C	4794	352D	I13O0080
484	貴	B5AE	8B4D	487F	352E	I18F0080
485	起	B5AF	8B4E	48D0	352F	I1AO0080
486	軌	B5B0	8B4F	4DAA	3530	I20A0080
487	輝	B5B1	8B50	4787	3531	I13B0080
488	飢	B5B2	8B51	53CE	3532	I2XA0080
489	騎	B5B3	8B52	5058	3533	I2E00080
490	鬼	B5B4	8B53	4AC8	3534	I1L40080
491	亀	B5B5	8B54	47C0	3535	I14W0080
492	偽	B5B6	8B55	5059	3536	I2E10080
493	儀	B5B7	8B56	49CA	3537	I1FU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 20 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
494	妓	B5B8	8B57	5395	3538	I2VP0080
495	宜	B5B9	8B58	4D8B	3539	I1ZF0080
496	戲	B5BA	8B59	4F92	353A	I2AA0080
497	技	B5BB	8B5A	48F7	353B	I1BR0080
498	擬	B5BC	8B5B	4FCD	353C	I2BX0080
499	欺	B5BD	8B5C	517D	353D	I2KD0080
500	犧	B5BE	8B5D	4FDC	353E	I2CC0080
501	疑	B5BF	8B5E	4CB4	353F	I1V80080
502	祇	B5C0	8B5F	5192	3540	I2KY0080
503	義	B5C1	8B60	4598	3541	I0T40080
504	蟻	B5C2	8B61	51C6	3542	I2ME0080
505	誼	B5C3	8B62	5265	3543	I2P10080
506	議	B5C4	8B63	4781	3544	I1350080
507	掬	B5C5	8B64	5541	3545	I3410080
508	菊	B5C6	8B65	46D7	3546	I1070080
509	鞠	B5C7	8B66	51ED	3547	I2NH0080
510	吉	B5C8	8B67	457E	3548	I0SE0080
511	吃	B5C9	8B68	55EA	3549	I38Q0080
512	喫	B5CA	8B69	4D6D	354A	I1YL0080
513	桔	B5CB	8B6A	534B	354B	I2TN0080
514	橘	B5CC	8B6B	4BC2	354C	I1QA0080
515	詰	B5CD	8B6C	4B5F	354D	I1NJ0080
516	砧	B5CE	8B6D	5248	354E	I2O80080
517	杵	B5CF	8B6E	4AA6	354F	I1K60080
518	黍	B5D0	8B6F	55AE	3550	I3720080
519	却	B5D1	8B70	4AA4	3551	I1K40080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 21 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
520	客	B5D2	8B71	4ADE	3552	I1LQ0080
521	脚	B5D3	8B72	4D5C	3553	I1Y40080
522	虐	B5D4	8B73	5260	3554	I2OW0080
523	逆	B5D5	8B74	4BFC	3555	I1RW0080
524	丘	B5D6	8B75	4D56	3556	I1XY0080
525	久	B5D7	8B76	458A	3557	I0SQ0080
526	仇	B5D8	8B77	5085	3558	I2F90080
527	休	B5D9	8B78	4A81	3559	I1J50080
528	及	B5DA	8B79	485C	355A	I17G0080
529	吸	B5DB	8B7A	4B98	355B	I1P40080
530	宮	B5DC	8B7B	4592	355C	I0SY0080
531	弓	B5DD	8B7C	4B63	355D	I1NN0080
532	急	B5DE	8B7D	47CC	355E	I1580080
533	救	B5DF	8B7E	4C5C	355F	I1SS0080
534	朽	B5E0	8B80	50F0	3560	I2I80080
535	求	B5E1	8B81	49A0	3561	I1EO0080
536	汲	B5E2	8B82	50C8	3562	I2H40080
537	泣	B5E3	8B83	4D4B	3563	I1XN0080
538	灸	B5E4	8B84	5473	3564	I3030080
539	球	B5E5	8B85	48DB	3565	I1AZ0080
540	究	B5E6	8B86	4986	3566	I1DY0080
541	窮	B5E7	8B87	50AA	3567	I2GA0080
542	笈	B5E8	8B88	51CF	3568	I2MN0080
543	紱	B5E9	8B89	49F3	3569	I1GZ0080
544	糾	B5EA	8B8A	51FE	356A	I2NY0080
545	給	B5EB	8B8B	4757	356B	I11Z0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 22 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
546	旧	B5EC	8B8C	4C7B	356C	I1TN0080
547	牛	B5ED	8B8D	4973	356D	I1DF0080
548	去	B5EE	8B8E	4ACA	356E	I1L60080
549	居	B5EF	8B8F	485E	356F	I17I0080
550	巨	B5F0	8B90	4A52	3570	I1HU0080
551	拒	B5F1	8B91	4F61	3571	I28X0080
552	抛	B5F2	8B92	4D77	3572	I1YV0080
553	拳	B5F3	8B93	4B82	3573	I1OI0080
554	渠	B5F4	8B94	527A	3574	I2PM0080
555	虚	B5F5	8B95	4F72	3575	I29E0080
556	許	B5F6	8B96	4A9A	3576	I1JU0080
557	距	B5F7	8B97	4DC2	3577	I20Y0080
558	鋸	B5F8	8B98	51E7	3578	I2NB0080
559	漁	B5F9	8B99	4B78	3579	I1O80080
560	禦	B5FA	8B9A	55AA	357A	I36Y0080
561	魚	B5FB	8B9B	48EE	357B	I1BI0080
562	亨	B5FC	8B9C	4BAC	357C	I1PO0080
563	享	B5FD	8B9D	4B73	357D	I1O30080
564	京	B5FE	8B9E	4575	357E	I0S50080
565	供	B6A1	8B9F	48BC	3621	I1A40080
566	俠	B6A2	8BA0	52EC	3622	I2SS0080
567	僑	B6A3	8BA1	55AD	3623	I37I0080
568	兇	B6A4	8BA2	555A	3624	I34Q0080
569	競	B6A5	8BA3	4971	3625	I1DD0080
570	共	B6A6	8BA4	47B3	3626	I14J0080
571	凶	B6A7	8BA5	51EC	3627	I2NG0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 7 (Page 23 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
572	協	B6A8	8BA6	47D7	3628	I15J0080
573	匡	B6A9	8BA7	4D4D	3629	I1XP0080
574	卿	B6AA	8BA8	53E2	362A	I2XU0080
575	叫	B6AB	8BA9	4DD5	362B	I21H0080
576	喬	B6AC	8BAA	4C5F	362C	I1SV0080
577	境	B6AD	8BAB	4A95	362D	I1JP0080
578	峽	B6AE	8BAC	51B3	362E	I2LV0080
579	強	B6AF	8BAD	46D2	362F	I1020080
580	疆	B6B0	8BAE	5385	3630	I2V90080
581	怯	B6B1	8BAF	5542	3631	I3420080
582	恐	B6B2	8BB0	4BD5	3632	I1QT0080
583	恭	B6B3	8BB1	494E	3633	I1CE0080
584	挾	B6B4	8BB2	55B1	3634	I3750080
585	教	B6B5	8BB3	47A5	3635	I1450080
586	橋	B6B6	8BB4	4589	3636	I0SP0080
587	況	B6B7	8BB5	4A58	3637	I1I00080
588	狂	B6B8	8BB6	4E5A	3638	I23E0080
589	狹	B6B9	8BB7	4C9E	3639	I1UM0080
590	矯	B6BA	8BB8	51BB	363A	I2M30080
591	胸	B6BB	8BB9	4BE3	363B	I1R70080
592	脅	B6BC	8BBA	5051	363C	I2DT0080
593	興	B6BD	8BBB	466A	363D	I0X60080
594	蕎	B6BE	8BBC	5565	363E	I3510080
595	郷	B6BF	8BBD	4995	363F	I1ED0080
596	鏡	B6C0	8BBE	4A8D	3640	I1JH0080
597	響	B6C1	8BBF	4A5C	3641	I1I40080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 24 of 62). JIS First Level Kanji Set (1 of 2), EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
598	饗	B6C2	8BC0	51D5	3642	I2MT0080
599	驚	B6C3	8BC1	4CD5	3643	I1W50080
600	仰	B6C4	8BC2	4DED	3644	I2250080
601	凝	B6C5	8BC3	4ED9	3645	I26X0080
602	堯	B6C6	EA9F	6880	3646	I5Z40080
603	曉	B6C7	8BC5	4C83	3647	I1TV0080
604	業	B6C8	8BC6	456B	3648	I0RV0080
605	局	B6C9	8BC7	488B	3649	I18R0080
606	曲	B6CA	8BC8	49B6	364A	I1FA0080
607	極	B6CB	8BC9	49B7	364B	I1FB0080
608	玉	B6CC	8BCA	45FD	364C	I0VX0080
609	桐	B6CD	8BCB	49C0	364D	I1FK0080
610	籽	B6CE	8BCC	55E7	364E	I38N0080
611	僅	B6CF	8BCD	4FC9	364F	I2BT0080
612	勤	B6D0	8BCE	499F	3650	I1EN0080
613	均	B6D1	8BCF	49AE	3651	I1F20080
614	巾	B6D2	8BD0	4A7D	3652	I1J10080
615	錦	B6D3	8BD1	4B8E	3653	I1OU0080
616	斤	B6D4	8BD2	54CF	3654	I32N0080
617	欣	B6D5	8BD3	4B9D	3655	I1P90080
618	欽	B6D6	8BD4	4CF8	3656	I1X40080
619	琴	B6D7	8BD5	4CD8	3657	I1W80080
620	禁	B6D8	8BD6	4D75	3658	I1YT0080
621	禽	B6D9	8BD7	555D	3659	I34T0080
622	筋	B6DA	8BD8	4B8F	365A	I1OV0080
623	緊	B6DB	8BD9	4B97	365B	I1P30080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 25 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
624	芹	B6DC	8BDA	4DD0	365C	I21C0080
625	菌	B6DD	8BDB	4C73	365D	I1TF0080
626	衿	B6DE	8BDC	4AA7	365E	I1K70080
627	襟	B6DF	8BDD	54AF	365F	I31R0080
628	謹	B6E0	8BDE	4D87	3660	I1ZB0080
629	近	B6E1	8BDF	4673	3661	I0XF0080
630	金	B6E2	8BE0	4586	3662	I0SM0080
631	吟	B6E3	8BE1	507A	3663	I2EY0080
632	銀	B6E4	8BE2	478C	3664	I13G0080
633	九	B6E5	8BE3	4549	3665	I0QX0080
634	俱	B6E6	8BE4	4F63	3666	I28Z0080
635	句	B6E7	8BE5	4C8B	3667	I1U30080
636	区	B6E8	8BE6	4554	3668	I0R80080
637	狗	B6E9	8BE7	5274	3669	I2PG0080
638	玖	B6EA	8BE8	4DE9	366A	I2210080
639	矩	B6EB	8BE9	4E4D	366B	I2310080
640	苦	B6EC	8BEA	4A5F	366C	I1170080
641	軀	B6ED	8BEB	5353	366D	I2TV0080
642	驅	B6EE	8BEC	4CFE	366E	I1XA0080
643	駟	B6EF	8BED	4F85	366F	I29X0080
644	駒	B6F0	8BEE	49FC	3670	I1H80080
645	具	B6F1	8BEF	47AF	3671	I14F0080
646	愚	B6F2	8BF0	52B2	3672	I2R60080
647	虞	B6F3	8BF1	5588	3673	I3600080
648	喰	B6F4	8BF2	4EB9	3674	I2610080
649	空	B6F5	8BF3	478D	3675	I13H0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 26 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
650	偶	B6F6	8BF4	50C3	3676	I2GZ0080
651	寓	B6F7	8BF5	55F4	3677	I3900080
652	遇	B6F8	8BF6	49EC	3678	I1GS0080
653	隅	B6F9	8BF7	4BB9	3679	I1Q10080
654	串	B6FA	8BF8	4CB8	367A	I1VC0080
655	櫛	B6FB	8BF9	4DA6	367B	I2060080
656	釧	B6FC	8BFA	4BF0	367C	I1RK0080
657	屑	B6FD	8BFB	54B2	367D	I31U0080
658	屈	B6FE	8BFC	4D94	367E	I1ZO0080
659	掘	B7A1	8C40	4D44	3721	I1XG0080
660	窟	B7A2	8C41	50A6	3722	I2G60080
661	脊	B7A3	8C42	4FF8	3723	I2D40080
662	靴	B7A4	8C43	4DF1	3724	I2290080
663	轡	B7A5	8C44	52E1	3725	I2SH0080
664	窪	B7A6	8C45	4A65	3726	I1ID0080
665	熊	B7A7	8C46	467F	3727	I0XR0080
666	隈	B7A8	8C47	4CE5	3728	I1WL0080
667	糸	B7A9	8C48	4E85	3729	I24L0080
668	栗	B7AA	8C49	479B	372A	I13V0080
669	繰	B7AB	8C4A	4B69	372B	I1NT0080
670	桑	B7AC	8C4B	4879	372C	I1890080
671	鋤	B7AD	8C4C	4F70	372D	I29C0080
672	勲	B7AE	8C4D	497A	372E	I1DM0080
673	君	B7AF	8C4E	47CF	372F	I15B0080
674	薫	B7B0	8C4F	4998	3730	I1EG0080
675	訓	B7B1	8C50	4BC8	3731	I1QG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


<b>Table 7 (Page 27 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
676	群	B7B2	8C51	47B1	3732	I14H0080
677	軍	B7B3	8C52	4897	3733	I1930080
678	郡	B7B4	8C53	499E	3734	I1EM0080
679	卦	B7B5	8C54	53DB	3735	I2XN0080
680	袈	B7B6	8C55	4F6A	3736	I2960080
681	祁	B7B7	8C56	53D2	3737	I2XE0080
682	係	B7B8	8C57	4851	3738	I1750080
683	傾	B7B9	8C58	4A43	3739	I1HF0080
684	刑	B7BA	8C59	4C52	373A	I1SI0080
685	兄	B7BB	8C5A	4BE8	373B	I1RC0080
686	啓	B7BC	8C5B	47E4	373C	I15W0080
687	圭	B7BD	8C5C	49E6	373D	I1GM0080
688	珪	B7BE	8C5D	4CB9	373E	I1VD0080
689	型	B7BF	8C5E	46E6	373F	I10M0080
690	契	B7C0	8C5F	4C64	3740	I1T00080
691	形	B7C1	8C60	4690	3741	I0Y80080
692	徑	B7C2	8C61	4E60	3742	I23K0080
693	恵	B7C3	8C62	4643	3743	I0W30080
694	慶	B7C4	8C63	48A8	3744	I19K0080
695	慧	B7C5	8C64	4EB6	3745	I25Y0080
696	憩	B7C6	8C65	5175	3746	I2K50080
697	掲	B7C7	8C66	4DC1	3747	I20X0080
698	携	B7C8	8C67	4E49	3748	I22X0080
699	敬	B7C9	8C68	47B0	3749	I14G0080
700	景	B7CA	8C69	4993	374A	I1EB0080
701	桂	B7CB	8C6A	49AB	374B	I1EZ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 28 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
702	溪	B7CC	8C6B	5198	374C	I2L40080
703	畦	B7CD	8C6C	51B4	374D	I2LW0080
704	稽	B7CE	8C6D	4FC7	374E	I2BR0080
705	系	B7CF	8C6E	48FA	374F	I1BU0080
706	経	B7D0	8C6F	4688	3750	I0Y00080
707	継	B7D1	8C70	4A4A	3751	I1HM0080
708	繫	B7D2	8C71	5373	3752	I2UR0080
709	罫	B7D3	8C72	55EF	3753	I38V0080
710	莖	B7D4	8C73	4EC9	3754	I26H0080
711	荊	B7D5	8C74	53B3	3755	I2WJ0080
712	蚩	B7D6	8C75	4DF9	3756	I22H0080
713	計	B7D7	8C76	45C9	3757	I0UH0080
714	詣	B7D8	8C77	54FB	3758	I33V0080
715	警	B7D9	8C78	4AD7	3759	I1LJ0080
716	輕	B7DA	8C79	48A6	375A	I19I0080
717	頽	B7DB	E8F2	66C4	375B	I5QC0080
718	鷄	B7DC	8C7B	4D8E	375C	I1ZI0080
719	芸	B7DD	8C7C	4953	375D	I1CJ0080
720	迎	B7DE	8C7D	4BA9	375E	I1PL0080
721	鯨	B7DF	8C7E	4D78	375F	I1YW0080
722	劇	B7E0	8C80	49F0	3760	I1GW0080
723	戟	B7E1	8C81	54D9	3761	I32X0080
724	擊	B7E2	8C82	4A74	3762	I1IS0080
725	激	B7E3	8C83	4BD0	3763	I1QO0080
726	隙	B7E4	8C84	53C3	3764	I2WZ0080
727	桁	B7E5	8C85	50D6	3765	I2HI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 29 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
728	傑	B7E6	8C86	4FC3	3766	I2BN0080
729	欠	B7E7	8C87	4CB5	3767	I1V90080
730	決	B7E8	8C88	47A4	3768	I1440080
731	潔	B7E9	8C89	4AC2	3769	I1KY0080
732	穴	B7EA	8C8A	4B86	376A	I1OM0080
733	結	B7EB	8C8B	46BF	376B	I0ZJ0080
734	血	B7EC	8C8C	4B43	376C	I1MR0080
735	訣	B7ED	8C8D	54CC	376D	I32K0080
736	月	B7EE	8C8E	4561	376E	I0RL0080
737	件	B7EF	8C8F	48B2	376F	I19U0080
738	儉	B7F0	8C90	52FA	3770	I2T60080
739	倦	B7F1	8C91	52F1	3771	I2SX0080
740	健	B7F2	8C92	4681	3772	I0XT0080
741	兼	B7F3	8C93	48F4	3773	I1BO0080
742	券	B7F4	8C94	4B6B	3774	I1NV0080
743	劍	B7F5	8C95	4CD3	3775	I1W30080
744	喧	B7F6	8C96	4FD3	3776	I2C30080
745	圈	B7F7	8C97	4F49	3777	I2890080
746	堅	B7F8	8C98	4AE7	3778	I1LZ0080
747	嫌	B7F9	8C99	4EC3	3779	I26B0080
748	建	B7FA	8C9A	4666	377A	I0X20080
749	憲	B7FB	8C9B	47BE	377B	I14U0080
750	懸	B7FC	8C9C	4DC6	377C	I2120080
751	拳	B7FD	8C9D	508D	377D	I2FH0080
752	捲	B7FE	8C9E	5493	377E	I30Z0080
753	檢	B8A1	8C9F	486D	3821	I17X0080
754	權	B8A2	8CA0	48DC	3822	I1B00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 30 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
755	牽	B8A3	8CA1	548A	3823	I30Q0080
756	犬	B8A4	8CA2	4AC5	3824	I1L10080
757	獻	B8A5	8CA3	4F45	3825	I2850080
758	研	B8A6	8CA4	46D3	3826	I1030080
759	硯	B8A7	8CA5	5369	3827	I2UH0080
760	絹	B8A8	8CA6	49F6	3828	I1H20080
761	県	B8A9	8CA7	4552	3829	I0R60080
762	肩	B8AA	8CA8	4B79	382A	I1O90080
763	見	B8AB	8CA9	45BB	382B	I0U30080
764	謙	B8AC	8CAA	497C	382C	I1DO0080
765	賢	B8AD	8CAB	47E5	382D	I15X0080
766	軒	B8AE	8CAC	4E55	382E	I2390080
767	遣	B8AF	8CAD	4EC2	382F	I26A0080
768	鍵	B8B0	8CAE	4E45	3830	I22T0080
769	陰	B8B1	8CAF	4A6C	3831	I1IK0080
770	頭	B8B2	8CB0	4AE5	3832	I1LX0080
771	駮	B8B3	8CB1	48B4	3833	I19W0080
772	齷	B8B4	8CB2	4C7D	3834	I1TP0080
773	元	B8B5	8CB3	4695	3835	I0YD0080
774	原	B8B6	8CB4	4574	3836	I0S40080
775	巖	B8B7	8CB5	4C8E	3837	I1U60080
776	幻	B8B8	8CB6	50A2	3838	I2G20080
777	弦	B8B9	8CB7	4E42	3839	I22Q0080
778	減	B8BA	8CB8	478A	383A	I13E0080
779	源	B8BB	8CB9	47FC	383B	I16K0080
780	玄	B8BC	8CBA	4C6E	383C	I1TA0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
781	現	B8BD	8CBB	46B7	383D	I0ZB0080
782	絃	B8BE	8CBC	5563	383E	I34Z0080
783	舷	B8BF	8CBD	53AC	383F	I2WC0080
784	言	B8C0	8CBE	479A	3840	I13U0080
785	諺	B8C1	8CBF	55AB	3841	I36Z0080
786	限	B8C2	8CC0	48AD	3842	I19P0080
787	乎	B8C3	8CC1	54A5	3843	I31H0080
788	個	B8C4	8CC2	49FA	3844	I1H60080
789	古	B8C5	8CC3	45D4	3845	I0US0080
790	呼	B8C6	8CC4	4AF6	3846	I1ME0080
791	固	B8C7	8CC5	4A94	3847	I1JO0080
792	姑	B8C8	8CC6	53F2	3848	I2YA0080
793	孤	B8C9	8CC7	4EAF	3849	I25R0080
794	己	B8CA	8CC8	47AD	384A	I14D0080
795	庫	B8CB	8CC9	45F8	384B	I0VS0080
796	弧	B8CC	8CCA	536B	384C	I2UJ0080
797	戸	B8CD	8CCB	45CF	384D	I0UN0080
798	故	B8CE	8CCC	4AF7	384E	I1MF0080
799	枯	B8CF	8CCD	5061	384F	I2E90080
800	湖	B8D0	8CCE	4D52	3850	I1XU0080
801	狐	B8D1	8CCF	51DB	3851	I2MZ0080
802	糊	B8D2	8CD0	5471	3852	I30I0080
803	袴	B8D3	8CD1	4F5A	3853	I28Q0080
804	股	B8D4	8CD2	4CC5	3854	I1VP0080
805	胡	B8D5	8CD3	4D63	3855	I1YB0080
806	菰	B8D6	8CD4	516D	3856	I2JX0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 32 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
807	虎	B8D7	8CD5	4AAB	3857	I1KB0080
808	誇	B8D8	8CD6	4EB4	3858	I25W0080
809	跨	B8D9	8CD7	55CB	3859	I37V0080
810	鈷	B8DA	8CD8	55BF	385A	I37J0080
811	雇	B8DB	8CD9	4C4D	385B	I1SD0080
812	顧	B8DC	8CDA	4EEE	385C	I27I0080
813	鼓	B8DD	8CDB	4FAF	385D	I2B30080
814	五	B8DE	8CDC	4545	385E	I0QT0080
815	互	B8DF	8CDD	4B74	385F	I1O40080
816	伍	B8E0	8CDE	4D99	3860	I1ZT0080
817	午	B8E1	8CDF	45DF	3861	I0V30080
818	呉	B8E2	8CE0	4AEE	3862	I1M60080
819	吾	B8E3	8CE1	47F6	3863	I16E0080
820	娛	B8E4	8CE2	50B5	3864	I2GL0080
821	後	B8E5	8CE3	45E5	3865	I0V90080
822	御	B8E6	8CE4	4698	3866	I0YG0080
823	悟	B8E7	8CE5	4AB1	3867	I1KH0080
824	梧	B8E8	8CE6	52D3	3868	I2S30080
825	檣	B8E9	8CE7	55EE	3869	I38U0080
826	瑚	B8EA	8CE8	53F1	386A	I2Y90080
827	碁	B8EB	8CE9	4F4E	386B	I28E0080
828	語	B8EC	8CEA	48E7	386C	I1BB0080
829	誤	B8ED	8CEB	4D91	386D	I1ZL0080
830	護	B8EE	8CEC	49DB	386E	I1GB0080
831	醐	B8EF	8CED	5170	386F	I2K00080
832	乞	B8F0	8CEE	4EB5	3870	I25X0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 33 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
833	鯉	B8F1	8CEF	4FC6	3871	I2BQ0080
834	交	B8F2	8CF0	478E	3872	I13I0080
835	伎	B8F3	8CF1	5462	3873	I2ZM0080
836	候	B8F4	8CF2	53E3	3874	I2XV0080
837	候	B8F5	8CF3	4CAE	3875	I1V20080
838	倅	B8F6	8CF4	5343	3876	I2TF0080
839	光	B8F7	8CF5	459E	3877	I0TA0080
840	公	B8F8	8CF6	46BB	3878	I0ZF0080
841	功	B8F9	8CF7	4870	3879	I1800080
842	効	B8FA	8CF8	4978	387A	I1DK0080
843	勾	B8FB	8CF9	51E9	387B	I2ND0080
844	厚	B8FC	8CFA	4942	387C	I1C20080
845	口	B8FD	8CFB	4588	387D	I0SO0080
846	向	B8FE	8CFC	46A5	387E	I0YT0080
847	后	B9A1	8D40	51AF	3921	I2LR0080
848	喉	B9A2	8D41	5253	3922	I2OJ0080
849	坑	B9A3	8D42	4EF3	3923	I27N0080
850	垢	B9A4	8D43	5466	3924	I2ZQ0080
851	好	B9A5	8D44	469E	3925	I0YM0080
852	孔	B9A6	8D45	4BD9	3926	I1QX0080
853	孝	B9A7	8D46	45F4	3927	I0VO0080
854	宏	B9A8	8D47	46C8	3928	I0ZS0080
855	工	B9A9	8D48	456A	3929	I0RU0080
856	巧	B9AA	8D49	4CA3	392A	I1UR0080
857	巷	B9AB	8D4A	53CB	392B	I2X70080
858	幸	B9AC	8D4B	45A9	392C	I0TL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 34 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
859	広	B9AD	8D4C	45B7	392D	I0TZ0080
860	庚	B9AE	8D4D	515A	392E	I2JE0080
861	康	B9AF	8D4E	469A	392F	I0YI0080
862	弘	B9B0	8D4F	45D3	3930	I0UR0080
863	恒	B9B1	8D50	47C7	3931	I1530080
864	慌	B9B2	8D51	538E	3932	I2VI0080
865	抗	B9B3	8D52	4A67	3933	I1IF0080
866	拘	B9B4	8D53	5045	3934	I2DH0080
867	控	B9B5	8D54	4CAC	3935	I1V00080
868	攻	B9B6	8D55	4BC5	3936	I1QD0080
869	昂	B9B7	FAD0	5B99	3937	I42H0080
870	晃	B9B8	8D57	48B0	3938	I19S0080
871	更	B9B9	8D58	4A6D	3939	I1IL0080
872	杭	B9BA	8D59	508B	393A	I2FF0080
873	校	B9BB	8D5A	48BF	393B	I1A70080
874	梗	B9BC	8D5B	52CC	393C	I2RW0080
875	構	B9BD	8D5C	4796	393D	I13Q0080
876	江	B9BE	8D5D	45AD	393E	I0TP0080
877	洪	B9BF	8D5E	4FD4	393F	I2C40080
878	浩	B9C0	8D5F	46EB	3940	I10R0080
879	港	B9C1	8D60	48C6	3941	I1AE0080
880	溝	B9C2	8D61	4A4D	3942	I1HP0080
881	甲	B9C3	8D62	48A0	3943	I19C0080
882	皇	B9C4	8D63	4CBB	3944	I1VF0080
883	硬	B9C5	8D64	4AEF	3945	I1M70080
884	稿	B9C6	8D65	4FD5	3946	I2C50080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 35 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
885	糠	B9C7	8D66	514B	3947	I2IZ0080
886	紅	B9C8	8D67	4B67	3948	I1NR0080
887	紘	B9C9	8D68	4C78	3949	I1TK0080
888	絞	B9CA	8D69	506D	394A	I2EL0080
889	綱	B9CB	8D6A	48CB	394B	I1AJ0080
890	耕	B9CC	8D6B	499A	394C	I1EI0080
891	考	B9CD	8D6C	4760	394D	I1280080
892	肯	B9CE	8D6D	50EB	394E	I2I30080
893	肱	B9CF	8D6E	52D5	394F	I2S50080
894	腔	B9D0	8D6F	5247	3950	I2O70080
895	膏	B9D1	8D70	51D8	3951	I2MW0080
896	航	B9D2	8D71	489F	3952	I19B0080
897	荒	B9D3	8D72	46DC	3953	I10C0080
898	行	B9D4	8D73	45A4	3954	I0TG0080
899	衡	B9D5	8D74	4BED	3955	I1RH0080
900	講	B9D6	8D75	4A6E	3956	I1IM0080
901	貢	B9D7	8D76	4AF1	3957	I1M90080
902	購	B9D8	8D77	4E8F	3958	I24V0080
903	郊	B9D9	8D78	5052	3959	I2DU0080
904	醇	B9DA	8D79	4D86	395A	I1ZA0080
905	鉦	B9DB	8D7A	4863	395B	I17N0080
906	砧	B9DC	E1E6	5FAF	395C	I4OF0080
907	鋼	B9DD	8D7C	46A1	395D	I0YP0080
908	閣	B9DE	8D7D	549B	395E	I3170080
909	降	B9DF	8D7E	49E5	395F	I1GL0080
910	項	B9E0	8D80	4A97	3960	I1JR0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 36 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
911	香	B9E1	8D81	46BD	3961	I0ZH0080
912	高	B9E2	8D82	4571	3962	I0S10080
913	鴻	B9E3	8D83	4DD6	3963	I21I0080
914	剛	B9E4	8D84	49C7	3964	I1FR0080
915	劫	B9E5	8D85	54C6	3965	I32E0080
916	号	B9E6	8D86	48E2	3966	I1B60080
917	合	B9E7	8D87	45A0	3967	I0TC0080
918	壕	B9E8	8D88	55B9	3968	I37D0080
919	拷	B9E9	8D89	55B5	3969	I3790080
920	濠	B9EA	8D8A	5380	396A	I2V40080
921	豪	B9EB	8D8B	4C68	396B	I1T40080
922	轟	B9EC	8D8C	50A9	396C	I2G90080
923	麴	B9ED	8D8D	5261	396D	I2OX0080
924	克	B9EE	8D8E	479E	396E	I13Y0080
925	刻	B9EF	8D8F	4BF5	396F	I1RP0080
926	告	B9F0	8D90	4954	3970	I1CK0080
927	国	B9F1	8D91	458F	3971	I0SV0080
928	穀	B9F2	8D92	4E94	3972	I2500080
929	酷	B9F3	8D93	51EB	3973	I2NF0080
930	鵠	B9F4	8D94	50FD	3974	I2IL0080
931	黒	B9F5	8D95	4679	3975	I0XL0080
932	獄	B9F6	8D96	4E95	3976	I2510080
933	漉	B9F7	8D97	54D0	3977	I32O0080
934	腰	B9F8	8D98	4BA4	3978	I1PG0080
935	甌	B9F9	8D99	5495	3979	I3110080
936	忽	B9FA	8D9A	5056	397A	I2DY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 7 (Page 37 of 62).</b> JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
937	惚	B9FB	8D9B	549D	397B	I3190080
938	骨	B9FC	8D9C	4AA5	397C	I1K50080
939	狛	B9FD	8D9D	50DC	397D	I2HO0080
940	込	B9FE	8D9E	4841	397E	I16P0080
941	此	BAA1	8D9F	4D4C	3A21	I1XO0080
942	頃	BAA2	8DA0	4946	3A22	I1C60080
943	今	BAA3	8DA1	45E0	3A23	I0V40080
944	困	BAA4	8DA2	4B44	3A24	I1MS0080
945	坤	BAA5	8DA3	53A6	3A25	I2W60080
946	墾	BAA6	8DA4	5488	3A26	I30O0080
947	婚	BAA7	8DA5	4A77	3A27	I1IV0080
948	恨	BAA8	8DA6	53B8	3A28	I2WO0080
949	懇	BAA9	8DA7	4EA4	3A29	I25G0080
950	昏	BAAA	8DA8	54E8	3A2A	I33C0080
951	昆	BAAB	8DA9	4FE7	3A2B	I2CN0080
952	根	BAAC	8DAA	4667	3A2C	I0X30080
953	梱	BAAD	8DAB	5359	3A2D	I2U10080
954	混	BAAE	8DAC	4B46	3A2E	I1MU0080
955	痕	BAAF	8DAD	53FD	3A2F	I2YL0080
956	紺	BAB0	8DAE	4CBD	3A30	I1VH0080
957	良	BAB1	8DAF	55B4	3A31	I3780080
958	魂	BAB2	8DB0	50A8	3A32	I2G80080
959	些	BAB3	8DB1	55DC	3A33	I38C0080
960	佐	BAB4	8DB2	4576	3A34	I0S60080
961	叉	BAB5	8DB3	50A5	3A35	I2G50080
962	唆	BAB6	8DB4	51B8	3A36	I2M00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 38 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
963	嵯	BAB7	8DB5	4ED3	3A37	I26R0080
964	左	BAB8	8DB6	485B	3A38	I17F0080
965	差	BAB9	8DB7	498B	3A39	I1E30080
966	査	BABA	8DB8	4773	3A3A	I12R0080
967	沙	BABB	8DB9	4EAD	3A3B	I25P0080
968	瑳	BABC	8DBA	5188	3A3C	I2KO0080
969	砂	BABD	8DBB	495B	3A3D	I1CR0080
970	詐	BABE	8DBC	5176	3A3E	I2K60080
971	鎖	BABF	8DBD	4D70	3A3F	I1YO0080
972	褰	BAC0	8DBE	4F8A	3A40	I2A20080
973	坐	BAC1	8DBF	4E8D	3A41	I24T0080
974	座	BAC2	8DC0	48B1	3A42	I19T0080
975	挫	BAC3	8DC1	548F	3A43	I30V0080
976	債	BAC4	8DC2	4B58	3A44	I1NC0080
977	催	BAC5	8DC3	4C43	3A45	I1S30080
978	再	BAC6	8DC4	48EB	3A46	I1BF0080
979	最	BAC7	8DC5	46F5	3A47	I1110080
980	哉	BAC8	8DC6	4A6B	3A48	I11J0080
981	塞	BAC9	8DC7	53C1	3A49	I2WX0080
982	妻	BACA	8DC8	49A3	3A4A	I1ER0080
983	宰	BACB	8DC9	4ED4	3A4B	I26S0080
984	彩	BACC	8DCA	4DCD	3A4C	I2190080
985	才	BACD	8DCB	49F1	3A4D	I1GX0080
986	採	BACE	8DCC	4B4F	3A4E	I1N30080
987	栽	BACF	8DCD	4DE0	3A4F	I21S0080
988	歳	BAD0	8DCE	48E4	3A50	I1B80080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 39 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
989	濟	BAD1	8DCF	4769	3A51	I12H0080
990	災	BAD2	8DD0	4CBC	3A52	I1VG0080
991	采	BAD3	8DD1	53BF	3A53	I2WV0080
992	犀	BAD4	8DD2	5354	3A54	I2TW0080
993	碎	BAD5	8DD3	4CC3	3A55	I1VN0080
994	砦	BAD6	8DD4	54B4	3A56	I31W0080
995	祭	BAD7	8DD5	4C71	3A57	I1TD0080
996	齋	BAD8	8DD6	47DB	3A58	I15N0080
997	細	BAD9	8DD7	4768	3A59	I12G0080
998	菜	BADA	8DD8	4BA8	3A5A	I1PK0080
999	裁	BADB	8DD9	49BD	3A5B	I1FH0080
1000	載	BADC	8DDA	4D6E	3A5C	I1YM0080
1001	際	BADD	8DDB	4797	3A5D	I13R0080
1002	劑	BADE	8DDC	4766	3A5E	I12E0080
1003	在	BADF	8DDD	47CD	3A5F	I1590080
1004	材	BAE0	8DDE	46BC	3A60	I0ZG0080
1005	罪	BAE1	8DDF	4C4E	3A61	I1SE0080
1006	財	BAE2	8DE0	49AF	3A62	I1F30080
1007	冴	BAE3	8DE1	50C9	3A63	I2H50080
1008	坂	BAE4	8DE2	45EC	3A64	I0VG0080
1009	阪	BAE5	8DE3	4591	3A65	I0SX0080
1010	堺	BAE6	8DE4	4A7C	3A66	I1J00080
1011	榊	BAE7	8DE5	4B52	3A67	I1N60080
1012	肴	BAE8	8DE6	5451	3A68	I2Z50080
1013	咲	BAE9	8DE7	4CDE	3A69	I1WE0080
1014	崎	BAEA	8DE8	457F	3A6A	I0SF0080
1015	埼	BAEB	8DE9	46A3	3A6B	I0YR0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1016	碓	BAEC	8DEA	52D2	3A6C	I2S20080
1017	鷺	BAED	8DEB	50AF	3A6D	I2GF0080
1018	作	BAEE	8DEC	4594	3A6E	I0T00080
1019	削	BAEF	8DED	4A90	3A6F	I1JK0080
1020	咋	BAF0	8DEE	4F50	3A70	I28G0080
1021	搾	BAF1	8DEF	50A3	3A71	I2G30080
1022	昨	BAF2	8DF0	48E8	3A72	I1BC0080
1023	朔	BAF3	8DF1	4FA4	3A73	I2AS0080
1024	柵	BAF4	8DF2	51F1	3A74	I2NL0080
1025	窄	BAF5	8DF3	5499	3A75	I3150080
1026	策	BAF6	8DF4	46C9	3A76	I0ZT0080
1027	索	BAF7	8DF5	4CF4	3A77	I1X00080
1028	錯	BAF8	8DF6	50B1	3A78	I2GH0080
1029	桜	BAF9	8DF7	4771	3A79	I12P0080
1030	鮭	BAFA	8DF8	5391	3A7A	I2VL0080
1031	笹	BAFB	8DF9	496E	3A7B	I1DA0080
1032	匙	BAFC	8DFA	5457	3A7C	I2ZB0080
1033	冊	BAFD	8DFB	4EA1	3A7D	I25D0080
1034	刷	BAFE	8DFC	48CF	3A7E	I1AN0080
1035	察	BBA1	8E40	4B93	3B21	I1OZ0080
1036	撈	BBA2	8E41	4F9E	3B22	I2AM0080
1037	撮	BBA3	8E42	4C77	3B23	I1TJ0080
1038	擦	BBA4	8E43	4FD6	3B24	I2C60080
1039	札	BBA5	8E44	48F9	3B25	I1BT0080
1040	殺	BBA6	8E45	49E9	3B26	I1GP0080
1041	薩	BBA7	8E46	4CF1	3B27	I1WX0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 7 (Page 41 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1042	雜	BBA8	8E47	4A8A	3B28	I1JE0080
1043	阜	BBA9	8E48	52A4	3B29	I2QS0080
1044	鯖	BBAA	8E49	4FE4	3B2A	I2CK0080
1045	捌	BBAB	8E4A	557D	3B2B	I35P0080
1046	鑄	BBAC	8E4B	55D2	3B2C	I3820080
1047	鮫	BBAD	8E4C	4EB7	3B2D	I25Z0080
1048	皿	BBAE	8E4D	4DC7	3B2E	I2130080
1049	晒	BBAF	8E4E	54C3	3B2F	I32B0080
1050	三	BBB0	8E4F	4543	3B30	I0QR0080
1051	傘	BBB1	8E50	509C	3B31	I2FW0080
1052	參	BBB2	8E51	48D2	3B32	I1AQ0080
1053	山	BBB3	8E52	4565	3B33	I0RP0080
1054	慘	BBB4	8E53	506E	3B34	I2EM0080
1055	撒	BBB5	8E54	53DE	3B35	I2XQ0080
1056	散	BBB6	8E55	4AC9	3B36	I1L50080
1057	棧	BBB7	8E56	51F3	3B37	I2NN0080
1058	燦	BBB8	8E57	54CE	3B38	I32M0080
1059	珊	BBB9	8E58	5399	3B39	I2VT0080
1060	産	BBBA	8E59	45C0	3B3A	I0U80080
1061	算	BBBB	8E5A	4843	3B3B	I16R0080
1062	纂	BBBC	8E5B	55EB	3B3C	I38R0080
1063	蚕	BBBD	8E5C	4F5D	3B3D	I28T0080
1064	讚	BBBE	8E5D	516B	3B3E	I2JV0080
1065	贊	BBBF	8E5E	4DEE	3B3F	I2260080
1066	酸	BBC0	8E5F	4899	3B40	I1950080
1067	餐	BBC1	8E60	55B3	3B41	I3770080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 42 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1068	斬	BBC2	8E61	4EFC	3B42	I27W0080
1069	暫	BBC3	8E62	5093	3B43	I2FN0080
1070	残	BBC4	8E63	4992	3B44	I1EA0080
1071	仕	BBC5	8E64	48B5	3B45	I19X0080
1072	仔	BBC6	8E65	5465	3B46	I2ZP0080
1073	伺	BBC7	8E66	508A	3B47	I2FE0080
1074	使	BBC8	8E67	48B6	3B48	I19Y0080
1075	刺	BBC9	8E68	4BC0	3B49	I1Q80080
1076	司	BBCA	8E69	45F0	3B4A	I0VK0080
1077	史	BBCB	8E6A	47D9	3B4B	I15L0080
1078	嗣	BBCC	8E6B	4B5E	3B4C	I1NI0080
1079	四	BBCD	8E6C	4544	3B4D	I0QS0080
1080	士	BBCE	8E6D	467D	3B4E	I0XP0080
1081	始	BBCF	8E6E	4990	3B4F	I1E80080
1082	姉	BBD0	8E6F	4CC1	3B50	I1VL0080
1083	姿	BBD1	8E70	4B42	3B51	I1MQ0080
1084	子	BBD2	8E71	4564	3B52	I0RO0080
1085	屍	BBD3	8E72	55BA	3B53	I37E0080
1086	市	BBD4	8E73	4553	3B54	I0R70080
1087	師	BBD5	8E74	4A44	3B55	I1HG0080
1088	志	BBD6	8E75	4661	3B56	I0WX0080
1089	思	BBD7	8E76	46AD	3B57	I0Z10080
1090	指	BBD8	8E77	47B6	3B58	I14M0080
1091	支	BBD9	8E78	477B	3B59	I12Z0080
1092	孜	BBDA	8E79	4FF2	3B5A	I2CY0080
1093	斯	BBDB	8E7A	4EA5	3B5B	I25H0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1094	施	BBDC	8E7B	4888	3B5C	I18O0080
1095	旨	BBDD	8E7C	4D6A	3B5D	I1YI0080
1096	枝	BBDE	8E7D	4672	3B5E	I0XE0080
1097	止	BBDF	8E7E	48D8	3B5F	I1AW0080
1098	死	BBE0	8E80	4999	3B60	I1EH0080
1099	氏	BBE1	8E81	488E	3B61	I18U0080
1100	獅	BBE2	8E82	519F	3B62	I2LB0080
1101	祉	BBE3	8E83	4FEB	3B63	I2CR0080
1102	私	BBE4	8E84	46C3	3B64	I0ZN0080
1103	糸	BBE5	8E85	46C7	3B65	I0ZR0080
1104	紙	BBE6	8E86	4680	3B66	I0XS0080
1105	紫	BBE7	8E87	4AF0	3B67	I1M80080
1106	肢	BBE8	8E88	5382	3B68	I2V60080
1107	脂	BBE9	8E89	4874	3B69	I1840080
1108	至	BBEA	8E8A	4A48	3B6A	I1HK0080
1109	視	BBEB	8E8B	4A50	3B6B	I1HS0080
1110	詞	BBEC	8E8C	4E90	3B6C	I24W0080
1111	詩	BBED	8E8D	4CB0	3B6D	I1V40080
1112	試	BBEE	8E8E	4948	3B6E	I1C80080
1113	誌	BBEF	8E8F	4B76	3B6F	I1O60080
1114	諮	BBF0	8E90	4F9C	3B70	I2AK0080
1115	資	BBF1	8E91	4650	3B71	I0WG0080
1116	賜	BBF2	8E92	4F94	3B72	I2AC0080
1117	雌	BBF3	8E93	52B7	3B73	I2RB0080
1118	飼	BBF4	8E94	4A8F	3B74	I1JJ0080
1119	齒	BBF5	8E95	4A9F	3B75	I1JZ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 44 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1120	事	BBF6	8E96	45CE	3B76	I0UM0080
1121	似	BBF7	8E97	4BBC	3B77	I1Q40080
1122	侍	BBF8	8E98	4FC2	3B78	I2BM0080
1123	児	BBF9	8E99	469F	3B79	I0YN0080
1124	字	BBFA	8E9A	48F2	3B7A	I1BM0080
1125	寺	BBFB	8E9B	46A0	3B7B	I0YO0080
1126	慈	BBFC	8E9C	4CBE	3B7C	I1VI0080
1127	持	BBFD	8E9D	46D8	3B7D	I1080080
1128	時	BBFE	8E9E	4651	3B7E	I0WH0080
1129	次	BCA1	8E9F	4597	3C21	I0T30080
1130	滋	BCA2	8EA0	4857	3C22	I17B0080
1131	治	BCA3	8EA1	4584	3C23	I0SK0080
1132	爾	BCA4	8EA2	4C79	3C24	I1TL0080
1133	璽	BCA5	8EA3	5249	3C25	I2O90080
1134	痔	BCA6	8EA4	5182	3C26	I2KI0080
1135	磁	BCA7	8EA5	4A62	3C27	I1IA0080
1136	示	BCA8	8EA6	4853	3C28	I1770080
1137	而	BCA9	8EA7	51E6	3C29	I2NA0080
1138	耳	BCAA	8EA8	4CAB	3C2A	I1UZ0080
1139	自	BCAB	8EA9	45C3	3C2B	I0UB0080
1140	蒔	BCAC	8EAA	4FE3	3C2C	I2CJ0080
1141	辞	BCAD	8EAB	4D74	3C2D	I1YS0080
1142	汐	BCAE	8EAC	506A	3C2E	I2EI0080
1143	鹿	BCAF	8EAD	4697	3C2F	I0YF0080
1144	式	BCB0	8EAE	468F	3C30	I0Y70080
1145	識	BCB1	8EAF	4A75	3C31	I1IT0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1146	鳴	BCB2	8EB0	50BA	3C32	I2GQ0080
1147	竺	BCB3	8EB1	545C	3C33	I2ZG0080
1148	軸	BCB4	8EB2	4BA6	3C34	I1PI0080
1149	宍	BCB5	8EB3	4C75	3C35	I1TH0080
1150	雫	BCB6	8EB4	52A5	3C36	I2QT0080
1151	七	BCB7	8EB5	4547	3C37	I0QV0080
1152	叱	BCB8	8EB6	5042	3C38	I2DE0080
1153	執	BCB9	8EB7	4D57	3C39	I1XZ0080
1154	失	BCBA	8EB8	4941	3C3A	I1C10080
1155	嫉	BCBB	8EB9	53E0	3C3B	I2XS0080
1156	室	BCBC	8EBA	47B8	3C3C	I14O0080
1157	悉	BCBD	8EBB	5469	3C3D	I2ZT0080
1158	湿	BCBE	8EBC	4C90	3C3E	I1U80080
1159	漆	BCBF	8EBD	4DAE	3C3F	I20E0080
1160	疾	BCC0	8EBE	5142	3C40	I2IQ0080
1161	質	BCC1	8EBF	46EC	3C41	I10S0080
1162	実	BCC2	8EC0	45ED	3C42	I0VH0080
1163	蔀	BCC3	8EC1	52BD	3C43	I2RH0080
1164	篠	BCC4	8EC2	4875	3C44	I1850080
1165	偲	BCC5	8EC3	54D2	3C45	I32Q0080
1166	柴	BCC6	8EC4	47A7	3C46	I1470080
1167	芝	BCC7	8EC5	4972	3C47	I1DE0080
1168	屢	BCC8	8EC6	55C0	3C48	I37K0080
1169	蕊	BCC9	E541	62A6	3C49	I5460080
1170	縞	BCCA	8EC8	4F6B	3C4A	I2970080
1171	舎	BCCB	8EC9	4C58	3C4B	I1SO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 46 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1172	写	BCCC	8ECA	48C4	3C4C	I1AC0080
1173	射	BCCD	8ECB	498A	3C4D	I1E20080
1174	捨	BCCE	8ECC	4BB3	3C4E	I1PV0080
1175	赦	BCCF	8ECD	5151	3C4F	I2J50080
1176	斜	BCD0	8ECE	4BD1	3C50	I1QP0080
1177	煮	BCD1	8ECF	4C4C	3C51	I1SC0080
1178	社	BCD2	8ED0	4663	3C52	I0WZ0080
1179	紗	BCD3	8ED1	4F47	3C53	I2870080
1180	者	BCD4	8ED2	4670	3C54	I0XC0080
1181	謝	BCD5	8ED3	4DBB	3C55	I20R0080
1182	車	BCD6	8ED4	4653	3C56	I0WJ0080
1183	遮	BCD7	8ED5	5458	3C57	I2ZC0080
1184	蛇	BCD8	8ED6	4FEA	3C58	I2CQ0080
1185	邪	BCD9	8ED7	4EB8	3C59	I2600080
1186	借	BCDA	8ED8	4AD0	3C5A	I1LC0080
1187	勺	BCDB	8ED9	5470	3C5B	I3000080
1188	尺	BCDC	8EDA	4C6B	3C5C	I1T70080
1189	杓	BCDD	8EDB	54C1	3C5D	I3290080
1190	灼	BCDE	8EDC	546A	3C5E	I2ZU0080
1191	爵	BCDF	8EDD	53A9	3C5F	I2W90080
1192	酌	BCE0	8EDE	52BB	3C60	I2RF0080
1193	积	BCE1	8EDF	4D79	3C61	I1YX0080
1194	錫	BCE2	8EE0	5257	3C62	I2ON0080
1195	若	BCE3	8EE1	46D6	3C63	I1060080
1196	寂	BCE4	8EE2	4FE9	3C64	I2CP0080
1197	弱	BCE5	8EE3	4B6E	3C65	I1NY0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1198	惹	BCE6	8EE4	5472	3C66	I3020080
1199	主	BCE7	8EE5	4762	3C67	I12A0080
1200	取	BCE8	8EE6	46A6	3C68	I0YU0080
1201	守	BCE9	8EE7	46F0	3C69	I10W0080
1202	手	BCEA	8EE8	45CB	3C6A	I0UJ0080
1203	朱	BCEB	8EE9	4D42	3C6B	I1XE0080
1204	殊	BCEC	8EEA	4865	3C6C	I17P0080
1205	狩	BCED	8EEB	4A7B	3C6D	I1IZ0080
1206	珠	BCEE	8EEC	4B99	3C6E	I1P50080
1207	種	BCEF	8EED	4692	3C6F	I0YA0080
1208	腫	BCF0	8EEE	51CE	3C70	I2MM0080
1209	趣	BCF1	8EEF	4CED	3C71	I1WT0080
1210	酒	BCF2	8EF0	4758	3C72	I1200080
1211	首	BCF3	8EF1	49BE	3C73	I1FI0080
1212	儒	BCF4	8EF2	546F	3C74	I2ZZ0080
1213	受	BCF5	8EF3	484C	3C75	I1700080
1214	呪	BCF6	8EF4	548D	3C76	I30T0080
1215	寿	BCF7	8EF5	46B2	3C77	I0Z60080
1216	授	BCF8	8EF6	4C61	3C78	I1SX0080
1217	樹	BCF9	8EF7	46CF	3C79	I0ZZ0080
1218	綬	BCFA	8EF8	51A3	3C7A	I2LF0080
1219	需	BCFB	8EF9	47FB	3C7B	I16J0080
1220	囚	BCFC	8EFA	5065	3C7C	I2ED0080
1221	収	BCFD	8EFB	4791	3C7D	I13L0080
1222	周	BCFE	8EFC	48A1	3C7E	I19D0080
1223	宗	BDA1	8F40	47DD	3D21	I15P0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 48 of 62). JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1224	就	BDA2	8F41	4BEE	3D22	I1RI0080
1225	州	BDA3	8F42	4741	3D23	I11D0080
1226	修	BDA4	8F43	46DE	3D24	I10E0080
1227	愁	BDA5	8F44	5282	3D25	I2PU0080
1228	拾	BDA6	8F45	4DD7	3D26	I21J0080
1229	洲	BDA7	8F46	4B72	3D27	I1O20080
1230	秀	BDA8	8F47	45F1	3D28	I0VL0080
1231	秋	BDA9	8F48	4658	3D29	I0WO0080
1232	終	BDAA	8F49	49F4	3D2A	I1H00080
1233	繡	BDAB	8F4A	52DA	3D2B	I2SA0080
1234	習	BDAC	8F4B	4A69	3D2C	I1IH0080
1235	臭	BDAD	8F4C	4DB3	3D2D	I20J0080
1236	舟	BDAE	8F4D	4BB8	3D2E	I1Q00080
1237	菟	BDAF	8F4E	4F93	3D2F	I2AB0080
1238	衆	BDB0	8F4F	4B88	3D30	I1O00080
1239	襲	BDB1	8F50	4DDF	3D31	I21R0080
1240	讐	BDB2	8F51	53FE	3D32	I2YM0080
1241	蹴	BDB3	8F52	52F6	3D33	I2T20080
1242	輯	BDB4	8F53	55A6	3D34	I36U0080
1243	週	BDB5	8F54	4AD3	3D35	I1LF0080
1244	曾	BDB6	8F55	5548	3D36	I3480080
1245	酬	BDB7	8F56	5149	3D37	I2IX0080
1246	集	BDB8	8F57	47A0	3D38	I1400080
1247	醜	BDB9	8F58	536F	3D39	I2UN0080
1248	什	BDBA	8F59	53D9	3D3A	I2XL0080
1249	住	BDBB	8F5A	46E0	3D3B	I10G0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 7 (Page 49 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1250	充	BDBC	8F5B	48C9	3D3C	I1AH0080
1251	十	BDBD	8F5C	454A	3D3D	I0QY0080
1252	従	BDBE	8F5D	48FB	3D3E	I1BV0080
1253	戎	BDBF	8F5E	517F	3D3F	I2KF0080
1254	柔	BDC0	8F5F	4DEA	3D40	I2220080
1255	汁	BDC1	8F60	4D84	3D41	I1Z80080
1256	洩	BDC2	8F61	4892	3D42	I18Y0080
1257	獣	BDC3	8F62	4F65	3D43	I2910080
1258	縦	BDC4	8F63	4E93	3D44	I24Z0080
1259	重	BDC5	8F64	45A3	3D45	I0TF0080
1260	銃	BDC6	8F65	4CE2	3D46	I1WI0080
1261	叔	BDC7	8F66	4FA5	3D47	I2AT0080
1262	夙	BDC8	8F67	54DD	3D48	I3310080
1263	宿	BDC9	8F68	4882	3D49	I18I0080
1264	淑	BDCA	8F69	4ABF	3D4A	I1KV0080
1265	祝	BDCB	8F6A	4CEB	3D4B	I1WR0080
1266	縮	BDCC	8F6B	49F7	3D4C	I1H30080
1267	肅	BDCD	8F6C	4FC8	3D4D	I2BS0080
1268	塾	BDCE	8F6D	5279	3D4E	I2PL0080
1269	熟	BDCF	8F6E	4EBF	3D4F	I2670080
1270	出	BDD0	8F6F	459B	3D50	I0T70080
1271	術	BDD1	8F70	486C	3D51	I17W0080
1272	述	BDD2	8F71	4A9C	3D52	I1JW0080
1273	俊	BDD3	8F72	4660	3D53	I0WW0080
1274	峻	BDD4	8F73	5072	3D54	I2EQ0080
1275	春	BDD5	8F74	4662	3D55	I0WY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 50 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1276	瞬	BDD6	8F75	4DB0	3D56	I20G0080
1277	竣	BDD7	8F76	546B	3D57	I2ZV0080
1278	舜	BDD8	8F77	4FB8	3D58	I2BC0080
1279	駿	BDD9	8F78	4CC0	3D59	I1VK0080
1280	准	BDDA	8F79	4F80	3D5A	I29S0080
1281	循	Bddb	8F7A	4EF5	3D5B	I27P0080
1282	旬	BDDC	8F7B	4D67	3D5C	I1YF0080
1283	楯	BDDD	8F7C	4FAE	3D5D	I2B20080
1284	殉	BDDE	8F7D	53A4	3D5E	I2W40080
1285	淳	BDDF	8F7E	4894	3D5F	I1900080
1286	準	BDE0	8F80	46CE	3D60	I0ZY0080
1287	潤	BDE1	8F81	4AD2	3D61	I1LE0080
1288	盾	BDE2	8F82	5082	3D62	I2F60080
1289	純	BDE3	8F83	47A6	3D63	I1460080
1290	巡	BDE4	8F84	4D47	3D64	I1XJ0080
1291	遵	BDE5	8F85	526E	3D65	I2PA0080
1292	醇	BDE6	8F86	51A9	3D66	I2LL0080
1293	順	BDE7	8F87	47B2	3D67	I14I0080
1294	処	BDE8	8F88	48E6	3D68	I1BA0080
1295	初	BDE9	8F89	474B	3D69	I11N0080
1296	所	BDEA	8F8A	458C	3D6A	I0SS0080
1297	暑	BDEB	8F8B	4FBE	3D6B	I2BI0080
1298	曙	BDEC	8F8C	5152	3D6C	I2J60080
1299	渚	BDED	8F8D	50E4	3D6D	I2HW0080
1300	庶	BDEE	8F8E	50C1	3D6E	I2GX0080
1301	緒	BDEF	8F8F	4A9B	3D6F	I1JV0080
1302	署	BDF0	8F90	4C99	3D70	I1UH0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 51 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1303	書	BDF1	8F91	479D	3D71	I13X0080
1304	薯	BDF2	8F92	53F9	3D72	I2YH0080
1305	藪	BDF3	8F93	55E2	3D73	I38I0080
1306	諸	BDF4	8F94	47E2	3D74	I15U0080
1307	助	BDF5	8F95	4671	3D75	I0XD0080
1308	叙	BDF6	8F96	50F5	3D76	I2ID0080
1309	女	BDF7	8F97	4699	3D77	I0YH0080
1310	序	BDF8	8F98	4D4F	3D78	I1XR0080
1311	徐	BDF9	8F99	50B3	3D79	I2GJ0080
1312	恕	BDF A	8F9A	5298	3D7A	I2QG0080
1313	鋤	BDF B	8F9B	52C0	3D7B	I2RK0080
1314	除	BDF C	8F9C	496D	3D7C	I1D90080
1315	傷	BDF D	8F9D	4C5B	3D7D	I1SR0080
1316	償	BDF E	8F9E	4AA2	3D7E	I1K20080
1317	勝	BEA1	8F9F	45B5	3E21	I0TX0080
1318	匠	BEA2	8FA0	4E6B	3E22	I23V0080
1319	升	BEA3	8FA1	4E47	3E23	I22V0080
1320	召	BEA4	8FA2	4F86	3E24	I29Y0080
1321	哨	BEA5	8FA3	5568	3E25	I3540080
1322	商	BEA6	8FA4	46BE	3E26	I0ZI0080
1323	唱	BEA7	8FA5	4D43	3E27	I1XF0080
1324	嘗	BEA8	8FA6	54EC	3E28	I33G0080
1325	獎	BEA9	8FA7	4ECA	3E29	I26I0080
1326	妾	BEA A	8FA8	53AF	3E2A	I2WF0080
1327	娼	BEA B	8FA9	5498	3E2B	I3140080
1328	宵	BEA C	8FAA	52EF	3E2C	I2SV0080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 52 of 62). JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1329	将	BEAD	8FAB	4959	3E2D	I1CP0080
1330	小	BEAE	8FAC	455D	3E2E	I0RH0080
1331	少	BEAF	8FAD	484A	3E2F	I16Y0080
1332	尚	BEB0	8FAE	4871	3E30	I1810080
1333	庄	BEB1	8FAF	4850	3E31	I1740080
1334	床	BEB2	8FB0	4AED	3E32	I1M50080
1335	廠	BEB3	8FB1	5562	3E33	I34Y0080
1336	彰	BEB4	8FB2	4964	3E34	I1D00080
1337	承	BEB5	8FB3	4C48	3E35	I1S80080
1338	抄	BEB6	8FB4	4EC0	3E36	I2680080
1339	招	BEB7	8FB5	4BFD	3E37	I1RX0080
1340	掌	BEB8	8FB6	4EEC	3E38	I27G0080
1341	捷	BEB9	8FB7	4D8F	3E39	I1ZJ0080
1342	昇	BEBA	8FB8	46FE	3E3A	I11A0080
1343	昌	BEBB	8FB9	46D1	3E3B	I1010080
1344	昭	BEBC	8FBA	45B3	3E3C	I0TV0080
1345	晶	BEBD	8FBB	4AF8	3E3D	I1MG0080
1346	松	BEBE	8FBC	4578	3E3E	I0S80080
1347	梢	BEBF	8FBD	50AC	3E3F	I2GC0080
1348	樟	BEC0	8FBE	539B	3E40	I2VV0080
1349	樵	BEC1	8FBF	5585	3E41	I35X0080
1350	沼	BEC2	8FC0	46C6	3E42	I0ZQ0080
1351	消	BEC3	8FC1	486B	3E43	I17V0080
1352	涉	BEC4	8FC2	4AC0	3E44	I1KW0080
1353	湘	BEC5	8FC3	5155	3E45	I2J90080
1354	燒	BEC6	8FC4	4983	3E46	I1DV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 53 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1355	焦	BEC7	8FC5	4DE6	3E47	I21Y0080
1356	照	BEC8	8FC6	4742	3E48	I11E0080
1357	症	BEC9	8FC7	4E4A	3E49	I22Y0080
1358	省	BECA	8FC8	4847	3E4A	I16V0080
1359	硝	BECB	8FC9	4976	3E4B	I1DI0080
1360	礁	BECC	8FCA	51B0	3E4C	I2LS0080
1361	祥	BECD	8FCB	49F9	3E4D	I1H50080
1362	称	BECE	8FCC	4BDF	3E4E	I1R30080
1363	章	BECF	8FCD	476E	3E4F	I12M0080
1364	笑	BED0	8FCE	49B5	3E50	I1F90080
1365	粧	BED1	8FCF	4BD4	3E51	I1QS0080
1366	紹	BED2	8FD0	4CE4	3E52	I1WK0080
1367	肖	BED3	8FD1	5267	3E53	I2P30080
1368	苜	BED4	8FD2	5180	3E54	I2KG0080
1369	蔣	BED5	8FD3	53F8	3E55	I2YG0080
1370	蕉	BED6	8FD4	53A8	3E56	I2W80080
1371	衝	BED7	8FD5	4DA5	3E57	I2050080
1372	裳	BED8	8FD6	4FA8	3E58	I2AW0080
1373	訟	BED9	8FD7	50EF	3E59	I2I70080
1374	証	BEDA	8FD8	49BA	3E5A	I1FE0080
1375	詔	BEDB	8FD9	4F88	3E5B	I2A00080
1376	詳	BEDC	8FDA	4DE7	3E5C	I21Z0080
1377	象	BEDD	8FDB	4994	3E5D	I1EC0080
1378	賞	BEDE	8FDC	4AAD	3E5E	I1KD0080
1379	醬	BEDF	8FDD	507F	3E5F	I2F30080
1380	鉦	BEE0	8FDE	4FB4	3E60	I2B80080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 54 of 62). JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1381	鍾	BEE1	8FDF	53BD	3E61	I2WT0080
1382	鐘	BEE2	8FE0	4CC8	3E62	I1VS0080
1383	障	BEE3	8FE1	4BF9	3E63	I1RT0080
1384	鞞	BEE4	8FE2	52E7	3E64	I2SN0080
1385	上	BEE5	8FE3	455E	3E65	I0RI0080
1386	丈	BEE6	8FE4	49D3	3E66	I1G30080
1387	丞	BEE7	8FE5	4F62	3E67	I28Y0080
1388	乘	BEE8	8FE6	4947	3E68	I1C70080
1389	冗	BEE9	8FE7	527E	3E69	I2PQ0080
1390	剩	BEEA	8FE8	4D85	3E6A	I1Z90080
1391	城	BEEB	8FE9	45DB	3E6B	I0UZ0080
1392	場	BEEC	8FEA	45D9	3E6C	I0UX0080
1393	壤	BEED	8FEB	5196	3E6D	I2L20080
1394	嬢	BEEE	8FEC	4DE4	3E6E	I21W0080
1395	常	BEEF	8FED	46EF	3E6F	I10V0080
1396	情	BEF0	8FEE	485F	3E70	I17J0080
1397	擾	BEF1	8FEF	55F6	3E71	I3920080
1398	条	BEF2	8FF0	475E	3E72	I1260080
1399	杖	BEF3	8FF1	50F4	3E73	I2IC0080
1400	淨	BEF4	8FF2	4CC9	3E74	I1VT0080
1401	状	BEF5	8FF3	4852	3E75	I1760080
1402	暈	BEF6	8FF4	4E54	3E76	I2380080
1403	穰	BEF7	8FF5	4E98	3E77	I2540080
1404	蒸	BEF8	8FF6	4ABA	3E78	I1KQ0080
1405	讓	BEF9	8FF7	4B7B	3E79	I10B0080
1406	釀	BEFA	8FF8	50C2	3E7A	I2GY0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 55 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1407	錠	BEFB	8FF9	4E57	3E7B	I23B0080
1408	囑	BEFC	8FFA	50CA	3E7C	I2H60080
1409	埴	BEFD	8FFB	4F48	3E7D	I2880080
1410	飾	BEFE	8FFC	4957	3E7E	I1CN0080
1411	拭	BFA1	9040	4EE5	3F21	I2790080
1412	植	BFA2	9041	47C5	3F22	I1510080
1413	殖	BFA3	9042	4E73	3F23	I2430080
1414	燭	BFA4	9043	54E6	3F24	I33A0080
1415	織	BFA5	9044	489A	3F25	I1960080
1416	職	BFA6	9045	48D7	3F26	I1AV0080
1417	色	BFA7	9046	47C3	3F27	I14Z0080
1418	触	BFA8	9047	4CD1	3F28	I1W10080
1419	食	BFA9	9048	46B8	3F29	I0ZC0080
1420	蝕	BFAA	9049	5347	3F2A	I2TJ0080
1421	辱	BFAB	904A	52E5	3F2B	I2SL0080
1422	尻	BFAC	904B	49CE	3F2C	I1FY0080
1423	伸	BFAD	904C	46F4	3F2D	I1100080
1424	信	BFAE	904D	45A5	3F2E	I0TH0080
1425	侵	BFAF	904E	4F8C	3F2F	I2A40080
1426	昏	BFB0	904F	4F76	3F30	I29I0080
1427	娠	BFB1	9050	524C	3F31	I2OC0080
1428	寢	BFB2	9051	4B59	3F32	I1ND0080
1429	審	BFB3	9052	4987	3F33	I1DZ0080
1430	心	BFB4	9053	46E7	3F34	I10N0080
1431	慎	BFB5	9054	4A76	3F35	I1IU0080
1432	振	BFB6	9055	48F6	3F36	I1BQ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 56 of 62). JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1433	新	BFB7	9056	4587	3F37	I0SN0080
1434	晋	BFB8	9057	4BB2	3F38	I1PU0080
1435	森	BFB9	9058	459D	3F39	I0T90080
1436	榛	BFBA	9059	4D7E	3F3A	I1Z20080
1437	浸	BFBB	905A	4D41	3F3B	I1XD0080
1438	深	BFBC	905B	4777	3F3C	I12V0080
1439	申	BFBD	905C	4967	3F3D	I1D30080
1440	疹	BFBE	905D	54E1	3F3E	I3350080
1441	真	BFBF	905E	4642	3F3F	I0W20080
1442	神	BFC0	905F	45A1	3F40	I0TD0080
1443	秦	BFC1	9060	4C8A	3F41	I1U20080
1444	紳	BFC2	9061	4E59	3F42	I23D0080
1445	臣	BFC3	9062	4A47	3F43	I1HJ0080
1446	芯	BFC4	9063	4FE5	3F44	I2CL0080
1447	薪	BFC5	9064	545A	3F45	I2ZE0080
1448	親	BFC6	9065	4885	3F46	I18L0080
1449	診	BFC7	9066	4D68	3F47	I1YG0080
1450	身	BFC8	9067	479C	3F48	I13W0080
1451	辛	BFC9	9068	4D5E	3F49	I1Y60080
1452	進	BFCA	9069	4669	3F4A	I0X50080
1453	針	BFCB	906A	4988	3F4B	I1E00080
1454	震	BFCC	906B	4DDE	3F4C	I21Q0080
1455	人	BFCD	906C	4593	3F4D	I0SZ0080
1456	仁	BFCE	906D	4776	3F4E	I12U0080
1457	刃	BFCF	906E	4F44	3F4F	I2840080
1458	塵	BFD0	906F	4D89	3F50	I1ZD0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 57 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1459	壬	BFD1	9070	514F	3F51	I2J30080
1460	尋	BFD2	9071	4D5F	3F52	I1Y70080
1461	甚	BFD3	9072	4B66	3F53	I1NQ0080
1462	尽	BFD4	9073	4FB9	3F54	I2BD0080
1463	腎	BFD5	9074	52C4	3F55	I2RO0080
1464	訊	BFD6	9075	50F2	3F56	I2IA0080
1465	迅	BFD7	9076	5068	3F57	I2EG0080
1466	陣	BFD8	9077	4C84	3F58	I1TW0080
1467	靱	BFD9	E8D5	66AB	3F59	I5PN0080
1468	筍	BFDA	9079	52F4	3F5A	I2T00080
1469	諏	BFDB	907A	4BC1	3F5B	I1Q90080
1470	須	BFDC	907B	46B0	3F5C	I0Z40080
1471	酢	BFDD	907C	4BAE	3F5D	I1PQ0080
1472	凶	BFDE	907D	47C1	3F5E	I14X0080
1473	厨	BDFD	907E	5178	3F5F	I2K80080
1474	逗	BFE0	9080	4FB3	3F60	I2B70080
1475	吹	BFE1	9081	49C4	3F61	I1FO0080
1476	垂	BFE2	9082	4BC9	3F62	I1QH0080
1477	帥	BFE3	9083	52AF	3F63	I2R30080
1478	推	BFE4	9084	48D5	3F64	I1AT0080
1479	水	BFE5	9085	459C	3F65	I0T80080
1480	炊	BFE6	9086	4FCB	3F66	I2BV0080
1481	睡	BFE7	9087	526C	3F67	I2P80080
1482	粹	BFE8	9088	4FCC	3F68	I2BW0080
1483	翠	BFE9	9089	4F69	3F69	I2950080
1484	衰	BFEA	908A	4F54	3F6A	I28K0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 7 (Page 58 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1485	遂	BFEB	908B	4CF7	3F6B	I1X30080
1486	醉	BFEC	908C	4E7C	3F6C	I24C0080
1487	錐	BFED	908D	5390	3F6D	I2VK0080
1488	錘	BFEE	908E	54EF	3F6E	I33J0080
1489	随	BFEF	908F	4E76	3F6F	I2460080
1490	瑞	BFF0	9090	4B5B	3F70	I1NF0080
1491	髓	BFF1	9091	52C5	3F71	I2RP0080
1492	崇	BFF2	9092	4C7F	3F72	I1TR0080
1493	嵩	BFF3	9093	509E	3F73	I2FY0080
1494	数	BFF4	9094	46CC	3F74	I0ZW0080
1495	枢	BFF5	9095	52D0	3F75	I2S00080
1496	趨	BFF6	9096	5561	3F76	I34X0080
1497	雛	BFF7	9097	51FB	3F77	I2NV0080
1498	据	BFF8	9098	4ED6	3F78	I26U0080
1499	杉	BFF9	9099	4668	3F79	I0X40080
1500	椛	BFFA	909A	4FED	3F7A	I2CT0080
1501	菅	BFFB	909B	4753	3F7B	I11V0080
1502	頗	BFFC	909C	55E4	3F7C	I38K0080
1503	雀	BFFD	909D	4F64	3F7D	I2900080
1504	裾	BFFE	909E	4C8D	3F7E	I1U50080
1505	澄	C0A1	909F	4887	4021	I18N0080
1506	摺	C0A2	90A0	51EF	4022	I2NJ0080
1507	寸	C0A3	90A1	4B60	4023	I1NK0080
1508	世	C0A4	90A2	469B	4024	I0YJ0080
1509	瀬	C0A5	90A3	465B	4025	I0WR0080
1510	畝	C0A6	90A4	5086	4026	I2FA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 59 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1511	是	C0A7	90A5	4BBB	4027	I1Q30080
1512	凄	C0A8	90A6	52DC	4028	I2SC0080
1513	制	C0A9	90A7	46C4	4029	I0ZO0080
1514	勢	C0AA	90A8	47EE	402A	I1660080
1515	姓	C0AB	90A9	4FF1	402B	I2CX0080
1516	征	C0AC	90AA	4A61	402C	I1I90080
1517	性	C0AD	90AB	466E	402D	I0XA0080
1518	成	C0AE	90AC	45BA	402E	I0U20080
1519	政	C0AF	90AD	45C7	402F	I0UF0080
1520	整	C0B0	90AE	477C	4030	I1300080
1521	星	C0B1	90AF	47A9	4031	I1490080
1522	晴	C0B2	90B0	4795	4032	I13P0080
1523	棲	C0B3	90B1	5375	4033	I2UT0080
1524	栖	C0B4	90B2	4DCC	4034	I2I80080
1525	正	C0B5	90B3	4577	4035	I0S70080
1526	清	C0B6	90B4	4596	4036	I0T20080
1527	牲	C0B7	90B5	5158	4037	I2JC0080
1528	生	C0B8	90B6	4599	4038	I0T50080
1529	盛	C0B9	90B7	4844	4039	I16S0080
1530	精	C0BA	90B8	466C	403A	I0X80080
1531	聖	C0BB	90B9	4BB5	403B	I1PX0080
1532	声	C0BC	90BA	496C	403C	I1D80080
1533	製	C0BD	90BB	457B	403D	I0SB0080
1534	西	C0BE	90BC	4558	403E	I0RC0080
1535	誠	C0BF	90BD	46FD	403F	I1I90080
1536	誓	C0C0	90BE	4FA0	4040	I2AO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 60 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1537	請	C0C1	90BF	4AE8	4041	I1M00080
1538	逝	C0C2	90C0	53B1	4042	I2WH0080
1539	醒	C0C3	90C1	5378	4043	I2UW0080
1540	青	C0C4	90C2	464C	4044	I0WC0080
1541	静	C0C5	90C3	4644	4045	I0W40080
1542	斉	C0C6	90C4	468E	4046	I0Y60080
1543	税	C0C7	90C5	47C4	4047	I1500080
1544	脆	C0C8	90C6	55EC	4048	I38S0080
1545	隻	C0C9	90C7	4FDA	4049	I2CA0080
1546	席	C0CA	90C8	4B53	404A	I1N70080
1547	惜	C0CB	90C9	4ED7	404B	I26V0080
1548	戚	C0CC	90CA	5595	404C	I36D0080
1549	斥	C0CD	90CB	5141	404D	I2IP0080
1550	昔	C0CE	90CC	4C59	404E	I1SP0080
1551	析	C0CF	90CD	4AE2	404F	I1LU0080
1552	石	C0D0	90CE	4580	4050	I0SG0080
1553	積	C0D1	90CF	4891	4051	I18X0080
1554	籍	C0D2	90D0	4DFE	4052	I22M0080
1555	績	C0D3	90D1	4866	4053	I17Q0080
1556	脊	C0D4	90D2	535E	4054	I2U60080
1557	責	C0D5	90D3	4BD2	4055	I1QQ0080
1558	赤	C0D6	90D4	46F9	4056	I1150080
1559	跡	C0D7	90D5	4CCD	4057	I1VX0080
1560	蹟	C0D8	90D6	5368	4058	I2UG0080
1561	碩	C0D9	90D7	507D	4059	I2F10080
1562	切	C0DA	90D8	4765	405A	I12D0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 7 (Page 61 of 62). JIS First Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1563	拙	C0DB	90D9	525C	405B	I2OS0080
1564	接	C0DC	90DA	47A8	405C	I1480080
1565	撰	C0DD	90DB	4E8C	405D	I24S0080
1566	折	C0DE	90DC	498D	405E	I1E50080
1567	設	C0DF	90DD	45E2	405F	I0V60080
1568	窃	C0E0	90DE	5169	4060	I2JT0080
1569	節	C0E1	90DF	47A1	4061	I1410080
1570	説	C0E2	90E0	4952	4062	I1CI0080
1571	雪	C0E3	90E1	49BB	4063	I1FF0080
1572	絶	C0E4	90E2	4AF3	4064	I1MB0080
1573	舌	C0E5	90E3	5094	4065	I2FO0080
1574	蟬	C0E6	90E4	53E8	4066	I2Y00080
1575	仙	C0E7	90E5	48A2	4067	I19E0080
1576	先	C0E8	90E6	47A2	4068	I1420080
1577	千	C0E9	90E7	454C	4069	I0R00080
1578	占	C0EA	90E8	49EE	406A	I1GU0080
1579	宣	C0EB	90E9	498F	406B	I1E70080
1580	専	C0EC	90EA	49FB	406C	I1H70080
1581	尖	C0ED	90EB	53C0	406D	I2WW0080
1582	川	C0EE	90EC	4567	406E	I0RR0080
1583	戦	C0EF	90ED	4764	406F	I12C0080
1584	扇	C0F0	90EE	4DCA	4070	I2160080
1585	撰	C0F1	90EF	5372	4071	I2UQ0080
1586	栓	C0F2	90F0	50E3	4072	I2HV0080
1587	梅	C0F3	90F1	55DA	4073	I38A0080
1588	泉	C0F4	90F2	46EE	4074	I10U0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**Table 7 (Page 62 of 62).** JIS First Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1589	浅	C0F5	90F3	468D	4075	I0Y50080
1590	洗	C0F6	90F4	4A4E	4076	I1HQ0080
1591	染	C0F7	90F5	489B	4077	I1970080
1592	潜	C0F8	90F6	4DC0	4078	I20W0080
1593	煎	C0F9	90F7	5490	4079	I30W0080
1594	煽	C0FA	90F8	5590	407A	I3680080
1595	旋	C0FB	90F9	4D7B	407B	I1YZ0080
1596	穿	C0FC	90FA	4E91	407C	I24X0080
1597	箭	C0FD	90FB	518D	407D	I2KT0080
1598	線	C0FE	90FC	4687	407E	I0XZ0080
1599	絨	C1A1	9140	4868	4121	I17S0080
1600	羨	C1A2	9141	5596	4122	I36E0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1601	腺	C1A3	9142	526F	4123	I2PB0080
1602	舛	C1A4	9143	4FC1	4124	I2BL0080
1603	船	C1A5	9144	467B	4125	I0XN0080
1604	薦	C1A6	9145	4FBF	4126	I2BJ0080
1605	詮	C1A7	9146	518E	4127	I2KU0080
1606	賤	C1A8	E6CB	6478	4128	I5DK0080
1607	踐	C1A9	9148	50D1	4129	I2HD0080
1608	選	C1AA	9149	485D	412A	I17H0080
1609	遷	C1AB	914A	535B	412B	I2U30080
1610	錢	C1AC	914B	4D48	412C	I1XK0080
1611	銑	C1AD	914C	4CAD	412D	I1V10080
1612	閃	C1AE	914D	519C	412E	I2L80080
1613	鮮	C1AF	914E	4CE9	412F	I1WP0080
1614	前	C1B0	914F	45AF	4130	I0TR0080
1615	善	C1B1	9150	46B3	4131	I0Z70080
1616	漸	C1B2	9151	4D73	4132	I1YR0080
1617	然	C1B3	9152	47EF	4133	I1670080
1618	全	C1B4	9153	46B1	4134	I0Z50080
1619	禪	C1B5	9154	4F87	4135	I29Z0080
1620	繕	C1B6	9155	51D4	4136	I2MS0080
1621	膳	C1B7	9156	5076	4137	I2EU0080
1622	糲	C1B8	9157	5160	4138	I2JK0080
1623	噲	C1B9	9158	5062	4139	I2EA0080
1624	塑	C1BA	9159	4EC6	413A	I26E0080
1625	岨	C1BB	915A	54B9	413B	I3210080
1626	措	C1BC	915B	4A60	413C	I1I80080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 2 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1627	曾	C1BD	915C	5166	413D	I2JQ0080
1628	曾	C1BE	915D	495F	413E	I1CV0080
1629	楚	C1BF	915E	534C	413F	I2TO0080
1630	狙	C1C0	915F	4ECF	4140	I26N0080
1631	疏	C1C1	9160	55B0	4141	I3740080
1632	疎	C1C2	9161	5171	4142	I2K10080
1633	礎	C1C3	9162	4C9C	4143	I1UK0080
1634	祖	C1C4	9163	4CDC	4144	I1WC0080
1635	租	C1C5	9164	4D83	4145	I1Z70080
1636	粗	C1C6	9165	4D59	4146	I1Y10080
1637	素	C1C7	9166	479F	4147	I13Z0080
1638	組	C1C8	9167	46B9	4148	I0ZD0080
1639	蘇	C1C9	9168	4CBF	4149	I1VJ0080
1640	訴	C1CA	9169	4CDF	414A	I1WF0080
1641	阻	C1CB	916A	4FEF	414B	I2CV0080
1642	遡	C1CC	916B	544C	414C	I2Z00080
1643	鼠	C1CD	916C	50CB	414D	I2H70080
1644	僧	C1CE	916D	4E84	414E	I24K0080
1645	創	C1CF	916E	4BE1	414F	I1R50080
1646	双	C1D0	916F	4B71	4150	I1O10080
1647	叢	C1D1	9170	53F5	4151	I2YD0080
1648	倉	C1D2	9171	45D6	4152	I0UU0080
1649	喪	C1D3	9172	5168	4153	I2JS0080
1650	壯	C1D4	9173	4C9F	4154	I1UN0080
1651	奏	C1D5	9174	4C53	4155	I1SJ0080
1652	爽	C1D6	9175	52DD	4156	I2SD0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1653	宋	C1D7	9176	524D	4157	I2OD0080
1654	層	C1D8	9177	4A8E	4158	I1JI0080
1655	匝	C1D9	9178	51B7	4159	I2LZ0080
1656	惣	C1DA	9179	4B68	415A	I1NS0080
1657	想	C1DB	917A	48B3	415B	I19V0080
1658	搜	C1DC	917B	4DDD	415C	I21P0080
1659	掃	C1DD	917C	4DC3	415D	I2OZ0080
1660	挿	C1DE	917D	5555	415E	I34L0080
1661	搔	C1DF	917E	54A3	415F	I31F0080
1662	操	C1E0	9180	499B	4160	I1EJ0080
1663	早	C1E1	9181	46E9	4161	I10P0080
1664	曹	C1E2	9182	4ED2	4162	I26Q0080
1665	巢	C1E3	9183	4C67	4163	I1T30080
1666	槍	C1E4	9184	52DB	4164	I2SB0080
1667	槽	C1E5	9185	4DB7	4165	I2ON0080
1668	漕	C1E6	9186	54A1	4166	I31D0080
1669	燥	C1E7	9187	4C66	4167	I1T20080
1670	争	C1E8	9188	4896	4168	I1920080
1671	瘦	C1E9	9189	54A4	4169	I31G0080
1672	相	C1EA	918A	4678	416A	I0XK0080
1673	窓	C1EB	918B	4BE9	416B	I1RD0080
1674	糟	C1EC	918C	518C	416C	I2KS0080
1675	総	C1ED	918D	4793	416D	I13N0080
1676	綜	C1EE	918E	5070	416E	I2EO0080
1677	聡	C1EF	918F	4B89	416F	I1OP0080
1678	草	C1F0	9190	4842	4170	I16Q0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 4 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1679	莊	C1F1	9191	4B62	4171	I1NM0080
1680	葬	C1F2	9192	4F79	4172	I29L0080
1681	蒼	C1F3	9193	50B9	4173	I2GP0080
1682	藻	C1F4	9194	505F	4174	I2E70080
1683	装	C1F5	9195	4898	4175	I1940080
1684	走	C1F6	9196	4AAA	4176	I1KA0080
1685	送	C1F7	9197	4744	4177	I11G0080
1686	遭	C1F8	9198	5143	4178	I2IR0080
1687	鎗	C1F9	9199	5197	4179	I2L30080
1688	霜	C1FA	919A	4DE8	417A	I2200080
1689	騷	C1FB	919B	4DD2	417B	I21E0080
1690	像	C1FC	919C	4BBA	417C	I1Q20080
1691	増	C1FD	919D	464D	417D	I0WD0080
1692	憎	C1FE	919E	4F4A	417E	I28A0080
1693	臧	C2A1	919F	4DBD	4221	I20T0080
1694	蔵	C2A2	91A0	465E	4222	I0WU0080
1695	贈	C2A3	91A1	4C7C	4223	I1TO0080
1696	造	C2A4	91A2	45B8	4224	I0U00080
1697	促	C2A5	91A3	4A6A	4225	I1II0080
1698	側	C2A6	91A4	4943	4226	I1C30080
1699	則	C2A7	91A5	474D	4227	I11P0080
1700	即	C2A8	91A6	4B6D	4228	I1NX0080
1701	息	C2A9	91A7	4BB0	4229	I1PS0080
1702	捉	C2AA	91A8	53A0	422A	I2W00080
1703	束	C2AB	91A9	4B4B	422B	I1MZ0080
1704	測	C2AC	91AA	4945	422C	I1C50080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


<b>Table 8 (Page 5 of 53).</b> JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1705	足	C2AD	91AB	46FA	422D	I1160080
1706	速	C2AE	91AC	48CD	422E	I1AL0080
1707	俗	C2AF	91AD	4E97	422F	I2530080
1708	属	C2B0	91AE	476D	4230	I12L0080
1709	賊	C2B1	91AF	4FFD	4231	I2D90080
1710	族	C2B2	91B0	4ADC	4232	I1LO0080
1711	続	C2B3	91B1	47CB	4233	I1570080
1712	卒	C2B4	91B2	4AF2	4234	I1MA0080
1713	袖	C2B5	91B3	4A57	4235	I1HZ0080
1714	其	C2B6	91B4	4F67	4236	I2930080
1715	揃	C2B7	91B5	4EFD	4237	I27X0080
1716	存	C2B8	91B6	4A41	4238	I1HD0080
1717	孫	C2B9	91B7	4C5E	4239	I1SU0080
1718	尊	C2BA	91B8	4CEF	423A	I1WV0080
1719	損	C2BB	91B9	4BD8	423B	I1QW0080
1720	村	C2BC	91BA	4556	423C	I0RA0080
1721	遜	C2BD	91BB	5455	423D	I2Z90080
1722	他	C2BE	91BC	4755	423E	I11X0080
1723	多	C2BF	91BD	45FE	423F	I0VY0080
1724	太	C2C0	91BE	45AB	4240	I0TN0080
1725	汰	C2C1	91BF	50D2	4241	I2HE0080
1726	訖	C2C2	91C0	55E3	4242	I38J0080
1727	唾	C2C3	91C1	5478	4243	I3080080
1728	墮	C2C4	91C2	53B0	4244	I2WG0080
1729	妥	C2C5	91C3	4D9E	4245	I1ZY0080
1730	惰	C2C6	91C4	54B8	4246	I3200080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 6 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1731	打	C2C7	91C5	47EA	4247	I1620080
1732	柁	C2C8	91C6	55CD	4248	I37X0080
1733	舵	C2C9	91C7	54DB	4249	I32Z0080
1734	橈	C2CA	91C8	55C5	424A	I37P0080
1735	陀	C2CB	91C9	4FE8	424B	I2CO0080
1736	馱	C2CC	91CA	4DE5	424C	I21X0080
1737	驪	C2CD	91CB	53DA	424D	I2XM0080
1738	体	C2CE	91CC	4696	424E	I0YE0080
1739	堆	C2CF	91CD	5371	424F	I2UP0080
1740	对	C2D0	91CE	4656	4250	I0WM0080
1741	耐	C2D1	91CF	498E	4251	I1E60080
1742	岱	C2D2	91D0	5262	4252	I2OY0080
1743	带	C2D3	91D1	4960	4253	I1CW0080
1744	待	C2D4	91D2	48A3	4254	I19F0080
1745	怠	C2D5	91D3	5081	4255	I2F50080
1746	態	C2D6	91D4	48FD	4256	I1BX0080
1747	戴	C2D7	91D5	5092	4257	I2FM0080
1748	替	C2D8	91D6	4BC3	4258	I1QB0080
1749	泰	C2D9	91D7	46F3	4259	I10Z0080
1750	滞	C2DA	91D8	4DA1	425A	I2010080
1751	胎	C2DB	91D9	5263	425B	I2OZ0080
1752	腿	C2DC	91DA	529A	425C	I2QI0080
1753	苔	C2DD	91DB	52D7	425D	I2S70080
1754	袋	C2DE	91DC	4A54	425E	I1HW0080
1755	貸	C2DF	91DD	4AF4	425F	I1MC0080
1756	退	C2E0	91DE	4B49	4260	I1MX0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 8 (Page 7 of 53).</b> JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1757	逮	C2E1	91DF	4F77	4261	I29J0080
1758	隊	C2E2	91E0	4A93	4262	I1JN0080
1759	黛	C2E3	91E1	51DD	4263	I2N10080
1760	鯛	C2E4	91E2	50D8	4264	I2HK0080
1761	代	C2E5	91E3	459A	4265	I0T60080
1762	台	C2E6	91E4	4778	4266	I12W0080
1763	大	C2E7	91E5	455B	4267	I0RF0080
1764	第	C2E8	91E6	467E	4268	I0XQ0080
1765	醜	C2E9	91E7	516F	4269	I2JZ0080
1766	題	C2EA	91E8	47FE	426A	I16M0080
1767	鷹	C2EB	91E9	4B7A	426B	I10A0080
1768	滝	C2EC	91EA	47A3	426C	I1430080
1769	瀧	C2ED	91EB	52AE	426D	I2R20080
1770	卓	C2EE	91EC	4996	426E	I1EE0080
1771	啄	C2EF	91ED	5383	426F	I2V70080
1772	宅	C2F0	91EE	486F	4270	I17Z0080
1773	托	C2F1	91EF	55D5	4271	I3850080
1774	扱	C2F2	91F0	4E7E	4272	I24E0080
1775	拓	C2F3	91F1	4BDB	4273	I1QZ0080
1776	沢	C2F4	91F2	4585	4274	I0SL0080
1777	濯	C2F5	91F3	4DD4	4275	I21G0080
1778	琢	C2F6	91F4	4E5C	4276	I23G0080
1779	託	C2F7	91F5	4AB6	4277	I1KM0080
1780	鐸	C2F8	91F6	5388	4278	I2VC0080
1781	濁	C2F9	91F7	50BE	4279	I2GU0080
1782	諾	C2FA	91F8	4FE1	427A	I2CH0080
1783	茸	C2FB	91F9	4DF7	427B	I22F0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 8 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1784	凧	C2FC	91FA	558A	427C	I3620080
1785	蝟	C2FD	91FB	524E	427D	I20E0080
1786	只	C2FE	91FC	4E41	427E	I22P0080
1787	叩	C3A1	9240	4F71	4321	I29D0080
1788	但	C3A2	9241	4EFE	4322	I27Y0080
1789	達	C3A3	9242	46A4	4323	I0YS0080
1790	辰	C3A4	9243	47DF	4324	I15R0080
1791	奪	C3A5	9244	4EBB	4325	I2630080
1792	脱	C3A6	9245	4AB4	4326	I1KK0080
1793	巽	C3A7	9246	4E46	4327	I22U0080
1794	豎	C3A8	9247	51C8	4328	I2MG0080
1795	辿	C3A9	9248	547E	4329	I30E0080
1796	棚	C3AA	9249	4BEF	432A	I1RJ0080
1797	谷	C3AB	924A	4581	432B	I0SH0080
1798	狸	C3AC	924B	52FE	432C	I2TA0080
1799	鱈	C3AD	924C	5560	432D	I34W0080
1800	樽	C3AE	924D	4BBE	432E	I1Q60080
1801	誰	C3AF	924E	4B83	432F	I1OJ0080
1802	丹	C3B0	924F	48AB	4330	I19N0080
1803	单	C3B1	9250	48E3	4331	I1B70080
1804	嘆	C3B2	9251	5063	4332	I2EB0080
1805	坦	C3B3	9252	51C4	4333	I2MC0080
1806	担	C3B4	9253	4AA1	4334	I1K10080
1807	探	C3B5	9254	4B7F	4335	I1OF0080
1808	旦	C3B6	9255	4D9D	4336	I1ZX0080
1809	歎	C3B7	9256	5487	4337	I30N0080
1810	淡	C3B8	9257	4CA5	4338	I1UT0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1811	湛	C3B9	9258	53F3	4339	I2YB0080
1812	炭	C3BA	9259	4861	433A	I17L0080
1813	短	C3BB	925A	4A82	433B	I1J60080
1814	端	C3BC	925B	48EF	433C	I1BJ0080
1815	簞	C3BD	925C	54CA	433D	I32I0080
1816	綻	C3BE	925D	54A6	433E	I31I0080
1817	耽	C3BF	925E	55B8	433F	I37C0080
1818	胆	C3C0	925F	4E9B	4340	I2570080
1819	蛋	C3C1	9260	53D8	4341	I2XK0080
1820	誕	C3C2	9261	4FA2	4342	I2AQ0080
1821	鍛	C3C3	9262	48C7	4343	I1AF0080
1822	団	C3C4	9263	47F0	4344	I1680080
1823	壇	C3C5	9264	4E8E	4345	I24U0080
1824	弾	C3C6	9265	4AD4	4346	I1LG0080
1825	断	C3C7	9266	4989	4347	I1E10080
1826	暖	C3C8	9267	4D6C	4348	I1YK0080
1827	檀	C3C9	9268	4FF5	4349	I2D10080
1828	段	C3CA	9269	47ED	434A	I1650080
1829	男	C3CB	926A	457C	434B	I0SC0080
1830	談	C3CC	926B	4963	434C	I1CZ0080
1831	值	C3CD	926C	487D	434D	I18D0080
1832	知	C3CE	926D	45B0	434E	I0TS0080
1833	地	C3CF	926E	45C2	434F	I0UA0080
1834	弛	C3D0	926F	5597	4350	I36F0080
1835	恥	C3D1	9270	4ECE	4351	I26M0080
1836	智	C3D2	9271	46A8	4352	I0YW0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 10 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1837	池	C3D3	9272	45E8	4353	I0VC0080
1838	痴	C3D4	9273	5089	4354	I2FD0080
1839	稚	C3D5	9274	4DCF	4355	I21B0080
1840	置	C3D6	9275	468C	4356	I0Y40080
1841	致	C3D7	9276	4C6A	4357	I1T60080
1842	蜘	C3D8	9277	54DC	4358	I3300080
1843	遲	C3D9	9278	4C6D	4359	I1T90080
1844	馳	C3DA	9279	52DF	435A	I2SF0080
1845	築	C3DB	927A	49A8	435B	I1EW0080
1846	畜	C3DC	927B	4D72	435C	I1YQ0080
1847	竹	C3DD	927C	45F5	435D	I0VP0080
1848	筑	C3DE	927D	4B45	435E	I1MT0080
1849	蓄	C3DF	927E	4C94	435F	I1UC0080
1850	逐	C3E0	9280	50BB	4360	I2GR0080
1851	秩	C3E1	9281	4D9F	4361	I1ZZ0080
1852	窒	C3E2	9282	4FB0	4362	I2B40080
1853	茶	C3E3	9283	4977	4363	I1DJ0080
1854	嫡	C3E4	9284	5567	4364	I3530080
1855	着	C3E5	9285	47AA	4365	I14A0080
1856	中	C3E6	9286	455C	4366	I0RG0080
1857	仲	C3E7	9287	4869	4367	I17T0080
1858	宙	C3E8	9288	4D64	4368	I1YC0080
1859	忠	C3E9	9289	464F	4369	I0WF0080
1860	抽	C3EA	928A	4D53	436A	I1XV0080
1861	昼	C3EB	928B	4C98	436B	I1UG0080
1862	柱	C3EC	928C	4BEA	436C	I1RE0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 11 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1863	注	C3ED	928D	4944	436D	I1C40080
1864	虫	C3EE	928E	4BCB	436E	I1QJ0080
1865	衷	C3EF	928F	52E9	436F	I2SP0080
1866	註	C3F0	9290	4F66	4370	I2920080
1867	酎	C3F1	9291	5591	4371	I3690080
1868	鑄	C3F2	9292	48C1	4372	I1A90080
1869	駐	C3F3	9293	4DF5	4373	I22D0080
1870	櫓	C3F4	9294	538B	4374	I2VF0080
1871	瀨	C3F5	9295	4FDE	4375	I2CE0080
1872	猪	C3F6	9296	49C5	4376	I1FP0080
1873	苧	C3F7	9297	54B0	4377	I31S0080
1874	著	C3F8	9298	4A59	4378	I1110080
1875	貯	C3F9	9299	4C62	4379	I1SY0080
1876	丁	C3FA	929A	4BCE	437A	I1QM0080
1877	兆	C3FB	929B	4DF3	437B	I22B0080
1878	凋	C3FC	929C	55F9	437C	I3950080
1879	喋	C3FD	929D	5558	437D	I34O0080
1880	寵	C3FE	929E	5556	437E	I34M0080
1881	帖	C4A1	929F	51C7	4421	I2MF0080
1882	帳	C4A2	92A0	4DC5	4422	I2110080
1883	庁	C4A3	92A1	4B92	4423	I1OY0080
1884	弔	C4A4	92A2	51E5	4424	I2N90080
1885	張	C4A5	92A3	48BA	4425	I1A20080
1886	彫	C4A6	92A4	4E86	4426	I24M0080
1887	徵	C4A7	92A5	4C74	4427	I1TG0080
1888	懲	C4A8	92A6	5153	4428	I2J70080
1889	挑	C4A9	92A7	4FDB	4429	I2CB0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 12 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1890	暢	C4AA	92A8	4CC7	442A	I1VR0080
1891	朝	C4AB	92A9	475C	442B	I1240080
1892	潮	C4AC	92AA	4C93	442C	I1UB0080
1893	牒	C4AD	92AB	55DD	442D	I38D0080
1894	町	C4AE	92AC	4555	442E	I0R90080
1895	眺	C4AF	92AD	4E5F	442F	I23J0080
1896	聴	C4B0	92AE	4DA8	4430	I2080080
1897	脹	C4B1	92AF	55E9	4431	I38P0080
1898	腸	C4B2	92B0	4DB6	4432	I20M0080
1899	蝶	C4B3	92B1	4E6E	4433	I23Y0080
1900	調	C4B4	92B2	4689	4434	I0Y10080
1901	謀	C4B5	92B3	5570	4435	I35C0080
1902	超	C4B6	92B4	4A78	4436	I1IW0080
1903	跳	C4B7	92B5	50B4	4437	I2GK0080
1904	銚	C4B8	92B6	4E80	4438	I24G0080
1905	長	C4B9	92B7	4583	4439	I0SJ0080
1906	頂	C4BA	92B8	4D5B	443A	I1Y30080
1907	烏	C4BB	92B9	4779	443B	I12X0080
1908	勅	C4BC	92BA	4EEF	443C	I27J0080
1909	抄	C4BD	92BB	5546	443D	I3460080
1910	直	C4BE	92BC	4674	443E	I0XG0080
1911	朕	C4BF	92BD	55F3	443F	I38Z0080
1912	沈	C4C0	92BE	4C8F	4440	I1U70080
1913	珍	C4C1	92BF	4D5D	4441	I1Y50080
1914	賃	C4C2	92C0	4B4D	4442	I1N10080
1915	鎮	C4C3	92C1	4C89	4443	I1U10080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 13 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1916	陳	C4C4	92C2	4E61	4444	I23L0080
1917	津	C4C5	92C3	45DC	4445	I0V00080
1918	墜	C4C6	92C4	5150	4446	I2J40080
1919	椎	C4C7	92C5	4BA0	4447	I1PC0080
1920	槌	C4C8	92C6	4EFA	4448	I27U0080
1921	追	C4C9	92C7	49D1	4449	I1G10080
1922	鎚	C4CA	92C8	54FE	444A	I33Y0080
1923	痛	C4CB	92C9	4C47	444B	I1S70080
1924	通	C4CC	92CA	45E3	444C	I0V70080
1925	塚	C4CD	92CB	4657	444D	I0WN0080
1926	柁	C4CE	92CC	52D1	444E	I2S10080
1927	搦	C4CF	92CD	54CD	444F	I32L0080
1928	槻	C4D0	92CE	4B5C	4450	I1NG0080
1929	佃	C4D1	92CF	4EDF	4451	I2730080
1930	漬	C4D2	92D0	4E8A	4452	I24Q0080
1931	柘	C4D3	92D1	4FD8	4453	I2C80080
1932	辻	C4D4	92D2	47F5	4454	I16D0080
1933	鳶	C4D5	92D3	4FA1	4455	I2AP0080
1934	綴	C4D6	92D4	4DC9	4456	I2150080
1935	鐔	C4D7	92D5	54AA	4457	I31M0080
1936	椿	C4D8	92D6	4CBA	4458	I1VE0080
1937	漬	C4D9	92D7	5446	4459	I2YU0080
1938	坪	C4DA	92D8	4949	445A	I1C90080
1939	壺	C4DB	9AE2	589B	445B	I3MJ0080
1940	孀	C4DC	92DA	52EA	445C	I2SQ0080
1941	紬	C4DD	92DB	5592	445D	I36A0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 14 of 53). JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1942	爪	C4DE	92DC	4C87	445E	I1TZ0080
1943	吊	C4DF	92DD	53D3	445F	I2XF0080
1944	釣	C4E0	92DE	4CE3	4460	I1WJ0080
1945	鶴	C4E1	92DF	477A	4461	I12Y0080
1946	亭	C4E2	92E0	4E52	4462	I2360080
1947	低	C4E3	92E1	48A4	4463	I19G0080
1948	停	C4E4	92E2	4E70	4464	I2400080
1949	偵	C4E5	92E3	4F95	4465	I2AD0080
1950	剃	C4E6	92E4	5379	4466	I2UX0080
1951	貞	C4E7	92E5	46B6	4467	I0ZA0080
1952	呈	C4E8	92E6	4F56	4468	I28M0080
1953	堤	C4E9	92E7	4B61	4469	I1NL0080
1954	定	C4EA	92E8	45E7	446A	I0VB0080
1955	帝	C4EB	92E9	489C	446B	I1980080
1956	底	C4EC	92EA	4B64	446C	I1NO0080
1957	庭	C4ED	92EB	48E0	446D	I1B40080
1958	廷	C4EE	92EC	505B	446E	I2E30080
1959	弟	C4EF	92ED	4C9B	446F	I1UJ0080
1960	悌	C4F0	92EE	4DE3	4470	I21V0080
1961	抵	C4F1	92EF	4B90	4471	I1OW0080
1962	挺	C4F2	92F0	5387	4472	I2VB0080
1963	提	C4F3	92F1	49B9	4473	I1FD0080
1964	梯	C4F4	92F2	51E4	4474	I2N80080
1965	汀	C4F5	92F3	534D	4475	I2TP0080
1966	碇	C4F6	92F4	5195	4476	I2L10080
1967	禎	C4F7	92F5	4BA7	4477	I1PJ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 15 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1968	程	C4F8	92F6	47F4	4478	I16C0080
1969	締	C4F9	92F7	4A80	4479	I1J40080
1970	艇	C4FA	92F8	4DFC	447A	I22K0080
1971	訂	C4FB	92F9	4FC4	447B	I2BO0080
1972	諦	C4FC	92FA	5246	447C	I2O60080
1973	蹄	C4FD	92FB	55A7	447D	I36V0080
1974	遞	C4FE	92FC	515E	447E	I2JI0080
1975	邸	C5A1	9340	4D81	4521	I1Z50080
1976	鄭	C5A2	9341	5154	4522	I2J80080
1977	釘	C5A3	9342	4FF4	4523	I2D00080
1978	鼎	C5A4	9343	51AA	4524	I2LM0080
1979	泥	C5A5	9344	4E56	4525	I23A0080
1980	摘	C5A6	9345	4DCB	4526	I2170080
1981	擢	C5A7	9346	5543	4527	I3430080
1982	敵	C5A8	9347	4BF3	4528	I1RN0080
1983	滴	C5A9	9348	4FB7	4529	I2BB0080
1984	的	C5AA	9349	45EF	452A	I0VJ0080
1985	笛	C5AB	934A	4F41	452B	I2810080
1986	適	C5AC	934B	49CC	452C	I1FW0080
1987	鑄	C5AD	934C	5041	452D	I2DD0080
1988	瀉	C5AE	934D	5497	452E	I3130080
1989	哲	C5AF	934E	4747	452F	I11J0080
1990	徹	C5B0	934F	48F8	4530	I1BS0080
1991	撤	C5B1	9350	4E7A	4531	I24A0080
1992	輒	C5B2	9351	54EE	4532	I33I0080
1993	迭	C5B3	9352	53DF	4533	I2XR0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 16 of 53). JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1994	鉄	C5B4	9353	45D7	4534	I0UV0080
1995	典	C5B5	9354	47C9	4535	I1550080
1996	墳	C5B6	9355	4F5E	4536	I28U0080
1997	天	C5B7	9356	468A	4537	I0Y20080
1998	展	C5B8	9357	48DD	4538	I1B10080
1999	店	C5B9	9358	4854	4539	I1780080
2000	添	C5BA	9359	4A91	453A	I1JL0080
2001	纏	C5BB	935A	55FA	453B	I3960080
2002	甜	C5BC	935B	52A7	453C	I2QV0080
2003	貼	C5BD	935C	507B	453D	I2EZ0080
2004	転	C5BE	935D	4752	453E	I11U0080
2005	顛	C5BF	935E	55C1	453F	I37L0080
2006	点	C5C0	935F	4788	4540	I13C0080
2007	伝	C5C1	9360	48D9	4541	I1AX0080
2008	殿	C5C2	9361	4849	4542	I16X0080
2009	澱	C5C3	9362	5589	4543	I3610080
2010	田	C5C4	9363	4563	4544	I0RN0080
2011	電	C5C5	9364	4582	4545	I0SI0080
2012	兎	C5C6	9365	5050	4546	I2DS0080
2013	吐	C5C7	9366	4EB2	4547	I25U0080
2014	堵	C5C8	9367	54F6	4548	I33Q0080
2015	塗	C5C9	9368	486A	4549	I17U0080
2016	妬	C5CA	9369	537F	454A	I2V30080
2017	屠	C5CB	936A	53FB	454B	I2YJ0080
2018	徒	C5CC	936B	4C6C	454C	I1T80080
2019	斗	C5CD	936C	4E83	454D	I24J0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 8 (Page 17 of 53).</b> JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2020	杜	C5CE	936D	525D	454E	I2OT0080
2021	渡	C5CF	936E	45D2	454F	I0UQ0080
2022	登	C5D0	936F	46E8	4550	I10O0080
2023	菟	C5D1	9370	53D4	4551	I2XG0080
2024	賭	C5D2	9371	52C1	4552	I2RL0080
2025	途	C5D3	9372	48F0	4553	I1BK0080
2026	都	C5D4	9373	454F	4554	I0R30080
2027	鍍	C5D5	9374	55D3	4555	I3830080
2028	砥	C5D6	9375	4D45	4556	I1XH0080
2029	砺	C5D7	E1E8	50DF	4557	I2HR0080
2030	努	C5D8	9377	4A64	4558	I1IC0080
2031	度	C5D9	9378	45DE	4559	I0V20080
2032	土	C5DA	9379	4684	455A	I0XW0080
2033	奴	C5DB	937A	4D90	455B	I1ZK0080
2034	怒	C5DC	937B	4CD6	455C	I1W60080
2035	倒	C5DD	937C	4B6A	455D	I1NU0080
2036	党	C5DE	937D	494B	455E	I1CB0080
2037	冬	C5DF	937E	4BDE	455F	I1R20080
2038	凍	C5E0	9380	4BE6	4560	I1RA0080
2039	刀	C5E1	9381	4C50	4561	I1SG0080
2040	唐	C5E2	9382	4BAB	4562	I1PN0080
2041	塔	C5E3	9383	4CCB	4563	I1VV0080
2042	塘	C5E4	9384	52F8	4564	I2T40080
2043	套	C5E5	9385	5583	4565	I35V0080
2044	宕	C5E6	9386	515C	4566	I2JG0080
2045	島	C5E7	9387	456F	4567	I0RZ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 18 of 53). JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2046	嶋	C5E8	9388	47D1	4568	I15D0080
2047	悼	C5E9	9389	5145	4569	I2IT0080
2048	投	C5EA	938A	4751	456A	I11T0080
2049	搭	C5EB	938B	528F	456B	I2Q70080
2050	東	C5EC	938C	4557	456C	I0RB0080
2051	桃	C5ED	938D	4ADA	456D	I1LM0080
2052	榑	C5EE	9E8D	5C49	456E	I45L0080
2053	棟	C5EF	938F	4EA9	456F	I25L0080
2054	盜	C5F0	9390	4D65	4570	I1YD0080
2055	淘	C5F1	9391	55E1	4571	I38H0080
2056	湯	C5F2	9392	48BD	4572	I1A50080
2057	涛	C5F3	9FB7	5D69	4573	I4BT0080
2058	灯	C5F4	9394	4B65	4574	I1NP0080
2059	燈	C5F5	9395	4EF8	4575	I27S0080
2060	当	C5F6	9396	465F	4576	I0WV0080
2061	痘	C5F7	9397	5549	4577	I3490080
2062	禱	C5F8	9398	5553	4578	I34J0080
2063	等	C5F9	9399	46A7	4579	I0YV0080
2064	答	C5FA	939A	49D0	457A	I1G00080
2065	筒	C5FB	939B	4B7C	457B	I1OC0080
2066	糖	C5FC	939C	4884	457C	I18K0080
2067	統	C5FD	939D	4881	457D	I18H0080
2068	到	C5FE	939E	4CDD	457E	I1WD0080
2069	董	C6A1	939F	5071	4621	I2EP0080
2070	蕩	C6A2	93A0	54F0	4622	I33K0080
2071	藤	C6A3	93A1	4568	4623	I0RS0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2072	討	C6A4	93A2	49D2	4624	I1G20080
2073	膳	C6A5	93A3	4FE2	4625	I2CI0080
2074	豆	C6A6	93A4	4A99	4626	I1JT0080
2075	踏	C6A7	93A5	4D7C	4627	I1Z00080
2076	逃	C6A8	93A6	4C72	4628	I1TE0080
2077	透	C6A9	93A7	4BDA	4629	I1QY0080
2078	鐙	C6AA	93A8	52CF	462A	I2RZ0080
2079	陶	C6AB	93A9	4AB7	462B	I1KN0080
2080	頭	C6AC	93AA	47EB	462C	I1630080
2081	騰	C6AD	93AB	4E5E	462D	I23I0080
2082	鬪	C6AE	93AC	4BCC	462E	I1QK0080
2083	働	C6AF	93AD	48EC	462F	I1BG0080
2084	動	C6B0	93AE	45E4	4630	I0V80080
2085	同	C6B1	93AF	466D	4631	I0X90080
2086	堂	C6B2	93B0	497F	4632	I1DR0080
2087	導	C6B3	93B1	48AE	4633	I19Q0080
2088	懂	C6B4	93B2	53C2	4634	I2WY0080
2089	撞	C6B5	93B3	55DB	4635	I38B0080
2090	洞	C6B6	93B4	4D98	4636	I1ZS0080
2091	瞳	C6B7	93B5	4F9B	4637	I2AJ0080
2092	童	C6B8	93B6	4D50	4638	I1XS0080
2093	胴	C6B9	93B7	4EAB	4639	I25N0080
2094	萄	C6BA	93B8	54F7	463A	I33R0080
2095	道	C6BB	93B9	4550	463B	I0R40080
2096	銅	C6BC	93BA	48C0	463C	I1A80080
2097	峠	C6BD	93BB	4F96	463D	I2AE0080
2098	鴝	C6BE	93BC	51A1	463E	I2LD0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 20 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2099	匿	C6BF	93BD	50F1	463F	I2I90080
2100	得	C6C0	93BE	47E8	4640	I1600080
2101	徳	C6C1	93BF	4654	4641	I0WK0080
2102	瀆	C6C2	93C0	5550	4642	I34G0080
2103	特	C6C3	93C1	46A2	4643	I0YQ0080
2104	督	C6C4	93C2	4A73	4644	I1IR0080
2105	禿	C6C5	93C3	53D0	4645	I2XC0080
2106	篤	C6C6	93C4	4AD8	4646	I1LK0080
2107	毒	C6C7	93C5	4C97	4647	I1UF0080
2108	独	C6C8	93C6	4ADB	4648	I1LN0080
2109	読	C6C9	93C7	4A4F	4649	I1HR0080
2110	枳	C6CA	93C8	47D3	464A	I15F0080
2111	橡	C6CB	93C9	55D4	464B	I3840080
2112	凸	C6CC	93CA	50CF	464C	I2HB0080
2113	突	C6CD	93CB	4AFD	464D	I1ML0080
2114	椴	C6CE	93CC	54A7	464E	I31J0080
2115	届	C6CF	93CD	4DA7	464F	I2070080
2116	鳶	C6D0	93CE	54C4	4650	I32C0080
2117	苦	C6D1	93CF	4D5A	4651	I1Y20080
2118	寅	C6D2	93D0	4A84	4652	I1J80080
2119	酉	C6D3	93D1	4F73	4653	I29F0080
2120	澗	C6D4	93D2	535C	4654	I2U40080
2121	噸	C6D5	93D3	55F1	4655	I38X0080
2122	屯	C6D6	93D4	4FDD	4656	I2CD0080
2123	惇	C6D7	93D5	4E65	4657	I23P0080
2124	敦	C6D8	93D6	49F2	4658	I1GY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 21 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2125	沌	C6D9	93D7	5598	4659	I36G0080
2126	豚	C6DA	93D8	4CCF	465A	I1VZ0080
2127	遁	C6DB	93D9	54F8	465B	I33S0080
2128	頓	C6DC	93DA	517A	465C	I2KA0080
2129	吞	C6DD	93DB	50B0	465D	I2GG0080
2130	曇	C6DE	93DC	4C56	465E	I1SM0080
2131	鈍	C6DF	93DD	4E63	465F	I23N0080
2132	奈	C6E0	93DE	45E6	4660	I0VA0080
2133	那	C6E1	93DF	4846	4661	I16U0080
2134	内	C6E2	93E0	458E	4662	I0SU0080
2135	乍	C6E3	93E1	55A9	4663	I36X0080
2136	凧	C6E4	93E2	549E	4664	I31A0080
2137	薙	C6E5	93E3	51AD	4665	I2LP0080
2138	謎	C6E6	93E4	52F9	4666	I2T50080
2139	灘	C6E7	93E5	4B96	4667	I1P20080
2140	捺	C6E8	93E6	4FC0	4668	I2BK0080
2141	鍋	C6E9	93E7	4B48	4669	I1MW0080
2142	櫓	C6EA	93E8	4D93	466A	I1ZN0080
2143	馴	C6EB	93E9	50A1	466B	I2G10080
2144	縄	C6EC	93EA	4859	466C	I17D0080
2145	暇	C6ED	93EB	50DD	466D	I2HP0080
2146	南	C6EE	93EC	4559	466E	I0RD0080
2147	楠	C6EF	93ED	4ADF	466F	I1LR0080
2148	軟	C6F0	93EE	4CB1	4670	I1V50080
2149	難	C6F1	93EF	495A	4671	I1CQ0080
2150	汝	C6F2	93F0	555E	4672	I34U0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 22 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2151	二	C6F3	93F1	4542	4673	I0QQ0080
2152	尼	C6F4	93F2	4A86	4674	I1JA0080
2153	弍	C6F5	93F3	50E1	4675	I2HT0080
2154	迹	C6F6	E78E	64F6	4676	I5H20080
2155	匂	C6F7	93F5	4ECB	4677	I26J0080
2156	賑	C6F8	93F6	539E	4678	I2VY0080
2157	肉	C6F9	93F7	4A42	4679	I1HE0080
2158	虹	C6FA	93F8	51B6	467A	I2LY0080
2159	廿	C6FB	93F9	51D9	467B	I2MX0080
2160	日	C6FC	93FA	4562	467C	I0RM0080
2161	乳	C6FD	93FB	4A98	467D	I1JS0080
2162	入	C6FE	93FC	4665	467E	I0X10080
2163	如	C7A1	9440	4BF8	4721	I1RS0080
2164	尿	C7A2	9441	4CC6	4722	I1VQ0080
2165	菲	C7A3	9442	4FDF	4723	I2CF0080
2166	任	C7A4	9443	4A55	4724	I1HX0080
2167	妊	C7A5	9444	5043	4725	I2DF0080
2168	忍	C7A6	9445	4BD7	4726	I1QV0080
2169	認	C7A7	9446	4A7E	4727	I1J20080
2170	濡	C7A8	9447	507E	4728	I2F20080
2171	襪	C7A9	9448	50FA	4729	I2II0080
2172	衤	C7AA	9449	4F89	472A	I2A10080
2173	寧	C7AB	944A	4FA9	472B	I2AX0080
2174	葱	C7AC	944B	544E	472C	I2Z20080
2175	猫	C7AD	944C	4FD0	472D	I2C00080
2176	熱	C7AE	944D	47D5	472E	I15H0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2177	年	C7AF	944E	4560	472F	I0RK0080
2178	念	C7B0	944F	4AAE	4730	I1KE0080
2179	捻	C7B1	9450	54C0	4731	I3280080
2180	撚	C7B2	9451	5348	4732	I2TK0080
2181	燃	C7B3	9452	49D5	4733	I1G50080
2182	粘	C7B4	9453	4BF7	4734	I1RR0080
2183	乃	C7B5	9454	4B9F	4735	I1PB0080
2184	廼	C7B6	9455	5564	4736	I3500080
2185	之	C7B7	9456	45D8	4737	I0UW0080
2186	埜	C7B8	9457	4DF4	4738	I22C0080
2187	囊	C7B9	9458	5190	4739	I2KW0080
2188	惱	C7BA	9459	4BCD	473A	I1QL0080
2189	濃	C7BB	945A	4ACE	473B	I1LA0080
2190	納	C7BC	945B	49E2	473C	I1GI0080
2191	能	C7BD	945C	474F	473D	I11R0080
2192	腦	C7BE	945D	4CB3	473E	I1V70080
2193	膿	C7BF	945E	535F	473F	I2U70080
2194	農	C7C0	945F	4845	4740	I16T0080
2195	覩	C7C1	9460	53EB	4741	I2Y30080
2196	蚤	C7C2	9461	55A2	4742	I36Q0080
2197	巴	C7C3	9462	4E7D	4743	I24D0080
2198	把	C7C4	9463	4EE3	4744	I2770080
2199	播	C7C5	9464	4E62	4745	I23M0080
2200	霸	C7C6	9465	4BFA	4746	I1RU0080
2201	杷	C7C7	9466	5280	4747	I2PS0080
2202	波	C7C8	9467	46CA	4748	I0ZU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 24 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2203	派	C7C9	9468	4A72	4749	I1IQ0080
2204	琶	C7CA	9469	529F	474A	I2QN0080
2205	破	C7CB	946A	4ABE	474B	I1KU0080
2206	婆	C7CC	946B	4ECC	474C	I26K0080
2207	罵	C7CD	946C	5579	474D	I35L0080
2208	芭	C7CE	946D	5442	474E	I2YQ0080
2209	馬	C7CF	946E	4664	474F	I0X00080
2210	俳	C7D0	946F	4CE1	4750	I1WH0080
2211	麿	C7D1	9470	4BC7	4751	I1QF0080
2212	拝	C7D2	9471	4EE2	4752	I2760080
2213	排	C7D3	9472	4CFA	4753	I1X60080
2214	敗	C7D4	9473	4B8A	4754	I1OQ0080
2215	杯	C7D5	9474	4C63	4755	I1SZ0080
2216	盃	C7D6	9475	53BA	4756	I2WQ0080
2217	牌	C7D7	9476	556F	4757	I35B0080
2218	背	C7D8	9477	4AB2	4758	I1KI0080
2219	肺	C7D9	9478	504E	4759	I2DQ0080
2220	輩	C7DA	9479	4EF4	475A	I27O0080
2221	配	C7DB	947A	47F3	475B	I16B0080
2222	倍	C7DC	947B	4AC4	475C	I1L00080
2223	培	C7DD	947C	4DAC	475D	I20C0080
2224	媒	C7DE	947D	4D80	475E	I1Z40080
2225	梅	C7DF	947E	4798	475F	I13S0080
2226	煤	C7E0	9480	52B3	4760	I2R70080
2227	煤	C7E1	9481	54EA	4761	I33E0080
2228	猥	C7E2	9482	54D6	4762	I32U0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 25 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2229	買	C7E3	9483	4974	4763	I1DG0080
2230	売	C7E4	9484	4775	4764	I12T0080
2231	賠	C7E5	9485	4F4F	4765	I28F0080
2232	陪	C7E6	9486	55C3	4766	I37N0080
2233	這	C7E7	9487	4FCA	4767	I2BU0080
2234	蠅	C7E8	E5A2	634B	4768	I56Z0080
2235	秤	C7E9	9489	508F	4769	I2FJ0080
2236	矧	C7EA	948A	55C9	476A	I37T0080
2237	萩	C7EB	948B	494A	476B	I1CA0080
2238	伯	C7EC	948C	49A6	476C	I1EU0080
2239	剝	C7ED	948D	5481	476D	I30H0080
2240	博	C7EE	948E	45F6	476E	I0VQ0080
2241	拍	C7EF	948F	4FBA	476F	I2BE0080
2242	柏	C7F0	9490	4980	4770	I1DS0080
2243	泊	C7F1	9491	4DB8	4771	I20O0080
2244	白	C7F2	9492	4659	4772	I0WP0080
2245	箔	C7F3	9493	4EE0	4773	I2740080
2246	粕	C7F4	9494	4C4B	4774	I1SB0080
2247	舶	C7F5	9495	4B87	4775	I1ON0080
2248	薄	C7F6	9496	4A92	4776	I1JM0080
2249	迫	C7F7	9497	49EF	4777	I1GV0080
2250	曝	C7F8	9498	52A6	4778	I2QU0080
2251	漠	C7F9	9499	508E	4779	I2FI0080
2252	爆	C7FA	949A	4AD9	477A	I1LL0080
2253	縛	C7FB	949B	52E6	477B	I2SM0080
2254	莫	C7FC	949C	54B3	477C	I31V0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 26 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2255	駁	C7FD	949D	55E5	477D	I38L0080
2256	麦	C7FE	949E	4AE0	477E	I1LS0080
2257	函	C8A1	949F	4BB6	4821	I1PY0080
2258	箱	C8A2	94A0	4AFB	4822	I1MJ0080
2259	碯	C8A3	94A1	52BF	4823	I2RJ0080
2260	箸	C8A4	94A2	505C	4824	I2E40080
2261	肇	C8A5	94A3	4B41	4825	I1MP0080
2262	筭	C8A6	94A4	4D9B	4826	I1ZV0080
2263	櫛	C8A7	94A5	51C5	4827	I2MD0080
2264	幡	C8A8	94A6	48DE	4828	I1B20080
2265	肌	C8A9	94A7	4E50	4829	I2340080
2266	畑	C8AA	94A8	478B	482A	I13F0080
2267	畠	C8AB	94A9	49FE	482B	I1HA0080
2268	八	C8AC	94AA	4548	482C	I0QW0080
2269	鉢	C8AD	94AB	4EA8	482D	I25K0080
2270	潑	C8AE	94AC	54FA	482E	I33U0080
2271	爨	C8AF	94AD	464B	482F	I0WB0080
2272	醜	C8B0	94AE	51FA	4830	I2NU0080
2273	髮	C8B1	94AF	4CF6	4831	I1X20080
2274	伐	C8B2	94B0	50F6	4832	I2IE0080
2275	罰	C8B3	94B1	4F82	4833	I29U0080
2276	拔	C8B4	94B2	4A85	4834	I1J90080
2277	筏	C8B5	94B3	52F5	4835	I2T10080
2278	閥	C8B6	94B4	5172	4836	I2K20080
2279	鳩	C8B7	94B5	4D95	4837	I1ZP0080
2280	嘶	C8B8	94B6	5582	4838	I35U0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 27 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2281	塙	C8B9	94B7	4F6F	4839	I29B0080
2282	蛤	C8BA	94B8	55C2	483A	I37M0080
2283	隼	C8BB	94B9	4ED5	483B	I26T0080
2284	伴	C8BC	94BA	49C9	483C	I1FT0080
2285	判	C8BD	94BB	495C	483D	I1CS0080
2286	半	C8BE	94BC	4790	483E	I13K0080
2287	反	C8BF	94BD	47F9	483F	I16H0080
2288	叛	C8C0	94BE	55B2	4840	I3760080
2289	帆	C8C1	94BF	4F75	4841	I29H0080
2290	搬	C8C2	94C0	4DC8	4842	I2140080
2291	斑	C8C3	94C1	52E4	4843	I2SK0080
2292	板	C8C4	94C2	46B4	4844	I0Z80080
2293	汜	C8C5	94C3	556E	4845	I35A0080
2294	汎	C8C6	94C4	505E	4846	I2E60080
2295	版	C8C7	94C5	4ABD	4847	I1KT0080
2296	犯	C8C8	94C6	4CA7	4848	I1UV0080
2297	班	C8C9	94C7	5066	4849	I2EE0080
2298	畔	C8CA	94C8	4EDC	484A	I2700080
2299	繁	C8CB	94C9	4759	484B	I1210080
2300	般	C8CC	94CA	4956	484C	I1CM0080
2301	藩	C8CD	94CB	4FF6	484D	I2D20080
2302	販	C8CE	94CC	4A5D	484E	I1I50080
2303	範	C8CF	94CD	49E8	484F	I1GO0080
2304	采	C8D0	94CE	5346	4850	I2TI0080
2305	煩	C8D1	94CF	54A0	4851	I31C0080
2306	頒	C8D2	94D0	5557	4852	I34N0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 28 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2307	飯	C8D3	94D1	46B5	4853	I0Z90080
2308	挽	C8D4	94D2	52A8	4854	I2QW0080
2309	晩	C8D5	94D3	4CB6	4855	I1VA0080
2310	番	C8D6	94D4	48B9	4856	I1A10080
2311	盤	C8D7	94D5	4890	4857	I18W0080
2312	磐	C8D8	94D6	4B9C	4858	I1P80080
2313	蕃	C8D9	94D7	52F7	4859	I2T30080
2314	蛮	C8DA	94D8	53A5	485A	I2W50080
2315	匪	C8DB	94D9	55ED	485B	I38T0080
2316	卑	C8DC	94DA	53AD	485C	I2WD0080
2317	否	C8DD	94DB	4C4F	485D	I1SF0080
2318	妃	C8DE	94DC	51A2	485E	I2LE0080
2319	庇	C8DF	94DD	558D	485F	I3650080
2320	彼	C8E0	94DE	4772	4860	I12Q0080
2321	悲	C8E1	94DF	4C9D	4861	I1UL0080
2322	屛	C8E2	94E0	50AD	4862	I2GD0080
2323	批	C8E3	94E1	4C76	4863	I1TI0080
2324	披	C8E4	94E2	4FA6	4864	I2AU0080
2325	斐	C8E5	94E3	4B80	4865	I1OG0080
2326	比	C8E6	94E4	474E	4866	I11Q0080
2327	泌	C8E7	94E5	51FD	4867	I2NX0080
2328	疲	C8E8	94E6	4D97	4868	I1ZR0080
2329	皮	C8E9	94E7	49DA	4869	I1GA0080
2330	碑	C8EA	94E8	517B	486A	I2KB0080
2331	秘	C8EB	94E9	4C70	486B	I1TC0080
2332	緋	C8EC	94EA	537D	486C	I2V10080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 29 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2333	罷	C8ED	94EB	55A5	486D	I36T0080
2334	肥	C8EE	94EC	497B	486E	I1DN0080
2335	被	C8EF	94ED	4B8D	486F	I1OT0080
2336	誹	C8F0	94EE	55F2	4870	I38Y0080
2337	費	C8F1	94EF	46D0	4871	I1000080
2338	避	C8F2	94F0	4CC4	4872	I1VO0080
2339	非	C8F3	94F1	48E1	4873	I1B50080
2340	飛	C8F4	94F2	488A	4874	I18Q0080
2341	樋	C8F5	94F3	494F	4875	I1CF0080
2342	籊	C8F6	94F4	51AB	4876	I2LN0080
2343	備	C8F7	94F5	46AC	4877	I0Z00080
2344	尾	C8F8	94F6	45C8	4878	I0UG0080
2345	微	C8F9	94F7	4B5D	4879	I1NH0080
2346	枇	C8FA	94F8	525E	487A	I2OU0080
2347	毘	C8FB	94F9	53D7	487B	I2XJ0080
2348	毳	C8FC	94FA	52A3	487C	I2QR0080
2349	眉	C8FD	94FB	52BC	487D	I2RG0080
2350	美	C8FE	94FC	457D	487E	I0SD0080
2351	鼻	C9A1	9540	4CFD	4921	I1X90080
2352	柶	C9A2	9541	52D9	4922	I2S90080
2353	稗	C9A3	9542	5087	4923	I2FB0080
2354	匹	C9A4	9543	4FD1	4924	I2C10080
2355	疋	C9A5	9544	4EA0	4925	I25C0080
2356	髭	C9A6	9545	509D	4926	I2FX0080
2357	彦	C9A7	9546	45E1	4927	I0V50080
2358	膝	C9A8	9547	5060	4928	I2E80080
2359	菱	C9A9	9548	48CC	4929	I1AK0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 30 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2360	肘	C9AA	9549	526A	492A	I2P60080
2361	粥	C9AB	954A	52E0	492B	I2SG0080
2362	必	C9AC	954B	47CA	492C	I1560080
2363	畢	C9AD	954C	559A	492D	I36I0080
2364	筆	C9AE	954D	4AC7	492E	I1L30080
2365	逼	C9AF	954E	55AC	492F	I3700080
2366	桧	C9B0	9E77	5046	4930	I2DI0080
2367	姫	C9B1	9550	4AB3	4931	I1KJ0080
2368	媛	C9B2	9551	4855	4932	I1790080
2369	紐	C9B3	9552	4FB5	4933	I2B90080
2370	百	C9B4	9553	454B	4934	I0QZ0080
2371	謬	C9B5	9554	55A1	4935	I36P0080
2372	俵	C9B6	9555	4DB1	4936	I20H0080
2373	彪	C9B7	9556	5159	4937	I2JD0080
2374	標	C9B8	9557	4966	4938	I1D20080
2375	水	C9B9	9558	4CA4	4939	I1US0080
2376	漂	C9BA	9559	4FBC	493A	I2BG0080
2377	瓢	C9BB	955A	5452	493B	I2Z60080
2378	票	C9BC	955B	4DBF	493C	I20V0080
2379	表	C9BD	955C	46C0	493D	I0ZK0080
2380	評	C9BE	955D	49FD	493E	I1H90080
2381	豹	C9BF	955E	5593	493F	I36B0080
2382	廟	C9C0	955F	55AF	4940	I3730080
2383	描	C9C1	9560	4BCF	4941	I1QN0080
2384	病	C9C2	9561	49BF	4942	I1FJ0080
2385	秒	C9C3	9562	4DBA	4943	I20Q0080
2386	苗	C9C4	9563	4AB8	4944	I1KO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 31 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2387	錨	C9C5	9564	53F0	4945	I2Y80080
2388	鋏	C9C6	9565	55BE	4946	I37I0080
2389	蒜	C9C7	9566	5259	4947	I2OP0080
2390	蛭	C9C8	9567	4E66	4948	I23Q0080
2391	鱈	C9C9	9568	546E	4949	I2ZY0080
2392	品	C9CA	9569	45D0	494A	I0UO0080
2393	彬	C9CB	956A	4E88	494B	I24O0080
2394	斌	C9CC	956B	519D	494C	I2L90080
2395	浜	C9CD	956C	45EA	494D	I0VE0080
2396	瀨	C9CE	956D	55D1	494E	I38I0080
2397	貧	C9CF	956E	4DA3	494F	I2030080
2398	賓	C9D0	956F	50D7	4950	I2HJ0080
2399	頻	C9D1	9570	53AB	4951	I2WB0080
2400	敏	C9D2	9571	4647	4952	I0W70080
2401	瓶	C9D3	9572	4CD4	4953	I1W40080
2402	不	C9D4	9573	46AF	4954	I0Z30080
2403	付	C9D5	9574	475D	4955	I1250080
2404	埠	C9D6	9575	517E	4956	I2KE0080
2405	夫	C9D7	9576	4573	4957	I0S30080
2406	婦	C9D8	9577	496F	4958	I1DB0080
2407	富	C9D9	9578	45AC	4959	I0TO0080
2408	冨	C9DA	9579	4878	495A	I1880080
2409	布	C9DB	957A	476B	495B	I12J0080
2410	府	C9DC	957B	4551	495C	I0R50080
2411	怖	C9DD	957C	4EF0	495D	I27K0080
2412	扶	C9DE	957D	4D7A	495E	I1YY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 32 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2413	敷	C9DF	957E	4951	495F	I1CH0080
2414	斧	C9E0	9580	51C2	4960	I2MA0080
2415	普	C9E1	9581	49F8	4961	I1H40080
2416	浮	C9E2	9582	4A8C	4962	I1JG0080
2417	父	C9E3	9583	45CC	4963	I0UK0080
2418	符	C9E4	9584	4FD9	4964	I2C90080
2419	腐	C9E5	9585	4D62	4965	I1YA0080
2420	膚	C9E6	9586	5191	4966	I2KX0080
2421	芙	C9E7	9587	4EBD	4967	I2650080
2422	譜	C9E8	9588	4E4F	4968	I2330080
2423	負	C9E9	9589	49C8	4969	I1FS0080
2424	賦	C9EA	958A	4FA7	496A	I2AV0080
2425	赴	C9EB	958B	50EE	496B	I2I60080
2426	阜	C9EC	958C	4786	496C	I13A0080
2427	附	C9ED	958D	4B8C	496D	I1OS0080
2428	侮	C9EE	958E	53B9	496E	I2WP0080
2429	撫	C9EF	958F	51E1	496F	I2N50080
2430	武	C9F0	9590	45B1	4970	I0TT0080
2431	舞	C9F1	9591	4A63	4971	I1IB0080
2432	葡	C9F2	9592	5547	4972	I3470080
2433	蕪	C9F3	9593	51D3	4973	I2MR0080
2434	部	C9F4	9594	4595	4974	I0T10080
2435	封	C9F5	9595	4D76	4975	I1YU0080
2436	楓	C9F6	9596	5295	4976	I2QD0080
2437	風	C9F7	9597	47E7	4977	I15Z0080
2438	葺	C9F8	9598	50E0	4978	I2HS0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2439	蒨	C9F9	9599	5491	4979	I30X0080
2440	伏	C9FA	959A	4A83	497A	I1J70080
2441	副	C9FB	959B	4B4E	497B	I1N20080
2442	復	C9FC	959C	4A70	497C	I1IO0080
2443	幅	C9FD	959D	4A5E	497D	I1I60080
2444	服	C9FE	959E	47D4	497E	I15G0080
2445	福	CAA1	959F	458B	4A21	I0SR0080
2446	腹	CAA2	95A0	4CA0	4A22	I1UO0080
2447	複	CAA3	95A1	4B51	4A23	I1N50080
2448	覆	CAA4	95A2	4DF2	4A24	I22A0080
2449	淵	CAA5	95A3	48EA	4A25	I1BE0080
2450	弗	CAA6	95A4	54AC	4A26	I31O0080
2451	扌	CAA7	95A5	4981	4A27	I1DT0080
2452	沸	CAA8	95A6	4EAA	4A28	I25M0080
2453	仏	CAA9	95A7	4BE5	4A29	I1R90080
2454	物	CAA	95A8	4652	4A2A	I0WI0080
2455	鮒	CAAB	95A9	528D	4A2B	I2Q50080
2456	分	CAAC	95AA	45B4	4A2C	I0TW0080
2457	吻	CAAD	95AB	53E5	4A2D	I2XX0080
2458	噴	CAAE	95AC	4E6D	4A2E	I23X0080
2459	墳	CAAF	95AD	5289	4A2F	I2Q10080
2460	憤	CAB0	95AE	4FFC	4A30	I2D80080
2461	扮	CAB1	95AF	54B7	4A31	I31Z0080
2462	焚	CAB2	95B0	544F	4A32	I2Z30080
2463	奮	CAB3	95B1	4EDD	4A33	I2710080
2464	粉	CAB4	95B2	489E	4A34	I19A0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 34 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2465	糞	CAB5	95B3	5492	4A35	I30Y0080
2466	紛	CAB6	95B4	4FF3	4A36	I2CZ0080
2467	霧	CAB7	95B5	4F90	4A37	I2A80080
2468	文	CAB8	95B6	45CA	4A38	I0UI0080
2469	聞	CAB9	95B7	48BB	4A39	I1A30080
2470	丙	CABA	95B8	50C5	4A3A	I2H10080
2471	併	CABB	95B9	4B94	4A3B	I1P00080
2472	兵	CABC	95BA	4649	4A3C	I0W90080
2473	塀	CABD	95BB	539F	4A3D	I2VZ0080
2474	幣	CABE	95BC	4E7F	4A3E	I24F0080
2475	平	CABF	95BD	458D	4A3F	I0ST0080
2476	弊	CAC0	95BE	50CD	4A40	I2H90080
2477	柄	CAC1	95BF	4A7F	4A41	I1J30080
2478	並	CAC2	95C0	487C	4A42	I18C0080
2479	蔽	CAC3	95C1	54D1	4A43	I32P0080
2480	閉	CAC4	95C2	4B7D	4A44	I10D0080
2481	陛	CAC5	95C3	5157	4A45	I2JB0080
2482	米	CAC6	95C4	466F	4A46	I0XB0080
2483	頁	CAC7	95C5	4CD9	4A47	I1W90080
2484	僻	CAC8	95C6	5578	4A48	I35K0080
2485	壁	CAC9	95C7	4B95	4A49	I1P10080
2486	癖	CACA	95C8	537E	4A4A	I2V20080
2487	碧	CACB	95C9	4DF8	4A4B	I22G0080
2488	別	CACC	95CA	46DD	4A4C	I10D0080
2489	瞥	CACD	95CB	5572	4A4D	I35E0080
2490	蔑	CACE	95CC	556C	4A4E	I3580080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 35 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2491	篋	CACF	95CD	559B	4A4F	I36J0080
2492	偏	CAD0	95CE	5049	4A50	I2DL0080
2493	変	CAD1	95CF	476F	4A51	I12N0080
2494	片	CAD2	95D0	4767	4A52	I12F0080
2495	篇	CAD3	95D1	4FB6	4A53	I2BA0080
2496	編	CAD4	95D2	484E	4A54	I1720080
2497	辺	CAD5	95D3	45D5	4A55	I0UT0080
2498	返	CAD6	95D4	48D6	4A56	I1AU0080
2499	遍	CAD7	95D5	505D	4A57	I2E50080
2500	便	CAD8	95D6	4B4C	4A58	I1N00080
2501	勉	CAD9	95D7	48CE	4A59	I1AM0080
2502	媿	CADA	95D8	549F	4A5A	I31B0080
2503	弁	CADB	95D9	4B47	4A5B	I1MV0080
2504	鞭	CADC	95DA	548B	4A5C	I30R0080
2505	保	CADD	95DB	45AA	4A5D	I0TM0080
2506	舗	CADE	95DC	4E5B	4A5E	I23F0080
2507	鋪	CADF	95DD	5363	4A5F	I2UB0080
2508	圃	CAE0	95DE	53CF	4A60	I2XB0080
2509	捕	CAE1	95DF	4C41	4A61	I1S10080
2510	歩	CAE2	95E0	47D8	4A62	I15K0080
2511	甫	CAE3	95E1	4D58	4A63	I1Y00080
2512	補	CAE4	95E2	496A	4A64	I1D60080
2513	輔	CAE5	95E3	4A68	4A65	I1IG0080
2514	穂	CAE6	95E4	48D4	4A66	I1AS0080
2515	募	CAE7	95E5	4AE1	4A67	I1LT0080
2516	墓	CAE8	95E6	4EBE	4A68	I2660080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 36 of 53). JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2517	慕	CAE9	95E7	52E3	4A69	I2SJ0080
2518	戊	CAEA	95E8	5161	4A6A	I2JL0080
2519	暮	CAEB	95E9	4AFE	4A6B	I1MM0080
2520	母	CAEC	95EA	4969	4A6C	I1D50080
2521	簿	CAED	95EB	4F4C	4A6D	I28C0080
2522	菩	CAEE	95EC	516A	4A6E	I2JU0080
2523	倣	CAEF	95ED	5569	4A6F	I3550080
2524	俸	CAF0	95EE	50F9	4A70	I2IH0080
2525	包	CAF1	95EF	4AA8	4A71	I1K80080
2526	呆	CAF2	95F0	5073	4A72	I2ER0080
2527	報	CAF3	95F1	49B8	4A73	I1FC0080
2528	奉	CAF4	95F2	4DB2	4A74	I20I0080
2529	宝	CAF5	95F3	494D	4A75	I1CD0080
2530	峰	CAF6	95F4	48FE	4A76	I1BY0080
2531	峯	CAF7	95F5	4AAC	4A77	I1KC0080
2532	崩	CAF8	95F6	4F5F	4A78	I28V0080
2533	庖	CAF9	95F7	554F	4A79	I34F0080
2534	抱	CAFA	95F8	4C86	4A7A	I1TY0080
2535	捧	CAFB	95F9	5285	4A7B	I2PX0080
2536	放	CAFC	95FA	48AF	4A7C	I19R0080
2537	方	CAFD	95FB	45CD	4A7D	I0UL0080
2538	朋	CAFE	95FC	4BC4	4A7E	I1QC0080
2539	法	CBA1	9640	464A	4B21	I0WA0080
2540	泡	CBA2	9641	4E87	4B22	I24N0080
2541	烹	CBA3	9642	5587	4B23	I35Z0080
2542	砲	CBA4	9643	4CC2	4B24	I1VM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 37 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2543	縫	CBA5	9644	49E4	4B25	I1GK0080
2544	胞	CBA6	9645	50B6	4B26	I2GM0080
2545	芳	CBA7	9646	4683	4B27	I0XV0080
2546	萌	CBA8	9647	50DB	4B28	I2HN0080
2547	蓬	CBA9	9648	5088	4B29	I2FC0080
2548	蜂	CBAA	9649	4ECD	4B2A	I26L0080
2549	褒	CBAB	964A	51BA	4B2B	I2M20080
2550	訪	CBAC	964B	4A71	4B2C	I1IP0080
2551	豊	CBAD	964C	4648	4B2D	I0W80080
2552	邦	CBAE	964D	46C5	4B2E	I0ZP0080
2553	鋒	CBAF	964E	5449	4B2F	I2YX0080
2554	飽	CBB0	964F	4D49	4B30	I1XL0080
2555	鳳	CBB1	9650	4EA6	4B31	I25I0080
2556	鵬	CBB2	9651	518A	4B32	I2KQ0080
2557	乏	CBB3	9652	4F6C	4B33	I2980080
2558	亡	CBB4	9653	4CCE	4B34	I1VY0080
2559	傍	CBB5	9654	4EE7	4B35	I27B0080
2560	剖	CBB6	9655	5199	4B36	I2L50080
2561	坊	CBB7	9656	4C55	4B37	I1SL0080
2562	妨	CBB8	9657	50EC	4B38	I2I40080
2563	帽	CBB9	9658	4C85	4B39	I1TX0080
2564	忘	CBBA	9659	4C45	4B3A	I1S50080
2565	忙	CBBB	965A	4EA3	4B3B	I25F0080
2566	房	CBBC	965B	47DC	4B3C	I15O0080
2567	暴	CBBD	965C	4CB2	4B3D	I1V60080
2568	望	CBBE	965D	47BB	4B3E	I14R0080
2569	某	CBBF	965E	504A	4B3F	I2DM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 38 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2570	棒	CBC0	965F	4B5A	4B40	I1NE0080
2571	冒	CBC1	9660	4F8F	4B41	I2A70080
2572	紡	CBC2	9661	4877	4B42	I1870080
2573	肪	CBC3	9662	4CFB	4B43	I1X70080
2574	膨	CBC4	9663	4EF6	4B44	I27Q0080
2575	謀	CBC5	9664	4F4D	4B45	I28D0080
2576	貌	CBC6	9665	5064	4B46	I2EC0080
2577	貿	CBC7	9666	4872	4B47	I1820080
2578	銖	CBC8	9667	5183	4B48	I2KJ0080
2579	防	CBC9	9668	47BC	4B49	I14S0080
2580	吠	CBCA	9669	53E1	4B4A	I2XT0080
2581	頰	CBCB	966A	4EB3	4B4B	I25V0080
2582	北	CBCC	966B	455A	4B4C	I0RE0080
2583	僕	CBCD	966C	4ABB	4B4D	I1KR0080
2584	卜	CBCE	966D	51C0	4B4E	I2M80080
2585	墨	CBCF	966E	4AFC	4B4F	I1MK0080
2586	撲	CBD0	966F	4EC7	4B50	I26F0080
2587	朴	CBD1	9670	4EA2	4B51	I25E0080
2588	牧	CBD2	9671	487B	4B52	I18B0080
2589	睦	CBD3	9672	4A96	4B53	I1JQ0080
2590	穆	CBD4	9673	52BE	4B54	I2RI0080
2591	釳	CBD5	9674	534A	4B55	I2TM0080
2592	勃	CBD6	9675	54B1	4B56	I31T0080
2593	没	CBD7	9676	5075	4B57	I2ET0080
2594	殆	CBD8	9677	4F42	4B58	I2820080
2595	堀	CBD9	9678	469D	4B59	I0YL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 39 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2596	幌	CBDA	9679	496B	4B5A	I1D70080
2597	奔	CBDB	967A	5284	4B5B	I2PW0080
2598	本	CBDC	967B	4566	4B5C	I0RQ0080
2599	翻	CBDD	967C	51F6	4B5D	I2NQ0080
2600	凡	CBDE	967D	4DE1	4B5E	I21T0080
2601	盆	CBDF	967E	5057	4B5F	I2DZ0080
2602	摩	CBE0	9680	48D1	4B60	I1AP0080
2603	磨	CBE1	9681	49B4	4B61	I1F80080
2604	魔	CBE2	9682	4DE2	4B62	I21U0080
2605	麻	CBE3	9683	48A7	4B63	I19J0080
2606	埋	CBE4	9684	4EAC	4B64	I25O0080
2607	妹	CBE5	9685	4BDC	4B65	I1R00080
2608	昧	CBE6	9686	559D	4B66	I36L0080
2609	枚	CBE7	9687	49D9	4B67	I1G90080
2610	每	CBE8	9688	49F5	4B68	I1H10080
2611	哩	CBE9	9689	55F0	4B69	I38W0080
2612	榎	CBEA	EAA0	6881	4B6A	I5Z50080
2613	幕	CBEB	968B	4CCA	4B6B	I1VU0080
2614	膜	CBEC	968C	4D8A	4B6C	I1ZE0080
2615	枕	CBED	968D	4F78	4B6D	I29K0080
2616	鯖	CBEE	968E	55CE	4B6E	I37Y0080
2617	枉	CBEF	968F	5054	4B6F	I2DW0080
2618	鱒	CBF0	9690	53C6	4B70	I2X20080
2619	榭	CBF1	9691	4D88	4B71	I1ZC0080
2620	亦	CBF2	9692	4FFA	4B72	I2D60080
2621	俣	CBF3	9693	4B4A	4B73	I1MY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 40 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2622	又	CBF4	9694	48F5	4B74	I1BP0080
2623	抹	CBF5	9695	51E0	4B75	I2N40080
2624	末	CBF6	9696	4746	4B76	I11I0080
2625	沫	CBF7	9697	53EC	4B77	I2Y40080
2626	迄	CBF8	9698	49CD	4B78	I1FX0080
2627	俣	CBF9	98D4	5675	4B79	I3AT0080
2628	繭	CBFA	969A	4D9A	4B7A	I1ZU0080
2629	磨	CBFB	969B	4EEA	4B7B	I27E0080
2630	万	CBFC	969C	454D	4B7C	I0R10080
2631	慢	CBFD	969D	4DDB	4B7D	I21N0080
2632	満	CBFE	969E	475B	4B7E	I1230080
2633	漫	CCA1	969F	4F6E	4C21	I29A0080
2634	蔓	CCA2	96A0	557B	4C22	I35N0080
2635	味	CCA3	96A1	477F	4C23	I1330080
2636	未	CCA4	96A2	49C6	4C24	I1FQ0080
2637	魅	CCA5	96A3	4DB4	4C25	I20K0080
2638	巳	CCA6	96A4	4AE6	4C26	I1LY0080
2639	箕	CCA7	96A5	4CCC	4C27	I1VW0080
2640	岬	CCA8	96A6	50D5	4C28	I2HH0080
2641	密	CCA9	96A7	4A56	4C29	I1HY0080
2642	蜜	CCAA	96A8	53A1	4C2A	I2W10080
2643	湊	CCAB	96A9	4C88	4C2B	I1U00080
2644	蓑	CCAC	96AA	4F9A	4C2C	I2AI0080
2645	稔	CCAD	96AB	47FA	4C2D	I16I0080
2646	脈	CCAE	96AC	5079	4C2E	I2EX0080
2647	妙	CCAF	96AD	4A66	4C2F	I1IE0080
2648	耗	CCB0	96AE	53C9	4C30	I2X50080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 8 (Page 41 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2649	民	CCB1	96AF	4756	4C31	I11Y0080
2650	眠	CCB2	96B0	4E6A	4C32	I23U0080
2651	務	CCB3	96B1	46ED	4C33	I10T0080
2652	夢	CCB4	96B2	4B8B	4C34	I10R0080
2653	無	CCB5	96B3	475F	4C35	I1270080
2654	牟	CCB6	96B4	4AAF	4C36	I1KF0080
2655	矛	CCB7	96B5	50ED	4C37	I2I50080
2656	霧	CCB8	96B6	4E48	4C38	I22W0080
2657	鷓	CCB9	96B7	557E	4C39	I35Q0080
2658	棕	CCBA	96B8	4DFD	4C3A	I22L0080
2659	婿	CCBB	96B9	5454	4C3B	I2Z80080
2660	娘	CCBC	96BA	4B54	4C3C	I1N80080
2661	冥	CCBD	96BB	5467	4C3D	I2ZR0080
2662	名	CCBE	96BC	45F3	4C3E	I0VN0080
2663	命	CCBF	96BD	49B0	4C3F	I1F40080
2664	明	CCC0	96BE	45A6	4C40	I0TI0080
2665	盟	CCC1	96BF	4B84	4C41	I10K0080
2666	迷	CCC2	96C0	4E58	4C42	I23C0080
2667	銘	CCC3	96C1	4DDC	4C43	I21O0080
2668	鳴	CCC4	96C2	4B70	4C44	I10O0080
2669	姪	CCC5	96C3	558C	4C45	I3640080
2670	牝	CCC6	96C4	55B7	4C46	I37B0080
2671	滅	CCC7	96C5	4EE6	4C47	I27A0080
2672	免	CCC8	96C6	4B56	4C48	I1NA0080
2673	棉	CCC9	96C7	55CA	4C49	I37U0080
2674	綿	CCCA	96C8	489D	4C4A	I1990080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 42 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2675	緬	CCCB	96C9	556B	4C4B	I3570080
2676	面	CCCC	96CA	4691	4C4C	I0Y90080
2677	麵	CCCD	96CB	555F	4C4D	I34V0080
2678	摸	CCCE	96CC	55F5	4C4E	I3910080
2679	模	CCCF	96CD	4864	4C4F	I17O0080
2680	茂	CCD0	96CE	4646	4C50	I0W60080
2681	妄	CCD1	96CF	554D	4C51	I34D0080
2682	孟	CCD2	96D0	4F83	4C52	I29V0080
2683	毛	CCD3	96D1	46E2	4C53	I10I0080
2684	猛	CCD4	96D2	4A51	4C54	I1HT0080
2685	盲	CCD5	96D3	5080	4C55	I2F40080
2686	網	CCD6	96D4	4A53	4C56	I1HV0080
2687	耗	CCD7	96D5	4FEC	4C57	I2CS0080
2688	蒙	CCD8	96D6	5095	4C58	I2FP0080
2689	儲	CCD9	96D7	54BD	4C59	I3250080
2690	木	CCDA	96D8	456C	4C5A	I0RW0080
2691	黙	CCDB	96D9	4DBC	4C5B	I20S0080
2692	目	CCDC	96DA	4675	4C5C	I0XH0080
2693	杳	CCDD	96DB	51A6	4C5D	I2LI0080
2694	勿	CCDE	96DC	5297	4C5E	I2QF0080
2695	餅	CCDF	96DD	50BF	4C5F	I2GV0080
2696	尢	CCE0	96DE	53AE	4C60	I2WE0080
2697	戾	CCE1	96DF	4C44	4C61	I1S40080
2698	糲	CCE2	96E0	4FF0	4C62	I2CW0080
2699	貫	CCE3	96E1	4DEF	4C63	I2270080
2700	問	CCE4	96E2	46E4	4C64	I10K0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2701	悶	CCE5	96E3	5554	4C65	I34K0080
2702	紋	CCE6	96E4	4CF9	4C66	I1X50080
2703	門	CCE7	96E5	46AA	4C67	I0YY0080
2704	匆	CCE8	96E6	4F5B	4C68	I28R0080
2705	也	CCE9	96E7	4749	4C69	I11L0080
2706	冶	CCEA	96E8	5146	4C6A	I2IU0080
2707	夜	CCEB	96E9	48C8	4C6B	I1AG0080
2708	爺	CCEC	96EA	5096	4C6C	I2FQ0080
2709	耶	CCED	96EB	4E99	4C6D	I2550080
2710	野	CCEE	96EC	4569	4C6E	I0RT0080
2711	弥	CCEF	96ED	47E6	4C6F	I15Y0080
2712	矢	CCF0	96EE	46C1	4C70	I0ZL0080
2713	厄	CCF1	96EF	5352	4C71	I2TU0080
2714	役	CCF2	96F0	495D	4C72	I1CT0080
2715	約	CCF3	96F1	47BD	4C73	I14T0080
2716	薬	CCF4	96F2	46E1	4C74	I10H0080
2717	訊	CCF5	96F3	4BAD	4C75	I1PP0080
2718	躍	CCF6	96F4	4CA1	4C76	I1UP0080
2719	靖	CCF7	96F5	48C3	4C77	I1AB0080
2720	柳	CCF8	96F6	46EA	4C78	I10Q0080
2721	藪	CCF9	E54D	62B3	4C79	I54J0080
2722	鏝	CCFA	96F8	5241	4C7A	I2O10080
2723	愉	CCFB	96F9	5098	4C7B	I2FS0080
2724	愈	CCFC	96FA	53C8	4C7C	I2X40080
2725	油	CCFD	96FB	465C	4C7D	I0WS0080
2726	癒	CCFE	96FC	53AA	4C7E	I2WA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 44 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2727	諭	CDA1	9740	4E9C	4D21	I2580080
2728	輸	CDA2	9741	4693	4D22	I0YB0080
2729	唯	CDA3	9742	4BE0	4D23	I1R40080
2730	佑	CDA4	9743	4CE6	4D24	I1WM0080
2731	優	CDA5	9744	47DA	4D25	I15M0080
2732	勇	CDA6	9745	469C	4D26	I0YK0080
2733	友	CDA7	9746	46D4	4D27	I1040080
2734	宥	CDA8	9747	4F7A	4D28	I29M0080
2735	幽	CDA9	9748	525F	4D29	I2OV0080
2736	悠	CDA A	9749	4DD8	4D2A	I21K0080
2737	憂	CDAB	974A	507C	4D2B	I2F00080
2738	揖	CDAC	974B	4CF2	4D2C	I1WY0080
2739	有	CDAD	974C	4685	4D2D	I0XX0080
2740	柚	CDAE	974D	4EE1	4D2E	I2750080
2741	湧	CDAF	974E	4FBD	4D2F	I2BH0080
2742	涌	CDB0	974F	4F7D	4D30	I29P0080
2743	猶	CDB1	9750	504F	4D31	I2DR0080
2744	猷	CDB2	9751	53DD	4D32	I2XP0080
2745	由	CDB3	9752	467C	4D33	I0XO0080
2746	祐	CDB4	9753	488C	4D34	I18S0080
2747	裕	CDB5	9754	46F8	4D35	I1140080
2748	誘	CDB6	9755	4ACB	4D36	I1L70080
2749	遊	CDB7	9756	4A8B	4D37	I1JF0080
2750	邑	CDB8	9757	4C92	4D38	I1UA0080
2751	郵	CDB9	9758	4CB7	4D39	I1VB0080
2752	雄	CDBA	9759	4570	4D3A	I0S00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 45 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2753	融	CDBB	975A	48C2	4D3B	I1AA0080
2754	夕	CDBC	975B	4AC3	4D3C	I1KZ0080
2755	予	CDBD	975C	47C2	4D3D	I14Y0080
2756	余	CDBE	975D	49C1	4D3E	I1FL0080
2757	与	CDBF	975E	4789	4D3F	I13D0080
2758	誉	CDC0	975F	4D8C	4D40	I1ZG0080
2759	興	CDC1	9760	506C	4D41	I2EK0080
2760	預	CDC2	9761	4D4A	4D42	I1XM0080
2761	傭	CDC3	9762	54DA	4D43	I32Y0080
2762	幼	CDC4	9763	4DAF	4D44	I20F0080
2763	妖	CDC5	9764	53D1	4D45	I2XD0080
2764	容	CDC6	9765	4889	4D46	I18P0080
2765	庸	CDC7	9766	4C5D	4D47	I1ST0080
2766	揚	CDC8	9767	4C46	4D48	I1S60080
2767	揺	CDC9	9768	4F7E	4D49	I29Q0080
2768	擁	CDCA	9769	514E	4D4A	I2J20080
2769	曜	CDCB	976A	4BFE	4D4B	I1RY0080
2770	楊	CDCC	976B	51D7	4D4C	I2MV0080
2771	様	CDCD	976C	4848	4D4D	I16W0080
2772	洋	CDCE	976D	45DA	4D4E	I0UY0080
2773	溶	CDCF	976E	48BE	4D4F	I1A60080
2774	熔	CDD0	976F	529D	4D50	I2QL0080
2775	用	CDD1	9770	45B6	4D51	I0TY0080
2776	窯	CDD2	9771	49A7	4D52	I1EV0080
2777	羊	CDD3	9772	4AD1	4D53	I1LD0080
2778	耀	CDD4	9773	52A0	4D54	I2QO0080
2779	葉	CDD5	9774	45F9	4D55	I0VT0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 46 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2780	蓉	CDD6	9775	5083	4D56	I2F70080
2781	要	CDD7	9776	4655	4D57	I0WL0080
2782	謡	CDD8	9777	4D7D	4D58	I1Z10080
2783	踊	CDD9	9778	4CA8	4D59	I1UW0080
2784	遙	CDDA	EAA1	6882	4D5A	I5Z60080
2785	陽	CDDB	977A	47BF	4D5B	I14V0080
2786	養	CDDC	977B	4979	4D5C	I1DL0080
2787	慾	CDDD	977C	53F4	4D5D	I2YC0080
2788	抑	CDDE	977D	4D66	4D5E	I1YE0080
2789	欲	CDDF	977E	4BF6	4D5F	I1RQ0080
2790	沃	CDE0	9780	55D9	4D60	I3890080
2791	浴	CDE1	9781	4B7E	4D61	I10E0080
2792	翌	CDE2	9782	4D9C	4D62	I1ZW0080
2793	翼	CDE3	9783	4DB5	4D63	I20L0080
2794	淀	CDE4	9784	4A88	4D64	I1JC0080
2795	羅	CDE5	9785	4DFA	4D65	I22I0080
2796	螺	CDE6	9786	51D6	4D66	I2MU0080
2797	裸	CDE7	9787	4F43	4D67	I2830080
2798	来	CDE8	9788	4676	4D68	I0XI0080
2799	萊	CDE9	9789	52C9	4D69	I2RT0080
2800	頼	CDEA	978A	4A7A	4D6A	I1IY0080
2801	雷	CDEB	978B	4BD6	4D6B	I1QU0080
2802	洛	CDEC	978C	5450	4D6C	I2Z40080
2803	絡	CDED	978D	4CE7	4D6D	I1WN0080
2804	落	CDEE	978E	47F2	4D6E	I16A0080
2805	酪	CDEF	978F	50BD	4D6F	I2GT0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 8 (Page 47 of 53).</b> JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2806	乱	CDF0	9790	4BBF	4D70	I1Q70080
2807	卵	CDF1	9791	4CF5	4D71	I1X10080
2808	嵐	CDF2	9792	498C	4D72	I1E40080
2809	欄	CDF3	9793	4EDE	4D73	I2720080
2810	濫	CDF4	9794	55A3	4D74	I36R0080
2811	藍	CDF5	9795	4EED	4D75	I27H0080
2812	蘭	CDF6	9796	4CA6	4D76	I1UU0080
2813	覧	CDF7	9797	4ED0	4D77	I26O0080
2814	利	CDF8	9798	45BC	4D78	I0U40080
2815	吏	CDF9	9799	50C6	4D79	I2H20080
2816	履	CDFA	979A	4CA2	4D7A	I1UQ0080
2817	李	CDFB	979B	4E51	4D7B	I2350080
2818	梨	CDFC	979C	4858	4D7C	I17C0080
2819	理	CDFD	979D	45EB	4D7D	I0VF0080
2820	璃	CDFE	979E	528C	4D7E	I2Q40080
2821	痢	CEA1	979F	5174	4E21	I2K40080
2822	裏	CEA2	97A0	49A4	4E22	I1ES0080
2823	裡	CEA3	97A1	544D	4E23	I2Z10080
2824	里	CEA4	97A2	476C	4E24	I12K0080
2825	離	CEA5	97A3	4997	4E25	I1EF0080
2826	陸	CEA6	97A4	4961	4E26	I1CX0080
2827	律	CEA7	97A5	4991	4E27	I1E90080
2828	率	CEA8	97A6	4783	4E28	I1370080
2829	立	CEA9	97A7	45DD	4E29	I0V10080
2830	葎	CEAA	97A8	559F	4E2A	I36N0080
2831	掠	CEAB	97A9	55E6	4E2B	I38M0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 48 of 53). JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2832	略	CEAC	97AA	4CF0	4E2C	I1WW0080
2833	劉	CEAD	97AB	5185	4E2D	I2KL0080
2834	流	CEAE	97AC	46FC	4E2E	I1180080
2835	溜	CEAF	97AD	4DC4	4E2F	I2100080
2836	琉	CEB0	97AE	50F7	4E30	I2IF0080
2837	留	CEB1	97AF	47AB	4E31	I14B0080
2838	硫	CEB2	97B0	4984	4E32	I1DW0080
2839	粒	CEB3	97B1	4CA9	4E33	I1UX0080
2840	隆	CEB4	97B2	465D	4E34	I0WT0080
2841	竜	CEB5	97B3	49E7	4E35	I1GN0080
2842	龍	CEB6	97B4	48CA	4E36	I1AI0080
2843	侶	CEB7	97B5	557C	4E37	I35O0080
2844	慮	CEB8	97B6	4C49	4E38	I1S90080
2845	旅	CEB9	97B7	4ACF	4E39	I1LB0080
2846	虜	CEBA	97B8	5250	4E3A	I2OG0080
2847	了	CEBB	97B9	4BB1	4E3B	I1PT0080
2848	亮	CEBC	97BA	499C	4E3C	I1EK0080
2849	僚	CEBD	97BB	4D82	4E3D	I1Z60080
2850	両	CEBE	97BC	4883	4E3E	I18J0080
2851	凌	CEBF	97BD	5344	4E3F	I2TG0080
2852	寮	CEC0	97BE	4C7A	4E40	I1TM0080
2853	料	CEC1	97BF	464E	4E41	I0WE0080
2854	梁	CEC2	97C0	4E44	4E42	I22S0080
2855	涼	CEC3	97C1	4E74	4E43	I2440080
2856	獵	CEC4	97C2	4E9D	4E44	I2590080
2857	療	CEC5	97C3	4BB7	4E45	I1PZ0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 49 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2858	瞭	CEC6	97C4	527D	4E46	I2PP0080
2859	稜	CEC7	97C5	5296	4E47	I2QE0080
2860	糧	CEC8	97C6	4EC5	4E48	I26D0080
2861	良	CEC9	97C7	45C4	4E49	I0UC0080
2862	諒	CECA	97C8	5181	4E4A	I2KH0080
2863	遼	CECB	97C9	526B	4E4B	I2P70080
2864	量	CECC	97CA	47B5	4E4C	I14L0080
2865	陵	CECD	97CB	50C7	4E4D	I2H30080
2866	領	CECE	97CC	4ACD	4E4E	I1L90080
2867	力	CECF	97CD	45F7	4E4F	I0VR0080
2868	緑	CED0	97CE	48A5	4E50	I19H0080
2869	倫	CED1	97CF	4D51	4E51	I1XT0080
2870	厘	CED2	97D0	4F55	4E52	I28L0080
2871	林	CED3	97D1	45A2	4E53	I0TE0080
2872	淋	CED4	97D2	52C7	4E54	I2RR0080
2873	隣	CED5	97D3	4A79	4E55	I1IX0080
2874	琳	CED6	97D4	5453	4E56	I2Z70080
2875	臨	CED7	97D5	4CD0	4E57	I1W00080
2876	輪	CED8	97D6	48B7	4E58	I19Z0080
2877	隣	CED9	97D7	4CE0	4E59	I1WG0080
2878	鱗	CEDA	97D8	554C	4E5A	I34C0080
2879	麟	CEDB	97D9	519B	4E5B	I2L70080
2880	瑠	CEDC	97DA	508C	4E5C	I2FG0080
2881	壘	CEDD	97DB	4BEB	4E5D	I1RF0080
2882	涙	CEDE	97DC	4DDA	4E5E	I21M0080
2883	累	CEDF	97DD	5148	4E5F	I2IW0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 50 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2884	類	CEE0	97DE	46BA	4E60	I0ZE0080
2885	令	CEE1	97DF	49C3	4E61	I1FN0080
2886	伶	CEE2	97E0	544A	4E62	I2YY0080
2887	例	CEE3	97E1	4A46	4E63	I1HI0080
2888	冷	CEE4	97E2	48FC	4E64	I1BW0080
2889	励	CEE5	97E3	4D92	4E65	I1ZM0080
2890	嶺	CEE6	97E4	4CE8	4E66	I1WO0080
2891	怜	CEE7	97E5	509F	4E67	I2FZ0080
2892	玲	CEE8	97E6	4AF9	4E68	I1MH0080
2893	礼	CEE9	97E7	4958	4E69	I1CO0080
2894	苓	CEEA	97E8	5559	4E6A	I34P0080
2895	鈴	CEEB	97E9	45AE	4E6B	I0TQ0080
2896	隸	CEEC	97EA	5545	4E6C	I3450080
2897	零	CEED	97EB	5069	4E6D	I2EH0080
2898	靈	CEEE	97EC	4F4B	4E6E	I28B0080
2899	麗	CEEF	97ED	4CF3	4E6F	I1WZ0080
2900	齡	CEF0	97EE	4C80	4E70	I1TS0080
2901	曆	CEF1	97EF	50CC	4E71	I2H80080
2902	歷	CEF2	97F0	4955	4E72	I1CL0080
2903	列	CEF3	97F1	4BB4	4E73	I1PW0080
2904	劣	CEF4	97F2	4E68	4E74	I23S0080
2905	烈	CEF5	97F3	4DD1	4E75	I21D0080
2906	裂	CEF6	97F4	4F60	4E76	I28W0080
2907	廉	CEF7	97F5	4EDB	4E77	I26Z0080
2908	恋	CEF8	97F6	4BCA	4E78	I1QI0080
2909	憐	CEF9	97F7	555B	4E79	I34R0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 51 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2910	漣	CEFA	97F8	54E0	4E7A	I3340080
2911	煉	CEFB	97F9	4C6F	4E7B	I1TB0080
2912	簾	CEFC	97FA	5270	4E7C	I2PC0080
2913	練	CEFD	97FB	4860	4E7D	I17K0080
2914	聯	CEFE	97FC	53CA	4E7E	I2X60080
2915	蓮	CFA1	9840	4BF4	4F21	I1RO0080
2916	連	CFA2	9841	4754	4F22	I11W0080
2917	鍊	CFA3	9842	4FE6	4F23	I2CM0080
2918	呂	CFA4	9843	4B50	4F24	I1N40080
2919	魯	CFA5	9844	51F4	4F25	I2NO0080
2920	櫓	CFA6	9845	5586	4F26	I35Y0080
2921	炉	CFA7	9846	497D	4F27	I1DP0080
2922	賂	CFA8	9847	55F8	4F28	I3940080
2923	路	CFA9	9848	4784	4F29	I1380080
2924	露	CFAA	9849	4BC6	4F2A	I1QE0080
2925	勞	CFAB	984A	48A9	4F2B	I19L0080
2926	婁	CFAC	984B	50F8	4F2C	I2IG0080
2927	廊	CFAD	984C	4EA7	4F2D	I25J0080
2928	弄	CFAE	984D	54BF	4F2E	I3270080
2929	朗	CFAF	984E	486E	4F2F	I17Y0080
2930	樓	CFB0	984F	52BA	4F30	I2RE0080
2931	榔	CFB1	9850	55C7	4F31	I37R0080
2932	浪	CFB2	9851	4A9D	4F32	I1JX0080
2933	漏	CFB3	9852	50C4	4F33	I2H00080
2934	牢	CFB4	9853	55C4	4F34	I37O0080
2935	狼	CFB5	9854	506F	4F35	I2EN0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 8 (Page 52 of 53). JIS First Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2936	箆	CFB6	E2C4	5444	4F36	I2YS0080
2937	老	CFB7	9856	4985	4F37	I1DX0080
2938	聾	CFB8	9857	53E4	4F38	I2XW0080
2939	蠟	CFB9	9858	52A1	4F39	I2QP0080
2940	郎	CFBA	9859	456E	4F3A	I0RY0080
2941	六	CFBB	985A	4546	4F3B	I0QU0080
2942	麓	CFBC	985B	519E	4F3C	I2LA0080
2943	禄	CFBD	985C	50AE	4F3D	I2GE0080
2944	肋	CFBE	985D	557F	4F3E	I35R0080
2945	録	CFBF	985E	4886	4F3F	I18M0080
2946	論	CFC0	985F	48F3	4F40	I1BN0080
2947	倭	CFC1	9860	4FF9	4F41	I2D50080
2948	和	CFC2	9861	457A	4F42	I0SA0080
2949	話	CFC3	9862	4750	4F43	I11S0080
2950	歪	CFC4	9863	558E	4F44	I3660080
2951	賄	CFC5	9864	5067	4F45	I2EF0080
2952	脇	CFC6	9865	47E3	4F46	I15V0080
2953	惑	CFC7	9866	4E78	4F47	I2480080
2954	梓	CFC8	9867	4FD2	4F48	I2C20080
2955	驚	CFC9	9868	4BF1	4F49	I1RL0080
2956	互	CFCA	9869	50E8	4F4A	I2I00080
2957	亘	CFCB	986A	4BE4	4F4B	I1R80080
2958	鰐	CFCC	986B	5293	4F4C	I2QB0080
2959	詫	CFCD	986C	50D3	4F4D	I2HF0080
2960	藁	CFCE	986D	4FBB	4F4E	I2BF0080
2961	蕨	CFCF	986E	50DE	4F4F	I2HQ0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**Table 8 (Page 53 of 53).** JIS First Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2962	椀	CFD0	986F	5468	4F50	I2ZS0080
2963	湾	CFD1	9870	4D6B	4F51	I1YJ0080
2964	碗	CFD2	9871	545B	4F52	I2ZF0080
2965	腕	CFD3	9872	4CAF	4F53	I1V30080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

## 10.3 JIS Second Level Kanji Set

Table 9 (Page 1 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1	弌	D0A1	989F	5641	5021	I39D0080
2	𠂇	D0A2	98A0	5642	5022	I39E0080
3	丕	D0A3	98A1	5643	5023	I39F0080
4	个	D0A4	98A2	5645	5024	I39H0080
5	𠂇	D0A5	98A3	5646	5025	I39I0080
6	、	D0A6	98A4	5647	5026	I39J0080
7	井	D0A7	98A5	54C8	5027	I32G0080
8	ノ	D0A8	98A6	5648	5028	I39K0080
9	又	D0A9	98A7	5649	5029	I39L0080
10	乖	D0AA	98A8	564A	502A	I39M0080
11	乘	D0AB	98A9	564B	502B	I39N0080
12	亂	D0AC	98AA	564D	502C	I39P0080
13	丿	D0AD	98AB	564E	502D	I39Q0080
14	豫	D0AE	98AC	5355	502E	I2TX0080
15	事	D0AF	98AD	564F	502F	I39R0080
16	舒	D0B0	98AE	61DB	5030	I50B0080
17	式	D0B1	98AF	5651	5031	I39T0080
18	于	D0B2	98B0	5650	5032	I39S0080
19	亞	D0B3	98B1	5652	5033	I39U0080
20	𠂇	D0B4	98B2	5167	5034	I2JR0080
21	一	D0B5	98B3	5653	5035	I39V0080
22	亢	D0B6	98B4	5654	5036	I39W0080
23	京	D0B7	98B5	5655	5037	I39X0080
24	毫	D0B8	98B6	5656	5038	I39Y0080
25	直	D0B9	98B7	5657	5039	I39Z0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 2 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
26	从	D0BA	98B8	5658	503A	I3A00080
27	仍	D0BB	98B9	5659	503B	I3A10080
28	仄	D0BC	98BA	565A	503C	I3A20080
29	仆	D0BD	98BB	565B	503D	I3A30080
30	仂	D0BE	98BC	565C	503E	I3A40080
31	仗	D0BF	98BD	565E	503F	I3A60080
32	仞	D0C0	98BE	565F	5040	I3A70080
33	仞	D0C1	98BF	5660	5041	I3A80080
34	仞	D0C2	98C0	5661	5042	I3A90080
35	价	D0C3	98C1	5341	5043	I2TD0080
36	伉	D0C4	98C2	5663	5044	I3AB0080
37	佚	D0C5	98C3	5667	5045	I3AF0080
38	估	D0C6	98C4	5668	5046	I3AG0080
39	佛	D0C7	98C5	566F	5047	I3AN0080
40	佝	D0C8	98C6	5669	5048	I3AH0080
41	佗	D0C9	98C7	566B	5049	I3AJ0080
42	佇	D0CA	98C8	566C	504A	I3AK0080
43	佶	D0CB	98C9	51E2	504B	I2N60080
44	侈	D0CC	98CA	5672	504C	I3AQ0080
45	侏	D0CD	98CB	5673	504D	I3AR0080
46	侏	D0CE	98CC	5676	504E	I3AU0080
47	佻	D0CF	98CD	5677	504F	I3AV0080
48	佩	D0D0	98CE	5679	5050	I3AX0080
49	佰	D0D1	98CF	567A	5051	I3AY0080
50	侑	D0D2	98D0	4F8D	5052	I2A50080
51	伴	D0D3	98D1	567C	5053	I3B00080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 3 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
52	來	D0D4	98D2	567D	5054	I3B10080
53	侖	D0D5	98D3	567E	5055	I3B20080
54	儘	D0D6	9699	5290	5056	I2Q80080
55	俛	D0D7	98D5	567F	5057	I3B30080
56	俟	D0D8	98D6	53C4	5058	I2X00080
57	俎	D0D9	98D7	5680	5059	I3B40080
58	俘	D0DA	98D8	5681	505A	I3B50080
59	俛	D0DB	98D9	5682	505B	I3B60080
60	俑	D0DC	98DA	5683	505C	I3B70080
61	俚	D0DD	98DB	5684	505D	I3B80080
62	俐	D0DE	98DC	5685	505E	I3B90080
63	倂	D0DF	98DD	5687	505F	I3BB0080
64	俖	D0E0	98DE	5688	5060	I3BC0080
65	倚	D0E1	98DF	5689	5061	I3BD0080
66	倂	D0E2	98E0	568B	5062	I3BF0080
67	偏	D0E3	98E1	568C	5063	I3BG0080
68	俛	D0E4	98E2	568D	5064	I3BH0080
69	倅	D0E5	98E3	568E	5065	I3BI0080
70	倅	D0E6	98E4	568F	5066	I3BJ0080
71	倅	D0E7	98E5	5664	5067	I3AC0080
72	倅	D0E8	98E6	51F8	5068	I2NS0080
73	倡	D0E9	98E7	5690	5069	I3BK0080
74	倩	D0EA	98E8	5692	506A	I3BM0080
75	倅	D0EB	98E9	5693	506B	I3BN0080
76	俖	D0EC	98EA	5695	506C	I3BP0080
77	俯	D0ED	98EB	5696	506D	I3BQ0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 4 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
78	們	D0EE	98EC	5697	506E	I3BR0080
79	倆	D0EF	98ED	5699	506F	I3BT0080
80	偃	D0F0	98EE	569A	5070	I3BU0080
81	假	D0F1	98EF	569B	5071	I3BV0080
82	會	D0F2	98F0	56AC	5072	I3CC0080
83	偕	D0F3	98F1	569C	5073	I3BW0080
84	修	D0F4	98F2	569D	5074	I3BX0080
85	偈	D0F5	98F3	569E	5075	I3BY0080
86	做	D0F6	98F4	569F	5076	I3BZ0080
87	偕	D0F7	98F5	56A0	5077	I3C00080
88	偲	D0F8	98F6	56A5	5078	I3C50080
89	儉	D0F9	98F7	56A6	5079	I3C60080
90	傀	D0FA	98F8	56A7	507A	I3C70080
91	傲	D0FB	98F9	56A9	507B	I3C90080
92	傳	D0FC	98FA	56AA	507C	I3CA0080
93	偃	D0FD	98FB	56AB	507D	I3CB0080
94	傲	D0FE	98FC	56AD	507E	I3CD0080
95	僉	D1A1	9940	56AE	5121	I3CE0080
96	僊	D1A2	9941	56AF	5122	I3CF0080
97	傳	D1A3	9942	56B0	5123	I3CG0080
98	僂	D1A4	9943	56B1	5124	I3CH0080
99	僖	D1A5	9944	52D4	5125	I2S40080
100	僞	D1A6	9945	56B3	5126	I3CJ0080
101	僈	D1A7	9946	56B4	5127	I3CK0080
102	僊	D1A8	9947	56B6	5128	I3CM0080
103	僊	D1A9	9948	56B7	5129	I3CN0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 5 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
104	僮	D1AA	9949	56B8	512A	I3CO0080
105	價	D1AB	994A	56B9	512B	I3CP0080
106	僵	D1AC	994B	56BA	512C	I3CQ0080
107	儉	D1AD	994C	56BB	512D	I3CR0080
108	儻	D1AE	994D	56BC	512E	I3CS0080
109	儂	D1AF	994E	56BD	512F	I3CT0080
110	儘	D1B0	994F	56C1	5130	I3CX0080
111	儻	D1B1	9950	56BF	5131	I3CV0080
112	儻	D1B2	9951	56C0	5132	I3CW0080
113	儻	D1B3	9952	56BE	5133	I3CU0080
114	儻	D1B4	9953	56C2	5134	I3CY0080
115	儻	D1B5	9954	56C3	5135	I3CZ0080
116	儻	D1B6	9955	56C4	5136	I3D00080
117	儻	D1B7	9956	56C5	5137	I3D10080
118	儻	D1B8	9957	56C6	5138	I3D20080
119	儿	D1B9	9958	56C7	5139	I3D30080
120	兀	D1BA	9959	56C8	513A	I3D40080
121	兒	D1BB	995A	56CB	513B	I3D70080
122	兌	D1BC	995B	56CA	513C	I3D60080
123	兔	D1BD	995C	56CC	513D	I3D80080
124	競	D1BE	995D	56CD	513E	I3D90080
125	競	D1BF	995E	605D	513F	I4RH0080
126	兩	D1C0	995F	56CF	5140	I3DB0080
127	兪	D1C1	9960	56D0	5141	I3DC0080
128	兮	D1C2	9961	56D1	5142	I3DD0080
129	冀	D1C3	9962	56D2	5143	I3DE0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 6 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
130	冂	D1C4	9963	56D3	5144	I3DF0080
131	冂	D1C5	9964	56D4	5145	I3DG0080
132	册	D1C6	9965	56D5	5146	I3DH0080
133	冉	D1C7	9966	56D6	5147	I3DI0080
134	冂	D1C8	9967	56D7	5148	I3DJ0080
135	冂	D1C9	9968	56D8	5149	I3DK0080
136	冂	D1CA	9969	56D9	514A	I3DL0080
137	冕	D1CB	996A	56DA	514B	I3DM0080
138	冂	D1CC	996B	56DB	514C	I3DN0080
139	冕	D1CD	996C	56DD	514D	I3DP0080
140	冂	D1CE	996D	56DE	514E	I3DQ0080
141	冂	D1CF	996E	56DF	514F	I3DR0080
142	冂	D1D0	996F	56E0	5150	I3DS0080
143	冂	D1D1	9970	56E1	5151	I3DT0080
144	冂	D1D2	9971	56E2	5152	I3DU0080
145	决	D1D3	9972	56E3	5153	I3DV0080
146	冂	D1D4	9973	56E4	5154	I3DW0080
147	冲	D1D5	9974	56E5	5155	I3DX0080
148	冰	D1D6	9975	56E6	5156	I3DY0080
149	况	D1D7	9976	56E7	5157	I3DZ0080
150	冽	D1D8	9977	56E9	5158	I3E10080
151	冂	D1D9	9978	56EA	5159	I3E20080
152	凉	D1DA	9979	56EB	515A	I3E30080
153	凜	D1DB	997A	56EC	515B	I3E40080
154	几	D1DC	997B	56ED	515C	I3E50080
155	處	D1DD	997C	62D1	515D	I55D0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 9 (Page 7 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
156	凧	D1DE	997D	56EE	515E	I3E60080
157	凭	D1DF	997E	56F0	515F	I3E80080
158	凰	D1E0	9980	56F1	5160	I3E90080
159	凵	D1E1	9981	56F2	5161	I3EA0080
160	凵	D1E2	9982	56F3	5162	I3EB0080
161	又	D1E3	9983	56F4	5163	I3EC0080
162	刊	D1E4	9984	56F5	5164	I3ED0080
163	刳	D1E5	9985	56F6	5165	I3EE0080
164	刳	D1E6	9986	54E3	5166	I3370080
165	刳	D1E7	9987	56F8	5167	I3EG0080
166	刪	D1E8	9988	56F9	5168	I3EH0080
167	刮	D1E9	9989	56FA	5169	I3EI0080
168	刮	D1EA	998A	56FB	516A	I3EJ0080
169	刹	D1EB	998B	56FC	516B	I3EK0080
170	剗	D1EC	998C	5741	516C	I3EP0080
171	剗	D1ED	998D	56FD	516D	I3EL0080
172	剗	D1EE	998E	56FE	516E	I3EM0080
173	剗	D1EF	998F	51AE	516F	I2LQ0080
174	剗	D1F0	9990	5742	5170	I3EQ0080
175	剔	D1F1	9991	5743	5171	I3ER0080
176	剪	D1F2	9992	5745	5172	I3ET0080
177	剗	D1F3	9993	5747	5173	I3EV0080
178	剩	D1F4	9994	5748	5174	I3EW0080
179	剗	D1F5	9995	5746	5175	I3EU0080
180	剗	D1F6	9996	5749	5176	I3EX0080
181	剗	D1F7	9997	574A	5177	I3EY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 8 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
182	劍	D1F8	9998	574B	5178	I3EZ0080
183	劔	D1F9	9999	5580	5179	I3S0080
184	劔	D1FA	999A	574D	517A	I3F10080
185	劔	D1FB	999B	5744	517B	I3ES0080
186	劈	D1FC	999C	574C	517C	I3F00080
187	劑	D1FD	999D	574E	517D	I3F20080
188	辨	D1FE	999E	64EC	517E	I5GS0080
189	辨	D2A1	999F	64ED	5221	I5GT0080
190	劬	D2A2	99A0	5751	5222	I3F50080
191	劬	D2A3	99A1	5752	5223	I3F60080
192	劬	D2A4	99A2	5753	5224	I3F70080
193	券	D2A5	99A3	5754	5225	I3F80080
194	勁	D2A6	99A4	5755	5226	I3F90080
195	勅	D2A7	99A5	5757	5227	I3FB0080
196	勗	D2A8	99A6	5392	5228	I2VM0080
197	勞	D2A9	99A7	5759	5229	I3FD0080
198	勳	D2AA	99A8	575A	522A	I3FE0080
199	勳	D2AB	99A9	575B	522B	I3FF0080
200	飭	D2AC	99AA	66DB	522C	I5QZ0080
201	勳	D2AD	99AB	575C	522D	I3FG0080
202	勳	D2AE	99AC	575D	522E	I3FH0080
203	勵	D2AF	99AD	575E	522F	I3FI0080
204	勸	D2B0	99AE	575F	5230	I3FJ0080
205	勺	D2B1	99AF	5760	5231	I3FK0080
206	匆	D2B2	99B0	5762	5232	I3FM0080
207	匈	D2B3	99B1	5764	5233	I3FO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 9 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
208	旬	D2B4	99B2	5765	5234	I3FP0080
209	匍	D2B5	99B3	5766	5235	I3FQ0080
210	匍	D2B6	99B4	5767	5236	I3FR0080
211	匏	D2B7	99B5	5768	5237	I3FS0080
212	匕	D2B8	99B6	5769	5238	I3FT0080
213	匸	D2B9	99B7	576A	5239	I3FU0080
214	匣	D2BA	99B8	576C	523A	I3FW0080
215	匯	D2BB	99B9	576D	523B	I3FX0080
216	匱	D2BC	99BA	576E	523C	I3FY0080
217	匳	D2BD	99BB	576F	523D	I3FZ0080
218	匸	D2BE	99BC	5770	523E	I3G00080
219	區	D2BF	99BD	5771	523F	I3G10080
220	卒	D2C0	99BE	5773	5240	I3G30080
221	卅	D2C1	99BF	5772	5241	I3G20080
222	卅	D2C2	99C0	5775	5242	I3G50080
223	卉	D2C3	99C1	5774	5243	I3G40080
224	卂	D2C4	99C2	5776	5244	I3G60080
225	準	D2C5	99C3	5777	5245	I3G70080
226	卞	D2C6	99C4	5779	5246	I3G90080
227	冂	D2C7	99C5	577A	5247	I3GA0080
228	卮	D2C8	99C6	577B	5248	I3GB0080
229	卮	D2C9	99C7	52C8	5249	I2RS0080
230	卻	D2CA	99C8	577E	524A	I3GE0080
231	卷	D2CB	99C9	577D	524B	I3GD0080
232	厂	D2CC	99CA	577F	524C	I3GF0080
233	厖	D2CD	99CB	5781	524D	I3GH0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 10 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
234	厠	D2CE	99CC	5782	524E	I3GI0080
235	厦	D2CF	99CD	5783	524F	I3GJ0080
236	厥	D2D0	99CE	5784	5250	I3GK0080
237	廦	D2D1	99CF	5785	5251	I3GL0080
238	廠	D2D2	99D0	5786	5252	I3GM0080
239	厶	D2D3	99D1	5788	5253	I3GO0080
240	參	D2D4	99D2	5789	5254	I3GP0080
241	篡	D2D5	99D3	578A	5255	I3GQ0080
242	雙	D2D6	99D4	6688	5256	I5OO0080
243	叟	D2D7	99D5	578C	5257	I3GS0080
244	曼	D2D8	99D6	578D	5258	I3GT0080
245	變	D2D9	99D7	578F	5259	I3GV0080
246	叮	D2DA	99D8	5790	525A	I3GW0080
247	叨	D2DB	99D9	5791	525B	I3GX0080
248	叭	D2DC	99DA	5792	525C	I3GY0080
249	叭	D2DD	99DB	5793	525D	I3GZ0080
250	吁	D2DE	99DC	5794	525E	I3H00080
251	吽	D2DF	99DD	5795	525F	I3H10080
252	呀	D2E0	99DE	5796	5260	I3H20080
253	听	D2E1	99DF	5797	5261	I3H30080
254	吭	D2E2	99E0	5798	5262	I3H40080
255	吼	D2E3	99E1	5799	5263	I3H50080
256	吮	D2E4	99E2	579A	5264	I3H60080
257	呐	D2E5	99E3	579B	5265	I3H70080
258	吩	D2E6	99E4	579C	5266	I3H80080
259	吝	D2E7	99E5	579D	5267	I3H90080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 11 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
260	呷	D2E8	99E6	579E	5268	I3HA0080
261	咏	D2E9	99E7	579F	5269	I3HB0080
262	呵	D2EA	99E8	57A0	526A	I3HC0080
263	咎	D2EB	99E9	57A1	526B	I3HD0080
264	咳	D2EC	99EA	57A2	526C	I3HE0080
265	呱	D2ED	99EB	57A3	526D	I3HF0080
266	呷	D2EE	99EC	57A4	526E	I3HG0080
267	咎	D2EF	99ED	57A5	526F	I3HH0080
268	咒	D2F0	99EE	57A6	5270	I3HI0080
269	呻	D2F1	99EF	57A7	5271	I3HJ0080
270	咀	D2F2	99F0	57A8	5272	I3HK0080
271	呷	D2F3	99F1	57AA	5273	I3HM0080
272	咄	D2F4	99F2	57AB	5274	I3HN0080
273	咐	D2F5	99F3	57AC	5275	I3HO0080
274	咆	D2F6	99F4	57AD	5276	I3HP0080
275	哇	D2F7	99F5	57AF	5277	I3HR0080
276	号	D2F8	99F6	57B2	5278	I3HU0080
277	咸	D2F9	99F7	57B3	5279	I3HV0080
278	啞	D2FA	99F8	57B4	527A	I3HW0080
279	咬	D2FB	99F9	57B5	527B	I3HX0080
280	哄	D2FC	99FA	57B6	527C	I3HY0080
281	哈	D2FD	99FB	57B8	527D	I3I00080
282	咨	D2FE	99FC	57B9	527E	I3I10080
283	咫	D3A1	9A40	57BA	5321	I3I20080
284	晒	D3A2	9A41	57BB	5322	I3I30080
285	咭	D3A3	9A42	57BC	5323	I3I40080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 12 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
286	啖	D3A4	9A43	57BE	5324	I3I60080
287	𪗇	D3A5	9A44	57B0	5325	I3HS0080
288	𪗈	D3A6	9A45	57B7	5326	I3HZ0080
289	哥	D3A7	9A46	57BF	5327	I3I70080
290	哦	D3A8	9A47	57C1	5328	I3I90080
291	唏	D3A9	9A48	57C2	5329	I3IA0080
292	唔	D3AA	9A49	57C3	532A	I3IB0080
293	哽	D3AB	9A4A	57C4	532B	I3IC0080
294	哮	D3AC	9A4B	57C5	532C	I3ID0080
295	哭	D3AD	9A4C	57C6	532D	I3IE0080
296	哺	D3AE	9A4D	547C	532E	I30C0080
297	哝	D3AF	9A4E	57C7	532F	I3IF0080
298	哞	D3B0	9A4F	57C8	5330	I3IG0080
299	哇	D3B1	9A50	57C9	5331	I3IH0080
300	啣	D3B2	9A51	57CA	5332	I3II0080
301	啞	D3B3	9A52	57CB	5333	I3IJ0080
302	售	D3B4	9A53	57CC	5334	I3IK0080
303	噉	D3B5	9A54	57CD	5335	I3IL0080
304	啗	D3B6	9A55	57CE	5336	I3IM0080
305	啖	D3B7	9A56	57CF	5337	I3IN0080
306	啗	D3B8	9A57	57D0	5338	I3IO0080
307	唸	D3B9	9A58	57D1	5339	I3IP0080
308	唢	D3BA	9A59	57D2	533A	I3IQ0080
309	啞	D3BB	9A5A	57D3	533B	I3IR0080
310	喙	D3BC	9A5B	57D4	533C	I3IS0080
311	喀	D3BD	9A5C	57D5	533D	I3IT0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 13 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
312	咯	D3BE	9A5D	57B1	533E	I3HT0080
313	喊	D3BF	9A5E	57D6	533F	I3IU0080
314	喟	D3C0	9A5F	57D7	5340	I3IV0080
315	啻	D3C1	9A60	57D8	5341	I3IW0080
316	啾	D3C2	9A61	57D9	5342	I3IX0080
317	喘	D3C3	9A62	57DA	5343	I3IY0080
318	唧	D3C4	9A63	57DB	5344	I3IZ0080
319	單	D3C5	9A64	57DC	5345	I3J00080
320	啼	D3C6	9A65	57DD	5346	I3J10080
321	喃	D3C7	9A66	57DF	5347	I3J30080
322	喻	D3C8	9A67	57E0	5348	I3J40080
323	喇	D3C9	9A68	57E1	5349	I3J50080
324	唳	D3CA	9A69	57E2	534A	I3J60080
325	嗚	D3CB	9A6A	52A2	534B	I2QQ0080
326	嗅	D3CC	9A6B	57E3	534C	I3J70080
327	嗟	D3CD	9A6C	57E4	534D	I3J80080
328	嗔	D3CE	9A6D	57E5	534E	I3J90080
329	嗜	D3CF	9A6E	57E6	534F	I3JA0080
330	嗤	D3D0	9A6F	57E7	5350	I3JB0080
331	嗔	D3D1	9A70	57E8	5351	I3JC0080
332	嘔	D3D2	9A71	57EA	5352	I3JE0080
333	嗽	D3D3	9A72	57EB	5353	I3JF0080
334	噴	D3D4	9A73	57EC	5354	I3JG0080
335	嗾	D3D5	9A74	57ED	5355	I3JH0080
336	嗽	D3D6	9A75	57EE	5356	I3JI0080
337	嘛	D3D7	9A76	57EF	5357	I3JJ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 14 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
338	噠	D3D8	9A77	57E9	5358	I3JD0080
339	噠	D3D9	9A78	57F0	5359	I3JK0080
340	噠	D3DA	9A79	57F1	535A	I3JL0080
341	噠	D3DB	9A7A	57FB	535B	I3JV0080
342	噠	D3DC	9A7B	547F	535C	I30F0080
343	噠	D3DD	9A7C	57F2	535D	I3JM0080
344	噠	D3DE	9A7D	57F3	535E	I3JN0080
345	噠	D3DF	9A7E	57F4	535F	I3JO0080
346	噠	D3E0	9A80	57F5	5360	I3JP0080
347	噠	D3E1	9A81	57F6	5361	I3JQ0080
348	噠	D3E2	9A82	57F8	5362	I3JS0080
349	噠	D3E3	9A83	57F9	5363	I3JT0080
350	噠	D3E4	9A84	57FA	5364	I3JU0080
351	噠	D3E5	9A85	57F7	5365	I3JR0080
352	噠	D3E6	9A86	57FE	5366	I3JY0080
353	噠	D3E7	9A87	5841	5367	I3K10080
354	噠	D3E8	9A88	5842	5368	I3K20080
355	噠	D3E9	9A89	57FC	5369	I3JW0080
356	噠	D3EA	9A8A	57FD	536A	I3JX0080
357	噠	D3EB	9A8B	5843	536B	I3K30080
358	噠	D3EC	9A8C	5844	536C	I3K40080
359	噠	D3ED	9A8D	5845	536D	I3K50080
360	噠	D3EE	9A8E	5846	536E	I3K60080
361	噠	D3EF	9A8F	5848	536F	I3K80080
362	噠	D3F0	9A90	5849	5370	I3K90080
363	噠	D3F1	9A91	584A	5371	I3KA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 15 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
364	囃	D3F2	9A92	584B	5372	I3KB0080
365	囁	D3F3	9A93	584C	5373	I3KC0080
366	囁	D3F4	9A94	5847	5374	I3K70080
367	囁	D3F5	9A95	584D	5375	I3KD0080
368	囁	D3F6	9A96	584F	5376	I3KF0080
369	囁	D3F7	9A97	584E	5377	I3KE0080
370	口	D3F8	9A98	5850	5378	I3KG0080
371	囁	D3F9	9A99	5851	5379	I3KH0080
372	囁	D3FA	9A9A	5852	537A	I3KI0080
373	囁	D3FB	9A9B	5266	537B	I2P20080
374	囁	D3FC	9A9C	5853	537C	I3KJ0080
375	囁	D3FD	9A9D	5854	537D	I3KK0080
376	囁	D3FE	9A9E	5855	537E	I3KL0080
377	囁	D4A1	9A9F	5856	5421	I3KM0080
378	國	D4A2	9AA0	51BD	5422	I2M50080
379	園	D4A3	9AA1	5857	5423	I3KN0080
380	圓	D4A4	9AA2	54E7	5424	I33B0080
381	團	D4A5	9AA3	5859	5425	I3KP0080
382	圖	D4A6	9AA4	585A	5426	I3KQ0080
383	嗇	D4A7	9AA5	5858	5427	I3KO0080
384	園	D4A8	9AA6	585B	5428	I3KR0080
385	圪	D4A9	9AA7	585C	5429	I3KS0080
386	圪	D4AA	9AA8	51D1	542A	I2MP0080
387	圪	D4AB	9AA9	585D	542B	I3KT0080
388	坎	D4AC	9AAA	585E	542C	I3KU0080
389	圪	D4AD	9AAB	585F	542D	I3KV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 9 (Page 16 of 62).</b> JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
390	址	D4AE	9AAC	5861	542E	I3KX0080
391	坏	D4AF	9AAD	5862	542F	I3KY0080
392	坩	D4B0	9AAE	5398	5430	I2VS0080
393	垂	D4B1	9AAF	5871	5431	I3LD0080
394	堡	D4B2	9AB0	5864	5432	I3L00080
395	坡	D4B3	9AB1	5865	5433	I3L10080
396	坩	D4B4	9AB2	5866	5434	I3L20080
397	坩	D4B5	9AB3	5867	5435	I3L30080
398	垓	D4B6	9AB4	5868	5436	I3L40080
399	垓	D4B7	9AB5	5869	5437	I3L50080
400	坩	D4B8	9AB6	586B	5438	I3L70080
401	埕	D4B9	9AB7	586A	5439	I3L60080
402	坩	D4BA	9AB8	586D	543A	I3L90080
403	埕	D4BB	9AB9	53CD	543B	I2X90080
404	埃	D4BC	9ABA	586E	543C	I3LA0080
405	埕	D4BD	9ABB	586F	543D	I3LB0080
406	埔	D4BE	9ABC	5872	543E	I3LE0080
407	埕	D4BF	9ABD	5874	543F	I3LG0080
408	埕	D4C0	9ABE	5875	5440	I3LH0080
409	埕	D4C1	9ABF	5878	5441	I3LK0080
410	埕	D4C2	9AC0	5876	5442	I3LI0080
411	埕	D4C3	9AC1	5879	5443	I3LL0080
412	埕	D4C4	9AC2	587A	5444	I3LM0080
413	埕	D4C5	9AC3	587B	5445	I3LN0080
414	埕	D4C6	9AC4	53A7	5446	I2W70080
415	埕	D4C7	9AC5	5886	5447	I3LY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 17 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
416	堡	D4C8	9AC6	587C	5448	I3LO0080
417	塙	D4C9	9AC7	587E	5449	I3LQ0080
418	塹	D4CA	9AC8	587D	544A	I3LP0080
419	邊	D4CB	9AC9	5883	544B	I3LV0080
420	毀	D4CC	9ACA	587F	544C	I3LR0080
421	塙	D4CD	9ACB	5881	544D	I3LT0080
422	塹	D4CE	9ACC	5880	544E	I3LS0080
423	塹	D4CF	9ACD	5884	544F	I3LW0080
424	墅	D4D0	9ACE	5885	5450	I3LX0080
425	塙	D4D1	9ACF	588D	5451	I3M50080
426	墟	D4D2	9AD0	5887	5452	I3LZ0080
427	塙	D4D3	9AD1	5888	5453	I3M00080
428	塙	D4D4	9AD2	588E	5454	I3M60080
429	壤	D4D5	9AD3	5895	5455	I3MD0080
430	墻	D4D6	9AD4	5552	5456	I34I0080
431	墻	D4D7	9AD5	5889	5457	I3M10080
432	墮	D4D8	9AD6	588B	5458	I3M30080
433	墮	D4D9	9AD7	588F	5459	I3M70080
434	壓	D4DA	9AD8	5890	545A	I3M80080
435	壑	D4DB	9AD9	5891	545B	I3M90080
436	墟	D4DC	9ADA	5892	545C	I3MA0080
437	墻	D4DD	9ADB	5893	545D	I3MB0080
438	壘	D4DE	9ADC	5894	545E	I3MC0080
439	堰	D4DF	9ADD	5899	545F	I3MH0080
440	壘	D4E0	9ADE	5896	5460	I3ME0080
441	壤	D4E1	9ADF	5898	5461	I3MG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 18 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
442	壘	D4E2	9AE0	5897	5462	I3MF0080
443	壯	D4E3	9AE1	589A	5463	I3MI0080
444	壺	D4E4	92D9	5077	5464	I2EV0080
445	壹	D4E5	9AE3	589C	5465	I3MK0080
446	壻	D4E6	9AE4	589D	5466	I3ML0080
447	壹	D4E7	9AE5	589E	5467	I3MM0080
448	壽	D4E8	9AE6	5275	5468	I2PH0080
449	夂	D4E9	9AE7	589F	5469	I3MN0080
450	夂	D4EA	9AE8	58A0	546A	I3MO0080
451	夂	D4EB	9AE9	58A2	546B	I3MQ0080
452	夂	D4EC	9AEA	58A3	546C	I3MR0080
453	夢	D4ED	9AEB	58A4	546D	I3MS0080
454	夥	D4EE	9AEC	58A5	546E	I3MT0080
455	夂	D4EF	9AED	58A6	546F	I3MU0080
456	夂	D4F0	9AEE	58A7	5470	I3MV0080
457	夂	D4F1	9AEF	58A8	5471	I3MW0080
458	夂	D4F2	9AF0	58A9	5472	I3MX0080
459	夂	D4F3	9AF1	58AA	5473	I3MY0080
460	夂	D4F4	9AF2	604E	5474	I4R20080
461	夂	D4F5	9AF3	58AB	5475	I3MZ0080
462	夂	D4F6	9AF4	58AC	5476	I3N00080
463	夂	D4F7	9AF5	518F	5477	I2KV0080
464	夂	D4F8	9AF6	58AE	5478	I3N20080
465	夂	D4F9	9AF7	58AF	5479	I3N30080
466	奢	D4FA	9AF8	58B3	547A	I3N70080
467	夂	D4FB	9AF9	58B4	547B	I3N80080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 19 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
468	奥	D4FC	9AFA	58B5	547C	I3N90080
469	獎	D4FD	9AFB	58B6	547D	I3NA0080
470	奩	D4FE	9AFC	58B7	547E	I3NB0080
471	奸	D5A1	9B40	58B8	5521	I3NC0080
472	妁	D5A2	9B41	58B9	5522	I3ND0080
473	妝	D5A3	9B42	58BC	5523	I3NG0080
474	佞	D5A4	9B43	566D	5524	I3AL0080
475	倭	D5A5	9B44	5678	5525	I3AW0080
476	妣	D5A6	9B45	58BD	5526	I3NH0080
477	姐	D5A7	9B46	58BF	5527	I3NJ0080
478	姆	D5A8	9B47	58C1	5528	I3NL0080
479	姨	D5A9	9B48	58C2	5529	I3NM0080
480	姜	D5AA	9B49	5184	552A	I2KK0080
481	妍	D5AB	9B4A	58BA	552B	I3NE0080
482	姪	D5AC	9B4B	58C3	552C	I3NN0080
483	姚	D5AD	9B4C	58C4	552D	I3NO0080
484	娥	D5AE	9B4D	58C5	552E	I3NP0080
485	娟	D5AF	9B4E	58C6	552F	I3NQ0080
486	娑	D5B0	9B4F	58C7	5530	I3NR0080
487	娜	D5B1	9B50	58C8	5531	I3NS0080
488	娉	D5B2	9B51	58CA	5532	I3NU0080
489	甥	D5B3	9B52	58C9	5533	I3NT0080
490	婀	D5B4	9B53	58CB	5534	I3NV0080
491	姪	D5B5	9B54	58CC	5535	I3NW0080
492	婉	D5B6	9B55	58CD	5536	I3NX0080
493	嫫	D5B7	9B56	58CE	5537	I3NY0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 20 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
494	娶	D5B8	9B57	58CF	5538	I3NZ0080
495	婢	D5B9	9B58	58D0	5539	I3O00080
496	婪	D5BA	9B59	58D1	553A	I3O10080
497	媚	D5BB	9B5A	58D2	553B	I3O20080
498	媪	D5BC	9B5B	58D3	553C	I3O30080
499	媾	D5BD	9B5C	58D4	553D	I3O40080
500	媯	D5BE	9B5D	58D6	553E	I3O60080
501	媮	D5BF	9B5E	58D7	553F	I3O70080
502	媿	D5C0	9B5F	58D8	5540	I3O80080
503	媾	D5C1	9B60	58D9	5541	I3O90080
504	媿	D5C2	9B61	58DA	5542	I3OA0080
505	媿	D5C3	9B62	58DB	5543	I3OB0080
506	媿	D5C4	9B63	58DC	5544	I3OC0080
507	媿	D5C5	9B64	58DD	5545	I3OD0080
508	媿	D5C6	9B65	58DE	5546	I3OE0080
509	媿	D5C7	9B66	58DF	5547	I3OF0080
510	媿	D5C8	9B67	58E0	5548	I3OG0080
511	媿	D5C9	9B68	58E1	5549	I3OH0080
512	媿	D5CA	9B69	58E2	554A	I3OI0080
513	媿	D5CB	9B6A	58E3	554B	I3OJ0080
514	媿	D5CC	9B6B	58D5	554C	I3O50080
515	媿	D5CD	9B6C	58E4	554D	I3OK0080
516	媿	D5CE	9B6D	58E5	554E	I3OL0080
517	媿	D5CF	9B6E	58E6	554F	I3OM0080
518	媿	D5D0	9B6F	58E7	5550	I3ON0080
519	媿	D5D1	9B70	58E8	5551	I3OO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 21 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
520	孀	D5D2	9B71	58E9	5552	I3OP0080
521	孑	D5D3	9B72	58EA	5553	I3OQ0080
522	孕	D5D4	9B73	58EB	5554	I3OR0080
523	孛	D5D5	9B74	5258	5555	I2OO0080
524	孛	D5D6	9B75	58EE	5556	I3OU0080
525	孛	D5D7	9B76	58EF	5557	I3OV0080
526	孩	D5D8	9B77	58F0	5558	I3OW0080
527	孰	D5D9	9B78	58F1	5559	I3OX0080
528	孳	D5DA	9B79	58F2	555A	I3OY0080
529	孳	D5DB	9B7A	58F3	555B	I3OZ0080
530	學	D5DC	9B7B	58F4	555C	I3P00080
531	孳	D5DD	9B7C	58ED	555D	I3OT0080
532	孺	D5DE	9B7D	58F5	555E	I3P10080
533	宀	D5DF	9B7E	58F6	555F	I3P20080
534	它	D5E0	9B80	58F7	5560	I3P30080
535	宦	D5E1	9B81	58F8	5561	I3P40080
536	宸	D5E2	9B82	58F9	5562	I3P50080
537	寃	D5E3	9B83	58FA	5563	I3P60080
538	寇	D5E4	9B84	58FB	5564	I3P70080
539	霍	D5E5	9B85	58FD	5565	I3P90080
540	寔	D5E6	9B86	5244	5566	I2O40080
541	寐	D5E7	9B87	5941	5567	I3PD0080
542	寤	D5E8	9B88	5945	5568	I3PH0080
543	寘	D5E9	9B89	51FC	5569	I2NW0080
544	寢	D5EA	9B8A	5946	556A	I3PI0080
545	寘	D5EB	9B8B	5943	556B	I3PF0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 22 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
546	寥	D5EC	9B8C	5947	556C	I3PJ0080
547	寫	D5ED	9B8D	5948	556D	I3PK0080
548	寰	D5EE	9B8E	5949	556E	I3PL0080
549	寶	D5EF	9B8F	594B	556F	I3PN0080
550	寶	D5F0	9B90	594A	5570	I3PM0080
551	尅	D5F1	9B91	594C	5571	I3PO0080
552	將	D5F2	9B92	594D	5572	I3PP0080
553	專	D5F3	9B93	594E	5573	I3PQ0080
554	對	D5F4	9B94	594F	5574	I3PR0080
555	尔	D5F5	9B95	5950	5575	I3PS0080
556	尠	D5F6	9B96	5952	5576	I3PU0080
557	尢	D5F7	9B97	5953	5577	I3PV0080
558	尮	D5F8	9B98	5954	5578	I3PW0080
559	尸	D5F9	9B99	5955	5579	I3PX0080
560	尹	D5FA	9B9A	515D	557A	I2JH0080
561	屁	D5FB	9B9B	5956	557B	I3PY0080
562	届	D5FC	9B9C	5957	557C	I3PZ0080
563	屎	D5FD	9B9D	5958	557D	I3Q00080
564	屮	D5FE	9B9E	5959	557E	I3Q10080
565	屮	D6A1	9B9F	595A	5621	I3Q20080
566	屮	D6A2	9BA0	5443	5622	I2YR0080
567	屮	D6A3	9BA1	595B	5623	I3Q30080
568	屮	D6A4	9BA2	595C	5624	I3Q40080
569	屮	D6A5	9BA3	595D	5625	I3Q50080
570	屮	D6A6	9BA4	564C	5626	I39O0080
571	屮	D6A7	9BA5	595E	5627	I3Q60080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 9 (Page 23 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
572	屹	D6A8	9BA6	595F	5628	I3Q70080
573	岌	D6A9	9BA7	5960	5629	I3Q80080
574	岑	D6AA	9BA8	525A	562A	I2OQ0080
575	岔	D6AB	9BA9	5961	562B	I3Q90080
576	岍	D6AC	9BAA	58BB	562C	I3NF0080
577	岫	D6AD	9BAB	5963	562D	I3QB0080
578	岈	D6AE	9BAC	5964	562E	I3QC0080
579	岈	D6AF	9BAD	5965	562F	I3QD0080
580	岈	D6B0	9BAE	596A	5630	I3QI0080
581	岈	D6B1	9BAF	5966	5631	I3QE0080
582	岈	D6B2	9BB0	5969	5632	I3QH0080
583	岈	D6B3	9BB1	5962	5633	I3QA0080
584	岈	D6B4	9BB2	596B	5634	I3QJ0080
585	岈	D6B5	9BB3	596C	5635	I3QK0080
586	岈	D6B6	9BB4	596D	5636	I3QL0080
587	岈	D6B7	9BB5	596E	5637	I3QM0080
588	岈	D6B8	9BB6	596F	5638	I3QN0080
589	岈	D6B9	9BB7	5971	5639	I3QP0080
590	岈	D6BA	9BB8	598C	563A	I3RG0080
591	岈	D6BB	9BB9	5972	563B	I3QQ0080
592	岈	D6BC	9BBA	5973	563C	I3QR0080
593	岈	D6BD	9BBB	5974	563D	I3QS0080
594	岈	D6BE	9BBC	54F1	563E	I33L0080
595	岈	D6BF	9BBD	5981	563F	I3R50080
596	岈	D6C0	9BBE	5975	5640	I3QT0080
597	岈	D6C1	9BBF	5976	5641	I3QU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 24 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
598	崑	D6C2	9BC0	5977	5642	I3QV0080
599	崔	D6C3	9BC1	514D	5643	I2J10080
600	崢	D6C4	9BC2	5979	5644	I3QX0080
601	峻	D6C5	9BC3	597A	5645	I3QY0080
602	崙	D6C6	9BC4	597B	5646	I3QZ0080
603	嶮	D6C7	9BC5	597C	5647	I3R00080
604	嵌	D6C8	9BC6	597D	5648	I3R10080
605	岳	D6C9	9BC7	597E	5649	I3R20080
606	嶮	D6CA	9BC8	5982	564A	I3R60080
607	嶮	D6CB	9BC9	5983	564B	I3R70080
608	崑	D6CC	9BCA	5985	564C	I3R90080
609	崑	D6CD	9BCB	5986	564D	I3RA0080
610	嶮	D6CE	9BCC	5988	564E	I3RC0080
611	嶮	D6CF	9BCD	5989	564F	I3RD0080
612	嶮	D6D0	9BCE	598A	5650	I3RE0080
613	嶮	D6D1	9BCF	598B	5651	I3RF0080
614	嶮	D6D2	9BD0	598D	5652	I3RH0080
615	嶮	D6D3	9BD1	598E	5653	I3RI0080
616	嶮	D6D4	9BD2	5990	5654	I3RK0080
617	嶮	D6D5	9BD3	5991	5655	I3RL0080
618	嶮	D6D6	9BD4	4F84	5656	I29W0080
619	嶮	D6D7	9BD5	598F	5657	I3RJ0080
620	嶮	D6D8	9BD6	5992	5658	I3RM0080
621	嶮	D6D9	9BD7	5994	5659	I3RO0080
622	嶮	D6DA	9BD8	5996	565A	I3RQ0080
623	嶮	D6DB	9BD9	5281	565B	I2PT0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 25 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
624	巖	D6DC	9BDA	5998	565C	I3RS0080
625	巖	D6DD	9BDB	5999	565D	I3RT0080
626	巖	D6DE	9BDC	51DF	565E	I2N30080
627	巖	D6DF	9BDD	599A	565F	I3RU0080
628	巖	D6E0	9BDE	599B	5660	I3RV0080
629	巖	D6E1	9BDF	4A4B	5661	I1HN0080
630	巖	D6E2	9BE0	599C	5662	I3RW0080
631	巖	D6E3	9BE1	599D	5663	I3RX0080
632	巖	D6E4	9BE2	599E	5664	I3RY0080
633	巖	D6E5	9BE3	599F	5665	I3RZ0080
634	巖	D6E6	9BE4	59A0	5666	I3S00080
635	巖	D6E7	9BE5	59A1	5667	I3S10080
636	巖	D6E8	9BE6	59A2	5668	I3S20080
637	巖	D6E9	9BE7	54BE	5669	I3260080
638	巖	D6EA	9BE8	59A3	566A	I3S30080
639	巖	D6EB	9BE9	59A4	566B	I3S40080
640	巖	D6EC	9BEA	59A5	566C	I3S50080
641	巖	D6ED	9BEB	59A7	566D	I3S70080
642	巖	D6EE	9BEC	59A8	566E	I3S80080
643	巖	D6EF	9BED	59A9	566F	I3S90080
644	巖	D6F0	9BEE	5483	5670	I30J0080
645	巖	D6F1	9BEF	59AA	5671	I3SA0080
646	巖	D6F2	9BF0	59AB	5672	I3SB0080
647	巖	D6F3	9BF1	59A6	5673	I3S60080
648	巖	D6F4	9BF2	59AC	5674	I3SC0080
649	巖	D6F5	9BF3	59AD	5675	I3SD0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 26 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
650	么	D6F6	9BF4	59AE	5676	I3SE0080
651	麼	D6F7	9BF5	6850	5677	I5XS0080
652	广	D6F8	9BF6	59AF	5678	I3SF0080
653	庠	D6F9	9BF7	59B0	5679	I3SG0080
654	廁	D6FA	9BF8	59B1	567A	I3SH0080
655	廂	D6FB	9BF9	59B2	567B	I3SI0080
656	廈	D6FC	9BFA	59B3	567C	I3SJ0080
657	廡	D6FD	9BFB	59B4	567D	I3SK0080
658	廢	D6FE	9BFC	59B5	567E	I3SL0080
659	廖	D7A1	9C40	536C	5721	I2UK0080
660	廣	D7A2	9C41	50E9	5722	I2I10080
661	廨	D7A3	9C42	59B6	5723	I3SM0080
662	廚	D7A4	9C43	59B7	5724	I3SN0080
663	廤	D7A5	9C44	59B8	5725	I3SO0080
664	廢	D7A6	9C45	59B9	5726	I3SP0080
665	廸	D7A7	9C46	59BA	5727	I3SQ0080
666	廥	D7A8	9C47	59BB	5728	I3SR0080
667	廦	D7A9	9C48	59BC	5729	I3SS0080
668	廨	D7AA	9C49	59BD	572A	I3ST0080
669	廩	D7AB	9C4A	59BF	572B	I3SV0080
670	廳	D7AC	9C4B	59C0	572C	I3SW0080
671	廫	D7AD	9C4C	59BE	572D	I3SU0080
672	廬	D7AE	9C4D	59C1	572E	I3SX0080
673	廭	D7AF	9C4E	52D6	572F	I2S60080
674	升	D7B0	9C4F	544B	5730	I2YZ0080
675	弃	D7B1	9C50	59C2	5731	I3SY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 27 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
676	𦉑	D7B2	9C51	59C3	5732	I3SZ0080
677	𦉒	D7B3	9C52	59D6	5733	I3TI0080
678	𦉓	D7B4	9C53	59D5	5734	I3TH0080
679	弋	D7B5	9C54	59C4	5735	I3T00080
680	弑	D7B6	9C55	59C5	5736	I3T10080
681	𦉕	D7B7	9C56	59C6	5737	I3T20080
682	弩	D7B8	9C57	59C8	5738	I3T40080
683	弭	D7B9	9C58	59C9	5739	I3T50080
684	𦉗	D7BA	9C59	59CC	573A	I3T80080
685	𦉘	D7BB	9C5A	59CD	573B	I3T90080
686	彈	D7BC	9C5B	59CE	573C	I3TA0080
687	彌	D7BD	9C5C	59CF	573D	I3TB0080
688	彎	D7BE	9C5D	59D0	573E	I3TC0080
689	弯	D7BF	9C5E	59CA	573F	I3T60080
690	𦉚	D7C0	9C5F	59D1	5740	I3TD0080
691	豕	D7C1	9C60	59D2	5741	I3TE0080
692	彗	D7C2	9C61	59D3	5742	I3TF0080
693	彙	D7C3	9C62	59D4	5743	I3TG0080
694	彡	D7C4	9C63	59D7	5744	I3TJ0080
695	彭	D7C5	9C64	529C	5745	I2QK0080
696	彳	D7C6	9C65	59D9	5746	I3TL0080
697	徃	D7C7	9C66	59DA	5747	I3TM0080
698	徃	D7C8	9C67	59DB	5748	I3TN0080
699	徃	D7C9	9C68	59DC	5749	I3TO0080
700	徃	D7CA	9C69	59DD	574A	I3TP0080
701	徃	D7CB	9C6A	59DE	574B	I3TQ0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 28 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
702	很	D7CC	9C6B	59DF	574C	I3TR0080
703	徑	D7CD	9C6C	59E1	574D	I3TT0080
704	徇	D7CE	9C6D	59E0	574E	I3TS0080
705	從	D7CF	9C6E	59E3	574F	I3TV0080
706	徙	D7D0	9C6F	59E2	5750	I3TU0080
707	徘	D7D1	9C70	59E4	5751	I3TW0080
708	徠	D7D2	9C71	59E5	5752	I3TX0080
709	徨	D7D3	9C72	59E6	5753	I3TY0080
710	徻	D7D4	9C73	59E7	5754	I3TZ0080
711	徼	D7D5	9C74	59E9	5755	I3U10080
712	忖	D7D6	9C75	59EA	5756	I3U20080
713	忤	D7D7	9C76	59EB	5757	I3U30080
714	忤	D7D8	9C77	59EC	5758	I3U40080
715	忤	D7D9	9C78	59ED	5759	I3U50080
716	忱	D7DA	9C79	59EE	575A	I3U60080
717	忝	D7DB	9C7A	59F0	575B	I3U80080
718	愆	D7DC	9C7B	5276	575C	I2PI0080
719	愆	D7DD	9C7C	59F2	575D	I3UA0080
720	怡	D7DE	9C7D	59F3	575E	I3UB0080
721	恠	D7DF	9C7E	5A43	575F	I3UR0080
722	怙	D7E0	9C80	59F4	5760	I3UC0080
723	恂	D7E1	9C81	59F5	5761	I3UD0080
724	怩	D7E2	9C82	59F6	5762	I3UE0080
725	恚	D7E3	9C83	59F7	5763	I3UF0080
726	怱	D7E4	9C84	59F8	5764	I3UG0080
727	怵	D7E5	9C85	59F9	5765	I3UH0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 9 (Page 29 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
728	怕	D7E6	9C86	59FA	5766	I3UI0080
729	怫	D7E7	9C87	59FB	5767	I3UJ0080
730	怦	D7E8	9C88	59FC	5768	I3UK0080
731	怱	D7E9	9C89	59FD	5769	I3UL0080
732	怭	D7EA	9C8A	59FE	576A	I3UM0080
733	恚	D7EB	9C8B	5A41	576B	I3UP0080
734	恣	D7EC	9C8C	5A42	576C	I3UQ0080
735	恪	D7ED	9C8D	5A45	576D	I3UT0080
736	恣	D7EE	9C8E	5A46	576E	I3UU0080
737	恂	D7EF	9C8F	5A47	576F	I3UV0080
738	協	D7F0	9C90	5A48	5770	I3UW0080
739	恆	D7F1	9C91	5A49	5771	I3UX0080
740	恍	D7F2	9C92	5A4A	5772	I3UY0080
741	恣	D7F3	9C93	5A4B	5773	I3UZ0080
742	恃	D7F4	9C94	5A4C	5774	I3V00080
743	恤	D7F5	9C95	5A4D	5775	I3V10080
744	恂	D7F6	9C96	5256	5776	I2OM0080
745	恬	D7F7	9C97	5A4E	5777	I3V20080
746	恂	D7F8	9C98	5A4F	5778	I3V30080
747	恣	D7F9	9C99	5A50	5779	I3V40080
748	恂	D7FA	9C9A	5A52	577A	I3V60080
749	悍	D7FB	9C9B	5544	577B	I3440080
750	惧	D7FC	9C9C	554A	577C	I34A0080
751	恂	D7FD	9C9D	5A53	577D	I3V70080
752	悚	D7FE	9C9E	5A54	577E	I3V80080
753	恂	D8A1	9C9F	5A55	5821	I3V90080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 30 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
754	悛	D8A2	9CA0	5A56	5822	I3VA0080
755	悝	D8A3	9CA1	5A58	5823	I3VC0080
756	悞	D8A4	9CA2	5A59	5824	I3VD0080
757	悝	D8A5	9CA3	5A5A	5825	I3VE0080
758	悞	D8A6	9CA4	5A5B	5826	I3VF0080
759	悞	D8A7	9CA5	5A5C	5827	I3VG0080
760	悞	D8A8	9CA6	5A5D	5828	I3VH0080
761	悞	D8A9	9CA7	5A5E	5829	I3VI0080
762	悞	D8AA	9CA8	5A60	582A	I3VK0080
763	悞	D8AB	9CA9	5A61	582B	I3VL0080
764	悞	D8AC	9CAA	53A3	582C	I2W30080
765	悞	D8AD	9CAB	59EF	582D	I3U70080
766	悞	D8AE	9CAC	5A62	582E	I3VM0080
767	悞	D8AF	9CAD	5A63	582F	I3VN0080
768	悞	D8B0	9CAE	5A64	5830	I3VO0080
769	悞	D8B1	9CAF	5A66	5831	I3VQ0080
770	悞	D8B2	9CB0	5A78	5832	I3W80080
771	悞	D8B3	9CB1	5A69	5833	I3VT0080
772	悞	D8B4	9CB2	5A6A	5834	I3VU0080
773	悞	D8B5	9CB3	5A6B	5835	I3VV0080
774	悞	D8B6	9CB4	5A6C	5836	I3VW0080
775	悞	D8B7	9CB5	5A6D	5837	I3VX0080
776	悞	D8B8	9CB6	5A6E	5838	I3VY0080
777	悞	D8B9	9CB7	5A6F	5839	I3VZ0080
778	悞	D8BA	9CB8	5A70	583A	I3W00080
779	悞	D8BB	9CB9	5A71	583B	I3W10080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 31 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
780	惻	D8BC	9CBA	5A72	583C	I3W20080
781	惱	D8BD	9CBB	5A73	583D	I3W30080
782	慤	D8BE	9CBC	5A74	583E	I3W40080
783	悞	D8BF	9CBD	5A75	583F	I3W50080
784	慤	D8C0	9CBE	5A77	5840	I3W70080
785	愼	D8C1	9CBF	5A7C	5841	I3WC0080
786	愨	D8C2	9CC0	5A7A	5842	I3WA0080
787	愧	D8C3	9CC1	5A7B	5843	I3WB0080
788	慊	D8C4	9CC2	5A7D	5844	I3WD0080
789	愿	D8C5	9CC3	51E3	5845	I2N70080
790	愼	D8C6	9CC4	5A7F	5846	I3WF0080
791	愨	D8C7	9CC5	5A80	5847	I3WG0080
792	愴	D8C8	9CC6	5A81	5848	I3WH0080
793	博	D8C9	9CC7	5A84	5849	I3WK0080
794	愨	D8CA	9CC8	5A85	584A	I3WL0080
795	慄	D8CB	9CC9	5A86	584B	I3WM0080
796	慳	D8CC	9CCA	5A87	584C	I3WN0080
797	慫	D8CD	9CCB	5A89	584D	I3WP0080
798	慘	D8CE	9CCC	5A8A	584E	I3WQ0080
799	慤	D8CF	9CCD	5A8B	584F	I3WR0080
800	慚	D8D0	9CCE	5A8C	5850	I3WS0080
801	慜	D8D1	9CCF	5A8D	5851	I3WT0080
802	慝	D8D2	9CD0	5A8E	5852	I3WU0080
803	慞	D8D3	9CD1	5A8F	5853	I3WV0080
804	慟	D8D4	9CD2	5A82	5854	I3WI0080
805	慠	D8D5	9CD3	5A90	5855	I3WW0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 32 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
806	働	D8D6	9CD4	5A91	5856	I3WX0080
807	愚	D8D7	9CD5	5A83	5857	I3WJ0080
808	慄	D8D8	9CD6	5A92	5858	I3WY0080
809	慵	D8D9	9CD7	5A93	5859	I3WZ0080
810	怠	D8DA	9CD8	5A95	585A	I3X10080
811	愁	D8DB	9CD9	5A96	585B	I3X20080
812	愁	D8DC	9CDA	5A88	585C	I3WO0080
813	憬	D8DD	9CDB	5A97	585D	I3X30080
814	憔	D8DE	9CDC	5A98	585E	I3X40080
815	憚	D8DF	9CDD	55CF	585F	I37Z0080
816	億	D8E0	9CDE	5A99	5860	I3X50080
817	憑	D8E1	9CDF	5A9A	5861	I3X60080
818	憫	D8E2	9CE0	5A9B	5862	I3X70080
819	憮	D8E3	9CE1	5A9C	5863	I3X80080
820	憺	D8E4	9CE2	5A9D	5864	I3X90080
821	懊	D8E5	9CE3	5A9E	5865	I3XA0080
822	應	D8E6	9CE4	5A9F	5866	I3XB0080
823	懷	D8E7	9CE5	5AAA	5867	I3XM0080
824	懈	D8E8	9CE6	5AA0	5868	I3XC0080
825	勩	D8E9	9CE7	5AA1	5869	I3XD0080
826	慄	D8EA	9CE8	5AA2	586A	I3XE0080
827	愴	D8EB	9CE9	5AA3	586B	I3XF0080
828	懋	D8EC	9CEA	5AA4	586C	I3XG0080
829	罹	D8ED	9CEB	5AA5	586D	I3XH0080
830	慄	D8EE	9CEC	5AA6	586E	I3XI0080
831	懦	D8EF	9CED	5AA7	586F	I3XJ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 33 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
832	懣	D8F0	9CEE	5AA8	5870	I3XK0080
833	懶	D8F1	9CEF	5AAB	5871	I3XN0080
834	懣	D8F2	9CF0	5AAD	5872	I3XP0080
835	懣	D8F3	9CF1	5AA9	5873	I3XL0080
836	懿	D8F4	9CF2	5AAE	5874	I3XQ0080
837	懣	D8F5	9CF3	5AAC	5875	I3XO0080
838	懣	D8F6	9CF4	5AAF	5876	I3XR0080
839	懣	D8F7	9CF5	5AB0	5877	I3XS0080
840	戀	D8F8	9CF6	5AB1	5878	I3XT0080
841	戈	D8F9	9CF7	5AB2	5879	I3XU0080
842	戊	D8FA	9CF8	5AB3	587A	I3XV0080
843	戊	D8FB	9CF9	5AB4	587B	I3XW0080
844	戊	D8FC	9CFA	5460	587C	I2ZK0080
845	菱	D8FD	9CFB	5AB6	587D	I3XY0080
846	夏	D8FE	9CFC	5AB7	587E	I3XZ0080
847	憂	D9A1	9D40	5AB8	5921	I3Y00080
848	戲	D9A2	9D41	5AB9	5922	I3Y10080
849	截	D9A3	9D42	5ABA	5923	I3Y20080
850	戮	D9A4	9D43	5ABB	5924	I3Y30080
851	戰	D9A5	9D44	5ABC	5925	I3Y40080
852	戲	D9A6	9D45	5ABD	5926	I3Y50080
853	截	D9A7	9D46	5ABE	5927	I3Y60080
854	扁	D9A8	9D47	5ABF	5928	I3Y70080
855	扎	D9A9	9D48	5AC0	5929	I3Y80080
856	扞	D9AA	9D49	5AC1	592A	I3Y90080
857	扣	D9AB	9D4A	5AC2	592B	I3YA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 34 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
858	扛	D9AC	9D4B	5AC3	592C	I3YB0080
859	叔	D9AD	9D4C	5AC4	592D	I3YC0080
860	扱	D9AE	9D4D	5AC5	592E	I3YD0080
861	扼	D9AF	9D4E	5AC6	592F	I3YE0080
862	枉	D9B0	9D4F	5AC7	5930	I3YF0080
863	抉	D9B1	9D50	5AC8	5931	I3YG0080
864	找	D9B2	9D51	5ACA	5932	I3YI0080
865	杼	D9B3	9D52	5AC9	5933	I3YH0080
866	抓	D9B4	9D53	5ACB	5934	I3YJ0080
867	抖	D9B5	9D54	5ACC	5935	I3YK0080
868	拔	D9B6	9D55	5AD7	5936	I3YV0080
869	抃	D9B7	9D56	5ACD	5937	I3YL0080
870	坏	D9B8	9D57	5ACE	5938	I3YM0080
871	拗	D9B9	9D58	5ACF	5939	I3YN0080
872	拊	D9BA	9D59	5AD0	593A	I3YO0080
873	抻	D9BB	9D5A	5AD1	593B	I3YP0080
874	拏	D9BC	9D5B	5AD2	593C	I3YQ0080
875	拿	D9BD	9D5C	5AE6	593D	I3ZA0080
876	拆	D9BE	9D5D	5AD4	593E	I3YS0080
877	擔	D9BF	9D5E	5B60	593F	I40W0080
878	拈	D9C0	9D5F	5AD5	5940	I3YT0080
879	拜	D9C1	9D60	5AD6	5941	I3YU0080
880	拌	D9C2	9D61	5345	5942	I2TH0080
881	拊	D9C3	9D62	5AD8	5943	I3YW0080
882	拂	D9C4	9D63	5AD9	5944	I3YX0080
883	拇	D9C5	9D64	5ADB	5945	I3YZ0080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 35 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
884	抛	D9C6	9D65	5ADC	5946	I3Z00080
885	拉	D9C7	9D66	5ADD	5947	I3Z10080
886	拵	D9C8	9D67	5ADE	5948	I3Z20080
887	拵	D9C9	9D68	5ADF	5949	I3Z30080
888	拱	D9CA	9D69	5AE0	594A	I3Z40080
889	擗	D9CB	9D6A	5AE1	594B	I3Z50080
890	挂	D9CC	9D6B	5AE2	594C	I3Z60080
891	掣	D9CD	9D6C	5AE3	594D	I3Z70080
892	拯	D9CE	9D6D	5AE4	594E	I3Z80080
893	拵	D9CF	9D6E	5AE5	594F	I3Z90080
894	捐	D9D0	9D6F	5AE7	5950	I3ZB0080
895	挟	D9D1	9D70	5AE9	5951	I3ZD0080
896	捍	D9D2	9D71	5AE8	5952	I3ZC0080
897	搜	D9D3	9D72	5B48	5953	I4080080
898	捏	D9D4	9D73	5AEA	5954	I3ZE0080
899	掖	D9D5	9D74	5AEB	5955	I3ZF0080
900	揜	D9D6	9D75	5AEC	5956	I3ZG0080
901	掀	D9D7	9D76	5AED	5957	I3ZH0080
902	掀	D9D8	9D77	5AEE	5958	I3ZI0080
903	捶	D9D9	9D78	5AEF	5959	I3ZJ0080
904	掣	D9DA	9D79	5AF0	595A	I3ZK0080
905	掏	D9DB	9D7A	5AF1	595B	I3ZL0080
906	掉	D9DC	9D7B	5AF2	595C	I3ZM0080
907	掟	D9DD	9D7C	5AF3	595D	I3ZN0080
908	掬	D9DE	9D7D	5AF6	595E	I3ZQ0080
909	捫	D9DF	9D7E	5AF4	595F	I3ZO0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 36 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
910	振	D9E0	9D80	5AF5	5960	I3ZP0080
911	掾	D9E1	9D81	5AF7	5961	I3ZR0080
912	措	D9E2	9D82	5AF8	5962	I3ZS0080
913	揀	D9E3	9D83	5AF9	5963	I3ZT0080
914	揆	D9E4	9D84	5AFA	5964	I3ZU0080
915	揣	D9E5	9D85	5AFC	5965	I3ZW0080
916	揉	D9E6	9D86	5AFD	5966	I3ZX0080
917	插	D9E7	9D87	5AFE	5967	I3ZY0080
918	挪	D9E8	9D88	5B41	5968	I4010080
919	揄	D9E9	9D89	5B42	5969	I4020080
920	搖	D9EA	9D8A	5B4C	596A	I40C0080
921	牽	D9EB	9D8B	5B43	596B	I4030080
922	搆	D9EC	9D8C	5B44	596C	I4040080
923	搓	D9ED	9D8D	5B45	596D	I4050080
924	搦	D9EE	9D8E	5B46	596E	I4060080
925	搶	D9EF	9D8F	5B47	596F	I4070080
926	搨	D9F0	9D90	5B71	5970	I41D0080
927	搗	D9F1	9D91	5B49	5971	I4090080
928	搦	D9F2	9D92	5B4A	5972	I40A0080
929	搏	D9F3	9D93	5B4B	5973	I40B0080
930	摧	D9F4	9D94	5B4E	5974	I40E0080
931	摯	D9F5	9D95	5B4F	5975	I40F0080
932	搏	D9F6	9D96	5B51	5976	I40H0080
933	摻	D9F7	9D97	5B4D	5977	I40D0080
934	攪	D9F8	8A68	527F	5978	I2PR0080
935	撕	D9F9	9D99	5B55	5979	I40L0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 37 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
936	撓	D9FA	9D9A	5B57	597A	I40N0080
937	撥	D9FB	9D9B	5B58	597B	I40O0080
938	撩	D9FC	9D9C	5B59	597C	I40P0080
939	撈	D9FD	9D9D	5B5A	597D	I40Q0080
940	撼	D9FE	9D9E	5B5B	597E	I40R0080
941	據	DAA1	9D9F	5B5C	5A21	I40S0080
942	擒	DAA2	9DA0	5B5D	5A22	I40T0080
943	擅	DAA3	9DA1	5B5E	5A23	I40U0080
944	擇	DAA4	9DA2	5B5F	5A24	I40V0080
945	撻	DAA5	9DA3	5B56	5A25	I40M0080
946	擘	DAA6	9DA4	5B61	5A26	I40X0080
947	搗	DAA7	9DA5	5B62	5A27	I40Y0080
948	攔	DAA8	9DA6	5B63	5A28	I40Z0080
949	舉	DAA9	9DA7	5B64	5A29	I4100080
950	舉	DAAA	9DA8	5778	5A2A	I3G80080
951	擠	DAAB	9DA9	5B65	5A2B	I4110080
952	擡	DAAC	9DAA	5B66	5A2C	I4120080
953	抬	DAAD	9DAB	5AD3	5A2D	I3YR0080
954	擣	DAAE	9DAC	5B67	5A2E	I4130080
955	擯	DAAF	9DAD	5B68	5A2F	I4140080
956	攬	DAB0	9DAE	5B76	5A30	I41I0080
957	擗	DAB1	9DAF	5B6A	5A31	I4160080
958	擴	DAB2	9DB0	5B69	5A32	I4150080
959	擲	DAB3	9DB1	5B6B	5A33	I4170080
960	擺	DAB4	9DB2	5B6C	5A34	I4180080
961	攀	DAB5	9DB3	5B6D	5A35	I4190080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 38 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
962	攪	DAB6	9DB4	5B6E	5A36	I41A0080
963	攘	DAB7	9DB5	5B6F	5A37	I41B0080
964	攜	DAB8	9DB6	5B70	5A38	I41C0080
965	攢	DAB9	9DB7	5B72	5A39	I41E0080
966	攤	DABA	9DB8	5B73	5A3A	I41F0080
967	擥	DABB	9DB9	5B74	5A3B	I41G0080
968	攪	DABC	9DBA	5B75	5A3C	I41H0080
969	攴	DABD	9DBB	5B77	5A3D	I41J0080
970	攵	DABE	9DBC	5B78	5A3E	I41K0080
971	攷	DABF	9DBD	5B79	5A3F	I41L0080
972	攸	DAC0	9DBE	5B7A	5A40	I41M0080
973	攸	DAC1	9DBF	5B7B	5A41	I41N0080
974	攸	DAC2	9DC0	5B7C	5A42	I41O0080
975	攸	DAC3	9DC1	5B7D	5A43	I41P0080
976	攸	DAC4	9DC2	5B7F	5A44	I41R0080
977	攸	DAC5	9DC3	5B82	5A45	I41U0080
978	攸	DAC6	9DC4	5B80	5A46	I41S0080
979	攸	DAC7	9DC5	5B81	5A47	I41T0080
980	攸	DAC8	9DC6	51B1	5A48	I2LT0080
981	攸	DAC9	9DC7	5B83	5A49	I41V0080
982	攸	DACA	9DC8	5B84	5A4A	I41W0080
983	數	DACB	9DC9	5B85	5A4B	I41X0080
984	斂	DACC	9DCA	5B86	5A4C	I41Y0080
985	斂	DACD	9DCB	5B87	5A4D	I41Z0080
986	斂	DACE	9DCC	5B88	5A4E	I4200080
987	斛	DACF	9DCD	5B89	5A4F	I4210080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 39 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
988	斟	DAD0	9DCE	5B8A	5A50	I4220080
989	斫	DAD1	9DCF	5B8B	5A51	I4230080
990	斷	DAD2	9DD0	5B8C	5A52	I4240080
991	旃	DAD3	9DD1	5B8D	5A53	I4250080
992	旃	DAD4	9DD2	5B8E	5A54	I4260080
993	旁	DAD5	9DD3	5B8F	5A55	I4270080
994	旄	DAD6	9DD4	5B90	5A56	I4280080
995	旌	DAD7	9DD5	5B91	5A57	I4290080
996	旒	DAD8	9DD6	5B92	5A58	I42A0080
997	旛	DAD9	9DD7	5165	5A59	I2JP0080
998	幡	DADA	9DD8	5B93	5A5A	I42B0080
999	无	DADB	9DD9	5B95	5A5B	I42D0080
1000	无	DADC	9DDA	5B94	5A5C	I42C0080
1001	旱	DADD	9DDB	5B96	5A5D	I42E0080
1002	杲	DADE	9DDC	5B9A	5A5E	I42I0080
1003	昊	DADF	9DDD	528E	5A5F	I2Q60080
1004	昃	DAE0	9DDE	5B9B	5A60	I42J0080
1005	昃	DAE1	9DDF	5B9C	5A61	I42K0080
1006	杳	DAE2	9DE0	5BE0	5A62	I44G0080
1007	昵	DAE3	9DE1	5B9F	5A63	I42N0080
1008	昶	DAE4	9DE2	5193	5A64	I2KZ0080
1009	昴	DAE5	9DE3	5BA2	5A65	I42Q0080
1010	昴	DAE6	9DE4	5BA3	5A66	I42R0080
1011	晏	DAE7	9DE5	51EA	5A67	I2NE0080
1012	眺	DAE8	9DE6	5BA5	5A68	I42T0080
1013	晉	DAE9	9DE7	5BA6	5A69	I42U0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 40 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1014	晁	DAEA	9DE8	5251	5A6A	I2OH0080
1015	晞	DAEB	9DE9	5BA9	5A6B	I42X0080
1016	晝	DAEC	9DEA	5BAD	5A6C	I4310080
1017	晤	DAED	9DEB	5BAA	5A6D	I42Y0080
1018	皓	DAEE	9DEC	50A0	5A6E	I2G00080
1019	晨	DAEF	9DED	51B2	5A6F	I2LU0080
1020	晟	DAF0	9DEE	4FCE	5A70	I2BY0080
1021	晷	DAF1	9DEF	5BAC	5A71	I4300080
1022	晰	DAF2	9DF0	5BB0	5A72	I4340080
1023	晷	DAF3	9DF1	5BB1	5A73	I4350080
1024	暈	DAF4	9DF2	5BB2	5A74	I4360080
1025	暎	DAF5	9DF3	4FAB	5A75	I2AZ0080
1026	暉	DAF6	9DF4	4ED1	5A76	I26P0080
1027	暄	DAF7	9DF5	5BB3	5A77	I4370080
1028	暘	DAF8	9DF6	5BB5	5A78	I4390080
1029	暝	DAF9	9DF7	5BB7	5A79	I43B0080
1030	暨	DAFA	9DF8	5BBA	5A7A	I43E0080
1031	暹	DAFB	9DF9	5243	5A7B	I2O30080
1032	曉	DAFC	9DFA	5BBC	5A7C	I43G0080
1033	暎	DAFD	9DFB	5BBD	5A7D	I43H0080
1034	瞥	DAFE	9DFC	5BBE	5A7E	I43I0080
1035	曄	DBA1	9E40	5BB9	5B21	I43D0080
1036	瞭	DBA2	9E41	5BBF	5B22	I43J0080
1037	曖	DBA3	9E42	5BC0	5B23	I43K0080
1038	曠	DBA4	9E43	5BC1	5B24	I43L0080
1039	曠	DBA5	9E44	51CC	5B25	I2MK0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 41 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1040	眩	DBA6	9E45	5B9E	5B26	I42M0080
1041	曦	DBA7	9E46	5BC2	5B27	I43M0080
1042	曩	DBA8	9E47	5BC3	5B28	I43N0080
1043	日	DBA9	9E48	5BC4	5B29	I43O0080
1044	曳	DBAA	9E49	5BC5	5B2A	I43P0080
1045	曷	DBAB	9E4A	5BC6	5B2B	I43Q0080
1046	肫	DBAC	9E4B	54FD	5B2C	I33X0080
1047	腺	DBAD	9E4C	5BCA	5B2D	I43U0080
1048	莽	DBAE	9E4D	5BCB	5B2E	I43V0080
1049	朦	DBAF	9E4E	5BCD	5B2F	I43X0080
1050	隴	DBB0	9E4F	5BCE	5B30	I43Y0080
1051	霸	DBB1	9E50	5BCF	5B31	I43Z0080
1052	朮	DBB2	9E51	5BD0	5B32	I4400080
1053	束	DBB3	9E52	5BD1	5B33	I4410080
1054	朶	DBB4	9E53	5BD2	5B34	I4420080
1055	杩	DBB5	9E54	534F	5B35	I2TR0080
1056	杣	DBB6	9E55	5BD4	5B36	I4440080
1057	杣	DBB7	9E56	5BD3	5B37	I4430080
1058	杆	DBB8	9E57	5BD5	5B38	I4450080
1059	杞	DBB9	9E58	5BD6	5B39	I4460080
1060	杠	DBBA	9E59	5480	5B3A	I30G0080
1061	杙	DBBB	9E5A	5BD7	5B3B	I4470080
1062	杣	DBBC	9E5B	5291	5B3C	I2Q90080
1063	朽	DBBD	9E5C	5BD9	5B3D	I4490080
1064	枉	DBBE	9E5D	5BDA	5B3E	I44A0080
1065	杰	DBBF	9E5E	5BDC	5B3F	I44C0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 42 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1066	黍	DBC0	9E5F	5BDD	5B40	I44D0080
1067	杼	DBC1	9E60	54DF	5B41	I3330080
1068	杪	DBC2	9E61	5BDE	5B42	I44E0080
1069	粉	DBC3	9E62	54F2	5B43	I33M0080
1070	枋	DBC4	9E63	5BDF	5B44	I44F0080
1071	栎	DBC5	9E64	5BE1	5B45	I44H0080
1072	枘	DBC6	9E65	5BE2	5B46	I44I0080
1073	枿	DBC7	9E66	5BDB	5B47	I44B0080
1074	枷	DBC8	9E67	5BE4	5B48	I44K0080
1075	柯	DBC9	9E68	5BE5	5B49	I44L0080
1076	枒	DBCA	9E69	5BE6	5B4A	I44M0080
1077	束	DBCB	9E6A	5BE7	5B4B	I44N0080
1078	枳	DBCC	9E6B	54C9	5B4C	I32H0080
1079	柩	DBCD	9E6C	5BE8	5B4D	I44O0080
1080	枸	DBCE	9E6D	5BE9	5B4E	I44P0080
1081	柂	DBCF	9E6E	5BEB	5B4F	I44R0080
1082	柅	DBD0	9E6F	54F3	5B50	I33N0080
1083	柆	DBD1	9E70	5BED	5B51	I44T0080
1084	柇	DBD2	9E71	5BEE	5B52	I44U0080
1085	柈	DBD3	9E72	5BEF	5B53	I44V0080
1086	枹	DBD4	9E73	5BF2	5B54	I44Y0080
1087	柉	DBD5	9E74	5BF1	5B55	I44X0080
1088	柊	DBD6	9E75	5BF4	5B56	I4500080
1089	柋	DBD7	9E76	5BEA	5B57	I44Q0080
1090	柌	DBD8	954F	4D55	5B58	I1XX0080
1091	柍	DBD9	9E78	5BF5	5B59	I4510080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 43 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1092	框	DBDA	9E79	5BF6	5B5A	I4520080
1093	栩	DBDB	9E7A	52DE	5B5B	I2SE0080
1094	桀	DBDC	9E7B	5BF8	5B5C	I4540080
1095	栲	DBDD	9E7C	5BF7	5B5D	I4530080
1096	栲	DBDE	9E7D	5BFA	5B5E	I4560080
1097	桎	DBDF	9E7E	5BFB	5B5F	I4570080
1098	梳	DBE0	9E80	5361	5B60	I2U90080
1099	栲	DBE1	9E81	52E2	5B61	I2SI0080
1100	梓	DBE2	9E82	5BFD	5B62	I4590080
1101	档	DBE3	9E83	5BFC	5B63	I4580080
1102	桷	DBE4	9E84	5C41	5B64	I45D0080
1103	榫	DBE5	9E85	5C42	5B65	I45E0080
1104	梟	DBE6	9E86	5C43	5B66	I45F0080
1105	桔	DBE7	9E87	5C45	5B67	I45H0080
1106	梭	DBE8	9E88	5C46	5B68	I45I0080
1107	梔	DBE9	9E89	5C47	5B69	I45J0080
1108	條	DBEA	9E8A	4E92	5B6A	I24Y0080
1109	椰	DBEB	9E8B	53BC	5B6B	I2WS0080
1110	梃	DBEC	9E8C	5C48	5B6C	I45K0080
1111	檣	DBED	938E	545D	5B6D	I2ZH0080
1112	栢	DBEE	9E8E	5C4A	5B6E	I45M0080
1113	桴	DBEF	9E8F	5C4B	5B6F	I45N0080
1114	梵	DBF0	9E90	5C4C	5B70	I45O0080
1115	栢	DBF1	9E91	52C6	5B71	I2RQ0080
1116	桴	DBF2	9E92	5C4D	5B72	I45P0080
1117	桴	DBF3	9E93	5C4E	5B73	I45Q0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 44 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1118	檣	DBF4	9E94	5BFE	5B74	I45A0080
1119	楮	DBF5	9E95	5C44	5B75	I45G0080
1120	桴	DBF6	9E96	5C4F	5B76	I45R0080
1121	棊	DBF7	9E97	5C50	5B77	I45S0080
1122	櫛	DBF8	9E98	5C51	5B78	I45T0080
1123	棘	DBF9	9E99	5C52	5B79	I45U0080
1124	榎	DBFA	9E9A	5C61	5B7A	I4690080
1125	榜	DBFB	9E9B	5C53	5B7B	I45V0080
1126	櫚	DBFC	9E9C	5C54	5B7C	I45W0080
1127	控	DBFD	9E9D	5C55	5B7D	I45X0080
1128	楳	DBFE	9E9E	5C56	5B7E	I45Y0080
1129	榎	DCA1	9E9F	5C57	5C21	I45Z0080
1130	棧	DCA2	9EA0	5C58	5C22	I4600080
1131	棕	DCA3	9EA1	5C59	5C23	I4610080
1132	樓	DCA4	9EA2	5C69	5C24	I46H0080
1133	椒	DCA5	9EA3	5C5A	5C25	I4620080
1134	接	DCA6	9EA4	5C5C	5C26	I4640080
1135	棗	DCA7	9EA5	54C2	5C27	I32A0080
1136	棣	DCA8	9EA6	5C5D	5C28	I4650080
1137	柳	DCA9	9EA7	53FA	5C29	I2YI0080
1138	棹	DCAA	9EA8	5494	5C2A	I3100080
1139	棠	DCAB	9EA9	5C5E	5C2B	I4660080
1140	楸	DCAC	9EAA	5C5B	5C2C	I4630080
1141	榑	DCAD	9EAB	5C65	5C2D	I46D0080
1142	楸	DCAE	9EAC	5C62	5C2E	I46A0080
1143	櫚	DCAF	9EAD	5370	5C2F	I2UO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 45 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1144	襖	DCB0	9EAE	5C64	5C30	I46C0080
1145	櫛	DCB1	9EAF	5C63	5C31	I46B0080
1146	櫛	DCB2	9EB0	5C60	5C32	I4680080
1147	櫛	DCB3	9EB1	5C67	5C33	I46F0080
1148	櫛	DCB4	9EB2	5C68	5C34	I46G0080
1149	櫛	DCB5	9EB3	54E2	5C35	I3360080
1150	櫛	DCB6	9EB4	5C6A	5C36	I46I0080
1151	櫛	DCB7	9EB5	54A2	5C37	I31E0080
1152	櫛	DCB8	9EB6	5C6B	5C38	I46J0080
1153	櫛	DCB9	9EB7	5C74	5C39	I46S0080
1154	櫛	DCBA	9EB8	53EF	5C3A	I2Y70080
1155	櫛	DCBB	9EB9	52ED	5C3B	I2ST0080
1156	櫛	DCBC	9EBA	5C6D	5C3C	I46L0080
1157	櫛	DCBD	9EBB	5C6F	5C3D	I46N0080
1158	櫛	DCBE	9EBC	5C70	5C3E	I46O0080
1159	櫛	DCBF	9EBD	5C71	5C3F	I46P0080
1160	櫛	DCC0	9EBE	527C	5C40	I2PO0080
1161	櫛	DCC1	9EBF	5C72	5C41	I46Q0080
1162	櫛	DCC2	9EC0	5C73	5C42	I46R0080
1163	櫛	DCC3	9EC1	5C75	5C43	I46T0080
1164	櫛	DCC4	9EC2	5C6C	5C44	I46K0080
1165	櫛	DCC5	9EC3	5C76	5C45	I46U0080
1166	櫛	DCC6	9EC4	514A	5C46	I2IY0080
1167	櫛	DCC7	9EC5	548C	5C47	I30S0080
1168	櫛	DCC8	9EC6	5C77	5C48	I46V0080
1169	櫛	DCC9	9EC7	5C7A	5C49	I46Y0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 46 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1170	楨	DCCA	9EC8	5C7B	5C4A	I46Z0080
1171	槽	DCCB	9EC9	5C7C	5C4B	I4700080
1172	槎	DCCC	9ECA	5C7D	5C4C	I4710080
1173	寨	DCCD	9ECB	5C7E	5C4D	I4720080
1174	槲	DCCE	9ECC	5C7F	5C4E	I4730080
1175	槁	DCCF	9ECD	5C81	5C4F	I4750080
1176	榻	DCD0	9ECE	5C82	5C50	I4760080
1177	槃	DCD1	9ECF	5C83	5C51	I4770080
1178	榧	DCD2	9ED0	538D	5C52	I2VH0080
1179	榧	DCD3	9ED1	5C88	5C53	I47C0080
1180	榑	DCD4	9ED2	5476	5C54	I3060080
1181	榧	DCD5	9ED3	5C84	5C55	I4780080
1182	榜	DCD6	9ED4	5C85	5C56	I4790080
1183	榕	DCD7	9ED5	5C86	5C57	I47A0080
1184	榴	DCD8	9ED6	53B2	5C58	I2WI0080
1185	橿	DCD9	9ED7	5C87	5C59	I47B0080
1186	榑	DCDA	9ED8	5C89	5C5A	I47D0080
1187	樂	DCDB	9ED9	5C8A	5C5B	I47E0080
1188	榑	DCDC	9EDA	5C8B	5C5C	I47F0080
1189	槿	DCDD	9EDB	5C8C	5C5D	I47G0080
1190	權	DCDE	9EDC	5CC1	5C5E	I48X0080
1191	榑	DCDF	9EDD	5C8D	5C5F	I47H0080
1192	榑	DCE0	9EDE	5C8E	5C60	I47I0080
1193	槩	DCE1	9EDF	5C8F	5C61	I47J0080
1194	樅	DCE2	9EE0	53BB	5C62	I2WR0080
1195	榑	DCE3	9EE1	5C80	5C63	I4740080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 47 of 62). JIS Second Level Kanji Set (1 of 2), EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1196	樞	DCE4	9EE2	5C91	5C64	I47L0080
1197	械	DCE5	9EE3	5C92	5C65	I47M0080
1198	櫟	DCE6	9EE4	5C93	5C66	I47N0080
1199	樽	DCE7	9EE5	5C94	5C67	I47O0080
1200	樊	DCE8	9EE6	5C95	5C68	I47P0080
1201	櫛	DCE9	9EE7	5C97	5C69	I47R0080
1202	櫛	DCEA	9EE8	5CB7	5C6A	I48N0080
1203	様	DCEB	9EE9	5C98	5C6B	I47S0080
1204	樓	DCEC	9EEA	5C99	5C6C	I47T0080
1205	橄	DCED	9EEB	5C9C	5C6D	I47W0080
1206	慣	DCEE	9EEC	5C9D	5C6E	I47X0080
1207	櫓	DCEF	9EED	5CA8	5C6F	I4880080
1208	櫓	DCF0	9EEE	5C9F	5C70	I47Z0080
1209	楯	DCF1	9EEF	5CA0	5C71	I4800080
1210	櫓	DCF2	9EF0	5CA1	5C72	I4810080
1211	櫓	DCF3	9EF1	5CA2	5C73	I4820080
1212	橙	DCF4	9EF2	5CA3	5C74	I4830080
1213	櫓	DCF5	9EF3	5CA4	5C75	I4840080
1214	櫓	DCF6	9EF4	5CA5	5C76	I4850080
1215	櫓	DCF7	9EF5	5CA7	5C77	I4870080
1216	鳩	DCF8	9EF6	5C96	5C78	I47Q0080
1217	檐	DCF9	9EF7	5CAA	5C79	I48A0080
1218	櫓	DCFA	9EF8	5CAB	5C7A	I48B0080
1219	檠	DCFB	9EF9	5C9E	5C7B	I47Y0080
1220	橄	DCFC	9EFA	5CAC	5C7C	I48C0080
1221	檢	DCFD	9EFB	5CAD	5C7D	I48D0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 48 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1222	櫓	DCFE	9EFC	5CAE	5C7E	I48E0080
1223	櫓	DDA1	9F40	5CB0	5D21	I48G0080
1224	櫓	DDA2	9F41	5CBE	5D22	I48U0080
1225	櫓	DDA3	9F42	5CB3	5D23	I48J0080
1226	櫓	DDA4	9F43	528B	5D24	I2Q30080
1227	櫓	DDA5	9F44	5CB4	5D25	I48K0080
1228	櫓	DDA6	9F45	5CB5	5D26	I48L0080
1229	櫓	DDA7	9F46	5CB6	5D27	I48M0080
1230	櫓	DDA8	9F47	5CB1	5D28	I48H0080
1231	櫓	DDA9	9F48	5CB8	5D29	I48O0080
1232	櫓	DDAA	9F49	5CBA	5D2A	I48Q0080
1233	櫓	DDAB	9F4A	5362	5D2B	I2UA0080
1234	櫓	DDAC	9F4B	5CB2	5D2C	I48I0080
1235	櫓	DDAD	9F4C	5CBB	5D2D	I48R0080
1236	櫓	DDAE	9F4D	5CBF	5D2E	I48V0080
1237	櫓	DDAF	9F4E	52EE	5D2F	I2SU0080
1238	櫓	DDB0	9F4F	5CC0	5D30	I48W0080
1239	櫓	DDB1	9F50	5CBD	5D31	I48T0080
1240	櫓	DDB2	9F51	5CC2	5D32	I48Y0080
1241	櫓	DDB3	9F52	5CC3	5D33	I48Z0080
1242	櫓	DDB4	9F53	5CC4	5D34	I4900080
1243	櫓	DDB5	9F54	6786	5D35	I5TY0080
1244	櫓	DDB6	9F55	5CC5	5D36	I4910080
1245	欸	DDB7	9F56	5CC6	5D37	I4920080
1246	欸	DDB8	9F57	5CC7	5D38	I4930080
1247	盜	DDB9	9F58	5CC9	5D39	I4950080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 49 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1248	歛	DDBA	9F59	5CC8	5D3A	I4940080
1249	飲	DDBB	9F5A	5CCA	5D3B	I4960080
1250	歎	DDBC	9F5B	5CCB	5D3C	I4970080
1251	歃	DDBD	9F5C	5CCC	5D3D	I4980080
1252	歎	DDBE	9F5D	5CCD	5D3E	I4990080
1253	歐	DDBF	9F5E	5CCE	5D3F	I49A0080
1254	歛	DDC0	9F5F	5CCF	5D40	I49B0080
1255	歃	DDC1	9F60	5CD0	5D41	I49C0080
1256	歃	DDC2	9F61	5CD1	5D42	I49D0080
1257	歃	DDC3	9F62	5CD2	5D43	I49E0080
1258	歡	DDC4	9F63	5CD3	5D44	I49F0080
1259	歸	DDC5	9F64	5CD4	5D45	I49G0080
1260	歹	DDC6	9F65	5CD5	5D46	I49H0080
1261	歃	DDC7	9F66	5CD6	5D47	I49I0080
1262	歃	DDC8	9F67	5CD7	5D48	I49J0080
1263	殄	DDC9	9F68	5CD8	5D49	I49K0080
1264	殄	DDCA	9F69	5CD9	5D4A	I49L0080
1265	殄	DDCB	9F6A	5CDA	5D4B	I49M0080
1266	殘	DDCC	9F6B	5CDB	5D4C	I49N0080
1267	殄	DDCD	9F6C	5CDC	5D4D	I49O0080
1268	殄	DDCE	9F6D	5CDD	5D4E	I49P0080
1269	殄	DDCF	9F6E	5CDE	5D4F	I49Q0080
1270	殄	DDD0	9F6F	5CDF	5D50	I49R0080
1271	殄	DDD1	9F70	5CE0	5D51	I49S0080
1272	殄	DDD2	9F71	5CE1	5D52	I49T0080
1273	殄	DDD3	9F72	5CE3	5D53	I49V0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 50 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1274	殲	DDD4	9F73	5CE2	5D54	I49U0080
1275	爰	DDD5	9F74	5CE4	5D55	I49W0080
1276	殷	DDD6	9F75	5CE5	5D56	I49X0080
1277	殼	DDD7	9F76	5CE6	5D57	I49Y0080
1278	毆	DDD8	9F77	5CE7	5D58	I49Z0080
1279	毋	DDD9	9F78	5CE8	5D59	I4A00080
1280	毓	DDDA	9F79	5CE9	5D5A	I4A10080
1281	毳	DDDB	9F7A	5CEB	5D5B	I4A30080
1282	毬	DDDC	9F7B	5CEC	5D5C	I4A40080
1283	毫	DDDD	9F7C	5CED	5D5D	I4A50080
1284	毳	DDDE	9F7D	5CEE	5D5E	I4A60080
1285	毳	DDDF	9F7E	5CEF	5D5F	I4A70080
1286	靡	DDE0	9F80	6851	5D60	I5XT0080
1287	氈	DDE1	9F81	5CF0	5D61	I4A80080
1288	氈	DDE2	9F82	5CF1	5D62	I4A90080
1289	气	DDE3	9F83	5CF2	5D63	I4AA0080
1290	氛	DDE4	9F84	5CF3	5D64	I4AB0080
1291	氫	DDE5	9F85	5CF4	5D65	I4AC0080
1292	氣	DDE6	9F86	5CF5	5D66	I4AD0080
1293	汞	DDE7	9F87	5CF7	5D67	I4AF0080
1294	汕	DDE8	9F88	5CF8	5D68	I4AG0080
1295	汙	DDE9	9F89	5CFA	5D69	I4AI0080
1296	汪	DDEA	9F8A	52B4	5D6A	I2R80080
1297	沂	DDEB	9F8B	5CFB	5D6B	I4AJ0080
1298	洹	DDEC	9F8C	5CFC	5D6C	I4AK0080
1299	洹	DDED	9F8D	5D41	5D6D	I4AP0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 51 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1300	沁	DDEE	9F8E	5D42	5D6E	I4AQ0080
1301	沛	DDEF	9F8F	5D43	5D6F	I4AR0080
1302	汾	DDF0	9F90	5D44	5D70	I4AS0080
1303	汨	DDF1	9F91	5D45	5D71	I4AT0080
1304	返	DDF2	9F92	5D46	5D72	I4AU0080
1305	沒	DDF3	9F93	5D47	5D73	I4AV0080
1306	沐	DDF4	9F94	5D48	5D74	I4AW0080
1307	泄	DDF5	9F95	5D49	5D75	I4AX0080
1308	洑	DDF6	9F96	5D4A	5D76	I4AY0080
1309	泓	DDF7	9F97	54D7	5D77	I32V0080
1310	沽	DDF8	9F98	5D4B	5D78	I4AZ0080
1311	泗	DDF9	9F99	55C6	5D79	I37Q0080
1312	泗	DDFA	9F9A	5D4C	5D7A	I4B00080
1313	泝	DDFB	9F9B	5D4F	5D7B	I4B30080
1314	沮	DDFC	9F9C	5D4D	5D7C	I4B10080
1315	沱	DDFD	9F9D	5D50	5D7D	I4B40080
1316	沾	DDFE	9F9E	5D51	5D7E	I4B50080
1317	涸	DEA1	9F9F	5D52	5E21	I4B60080
1318	泛	DEA2	9FA0	5D53	5E22	I4B70080
1319	混	DEA3	9FA1	5D54	5E23	I4B80080
1320	浮	DEA4	9FA2	5D55	5E24	I4B90080
1321	涓	DEA5	9FA3	5D56	5E25	I4BA0080
1322	洩	DEA6	9FA4	5D57	5E26	I4BB0080
1323	衍	DEA7	9FA5	6370	5E27	I5800080
1324	洵	DEA8	9FA6	5D59	5E28	I4BD0080
1325	洫	DEA9	9FA7	5D5A	5E29	I4BE0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 52 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1326	洽	DEAA	9FA8	5D5B	5E2A	I4BF0080
1327	洸	DEAB	9FA9	50BC	5E2B	I2GS0080
1328	洺	DEAC	9FAA	52B6	5E2C	I2RA0080
1329	洵	DEAD	9FAB	52AC	5E2D	I2R00080
1330	洵	DEAE	9FAC	5D5C	5E2E	I4BG0080
1331	洵	DEAF	9FAD	5D5D	5E2F	I4BH0080
1332	洵	DEB0	9FAE	5D5E	5E30	I4BI0080
1333	洵	DEB1	9FAF	5D5F	5E31	I4BJ0080
1334	洵	DEB2	9FB0	5D61	5E32	I4BL0080
1335	洵	DEB3	9FB1	5D63	5E33	I4BN0080
1336	洵	DEB4	9FB2	5D64	5E34	I4BO0080
1337	洵	DEB5	9FB3	5D65	5E35	I4BP0080
1338	洵	DEB6	9FB4	5D66	5E36	I4BQ0080
1339	洵	DEB7	9FB5	5D67	5E37	I4BR0080
1340	洵	DEB8	9FB6	5D68	5E38	I4BS0080
1341	洵	DEB9	9393	51D2	5E39	I2MQ0080
1342	洵	DEBA	9FB8	5D6A	5E3A	I4BU0080
1343	洵	DEBB	9FB9	5D6C	5E3B	I4BW0080
1344	洵	DEBC	9FBA	5164	5E3C	I2JO0080
1345	洵	DEBD	9FBB	5D6D	5E3D	I4BX0080
1346	洵	DEBE	9FBC	5D6F	5E3E	I4BZ0080
1347	洵	DEBF	9FBD	5D71	5E3F	I4C10080
1348	洵	DEC0	9FBE	5D70	5E40	I4C00080
1349	洵	DEC1	9FBF	5D73	5E41	I4C30080
1350	洵	DEC2	9FC0	5D75	5E42	I4C50080
1351	洵	DEC3	9FC1	5D76	5E43	I4C60080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 53 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1352	淞	DEC4	9FC2	5D77	5E44	I4C70080
1353	滄	DEC5	9FC3	5D78	5E45	I4C80080
1354	淨	DEC6	9FC4	5D79	5E46	I4C90080
1355	淒	DEC7	9FC5	5D7B	5E47	I4CB0080
1356	漸	DEC8	9FC6	5D7C	5E48	I4CC0080
1357	淺	DEC9	9FC7	5D7D	5E49	I4CD0080
1358	淙	DECA	9FC8	5D7E	5E4A	I4CE0080
1359	淤	DECB	9FC9	5D81	5E4B	I4CH0080
1360	漑	DECC	9FCA	5D82	5E4C	I4CI0080
1361	淪	DECD	9FCB	5D83	5E4D	I4CJ0080
1362	淮	DECE	9FCC	5D84	5E4E	I4CK0080
1363	渭	DECF	9FCD	5D85	5E4F	I4CL0080
1364	澗	DED0	9FCE	5D86	5E50	I4CM0080
1365	澗	DED1	9FCF	5D6E	5E51	I4BY0080
1366	渙	DED2	9FD0	5D87	5E52	I4CN0080
1367	浚	DED3	9FD1	5D88	5E53	I4CO0080
1368	滄	DED4	9FD2	5D89	5E54	I4CP0080
1369	渾	DED5	9FD3	5D8B	5E55	I4CR0080
1370	渣	DED6	9FD4	5D8C	5E56	I4CS0080
1371	湫	DED7	9FD5	5D8D	5E57	I4CT0080
1372	澗	DED8	9FD6	5D8F	5E58	I4CV0080
1373	澗	DED9	9FD7	5D90	5E59	I4CW0080
1374	湍	DEDA	9FD8	5D91	5E5A	I4CX0080
1375	澗	DEDB	9FD9	5D92	5E5B	I4CY0080
1376	澗	DEDC	9FDA	5D94	5E5C	I4D00080
1377	澗	DEDD	9FDB	5D96	5E5D	I4D20080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 54 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1378	漚	DEDE	9FDC	5D97	5E5E	I4D30080
1379	漑	DEDF	9FDD	5D98	5E5F	I4D40080
1380	漒	DEE0	9FDE	5DB4	5E60	I4DW0080
1381	漓	DEE1	9FDF	5D99	5E61	I4D50080
1382	演	DEE2	9FE0	5D9A	5E62	I4D60080
1383	漕	DEE3	9FE1	5D9B	5E63	I4D70080
1384	漖	DEE4	9FE2	5D9C	5E64	I4D80080
1385	漗	DEE5	9FE3	5D9D	5E65	I4D90080
1386	漘	DEE6	9FE4	52A9	5E66	I2QX0080
1387	漙	DEE7	9FE5	5D9E	5E67	I4DA0080
1388	漚	DEE8	9FE6	524A	5E68	I2OA0080
1389	漛	DEE9	9FE7	5D9F	5E69	I4DB0080
1390	漜	DEEA	9FE8	5DA0	5E6A	I4DC0080
1391	漝	DEEB	9FE9	5DA1	5E6B	I4DD0080
1392	漞	DEEC	9FEA	5DA2	5E6C	I4DE0080
1393	漟	DEED	9FEB	5DA3	5E6D	I4DF0080
1394	漠	DEEE	9FEC	5DA4	5E6E	I4DG0080
1395	漡	DEEF	9FED	5DA5	5E6F	I4DH0080
1396	漢	DEF0	9FEE	5376	5E70	I2UU0080
1397	漣	DEF1	9FEF	5DA7	5E71	I4DJ0080
1398	漤	DEF2	9FF0	5DA8	5E72	I4DK0080
1399	漦	DEF3	9FF1	5DA9	5E73	I4DL0080
1400	漧	DEF4	9FF2	5575	5E74	I35H0080
1401	漨	DEF5	8AC1	53EA	5E75	I2Y20080
1402	漩	DEF6	9FF4	5DAB	5E76	I4DN0080
1403	漪	DEF7	9FF5	5DAC	5E77	I4DO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 55 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1404	滾	DEF8	9FF6	5DAD	5E78	I4DP0080
1405	漿	DEF9	9FF7	5DAE	5E79	I4DQ0080
1406	滲	DEFA	9FF8	5DAF	5E7A	I4DR0080
1407	漱	DEFB	9FF9	5DB0	5E7B	I4DS0080
1408	滯	DEFC	9FFA	5DB1	5E7C	I4DT0080
1409	漲	DEFD	9FFB	5DB2	5E7D	I4DU0080
1410	滌	DEFE	9FFC	5DB3	5E7E	I4DV0080
1411	漾	DFA1	E040	5DB5	5F21	I4DX0080
1412	漓	DFA2	E041	5DB6	5F22	I4DY0080
1413	滷	DFA3	E042	5DB7	5F23	I4DZ0080
1414	澆	DFA4	E043	5DB8	5F24	I4E00080
1415	潺	DFA5	E044	5DB9	5F25	I4E10080
1416	漚	DFA6	E045	5DBA	5F26	I4E20080
1417	澁	DFA7	E046	55A0	5F27	I36O0080
1418	澀	DFA8	E047	5DBB	5F28	I4E30080
1419	澇	DFA9	E048	5DBC	5F29	I4E40080
1420	潛	DFAA	E049	5DBD	5F2A	I4E50080
1421	潛	DFAB	E04A	5DE2	5F2B	I4F60080
1422	潭	DFAC	E04B	5DBE	5F2C	I4E60080
1423	澍	DFAD	E04C	5DC0	5F2D	I4E80080
1424	潼	DFAE	E04D	5DC2	5F2E	I4EA0080
1425	潘	DFAF	E04E	5DC3	5F2F	I4EB0080
1426	澎	DFB0	E04F	5DC5	5F30	I4ED0080
1427	漚	DFB1	E050	5DC6	5F31	I4EE0080
1428	濂	DFB2	E051	5DCF	5F32	I4EN0080
1429	潦	DFB3	E052	5DC7	5F33	I4EF0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 56 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1430	澳	DFB4	E053	5DC8	5F34	I4EG0080
1431	漈	DFB5	E054	5DC9	5F35	I4EH0080
1432	澡	DFB6	E055	5DCB	5F36	I4EJ0080
1433	澤	DFB7	E056	4E4B	5F37	I2Z20080
1434	澹	DFB8	E057	5DCC	5F38	I4EK0080
1435	漬	DFB9	E058	5DC4	5F39	I4EC0080
1436	澤	DFBA	E059	5DCE	5F3A	I4EM0080
1437	濟	DFBB	E05A	5DD0	5F3B	I4EO0080
1438	濕	DFBC	E05B	5DD1	5F3C	I4EP0080
1439	濬	DFBD	E05C	5DD2	5F3D	I4EQ0080
1440	瀾	DFBE	E05D	5DD4	5F3E	I4ES0080
1441	濶	DFBF	E05E	5DD3	5F3F	I4ER0080
1442	濱	DFC0	E05F	5055	5F40	I2DX0080
1443	濮	DFC1	E060	5DD6	5F41	I4EU0080
1444	濛	DFC2	E061	5DCD	5F42	I4EL0080
1445	瀉	DFC3	E062	5DD9	5F43	I4EX0080
1446	瀋	DFC4	E063	5DDA	5F44	I4EY0080
1447	濺	DFC5	E064	5DDB	5F45	I4EZ0080
1448	瀑	DFC6	E065	5DDC	5F46	I4F00080
1449	瀟	DFC7	E066	5DDD	5F47	I4F10080
1450	瀏	DFC8	E067	5DDE	5F48	I4F20080
1451	濾	DFC9	E068	5187	5F49	I2KN0080
1452	瀛	DFCA	E069	5DDF	5F4A	I4F30080
1453	瀚	DFCB	E06A	5DE0	5F4B	I4F40080
1454	瀦	DFCC	E06B	5DBF	5F4C	I4E70080
1455	瀝	DFCD	E06C	52B0	5F4D	I2R40080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 57 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1456	瀘	DFCE	E06D	5DE4	5F4E	I4F80080
1457	瀟	DFCF	E06E	5DE1	5F4F	I4F50080
1458	瀰	DFD0	E06F	5DE5	5F50	I4F90080
1459	瀾	DFD1	E070	5DE6	5F51	I4FA0080
1460	激	DFD2	E071	5DE7	5F52	I4FB0080
1461	灑	DFD3	E072	5DE8	5F53	I4FC0080
1462	灣	DFD4	E073	5DE9	5F54	I4FD0080
1463	炙	DFD5	E074	5DEB	5F55	I4FF0080
1464	炒	DFD6	E075	4FEE	5F56	I2CU0080
1465	炯	DFD7	E076	5DEC	5F57	I4FG0080
1466	炯	DFD8	E077	5DF7	5F58	I4FR0080
1467	炬	DFD9	E078	5DEE	5F59	I4FI0080
1468	炸	DFDA	E079	5DEF	5F5A	I4FJ0080
1469	炳	DFDB	E07A	52CD	5F5B	I2RX0080
1470	炮	DFDC	E07B	5DF0	5F5C	I4FK0080
1471	烟	DFDD	E07C	5DF1	5F5D	I4FL0080
1472	炁	DFDE	E07D	5DF2	5F5E	I4FM0080
1473	炁	DFDF	E07E	538C	5F5F	I2VG0080
1474	烙	DFE0	E080	5DF3	5F60	I4FN0080
1475	焉	DFE1	E081	5DF4	5F61	I4FO0080
1476	烽	DFE2	E082	5DF8	5F62	I4FS0080
1477	焜	DFE3	E083	5DF9	5F63	I4FT0080
1478	焙	DFE4	E084	5DFA	5F64	I4FU0080
1479	煥	DFE5	E085	5357	5F65	I2TZ0080
1480	熙	DFE6	EAA4	6885	5F66	I5Z90080
1481	熙	DFE7	E087	5E45	5F67	I4G50080
1482	煦	DFE8	E088	5DFE	5F68	I4FY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 58 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1483	熒	DFE9	E089	5E41	5F69	I4G10080
1484	煌	DFEA	E08A	5E42	5F6A	I4G20080
1485	煖	DFEB	E08B	5E43	5F6B	I4G30080
1486	煬	DFEC	E08C	5E44	5F6C	I4G40080
1487	熏	DFED	E08D	5E46	5F6D	I4G60080
1488	燠	DFEE	E08E	5E57	5F6E	I4GN0080
1489	熄	DFEF	E08F	5E47	5F6F	I4G70080
1490	煩	DFF0	E090	5E48	5F70	I4G80080
1491	熨	DFF1	E091	54BB	5F71	I3230080
1492	熬	DFF2	E092	5E4A	5F72	I4GA0080
1493	爛	DFF3	E093	5E52	5F73	I4GI0080
1494	烹	DFF4	E094	5E4C	5F74	I4GC0080
1495	熾	DFF5	E095	5E4D	5F75	I4GD0080
1496	燒	DFF6	E096	5E4E	5F76	I4GE0080
1497	燉	DFF7	E097	5E50	5F77	I4GG0080
1498	燔	DFF8	E098	5E51	5F78	I4GH0080
1499	療	DFF9	E099	5E53	5F79	I4GJ0080
1500	燠	DFFA	E09A	5E55	5F7A	I4GL0080
1501	燬	DFFB	E09B	5E56	5F7B	I4GM0080
1502	燧	DFFC	E09C	5E4F	5F7C	I4GF0080
1503	燧	DFFD	E09D	5E54	5F7D	I4GK0080
1504	燼	DFFE	E09E	5E58	5F7E	I4GO0080
1505	燹	E0A1	E09F	5E59	6021	I4GP0080
1506	燿	E0A2	E0A0	5E5B	6022	I4GR0080
1507	爍	E0A3	E0A1	5E5C	6023	I4GS0080
1508	爐	E0A4	E0A2	5E5D	6024	I4GT0080
1509	爍	E0A5	E0A3	537C	6025	I2V00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 59 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1510	攀	E0A6	E0A4	5E5E	6026	I4GU0080
1511	爭	E0A7	E0A5	5E5F	6027	I4GV0080
1512	爬	E0A8	E0A6	5E60	6028	I4GW0080
1513	爰	E0A9	E0A7	5E61	6029	I4GX0080
1514	爲	E0AA	E0A8	5E62	602A	I4GY0080
1515	爻	E0AB	E0A9	5E63	602B	I4GZ0080
1516	狙	E0AC	E0AA	5E64	602C	I4H00080
1517	片	E0AD	E0AB	5E65	602D	I4H10080
1518	牀	E0AE	E0AC	5E66	602E	I4H20080
1519	牆	E0AF	E0AD	5E67	602F	I4H30080
1520	牋	E0B0	E0AE	5E68	6030	I4H40080
1521	牘	E0B1	E0AF	5E69	6031	I4H50080
1522	牴	E0B2	E0B0	5E6A	6032	I4H60080
1523	牾	E0B3	E0B1	5E6B	6033	I4H70080
1524	犁	E0B4	E0B2	5E6E	6034	I4HA0080
1525	犁	E0B5	E0B3	5E6C	6035	I4H80080
1526	犇	E0B6	E0B4	5E6D	6036	I4H90080
1527	犏	E0B7	E0B5	5E6F	6037	I4HB0080
1528	犖	E0B8	E0B6	5E70	6038	I4HC0080
1529	犗	E0B9	E0B7	5E71	6039	I4HD0080
1530	犧	E0BA	E0B8	5E72	603A	I4HE0080
1531	犹	E0BB	E0B9	5E79	603B	I4HL0080
1532	豺	E0BC	E0BA	5E74	603C	I4HG0080
1533	狃	E0BD	E0BB	5E76	603D	I4HI0080
1534	狃	E0BE	E0BC	5E77	603E	I4HJ0080
1535	狄	E0BF	E0BD	5E78	603F	I4HK0080






## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 60 of 62). JIS Second Level Kanji Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1536	狎	E0C0	E0BE	5E7A	6040	I4HM0080
1537	狒	E0C1	E0BF	5E7B	6041	I4HN0080
1538	貉	E0C2	E0C0	5E7C	6042	I4HO0080
1539	狼	E0C3	E0C1	5E7D	6043	I4HP0080
1540	狡	E0C4	E0C2	5E7E	6044	I4HQ0080
1541	狹	E0C5	E0C3	5E7F	6045	I4HR0080
1542	狛	E0C6	E0C4	5E80	6046	I4HS0080
1543	倏	E0C7	E0C5	56A1	6047	I3C10080
1544	猗	E0C8	E0C6	5E81	6048	I4HT0080
1545	猊	E0C9	E0C7	5E82	6049	I4HU0080
1546	猜	E0CA	E0C8	5E83	604A	I4HV0080
1547	狙	E0CB	E0C9	5E84	604B	I4HW0080
1548	猝	E0CC	E0CA	5E85	604C	I4HX0080
1549	猴	E0CD	E0CB	5E87	604D	I4HZ0080
1550	狨	E0CE	E0CC	5E89	604E	I4I10080
1551	猩	E0CF	E0CD	5E88	604F	I4I00080
1552	猥	E0D0	E0CE	5E8B	6050	I4I30080
1553	猾	E0D1	E0CF	5E8C	6051	I4I40080
1554	獒	E0D2	E0D0	5E8E	6052	I4I60080
1555	獬	E0D3	E0D1	5E8D	6053	I4I50080
1556	默	E0D4	E0D2	5E90	6054	I4I80080
1557	獬	E0D5	E0D3	5E8F	6055	I4I70080
1558	獾	E0D6	E0D4	5E91	6056	I4I90080
1559	獨	E0D7	E0D5	5E92	6057	I4IA0080
1560	獾	E0D8	E0D6	5E93	6058	I4IB0080
1561	獸	E0D9	E0D7	5E95	6059	I4ID0080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 9 (Page 61 of 62). JIS Second Level Kanji Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1562	獵	E0DA	E0D8	5E96	605A	I4IE0080
1563	獻	E0DB	E0D9	5E97	605B	I4IF0080
1564	獺	E0DC	E0DA	51CB	605C	I2MJ0080
1565	珈	E0DD	E0DB	5E98	605D	I4IG0080
1566	玳	E0DE	E0DC	5E9A	605E	I4II0080
1567	玢	E0DF	E0DD	5E9B	605F	I4IJ0080
1568	玻	E0E0	E0DE	5E9C	6060	I4IK0080
1569	珀	E0E1	E0DF	5E9D	6061	I4IL0080
1570	珥	E0E2	E0E0	5EA0	6062	I4IO0080
1571	珮	E0E3	E0E1	5EA3	6063	I4IR0080
1572	珞	E0E4	E0E2	5EA5	6064	I4IT0080
1573	璫	E0E5	E0E3	5EC2	6065	I4JM0080
1574	琅	E0E6	E0E4	5EA9	6066	I4IX0080
1575	瑯	E0E7	E0E5	5EBE	6067	I4JI0080
1576	琥	E0E8	E0E6	5EAC	6068	I4J00080
1577	瑀	E0E9	E0E7	5EA6	6069	I4IU0080
1578	琲	E0EA	E0E8	5EAF	606A	I4J30080
1579	瑛	E0EB	E0E9	5EB0	606B	I4J40080
1580	瑕	E0EC	E0EA	5EB1	606C	I4J50080
1581	瑣	E0ED	E0EB	5EB2	606D	I4J60080
1582	瑟	E0EE	E0EC	5EB3	606E	I4J70080
1583	璫	E0EF	E0ED	5EB4	606F	I4J80080
1584	瑁	E0F0	E0EE	5EB5	6070	I4J90080
1585	瑜	E0F1	E0EF	5EB6	6071	I4JA0080
1586	瑩	E0F2	E0F0	5EB7	6072	I4JB0080
1587	瑰	E0F3	E0F1	5EB8	6073	I4JC0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1588	瑣	E0F4	E0F2	5EB9	6074	I4JD0080
1589	瑪	E0F5	E0F3	5EBA	6075	I4JE0080
1590	瑤	E0F6	EAA2	6883	6076	I5Z70080
1591	瑾	E0F7	E0F5	5EBF	6077	I4JJ0080
1592	璋	E0F8	E0F6	504D	6078	I2DP0080
1593	璞	E0F9	E0F7	5EC1	6079	I4JL0080
1594	璧	E0FA	E0F8	5EC3	607A	I4JN0080
1595	瓊	E0FB	E0F9	5EC4	607B	I4JO0080
1596	瓏	E0FC	E0FA	5EC5	607C	I4JP0080
1597	瓔	E0FD	E0FB	5EC6	607D	I4JQ0080
1598	琄	E0FE	E0FC	5EA4	607E	I4IS0080
1599	瓠	E1A1	E140	5EC7	6121	I4JR0080
1600	瓣	E1A2	E141	5EC8	6122	I4JS0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 1 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1601	𪗇	E1A3	E142	5EC9	6123	I4JT0080
1602	𪗈	E1A4	E143	5ECA	6124	I4JU0080
1603	𪗉	E1A5	E144	5ECB	6125	I4JV0080
1604	𪗊	E1A6	E145	5ECD	6126	I4JX0080
1605	𪗋	E1A7	E146	5ECC	6127	I4JW0080
1606	𪗌	E1A8	E147	5ECE	6128	I4JY0080
1607	𪗍	E1A9	E148	5ED0	6129	I4K00080
1608	𪗎	E1AA	E149	5ECF	612A	I4JZ0080
1609	𪗏	E1AB	E14A	5ED2	612B	I4K20080
1610	𪗐	E1AC	E14B	5ED3	612C	I4K30080
1611	𪗑	E1AD	E14C	5ED4	612D	I4K40080
1612	𪗒	E1AE	E14D	5ED6	612E	I4K60080
1613	𪗓	E1AF	E14E	5ED7	612F	I4K70080
1614	𪗔	E1B0	E14F	5ED5	6130	I4K50080
1615	𪗕	E1B1	E150	53E6	6131	I2XY0080
1616	𪗖	E1B2	E151	5ED8	6132	I4K80080
1617	𪗗	E1B3	E152	5ED9	6133	I4K90080
1618	𪗘	E1B4	E153	5EDA	6134	I4KA0080
1619	𪗙	E1B5	E154	5EDB	6135	I4KB0080
1620	𪗚	E1B6	E155	5EDC	6136	I4KC0080
1621	𪗛	E1B7	E156	5EDD	6137	I4KD0080
1622	𪗜	E1B8	E157	5EDE	6138	I4KE0080
1623	𪗝	E1B9	E158	5EDF	6139	I4KF0080
1624	𪗞	E1BA	E159	5EE0	613A	I4KG0080
1625	𪗟	E1BB	E15A	5EE2	613B	I4KI0080
1626	𪗠	E1BC	E15B	5EE1	613C	I4KH0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 2 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1627	畚	E1BD	E15C	5EE3	613D	I4KJ0080
1628	畝	E1BE	E15D	52FD	613E	I2T90080
1629	時	E1BF	E15E	5EE4	613F	I4KK0080
1630	畧	E1C0	E15F	5EE5	6140	I4KL0080
1631	畫	E1C1	E160	5EE6	6141	I4KM0080
1632	畧	E1C2	E161	5EE9	6142	I4KP0080
1633	疇	E1C3	E162	5EEA	6143	I4KQ0080
1634	當	E1C4	E163	5EEB	6144	I4KR0080
1635	疆	E1C5	E164	5EED	6145	I4KT0080
1636	疇	E1C6	E165	5EEE	6146	I4KU0080
1637	疇	E1C7	E166	5EE8	6147	I4KO0080
1638	疊	E1C8	E167	5EEF	6148	I4KV0080
1639	疊	E1C9	E168	5EF0	6149	I4KW0080
1640	晝	E1CA	E169	5EEC	614A	I4KS0080
1641	疔	E1CB	E16A	5EF1	614B	I4KX0080
1642	疔	E1CC	E16B	5EF2	614C	I4KY0080
1643	疔	E1CD	E16C	5EF3	614D	I4KZ0080
1644	疥	E1CE	E16D	5EF4	614E	I4L00080
1645	疥	E1CF	E16E	5EF5	614F	I4L10080
1646	痂	E1D0	E16F	5EF6	6150	I4L20080
1647	疔	E1D1	E170	5EF7	6151	I4L30080
1648	疥	E1D2	E171	5EF8	6152	I4L40080
1649	痂	E1D3	E172	5EF9	6153	I4L50080
1650	疔	E1D4	E173	5EFA	6154	I4L60080
1651	疔	E1D5	E174	5EFB	6155	I4L70080
1652	疼	E1D6	E175	5EFC	6156	I4L80080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 3 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1653	疱	E1D7	E176	5EFD	6157	I4L90080
1654	痲	E1D8	E177	5EFE	6158	I4LA0080
1655	瘡	E1D9	E178	5F41	6159	I4LD0080
1656	痒	E1DA	E179	5F42	615A	I4LE0080
1657	瘰	E1DB	E17A	5F43	615B	I4LF0080
1658	痣	E1DC	E17B	5F44	615C	I4LG0080
1659	痞	E1DD	E17C	5F45	615D	I4LH0080
1660	痲	E1DE	E17D	5F46	615E	I4LI0080
1661	瘰	E1DF	E17E	5F47	615F	I4LJ0080
1662	痲	E1E0	E180	5F48	6160	I4LK0080
1663	痒	E1E1	E181	5F49	6161	I4LL0080
1664	痰	E1E2	E182	5F4A	6162	I4LM0080
1665	痺	E1E3	E183	5F4B	6163	I4LN0080
1666	痲	E1E4	E184	5F4C	6164	I4LO0080
1667	痲	E1E5	E185	5F4D	6165	I4LP0080
1668	瘋	E1E6	E186	5F4E	6166	I4LQ0080
1669	瘍	E1E7	E187	524F	6167	I2OF0080
1670	瘰	E1E8	E188	5F4F	6168	I4LR0080
1671	瘰	E1E9	E189	5F50	6169	I4LS0080
1672	瘰	E1EA	E18A	5F51	616A	I4LT0080
1673	瘰	E1EB	E18B	5F52	616B	I4LU0080
1674	瘰	E1EC	E18C	5F53	616C	I4LV0080
1675	瘰	E1ED	E18D	5F54	616D	I4LW0080
1676	瘰	E1EE	E18E	5F55	616E	I4LX0080
1677	瘰	E1EF	E18F	5F56	616F	I4LY0080
1678	瘰	E1F0	E190	5F57	6170	I4LZ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 4 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1679	瘰	E1F1	E191	5F58	6171	I4M00080
1680	癩	E1F2	E192	5F59	6172	I4M10080
1681	癩	E1F3	E193	5F5A	6173	I4M20080
1682	癩	E1F4	E194	5F5C	6174	I4M40080
1683	癩	E1F5	E195	5F5D	6175	I4M50080
1684	癩	E1F6	E196	5F5B	6176	I4M30080
1685	癩	E1F7	E197	5F5E	6177	I4M60080
1686	癩	E1F8	E198	5F5F	6178	I4M70080
1687	瘰	E1F9	E199	5F60	6179	I4M80080
1688	癩	E1FA	E19A	5F61	617A	I4M90080
1689	癩	E1FB	E19B	5F63	617B	I4MB0080
1690	癩	E1FC	E19C	5F62	617C	I4MA0080
1691	癩	E1FD	E19D	5F64	617D	I4MC0080
1692	癩	E1FE	E19E	5F65	617E	I4MD0080
1693	癩	E2A1	E19F	5F66	6221	I4ME0080
1694	癩	E2A2	E1A0	5F67	6222	I4MF0080
1695	癩	E2A3	E1A1	539A	6223	I2VU0080
1696	癩	E2A4	E1A2	5F68	6224	I4MG0080
1697	癩	E2A5	E1A3	5F6A	6225	I4MI0080
1698	癩	E2A6	E1A4	5F6B	6226	I4MJ0080
1699	癩	E2A7	E1A5	5F6C	6227	I4MK0080
1700	癩	E2A8	E1A6	5F6D	6228	I4ML0080
1701	癩	E2A9	E1A7	5299	6229	I2QH0080
1702	癩	E2AA	E1A8	5396	622A	I2VQ0080
1703	癩	E2AB	E1A9	4E81	622B	I24H0080
1704	癩	E2AC	E1AA	5F6E	622C	I4MM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 5 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1705	皚	E2AD	E1AB	5F6F	622D	I4MN0080
1706	皑	E2AE	E1AC	5F74	622E	I4MS0080
1707	皒	E2AF	E1AD	5F75	622F	I4MT0080
1708	皓	E2B0	E1AE	5F76	6230	I4MU0080
1709	皔	E2B1	E1AF	5F77	6231	I4MV0080
1710	皕	E2B2	E1B0	5F78	6232	I4MW0080
1711	盂	E2B3	E1B1	5F79	6233	I4MX0080
1712	盍	E2B4	E1B2	5F7B	6234	I4MZ0080
1713	盞	E2B5	E1B3	5F7C	6235	I4N00080
1714	盞	E2B6	E1B4	5F7D	6236	I4N10080
1715	盞	E2B7	E1B5	5F7E	6237	I4N20080
1716	盞	E2B8	E1B6	5F7F	6238	I4N30080
1717	盞	E2B9	E1B7	5F80	6239	I4N40080
1718	盧	E2BA	E1B8	53F7	623A	I2YF0080
1719	盞	E2BB	E1B9	5F81	623B	I4N50080
1720	盞	E2BC	E1BA	5F82	623C	I4N60080
1721	盼	E2BD	E1BB	5F83	623D	I4N70080
1722	眈	E2BE	E1BC	5F84	623E	I4N80080
1723	眇	E2BF	E1BD	5F85	623F	I4N90080
1724	眈	E2C0	E1BE	5F86	6240	I4NA0080
1725	眩	E2C1	E1BF	5F88	6241	I4NC0080
1726	昵	E2C2	E1C0	5F87	6242	I4NB0080
1727	眞	E2C3	E1C1	51CA	6243	I2MI0080
1728	眈	E2C4	E1C2	5F89	6244	I4ND0080
1729	眈	E2C5	E1C3	5F8A	6245	I4NE0080
1730	昧	E2C6	E1C4	5F8B	6246	I4NF0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 6 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1731	脊	E2C7	E1C5	5F8C	6247	I4NG0080
1732	眸	E2C8	E1C6	5F8D	6248	I4NH0080
1733	睇	E2C9	E1C7	5F8F	6249	I4NJ0080
1734	睚	E2CA	E1C8	5F90	624A	I4NK0080
1735	睨	E2CB	E1C9	5F91	624B	I4NL0080
1736	睫	E2CC	E1CA	5F92	624C	I4NM0080
1737	睛	E2CD	E1CB	5F93	624D	I4NN0080
1738	睥	E2CE	E1CC	5F94	624E	I4NO0080
1739	睿	E2CF	E1CD	5F95	624F	I4NP0080
1740	辜	E2D0	E1CE	5F96	6250	I4NQ0080
1741	睹	E2D1	E1CF	5F97	6251	I4NR0080
1742	瞎	E2D2	E1D0	5F98	6252	I4NS0080
1743	瞋	E2D3	E1D1	5F99	6253	I4NT0080
1744	瞑	E2D4	E1D2	5F9A	6254	I4NU0080
1745	瞠	E2D5	E1D3	5F9B	6255	I4NV0080
1746	瞞	E2D6	E1D4	5F9C	6256	I4NW0080
1747	瞰	E2D7	E1D5	5F9D	6257	I4NX0080
1748	瞶	E2D8	E1D6	5F9E	6258	I4NY0080
1749	曖	E2D9	E1D7	5F9F	6259	I4NZ0080
1750	瞿	E2DA	E1D8	5FA0	625A	I4O00080
1751	瞼	E2DB	E1D9	5FA1	625B	I4O10080
1752	瞽	E2DC	E1DA	5FA2	625C	I4O20080
1753	瞻	E2DD	E1DB	5FA3	625D	I4O30080
1754	矇	E2DE	E1DC	5FA4	625E	I4O40080
1755	矍	E2DF	E1DD	5FA5	625F	I4O50080
1756	瞽	E2E0	E1DE	5350	6260	I2TS0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 7 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1757	矚	E2E1	E1DF	5FA6	6261	I4O60080
1758	矜	E2E2	E1E0	5FA7	6262	I4O70080
1759	矣	E2E3	E1E1	5FA8	6263	I4O80080
1760	矮	E2E4	E1E2	5FA9	6264	I4O90080
1761	疋	E2E5	E1E3	5FAB	6265	I4OB0080
1762	砌	E2E6	E1E4	5FAC	6266	I4OC0080
1763	砒	E2E7	E1E5	5FAD	6267	I4OD0080
1764	礦	E2E8	8D7B	51B9	6268	I2M10080
1765	租	E2E9	E1E7	5FB0	6269	I4OG0080
1766	礪	E2EA	9376	514C	626A	I2J00080
1767	硅	E2EB	E1E9	5FB1	626B	I4OH0080
1768	碎	E2EC	E1EA	5FB5	626C	I4OL0080
1769	砒	E2ED	E1EB	5FB4	626D	I4OK0080
1770	礫	E2EE	E1EC	5FB7	626E	I4ON0080
1771	礪	E2EF	E1ED	5FB9	626F	I4OP0080
1772	碓	E2F0	E1EE	5FB8	6270	I4OO0080
1773	碌	E2F1	E1EF	5FBA	6271	I4OQ0080
1774	碓	E2F2	E1F0	5FBB	6272	I4OR0080
1775	磧	E2F3	E1F1	5FBC	6273	I4OS0080
1776	碓	E2F4	E1F2	5FBD	6274	I4OT0080
1777	礪	E2F5	E1F3	5FBE	6275	I4OU0080
1778	磧	E2F6	E1F4	5FBF	6276	I4OV0080
1779	礪	E2F7	E1F5	5FC0	6277	I4OW0080
1780	碓	E2F8	E1F6	5FC1	6278	I4OX0080
1781	礪	E2F9	E1F7	5FC2	6279	I4OY0080
1782	礪	E2FA	E1F8	5FC3	627A	I4OZ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 8 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1783	碼	E2FB	E1F9	5FC4	627B	I4P00080
1784	磅	E2FC	E1FA	5FC5	627C	I4P10080
1785	磊	E2FD	E1FB	5FC6	627D	I4P20080
1786	磬	E2FE	E1FC	5FC7	627E	I4P30080
1787	磧	E3A1	E240	5FC8	6321	I4P40080
1788	磚	E3A2	E241	5FC9	6322	I4P50080
1789	礲	E3A3	E242	5FCA	6323	I4P60080
1790	磴	E3A4	E243	5FCB	6324	I4P70080
1791	礪	E3A5	E244	5FCC	6325	I4P80080
1792	礪	E3A6	E245	4DF0	6326	I2280080
1793	礪	E3A7	E246	5FCD	6327	I4P90080
1794	礪	E3A8	E247	5FCE	6328	I4PA0080
1795	礪	E3A9	E248	5FCF	6329	I4PB0080
1796	礪	E3AA	E249	5FD0	632A	I4PC0080
1797	祀	E3AB	E24A	5FD3	632B	I4PF0080
1798	祠	E3AC	E24B	5FD4	632C	I4PG0080
1799	祗	E3AD	E24C	5365	632D	I2UD0080
1800	崇	E3AE	E24D	5FD6	632E	I4PI0080
1801	祚	E3AF	E24E	5FD7	632F	I4PJ0080
1802	祕	E3B0	E24F	5FD8	6330	I4PK0080
1803	祓	E3B1	E250	555C	6331	I34S0080
1804	祺	E3B2	E251	52D8	6332	I2S80080
1805	祿	E3B3	E252	5FDA	6333	I4PM0080
1806	禊	E3B4	E253	5FDB	6334	I4PN0080
1807	禊	E3B5	E254	5FDE	6335	I4PQ0080
1808	禱	E3B6	E255	4FD7	6336	I2C70080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 9 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1809	齋	E3B7	E256	51F5	6337	I2NP0080
1810	禪	E3B8	E257	5FE0	6338	I4PS0080
1811	禮	E3B9	E258	54F5	6339	I33P0080
1812	禳	E3BA	E259	5FE1	633A	I4PT0080
1813	禹	E3BB	E25A	536A	633B	I2UI0080
1814	禹	E3BC	E25B	5FE2	633C	I4PU0080
1815	秉	E3BD	E25C	5FE3	633D	I4PV0080
1816	秕	E3BE	E25D	5FE4	633E	I4PW0080
1817	秧	E3BF	E25E	5FE5	633F	I4PX0080
1818	拒	E3C0	E25F	5FE6	6340	I4PY0080
1819	稜	E3C1	E260	54B5	6341	I31X0080
1820	秣	E3C2	E261	5FE7	6342	I4PZ0080
1821	稈	E3C3	E262	5FE8	6343	I4Q00080
1822	稍	E3C4	E263	5FE9	6344	I4Q10080
1823	稭	E3C5	E264	5FEA	6345	I4Q20080
1824	植	E3C6	E265	5FEB	6346	I4Q30080
1825	稠	E3C7	E266	5366	6347	I2UE0080
1826	稟	E3C8	E267	5FEC	6348	I4Q40080
1827	稟	E3C9	E268	50E7	6349	I2HZ0080
1828	稱	E3CA	E269	5FED	634A	I4Q50080
1829	稻	E3CB	E26A	5FF0	634B	I4Q80080
1830	稟	E3CC	E26B	5FEE	634C	I4Q60080
1831	稷	E3CD	E26C	5FEF	634D	I4Q70080
1832	稭	E3CE	E26D	5FF1	634E	I4Q90080
1833	穗	E3CF	E26E	5FF2	634F	I4QA0080
1834	穉	E3D0	E26F	5FF3	6350	I4QB0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 10 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1835	穠	E3D1	E270	5FF5	6351	I4QD0080
1836	穢	E3D2	E271	5FF4	6352	I4QC0080
1837	穉	E3D3	E272	5FF6	6353	I4QE0080
1838	穉	E3D4	E273	5FF7	6354	I4QF0080
1839	穰	E3D5	E274	5FF8	6355	I4QG0080
1840	穹	E3D6	E275	5FF9	6356	I4QH0080
1841	羿	E3D7	E276	5FFA	6357	I4QI0080
1842	竊	E3D8	E277	5FFB	6358	I4QJ0080
1843	窗	E3D9	E278	6041	6359	I4QP0080
1844	窕	E3DA	E279	5FFC	635A	I4QK0080
1845	窳	E3DB	E27A	5FFD	635B	I4QL0080
1846	窳	E3DC	E27B	5FFE	635C	I4QM0080
1847	窩	E3DD	E27C	6042	635D	I4QQ0080
1848	窳	E3DE	8A96	52F0	635E	I2SW0080
1849	窳	E3DF	E27E	6043	635F	I4QR0080
1850	窳	E3E0	E280	6044	6360	I4QS0080
1851	竅	E3E1	E281	6048	6361	I4QW0080
1852	竄	E3E2	E282	6049	6362	I4QX0080
1853	窿	E3E3	E283	6047	6363	I4QV0080
1854	窿	E3E4	E284	6045	6364	I4QT0080
1855	竇	E3E5	E285	604A	6365	I4QY0080
1856	竊	E3E6	E286	604B	6366	I4QZ0080
1857	竄	E3E7	E287	604C	6367	I4R00080
1858	竄	E3E8	E288	604D	6368	I4R10080
1859	竄	E3E9	E289	6050	6369	I4R40080
1860	竄	E3EA	E28A	6051	636A	I4R50080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 11 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1861	站	E3EB	E28B	6052	636B	I4R60080
1862	竝	E3EC	E28C	6053	636C	I4R70080
1863	竝	E3ED	E28D	6054	636D	I4R80080
1864	竝	E3EE	E28E	6055	636E	I4R90080
1865	竝	E3EF	E28F	6056	636F	I4RA0080
1866	竝	E3F0	E290	6057	6370	I4RB0080
1867	竝	E3F1	E291	605B	6371	I4RF0080
1868	竝	E3F2	E292	605C	6372	I4RG0080
1869	竝	E3F3	E293	605E	6373	I4RI0080
1870	竝	E3F4	E294	605F	6374	I4RJ0080
1871	竝	E3F5	E295	6061	6375	I4RL0080
1872	竝	E3F6	E296	6062	6376	I4RM0080
1873	竝	E3F7	E297	6063	6377	I4RN0080
1874	竝	E3F8	E298	53E7	6378	I2XZ0080
1875	竝	E3F9	E299	6065	6379	I4RP0080
1876	竝	E3FA	E29A	6066	637A	I4RQ0080
1877	竝	E3FB	E29B	6067	637B	I4RR0080
1878	竝	E3FC	E29C	6068	637C	I4RS0080
1879	竝	E3FD	E29D	6064	637D	I4RO0080
1880	筐	E3FE	E29E	6069	637E	I4RT0080
1881	筐	E4A1	E29F	606F	6421	I4RZ0080
1882	筭	E4A2	E2A0	54D5	6422	I32T0080
1883	筭	E4A3	E2A1	606A	6423	I4RU0080
1884	筭	E4A4	E2A2	6060	6424	I4RK0080
1885	筭	E4A5	E2A3	606B	6425	I4RV0080
1886	筭	E4A6	E2A4	606C	6426	I4RW0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 12 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1887	筵	E4A7	E2A5	606E	6427	I4RY0080
1888	筥	E4A8	E2A6	5484	6428	I30K0080
1889	筭	E4A9	E2A7	6070	6429	I4S00080
1890	筭	E4AA	E2A8	5048	642A	I2DK0080
1891	筭	E4AB	E2A9	6071	642B	I4S10080
1892	筭	E4AC	E2AA	6072	642C	I4S20080
1893	筭	E4AD	E2AB	534E	642D	I2TQ0080
1894	筭	E4AE	E2AC	6073	642E	I4S30080
1895	筭	E4AF	E2AD	6074	642F	I4S40080
1896	筭	E4B0	E2AE	6075	6430	I4S50080
1897	筭	E4B1	E2AF	6076	6431	I4S60080
1898	筭	E4B2	E2B0	6077	6432	I4S70080
1899	筭	E4B3	E2B1	6078	6433	I4S80080
1900	筭	E4B4	E2B2	6079	6434	I4S90080
1901	筭	E4B5	E2B3	55A4	6435	I36S0080
1902	筭	E4B6	E2B4	607A	6436	I4SA0080
1903	筭	E4B7	E2B5	607B	6437	I4SB0080
1904	筭	E4B8	E2B6	606D	6438	I4RX0080
1905	筭	E4B9	E2B7	607C	6439	I4SC0080
1906	筭	E4BA	E2B8	607E	643A	I4SE0080
1907	筭	E4BB	E2B9	51E8	643B	I2NC0080
1908	筭	E4BC	E2BA	607F	643C	I4SF0080
1909	筭	E4BD	E2BB	607D	643D	I4SD0080
1910	筭	E4BE	E2BC	6080	643E	I4SG0080
1911	筭	E4BF	E2BD	6081	643F	I4SH0080
1912	筭	E4C0	E2BE	6083	6440	I4SJ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 13 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1913	篩	E4C1	E2BF	6084	6441	I4SK0080
1914	箕	E4C2	E2C0	4F53	6442	I28J0080
1915	箕	E4C3	E2C1	6088	6443	I4SO0080
1916	篋	E4C4	E2C2	6085	6444	I4SL0080
1917	築	E4C5	E2C3	6087	6445	I4SN0080
1918	籠	E4C6	9855	4CEE	6446	I1WU0080
1919	篲	E4C7	E2C5	6089	6447	I4SP0080
1920	簇	E4C8	E2C6	608B	6448	I4SR0080
1921	觥	E4C9	E2C7	608A	6449	I4SQ0080
1922	筆	E4CA	E2C8	608C	644A	I4SS0080
1923	篷	E4CB	E2C9	6086	644B	I4SM0080
1924	築	E4CC	E2CA	517C	644C	I2KC0080
1925	箕	E4CD	E2CB	608D	644D	I4ST0080
1926	篤	E4CE	E2CC	608E	644E	I4SU0080
1927	篲	E4CF	E2CD	608F	644F	I4SV0080
1928	簧	E4D0	E2CE	6090	6450	I4SW0080
1929	簪	E4D1	E2CF	6091	6451	I4SX0080
1930	簞	E4D2	E2D0	6092	6452	I4SY0080
1931	簪	E4D3	E2D1	6093	6453	I4SZ0080
1932	簞	E4D4	E2D2	6094	6454	I4T00080
1933	簪	E4D5	E2D3	6095	6455	I4T10080
1934	簞	E4D6	E2D4	6097	6456	I4T30080
1935	籃	E4D7	E2D5	6098	6457	I4T40080
1936	藪	E4D8	E2D6	4F99	6458	I2AH0080
1937	簞	E4D9	E2D7	51F2	6459	I2NM0080
1938	籜	E4DA	E2D8	6096	645A	I4T20080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 14 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1939	籐	E4DB	E2D9	609A	645B	I4T60080
1940	籐	E4DC	E2DA	609B	645C	I4T70080
1941	籟	E4DD	E2DB	609C	645D	I4T80080
1942	籤	E4DE	E2DC	52AA	645E	I2QY0080
1943	籤	E4DF	E2DD	6099	645F	I4T50080
1944	籥	E4E0	E2DE	609D	6460	I4T90080
1945	籬	E4E1	E2DF	609E	6461	I4TA0080
1946	料	E4E2	E2E0	609F	6462	I4TB0080
1947	糝	E4E3	E2E1	60A0	6463	I4TC0080
1948	粍	E4E4	E2E2	60A1	6464	I4TD0080
1949	粍	E4E5	E2E3	60A2	6465	I4TE0080
1950	粍	E4E6	E2E4	60A6	6466	I4TI0080
1951	粍	E4E7	E2E5	60A3	6467	I4TF0080
1952	糲	E4E8	E2E6	60A4	6468	I4TG0080
1953	糲	E4E9	E2E7	60A5	6469	I4TH0080
1954	糲	E4EA	E2E8	60A7	646A	I4TJ0080
1955	粳	E4EB	E2E9	60A8	646B	I4TK0080
1956	粳	E4EC	E2EA	60A9	646C	I4TL0080
1957	梁	E4ED	E2EB	60AA	646D	I4TM0080
1958	粮	E4EE	E2EC	60AB	646E	I4TN0080
1959	粹	E4EF	E2ED	60AC	646F	I4TO0080
1960	粽	E4F0	E2EE	60AE	6470	I4TQ0080
1961	糝	E4F1	E2EF	51BC	6471	I2M40080
1962	糝	E4F2	E2F0	60AF	6472	I4TR0080
1963	糝	E4F3	E2F1	60B0	6473	I4TS0080
1964	糝	E4F4	E2F2	60B3	6474	I4TV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 15 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1965	糲	E4F5	E2F3	60B1	6475	I4TT0080
1966	糜	E4F6	E2F4	60B4	6476	I4TW0080
1967	糶	E4F7	E2F5	60B2	6477	I4TU0080
1968	糲	E4F8	E2F6	6788	6478	I5U00080
1969	糲	E4F9	E2F7	60B5	6479	I4TX0080
1970	糲	E4FA	E2F8	60B6	647A	I4TY0080
1971	糲	E4FB	E2F9	60B7	647B	I4TZ0080
1972	糲	E4FC	E2FA	60B8	647C	I4U00080
1973	糲	E4FD	E2FB	52C2	647D	I2RM0080
1974	糲	E4FE	E2FC	60B9	647E	I4U10080
1975	紂	E5A1	E340	60BA	6521	I4U20080
1976	紂	E5A2	E341	60BB	6522	I4U30080
1977	紂	E5A3	E342	60BC	6523	I4U40080
1978	紂	E5A4	E343	60BD	6524	I4U50080
1979	紂	E5A5	E344	60BE	6525	I4U60080
1980	紂	E5A6	E345	60BF	6526	I4U70080
1981	紂	E5A7	E346	60C0	6527	I4U80080
1982	紂	E5A8	E347	60C1	6528	I4U90080
1983	紂	E5A9	E348	60C2	6529	I4UA0080
1984	紂	E5AA	E349	60C3	652A	I4UB0080
1985	紂	E5AB	E34A	60C5	652B	I4UD0080
1986	紂	E5AC	E34B	60C7	652C	I4UF0080
1987	紂	E5AD	E34C	60C8	652D	I4UG0080
1988	紂	E5AE	E34D	60C9	652E	I4UH0080
1989	紂	E5AF	E34E	5268	652F	I2P40080
1990	紂	E5B0	E34F	60CA	6530	I4UI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 16 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1991	絮	E5B1	E350	60CB	6531	I4UJ0080
1992	縷	E5B2	E351	60CC	6532	I4UK0080
1993	緝	E5B3	E352	60CD	6533	I4UL0080
1994	經	E5B4	E353	60CE	6534	I4UM0080
1995	綉	E5B5	E354	60CF	6535	I4UN0080
1996	條	E5B6	E355	60D0	6536	I4UO0080
1997	綬	E5B7	E356	5374	6537	I2US0080
1998	紹	E5B8	E357	54ED	6538	I33H0080
1999	緇	E5B9	E358	54EB	6539	I33F0080
2000	綺	E5BA	E359	54D3	653A	I32R0080
2001	縈	E5BB	E35A	60D1	653B	I4UP0080
2002	縵	E5BC	E35B	60D2	653C	I4UQ0080
2003	縹	E5BD	E35C	60D3	653D	I4UR0080
2004	緇	E5BE	E35D	60D5	653E	I4UT0080
2005	綽	E5BF	E35E	60D6	653F	I4UU0080
2006	縵	E5C0	E35F	60D7	6540	I4UV0080
2007	總	E5C1	E360	60F3	6541	I4VN0080
2008	網	E5C2	E361	60D8	6542	I4UW0080
2009	絢	E5C3	E362	60D9	6543	I4UX0080
2010	緜	E5C4	E363	60E8	6544	I4VC0080
2011	綸	E5C5	E364	60DB	6545	I4UZ0080
2012	縵	E5C6	E365	60DC	6546	I4V00080
2013	綰	E5C7	E366	60DD	6547	I4V10080
2014	緜	E5C8	E367	60DF	6548	I4V30080
2015	緝	E5C9	E368	60E0	6549	I4V40080
2016	縵	E5CA	E369	60E2	654A	I4V60080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 17 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2017	緞	E5CB	E36A	60E3	654B	I4V70080
2018	緞	E5CC	E36B	60E4	654C	I4V80080
2019	緞	E5CD	E36C	60E6	654D	I4VA0080
2020	緞	E5CE	E36D	60E7	654E	I4VB0080
2021	緞	E5CF	E36E	60E9	654F	I4VD0080
2022	緞	E5D0	E36F	60EA	6550	I4VE0080
2023	縣	E5D1	E370	55A8	6551	I36W0080
2024	緯	E5D2	E371	60EB	6552	I4VF0080
2025	緯	E5D3	E372	60EC	6553	I4VG0080
2026	縱	E5D4	E373	60F2	6554	I4VM0080
2027	緯	E5D5	E374	60ED	6555	I4VH0080
2028	緯	E5D6	E375	60EE	6556	I4VI0080
2029	緞	E5D7	E376	60E5	6557	I4V90080
2030	膝	E5D8	E377	5BCC	6558	I43W0080
2031	繆	E5D9	E378	60F0	6559	I4VK0080
2032	緞	E5DA	E379	60F1	655A	I4VL0080
2033	縻	E5DB	E37A	60F5	655B	I4VP0080
2034	縻	E5DC	E37B	60F4	655C	I4VO0080
2035	縻	E5DD	E37C	60F6	655D	I4VQ0080
2036	縻	E5DE	E37D	60F7	655E	I4VR0080
2037	縻	E5DF	E37E	60F8	655F	I4VS0080
2038	縻	E5E0	E380	60F9	6560	I4VT0080
2039	縻	E5E1	E381	60EF	6561	I4VJ0080
2040	縻	E5E2	E382	6142	6562	I4W20080
2041	縻	E5E3	E383	60FA	6563	I4VU0080
2042	縻	E5E4	E384	60FB	6564	I4VV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 18 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2043	繞	E5E5	E385	60FC	6565	I4VW0080
2044	繻	E5E6	E386	60FE	6566	I4VY0080
2045	繚	E5E7	E387	6141	6567	I4W10080
2046	繹	E5E8	E388	6143	6568	I4W30080
2047	繪	E5E9	E389	6144	6569	I4W40080
2048	繩	E5EA	E38A	6145	656A	I4W50080
2049	繼	E5EB	E38B	6146	656B	I4W60080
2050	繻	E5EC	E38C	6147	656C	I4W70080
2051	濟	E5ED	E38D	614B	656D	I4WB0080
2052	績	E5EE	E38E	60DE	656E	I4V20080
2053	績	E5EF	E38F	6148	656F	I4W80080
2054	辦	E5F0	E390	6149	6570	I4W90080
2055	繼	E5F1	E391	614A	6571	I4WA0080
2056	纈	E5F2	E392	5278	6572	I2PK0080
2057	績	E5F3	E393	614C	6573	I4WC0080
2058	績	E5F4	E394	614E	6574	I4WE0080
2059	纏	E5F5	E395	614F	6575	I4WF0080
2060	纈	E5F6	E396	5273	6576	I2PF0080
2061	纓	E5F7	E397	6150	6577	I4WG0080
2062	纒	E5F8	E398	6151	6578	I4WH0080
2063	織	E5F9	E399	6152	6579	I4WI0080
2064	織	E5FA	E39A	614D	657A	I4WD0080
2065	纛	E5FB	E39B	6153	657B	I4WJ0080
2066	纜	E5FC	E39C	539C	657C	I2VW0080
2067	缸	E5FD	E39D	6154	657D	I4WK0080
2068	缺	E5FE	E39E	6155	657E	I4WL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 19 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2069	罇	E6A1	E39F	6156	6621	I4WM0080
2070	罇	E6A2	E3A0	6158	6622	I4WO0080
2071	罇	E6A3	E3A1	54CB	6623	I32J0080
2072	罇	E6A4	E3A2	6159	6624	I4WP0080
2073	罇	E6A5	E3A3	516E	6625	I2JY0080
2074	罇	E6A6	E3A4	615A	6626	I4WQ0080
2075	罇	E6A7	E3A5	615B	6627	I4WR0080
2076	罇	E6A8	E3A6	615C	6628	I4WS0080
2077	罇	E6A9	E3A7	615D	6629	I4WT0080
2078	罇	E6AA	E3A8	615E	662A	I4WU0080
2079	罇	E6AB	E3A9	615F	662B	I4WV0080
2080	罇	E6AC	E3AA	6160	662C	I4WW0080
2081	罇	E6AD	E3AB	6162	662D	I4WY0080
2082	罇	E6AE	E3AC	6161	662E	I4WX0080
2083	罇	E6AF	E3AD	6163	662F	I4WZ0080
2084	罇	E6B0	E3AE	6164	6630	I4X00080
2085	罇	E6B1	E3AF	6165	6631	I4X10080
2086	罇	E6B2	E3B0	6166	6632	I4X20080
2087	罇	E6B3	E3B1	6168	6633	I4X40080
2088	罇	E6B4	E3B2	6167	6634	I4X30080
2089	罇	E6B5	E3B3	6169	6635	I4X50080
2090	罇	E6B6	E3B4	616A	6636	I4X60080
2091	罇	E6B7	E3B5	616B	6637	I4X70080
2092	罇	E6B8	E3B6	616C	6638	I4X80080
2093	罇	E6B9	E3B7	616D	6639	I4X90080
2094	罇	E6BA	E3B8	616F	663A	I4XB0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 20 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2095	羯	E6BB	E3B9	6170	663B	I4XC0080
2096	羲	E6BC	E3BA	6172	663C	I4XE0080
2097	羹	E6BD	E3BB	6173	663D	I4XF0080
2098	羹	E6BE	E3BC	6171	663E	I4XD0080
2099	糴	E6BF	E3BD	6174	663F	I4XG0080
2100	羸	E6C0	E3BE	6175	6640	I4XH0080
2101	諧	E6C1	E3BF	6176	6641	I4XI0080
2102	翅	E6C2	E3C0	6178	6642	I4XK0080
2103	翠	E6C3	E3C1	6179	6643	I4XL0080
2104	翊	E6C4	E3C2	617A	6644	I4XM0080
2105	翕	E6C5	E3C3	617B	6645	I4XN0080
2106	翔	E6C6	E3C4	54F9	6646	I33T0080
2107	翡	E6C7	E3C5	617C	6647	I4XO0080
2108	翦	E6C8	E3C6	617D	6648	I4XP0080
2109	翩	E6C9	E3C7	617E	6649	I4XQ0080
2110	翳	E6CA	E3C8	617F	664A	I4XR0080
2111	翹	E6CB	E3C9	6180	664B	I4XS0080
2112	繖	E6CC	E3CA	66DA	664C	I5QY0080
2113	耆	E6CD	E3CB	53DC	664D	I2XO0080
2114	耄	E6CE	E3CC	6181	664E	I4XT0080
2115	耄	E6CF	E3CD	6182	664F	I4XU0080
2116	耒	E6D0	E3CE	6183	6650	I4XV0080
2117	耘	E6D1	E3CF	54E4	6651	I3380080
2118	耙	E6D2	E3D0	6184	6652	I4XW0080
2119	耜	E6D3	E3D1	6185	6653	I4XX0080
2120	耒	E6D4	E3D2	6186	6654	I4XY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 21 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2121	擣	E6D5	E3D3	6187	6655	I4XZ0080
2122	耿	E6D6	E3D4	6188	6656	I4Y00080
2123	耻	E6D7	E3D5	6189	6657	I4Y10080
2124	聊	E6D8	E3D6	618A	6658	I4Y20080
2125	聆	E6D9	E3D7	618B	6659	I4Y30080
2126	聒	E6DA	E3D8	618C	665A	I4Y40080
2127	聘	E6DB	E3D9	618D	665B	I4Y50080
2128	聚	E6DC	E3DA	5479	665C	I3090080
2129	聒	E6DD	E3DB	618E	665D	I4Y60080
2130	聒	E6DE	E3DC	618F	665E	I4Y70080
2131	聒	E6DF	E3DD	6190	665F	I4Y80080
2132	聒	E6E0	E3DE	6191	6660	I4Y90080
2133	聒	E6E1	E3DF	6192	6661	I4YA0080
2134	聒	E6E2	E3E0	6193	6662	I4YB0080
2135	聒	E6E3	E3E1	6194	6663	I4YC0080
2136	聒	E6E4	E3E2	6195	6664	I4YD0080
2137	聒	E6E5	E3E3	6196	6665	I4YE0080
2138	聒	E6E6	E3E4	6197	6666	I4YF0080
2139	聒	E6E7	E3E5	6198	6667	I4YG0080
2140	聒	E6E8	E3E6	53B6	6668	I2WM0080
2141	聒	E6E9	E3E7	6199	6669	I4YH0080
2142	聒	E6EA	E3E8	5292	666A	I2QA0080
2143	聒	E6EB	E3E9	619A	666B	I4YI0080
2144	聒	E6EC	E3EA	619B	666C	I4YJ0080
2145	聒	E6ED	E3EB	619C	666D	I4YK0080
2146	聒	E6EE	E3EC	619D	666E	I4YL0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 22 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2147	肱	E6EF	E3ED	619E	666F	I4YM0080
2148	胛	E6F0	E3EE	619F	6670	I4YN0080
2149	胥	E6F1	E3EF	61A0	6671	I4YO0080
2150	胙	E6F2	E3F0	61A1	6672	I4YP0080
2151	胚	E6F3	E3F1	61A2	6673	I4YQ0080
2152	胛	E6F4	E3F2	61A3	6674	I4YR0080
2153	胚	E6F5	E3F3	61A4	6675	I4YS0080
2154	胞	E6F6	E3F4	5288	6676	I2Q00080
2155	脉	E6F7	E3F5	61A5	6677	I4YT0080
2156	胠	E6F8	E3F6	61A6	6678	I4YU0080
2157	肱	E6F9	E3F7	61A7	6679	I4YV0080
2158	脛	E6FA	E3F8	61A8	667A	I4YW0080
2159	脛	E6FB	E3F9	4C96	667B	I1UE0080
2160	脛	E6FC	E3FA	61A9	667C	I4YX0080
2161	脯	E6FD	E3FB	61AA	667D	I4YY0080
2162	腋	E6FE	E3FC	61AB	667E	I4YZ0080
2163	隋	E7A1	E440	6673	6721	I5O30080
2164	腴	E7A2	E441	61AC	6722	I4Z00080
2165	脾	E7A3	E442	61AD	6723	I4Z10080
2166	腓	E7A4	E443	61AE	6724	I4Z20080
2167	腑	E7A5	E444	61AF	6725	I4Z30080
2168	胼	E7A6	E445	61B0	6726	I4Z40080
2169	腓	E7A7	E446	61B1	6727	I4Z50080
2170	腮	E7A8	E447	61B2	6728	I4Z60080
2171	腥	E7A9	E448	61B3	6729	I4Z70080
2172	腦	E7AA	E449	61B5	672A	I4Z90080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 23 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2173	腴	E7AB	E44A	61B6	672B	I4ZA0080
2174	膾	E7AC	E44B	61B7	672C	I4ZB0080
2175	膈	E7AD	E44C	61B8	672D	I4ZC0080
2176	膊	E7AE	E44D	61B9	672E	I4ZD0080
2177	膀	E7AF	E44E	61BA	672F	I4ZE0080
2178	膂	E7B0	E44F	61BB	6730	I4ZF0080
2179	膠	E7B1	E450	61BC	6731	I4ZG0080
2180	膈	E7B2	E451	61BD	6732	I4ZH0080
2181	膈	E7B3	E452	61C1	6733	I4ZL0080
2182	膈	E7B4	E453	61BE	6734	I4ZI0080
2183	膈	E7B5	E454	61B4	6735	I4Z80080
2184	膈	E7B6	E455	61BF	6736	I4ZJ0080
2185	臑	E7B7	E456	61C2	6737	I4ZM0080
2186	膈	E7B8	E457	61C4	6738	I4ZO0080
2187	膈	E7B9	E458	61C0	6739	I4ZK0080
2188	膈	E7BA	E459	61C6	673A	I4ZQ0080
2189	臑	E7BB	E45A	61C3	673B	I4ZN0080
2190	臑	E7BC	E45B	61C7	673C	I4ZR0080
2191	臂	E7BD	E45C	61C8	673D	I4ZS0080
2192	臂	E7BE	E45D	61C9	673E	I4ZT0080
2193	膈	E7BF	E45E	61CA	673F	I4ZU0080
2194	臉	E7C0	E45F	61CB	6740	I4ZV0080
2195	臑	E7C1	E460	61CC	6741	I4ZW0080
2196	臑	E7C2	E461	61CD	6742	I4ZX0080
2197	臑	E7C3	E462	61CF	6743	I4ZZ0080
2198	臑	E7C4	E463	61CE	6744	I4ZY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 24 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2199	臍	E7C5	E464	61C5	6745	I4ZP0080
2200	臚	E7C6	E465	61D0	6746	I5000080
2201	臍	E7C7	E466	61D1	6747	I5010080
2202	臍	E7C8	E467	61D2	6748	I5020080
2203	臍	E7C9	E468	5173	6749	I2K30080
2204	臺	E7CA	E469	61D3	674A	I5030080
2205	臻	E7CB	E46A	61D4	674B	I5040080
2206	臽	E7CC	E46B	61D5	674C	I5050080
2207	舛	E7CD	E46C	61D6	674D	I5060080
2208	舛	E7CE	E46D	61D7	674E	I5070080
2209	舛	E7CF	E46E	61D8	674F	I5080080
2210	與	E7D0	E46F	5358	6750	I2U00080
2211	舊	E7D1	E470	62BA	6751	I54Q0080
2212	舍	E7D2	E471	61D9	6752	I5090080
2213	舐	E7D3	E472	61DA	6753	I50A0080
2214	舖	E7D4	E473	61DC	6754	I50C0080
2215	舩	E7D5	E474	61DD	6755	I50D0080
2216	舩	E7D6	E475	61DE	6756	I50E0080
2217	舩	E7D7	E476	61E0	6757	I50G0080
2218	舩	E7D8	E477	61E1	6758	I50H0080
2219	舩	E7D9	E478	61E2	6759	I50I0080
2220	舩	E7DA	E479	61E3	675A	I50J0080
2221	舩	E7DB	E47A	54AE	675B	I31Q0080
2222	舩	E7DC	E47B	61E5	675C	I50L0080
2223	舩	E7DD	E47C	61E4	675D	I50K0080
2224	舩	E7DE	E47D	61E6	675E	I50M0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 25 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2225	艤	E7DF	E47E	61E7	675F	I50N0080
2226	艦	E7E0	E480	61E8	6760	I50O0080
2227	艦	E7E1	E481	61E9	6761	I50P0080
2228	艦	E7E2	E482	61EA	6762	I50Q0080
2229	艦	E7E3	E483	61EB	6763	I50R0080
2230	舩	E7E4	E484	61DF	6764	I50F0080
2231	艱	E7E5	E485	61EC	6765	I50S0080
2232	艷	E7E6	E486	61ED	6766	I50T0080
2233	艸	E7E7	E487	53C5	6767	I2X10080
2234	艾	E7E8	E488	61EE	6768	I50U0080
2235	芎	E7E9	E489	61EF	6769	I50V0080
2236	芒	E7EA	E48A	61F0	676A	I50W0080
2237	芫	E7EB	E48B	61F1	676B	I50X0080
2238	芟	E7EC	E48C	61F2	676C	I50Y0080
2239	芻	E7ED	E48D	61F3	676D	I50Z0080
2240	芬	E7EE	E48E	61F4	676E	I5100080
2241	苡	E7EF	E48F	61F5	676F	I5110080
2242	苳	E7F0	E490	61F6	6770	I5120080
2243	苟	E7F1	E491	61F7	6771	I5130080
2244	苻	E7F2	E492	61F9	6772	I5150080
2245	苴	E7F3	E493	61FA	6773	I5160080
2246	苌	E7F4	E494	61FB	6774	I5170080
2247	苎	E7F5	E495	6244	6775	I51G0080
2248	苕	E7F6	E496	6260	6776	I5280080
2249	范	E7F7	E497	61FC	6777	I5180080
2250	苜	E7F8	E498	61FD	6778	I5190080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 26 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2251	萃	E7F9	E499	61FE	6779	I51A0080
2252	苞	E7FA	E49A	6241	677A	I51D0080
2253	茆	E7FB	E49B	6242	677B	I51E0080
2254	苜	E7FC	E49C	6243	677C	I51F0080
2255	茱	E7FD	E49D	6245	677D	I51H0080
2256	苎	E7FE	E49E	6246	677E	I51I0080
2257	茵	E8A1	E49F	6247	6821	I51J0080
2258	茴	E8A2	E4A0	6249	6822	I51L0080
2259	茗	E8A3	E4A1	624A	6823	I51M0080
2260	苳	E8A4	E4A2	547B	6824	I30B0080
2261	茱	E8A5	E4A3	624B	6825	I51N0080
2262	荀	E8A6	E4A4	624C	6826	I51O0080
2263	茹	E8A7	E4A5	624D	6827	I51P0080
2264	荐	E8A8	E4A6	624E	6828	I51Q0080
2265	苔	E8A9	E4A7	624F	6829	I51R0080
2266	茯	E8AA	E4A8	6250	682A	I51S0080
2267	茫	E8AB	E4A9	6251	682B	I51T0080
2268	茗	E8AC	E4AA	53F6	682C	I2YE0080
2269	荔	E8AD	E4AB	6252	682D	I51U0080
2270	莅	E8AE	E4AC	6262	682E	I52A0080
2271	蕈	E8AF	E4AD	6253	682F	I51V0080
2272	莪	E8B0	E4AE	6254	6830	I51W0080
2273	苔	E8B1	E4AF	6255	6831	I51X0080
2274	莢	E8B2	E4B0	6256	6832	I51Y0080
2275	莖	E8B3	E4B1	6257	6833	I51Z0080
2276	莫	E8B4	E4B2	6258	6834	I5200080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 27 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2277	莎	E8B5	E4B3	6259	6835	I52I0080
2278	苜	E8B6	E4B4	5486	6836	I30M0080
2279	莊	E8B7	E4B5	625C	6837	I5240080
2280	茶	E8B8	E4B6	625D	6838	I5250080
2281	菟	E8B9	E4B7	625E	6839	I5260080
2282	荳	E8BA	E4B8	625F	683A	I5270080
2283	葱	E8BB	E4B9	625A	683B	I5220080
2284	莠	E8BC	E4BA	6261	683C	I5290080
2285	莉	E8BD	E4BB	6263	683D	I52B0080
2286	苋	E8BE	E4BC	6264	683E	I52C0080
2287	菴	E8BF	E4BD	6265	683F	I52D0080
2288	萱	E8C0	E4BE	6266	6840	I52E0080
2289	董	E8C1	E4BF	54E9	6841	I33D0080
2290	莧	E8C2	E4C0	6268	6842	I52G0080
2291	菽	E8C3	E4C1	626A	6843	I52I0080
2292	萃	E8C4	E4C2	626B	6844	I52J0080
2293	菘	E8C5	E4C3	626C	6845	I52K0080
2294	蕒	E8C6	E4C4	626D	6846	I52L0080
2295	菁	E8C7	E4C5	626E	6847	I52M0080
2296	葍	E8C8	E4C6	6269	6848	I52H0080
2297	蕘	E8C9	E4C7	626F	6849	I52N0080
2298	菠	E8CA	E4C8	6270	684A	I52O0080
2299	菲	E8CB	E4C9	6271	684B	I52P0080
2300	萍	E8CC	E4CA	6272	684C	I52Q0080
2301	菹	E8CD	E4CB	54D8	684D	I32W0080
2302	萌	E8CE	E4CC	6273	684E	I52R0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 28 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2303	莽	E8CF	E4CD	6275	684F	I52T0080
2304	萁	E8D0	E4CE	6284	6850	I5380080
2305	菱	E8D1	E4CF	629D	6851	I53X0080
2306	苎	E8D2	E4D0	6276	6852	I52U0080
2307	葭	E8D3	E4D1	516C	6853	I2JW0080
2308	菥	E8D4	E4D2	6277	6854	I52V0080
2309	萼	E8D5	E4D3	6279	6855	I52X0080
2310	萼	E8D6	E4D4	629F	6856	I53Z0080
2311	寇	E8D7	E4D5	627A	6857	I52Y0080
2312	葷	E8D8	E4D6	627B	6858	I52Z0080
2313	葫	E8D9	E4D7	627C	6859	I5300080
2314	藜	E8DA	E4D8	6290	685A	I53K0080
2315	葭	E8DB	E4D9	627F	685B	I5330080
2316	蒂	E8DC	E4DA	6280	685C	I5340080
2317	葩	E8DD	E4DB	6281	685D	I5350080
2318	葆	E8DE	E4DC	6282	685E	I5360080
2319	萬	E8DF	E4DD	4B75	685F	I1050080
2320	葯	E8E0	E4DE	6283	6860	I5370080
2321	施	E8E1	E4DF	627D	6861	I5310080
2322	萑	E8E2	E4E0	6285	6862	I5390080
2323	蒨	E8E3	E4E1	6286	6863	I53A0080
2324	蓋	E8E4	E4E2	6278	6864	I52W0080
2325	蒹	E8E5	E4E3	6287	6865	I53B0080
2326	蒿	E8E6	E4E4	6288	6866	I53C0080
2327	蒯	E8E7	E4E5	6289	6867	I53D0080
2328	蘆	E8E8	E4E6	6294	6868	I53O0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 29 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2329	著	E8E9	E4E7	628B	6869	I53F0080
2330	弱	E8EA	E4E8	628C	686A	I53G0080
2331	蓐	E8EB	E4E9	628D	686B	I53H0080
2332	蓐	E8EC	E4EA	628E	686C	I53I0080
2333	蓐	E8ED	E4EB	628F	686D	I53J0080
2334	蓐	E8EE	E4EC	6291	686E	I53L0080
2335	蓐	E8EF	E4ED	6292	686F	I53M0080
2336	勞	E8F0	E4EE	6293	6870	I53N0080
2337	蔡	E8F1	E4EF	54A8	6871	I31K0080
2338	蓐	E8F2	E4F0	6295	6872	I53P0080
2339	蓐	E8F3	E4F1	6296	6873	I53Q0080
2340	蔗	E8F4	E4F2	6297	6874	I53R0080
2341	蓐	E8F5	E4F3	6298	6875	I53S0080
2342	蔬	E8F6	E4F4	6299	6876	I53T0080
2343	族	E8F7	E4F5	629A	6877	I53U0080
2344	蓐	E8F8	E4F6	629B	6878	I53V0080
2345	蓐	E8F9	E4F7	629C	6879	I53W0080
2346	蓐	E8FA	E4F8	518B	687A	I2KR0080
2347	棘	E8FB	E4F9	62A0	687B	I5400080
2348	蓐	E8FC	E4FA	62A2	687C	I5420080
2349	蓐	E8FD	E4FB	62A3	687D	I5430080
2350	蓐	E8FE	E4FC	62A4	687E	I5440080
2351	蓐	E9A1	E540	62A5	6921	I5450080
2352	蓐	E9A2	8EC7	5496	6922	I3120080
2353	蓐	E9A3	E542	62A7	6923	I5470080
2354	蓐	E9A4	E543	62A9	6924	I5490080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 30 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2355	蒨	E9A5	E544	62AA	6925	I54A0080
2356	薤	E9A6	E545	62AB	6926	I54B0080
2357	薺	E9A7	E546	62AC	6927	I54C0080
2358	薑	E9A8	E547	62AD	6928	I54D0080
2359	薊	E9A9	E548	62AE	6929	I54E0080
2360	薨	E9AA	E549	62AF	692A	I54F0080
2361	蕭	E9AB	E54A	62B0	692B	I54G0080
2362	薺	E9AC	E54B	62B1	692C	I54H0080
2363	薺	E9AD	E54C	62B2	692D	I54I0080
2364	藪	E9AE	96F7	4C95	692E	I1UD0080
2365	薇	E9AF	E54E	62B4	692F	I54K0080
2366	薺	E9B0	E54F	62B5	6930	I54L0080
2367	藨	E9B1	E550	62B6	6931	I54M0080
2368	薺	E9B2	E551	62B7	6932	I54N0080
2369	藜	E9B3	E552	62B8	6933	I54O0080
2370	藉	E9B4	E553	62BC	6934	I54S0080
2371	薺	E9B5	E554	62BD	6935	I54T0080
2372	藏	E9B6	E555	62BE	6936	I54U0080
2373	薑	E9B7	E556	62BF	6937	I54V0080
2374	藪	E9B8	E557	62C0	6938	I54W0080
2375	藕	E9B9	E558	62C1	6939	I54X0080
2376	藝	E9BA	E559	62C2	693A	I54Y0080
2377	藥	E9BB	E55A	62C3	693B	I54Z0080
2378	藜	E9BC	E55B	62C4	693C	I5500080
2379	藺	E9BD	E55C	62C5	693D	I5510080
2380	藪	E9BE	E55D	62C6	693E	I5520080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 31 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2381	蕪	E9BF	E55E	62C7	693F	I5530080
2382	蕪	E9C0	E55F	62C8	6940	I5540080
2383	蕪	E9C1	E560	62C9	6941	I5550080
2384	藺	E9C2	E561	53ED	6942	I2Y50080
2385	蘆	E9C3	E562	4EDA	6943	I26Y0080
2386	龍	E9C4	E563	62CA	6944	I5560080
2387	蕪	E9C5	E564	62CB	6945	I5570080
2388	蕪	E9C6	E565	62CC	6946	I5580080
2389	蘿	E9C7	E566	62CD	6947	I5590080
2390	虺	E9C8	E567	62CF	6948	I55B0080
2391	虺	E9C9	E568	62D0	6949	I55C0080
2392	虔	E9CA	E569	52FB	694A	I2T70080
2393	號	E9CB	E56A	62D2	694B	I55E0080
2394	虧	E9CC	E56B	62D3	694C	I55F0080
2395	虱	E9CD	E56C	62D4	694D	I55G0080
2396	蚓	E9CE	E56D	62D5	694E	I55H0080
2397	蚣	E9CF	E56E	62D6	694F	I55I0080
2398	蚩	E9D0	E56F	62D7	6950	I55J0080
2399	蚪	E9D1	E570	62D9	6951	I55L0080
2400	蚎	E9D2	E571	62D8	6952	I55K0080
2401	蚌	E9D3	E572	62DA	6953	I55M0080
2402	蚶	E9D4	E573	62DB	6954	I55N0080
2403	蚯	E9D5	E574	62DC	6955	I55O0080
2404	蛄	E9D6	E575	62DD	6956	I55P0080
2405	蛆	E9D7	E576	62DE	6957	I55Q0080
2406	蚰	E9D8	E577	62DF	6958	I55R0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 32 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2407	蛉	E9D9	E578	62E0	6959	I55S0080
2408	蠣	E9DA	8A61	5351	695A	I2TT0080
2409	蛸	E9DB	E57A	62E3	695B	I55V0080
2410	蛸	E9DC	E57B	62E4	695C	I55W0080
2411	蛞	E9DD	E57C	62E5	695D	I55X0080
2412	蝨	E9DE	E57D	62E6	695E	I55Y0080
2413	蚕	E9DF	E57E	62E7	695F	I55Z0080
2414	蛟	E9E0	E580	62E8	6960	I5600080
2415	蛛	E9E1	E581	62E9	6961	I5610080
2416	蟋	E9E2	E582	4F74	6962	I29G0080
2417	蛭	E9E3	E583	62EA	6963	I5620080
2418	蜆	E9E4	E584	62EB	6964	I5630080
2419	蜈	E9E5	E585	62EC	6965	I5640080
2420	蜀	E9E6	E586	62ED	6966	I5650080
2421	蜃	E9E7	E587	62EE	6967	I5660080
2422	蛻	E9E8	E588	62EF	6968	I5670080
2423	蟹	E9E9	E589	62F0	6969	I5680080
2424	蜉	E9EA	E58A	62F1	696A	I5690080
2425	蝻	E9EB	E58B	62F2	696B	I56A0080
2426	蛹	E9EC	E58C	62F3	696C	I56B0080
2427	蛴	E9ED	E58D	62F4	696D	I56C0080
2428	蜴	E9EE	E58E	62F5	696E	I56D0080
2429	蜿	E9EF	E58F	62F6	696F	I56E0080
2430	蝮	E9F0	E590	526D	6970	I2P90080
2431	蜻	E9F1	E591	62F7	6971	I56F0080
2432	蜥	E9F2	E592	62F8	6972	I56G0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 33 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2433	蝸	E9F3	E593	62F9	6973	I56H0080
2434	蜚	E9F4	E594	62FA	6974	I56I0080
2435	蝠	E9F5	E595	6346	6975	I56U0080
2436	蝟	E9F6	E596	62FB	6976	I56J0080
2437	蝮	E9F7	E597	62FC	6977	I56K0080
2438	蚪	E9F8	E598	62FD	6978	I56L0080
2439	蝟	E9F9	E599	62FE	6979	I56M0080
2440	蝴	E9FA	E59A	6341	697A	I56P0080
2441	蝗	E9FB	E59B	6342	697B	I56Q0080
2442	蝨	E9FC	E59C	6343	697C	I56R0080
2443	蝮	E9FD	E59D	6347	697D	I56V0080
2444	蝙	E9FE	E59E	6348	697E	I56W0080
2445	蝮	EAA1	E59F	6349	6A21	I56X0080
2446	蝮	EAA2	E5A0	634A	6A22	I56Y0080
2447	蝮	EAA3	E5A1	6345	6A23	I56T0080
2448	蠅	EAA4	9488	55BD	6A24	I37H0080
2449	螢	EAA5	E5A3	634C	6A25	I5700080
2450	螟	EAA6	E5A4	634E	6A26	I5720080
2451	螂	EAA7	E5A5	6344	6A27	I56S0080
2452	螯	EAA8	E5A6	634F	6A28	I5730080
2453	蟋	EAA9	E5A7	6350	6A29	I5740080
2454	螽	EAAA	E5A8	6351	6A2A	I5750080
2455	蟀	EAAB	E5A9	6352	6A2B	I5760080
2456	蟀	EAAC	E5AA	6353	6A2C	I5770080
2457	蝮	EAAD	E5AB	6354	6A2D	I5780080
2458	蝮	EAAE	E5AC	6355	6A2E	I5790080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 34 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2459	蟄	EAAF	E5AD	6356	6A2F	I57A0080
2460	螳	EAB0	E5AE	6357	6A30	I57B0080
2461	蠶	EAB1	E5AF	54F4	6A31	I33O0080
2462	蟆	EAB2	E5B0	634D	6A32	I5710080
2463	蝮	EAB3	E5B1	6359	6A33	I57D0080
2464	蟻	EAB4	E5B2	635A	6A34	I57E0080
2465	蟲	EAB5	E5B3	635B	6A35	I57F0080
2466	蟠	EAB6	E5B4	635C	6A36	I57G0080
2467	蟬	EAB7	E5B5	635F	6A37	I57J0080
2468	蠍	EAB8	E5B6	6361	6A38	I57L0080
2469	蟾	EAB9	E5B7	6362	6A39	I57M0080
2470	蝗	EABA	E5B8	6363	6A3A	I57N0080
2471	蠹	EABB	E5B9	6364	6A3B	I57O0080
2472	蟬	EABC	E5BA	635D	6A3C	I57H0080
2473	蟬	EABD	E5BB	6358	6A3D	I57C0080
2474	蝶	EABE	E5BC	6365	6A3E	I57P0080
2475	蠖	EABF	E5BD	6360	6A3F	I57K0080
2476	蠕	EAC0	E5BE	6366	6A40	I57Q0080
2477	蠹	EAC1	E5BF	6367	6A41	I57R0080
2478	蠹	EAC2	E5C0	6368	6A42	I57S0080
2479	蠹	EAC3	E5C1	636A	6A43	I57U0080
2480	蠹	EAC4	E5C2	636B	6A44	I57V0080
2481	蠹	EAC5	E5C3	636C	6A45	I57W0080
2482	蠹	EAC6	E5C4	6369	6A46	I57T0080
2483	蠹	EAC7	E5C5	636D	6A47	I57X0080
2484	衄	EAC8	E5C6	636F	6A48	I57Z0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 35 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2485	衵	EAC9	E5C7	636E	6A49	I57Y0080
2486	衶	EACA	E5C8	6371	6A4A	I5810080
2487	衷	EACB	E5C9	6372	6A4B	I5820080
2488	衸	EACC	E5CA	6373	6A4C	I5830080
2489	衹	EACD	E5CB	6374	6A4D	I5840080
2490	衫	EACE	E5CC	6375	6A4E	I5850080
2491	袞	EACF	E5CD	6376	6A4F	I5860080
2492	袈	EAD0	E5CE	6377	6A50	I5870080
2493	袉	EAD1	E5CF	637C	6A51	I58C0080
2494	袊	EAD2	E5D0	6378	6A52	I5880080
2495	袋	EAD3	E5D1	6379	6A53	I5890080
2496	袌	EAD4	E5D2	6385	6A54	I58L0080
2497	袍	EAD5	E5D3	637A	6A55	I58A0080
2498	袎	EAD6	E5D4	637B	6A56	I58B0080
2499	袏	EAD7	E5D5	637D	6A57	I58D0080
2500	袐	EAD8	E5D6	637E	6A58	I58E0080
2501	袑	EAD9	E5D7	637F	6A59	I58F0080
2502	袒	EADA	E5D8	6380	6A5A	I58G0080
2503	袓	EADB	E5D9	6381	6A5B	I58H0080
2504	袔	EADC	E5DA	6382	6A5C	I58I0080
2505	袕	EADD	E5DB	6383	6A5D	I58J0080
2506	袖	EADE	E5DC	54C5	6A5E	I32D0080
2507	袗	EADF	E5DD	6384	6A5F	I58K0080
2508	袘	EAE0	E5DE	6386	6A60	I58M0080
2509	袙	EAE1	E5DF	6387	6A61	I58N0080
2510	袚	EAE2	E5E0	6388	6A62	I58O0080






## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 37 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2537	襠	EAFD	E5FB	63A3	6A7D	I59F0080
2538	襞	EAFE	E5FC	63A4	6A7E	I59G0080
2539	襦	EBA1	E640	63A5	6B21	I59H0080
2540	襤	EBA2	E641	63A7	6B22	I59J0080
2541	襦	EBA3	E642	63A8	6B23	I59K0080
2542	襦	EBA4	E643	63A6	6B24	I59I0080
2543	襦	EBA5	E644	63A9	6B25	I59L0080
2544	襦	EBA6	E645	63AA	6B26	I59M0080
2545	襦	EBA7	E646	63AB	6B27	I59N0080
2546	襦	EBA8	E647	63AC	6B28	I59O0080
2547	襦	EBA9	E648	63AD	6B29	I59P0080
2548	襦	EBA0	E649	63AE	6B2A	I59Q0080
2549	襦	EBAB	E64A	63AF	6B2B	I59R0080
2550	覓	EBAC	E64B	63B0	6B2C	I59S0080
2551	覓	EBAD	E64C	63B1	6B2D	I59T0080
2552	覓	EBAE	E64D	63B2	6B2E	I59U0080
2553	覓	EBAF	E64E	63B3	6B2F	I59V0080
2554	覓	EBB0	E64F	63B4	6B30	I59W0080
2555	覓	EBB1	E650	63B5	6B31	I59X0080
2556	覓	EBB2	E651	63B6	6B32	I59Y0080
2557	覓	EBB3	E652	63B7	6B33	I59Z0080
2558	覓	EBB4	E653	63B8	6B34	I5A00080
2559	覓	EBB5	E654	63BA	6B35	I5A20080
2560	覓	EBB6	E655	63B9	6B36	I5A10080
2561	覓	EBB7	E656	63BB	6B37	I5A30080
2562	覓	EBB8	E657	63BC	6B38	I5A40080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 38 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2563	𪗇	EBB9	E658	5360	6B39	I2U80080
2564	𪗈	EBBA	E659	63BD	6B3A	I5A50080
2565	𪗉	EBBB	E65A	63BE	6B3B	I5A60080
2566	𪗊	EBBC	E65B	63BF	6B3C	I5A70080
2567	𪗋	EBBD	E65C	63C0	6B3D	I5A80080
2568	𪗌	EBBE	E65D	63C1	6B3E	I5A90080
2569	𪗍	EBBF	E65E	63C2	6B3F	I5AA0080
2570	𪗎	EBC0	E65F	63C3	6B40	I5AB0080
2571	𪗏	EBC1	E660	63C4	6B41	I5AC0080
2572	𪗐	EBC2	E661	63C6	6B42	I5AE0080
2573	𪗑	EBC3	E662	63C7	6B43	I5AF0080
2574	𪗒	EBC4	E663	63C8	6B44	I5AG0080
2575	𪗓	EBC5	E664	63C9	6B45	I5AH0080
2576	𪗔	EBC6	E665	63CA	6B46	I5AI0080
2577	𪗕	EBC7	E666	63CC	6B47	I5AK0080
2578	𪗖	EBC8	E667	63CD	6B48	I5AL0080
2579	𪗗	EBC9	E668	63CE	6B49	I5AM0080
2580	𪗘	EBCA	E669	63CF	6B4A	I5AN0080
2581	𪗙	EBCB	E66A	63D0	6B4B	I5AO0080
2582	𪗚	EBCC	E66B	63D1	6B4C	I5AP0080
2583	𪗛	EBCD	E66C	63D2	6B4D	I5AQ0080
2584	𪗜	EBCE	E66D	63D3	6B4E	I5AR0080
2585	𪗝	EBCF	E66E	63D5	6B4F	I5AT0080
2586	𪗞	EBD0	E66F	63D6	6B50	I5AU0080
2587	𪗟	EBD1	E670	63D7	6B51	I5AV0080
2588	𪗠	EBD2	E671	63D8	6B52	I5AW0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 39 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2589	誠	EBD3	E672	63D9	6B53	I5AX0080
2590	誑	EBD4	E673	63DA	6B54	I5AY0080
2591	誑	EBD5	E674	63DB	6B55	I5AZ0080
2592	誑	EBD6	E675	63DC	6B56	I5B00080
2593	誑	EBD7	E676	63DD	6B57	I5B10080
2594	誑	EBD8	E677	63DE	6B58	I5B20080
2595	諄	EBD9	E678	50B2	6B59	I2GI0080
2596	諄	EBDA	E679	63E2	6B5A	I5B60080
2597	諄	EBDB	E67A	63E3	6B5B	I5B70080
2598	諄	EBDC	E67B	63E4	6B5C	I5B80080
2599	諫	EBDD	8AD0	4E96	6B5D	I2520080
2600	諄	EBDE	E67D	63E5	6B5E	I5B90080
2601	諧	EBDF	E67E	63E6	6B5F	I5BA0080
2602	諤	EBE0	E680	63E7	6B60	I5BB0080
2603	諱	EBE1	E681	63E8	6B61	I5BC0080
2604	諱	EBE2	E682	63E9	6B62	I5BD0080
2605	誼	EBE3	E683	63EA	6B63	I5BE0080
2606	諱	EBE4	E684	63EB	6B64	I5BF0080
2607	諷	EBE5	E685	63F0	6B65	I5BK0080
2608	論	EBE6	E686	63F1	6B66	I5BL0080
2609	諛	EBE7	E687	63F2	6B67	I5BM0080
2610	諤	EBE8	E688	63F3	6B68	I5BN0080
2611	謬	EBE9	E689	63F4	6B69	I5BO0080
2612	謚	EBEA	E68A	63F5	6B6A	I5BP0080
2613	謚	EBEB	E68B	63EC	6B6B	I5BG0080
2614	謚	EBEC	E68C	63F6	6B6C	I5BQ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 40 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2615	謚	EBED	E68D	63F7	6B6D	I5BR0080
2616	謗	EBEE	E68E	63F8	6B6E	I5BS0080
2617	謠	EBEF	E68F	63F9	6B6F	I5BT0080
2618	謳	EBF0	E690	63FA	6B70	I5BU0080
2619	鞫	EBF1	E691	63FC	6B71	I5BW0080
2620	譬	EBF2	E692	63FD	6B72	I5BX0080
2621	謫	EBF3	E693	63FE	6B73	I5BY0080
2622	謾	EBF4	E694	6441	6B74	I5C10080
2623	謨	EBF5	E695	5381	6B75	I2V50080
2624	譁	EBF6	E696	63FB	6B76	I5BV0080
2625	譌	EBF7	E697	6442	6B77	I5C20080
2626	譏	EBF8	E698	6443	6B78	I5C30080
2627	譎	EBF9	E699	6444	6B79	I5C40080
2628	證	EBFA	E69A	6446	6B7A	I5C60080
2629	譖	EBFB	E69B	6447	6B7B	I5C70080
2630	譖	EBFC	E69C	6448	6B7C	I5C80080
2631	譚	EBFD	E69D	6449	6B7D	I5C90080
2632	譚	EBFE	E69E	644B	6B7E	I5CB0080
2633	譟	ECA1	E69F	644C	6C21	I5CC0080
2634	譬	ECA2	E6A0	644D	6C22	I5CD0080
2635	譯	ECA3	E6A1	644E	6C23	I5CE0080
2636	譴	ECA4	E6A2	644A	6C24	I5CA0080
2637	譽	ECA5	E6A3	644F	6C25	I5CF0080
2638	讀	ECA6	E6A4	6451	6C26	I5CH0080
2639	讌	ECA7	E6A5	6452	6C27	I5CI0080
2640	讎	ECA8	E6A6	6453	6C28	I5CJ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 41 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2641	讒	ECA9	E6A7	6455	6C29	I5CL0080
2642	讓	ECAA	E6A8	6456	6C2A	I5CM0080
2643	讖	ECAB	E6A9	6457	6C2B	I5CN0080
2644	謹	ECAC	E6AA	6454	6C2C	I5CK0080
2645	讚	ECAD	E6AB	6458	6C2D	I5CO0080
2646	衍	ECAE	E6AC	6459	6C2E	I5CP0080
2647	裕	ECAF	E6AD	645A	6C2F	I5CQ0080
2648	谿	ECB0	E6AE	645B	6C30	I5CR0080
2649	豈	ECB1	E6AF	645C	6C31	I5CS0080
2650	疏	ECB2	E6B0	645D	6C32	I5CT0080
2651	豎	ECB3	E6B1	645E	6C33	I5CU0080
2652	豐	ECB4	E6B2	645F	6C34	I5CV0080
2653	豕	ECB5	E6B3	6460	6C35	I5CW0080
2654	豢	ECB6	E6B4	6461	6C36	I5CX0080
2655	豬	ECB7	E6B5	6462	6C37	I5CY0080
2656	豸	ECB8	E6B6	6463	6C38	I5CZ0080
2657	豸	ECB9	E6B7	6464	6C39	I5D00080
2658	貂	ECBA	E6B8	6466	6C3A	I5D20080
2659	貉	ECBB	E6B9	6467	6C3B	I5D30080
2660	貅	ECBC	E6BA	6468	6C3C	I5D40080
2661	貉	ECBD	E6BB	6469	6C3D	I5D50080
2662	狸	ECBE	E6BC	646A	6C3E	I5D60080
2663	貌	ECBF	E6BD	646B	6C3F	I5D70080
2664	貌	ECC0	E6BE	646D	6C40	I5D90080
2665	貳	ECC1	E6BF	6465	6C41	I5D10080
2666	貳	ECC2	E6C0	646C	6C42	I5D80080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 42 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2667	賤	ECC3	E6C1	646E	6C43	I5DA0080
2668	賸	ECC4	E6C2	646F	6C44	I5DB0080
2669	貪	ECC5	E6C3	6470	6C45	I5DC0080
2670	賄	ECC6	E6C4	6472	6C46	I5DE0080
2671	賈	ECC7	E6C5	6473	6C47	I5DF0080
2672	貳	ECC8	E6C6	6474	6C48	I5DG0080
2673	貳	ECC9	E6C7	6471	6C49	I5DD0080
2674	賤	ECCA	E6C8	6476	6C4A	I5DI0080
2675	賈	ECCB	E6C9	6477	6C4B	I5DJ0080
2676	賈	ECCC	E6CA	6475	6C4C	I5DH0080
2677	賤	ECCD	9147	5566	6C4D	I3520080
2678	賈	ECCE	E6CC	647A	6C4E	I5DM0080
2679	賈	ECCF	E6CD	647B	6C4F	I5DN0080
2680	賽	ECD0	E6CE	647E	6C50	I5DQ0080
2681	賺	ECD1	E6CF	647F	6C51	I5DR0080
2682	賄	ECD2	E6D0	6480	6C52	I5DS0080
2683	贊	ECD3	E6D1	535A	6C53	I2U20080
2684	贊	ECD4	E6D2	5574	6C54	I35G0080
2685	贊	ECD5	E6D3	6482	6C55	I5DU0080
2686	贊	ECD6	E6D4	6481	6C56	I5DT0080
2687	贏	ECD7	E6D5	6483	6C57	I5DV0080
2688	贍	ECD8	E6D6	6484	6C58	I5DW0080
2689	贍	ECD9	E6D7	6486	6C59	I5DY0080
2690	齋	ECDA	E6D8	686E	6C5A	I5YM0080
2691	贓	ECDB	E6D9	6487	6C5B	I5DZ0080
2692	贓	ECDC	E6DA	6479	6C5C	I5DL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 43 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2693	𧯧	ECDD	E6DB	6488	6C5D	I5E00080
2694	贖	ECDE	E6DC	6489	6C5E	I5E10080
2695	赧	ECDF	E6DD	648A	6C5F	I5E20080
2696	赭	ECE0	E6DE	648B	6C60	I5E30080
2697	𧯨	ECE1	E6DF	648C	6C61	I5E40080
2698	赳	ECE2	E6E0	51C9	6C62	I2MH0080
2699	趁	ECE3	E6E1	648F	6C63	I5E70080
2700	趙	ECE4	E6E2	51DE	6C64	I2N20080
2701	跂	ECE5	E6E3	6490	6C65	I5E80080
2702	趾	ECE6	E6E4	6491	6C66	I5E90080
2703	趺	ECE7	E6E5	6492	6C67	I5EA0080
2704	跏	ECE8	E6E6	6493	6C68	I5EB0080
2705	跏	ECE9	E6E7	6494	6C69	I5EC0080
2706	跖	ECEA	E6E8	6495	6C6A	I5ED0080
2707	跌	ECEB	E6E9	6496	6C6B	I5EE0080
2708	跛	ECEC	E6EA	6497	6C6C	I5EF0080
2709	跋	ECED	E6EB	6498	6C6D	I5EG0080
2710	跪	ECEE	E6EC	6499	6C6E	I5EH0080
2711	躋	ECEF	E6ED	649A	6C6F	I5EI0080
2712	跟	ECF0	E6EE	649B	6C70	I5EJ0080
2713	跣	ECF1	E6EF	649C	6C71	I5EK0080
2714	跣	ECF2	E6F0	649D	6C72	I5EL0080
2715	踈	ECF3	E6F1	649E	6C73	I5EM0080
2716	踈	ECF4	E6F2	64A0	6C74	I5EO0080
2717	踈	ECF5	E6F3	649F	6C75	I5EN0080
2718	蹠	ECF6	E6F4	64A1	6C76	I5EP0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 44 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2719	踞	ECF7	E6F5	64A2	6C77	I5EQ0080
2720	踐	ECF8	E6F6	64A3	6C78	I5ER0080
2721	踟	ECF9	E6F7	64A4	6C79	I5ES0080
2722	蹂	ECFA	E6F8	64A5	6C7A	I5ET0080
2723	踵	ECFB	E6F9	64A6	6C7B	I5EU0080
2724	踰	ECFC	E6FA	64A7	6C7C	I5EV0080
2725	踴	ECFD	E6FB	64A8	6C7D	I5EW0080
2726	蹊	ECFE	E6FC	64A9	6C7E	I5EX0080
2727	蹇	EDA1	E740	64AA	6D21	I5EY0080
2728	蹉	EDA2	E741	64AB	6D22	I5EZ0080
2729	踰	EDA3	E742	64AC	6D23	I5F00080
2730	躋	EDA4	E743	64AD	6D24	I5F10080
2731	蹈	EDA5	E744	64AE	6D25	I5F20080
2732	蹙	EDA6	E745	64AF	6D26	I5F30080
2733	蹤	EDA7	E746	64B0	6D27	I5F40080
2734	蹠	EDA8	E747	64B1	6D28	I5F50080
2735	踪	EDA9	E748	50FC	6D29	I2IK0080
2736	躡	EDAA	E749	64B3	6D2A	I5F70080
2737	躡	EDAB	E74A	64B2	6D2B	I5F60080
2738	蹠	EDAC	E74B	64B4	6D2C	I5F80080
2739	躡	EDAD	E74C	64B5	6D2D	I5F90080
2740	蹠	EDAE	E74D	64B7	6D2E	I5FB0080
2741	蹠	EDAF	E74E	64B8	6D2F	I5FC0080
2742	躡	EDB0	E74F	64B6	6D30	I5FA0080
2743	躡	EDB1	E750	64B9	6D31	I5FD0080
2744	蹠	EDB2	E751	64BA	6D32	I5FE0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 45 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2745	躋	EDB3	E752	64BB	6D33	I5FF0080
2746	躋	EDB4	E753	64BC	6D34	I5FG0080
2747	躋	EDB5	E754	64BD	6D35	I5FH0080
2748	躋	EDB6	E755	64BE	6D36	I5FI0080
2749	躋	EDB7	E756	64BF	6D37	I5FJ0080
2750	躋	EDB8	E757	64C0	6D38	I5FK0080
2751	躋	EDB9	E758	64C2	6D39	I5FM0080
2752	躋	EDBA	E759	64C1	6D3A	I5FL0080
2753	躋	EDBB	E75A	5044	6D3B	I2DG0080
2754	躋	EDBC	E75B	537A	6D3C	I2UY0080
2755	躋	EDBD	E75C	64C5	6D3D	I5FP0080
2756	躋	EDBE	E75D	64C3	6D3E	I5FN0080
2757	躋	EDBF	E75E	64C4	6D3F	I5FO0080
2758	躋	EDC0	E75F	64C6	6D40	I5FQ0080
2759	躋	EDC1	E760	64C7	6D41	I5FR0080
2760	軋	EDC2	E761	64C8	6D42	I5FS0080
2761	軋	EDC3	E762	64CA	6D43	I5FU0080
2762	軋	EDC4	E763	64CB	6D44	I5FV0080
2763	軋	EDC5	E764	64CC	6D45	I5FW0080
2764	軋	EDC6	E765	64CD	6D46	I5FX0080
2765	軋	EDC7	E766	64CE	6D47	I5FY0080
2766	軋	EDC8	E767	64CF	6D48	I5FZ0080
2767	軋	EDC9	E768	64D0	6D49	I5G00080
2768	軋	EDCA	E769	64D2	6D4A	I5G20080
2769	軋	EDCB	E76A	64D3	6D4B	I5G30080
2770	軋	EDCC	E76B	64D4	6D4C	I5G40080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 46 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2771	輒	EDCD	E76C	64D7	6D4D	I5G70080
2772	輓	EDCE	E76D	64D5	6D4E	I5G50080
2773	輜	EDCF	E76E	64D6	6D4F	I5G60080
2774	輟	EDD0	E76F	64D8	6D50	I5G80080
2775	輗	EDD1	E770	515B	6D51	I2JF0080
2776	輘	EDD2	E771	64D1	6D52	I5G10080
2777	輙	EDD3	E772	64D9	6D53	I5G90080
2778	輚	EDD4	E773	64DA	6D54	I5GA0080
2779	輛	EDD5	E774	64DB	6D55	I5GB0080
2780	輜	EDD6	E775	64DC	6D56	I5GC0080
2781	輝	EDD7	E776	64DD	6D57	I5GD0080
2782	輞	EDD8	E777	64DE	6D58	I5GE0080
2783	輟	EDD9	E778	64DF	6D59	I5GF0080
2784	輠	EDDA	E779	64E2	6D5A	I5GI0080
2785	輡	EDDB	E77A	64E0	6D5B	I5GG0080
2786	輢	EDDC	E77B	64E1	6D5C	I5GH0080
2787	輣	EDDD	E77C	64E3	6D5D	I5GJ0080
2788	輤	EDDE	E77D	64E4	6D5E	I5GK0080
2789	輥	EDDF	E77E	64E5	6D5F	I5GL0080
2790	輦	EDE0	E780	64E6	6D60	I5GM0080
2791	輧	EDE1	E781	64E7	6D61	I5GN0080
2792	輨	EDE2	E782	64E8	6D62	I5GO0080
2793	辜	EDE3	E783	64E9	6D63	I5GP0080
2794	辟	EDE4	E784	64EA	6D64	I5GQ0080
2795	辣	EDE5	E785	64EB	6D65	I5GR0080
2796	辭	EDE6	E786	64EE	6D66	I5GU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 47 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2797	辯	EDE7	E787	64EF	6D67	I5GV0080
2798	亾	EDE8	E788	64F0	6D68	I5GW0080
2799	迎	EDE9	E789	64F2	6D69	I5GY0080
2800	廻	EDEA	E78A	64F3	6D6A	I5GZ0080
2801	迢	EDEB	E78B	64F4	6D6B	I5H00080
2802	迪	EDEC	E78C	4E9E	6D6C	I25A0080
2803	邈	EDED	E78D	64F5	6D6D	I5H10080
2804	邇	EDEE	93F4	5186	6D6E	I2KM0080
2805	廻	EDEF	E78F	64F7	6D6F	I5H30080
2806	逅	EDF0	E790	64F8	6D70	I5H40080
2807	迹	EDF1	E791	64F9	6D71	I5H50080
2808	迺	EDF2	E792	54A9	6D72	I31L0080
2809	逖	EDF3	E793	64FB	6D73	I5H70080
2810	逦	EDF4	E794	64FC	6D74	I5H80080
2811	逦	EDF5	E795	64FE	6D75	I5HA0080
2812	逦	EDF6	E796	6541	6D76	I5HD0080
2813	逦	EDF7	E797	6542	6D77	I5HE0080
2814	逦	EDF8	E798	6543	6D78	I5HF0080
2815	逦	EDF9	E799	6544	6D79	I5HG0080
2816	逦	EDFA	E79A	6545	6D7A	I5HH0080
2817	逦	EDFB	E79B	6546	6D7B	I5HI0080
2818	逦	EDFC	E79C	5485	6D7C	I30L0080
2819	逦	EDFD	E79D	6547	6D7D	I5HJ0080
2820	进	EDFE	E79E	64FA	6D7E	I5H60080
2821	遏	EEA1	E79F	6548	6E21	I5HK0080
2822	遐	EEA2	E7A0	654A	6E22	I5HM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 48 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2823	遑	EEA3	E7A1	654B	6E23	I5HN0080
2824	遭	EEA4	E7A2	654C	6E24	I5HO0080
2825	酒	EEA5	E7A3	64FD	6E25	I5H90080
2826	遠	EEA6	E7A4	654D	6E26	I5HP0080
2827	逾	EEA7	E7A5	654E	6E27	I5HQ0080
2828	適	EEA8	E7A6	654F	6E28	I5HR0080
2829	遘	EEA9	E7A7	6550	6E29	I5HS0080
2830	遞	EEAA	E7A8	6551	6E2A	I5HT0080
2831	遨	EEAB	E7A9	6552	6E2B	I5HU0080
2832	遯	EEAC	E7AA	6554	6E2C	I5HW0080
2833	遠	EEAD	E7AB	6555	6E2D	I5HX0080
2834	隨	EEAE	E7AC	6556	6E2E	I5HY0080
2835	遲	EEAF	E7AD	6557	6E2F	I5HZ0080
2836	邂	EEB0	E7AE	6558	6E30	I5I00080
2837	遽	EEB1	E7AF	6559	6E31	I5I10080
2838	邁	EEB2	E7B0	537B	6E32	I2UZ0080
2839	邀	EEB3	E7B1	655B	6E33	I5I30080
2840	邊	EEB4	E7B2	50EA	6E34	I2I20080
2841	遑	EEB5	E7B3	655A	6E35	I5I20080
2842	邏	EEB6	E7B4	655C	6E36	I5I40080
2843	邨	EEB7	E7B5	51A8	6E37	I2LK0080
2844	邯	EEB8	E7B6	655E	6E38	I5I60080
2845	邱	EEB9	E7B7	655F	6E39	I5I70080
2846	邵	EEBA	E7B8	6560	6E3A	I5I80080
2847	郢	EEBB	E7B9	6561	6E3B	I5I90080
2848	郤	EEBC	E7BA	6562	6E3C	I5IA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 49 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2849	扈	EEBD	E7BB	655D	6E3D	I5I50080
2850	郇	EEBE	E7BC	6563	6E3E	I5IB0080
2851	鄂	EEBF	E7BD	6565	6E3F	I5ID0080
2852	鄒	EEC0	E7BE	6568	6E40	I5IG0080
2853	鄩	EEC1	E7BF	6569	6E41	I5IH0080
2854	鄪	EEC2	E7C0	656A	6E42	I5II0080
2855	鄫	EEC3	E7C1	656C	6E43	I5IK0080
2856	酏	EEC4	E7C2	656D	6E44	I5IL0080
2857	酑	EEC5	E7C3	656E	6E45	I5IM0080
2858	酒	EEC6	E7C4	656F	6E46	I5IN0080
2859	酓	EEC7	E7C5	6570	6E47	I5IO0080
2860	酔	EEC8	E7C6	6571	6E48	I5IP0080
2861	酕	EEC9	E7C7	6572	6E49	I5IQ0080
2862	酖	EECA	E7C8	6573	6E4A	I5IR0080
2863	酗	EECB	E7C9	6574	6E4B	I5IS0080
2864	酘	EECC	E7CA	6575	6E4C	I5IT0080
2865	酙	EECD	E7CB	6576	6E4D	I5IU0080
2866	酚	EECE	E7CC	6577	6E4E	I5IV0080
2867	酛	EECF	E7CD	6578	6E4F	I5IW0080
2868	醫	EED0	E7CE	6579	6E50	I5IX0080
2869	醃	EED1	E7CF	657A	6E51	I5IY0080
2870	醄	EED2	E7D0	657B	6E52	I5IZ0080
2871	醅	EED3	E7D1	657C	6E53	I5J00080
2872	醆	EED4	E7D2	657D	6E54	I5J10080
2873	醇	EED5	E7D3	657E	6E55	I5J20080
2874	醈	EED6	E7D4	657F	6E56	I5J30080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 50 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2875	釁	EED7	E7D5	6580	6E57	I5J40080
2876	釉	EED8	E7D6	5252	6E58	I2OI0080
2877	釋	EED9	E7D7	6581	6E59	I5J50080
2878	釐	EEDA	E7D8	6582	6E5A	I5J60080
2879	釧	EEDB	E7D9	6587	6E5B	I5JB0080
2880	釩	EEDC	E7DA	6588	6E5C	I5JC0080
2881	釜	EEDD	E7DB	6589	6E5D	I5JD0080
2882	鋤	EEDE	E7DC	6584	6E5E	I5J80080
2883	釧	EEDF	E7DD	51D0	6E5F	I2MO0080
2884	釵	EEE0	E7DE	658B	6E60	I5JF0080
2885	鉞	EEE1	E7DF	658E	6E61	I5JI0080
2886	鈞	EEE2	E7E0	6591	6E62	I5JL0080
2887	鉞	EEE3	E7E1	6592	6E63	I5JM0080
2888	鈔	EEE4	E7E2	6594	6E64	I5JO0080
2889	鉞	EEE5	E7E3	6596	6E65	I5JQ0080
2890	鉞	EEE6	E7E4	6597	6E66	I5JR0080
2891	鉞	EEE7	E7E5	5269	6E67	I2P50080
2892	鉞	EEE8	E7E6	5393	6E68	I2VN0080
2893	鉗	EEE9	E7E7	6599	6E69	I5JT0080
2894	鉅	EEEE	E7E8	659A	6E6A	I5JU0080
2895	鉉	EEEE	E7E9	659C	6E6B	I5JW0080
2896	鉤	EEEE	E7EA	659D	6E6C	I5JX0080
2897	鉞	EEEE	E7EB	65A0	6E6D	I5K00080
2898	鉞	EEEE	E7EC	65B1	6E6E	I5KH0080
2899	鈿	EEEE	E7ED	65A4	6E6F	I5K40080
2900	鉞	EEF0	E7EE	65A7	6E70	I5K70080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 51 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2901	鈳	EEF1	E7EF	65A2	6E71	I5K20080
2902	銜	EEF2	E7F0	65AA	6E72	I5KA0080
2903	銖	EEF3	E7F1	65AE	6E73	I5KE0080
2904	銈	EEF4	E7F2	65AF	6E74	I5KF0080
2905	銊	EEF5	E7F3	65B0	6E75	I5KG0080
2906	銋	EEF6	E7F4	65A9	6E76	I5K90080
2907	銌	EEF7	E7F5	65B3	6E77	I5KJ0080
2908	銍	EEF8	E7F6	65BA	6E78	I5KQ0080
2909	銎	EEF9	E7F7	65BB	6E79	I5KR0080
2910	銏	EEFA	E7F8	65B2	6E7A	I5KI0080
2911	銐	EEFB	E7F9	65C0	6E7B	I5KW0080
2912	銑	EEFC	E7FA	65C2	6E7C	I5KY0080
2913	銒	EEFD	E7FB	65C4	6E7D	I5L00080
2914	銓	EEFE	E7FC	5283	6E7E	I2PV0080
2915	銔	EFA1	E840	65C7	6F21	I5L30080
2916	銕	EFA2	E841	65CA	6F22	I5L60080
2917	銖	EFA3	E842	65CB	6F23	I5L70080
2918	銗	EFA4	E843	65CD	6F24	I5L90080
2919	銘	EFA5	E844	65BE	6F25	I5KU0080
2920	銙	EFA6	E845	65BF	6F26	I5KV0080
2921	銚	EFA7	E846	65CF	6F27	I5LB0080
2922	銛	EFA8	E847	52AD	6F28	I2R10080
2923	銜	EFA9	E848	65D1	6F29	I5LD0080
2924	銙	EFAA	E849	65D2	6F2A	I5LE0080
2925	銚	EFAB	E84A	65D3	6F2B	I5LF0080
2926	銛	EFAC	E84B	65D4	6F2C	I5LG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 52 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2927	鎰	EFAD	E84C	65D7	6F2D	I5LJ0080
2928	鎬	EFAE	E84D	536E	6F2E	I2UM0080
2929	鎭	EFAF	E84E	65D9	6F2F	I5LL0080
2930	鎔	EFB0	E84F	65DA	6F30	I5LM0080
2931	鎚	EFB1	E850	65D6	6F31	I5LI0080
2932	鑿	EFB2	E851	65DC	6F32	I5LO0080
2933	鏗	EFB3	E852	65DE	6F33	I5LQ0080
2934	鏗	EFB4	E853	65DF	6F34	I5LR0080
2935	鎔	EFB5	E854	65E0	6F35	I5LS0080
2936	鏘	EFB6	E855	65E1	6F36	I5LT0080
2937	鏘	EFB7	E856	65E2	6F37	I5LU0080
2938	鎰	EFB8	E857	65E3	6F38	I5LV0080
2939	鏗	EFB9	E858	65E5	6F39	I5LX0080
2940	鏘	EFBA	E859	65DB	6F3A	I5LN0080
2941	鏘	EFBB	E85A	65E6	6F3B	I5LY0080
2942	鏘	EFBC	E85B	65E7	6F3C	I5LZ0080
2943	鏘	EFBD	E85C	65E9	6F3D	I5M10080
2944	鏘	EFBE	E85D	65EA	6F3E	I5M20080
2945	鏘	EFBF	E85E	65EC	6F3F	I5M40080
2946	鏘	EFC0	E85F	65ED	6F40	I5M50080
2947	鏘	EFC1	E860	51CD	6F41	I2ML0080
2948	鏘	EFC2	E861	65EE	6F42	I5M60080
2949	鏘	EFC3	E862	65EF	6F43	I5M70080
2950	鏘	EFC4	E863	5156	6F44	I2JA0080
2951	鏘	EFC5	E864	65EB	6F45	I5M30080
2952	鏘	EFC6	E865	65F1	6F46	I5M90080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 53 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2953	鏝	EFC7	E866	65F2	6F47	I5MA0080
2954	鑿	EFC8	E867	65F3	6F48	I5MB0080
2955	鑄	EFC9	E868	65F5	6F49	I5MD0080
2956	鑛	EFCA	E869	65F7	6F4A	I5MF0080
2957	鑠	EFCB	E86A	65F9	6F4B	I5MH0080
2958	鑢	EFCC	E86B	65FA	6F4C	I5MI0080
2959	鐵	EFGD	E86C	65FB	6F4D	I5MJ0080
2960	鑪	EFCE	E86D	65FC	6F4E	I5MK0080
2961	鈺	EFCF	E86E	6598	6F4F	I5JS0080
2962	鑪	EFD0	E86F	65FE	6F50	I5MM0080
2963	鑳	EFD1	E870	65FD	6F51	I5ML0080
2964	鑯	EFD2	E871	6641	6F52	I5MP0080
2965	鑽	EFD3	E872	6643	6F53	I5MR0080
2966	鑽	EFD4	E873	65F8	6F54	I5MG0080
2967	鑼	EFD5	E874	6644	6F55	I5MS0080
2968	鑼	EFD6	E875	6645	6F56	I5MT0080
2969	鑼	EFD7	E876	6646	6F57	I5MU0080
2970	鑼	EFD8	E877	6642	6F58	I5MQ0080
2971	閤	EFD9	E878	6647	6F59	I5MV0080
2972	閤	EFDA	E879	6648	6F5A	I5MW0080
2973	閤	EFDB	E87A	6649	6F5B	I5MX0080
2974	閤	EFDC	E87B	664B	6F5C	I5MZ0080
2975	閤	EFDD	E87C	664C	6F5D	I5N00080
2976	閤	EFDE	E87D	664D	6F5E	I5N10080
2977	閤	EFDF	E87E	664E	6F5F	I5N20080
2978	閤	EFE0	E880	664F	6F60	I5N30080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 54 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
2979	闕	EFE1	E881	6650	6F61	I5N40080
2980	関	EFE2	E882	6651	6F62	I5N50080
2981	閻	EFE3	E883	6652	6F63	I5N60080
2982	闕	EFE4	E884	6653	6F64	I5N70080
2983	閻	EFE5	E885	6654	6F65	I5N80080
2984	闕	EFE6	E886	6655	6F66	I5N90080
2985	闕	EFE7	E887	6656	6F67	I5NA0080
2986	闕	EFE8	E888	6657	6F68	I5NB0080
2987	濶	EFE9	E889	6658	6F69	I5NC0080
2988	闕	EFEA	E88A	6659	6F6A	I5ND0080
2989	闕	EFEB	E88B	665A	6F6B	I5NE0080
2990	闕	EFEC	E88C	665B	6F6C	I5NF0080
2991	闕	EFED	E88D	665C	6F6D	I5NG0080
2992	闕	EFEE	E88E	665D	6F6E	I5NH0080
2993	闕	EFEF	E88F	665E	6F6F	I5NI0080
2994	闕	EFF0	E890	665F	6F70	I5NJ0080
2995	闕	EFF1	E891	6660	6F71	I5NK0080
2996	闕	EFF2	E892	6661	6F72	I5NL0080
2997	闕	EFF3	E893	6662	6F73	I5NM0080
2998	阡	EFF4	E894	6663	6F74	I5NN0080
2999	阨	EFF5	E895	6664	6F75	I5NO0080
3000	阮	EFF6	E896	6665	6F76	I5NP0080
3001	阢	EFF7	E897	6666	6F77	I5NQ0080
3002	陂	EFF8	E898	6667	6F78	I5NR0080
3003	陌	EFF9	E899	6669	6F79	I5NT0080
3004	隋	EFFA	E89A	6668	6F7A	I5NS0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 55 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3005	陋	EFFB	E89B	666A	6F7B	I5NU0080
3006	陷	EFFC	E89C	666F	6F7C	I5NZ0080
3007	陝	EFFD	E89D	666B	6F7D	I5NV0080
3008	陞	EFFE	E89E	5272	6F7E	I2PE0080
3009	陝	F0A1	E89F	666C	7021	I5NW0080
3010	陟	F0A2	E8A0	666D	7022	I5NX0080
3011	隄	F0A3	E8A1	666E	7023	I5NY0080
3012	陞	F0A4	E8A2	6670	7024	I5O00080
3013	陞	F0A5	E8A3	6671	7025	I5O10080
3014	隍	F0A6	E8A4	6672	7026	I5O20080
3015	隘	F0A7	E8A5	6675	7027	I5O50080
3016	隕	F0A8	E8A6	6676	7028	I5O60080
3017	隗	F0A9	E8A7	6677	7029	I5O70080
3018	險	F0AA	E8A8	667B	702A	I5OB0080
3019	隧	F0AB	E8A9	667A	702B	I5OA0080
3020	隱	F0AC	E8AA	667C	702C	I5OC0080
3021	隰	F0AD	E8AB	667D	702D	I5OD0080
3022	隰	F0AE	E8AC	667E	702E	I5OE0080
3023	隴	F0AF	E8AD	6680	702F	I5OG0080
3024	隸	F0B0	E8AE	6681	7030	I5OH0080
3025	隸	F0B1	E8AF	6682	7031	I5OI0080
3026	隹	F0B2	E8B0	6683	7032	I5OJ0080
3027	隹	F0B3	E8B1	6684	7033	I5OK0080
3028	雋	F0B4	E8B2	6685	7034	I5OL0080
3029	雉	F0B5	E8B3	5477	7035	I3070080
3030	雍	F0B6	E8B4	525B	7036	I2OR0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 56 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3031	襟	F0B7	E8B5	63A1	7037	I59D0080
3032	雜	F0B8	E8B6	6687	7038	I5ON0080
3033	霍	F0B9	E8B7	668E	7039	I5OU0080
3034	雕	F0BA	E8B8	6686	703A	I5OM0080
3035	電	F0BB	E8B9	6689	703B	I5OP0080
3036	霄	F0BC	E8BA	668A	703C	I5OQ0080
3037	霆	F0BD	E8BB	668B	703D	I5OR0080
3038	霈	F0BE	E8BC	668C	703E	I5OS0080
3039	霓	F0BF	E8BD	668F	703F	I5OV0080
3040	霎	F0C0	E8BE	6690	7040	I5OW0080
3041	靄	F0C1	E8BF	6691	7041	I5OX0080
3042	霏	F0C2	E8C0	6692	7042	I5OY0080
3043	霖	F0C3	E8C1	6693	7043	I5OZ0080
3044	霰	F0C4	E8C2	668D	7044	I5OT0080
3045	霽	F0C5	E8C3	6694	7045	I5P00080
3046	霰	F0C6	E8C4	6695	7046	I5P10080
3047	霰	F0C7	E8C5	6696	7047	I5P20080
3048	霰	F0C8	E8C6	6698	7048	I5P40080
3049	霰	F0C9	E8C7	669A	7049	I5P60080
3050	霰	F0CA	E8C8	669B	704A	I5P70080
3051	霰	F0CB	E8C9	669D	704B	I5P90080
3052	霰	F0CC	E8CA	669C	704C	I5P80080
3053	靈	F0CD	E8CB	669F	704D	I5PB0080
3054	歷	F0CE	E8CC	66A0	704E	I5PC0080
3055	幾	F0CF	E8CD	66A1	704F	I5PD0080
3056	靜	F0D0	E8CE	66A6	7050	I5PI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 57 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3057	靠	F0D1	E8CF	66A7	7051	I5PJ0080
3058	匏	F0D2	E8D0	66A8	7052	I5PK0080
3059	甌	F0D3	E8D1	66A9	7053	I5PL0080
3060	罍	F0D4	E8D2	66AA	7054	I5PM0080
3061	勒	F0D5	E8D3	53D6	7055	I2XI0080
3062	鞞	F0D6	E8D4	53B5	7056	I2WL0080
3063	鞞	F0D7	9078	52CE	7057	I2RY0080
3064	鞞	F0D8	E8D6	66AC	7058	I5PO0080
3065	鞞	F0D9	E8D7	66AD	7059	I5PP0080
3066	鞞	F0DA	E8D8	66AE	705A	I5PQ0080
3067	鞞	F0DB	E8D9	66AF	705B	I5PR0080
3068	鞞	F0DC	E8DA	66B0	705C	I5PS0080
3069	鞞	F0DD	E8DB	5277	705D	I2PJ0080
3070	鞋	F0DE	E8DC	66B1	705E	I5PT0080
3071	鞞	F0DF	E8DD	66B2	705F	I5PU0080
3072	鞞	F0E0	E8DE	66B3	7060	I5PV0080
3073	鞞	F0E1	E8DF	66B4	7061	I5PW0080
3074	鞞	F0E2	E8E0	66B5	7062	I5PX0080
3075	鞞	F0E3	E8E1	66B6	7063	I5PY0080
3076	鞞	F0E4	E8E2	66B7	7064	I5PZ0080
3077	鞞	F0E5	E8E3	66B8	7065	I5Q00080
3078	鞞	F0E6	E8E4	66B9	7066	I5Q10080
3079	鞞	F0E7	E8E5	66BA	7067	I5Q20080
3080	鞞	F0E8	E8E6	66BB	7068	I5Q30080
3081	鞞	F0E9	E8E7	66BC	7069	I5Q40080
3082	韋	F0EA	E8E8	66BD	706A	I5Q50080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 58 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3083	韜	F0EB	E8E9	66BE	706B	I5Q60080
3084	韭	F0EC	E8EA	66BF	706C	I5Q70080
3085	齋	F0ED	E8EB	686F	706D	I5YN0080
3086	壘	F0EE	E8EC	66C0	706E	I5Q80080
3087	竟	F0EF	E8ED	66C1	706F	I5Q90080
3088	韶	F0F0	E8EE	52FC	7070	I2T80080
3089	韵	F0F1	E8EF	66C2	7071	I5QA0080
3090	頎	F0F2	E8F0	66C3	7072	I5QB0080
3091	頎	F0F3	E8F1	5456	7073	I2ZA0080
3092	頎	F0F4	8C7A	50FB	7074	I2IJ0080
3093	頎	F0F5	E8F3	66C5	7075	I5QD0080
3094	頎	F0F6	E8F4	66C6	7076	I5QE0080
3095	頎	F0F7	E8F5	66C7	7077	I5QF0080
3096	頎	F0F8	E8F6	66C8	7078	I5QG0080
3097	頎	F0F9	E8F7	51DC	7079	I2N00080
3098	顏	F0FA	E8F8	66C9	707A	I5QH0080
3099	頎	F0FB	E8F9	66CA	707B	I5QI0080
3100	顛	F0FC	E8FA	66CD	707C	I5QL0080
3101	顯	F0FD	E8FB	66CE	707D	I5QM0080
3102	颯	F0FE	E8FC	66CF	707E	I5QN0080
3103	顛	F1A1	E940	66D0	7121	I5QO0080
3104	顛	F1A2	E941	66D1	7122	I5QP0080
3105	顛	F1A3	E942	66D2	7123	I5QQ0080
3106	颯	F1A4	E943	66D3	7124	I5QR0080
3107	颯	F1A5	E944	66D4	7125	I5QS0080
3108	颯	F1A6	E945	66D5	7126	I5QT0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 59 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3109	颯	F1A7	E946	66D6	7127	I5QU0080
3110	飄	F1A8	E947	66D7	7128	I5QV0080
3111	颯	F1A9	E948	66D8	7129	I5QW0080
3112	颯	F1AA	E949	66D9	712A	I5QX0080
3113	餛	F1AB	E94A	66DC	712B	I5R00080
3114	飫	F1AC	E94B	66DE	712C	I5R20080
3115	餃	F1AD	E94C	66E0	712D	I5R40080
3116	餉	F1AE	E94D	54BC	712E	I3240080
3117	餒	F1AF	E94E	66E2	712F	I5R60080
3118	舖	F1B0	E94F	66E3	7130	I5R70080
3119	餘	F1B1	E950	66E4	7131	I5R80080
3120	餡	F1B2	E951	66E7	7132	I5RB0080
3121	飭	F1B3	E952	66E1	7133	I5R50080
3122	餞	F1B4	E953	66E8	7134	I5RC0080
3123	餸	F1B5	E954	66E9	7135	I5RD0080
3124	餅	F1B6	E955	66EA	7136	I5RE0080
3125	餽	F1B7	E956	66EB	7137	I5RF0080
3126	饗	F1B8	E957	66EC	7138	I5RG0080
3127	餽	F1B9	E958	66ED	7139	I5RH0080
3128	餹	F1BA	E959	66EE	713A	I5RI0080
3129	饈	F1BB	E95A	66EF	713B	I5RJ0080
3130	饉	F1BC	E95B	66F0	713C	I5RK0080
3131	饊	F1BD	E95C	66F1	713D	I5RL0080
3132	饋	F1BE	E95D	66F2	713E	I5RM0080
3133	饌	F1BF	E95E	66F3	713F	I5RN0080
3134	饍	F1C0	E95F	66F4	7140	I5RO0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 60 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3135	饒	F1C1	E960	52E8	7141	I2SO0080
3136	饑	F1C2	E961	66F5	7142	I5RP0080
3137	饗	F1C3	E962	66F6	7143	I5RQ0080
3138	馗	F1C4	E963	66F7	7144	I5RR0080
3139	馘	F1C5	E964	66F8	7145	I5RS0080
3140	馥	F1C6	E965	66FA	7146	I5RU0080
3141	馭	F1C7	E966	66FB	7147	I5RV0080
3142	馮	F1C8	E967	66FC	7148	I5RW0080
3143	馭	F1C9	E968	66FD	7149	I5RX0080
3144	駟	F1CA	E969	66FE	714A	I5RY0080
3145	駛	F1CB	E96A	6741	714B	I5S10080
3146	駝	F1CC	E96B	6742	714C	I5S20080
3147	駘	F1CD	E96C	6743	714D	I5S30080
3148	駑	F1CE	E96D	6744	714E	I5S40080
3149	駑	F1CF	E96E	6745	714F	I5S50080
3150	駑	F1D0	E96F	6746	7150	I5S60080
3151	駑	F1D1	E970	6748	7151	I5S80080
3152	駑	F1D2	E971	6749	7152	I5S90080
3153	駑	F1D3	E972	674A	7153	I5SA0080
3154	駑	F1D4	E973	674B	7154	I5SB0080
3155	駑	F1D5	E974	674C	7155	I5SC0080
3156	駑	F1D6	E975	674D	7156	I5SD0080
3157	駑	F1D7	E976	674E	7157	I5SE0080
3158	駑	F1D8	E977	6747	7158	I5S70080
3159	駑	F1D9	E978	674F	7159	I5SF0080
3160	駑	F1DA	E979	6750	715A	I5SG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 61 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3161	騷	F1DB	E97A	6751	715B	I5SH0080
3162	驅	F1DC	E97B	6753	715C	I5SJ0080
3163	驂	F1DD	E97C	6754	715D	I5SK0080
3164	騫	F1DE	E97D	6752	715E	I5SI0080
3165	驪	F1DF	E97E	6755	715F	I5SL0080
3166	騾	F1E0	E980	6756	7160	I5SM0080
3167	驕	F1E1	E981	6757	7161	I5SN0080
3168	驍	F1E2	E982	6758	7162	I5SO0080
3169	驛	F1E3	E983	675A	7163	I5SQ0080
3170	驗	F1E4	E984	675B	7164	I5SR0080
3171	驟	F1E5	E985	675C	7165	I5SS0080
3172	驢	F1E6	E986	675D	7166	I5ST0080
3173	驥	F1E7	E987	675F	7167	I5SV0080
3174	驤	F1E8	E988	6760	7168	I5SW0080
3175	驢	F1E9	E989	675E	7169	I5SU0080
3176	羸	F1EA	E98A	6762	716A	I5SY0080
3177	驪	F1EB	E98B	6761	716B	I5SX0080
3178	骯	F1EC	E98C	6763	716C	I5SZ0080
3179	骯	F1ED	E98D	6764	716D	I5T00080
3180	骯	F1EE	E98E	6765	716E	I5T10080
3181	骯	F1EF	E98F	6766	716F	I5T20080
3182	骯	F1F0	E990	6767	7170	I5T30080
3183	骯	F1F1	E991	676A	7171	I5T60080
3184	骯	F1F2	E992	6768	7172	I5T40080
3185	體	F1F3	E993	6769	7173	I5T50080
3186	體	F1F4	E994	676D	7174	I5T90080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 62 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3187	髟	F1F5	E995	676E	7175	I5TA0080
3188	髡	F1F6	E996	676F	7176	I5TB0080
3189	髣	F1F7	E997	6770	7177	I5TC0080
3190	髤	F1F8	E998	6771	7178	I5TD0080
3191	髥	F1F9	E999	6772	7179	I5TE0080
3192	髦	F1FA	E99A	6773	717A	I5TF0080
3193	髧	F1FB	E99B	6774	717B	I5TG0080
3194	髨	F1FC	E99C	6775	717C	I5TH0080
3195	髩	F1FD	E99D	6776	717D	I5TI0080
3196	髪	F1FE	E99E	6777	717E	I5TJ0080
3197	髫	F2A1	E99F	6778	7221	I5TK0080
3198	髬	F2A2	E9A0	6779	7222	I5TL0080
3199	髭	F2A3	E9A1	677A	7223	I5TM0080
3200	髮	F2A4	E9A2	677B	7224	I5TN0080
3201	髯	F2A5	E9A3	677C	7225	I5TO0080
3202	髰	F2A6	E9A4	677D	7226	I5TP0080
3203	髱	F2A7	E9A5	677E	7227	I5TQ0080
3204	鬥	F2A8	E9A6	677F	7228	I5TR0080
3205	鬮	F2A9	E9A7	6780	7229	I5TS0080
3206	鬩	F2AA	E9A8	6781	722A	I5TT0080
3207	鬪	F2AB	E9A9	6782	722B	I5TU0080
3208	鬯	F2AC	E9AA	6783	722C	I5TV0080
3209	鬰	F2AD	E9AB	6784	722D	I5TW0080
3210	鬻	F2AE	E9AC	6785	722E	I5TX0080
3211	鬺	F2AF	E9AD	6787	722F	I5TZ0080
3212	魄	F2B0	E9AE	6789	7230	I5U10080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 63 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3213	越	F2B1	E9AF	678A	7231	I5U20080
3214	魏	F2B2	E9B0	5389	7232	I2VD0080
3215	魁	F2B3	E9B1	678B	7233	I5U30080
3216	魍	F2B4	E9B2	678C	7234	I5U40080
3217	魃	F2B5	E9B3	678D	7235	I5U50080
3218	魍	F2B6	E9B4	678E	7236	I5U60080
3219	魍	F2B7	E9B5	6790	7237	I5U80080
3220	魍	F2B8	E9B6	6792	7238	I5UA0080
3221	魍	F2B9	E9B7	6794	7239	I5UC0080
3222	魍	F2BA	E9B8	6795	723A	I5UD0080
3223	魍	F2BB	E9B9	6796	723B	I5UE0080
3224	魍	F2BC	E9BA	6797	723C	I5UF0080
3225	魍	F2BD	E9BB	6798	723D	I5UG0080
3226	魍	F2BE	E9BC	6799	723E	I5UH0080
3227	魍	F2BF	E9BD	679A	723F	I5UI0080
3228	魍	F2C0	E9BE	679C	7240	I5UK0080
3229	魍	F2C1	E9BF	679D	7241	I5UL0080
3230	魍	F2C2	E9C0	679E	7242	I5UM0080
3231	魍	F2C3	E9C1	67A0	7243	I5UO0080
3232	魍	F2C4	E9C2	67A1	7244	I5UP0080
3233	魍	F2C5	E9C3	67A2	7245	I5UQ0080
3234	魍	F2C6	E9C4	67A3	7246	I5UR0080
3235	魍	F2C7	E9C5	67A4	7247	I5US0080
3236	魍	F2C8	E9C6	67A5	7248	I5UT0080
3237	魍	F2C9	E9C7	67A6	7249	I5UU0080
3238	魍	F2CA	E9C8	67A7	724A	I5UV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 10 (Page 64 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3239	鰯	F2CB	E9C9	67A8	724B	I5UW0080
3240	鯡	F2CC	E9CA	67A9	724C	I5UX0080
3241	鰯	F2CD	88B1	51F0	724D	I2NK0080
3242	鯡	F2CE	E9CC	67AC	724E	I5V00080
3243	鯡	F2CF	E9CD	67AB	724F	I5UZ0080
3244	鯰	F2D0	E9CE	5551	7250	I34H0080
3245	鰻	F2D1	E9CF	67AF	7251	I5V30080
3246	鰻	F2D2	E9D0	67B0	7252	I5V40080
3247	鰻	F2D3	E9D1	67B2	7253	I5V60080
3248	鰻	F2D4	E9D2	67B3	7254	I5V70080
3249	鰻	F2D5	E9D3	67B4	7255	I5V80080
3250	鰻	F2D6	E9D4	67B5	7256	I5V90080
3251	鰻	F2D7	E9D5	67B6	7257	I5VA0080
3252	鰻	F2D8	E9D6	67B7	7258	I5VB0080
3253	鰻	F2D9	E9D7	67B8	7259	I5VC0080
3254	鰻	F2DA	E9D8	67AD	725A	I5V10080
3255	鰻	F2DB	E9D9	67B9	725B	I5VD0080
3256	鰻	F2DC	E9DA	67AE	725C	I5V20080
3257	鰻	F2DD	E9DB	67BA	725D	I5VE0080
3258	鰻	F2DE	E9DC	67BB	725E	I5VF0080
3259	鰻	F2DF	E9DD	67BC	725F	I5VG0080
3260	鰻	F2E0	E9DE	67BD	7260	I5VH0080
3261	鰻	F2E1	E9DF	67BE	7261	I5VI0080
3262	鰻	F2E2	E9E0	67BF	7262	I5VJ0080
3263	鰻	F2E3	E9E1	67C0	7263	I5VK0080
3264	鰻	F2E4	E9E2	67C1	7264	I5VL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 65 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3265	鱧	F2E5	E9E3	67C2	7265	I5VM0080
3266	鱈	F2E6	E9E4	67C3	7266	I5VN0080
3267	鱉	F2E7	E9E5	67C4	7267	I5VO0080
3268	鱻	F2E8	E9E6	67C5	7268	I5VP0080
3269	鱺	F2E9	E9E7	67C6	7269	I5VQ0080
3270	鳧	F2EA	E9E8	67C8	726A	I5VS0080
3271	鳧	F2EB	E9E9	67C9	726B	I5VT0080
3272	鴉	F2EC	E9EA	67CA	726C	I5VU0080
3273	鴉	F2ED	E9EB	67CB	726D	I5VV0080
3274	鴈	F2EE	E9EC	54FC	726E	I33W0080
3275	鴈	F2EF	E9ED	67C7	726F	I5VR0080
3276	鵞	F2F0	E9EE	67CC	7270	I5VW0080
3277	鵞	F2F1	E9EF	67CD	7271	I5VX0080
3278	鵞	F2F2	E9F0	67CE	7272	I5VY0080
3279	鶯	F2F3	E9F1	67CF	7273	I5VZ0080
3280	鶯	F2F4	89A7	50E5	7274	I2HX0080
3281	鴿	F2F5	E9F3	67D1	7275	I5W10080
3282	鴿	F2F6	E9F4	67D2	7276	I5W20080
3283	鴿	F2F7	E9F5	67D7	7277	I5W70080
3284	鴿	F2F8	E9F6	67D3	7278	I5W30080
3285	鴿	F2F9	E9F7	67D4	7279	I5W40080
3286	鴿	F2FA	E9F8	67D5	727A	I5W50080
3287	鴿	F2FB	E9F9	67D6	727B	I5W60080
3288	鶉	F2FC	E9FA	67D8	727C	I5W80080
3289	衛	F2FD	E9FB	67D9	727D	I5W90080
3290	鴿	F2FE	E9FC	67DA	727E	I5WA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 66 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3291	鵝	F3A1	EA40	67DB	7321	I5WB0080
3292	鶯	F3A2	EA41	67DC	7322	I5WC0080
3293	鶇	F3A3	EA42	67E0	7323	I5WG0080
3294	鶈	F3A4	EA43	67DE	7324	I5WE0080
3295	鶉	F3A5	EA44	67DF	7325	I5WF0080
3296	鶊	F3A6	EA45	67DD	7326	I5WD0080
3297	鶋	F3A7	EA46	67E1	7327	I5WH0080
3298	鶌	F3A8	EA47	5342	7328	I2TE0080
3299	鶍	F3A9	EA48	67E3	7329	I5WJ0080
3300	鶐	F3AA	EA49	67EA	732A	I5WQ0080
3301	鶑	F3AB	EA4A	67E5	732B	I5WL0080
3302	鶒	F3AC	EA4B	67E6	732C	I5WM0080
3303	鶓	F3AD	EA4C	67E7	732D	I5WN0080
3304	鶔	F3AE	EA4D	67E8	732E	I5WO0080
3305	鶕	F3AF	EA4E	67E9	732F	I5WP0080
3306	鶖	F3B0	EA4F	67EB	7330	I5WR0080
3307	鶗	F3B1	EA50	67EC	7331	I5WS0080
3308	鶘	F3B2	EA51	67ED	7332	I5WT0080
3309	鶙	F3B3	EA52	67EE	7333	I5WU0080
3310	鶚	F3B4	EA53	67EF	7334	I5WV0080
3311	鶛	F3B5	EA54	67F0	7335	I5WW0080
3312	鶜	F3B6	EA55	67F1	7336	I5WX0080
3313	鶝	F3B7	EA56	67F2	7337	I5WY0080
3314	鶞	F3B8	EA57	67F3	7338	I5WZ0080
3315	鶟	F3B9	EA58	67F5	7339	I5X10080
3316	鶠	F3BA	EA59	67F6	733A	I5X20080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 67 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3317	鶺鴒	F3BB	EA5A	67F7	733B	I5X30080
3318	鶺鴒	F3BC	EA5B	67F8	733C	I5X40080
3319	鶺鴒	F3BD	EA5C	67F9	733D	I5X50080
3320	鶺鴒	F3BE	EA5D	67FA	733E	I5X60080
3321	鶺鴒	F3BF	EA5E	67FB	733F	I5X70080
3322	鶺鴒	F3C0	EA5F	67FC	7340	I5X80080
3323	鶺鴒	F3C1	EA60	67FD	7341	I5X90080
3324	鶺鴒	F3C2	EA61	6841	7342	I5XD0080
3325	鹵	F3C3	EA62	6842	7343	I5XE0080
3326	鹵	F3C4	EA63	6843	7344	I5XF0080
3327	鹽	F3C5	EA64	6844	7345	I5XG0080
3328	麩	F3C6	EA65	6845	7346	I5XH0080
3329	麩	F3C7	EA66	6846	7347	I5XI0080
3330	麩	F3C8	EA67	6847	7348	I5XJ0080
3331	麩	F3C9	EA68	6848	7349	I5XK0080
3332	麩	F3CA	EA69	51F9	734A	I2NT0080
3333	麩	F3CB	EA6A	6849	734B	I5XL0080
3334	麩	F3CC	EA6B	684A	734C	I5XM0080
3335	麩	F3CD	EA6C	684B	734D	I5XN0080
3336	麥	F3CE	EA6D	684C	734E	I5XO0080
3337	麩	F3CF	EA6E	53B4	734F	I2WK0080
3338	麩	F3D0	EA6F	684D	7350	I5XP0080
3339	麩	F3D1	EA70	684E	7351	I5XQ0080
3340	麩	F3D2	EA71	684F	7352	I5XR0080
3341	麩	F3D3	EA72	6852	7353	I5XU0080
3342	麩	F3D4	EA73	6853	7354	I5XV0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 68 of 69). JIS Second Level Kanji Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3343	黎	F3D5	EA74	51A7	7355	I2LJ0080
3344	黏	F3D6	EA75	6854	7356	I5XW0080
3345	藟	F3D7	EA76	6855	7357	I5XX0080
3346	黔	F3D8	EA77	6857	7358	I5XZ0080
3347	黜	F3D9	EA78	6858	7359	I5Y00080
3348	黠	F3DA	EA79	6859	735A	I5Y10080
3349	黝	F3DB	EA7A	685A	735B	I5Y20080
3350	黠	F3DC	EA7B	685B	735C	I5Y30080
3351	黥	F3DD	EA7C	685C	735D	I5Y40080
3352	黨	F3DE	EA7D	685D	735E	I5Y50080
3353	黯	F3DF	EA7E	685E	735F	I5Y60080
3354	黴	F3E0	EA80	685F	7360	I5Y70080
3355	壓	F3E1	EA81	6860	7361	I5Y80080
3356	黷	F3E2	EA82	6861	7362	I5Y90080
3357	黹	F3E3	EA83	6862	7363	I5YA0080
3358	黻	F3E4	EA84	6863	7364	I5YB0080
3359	黼	F3E5	EA85	6864	7365	I5YC0080
3360	黽	F3E6	EA86	6865	7366	I5YD0080
3361	鼈	F3E7	EA87	6866	7367	I5YE0080
3362	鼈	F3E8	EA88	6867	7368	I5YF0080
3363	鼉	F3E9	EA89	6868	7369	I5YG0080
3364	鼈	F3EA	EA8A	6869	736A	I5YH0080
3365	鼉	F3EB	EA8B	686A	736B	I5YI0080
3366	鼉	F3EC	EA8C	686B	736C	I5YJ0080
3367	鼉	F3ED	EA8D	686C	736D	I5YK0080
3368	齊	F3EE	EA8E	686D	736E	I5YL0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 10 (Page 69 of 69). JIS Second Level Kanji Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
3369	齒	F3EF	EA8F	6870	736F	I5Y00080
3370	齧	F3F0	EA90	6871	7370	I5YP0080
3371	齧	F3F1	EA91	6872	7371	I5YQ0080
3372	齧	F3F2	EA92	6873	7372	I5YR0080
3373	齧	F3F3	EA93	6874	7373	I5YS0080
3374	齧	F3F4	EA94	6875	7374	I5YT0080
3375	齧	F3F5	EA95	6876	7375	I5YU0080
3376	齧	F3F6	EA96	6877	7376	I5YV0080
3377	齧	F3F7	EA97	6878	7377	I5YW0080
3378	齧	F3F8	EA98	6879	7378	I5YX0080
3379	齧	F3F9	EA99	687A	7379	I5YY0080
3380	齧	F3FA	EA9A	687B	737A	I5YZ0080
3381	齧	F3FB	EA9B	687C	737B	I5Z00080
3382	龕	F3FC	EA9C	687D	737C	I5Z10080
3383	龜	F3FD	EA9D	687E	737D	I5Z20080
3384	龕	F3FE	EA9E	687F	737E	I5Z30080
3385	堯	F4A1	8BC4	4E53	7421	I2370080
3386	楨	F4A2	968A	4DB9	7422	I20P0080
3387	遙	F4A3	9779	52F3	7423	I2SZ0080
3388	瑤	F4A4	E0F4	5EBB	7424	I4JF0080
3389	凜	F4A5	EAA3	6884	7425	I5Z80080*
3390	熙	F4A6	E086	4F68	7426	I2940080*

Note: \* These characters are added by JIS X 0208 amendment in 1990.



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*10.4 User Definable Characters*

<b>Table 11 (Page 1 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1		F5A1	F040	6941		X62P0080
2		F5A2	F041	6942		X62Q0080
3		F5A3	F042	6943		X62R0080
4		F5A4	F043	6944		X62S0080
5		F5A5	F044	6945		X62T0080
6		F5A6	F045	6946		X62U0080
7		F5A7	F046	6947		X62V0080
8		F5A8	F047	6948		X62W0080
9		F5A9	F048	6949		X62X0080
10		F5AA	F049	694A		X62Y0080
11		F5AB	F04A	694B		X62Z0080
12		F5AC	F04B	694C		X6300080
13		F5AD	F04C	694D		X6310080
14		F5AE	F04D	694E		X6320080
15		F5AF	F04E	694F		X6330080
16		F5B0	F04F	6950		X6340080
17		F5B1	F050	6951		X6350080
18		F5B2	F051	6952		X6360080
19		F5B3	F052	6953		X6370080
20		F5B4	F053	6954		X6380080
21		F5B5	F054	6955		X6390080
22		F5B6	F055	6956		X63A0080
23		F5B7	F056	6957		X63B0080
24		F5B8	F057	6958		X63C0080
25		F5B9	F058	6959		X63D0080
26		F5BA	F059	695A		X63E0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)


DBCS - EUC

<b>Table 11 (Page 2 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
27		F5BB	F05A	695B		X63F0080
28		F5BC	F05B	695C		X63G0080
29		F5BD	F05C	695D		X63H0080
30		F5BE	F05D	695E		X63I0080
31		F5BF	F05E	695F		X63J0080
32		F5C0	F05F	6960		X63K0080
33		F5C1	F060	6961		X63L0080
34		F5C2	F061	6962		X63M0080
35		F5C3	F062	6963		X63N0080
36		F5C4	F063	6964		X63O0080
37		F5C5	F064	6965		X63P0080
38		F5C6	F065	6966		X63Q0080
39		F5C7	F066	6967		X63R0080
40		F5C8	F067	6968		X63S0080
41		F5C9	F068	6969		X63T0080
42		F5CA	F069	696A		X63U0080
43		F5CB	F06A	696B		X63V0080
44		F5CC	F06B	696C		X63W0080
45		F5CD	F06C	696D		X63X0080
46		F5CE	F06D	696E		X63Y0080
47		F5CF	F06E	696F		X63Z0080
48		F5D0	F06F	6970		X6400080
49		F5D1	F070	6971		X6410080
50		F5D2	F071	6972		X6420080
51		F5D3	F072	6973		X6430080
52		F5D4	F073	6974		X6440080
53		F5D5	F074	6975		X6450080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 3 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
54		F5D6	F075	6976		X6460080
55		F5D7	F076	6977		X6470080
56		F5D8	F077	6978		X6480080
57		F5D9	F078	6979		X6490080
58		F5DA	F079	697A		X64A0080
59		F5DB	F07A	697B		X64B0080
60		F5DC	F07B	697C		X64C0080
61		F5DD	F07C	697D		X64D0080
62		F5DE	F07D	697E		X64E0080
63		F5DF	F07E	697F		X64F0080
64		F5E0	F080	6980		X64G0080
65		F5E1	F081	6981		X64H0080
66		F5E2	F082	6982		X64I0080
67		F5E3	F083	6983		X64J0080
68		F5E4	F084	6984		X64K0080
69		F5E5	F085	6985		X64L0080
70		F5E6	F086	6986		X64M0080
71		F5E7	F087	6987		X64N0080
72		F5E8	F088	6988		X64O0080
73		F5E9	F089	6989		X64P0080
74		F5EA	F08A	698A		X64Q0080
75		F5EB	F08B	698B		X64R0080
76		F5EC	F08C	698C		X64S0080
77		F5ED	F08D	698D		X64T0080
78		F5EE	F08E	698E		X64U0080
79		F5EF	F08F	698F		X64V0080
80		F5F0	F090	6990		X64W0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 11 (Page 4 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
81		F5F1	F091	6991		X64X0080
82		F5F2	F092	6992		X64Y0080
83		F5F3	F093	6993		X64Z0080
84		F5F4	F094	6994		X6500080
85		F5F5	F095	6995		X6510080
86		F5F6	F096	6996		X6520080
87		F5F7	F097	6997		X6530080
88		F5F8	F098	6998		X6540080
89		F5F9	F099	6999		X6550080
90		F5FA	F09A	699A		X6560080
91		F5FB	F09B	699B		X6570080
92		F5FC	F09C	699C		X6580080
93		F5FD	F09D	699D		X6590080
94		F5FE	F09E	699E		X65A0080
95		F6A1	F09F	699F		X65B0080
96		F6A2	F0A0	69A0		X65C0080
97		F6A3	F0A1	69A1		X65D0080
98		F6A4	F0A2	69A2		X65E0080
99		F6A5	F0A3	69A3		X65F0080
100		F6A6	F0A4	69A4		X65G0080
101		F6A7	F0A5	69A5		X65H0080
102		F6A8	F0A6	69A6		X65I0080
103		F6A9	F0A7	69A7		X65J0080
104		F6AA	F0A8	69A8		X65K0080
105		F6AB	F0A9	69A9		X65L0080
106		F6AC	F0AA	69AA		X65M0080
107		F6AD	F0AB	69AB		X65N0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 5 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
108		F6AE	F0AC	69AC		X65O0080
109		F6AF	F0AD	69AD		X65P0080
110		F6B0	F0AE	69AE		X65Q0080
111		F6B1	F0AF	69AF		X65R0080
112		F6B2	F0B0	69B0		X65S0080
113		F6B3	F0B1	69B1		X65T0080
114		F6B4	F0B2	69B2		X65U0080
115		F6B5	F0B3	69B3		X65V0080
116		F6B6	F0B4	69B4		X65W0080
117		F6B7	F0B5	69B5		X65X0080
118		F6B8	F0B6	69B6		X65Y0080
119		F6B9	F0B7	69B7		X65Z0080
120		F6BA	F0B8	69B8		X6600080
121		F6BB	F0B9	69B9		X6610080
122		F6BC	F0BA	69BA		X6620080
123		F6BD	F0BB	69BB		X6630080
124		F6BE	F0BC	69BC		X6640080
125		F6BF	F0BD	69BD		X6650080
126		F6C0	F0BE	69BE		X6660080
127		F6C1	F0BF	69BF		X6670080
128		F6C2	F0C0	69C0		X6680080
129		F6C3	F0C1	69C1		X6690080
130		F6C4	F0C2	69C2		X66A0080
131		F6C5	F0C3	69C3		X66B0080
132		F6C6	F0C4	69C4		X66C0080
133		F6C7	F0C5	69C5		X66D0080
134		F6C8	F0C6	69C6		X66E0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 6 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
135		F6C9	F0C7	69C7		X66F0080
136		F6CA	F0C8	69C8		X66G0080
137		F6CB	F0C9	69C9		X66H0080
138		F6CC	F0CA	69CA		X66I0080
139		F6CD	F0CB	69CB		X66J0080
140		F6CE	F0CC	69CC		X66K0080
141		F6CF	F0CD	69CD		X66L0080
142		F6D0	F0CE	69CE		X66M0080
143		F6D1	F0CF	69CF		X66N0080
144		F6D2	F0D0	69D0		X66O0080
145		F6D3	F0D1	69D1		X66P0080
146		F6D4	F0D2	69D2		X66Q0080
147		F6D5	F0D3	69D3		X66R0080
148		F6D6	F0D4	69D4		X66S0080
149		F6D7	F0D5	69D5		X66T0080
150		F6D8	F0D6	69D6		X66U0080
151		F6D9	F0D7	69D7		X66V0080
152		F6DA	F0D8	69D8		X66W0080
153		F6DB	F0D9	69D9		X66X0080
154		F6DC	F0DA	69DA		X66Y0080
155		F6DD	F0DB	69DB		X66Z0080
156		F6DE	F0DC	69DC		X6700080
157		F6DF	F0DD	69DD		X6710080
158		F6E0	F0DE	69DE		X6720080
159		F6E1	F0DF	69DF		X6730080
160		F6E2	F0E0	69E0		X6740080
161		F6E3	F0E1	69E1		X6750080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 7 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
162		F6E4	F0E2	69E2		X6760080
163		F6E5	F0E3	69E3		X6770080
164		F6E6	F0E4	69E4		X6780080
165		F6E7	F0E5	69E5		X6790080
166		F6E8	F0E6	69E6		X67A0080
167		F6E9	F0E7	69E7		X67B0080
168		F6EA	F0E8	69E8		X67C0080
169		F6EB	F0E9	69E9		X67D0080
170		F6EC	F0EA	69EA		X67E0080
171		F6ED	F0EB	69EB		X67F0080
172		F6EE	F0EC	69EC		X67G0080
173		F6EF	F0ED	69ED		X67H0080
174		F6F0	F0EE	69EE		X67I0080
175		F6F1	F0EF	69EF		X67J0080
176		F6F2	F0F0	69F0		X67K0080
177		F6F3	F0F1	69F1		X67L0080
178		F6F4	F0F2	69F2		X67M0080
179		F6F5	F0F3	69F3		X67N0080
180		F6F6	F0F4	69F4		X67O0080
181		F6F7	F0F5	69F5		X67P0080
182		F6F8	F0F6	69F6		X67Q0080
183		F6F9	F0F7	69F7		X67R0080
184		F6FA	F0F8	69F8		X67S0080
185		F6FB	F0F9	69F9		X67T0080
186		F6FC	F0FA	69FA		X67U0080
187		F6FD	F0FB	69FB		X67V0080
188		F6FE	F0FC	69FC		X67W0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 11 (Page 8 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
189		F7A1	F140	69FD		X67X0080
190		F7A2	F141	69FE		X67Y0080
191		F7A3	F142	6A41		X6810080
192		F7A4	F143	6A42		X6820080
193		F7A5	F144	6A43		X6830080
194		F7A6	F145	6A44		X6840080
195		F7A7	F146	6A45		X6850080
196		F7A8	F147	6A46		X6860080
197		F7A9	F148	6A47		X6870080
198		F7AA	F149	6A48		X6880080
199		F7AB	F14A	6A49		X6890080
200		F7AC	F14B	6A4A		X68A0080
201		F7AD	F14C	6A4B		X68B0080
202		F7AE	F14D	6A4C		X68C0080
203		F7AF	F14E	6A4D		X68D0080
204		F7B0	F14F	6A4E		X68E0080
205		F7B1	F150	6A4F		X68F0080
206		F7B2	F151	6A50		X68G0080
207		F7B3	F152	6A51		X68H0080
208		F7B4	F153	6A52		X68I0080
209		F7B5	F154	6A53		X68J0080
210		F7B6	F155	6A54		X68K0080
211		F7B7	F156	6A55		X68L0080
212		F7B8	F157	6A56		X68M0080
213		F7B9	F158	6A57		X68N0080
214		F7BA	F159	6A58		X68O0080
215		F7BB	F15A	6A59		X68P0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 9 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
216		F7BC	F15B	6A5A		X68Q0080
217		F7BD	F15C	6A5B		X68R0080
218		F7BE	F15D	6A5C		X68S0080
219		F7BF	F15E	6A5D		X68T0080
220		F7C0	F15F	6A5E		X68U0080
221		F7C1	F160	6A5F		X68V0080
222		F7C2	F161	6A60		X68W0080
223		F7C3	F162	6A61		X68X0080
224		F7C4	F163	6A62		X68Y0080
225		F7C5	F164	6A63		X68Z0080
226		F7C6	F165	6A64		X6900080
227		F7C7	F166	6A65		X6910080
228		F7C8	F167	6A66		X6920080
229		F7C9	F168	6A67		X6930080
230		F7CA	F169	6A68		X6940080
231		F7CB	F16A	6A69		X6950080
232		F7CC	F16B	6A6A		X6960080
233		F7CD	F16C	6A6B		X6970080
234		F7CE	F16D	6A6C		X6980080
235		F7CF	F16E	6A6D		X6990080
236		F7D0	F16F	6A6E		X69A0080
237		F7D1	F170	6A6F		X69B0080
238		F7D2	F171	6A70		X69C0080
239		F7D3	F172	6A71		X69D0080
240		F7D4	F173	6A72		X69E0080
241		F7D5	F174	6A73		X69F0080
242		F7D6	F175	6A74		X69G0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 11 (Page 10 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
243		F7D7	F176	6A75		X69H0080
244		F7D8	F177	6A76		X69I0080
245		F7D9	F178	6A77		X69J0080
246		F7DA	F179	6A78		X69K0080
247		F7DB	F17A	6A79		X69L0080
248		F7DC	F17B	6A7A		X69M0080
249		F7DD	F17C	6A7B		X69N0080
250		F7DE	F17D	6A7C		X69O0080
251		F7DF	F17E	6A7D		X69P0080
252		F7E0	F180	6A7E		X69Q0080
253		F7E1	F181	6A7F		X69R0080
254		F7E2	F182	6A80		X69S0080
255		F7E3	F183	6A81		X69T0080
256		F7E4	F184	6A82		X69U0080
257		F7E5	F185	6A83		X69V0080
258		F7E6	F186	6A84		X69W0080
259		F7E7	F187	6A85		X69X0080
260		F7E8	F188	6A86		X69Y0080
261		F7E9	F189	6A87		X69Z0080
262		F7EA	F18A	6A88		X6A00080
263		F7EB	F18B	6A89		X6A10080
264		F7EC	F18C	6A8A		X6A20080
265		F7ED	F18D	6A8B		X6A30080
266		F7EE	F18E	6A8C		X6A40080
267		F7EF	F18F	6A8D		X6A50080
268		F7F0	F190	6A8E		X6A60080
269		F7F1	F191	6A8F		X6A70080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 11 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
270		F7F2	F192	6A90		X6A80080
271		F7F3	F193	6A91		X6A90080
272		F7F4	F194	6A92		X6AA0080
273		F7F5	F195	6A93		X6AB0080
274		F7F6	F196	6A94		X6AC0080
275		F7F7	F197	6A95		X6AD0080
276		F7F8	F198	6A96		X6AE0080
277		F7F9	F199	6A97		X6AF0080
278		F7FA	F19A	6A98		X6AG0080
279		F7FB	F19B	6A99		X6AH0080
280		F7FC	F19C	6A9A		X6AI0080
281		F7FD	F19D	6A9B		X6AJ0080
282		F7FE	F19E	6A9C		X6AK0080
283		F8A1	F19F	6A9D		X6AL0080
284		F8A2	F1A0	6A9E		X6AM0080
285		F8A3	F1A1	6A9F		X6AN0080
286		F8A4	F1A2	6AA0		X6AO0080
287		F8A5	F1A3	6AA1		X6AP0080
288		F8A6	F1A4	6AA2		X6AQ0080
289		F8A7	F1A5	6AA3		X6AR0080
290		F8A8	F1A6	6AA4		X6AS0080
291		F8A9	F1A7	6AA5		X6AT0080
292		F8AA	F1A8	6AA6		X6AU0080
293		F8AB	F1A9	6AA7		X6AV0080
294		F8AC	F1AA	6AA8		X6AW0080
295		F8AD	F1AB	6AA9		X6AX0080
296		F8AE	F1AC	6AAA		X6AY0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 12 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
297		F8AF	F1AD	6AAB		X6AZ0080
298		F8B0	F1AE	6AAC		X6B00080
299		F8B1	F1AF	6AAD		X6B10080
300		F8B2	F1B0	6AAE		X6B20080
301		F8B3	F1B1	6AAF		X6B30080
302		F8B4	F1B2	6AB0		X6B40080
303		F8B5	F1B3	6AB1		X6B50080
304		F8B6	F1B4	6AB2		X6B60080
305		F8B7	F1B5	6AB3		X6B70080
306		F8B8	F1B6	6AB4		X6B80080
307		F8B9	F1B7	6AB5		X6B90080
308		F8BA	F1B8	6AB6		X6BA0080
309		F8BB	F1B9	6AB7		X6BB0080
310		F8BC	F1BA	6AB8		X6BC0080
311		F8BD	F1BB	6AB9		X6BD0080
312		F8BE	F1BC	6ABA		X6BE0080
313		F8BF	F1BD	6ABB		X6BF0080
314		F8C0	F1BE	6ABC		X6BG0080
315		F8C1	F1BF	6ABD		X6BH0080
316		F8C2	F1C0	6ABE		X6BI0080
317		F8C3	F1C1	6ABF		X6BJ0080
318		F8C4	F1C2	6AC0		X6BK0080
319		F8C5	F1C3	6AC1		X6BL0080
320		F8C6	F1C4	6AC2		X6BM0080
321		F8C7	F1C5	6AC3		X6BN0080
322		F8C8	F1C6	6AC4		X6BO0080
323		F8C9	F1C7	6AC5		X6BP0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 13 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
324		F8CA	F1C8	6AC6		X6BQ0080
325		F8CB	F1C9	6AC7		X6BR0080
326		F8CC	F1CA	6AC8		X6BS0080
327		F8CD	F1CB	6AC9		X6BT0080
328		F8CE	F1CC	6ACA		X6BU0080
329		F8CF	F1CD	6ACB		X6BV0080
330		F8D0	F1CE	6ACC		X6BW0080
331		F8D1	F1CF	6ACD		X6BX0080
332		F8D2	F1D0	6ACE		X6BY0080
333		F8D3	F1D1	6ACF		X6BZ0080
334		F8D4	F1D2	6AD0		X6C00080
335		F8D5	F1D3	6AD1		X6C10080
336		F8D6	F1D4	6AD2		X6C20080
337		F8D7	F1D5	6AD3		X6C30080
338		F8D8	F1D6	6AD4		X6C40080
339		F8D9	F1D7	6AD5		X6C50080
340		F8DA	F1D8	6AD6		X6C60080
341		F8DB	F1D9	6AD7		X6C70080
342		F8DC	F1DA	6AD8		X6C80080
343		F8DD	F1DB	6AD9		X6C90080
344		F8DE	F1DC	6ADA		X6CA0080
345		F8DF	F1DD	6ADB		X6CB0080
346		F8E0	F1DE	6ADC		X6CC0080
347		F8E1	F1DF	6ADD		X6CD0080
348		F8E2	F1E0	6ADE		X6CE0080
349		F8E3	F1E1	6ADF		X6CF0080
350		F8E4	F1E2	6AE0		X6CG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 14 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
351		F8E5	F1E3	6AE1		X6CH0080
352		F8E6	F1E4	6AE2		X6CI0080
353		F8E7	F1E5	6AE3		X6CJ0080
354		F8E8	F1E6	6AE4		X6CK0080
355		F8E9	F1E7	6AE5		X6CL0080
356		F8EA	F1E8	6AE6		X6CM0080
357		F8EB	F1E9	6AE7		X6CN0080
358		F8EC	F1EA	6AE8		X6CO0080
359		F8ED	F1EB	6AE9		X6CP0080
360		F8EE	F1EC	6AEA		X6CQ0080
361		F8EF	F1ED	6AEB		X6CR0080
362		F8F0	F1EE	6AEC		X6CS0080
363		F8F1	F1EF	6AED		X6CT0080
364		F8F2	F1F0	6AEE		X6CU0080
365		F8F3	F1F1	6AEF		X6CV0080
366		F8F4	F1F2	6AF0		X6CW0080
367		F8F5	F1F3	6AF1		X6CX0080
368		F8F6	F1F4	6AF2		X6CY0080
369		F8F7	F1F5	6AF3		X6CZ0080
370		F8F8	F1F6	6AF4		X6D00080
371		F8F9	F1F7	6AF5		X6D10080
372		F8FA	F1F8	6AF6		X6D20080
373		F8FB	F1F9	6AF7		X6D30080
374		F8FC	F1FA	6AF8		X6D40080
375		F8FD	F1FB	6AF9		X6D50080
376		F8FE	F1FC	6AFA		X6D60080
377		F9A1	F240	6AFB		X6D70080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 15 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
378		F9A2	F241	6AFC		X6D80080
379		F9A3	F242	6AFD		X6D90080
380		F9A4	F243	6AFE		X6DA0080
381		F9A5	F244	6B41		X6DD0080
382		F9A6	F245	6B42		X6DE0080
383		F9A7	F246	6B43		X6DF0080
384		F9A8	F247	6B44		X6DG0080
385		F9A9	F248	6B45		X6DH0080
386		F9AA	F249	6B46		X6DI0080
387		F9AB	F24A	6B47		X6DJ0080
388		F9AC	F24B	6B48		X6DK0080
389		F9AD	F24C	6B49		X6DL0080
390		F9AE	F24D	6B4A		X6DM0080
391		F9AF	F24E	6B4B		X6DN0080
392		F9B0	F24F	6B4C		X6DO0080
393		F9B1	F250	6B4D		X6DP0080
394		F9B2	F251	6B4E		X6DQ0080
395		F9B3	F252	6B4F		X6DR0080
396		F9B4	F253	6B50		X6DS0080
397		F9B5	F254	6B51		X6DT0080
398		F9B6	F255	6B52		X6DU0080
399		F9B7	F256	6B53		X6DV0080
400		F9B8	F257	6B54		X6DW0080
401		F9B9	F258	6B55		X6DX0080
402		F9BA	F259	6B56		X6DY0080
403		F9BB	F25A	6B57		X6DZ0080
404		F9BC	F25B	6B58		X6E00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 16 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
405		F9BD	F25C	6B59		X6E10080
406		F9BE	F25D	6B5A		X6E20080
407		F9BF	F25E	6B5B		X6E30080
408		F9C0	F25F	6B5C		X6E40080
409		F9C1	F260	6B5D		X6E50080
410		F9C2	F261	6B5E		X6E60080
411		F9C3	F262	6B5F		X6E70080
412		F9C4	F263	6B60		X6E80080
413		F9C5	F264	6B61		X6E90080
414		F9C6	F265	6B62		X6EA0080
415		F9C7	F266	6B63		X6EB0080
416		F9C8	F267	6B64		X6EC0080
417		F9C9	F268	6B65		X6ED0080
418		F9CA	F269	6B66		X6EE0080
419		F9CB	F26A	6B67		X6EF0080
420		F9CC	F26B	6B68		X6EG0080
421		F9CD	F26C	6B69		X6EH0080
422		F9CE	F26D	6B6A		X6EI0080
423		F9CF	F26E	6B6B		X6EJ0080
424		F9D0	F26F	6B6C		X6EK0080
425		F9D1	F270	6B6D		X6EL0080
426		F9D2	F271	6B6E		X6EM0080
427		F9D3	F272	6B6F		X6EN0080
428		F9D4	F273	6B70		X6EO0080
429		F9D5	F274	6B71		X6EP0080
430		F9D6	F275	6B72		X6EQ0080
431		F9D7	F276	6B73		X6ER0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 17 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
432		F9D8	F277	6B74		X6ES0080
433		F9D9	F278	6B75		X6ET0080
434		F9DA	F279	6B76		X6EU0080
435		F9DB	F27A	6B77		X6EV0080
436		F9DC	F27B	6B78		X6EW0080
437		F9DD	F27C	6B79		X6EX0080
438		F9DE	F27D	6B7A		X6EY0080
439		F9DF	F27E	6B7B		X6EZ0080
440		F9E0	F280	6B7C		X6F00080
441		F9E1	F281	6B7D		X6F10080
442		F9E2	F282	6B7E		X6F20080
443		F9E3	F283	6B7F		X6F30080
444		F9E4	F284	6B80		X6F40080
445		F9E5	F285	6B81		X6F50080
446		F9E6	F286	6B82		X6F60080
447		F9E7	F287	6B83		X6F70080
448		F9E8	F288	6B84		X6F80080
449		F9E9	F289	6B85		X6F90080
450		F9EA	F28A	6B86		X6FA0080
451		F9EB	F28B	6B87		X6FB0080
452		F9EC	F28C	6B88		X6FC0080
453		F9ED	F28D	6B89		X6FD0080
454		F9EE	F28E	6B8A		X6FE0080
455		F9EF	F28F	6B8B		X6FF0080
456		F9F0	F290	6B8C		X6FG0080
457		F9F1	F291	6B8D		X6FH0080
458		F9F2	F292	6B8E		X6FI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 11 (Page 18 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
459		F9F3	F293	6B8F		X6FJ0080
460		F9F4	F294	6B90		X6FK0080
461		F9F5	F295	6B91		X6FL0080
462		F9F6	F296	6B92		X6FM0080
463		F9F7	F297	6B93		X6FN0080
464		F9F8	F298	6B94		X6FO0080
465		F9F9	F299	6B95		X6FP0080
466		F9FA	F29A	6B96		X6FQ0080
467		F9FB	F29B	6B97		X6FR0080
468		F9FC	F29C	6B98		X6FS0080
469		F9FD	F29D	6B99		X6FT0080
470		F9FE	F29E	6B9A		X6FU0080
471		FAA1	F29F	6B9B		X6FV0080
472		FAA2	F2A0	6B9C		X6FW0080
473		FAA3	F2A1	6B9D		X6FX0080
474		FAA4	F2A2	6B9E		X6FY0080
475		FAA5	F2A3	6B9F		X6FZ0080
476		FAA6	F2A4	6BA0		X6G00080
477		FAA7	F2A5	6BA1		X6G10080
478		FAA8	F2A6	6BA2		X6G20080
479		FAA9	F2A7	6BA3		X6G30080
480		FAAA	F2A8	6BA4		X6G40080
481		FAAB	F2A9	6BA5		X6G50080
482		FAAC	F2AA	6BA6		X6G60080
483		FAAD	F2AB	6BA7		X6G70080
484		FAAE	F2AC	6BA8		X6G80080
485		FAAF	F2AD	6BA9		X6G90080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 19 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
486		FAB0	F2AE	6BAA		X6GA0080
487		FAB1	F2AF	6BAB		X6GB0080
488		FAB2	F2B0	6BAC		X6GC0080
489		FAB3	F2B1	6BAD		X6GD0080
490		FAB4	F2B2	6BAE		X6GE0080
491		FAB5	F2B3	6BAF		X6GF0080
492		FAB6	F2B4	6BB0		X6GG0080
493		FAB7	F2B5	6BB1		X6GH0080
494		FAB8	F2B6	6BB2		X6GI0080
495		FAB9	F2B7	6BB3		X6GJ0080
496		FABA	F2B8	6BB4		X6GK0080
497		FABB	F2B9	6BB5		X6GL0080
498		FABC	F2BA	6BB6		X6GM0080
499		FABD	F2BB	6BB7		X6GN0080
500		FABE	F2BC	6BB8		X6GO0080
501		FABF	F2BD	6BB9		X6GP0080
502		FAC0	F2BE	6BBA		X6GQ0080
503		FAC1	F2BF	6BBB		X6GR0080
504		FAC2	F2C0	6BBC		X6GS0080
505		FAC3	F2C1	6BBD		X6GT0080
506		FAC4	F2C2	6BBE		X6GU0080
507		FAC5	F2C3	6BBF		X6GV0080
508		FAC6	F2C4	6BC0		X6GW0080
509		FAC7	F2C5	6BC1		X6GX0080
510		FAC8	F2C6	6BC2		X6GY0080
511		FAC9	F2C7	6BC3		X6GZ0080
512		FACA	F2C8	6BC4		X6H00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 11 (Page 20 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
513		FACB	F2C9	6BC5		X6H10080
514		FACC	F2CA	6BC6		X6H20080
515		FACD	F2CB	6BC7		X6H30080
516		FACE	F2CC	6BC8		X6H40080
517		FACF	F2CD	6BC9		X6H50080
518		FAD0	F2CE	6BCA		X6H60080
519		FAD1	F2CF	6BCB		X6H70080
520		FAD2	F2D0	6BCC		X6H80080
521		FAD3	F2D1	6BCD		X6H90080
522		FAD4	F2D2	6BCE		X6HA0080
523		FAD5	F2D3	6BCF		X6HB0080
524		FAD6	F2D4	6BD0		X6HC0080
525		FAD7	F2D5	6BD1		X6HD0080
526		FAD8	F2D6	6BD2		X6HE0080
527		FAD9	F2D7	6BD3		X6HF0080
528		FADA	F2D8	6BD4		X6HG0080
529		FADB	F2D9	6BD5		X6HH0080
530		FADC	F2DA	6BD6		X6HI0080
531		FADD	F2DB	6BD7		X6HJ0080
532		FADE	F2DC	6BD8		X6HK0080
533		FADF	F2DD	6BD9		X6HL0080
534		FAE0	F2DE	6BDA		X6HM0080
535		FAE1	F2DF	6BDB		X6HN0080
536		FAE2	F2E0	6BDC		X6HO0080
537		FAE3	F2E1	6BDD		X6HP0080
538		FAE4	F2E2	6BDE		X6HQ0080
539		FAE5	F2E3	6BDF		X6HR0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 21 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
540		FAE6	F2E4	6BE0		X6HS0080
541		FAE7	F2E5	6BE1		X6HT0080
542		FAE8	F2E6	6BE2		X6HU0080
543		FAE9	F2E7	6BE3		X6HV0080
544		FAEA	F2E8	6BE4		X6HW0080
545		FAEB	F2E9	6BE5		X6HX0080
546		FAEC	F2EA	6BE6		X6HY0080
547		FAED	F2EB	6BE7		X6HZ0080
548		FAEE	F2EC	6BE8		X6I00080
549		FAEF	F2ED	6BE9		X6I10080
550		FAF0	F2EE	6BEA		X6I20080
551		FAF1	F2EF	6BEB		X6I30080
552		FAF2	F2F0	6BEC		X6I40080
553		FAF3	F2F1	6BED		X6I50080
554		FAF4	F2F2	6BEE		X6I60080
555		FAF5	F2F3	6BEF		X6I70080
556		FAF6	F2F4	6BF0		X6I80080
557		FAF7	F2F5	6BF1		X6I90080
558		FAF8	F2F6	6BF2		X6IA0080
559		FAF9	F2F7	6BF3		X6IB0080
560		FAFA	F2F8	6BF4		X6IC0080
561		FAFB	F2F9	6BF5		X6ID0080
562		FAFC	F2FA	6BF6		X6IE0080
563		FAFD	F2FB	6BF7		X6IF0080
564		FAFE	F2FC	6BF8		X6IG0080
565		FBA1	F340	6BF9		X6IH0080
566		FBA2	F341	6BFA		X6II0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 11 (Page 22 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
567		FBA3	F342	6BFB		X6IJ0080
568		FBA4	F343	6BFC		X6IK0080
569		FBA5	F344	6BFD		X6IL0080
570		FBA6	F345	6BFE		X6IM0080
571		FBA7	F346	6C41		X6IP0080
572		FBA8	F347	6C42		X6IQ0080
573		FBA9	F348	6C43		X6IR0080
574		FBAA	F349	6C44		X6IS0080
575		FBAB	F34A	6C45		X6IT0080
576		FBAC	F34B	6C46		X6IU0080
577		FBAD	F34C	6C47		X6IV0080
578		FBAE	F34D	6C48		X6IW0080
579		FBAF	F34E	6C49		X6IX0080
580		FBB0	F34F	6C4A		X6IY0080
581		FBB1	F350	6C4B		X6IZ0080
582		FBB2	F351	6C4C		X6J00080
583		FBB3	F352	6C4D		X6J10080
584		FBB4	F353	6C4E		X6J20080
585		FBB5	F354	6C4F		X6J30080
586		FBB6	F355	6C50		X6J40080
587		FBB7	F356	6C51		X6J50080
588		FBB8	F357	6C52		X6J60080
589		FBB9	F358	6C53		X6J70080
590		FBBA	F359	6C54		X6J80080
591		FB BB	F35A	6C55		X6J90080
592		FBBC	F35B	6C56		X6JA0080
593		FBBD	F35C	6C57		X6JB0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 23 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
594		FBBE	F35D	6C58		X6JC0080
595		FBBF	F35E	6C59		X6JD0080
596		FBC0	F35F	6C5A		X6JE0080
597		FBC1	F360	6C5B		X6JF0080
598		FBC2	F361	6C5C		X6JG0080
599		FBC3	F362	6C5D		X6JH0080
600		FBC4	F363	6C5E		X6JI0080
601		FBC5	F364	6C5F		X6JJ0080
602		FBC6	F365	6C60		X6JK0080
603		FBC7	F366	6C61		X6JL0080
604		FBC8	F367	6C62		X6JM0080
605		FBC9	F368	6C63		X6JN0080
606		FBCA	F369	6C64		X6JO0080
607		FBCB	F36A	6C65		X6JP0080
608		Fbcc	F36B	6C66		X6JQ0080
609		FBCD	F36C	6C67		X6JR0080
610		FBCE	F36D	6C68		X6JS0080
611		FBCF	F36E	6C69		X6JT0080
612		FBD0	F36F	6C6A		X6JU0080
613		FBD1	F370	6C6B		X6JV0080
614		FBD2	F371	6C6C		X6JW0080
615		FBD3	F372	6C6D		X6JX0080
616		FBD4	F373	6C6E		X6JY0080
617		FBD5	F374	6C6F		X6JZ0080
618		FBD6	F375	6C70		X6K00080
619		FBD7	F376	6C71		X6K10080
620		FBD8	F377	6C72		X6K20080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 11 (Page 24 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
621		FBD9	F378	6C73		X6K30080
622		FBDA	F379	6C74		X6K40080
623		FBDB	F37A	6C75		X6K50080
624		FBDC	F37B	6C76		X6K60080
625		FBDD	F37C	6C77		X6K70080
626		FBDE	F37D	6C78		X6K80080
627		FBDF	F37E	6C79		X6K90080
628		FBE0	F380	6C7A		X6KA0080
629		FBE1	F381	6C7B		X6KB0080
630		FBE2	F382	6C7C		X6KC0080
631		FBE3	F383	6C7D		X6KD0080
632		FBE4	F384	6C7E		X6KE0080
633		FBE5	F385	6C7F		X6KF0080
634		FBE6	F386	6C80		X6KG0080
635		FBE7	F387	6C81		X6KH0080
636		FBE8	F388	6C82		X6KI0080
637		FBE9	F389	6C83		X6KJ0080
638		FBEA	F38A	6C84		X6KK0080
639		FBEB	F38B	6C85		X6KL0080
640		FBEC	F38C	6C86		X6KM0080
641		FBED	F38D	6C87		X6KN0080
642		FBEE	F38E	6C88		X6KO0080
643		FBEF	F38F	6C89		X6KP0080
644		FBF0	F390	6C8A		X6KQ0080
645		FBF1	F391	6C8B		X6KR0080
646		FBF2	F392	6C8C		X6KS0080
647		FBF3	F393	6C8D		X6KT0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 25 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
648		FBF4	F394	6C8E		X6KU0080
649		FBF5	F395	6C8F		X6KV0080
650		FBF6	F396	6C90		X6KW0080
651		FBF7	F397	6C91		X6KX0080
652		FBF8	F398	6C92		X6KY0080
653		FBF9	F399	6C93		X6KZ0080
654		FBFA	F39A	6C94		X6L00080
655		FBFB	F39B	6C95		X6L10080
656		FBFC	F39C	6C96		X6L20080
657		FBFD	F39D	6C97		X6L30080
658		FBFE	F39E	6C98		X6L40080
659		FCA1	F39F	6C99		X6L50080
660		FCA2	F3A0	6C9A		X6L60080
661		FCA3	F3A1	6C9B		X6L70080
662		FCA4	F3A2	6C9C		X6L80080
663		FCA5	F3A3	6C9D		X6L90080
664		FCA6	F3A4	6C9E		X6LA0080
665		FCA7	F3A5	6C9F		X6LB0080
666		FCA8	F3A6	6CA0		X6LC0080
667		FCA9	F3A7	6CA1		X6LD0080
668		FCAA	F3A8	6CA2		X6LE0080
669		FCAB	F3A9	6CA3		X6LF0080
670		FCAC	F3AA	6CA4		X6LG0080
671		FCAD	F3AB	6CA5		X6LH0080
672		FCAE	F3AC	6CA6		X6LI0080
673		FCAF	F3AD	6CA7		X6LJ0080
674		FCB0	F3AE	6CA8		X6LK0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)


DBCS - EUC

<b>Table 11 (Page 26 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
675		FCB1	F3AF	6CA9		X6LL0080
676		FCB2	F3B0	6CAA		X6LM0080
677		FCB3	F3B1	6CAB		X6LN0080
678		FCB4	F3B2	6CAC		X6LO0080
679		FCB5	F3B3	6CAD		X6LP0080
680		FCB6	F3B4	6CAE		X6LQ0080
681		FCB7	F3B5	6CAF		X6LR0080
682		FCB8	F3B6	6CB0		X6LS0080
683		FCB9	F3B7	6CB1		X6LT0080
684		FCBA	F3B8	6CB2		X6LU0080
685		FCBB	F3B9	6CB3		X6LV0080
686		FCBC	F3BA	6CB4		X6LW0080
687		FCBD	F3BB	6CB5		X6LX0080
688		FCBE	F3BC	6CB6		X6LY0080
689		FCBF	F3BD	6CB7		X6LZ0080
690		FCC0	F3BE	6CB8		X6M00080
691		FCC1	F3BF	6CB9		X6M10080
692		FCC2	F3C0	6CBA		X6M20080
693		FCC3	F3C1	6CBB		X6M30080
694		FCC4	F3C2	6CBC		X6M40080
695		FCC5	F3C3	6CBD		X6M50080
696		FCC6	F3C4	6CBE		X6M60080
697		FCC7	F3C5	6CBF		X6M70080
698		FCC8	F3C6	6CC0		X6M80080
699		FCC9	F3C7	6CC1		X6M90080
700		FCCA	F3C8	6CC2		X6MA0080
701		FCCB	F3C9	6CC3		X6MB0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 27 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
702		FCCC	F3CA	6CC4		X6MC0080
703		FCCD	F3CB	6CC5		X6MD0080
704		FCCE	F3CC	6CC6		X6ME0080
705		FCCF	F3CD	6CC7		X6MF0080
706		FCD0	F3CE	6CC8		X6MG0080
707		FCD1	F3CF	6CC9		X6MH0080
708		FCD2	F3D0	6CCA		X6MI0080
709		FCD3	F3D1	6CCB		X6MJ0080
710		FCD4	F3D2	6CCC		X6MK0080
711		FCD5	F3D3	6CCD		X6ML0080
712		FCD6	F3D4	6CCE		X6MM0080
713		FCD7	F3D5	6CCF		X6MN0080
714		FCD8	F3D6	6CD0		X6MO0080
715		FCD9	F3D7	6CD1		X6MP0080
716		FCDA	F3D8	6CD2		X6MQ0080
717		FCDB	F3D9	6CD3		X6MR0080
718		FCDC	F3DA	6CD4		X6MS0080
719		FCDD	F3DB	6CD5		X6MT0080
720		FCDE	F3DC	6CD6		X6MU0080
721		FCDF	F3DD	6CD7		X6MV0080
722		FCE0	F3DE	6CD8		X6MW0080
723		FCE1	F3DF	6CD9		X6MX0080
724		FCE2	F3E0	6CDA		X6MY0080
725		FCE3	F3E1	6CDB		X6MZ0080
726		FCE4	F3E2	6CDC		X6N00080
727		FCE5	F3E3	6CDD		X6N10080
728		FCE6	F3E4	6CDE		X6N20080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC


Table 11 (Page 28 of 35). User Definable Characters (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
729		FCE7	F3E5	6CDF		X6N30080
730		FCE8	F3E6	6CE0		X6N40080
731		FCE9	F3E7	6CE1		X6N50080
732		FCEA	F3E8	6CE2		X6N60080
733		FCEB	F3E9	6CE3		X6N70080
734		FCEC	F3EA	6CE4		X6N80080
735		FCED	F3EB	6CE5		X6N90080
736		FCEE	F3EC	6CE6		X6NA0080
737		FCEF	F3ED	6CE7		X6NB0080
738		FCF0	F3EE	6CE8		X6NC0080
739		FCF1	F3EF	6CE9		X6ND0080
740		FCF2	F3F0	6CEA		X6NE0080
741		FCF3	F3F1	6CEB		X6NF0080
742		FCF4	F3F2	6CEC		X6NG0080
743		FCF5	F3F3	6CED		X6NH0080
744		FCF6	F3F4	6CEE		X6NI0080
745		FCF7	F3F5	6CEF		X6NJ0080
746		FCF8	F3F6	6CF0		X6NK0080
747		FCF9	F3F7	6CF1		X6NL0080
748		FCFA	F3F8	6CF2		X6NM0080
749		FCFB	F3F9	6CF3		X6NN0080
750		FCFC	F3FA	6CF4		X6NO0080
751		FCFD	F3FB	6CF5		X6NP0080
752		FCFE	F3FC	6CF6		X6NQ0080
753		FDA1	F440	6CF7		X6NR0080
754		FDA2	F441	6CF8		X6NS0080
755		FDA3	F442	6CF9		X6NT0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 29 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
756		FDA4	F443	6CFA		X6NU0080
757		FDA5	F444	6CFB		X6NV0080
758		FDA6	F445	6CFC		X6NW0080
759		FDA7	F446	6CFD		X6NX0080
760		FDA8	F447	6CFE		X6NY0080
761		FDA9	F448	6D41		X6O10080
762		FDAA	F449	6D42		X6O20080
763		FDAB	F44A	6D43		X6O30080
764		FDAC	F44B	6D44		X6O40080
765		FDAD	F44C	6D45		X6O50080
766		FDAE	F44D	6D46		X6O60080
767		FDAF	F44E	6D47		X6O70080
768		FDB0	F44F	6D48		X6O80080
769		FDB1	F450	6D49		X6O90080
770		FDB2	F451	6D4A		X6OA0080
771		FDB3	F452	6D4B		X6OB0080
772		FDB4	F453	6D4C		X6OC0080
773		FDB5	F454	6D4D		X6OD0080
774		FDB6	F455	6D4E		X6OE0080
775		FDB7	F456	6D4F		X6OF0080
776		FDB8	F457	6D50		X6OG0080
777		FDB9	F458	6D51		X6OH0080
778		FDBA	F459	6D52		X6OI0080
779		FDBB	F45A	6D53		X6OJ0080
780		FDBC	F45B	6D54		X6OK0080
781		FDBD	F45C	6D55		X6OL0080
782		FDBE	F45D	6D56		X6OM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 30 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
783		FDBF	F45E	6D57		X6ON0080
784		FDC0	F45F	6D58		X6OO0080
785		FDC1	F460	6D59		X6OP0080
786		FDC2	F461	6D5A		X6OQ0080
787		FDC3	F462	6D5B		X6OR0080
788		FDC4	F463	6D5C		X6OS0080
789		FDC5	F464	6D5D		X6OT0080
790		FDC6	F465	6D5E		X6OU0080
791		FDC7	F466	6D5F		X6OV0080
792		FDC8	F467	6D60		X6OW0080
793		FDC9	F468	6D61		X6OX0080
794		FDCA	F469	6D62		X6OY0080
795		FDCB	F46A	6D63		X6OZ0080
796		FDCC	F46B	6D64		X6P00080
797		FDCD	F46C	6D65		X6P10080
798		FDCE	F46D	6D66		X6P20080
799		FDCF	F46E	6D67		X6P30080
800		FDD0	F46F	6D68		X6P40080
801		FDD1	F470	6D69		X6P50080
802		FDD2	F471	6D6A		X6P60080
803		FDD3	F472	6D6B		X6P70080
804		FDD4	F473	6D6C		X6P80080
805		FDD5	F474	6D6D		X6P90080
806		FDD6	F475	6D6E		X6PA0080
807		FDD7	F476	6D6F		X6PB0080
808		FDD8	F477	6D70		X6PC0080
809		FDD9	F478	6D71		X6PD0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 31 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
810		FDDA	F479	6D72		X6PE0080
811		Fddb	F47A	6D73		X6PF0080
812		FDDC	F47B	6D74		X6PG0080
813		FDDD	F47C	6D75		X6PH0080
814		FDDE	F47D	6D76		X6PI0080
815		FDDF	F47E	6D77		X6PJ0080
816		FDE0	F480	6D78		X6PK0080
817		FDE1	F481	6D79		X6PL0080
818		FDE2	F482	6D7A		X6PM0080
819		FDE3	F483	6D7B		X6PN0080
820		FDE4	F484	6D7C		X6PO0080
821		FDE5	F485	6D7D		X6PP0080
822		FDE6	F486	6D7E		X6PQ0080
823		FDE7	F487	6D7F		X6PR0080
824		FDE8	F488	6D80		X6PS0080
825		FDE9	F489	6D81		X6PT0080
826		FDEA	F48A	6D82		X6PU0080
827		FDEB	F48B	6D83		X6PV0080
828		FDEC	F48C	6D84		X6PW0080
829		FDED	F48D	6D85		X6PX0080
830		FDEE	F48E	6D86		X6PY0080
831		FDEF	F48F	6D87		X6PZ0080
832		FDF0	F490	6D88		X6Q00080
833		FDF1	F491	6D89		X6Q10080
834		FDF2	F492	6D8A		X6Q20080
835		FDF3	F493	6D8B		X6Q30080
836		FDF4	F494	6D8C		X6Q40080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 32 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
837		FDF5	F495	6D8D		X6Q50080
838		FDF6	F496	6D8E		X6Q60080
839		FDF7	F497	6D8F		X6Q70080
840		FDF8	F498	6D90		X6Q80080
841		FDF9	F499	6D91		X6Q90080
842		F DFA	F49A	6D92		X6QA0080
843		FDFB	F49B	6D93		X6QB0080
844		FDFC	F49C	6D94		X6QC0080
845		FDFD	F49D	6D95		X6QD0080
846		FDFE	F49E	6D96		X6QE0080
847		FEA1	F49F	6D97		X6QF0080
848		FEA2	F4A0	6D98		X6QG0080
849		FEA3	F4A1	6D99		X6QH0080
850		FEA4	F4A2	6D9A		X6QI0080
851		FEA5	F4A3	6D9B		X6QJ0080
852		FEA6	F4A4	6D9C		X6QK0080
853		FEA7	F4A5	6D9D		X6QL0080
854		FEA8	F4A6	6D9E		X6QM0080
855		FEA9	F4A7	6D9F		X6QN0080
856		FEAA	F4A8	6DA0		X6QO0080
857		FEAB	F4A9	6DA1		X6QP0080
858		FEAC	F4AA	6DA2		X6QQ0080
859		FEAD	F4AB	6DA3		X6QR0080
860		FEAE	F4AC	6DA4		X6QS0080
861		FEAF	F4AD	6DA5		X6QT0080
862		FEB0	F4AE	6DA6		X6QU0080
863		FEB1	F4AF	6DA7		X6QV0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 33 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
864		FEB2	F4B0	6DA8		X6QW0080
865		FEB3	F4B1	6DA9		X6QX0080
866		FEB4	F4B2	6DAA		X6QY0080
867		FEB5	F4B3	6DAB		X6QZ0080
868		FEB6	F4B4	6DAC		X6R00080
869		FEB7	F4B5	6DAD		X6R10080
870		FEB8	F4B6	6DAE		X6R20080
871		FEB9	F4B7	6DAF		X6R30080
872		FEBA	F4B8	6DB0		X6R40080
873		FEBB	F4B9	6DB1		X6R50080
874		FEBC	F4BA	6DB2		X6R60080
875		FEBD	F4BB	6DB3		X6R70080
876		FEBE	F4BC	6DB4		X6R80080
877		FEBF	F4BD	6DB5		X6R90080
878		FEC0	F4BE	6DB6		X6RA0080
879		FEC1	F4BF	6DB7		X6RB0080
880		FEC2	F4C0	6DB8		X6RC0080
881		FEC3	F4C1	6DB9		X6RD0080
882		FEC4	F4C2	6DBA		X6RE0080
883		FEC5	F4C3	6DBB		X6RF0080
884		FEC6	F4C4	6DBC		X6RG0080
885		FEC7	F4C5	6DBD		X6RH0080
886		FEC8	F4C6	6DBE		X6RI0080
887		FEC9	F4C7	6DBF		X6RJ0080
888		FECA	F4C8	6DC0		X6RK0080
889		FECB	F4C9	6DC1		X6RL0080
890		FECC	F4CA	6DC2		X6RM0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 11 (Page 34 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
891		FECD	F4CB	6DC3		X6RN0080
892		FECE	F4CC	6DC4		X6RO0080
893		FECF	F4CD	6DC5		X6RP0080
894		FED0	F4CE	6DC6		X6RQ0080
895		FED1	F4CF	6DC7		X6RR0080
896		FED2	F4D0	6DC8		X6RS0080
897		FED3	F4D1	6DC9		X6RT0080
898		FED4	F4D2	6DCA		X6RU0080
899		FED5	F4D3	6DCB		X6RV0080
900		FED6	F4D4	6DCC		X6RW0080
901		FED7	F4D5	6DCD		X6RX0080
902		FED8	F4D6	6DCE		X6RY0080
903		FED9	F4D7	6DCF		X6RZ0080
904		FEDA	F4D8	6DD0		X6S00080
905		FEDB	F4D9	6DD1		X6S10080
906		FEDC	F4DA	6DD2		X6S20080
907		FEDD	F4DB	6DD3		X6S30080
908		FEDE	F4DC	6DD4		X6S40080
909		FEDF	F4DD	6DD5		X6S50080
910		FEE0	F4DE	6DD6		X6S60080
911		FEE1	F4DF	6DD7		X6S70080
912		FEE2	F4E0	6DD8		X6S80080
913		FEE3	F4E1	6DD9		X6S90080
914		FEE4	F4E2	6DDA		X6SA0080
915		FEE5	F4E3	6DDB		X6SB0080
916		FEE6	F4E4	6DDC		X6SC0080
917		FEE7	F4E5	6DDD		X6SD0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 11 (Page 35 of 35).</b> User Definable Characters (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
918		FEE8	F4E6	6DDE		X6SE0080
919		FEE9	F4E7	6DDF		X6SF0080
920		FEEA	F4E8	6DE0		X6SG0080
921		FEEB	F4E9	6DE1		X6SH0080
922		FEEC	F4EA	6DE2		X6SI0080
923		FEED	F4EB	6DE3		X6SJ0080
924		EEEE	F4EC	6DE4		X6SK0080
925		FEED	F4ED	6DE5		X6SL0080
926		FEF0	F4EE	6DE6		X6SM0080
927		FEF1	F4EF	6DE7		X6SN0080
928		FEF2	F4F0	6DE8		X6SO0080
929		FEF3	F4F1	6DE9		X6SP0080
930		FEF4	F4F2	6DEA		X6SQ0080
931		FEF5	F4F3	6DEB		X6SR0080
932		FEF6	F4F4	6DEC		X6SS0080
933		FEF7	F4F5	6DED		X6ST0080
934		FEF8	F4F6	6DEE		X6SU0080
935		FEF9	F4F7	6DEF		X6SV0080
936		FEFA	F4F8	6DF0		X6SW0080
937		FEFB	F4F9	6DF1		X6SX0080
938		FEFC	F4FA	6DF2		X6SY0080
939		FEFD	F4FB	6DF3		X6SZ0080
940		FEFE	F4FC	6DF4		X6T00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

## 11. JIS X 0201 Katakana Set (G2 of Japanese EUC)

## 11.1 JIS KATAKANA Set

Table 12 (Page 1 of 3). JIS Katakana Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
1	。 (middle dot)	A1	A1	42 41	A1	JQ700000
2	「 (left bracket)	A2	A2	43 42	A2	JQ710000
3	」 (right bracket)	A3	A3	44 43	A3	JQ720000
4	、 (comma)	A4	A4	45 44	A4	JQ730000
5	・ (middle dot)	A5	A5	46 45	A5	JQ740000
6	ヲ (katakana wa)	A6	A6	47 46	A6	JW500000
7	ア (katakana a)	A7	A7	48 47	A7	JA010000
8	イ (katakana i)	A8	A8	49 48	A8	JI010000
9	ウ (katakana u)	A9	A9	51 49	A9	JU010000
10	エ (katakana e)	AA	AA	52 51	AA	JE010000
11	オ (katakana o)	AB	AB	53 52	AB	JO010000
12	カ (katakana ka)	AC	AC	54 53	AC	JY010000
13	キ (katakana ki)	AD	AD	55 54	AD	JY310000
14	コ (katakana ko)	AE	AE	56 55	AE	JY510000
15	ツ (katakana tsu)	AF	AF	57 56	AF	JT310000
16	ー (dash)	B0	B0	58 58	B0	JX700000
17	ア (katakana a)	B1	B1	59 81	B1	JA000000
18	イ (katakana i)	B2	B2	62 82	B2	JI000000
19	ウ (katakana u)	B3	B3	63 83	B3	JU000000
20	エ (katakana e)	B4	B4	64 84	B4	JE000000
21	オ (katakana o)	B5	B5	65 85	B5	JO000000
22	カ (katakana ka)	B6	B6	66 86	B6	JK100000
23	キ (katakana ki)	B7	B7	67 87	B7	JK200000
24	ク (katakana ku)	B8	B8	68 88	B8	JK300000



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 12 (Page 2 of 3). JIS Katakana Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
25	ケ	B9	B9	69 89	B9	JK400000
26	コ	BA	BA	70 8A	BA	JK500000
27	サ	BB	BB	71 8C	BB	JS100000
28	シ	BC	BC	72 8D	BC	JS200000
29	ス	BD	BD	73 8E	BD	JS300000
30	セ	BE	BE	74 8F	BE	JS400000
31	ソ	BF	BF	75 90	BF	JS500000
32	タ	C0	C0	76 91	C0	JT100000
33	チ	C1	C1	77 92	C1	JT200000
34	ツ	C2	C2	78 93	C2	JT300000
35	テ	C3	C3	8A 94	C3	JT400000
36	ト	C4	C4	8B 95	C4	JT500000
37	ナ	C5	C5	8C 96	C5	JN100000
38	ニ	C6	C6	8D 97	C6	JN200000
39	ヌ	C7	C7	8E 98	C7	JN300000
40	ネ	C8	C8	8F 99	C8	JN400000
41	ノ	C9	C9	9A 9A	C9	JN500000
42	ハ	CA	CA	9B 9D	CA	JH100000
43	ヒ	CB	CB	9C 9E	CB	JH200000
44	フ	CC	CC	9D 9F	CC	JH300000
45	ハ	CD	CD	9E A2	CD	JH400000
46	ホ	CE	CE	9F A3	CE	JH500000
47	マ	CF	CF	AA A4	CF	JM100000
48	ミ	D0	D0	AB A5	D0	JM200000
49	ム	D1	D1	AC A6	D1	JM300000
50	メ	D2	D2	AE A7	D2	JM400000



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 12 (Page 3 of 3). JIS Katakana Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
51	エ	D3	D3	AF A8	D3	JM500000
52	ヤ	D4	D4	B3 A9	D4	JY100000
53	ユ	D5	D5	B4 AA	D5	JY300000
54	ヨ	D6	D6	B5 AC	D6	JY500000
55	ラ	D7	D7	B6 AD	D7	JR100000
56	リ	D8	D8	B7 AE	D8	JR200000
57	ル	D9	D9	B8 AF	D9	JR300000
58	レ	DA	DA	B9 BA	DA	JR400000
59	ロ	DB	DB	BA BB	DB	JR500000
60	ワ	DC	DC	BB BC	DC	JW100000
61	ン	DD	DD	BC BD	DD	JN000000
62	ゝ	DE	DE	BE BE	DE	JX710000
63	゜	DF	DF	BF BF	DF	JX720000

**Note:**

This table, which is defined as code page 00896 in C-H 3-3220-050, is listed for reference purpose only.

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*11.2 IBM Extended SBCS Set*

<b>Table 13.</b> IBM Extended SBCS Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code 939 930	JIS Code	GCGID
1	¢	E0	80	4A B1		SC040000
2	£	E1	A0	B1 4A		SC020000
3	¬	E2	FD	5F 5F		SM660000
4	\	E3	FE	E0 B2		SM070000
5	~	E4	FF	A1 A0		SD190000

**Note:**  
This table, which is defined as code page 00896 in C-H 3-3220-050, is listed for reference purpose only.  
This set is not included in character set 01121.



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

**12. JIS X 0212 Set (G3 of Japanese EUC)**

*12.1 JIS X 0212 Non-Kanji Set*

<b>Table 14.</b> JIS X 0212 Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1	∣	A2C3	FA55	426A	2243	SM650080

**Note:**  
This table only contains characters in Character Set 01060.



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*12.2 JIS X 0212 Kanji Set*

<b>Table 15 (Page 1 of 11).</b> JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1		B0A9	FA68	5644	3029	I39G0080
2	伀	B0C8	FA69	565D	3048	I3A50080
3	企	B0D2	FA6B	5665	3052	I3AD0080
4	伂	B0D4	FA6C	5666	3054	I3AE0080
5	伃	B0E3	FA6D	566A	3063	I3AI0080
6	伄	B0EE	FA6E	566E	306E	I3AM0080
7	伅	B1A3	FA70	5671	3123	I3AP0080
8	伆	B1A7	FA6F	5670	3127	I3AO0080
9	伇	B1A9	FA72	567B	3129	I3AZ0080
10	伈	B1AC	FA71	5674	312C	I3AS0080
11	伉	B1BB	FA61	5294	313B	I2QC0080
12	伊	B1BE	FA73	5686	313E	I3BA0080
13	伋	B1C8	FA76	5694	3148	I3BO0080
14	伌	B1D7	FA77	5698	3157	I3BS0080
15	伍	B1D8	FA75	5691	3158	I3BL0080
16	伎	B1DF	FA74	568A	315F	I3BE0080
17	伏	B1E1	FA7A	56A4	3161	I3C40080
18	伐	B1E3	FA78	56A2	3163	I3C20080
19	休	B1F4	FA79	56A3	3174	I3C30080
20	伒	B2A3	FA7B	56A8	3223	I3C80080
21	伓	B2BB	FA7D	56B5	323B	I3CL0080
22	伔	B2E6	FA7E	56C9	3266	I3D50080
23	伕	B2ED	FA80	56CE	326D	I3DA0080
24	伖	B2F5	FA81	56DC	3275	I3DO0080
25	众	B2FC	FA82	56E8	327C	I3E00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 2 of 11). JIS X 0212 Kanji Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
26	劦	B3B5	FA84	56F7	3335	I3EF0080
27	𠂇	B3D8	FA85	574F	3358	I3F30080
28	劦	B3DB	FA86	5750	335B	I3F40080
29	劦	B3DD	FB77	5FAA	335D	I4OA0080
30	劦	B3E5	FA87	5756	3365	I3FA0080
31	勛	B3EE	FA88	5758	336E	I3FC0080
32	勻	B3FB	FA89	5761	337B	I3FL0080
33	邵	B4C0	FA8C	577C	3440	I3GC0080
34	厓	B4C7	FA8D	5780	3447	I3GG0080
35	厲	B4D0	FA8E	5787	3450	I3GN0080
36	𠂇	B4DE	FA8F	578B	345E	I3GR0080
37	𠂇	B5AA	FA91	57A9	352A	I3HL0080
38	咩	B5AF	FA93	57BD	352F	I3I50080
39	𠂇	B5C4	FA94	57C0	3544	I3I80080
40	𠂇	B5E8	FA95	57DE	3568	I3J20080
41	坦	B7C2	FA97	5863	3742	I3KZ0080
42	拱	B7E4	FA98	586C	3764	I3L80080
43	埇	B7E7	FA9A	5873	3767	I3LF0080
44	埇	B7E8	FA99	5870	3768	I3LC0080
45	𠂇	B8CE	FA9E	588C	384E	I3M40080
46	𠂇	B8E1	FA9F	58A1	3861	I3MP0080
47	𠂇	B8F5	FAA0	58AD	3875	I3N10080
48	𠂇	B8F7	FAA1	58B0	3877	I3N40080
49	𠂇	B8F8	FAA2	58B1	3878	I3N50080
50	𠂇	B8FC	FAA3	58B2	387C	I3N60080
51	𠂇	B9AF	FAA4	58BE	392F	I3NI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 3 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
52	妹	B9B7	FAA5	58C0	3937	I3NK0080
53	孖	BABE	FAA6	58EC	3A3E	I3OS0080
54	案	BADB	FAA7	58FC	3A5B	I3P80080
55	寘	BAE1	FAA9	5942	3A61	I3PE0080
56	寮	BAEB	FAAB	5951	3A6B	I3PT0080
57	豈	BBB3	FAAC	5967	3B33	I3QF0080
58	岑	BBB8	FAAD	5968	3B38	I3QG0080
59	崧	BBCA	FAAF	5978	3B4A	I3QW0080
60	崱	BBD0	FAB2	5984	3B50	I3R80080
61	崱	BBDE	FAB3	5987	3B5E	I3RB0080
62	嶮	BBF4	FAB4	5993	3B74	I3RN0080
63	嶮	BBF5	FAB5	5995	3B75	I3RP0080
64	嶮	BBF9	FAB6	5997	3B79	I3RR0080
65	弮	BCE4	FAB7	59C7	3C64	I3T30080
66	弮	BCED	FAB8	59CB	3C6D	I3T70080
67	弮	BCF4	FA67	53C7	3C74	I2X30080
68	彘	BCFE	FAB9	59D8	3C7E	I3TK0080
69	恣	BDC2	FABB	59F1	3D42	I3U90080
70	愨	BDE7	FABC	5A44	3D67	I3US0080
71	愨	BDF0	FABE	5A57	3D70	I3VB0080
72	惕	BEAC	FAC0	5A65	3E2C	I3VP0080
73	愨	BEB0	FABF	5A5F	3E30	I3VJ0080
74	憚	BEB3	FAC2	5A68	3E33	I3VS0080
75	愨	BEBD	FAC3	5A76	3E3D	I3W60080
76	愨	BEC9	FAC5	5A7E	3E49	I3WE0080
77	愨	BECD	FAC4	5A79	3E4D	I3W90080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 4 of 11). JIS X 0212 Kanji Set, EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
78	愷	BEE4	FAC6	5A94	3E64	I3X00080
79	或	BFA8	FAC7	5AB5	3F28	I3XX0080
80	柄	BFC9	FAC8	5ADA	3F49	I3YY0080
81	捷	C0C4	FAC9	5AFB	4044	I3ZV0080
82	摠	C0E4	FACA	5B50	4064	I40G0080
83	搦	C0F4	FACB	5B53	4074	I40J0080
84	擎	C1A6	FACC	5B54	4126	I40K0080
85	昀	C1F5	FACE	5B97	4175	I42F0080
86	昉	C1F8	FAD1	5B9D	4178	I42L0080
87	昕	C1FC	FACF	5B98	417C	I42G0080
88	昞	C2A1	FAD3	5BA1	4221	I42P0080
89	昞	C2A5	FAD4	5BA4	4225	I42S0080
90	昞	C2AB	FAD2	5BA0	422B	I42O0080
91	昞	C2AD	FA63	52EB	422D	I2SR0080
92	昞	C2B8	FAD6	5BA8	4238	I42W0080
93	昞	C2BA	FAD7	5BAB	423A	I42Z0080
94	昞	C2BF	FA66	5397	423F	I2VR0080
95	昞	C2C4	FAD9	5BAF	4244	I4330080
96	昞	C2D2	FADA	5BB4	4252	I4380080
97	昞	C2D7	FADB	5BB6	4257	I43A0080
98	昞	C2DB	FADC	5BB8	425B	I43C0080
99	昞	C2DE	FADD	5BBB	425E	I43F0080
100	昞	C2ED	FADE	5BC7	426D	I43R0080
101	昞	C2F0	FADF	5BC8	4270	I43S0080
102	杻	C3A1	FAE1	5BD8	4321	I4480080
103	杻	C3B5	FAE2	5BE3	4335	I44J0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 5 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
104	椏	C3B9	FAE4	5BF0	4339	I44W0080
105	栞	C3C9	FAE3	5BEC	4349	I44S0080
106	栞	C3D8	FAE6	5BF9	4358	I4550080
107	栞	C3FC	FA64	5386	437C	I2VA0080
108	栞	C3FE	FAE7	5C5F	437E	I4670080
109	栞	C4CC	FAE9	5C6E	444C	I46M0080
110	栞	C4D9	FAEB	5C79	4459	I46X0080
111	栞	C4EA	FAEC	5C90	446A	I47K0080
112	栞	C4FD	FAED	5C9A	447D	I47U0080
113	栞	C5A7	FAEF	5CA6	4527	I4860080
114	栞	C5B5	FAF0	5CA9	4535	I4890080
115	栞	C5B6	FAF1	5CAF	4536	I48F0080
116	栞	C5D5	FAF3	5CBC	4555	I48S0080
117	栞	C6B8	FAF4	5CEA	4638	I4A20080
118	沝	C6D7	FAF5	5CF6	4657	I4AE0080
119	沝	C6E0	FAF6	5CF9	4660	I4AH0080
120	沝	C6E3	FAF8	5CFE	4663	I4AM0080
121	沝	C6EA	FAF7	5CFD	466A	I4AL0080
122	沝	C7A1	FAF9	5D4E	4721	I4B20080
123	沝	C7AB	FAFA	5D58	472B	I4BC0080
124	沝	C7C3	FAFC	5D62	4743	I4BM0080
125	沝	C7C7	FAFB	5D60	4747	I4BK0080
126	沝	C7CB	FB40	5D6B	474B	I4BV0080
127	沝	C7CF	FB41	5D72	474F	I4C20080
128	沝	C7D9	FB42	5D74	4759	I4C40080
129	沝	C7E6	FB45	5D80	4766	I4CG0080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 6 of 11). JIS X 0212 Kanji Set, EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
130	滯	C7EB	FB48	5D93	476B	I4CZ0080
131	洵	C7EE	FB46	5D8A	476E	I4CQ0080
132	洩	C7F0	FB49	5D95	4770	I4D10080
133	湜	C7FC	FB47	5D8E	477C	I4CU0080
134	澗	C8B1	FB4A	5DA6	4831	I4DI0080
135	澈	C8E5	FB4B	5DC1	4865	I4E90080
136	漸	C8F8	FB4C	5DCA	4878	I4EI0080
137	瀆	C9A6	FB4D	5DD5	4926	I4ET0080
138	澄	C9AB	FB4E	5DD7	492B	I4EV0080
139	瀆	C9AD	FB4F	5DD8	492D	I4EW0080
140	炅	C9CA	FB51	5DEA	494A	I4FE0080
141	炫	C9D3	FB52	5DED	4953	I4FH0080
142	焄	C9E3	FB54	5DF6	4963	I4FQ0080
143	焅	C9E9	FB53	5DF5	4969	I4FP0080
144	焆	C9F4	FB56	5DFC	4974	I4FW0080
145	焇	C9F5	FB57	5DFD	4975	I4FX0080
146	焈	C9FC	FB55	5DFB	497C	I4FV0080
147	燁	CAB3	FB59	5E4B	4A33	I4GB0080
148	燁	CABD	FB5A	5E5A	4A3D	I4GQ0080
149	犰	CAEF	FB5B	5E73	4A6F	I4HF0080
150	犰	CAF1	FB5C	5E75	4A71	I4HH0080
151	狻	CBAE	FB5D	5E86	4B2E	I4HY0080
152	獠	CBCA	FB5F	5E94	4B4A	I4IC0080
153	珣	CBE6	FB60	5E99	4B66	I4IH0080
154	珥	CBEA	FB61	5E9E	4B6A	I4IM0080
155	珥	CBEE	FB64	5EA2	4B6E	I4IQ0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 7 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
156	琮	CBF0	FB62	5E9F	4B70	I4IN0080
157	珣	CBF4	FB63	5EA1	4B74	I4IP0080
158	琤	CBF9	FB66	5EA8	4B79	I4IW0080
159	琬	CCA5	FB65	5EA7	4C25	I4IV0080
160	琦	CCAB	FB67	5EAA	4C2B	I4IY0080
161	琒	CCAD	FB69	5EAD	4C2D	I4J10080
162	琪	CCAE	FB68	5EAB	4C2E	I4IZ0080
163	琮	CCB2	FB6A	5EAE	4C32	I4J20080
164	璿	CCC2	FB6B	5EBC	4C42	I4JG0080
165	璿	CCD0	FB6C	5EBD	4C50	I4JH0080
166	璿	CCD9	FB6D	5EC0	4C59	I4JK0080
167	甯	CDA A	FAA8	58FE	4D2A	I3PA0080
168	峻	CDBB	FB6F	5EE7	4D3B	I4KN0080
169	晶	CEBA	FB73	5F72	4E3A	I4MQ0080
170	皚	CEBB	FB71	5F70	4E3B	I4MO0080
171	皛	CEC3	FB74	5F73	4E43	I4MR0080
172	睭	CEF2	FB76	5F8E	4E72	I4NI0080
173	砒	CFD5	FB78	5FAE	4F55	I4OE0080
174	砑	CFE2	FB79	5FB2	4F62	I4OI0080
175	砒	CFE9	FB7A	5FB3	4F69	I4OJ0080
176	砑	CFED	FB7B	5FB6	4F6D	I4OM0080
177	禔	D0E5	FB81	5FDC	5065	I4PO0080
178	禔	D0E9	FB83	5FDF	5069	I4PR0080
179	竝	D1E8	FB84	604F	5168	I4R30080
180	婍	D1EC	FB87	605A	516C	I4RE0080
181	簪	D2BB	FB88	6082	523B	I4SI0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 8 of 11). JIS X 0212 Kanji Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
182	紮	D3E1	FB8A	60C4	5361	I4UC0080
183	絜	D3E8	FB8B	60C6	5368	I4UE0080
184	粹	D4A7	FB8C	60D4	5427	I4US0080
185	繒	D4D4	FB8F	60FD	5454	I4VX0080
186	纒	D4E3	FA5C	51BF	5463	I2M70080
187	罇	D4F2	FB90	6157	5472	I4WN0080
188	羨	D5AE	FB91	616E	552E	I4XA0080
189	茁	D7DE	FB93	61F8	575E	I5140080
190	葳	D8A2	FB95	625B	5822	I5230080
191	菇	D8B7	FB96	6267	5837	I52F0080
192	葦	D8C1	FB97	6274	5841	I52S0080
193	葦	D8D1	FB98	627E	5851	I5320080
194	蒨	D8F4	FB99	628A	5874	I53E0080
195	薺	D9A1	FA60	527B	5921	I2PN0080
196	蕓	D9C6	FB9A	629E	5946	I53Y0080
197	蕙	D9C8	FB9B	62A1	5948	I5410080
198	董	D9D1	FB9C	62A8	5951	I5480080
199	蓑	DCD3	FBA2	6390	5C53	I58W0080
200	蓰	DCDF	FA5D	51DA	5C5F	I2MY0080
201	訃	DDC8	FBA3	63C5	5D48	I5AD0080
202	誦	DDD4	FBA4	63CB	5D54	I5AJ0080
203	詹	DDEA	FBA5	63D4	5D6A	I5AS0080
204	誦	DDFA	FBA6	63DF	5D7A	I5B30080
205	闇	DEA4	FBA7	63E1	5E24	I5B50080
206	諛	DEB0	FBA8	63ED	5E30	I5BH0080
207	諛	DEB5	FBA8	63EF	5E35	I5BJ0080





## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 9 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
208	諫	DECB	FBAB	6445	5E4B	I5C50080
209	賭	DFB9	FBAD	647C	5F39	I5DO0080
210	贄	DFC3	FBAF	6485	5F43	I5DX0080
211	帆	E0D9	FBB2	64C9	6059	I5FT0080
212	達	E1E2	FBB5	6553	6162	I5HV0080
213	鄧	E2C7	FBB9	656B	6247	I5IJ0080
214	釧	E3A6	FBBB	6585	6326	I5J90080
215	釩	E3A8	FBBA	6583	6328	I5J70080
216	釩	E3A9	FBBC	6586	6329	I5JA0080
217	釷	E3AA	FBBF	658D	632A	I5JH0080
218	釷	E3AB	FBC0	658F	632B	I5JJ0080
219	釷	E3AF	FBBD	658A	632F	I5JE0080
220	釷	E3B0	FBBE	658C	6330	I5JG0080
221	釷	E3BC	FBC1	6590	633C	I5JK0080
222	釷	E3BF	FBC3	6595	633F	I5JP0080
223	釷	E3C1	FBC2	6593	6341	I5JN0080
224	鉸	E3D4	FBCA	65A6	6354	I5K60080
225	鉸	E3D5	FBC4	659B	6355	I5JV0080
226	鉸	E3D6	FBC6	659F	6356	I5JZ0080
227	鉸	E3D8	FBC5	659E	6358	I5JY0080
228	鉸	E3DF	FBC7	65A1	635F	I5K10080
229	鉸	E3E1	FBC9	65A5	6361	I5K50080
230	鉸	E3E3	FBC8	65A3	6363	I5K30080
231	鉸	E3E9	FBCB	65A8	6369	I5K80080
232	鉸	E3F1	FBCD	65AC	6371	I5KC0080
233	鉸	E3F2	FBCE	65AD	6372	I5KD0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 10 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
234	銑	E3F8	FA5F	524B	6378	I2OB0080
235	銑	E4A6	FBCC	65AB	6426	I5KB0080
236	銑	E4BE	FBD2	65B7	643E	I5KN0080
237	銑	E4BF	FBD6	65BD	643F	I5KT0080
238	銑	E4C0	FBD4	65B9	6440	I5KP0080
239	銑	E4C1	FBD0	65B5	6441	I5KL0080
240	銑	E4C3	FBD1	65B6	6443	I5KM0080
241	銑	E4C7	FBD5	65BC	6447	I5KS0080
242	銑	E4CB	FBCF	65B4	644B	I5KK0080
243	銑	E4D0	FA65	5394	6450	I2VO0080
244	銑	E4D1	FBD9	65C5	6451	I5L10080
245	銑	E4D2	FBDC	65C9	6452	I5L50080
246	銑	E4D4	FBDE	65CE	6454	I5LA0080
247	銑	E4DB	FBDD	65CC	645B	I5L80080
248	銑	E4DC	FBDB	65C8	645C	I5L40080
249	銑	E4DE	FBD8	65C3	645E	I5KZ0080
250	銑	E4E0	FBD7	65C1	6460	I5KX0080
251	銑	E4E9	FA5E	51F7	6469	I2NR0080
252	銑	E4EF	FBE0	65D5	646F	I5LH0080
253	銑	E4FA	FBDF	65D0	647A	I5LC0080
254	銑	E5B3	FBE1	65D8	6533	I5LK0080
255	銑	E5BF	FBE2	65DD	653F	I5LP0080
256	銑	E5C9	FBE3	65E4	6549	I5LW0080
257	銑	E5D0	FBE4	65E8	6550	I5M00080
258	銑	E5E2	FBE5	65F0	6562	I5M80080
259	銑	E5EA	FBE6	65F4	656A	I5MC0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 15 (Page 11 of 11). JIS X 0212 Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
260	鏞	E5EB	FBE7	65F6	656B	I5ME0080
261	隄	E6E8	FBEB	6679	6668	I5O90080
262	隄	E6EF	FBEC	667F	666F	I5OF0080
263	霽	E7AC	FBED	6697	672C	I5P30080
264	霽	E7AE	FBEB	669E	672E	I5PA0080
265	霽	E7B1	FBF1	66A3	6731	I5PF0080
266	霽	E7B2	FBF3	66A5	6732	I5PH0080
267	顛	E8B1	FBF4	66CB	6831	I5QJ0080
268	顛	E8B6	FBF5	66CC	6836	I5QK0080
269	餒	E8DD	FBF8	66E5	685D	I5R90080
270	麟	E9D1	FBFB	6759	6951	I5SP0080
271	鬮	E9ED	FC40	676C	696D	I5T80080
272	紛	EACD	FC41	678F	6A4D	I5U70080
273	鯨	EADB	FC43	6793	6A5B	I5UB0080
274	鯨	EAE6	FC44	679B	6A66	I5UJ0080
275	鯨	EAEA	FC45	679F	6A6A	I5UN0080
276	鯨	EBA5	FC46	67B1	6B25	I5V50080
277	鵠	EBFA	FC48	67E4	6B7A	I5WK0080
278	鵠	EBFB	FC47	67E2	6B7B	I5WI0080
279	鵠	ECD6	FC4A	67FE	6C56	I5XA0080

**Note:**  
This table only contains characters in Character Set 01060.

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*12.3 IBM-Selected Non-Kanji Set*


<b>Table 16.</b> IBM-Selected Non-Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1	i	F3A1	FA40	41B1		NR010080
2	ii	F3A2	FA41	41B2		NR020080
3	iii	F3A3	FA42	41B3		NR030080
4	iv	F3A4	FA43	41B4		NR040080
5	v	F3A5	FA44	41B5		NR050080
6	vi	F3A6	FA45	41B6		NR060080
7	vii	F3A7	FA46	41B7		NR070080
8	viii	F3A8	FA47	41B8		NR080080
9	ix	F3A9	FA48	41B9		NR090080
10	x	F3AA	FA49	41BA		NR100080
11	I	F3AB	FA4A	41F1		NR110080
12	II	F3AC	FA4B	41F2		NR120080
13	III	F3AD	FA4C	41F3		NR130080
14	IV	F3AE	FA4D	41F4		NR140080
15	V	F3AF	FA4E	41F5		NR150080
16	VI	F3B0	FA4F	41F6		NR160080
17	VII	F3B1	FA50	41F7		NR170080
18	VIII	F3B2	FA51	41F8		NR180080
19	IX	F3B3	FA52	41F9		NR190080
20	X	F3B4	FA53	41FA		NR200080
21	´	F3B5	FA56	427D		SP050080
22	"	F3B6	FA57	427F		SP040080
23	(株)	F3B7	FA58	446D		SS740080
24	No.	F3B8	FA59	446E		SM000080
25	TEL	F3B9	FA5A	446F		SS710080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*12.4 IBM-Selected Kanji Set*

<b>Table 17 (Page 1 of 4).</b> IBM-Selected Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1	炘	F4A1	FA62	529E		I2QM0080
2	任	F4A2	FA6A	5662		I3AA0080
3	僣	F4A3	FA7C	56B2		I3CI0080
4	夙	F4A4	FA83	56EF		I3E70080
5	匆	F4A5	FA8A	5763		I3FN0080
6	匡	F4A6	FA8B	576B		I3FV0080
7	雙	F4A7	FA90	578E		I3GU0080
8	味	F4A8	FA92	57AE		I3HQ0080
9	埜	F4A9	FA96	5860		I3KW0080
10	塔	F4AA	FA9B	5877		I3LJ0080
11	塚	F4AB	FA9C	5882		I3LU0080
12	增	F4AC	FA9D	588A		I3M20080
13	寬	F4AE	FAAA	5944		I3PG0080
14	巖	F4AF	FAAE	5970		I3QO0080
15	崑	F4B0	FAB0	597F		I3R30080
16	崎	F4B1	FAB1	5980		I3R40080
17	德	F4B2	FABA	59E8		I3U00080
18	悅	F4B3	FABD	5A51		I3V50080
19	愠	F4B4	FAC1	5A67		I3VR0080
20	教	F4B5	FACD	5B7E		I41Q0080
21	昂	F4B6	8D56	4F9F		I2AN0080
22	睨	F4B7	FAD5	5BA7		I42V0080
23	晴	F4B8	FAD8	5BAE		I4320080
24	朗	F4B9	FAE0	5BC9		I43T0080
25	柳	F4BA	FAE5	5BF3		I44Z0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 17 (Page 2 of 4). IBM-Selected Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
26	栴	F4BB	FAE8	5C66		I46E0080
27	桴	F4BC	FAEA	5C78		I46W0080
28	横	F4BD	FAEE	5C9B		I47V0080
29	檄	F4BE	FAF2	5CB9		I48P0080
30	清	F4BF	FB43	5D7A		I4CA0080
31	澆	F4C0	FB44	5D7F		I4CF0080
32	瀨	F4C2	FB50	5DE3		I4F70080
33	漚	F4C4	FB58	5E49		I4G90080
34	猪	F4C5	FB5E	5E8A		I4I20080
35	瓶	F4C6	FB6E	5ED1		I4K10080
36	皂	F4C7	FB70	5F69		I4MH0080
37	皦	F4C8	FB72	5F71		I4MP0080
38	益	F4C9	FB75	5F7A		I4MY0080
39	礪	F4CB	FB7C	5FD1		I4PD0080
40	礼	F4CC	FB7D	5FD2		I4PE0080
41	神	F4CD	FB7E	5FD5		I4PH0080
42	祥	F4CE	FB80	5FD9		I4PL0080
43	福	F4CF	FB82	5FDD		I4PP0080
44	靖	F4D0	FB85	6058		I4RC0080
45	靖	F4D1	FB86	6059		I4RD0080
46	精	F4D3	FB89	60AD		I4TP0080
47	緑	F4D4	FB8D	60DA		I4UY0080
48	緒	F4D5	FB8E	60E1		I4V50080
49	羽	F4D6	FB92	6177		I4XJ0080
50	芋	F4D7	FB94	6248		I51K0080
51	藤	F4D8	FB9D	62B9		I54P0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 17 (Page 3 of 4). IBM-Selected Kanji Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
52	薰	F4D9	FB9E	62BB		I54R0080
53	蕓	F4DA	FB9F	62CE		I55A0080
54	蚌	F4DB	FBA0	62E2		I55U0080
55	螻	F4DC	FBA1	635E		I57I0080
56	諸	F4DE	FBA9	63EE		I5BI0080
57	譚	F4DF	FBAC	6450		I5CG0080
58	賴	F4E0	FBAE	647D		I5DP0080
59	赶	F4E1	FBB0	648D		I5E50080
60	尅	F4E2	FBB1	648E		I5E60080
61	返	F4E3	FBB3	64F1		I5GX0080
62	逸	F4E4	FBB4	6549		I5HL0080
63	郎	F4E5	FBB6	6564		I5IC0080
64	都	F4E6	FBB7	6566		I5IE0080
65	郷	F4E7	FBB8	6567		I5IF0080
66	鋅	F4E8	FBD3	65B8		I5KO0080
67	鋅	F4E9	FBDA	65C6		I5L20080
68	閒	F4EA	FBE8	664A		I5MY0080
69	隆	F4EB	FBE9	6674		I5O40080
70	隄	F4EC	FBEA	6678		I5O80080
71	曇	F4ED	FBEE	6699		I5P50080
72	鶴	F4EE	FBF0	66A2		I5PE0080
73	青	F4EF	FBF2	66A4		I5PG0080
74	飯	F4F1	FBF6	66DD		I5R10080
75	飼	F4F2	FBF7	66DF		I5R30080
76	館	F4F3	FBF9	66E6		I5RA0080
77	醇	F4F4	FBFA	66F9		I5RT0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
78	高	F4F5	FBFC	676B		I5T70080
79	鮪	F4F6	FC42	6791		I5U90080
80	鶴	F4F7	FC49	67F4		I5X00080
81	黒	F4F8	FC4B	6856		I5XY0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

*12.5 User Definable Characters*

<b>Table 18 (Page 1 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
1		F5A1	F540	6DF5		X6T10080
2		F5A2	F541	6DF6		X6T20080
3		F5A3	F542	6DF7		X6T30080
4		F5A4	F543	6DF8		X6T40080
5		F5A5	F544	6DF9		X6T50080
6		F5A6	F545	6DFA		X6T60080
7		F5A7	F546	6DFB		X6T70080
8		F5A8	F547	6DFC		X6T80080
9		F5A9	F548	6DFD		X6T90080
10		F5AA	F549	6DFE		X6TA0080
11		F5AB	F54A	6E41		X6TD0080
12		F5AC	F54B	6E42		X6TE0080
13		F5AD	F54C	6E43		X6TF0080
14		F5AE	F54D	6E44		X6TG0080
15		F5AF	F54E	6E45		X6TH0080
16		F5B0	F54F	6E46		X6TI0080
17		F5B1	F550	6E47		X6TJ0080
18		F5B2	F551	6E48		X6TK0080
19		F5B3	F552	6E49		X6TL0080
20		F5B4	F553	6E4A		X6TM0080
21		F5B5	F554	6E4B		X6TN0080
22		F5B6	F555	6E4C		X6TO0080
23		F5B7	F556	6E4D		X6TP0080
24		F5B8	F557	6E4E		X6TQ0080
25		F5B9	F558	6E4F		X6TR0080
26		F5BA	F559	6E50		X6TS0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 2 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
27		F5BB	F55A	6E51		X6TT0080
28		F5BC	F55B	6E52		X6TU0080
29		F5BD	F55C	6E53		X6TV0080
30		F5BE	F55D	6E54		X6TW0080
31		F5BF	F55E	6E55		X6TX0080
32		F5C0	F55F	6E56		X6TY0080
33		F5C1	F560	6E57		X6TZ0080
34		F5C2	F561	6E58		X6U00080
35		F5C3	F562	6E59		X6U10080
36		F5C4	F563	6E5A		X6U20080
37		F5C5	F564	6E5B		X6U30080
38		F5C6	F565	6E5C		X6U40080
39		F5C7	F566	6E5D		X6U50080
40		F5C8	F567	6E5E		X6U60080
41		F5C9	F568	6E5F		X6U70080
42		F5CA	F569	6E60		X6U80080
43		F5CB	F56A	6E61		X6U90080
44		F5CC	F56B	6E62		X6UA0080
45		F5CD	F56C	6E63		X6UB0080
46		F5CE	F56D	6E64		X6UC0080
47		F5CF	F56E	6E65		X6UD0080
48		F5D0	F56F	6E66		X6UE0080
49		F5D1	F570	6E67		X6UF0080
50		F5D2	F571	6E68		X6UG0080
51		F5D3	F572	6E69		X6UH0080
52		F5D4	F573	6E6A		X6UI0080
53		F5D5	F574	6E6B		X6UJ0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 3 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
54		F5D6	F575	6E6C		X6UK0080
55		F5D7	F576	6E6D		X6UL0080
56		F5D8	F577	6E6E		X6UM0080
57		F5D9	F578	6E6F		X6UN0080
58		F5DA	F579	6E70		X6UO0080
59		F5DB	F57A	6E71		X6UP0080
60		F5DC	F57B	6E72		X6UQ0080
61		F5DD	F57C	6E73		X6UR0080
62		F5DE	F57D	6E74		X6US0080
63		F5DF	F57E	6E75		X6UT0080
64		F5E0	F580	6E76		X6UU0080
65		F5E1	F581	6E77		X6UV0080
66		F5E2	F582	6E78		X6UW0080
67		F5E3	F583	6E79		X6UX0080
68		F5E4	F584	6E7A		X6UY0080
69		F5E5	F585	6E7B		X6UZ0080
70		F5E6	F586	6E7C		X6V00080
71		F5E7	F587	6E7D		X6V10080
72		F5E8	F588	6E7E		X6V20080
73		F5E9	F589	6E7F		X6V30080
74		F5EA	F58A	6E80		X6V40080
75		F5EB	F58B	6E81		X6V50080
76		F5EC	F58C	6E82		X6V60080
77		F5ED	F58D	6E83		X6V70080
78		F5EE	F58E	6E84		X6V80080
79		F5EF	F58F	6E85		X6V90080
80		F5F0	F590	6E86		X6VA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 4 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
81		F5F1	F591	6E87		X6VB0080
82		F5F2	F592	6E88		X6VC0080
83		F5F3	F593	6E89		X6VD0080
84		F5F4	F594	6E8A		X6VE0080
85		F5F5	F595	6E8B		X6VF0080
86		F5F6	F596	6E8C		X6VG0080
87		F5F7	F597	6E8D		X6VH0080
88		F5F8	F598	6E8E		X6VI0080
89		F5F9	F599	6E8F		X6VJ0080
90		F5FA	F59A	6E90		X6VK0080
91		F5FB	F59B	6E91		X6VL0080
92		F5FC	F59C	6E92		X6VM0080
93		F5FD	F59D	6E93		X6VN0080
94		F5FE	F59E	6E94		X6VO0080
95		F6A1	F59F	6E95		X6VP0080
96		F6A2	F5A0	6E96		X6VQ0080
97		F6A3	F5A1	6E97		X6VR0080
98		F6A4	F5A2	6E98		X6VS0080
99		F6A5	F5A3	6E99		X6VT0080
100		F6A6	F5A4	6E9A		X6VU0080
101		F6A7	F5A5	6E9B		X6VV0080
102		F6A8	F5A6	6E9C		X6VW0080
103		F6A9	F5A7	6E9D		X6VX0080
104		F6AA	F5A8	6E9E		X6VY0080
105		F6AB	F5A9	6E9F		X6VZ0080
106		F6AC	F5AA	6EA0		X6W00080
107		F6AD	F5AB	6EA1		X6W10080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 5 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
108		F6AE	F5AC	6EA2		X6W20080
109		F6AF	F5AD	6EA3		X6W30080
110		F6B0	F5AE	6EA4		X6W40080
111		F6B1	F5AF	6EA5		X6W50080
112		F6B2	F5B0	6EA6		X6W60080
113		F6B3	F5B1	6EA7		X6W70080
114		F6B4	F5B2	6EA8		X6W80080
115		F6B5	F5B3	6EA9		X6W90080
116		F6B6	F5B4	6EAA		X6WA0080
117		F6B7	F5B5	6EAB		X6WB0080
118		F6B8	F5B6	6EAC		X6WC0080
119		F6B9	F5B7	6EAD		X6WD0080
120		F6BA	F5B8	6EAE		X6WE0080
121		F6BB	F5B9	6EAF		X6WF0080
122		F6BC	F5BA	6EB0		X6WG0080
123		F6BD	F5BB	6EB1		X6WH0080
124		F6BE	F5BC	6EB2		X6WI0080
125		F6BF	F5BD	6EB3		X6WJ0080
126		F6C0	F5BE	6EB4		X6WK0080
127		F6C1	F5BF	6EB5		X6WL0080
128		F6C2	F5C0	6EB6		X6WM0080
129		F6C3	F5C1	6EB7		X6WN0080
130		F6C4	F5C2	6EB8		X6WO0080
131		F6C5	F5C3	6EB9		X6WP0080
132		F6C6	F5C4	6EBA		X6WQ0080
133		F6C7	F5C5	6EBB		X6WR0080
134		F6C8	F5C6	6EBC		X6WS0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 6 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
135		F6C9	F5C7	6EBD		X6WT0080
136		F6CA	F5C8	6EBE		X6WU0080
137		F6CB	F5C9	6EBF		X6WV0080
138		F6CC	F5CA	6EC0		X6WW0080
139		F6CD	F5CB	6EC1		X6WX0080
140		F6CE	F5CC	6EC2		X6WY0080
141		F6CF	F5CD	6EC3		X6WZ0080
142		F6D0	F5CE	6EC4		X6X00080
143		F6D1	F5CF	6EC5		X6X10080
144		F6D2	F5D0	6EC6		X6X20080
145		F6D3	F5D1	6EC7		X6X30080
146		F6D4	F5D2	6EC8		X6X40080
147		F6D5	F5D3	6EC9		X6X50080
148		F6D6	F5D4	6ECA		X6X60080
149		F6D7	F5D5	6ECB		X6X70080
150		F6D8	F5D6	6ECC		X6X80080
151		F6D9	F5D7	6ECD		X6X90080
152		F6DA	F5D8	6ECE		X6XA0080
153		F6DB	F5D9	6ECF		X6XB0080
154		F6DC	F5DA	6ED0		X6XC0080
155		F6DD	F5DB	6ED1		X6XD0080
156		F6DE	F5DC	6ED2		X6XE0080
157		F6DF	F5DD	6ED3		X6XF0080
158		F6E0	F5DE	6ED4		X6XG0080
159		F6E1	F5DF	6ED5		X6XH0080
160		F6E2	F5E0	6ED6		X6XI0080
161		F6E3	F5E1	6ED7		X6XJ0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 7 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
162		F6E4	F5E2	6ED8		X6XK0080
163		F6E5	F5E3	6ED9		X6XL0080
164		F6E6	F5E4	6EDA		X6XM0080
165		F6E7	F5E5	6EDB		X6XN0080
166		F6E8	F5E6	6EDC		X6XO0080
167		F6E9	F5E7	6EDD		X6XP0080
168		F6EA	F5E8	6EDE		X6XQ0080
169		F6EB	F5E9	6EDF		X6XR0080
170		F6EC	F5EA	6EE0		X6XS0080
171		F6ED	F5EB	6EE1		X6XT0080
172		F6EE	F5EC	6EE2		X6XU0080
173		F6EF	F5ED	6EE3		X6XV0080
174		F6F0	F5EE	6EE4		X6XW0080
175		F6F1	F5EF	6EE5		X6XX0080
176		F6F2	F5F0	6EE6		X6XY0080
177		F6F3	F5F1	6EE7		X6XZ0080
178		F6F4	F5F2	6EE8		X6Y00080
179		F6F5	F5F3	6EE9		X6Y10080
180		F6F6	F5F4	6EEA		X6Y20080
181		F6F7	F5F5	6EEB		X6Y30080
182		F6F8	F5F6	6EEC		X6Y40080
183		F6F9	F5F7	6EED		X6Y50080
184		F6FA	F5F8	6EEE		X6Y60080
185		F6FB	F5F9	6EEF		X6Y70080
186		F6FC	F5FA	6EF0		X6Y80080
187		F6FD	F5FB	6EF1		X6Y90080
188		F6FE	F5FC	6EF2		X6YA0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 8 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
189		F7A1	F640	6EF3		X6YB0080
190		F7A2	F641	6EF4		X6YC0080
191		F7A3	F642	6EF5		X6YD0080
192		F7A4	F643	6EF6		X6YE0080
193		F7A5	F644	6EF7		X6YF0080
194		F7A6	F645	6EF8		X6YG0080
195		F7A7	F646	6EF9		X6YH0080
196		F7A8	F647	6EFA		X6YI0080
197		F7A9	F648	6EFB		X6YJ0080
198		F7AA	F649	6EFC		X6YK0080
199		F7AB	F64A	6EFD		X6YL0080
200		F7AC	F64B	6EFE		X6YM0080
201		F7AD	F64C	6F41		X6YP0080
202		F7AE	F64D	6F42		X6YQ0080
203		F7AF	F64E	6F43		X6YR0080
204		F7B0	F64F	6F44		X6YS0080
205		F7B1	F650	6F45		X6YT0080
206		F7B2	F651	6F46		X6YU0080
207		F7B3	F652	6F47		X6YV0080
208		F7B4	F653	6F48		X6YW0080
209		F7B5	F654	6F49		X6YX0080
210		F7B6	F655	6F4A		X6YY0080
211		F7B7	F656	6F4B		X6YZ0080
212		F7B8	F657	6F4C		X6Z00080
213		F7B9	F658	6F4D		X6Z10080
214		F7BA	F659	6F4E		X6Z20080
215		F7BB	F65A	6F4F		X6Z30080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 9 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
216		F7BC	F65B	6F50		X6Z40080
217		F7BD	F65C	6F51		X6Z50080
218		F7BE	F65D	6F52		X6Z60080
219		F7BF	F65E	6F53		X6Z70080
220		F7C0	F65F	6F54		X6Z80080
221		F7C1	F660	6F55		X6Z90080
222		F7C2	F661	6F56		X6ZA0080
223		F7C3	F662	6F57		X6ZB0080
224		F7C4	F663	6F58		X6ZC0080
225		F7C5	F664	6F59		X6ZD0080
226		F7C6	F665	6F5A		X6ZE0080
227		F7C7	F666	6F5B		X6ZF0080
228		F7C8	F667	6F5C		X6ZG0080
229		F7C9	F668	6F5D		X6ZH0080
230		F7CA	F669	6F5E		X6ZI0080
231		F7CB	F66A	6F5F		X6ZJ0080
232		F7CC	F66B	6F60		X6ZK0080
233		F7CD	F66C	6F61		X6ZL0080
234		F7CE	F66D	6F62		X6ZM0080
235		F7CF	F66E	6F63		X6ZN0080
236		F7D0	F66F	6F64		X6ZO0080
237		F7D1	F670	6F65		X6ZP0080
238		F7D2	F671	6F66		X6ZQ0080
239		F7D3	F672	6F67		X6ZR0080
240		F7D4	F673	6F68		X6ZS0080
241		F7D5	F674	6F69		X6ZT0080
242		F7D6	F675	6F6A		X6ZU0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 10 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
243		F7D7	F676	6F6B		X6ZV0080
244		F7D8	F677	6F6C		X6ZW0080
245		F7D9	F678	6F6D		X6ZX0080
246		F7DA	F679	6F6E		X6ZY0080
247		F7DB	F67A	6F6F		X6ZZ0080
248		F7DC	F67B	6F70		X7000080
249		F7DD	F67C	6F71		X7010080
250		F7DE	F67D	6F72		X7020080
251		F7DF	F67E	6F73		X7030080
252		F7E0	F680	6F74		X7040080
253		F7E1	F681	6F75		X7050080
254		F7E2	F682	6F76		X7060080
255		F7E3	F683	6F77		X7070080
256		F7E4	F684	6F78		X7080080
257		F7E5	F685	6F79		X7090080
258		F7E6	F686	6F7A		X70A0080
259		F7E7	F687	6F7B		X70B0080
260		F7E8	F688	6F7C		X70C0080
261		F7E9	F689	6F7D		X70D0080
262		F7EA	F68A	6F7E		X70E0080
263		F7EB	F68B	6F7F		X70F0080
264		F7EC	F68C	6F80		X70G0080
265		F7ED	F68D	6F81		X70H0080
266		F7EE	F68E	6F82		X70I0080
267		F7EF	F68F	6F83		X70J0080
268		F7F0	F690	6F84		X70K0080
269		F7F1	F691	6F85		X70L0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 11 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
270		F7F2	F692	6F86		X70M0080
271		F7F3	F693	6F87		X70N0080
272		F7F4	F694	6F88		X70O0080
273		F7F5	F695	6F89		X70P0080
274		F7F6	F696	6F8A		X70Q0080
275		F7F7	F697	6F8B		X70R0080
276		F7F8	F698	6F8C		X70S0080
277		F7F9	F699	6F8D		X70T0080
278		F7FA	F69A	6F8E		X70U0080
279		F7FB	F69B	6F8F		X70V0080
280		F7FC	F69C	6F90		X70W0080
281		F7FD	F69D	6F91		X70X0080
282		F7FE	F69E	6F92		X70Y0080
283		F8A1	F69F	6F93		X70Z0080
284		F8A2	F6A0	6F94		X7100080
285		F8A3	F6A1	6F95		X7110080
286		F8A4	F6A2	6F96		X7120080
287		F8A5	F6A3	6F97		X7130080
288		F8A6	F6A4	6F98		X7140080
289		F8A7	F6A5	6F99		X7150080
290		F8A8	F6A6	6F9A		X7160080
291		F8A9	F6A7	6F9B		X7170080
292		F8AA	F6A8	6F9C		X7180080
293		F8AB	F6A9	6F9D		X7190080
294		F8AC	F6AA	6F9E		X71A0080
295		F8AD	F6AB	6F9F		X71B0080
296		F8AE	F6AC	6FA0		X71C0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)


DBCS - EUC

<b>Table 18 (Page 12 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
297		F8AF	F6AD	6FA1		X71D0080
298		F8B0	F6AE	6FA2		X71E0080
299		F8B1	F6AF	6FA3		X71F0080
300		F8B2	F6B0	6FA4		X71G0080
301		F8B3	F6B1	6FA5		X71H0080
302		F8B4	F6B2	6FA6		X71I0080
303		F8B5	F6B3	6FA7		X71J0080
304		F8B6	F6B4	6FA8		X71K0080
305		F8B7	F6B5	6FA9		X71L0080
306		F8B8	F6B6	6FAA		X71M0080
307		F8B9	F6B7	6FAB		X71N0080
308		F8BA	F6B8	6FAC		X71O0080
309		F8BB	F6B9	6FAD		X71P0080
310		F8BC	F6BA	6FAE		X71Q0080
311		F8BD	F6BB	6FAF		X71R0080
312		F8BE	F6BC	6FB0		X71S0080
313		F8BF	F6BD	6FB1		X71T0080
314		F8C0	F6BE	6FB2		X71U0080
315		F8C1	F6BF	6FB3		X71V0080
316		F8C2	F6C0	6FB4		X71W0080
317		F8C3	F6C1	6FB5		X71X0080
318		F8C4	F6C2	6FB6		X71Y0080
319		F8C5	F6C3	6FB7		X71Z0080
320		F8C6	F6C4	6FB8		X7200080
321		F8C7	F6C5	6FB9		X7210080
322		F8C8	F6C6	6FBA		X7220080
323		F8C9	F6C7	6FBB		X7230080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 13 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
324		F8CA	F6C8	6FBC		X7240080
325		F8CB	F6C9	6FBD		X7250080
326		F8CC	F6CA	6FBE		X7260080
327		F8CD	F6CB	6FBF		X7270080
328		F8CE	F6CC	6FC0		X7280080
329		F8CF	F6CD	6FC1		X7290080
330		F8D0	F6CE	6FC2		X72A0080
331		F8D1	F6CF	6FC3		X72B0080
332		F8D2	F6D0	6FC4		X72C0080
333		F8D3	F6D1	6FC5		X72D0080
334		F8D4	F6D2	6FC6		X72E0080
335		F8D5	F6D3	6FC7		X72F0080
336		F8D6	F6D4	6FC8		X72G0080
337		F8D7	F6D5	6FC9		X72H0080
338		F8D8	F6D6	6FCA		X72I0080
339		F8D9	F6D7	6FCB		X72J0080
340		F8DA	F6D8	6FCC		X72K0080
341		F8DB	F6D9	6FCD		X72L0080
342		F8DC	F6DA	6FCE		X72M0080
343		F8DD	F6DB	6FCF		X72N0080
344		F8DE	F6DC	6FD0		X72O0080
345		F8DF	F6DD	6FD1		X72P0080
346		F8E0	F6DE	6FD2		X72Q0080
347		F8E1	F6DF	6FD3		X72R0080
348		F8E2	F6E0	6FD4		X72S0080
349		F8E3	F6E1	6FD5		X72T0080
350		F8E4	F6E2	6FD6		X72U0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 14 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
351		F8E5	F6E3	6FD7		X72V0080
352		F8E6	F6E4	6FD8		X72W0080
353		F8E7	F6E5	6FD9		X72X0080
354		F8E8	F6E6	6FDA		X72Y0080
355		F8E9	F6E7	6FDB		X72Z0080
356		F8EA	F6E8	6FDC		X7300080
357		F8EB	F6E9	6FDD		X7310080
358		F8EC	F6EA	6FDE		X7320080
359		F8ED	F6EB	6FDF		X7330080
360		F8EE	F6EC	6FE0		X7340080
361		F8EF	F6ED	6FE1		X7350080
362		F8F0	F6EE	6FE2		X7360080
363		F8F1	F6EF	6FE3		X7370080
364		F8F2	F6F0	6FE4		X7380080
365		F8F3	F6F1	6FE5		X7390080
366		F8F4	F6F2	6FE6		X73A0080
367		F8F5	F6F3	6FE7		X73B0080
368		F8F6	F6F4	6FE8		X73C0080
369		F8F7	F6F5	6FE9		X73D0080
370		F8F8	F6F6	6FEA		X73E0080
371		F8F9	F6F7	6FEB		X73F0080
372		F8FA	F6F8	6FEC		X73G0080
373		F8FB	F6F9	6FED		X73H0080
374		F8FC	F6FA	6FEE		X73I0080
375		F8FD	F6FB	6FEF		X73J0080
376		F8FE	F6FC	6FF0		X73K0080
377		F9A1	F740	6FF1		X73L0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 15 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
378		F9A2	F741	6FF2		X73M0080
379		F9A3	F742	6FF3		X73N0080
380		F9A4	F743	6FF4		X73O0080
381		F9A5	F744	6FF5		X73P0080
382		F9A6	F745	6FF6		X73Q0080
383		F9A7	F746	6FF7		X73R0080
384		F9A8	F747	6FF8		X73S0080
385		F9A9	F748	6FF9		X73T0080
386		F9AA	F749	6FFA		X73U0080
387		F9AB	F74A	6FFB		X73V0080
388		F9AC	F74B	6FFC		X73W0080
389		F9AD	F74C	6FFD		X73X0080
390		F9AE	F74D	6FFE		X73Y0080
391		F9AF	F74E	7041		X7410080
392		F9B0	F74F	7042		X7420080
393		F9B1	F750	7043		X7430080
394		F9B2	F751	7044		X7440080
395		F9B3	F752	7045		X7450080
396		F9B4	F753	7046		X7460080
397		F9B5	F754	7047		X7470080
398		F9B6	F755	7048		X7480080
399		F9B7	F756	7049		X7490080
400		F9B8	F757	704A		X74A0080
401		F9B9	F758	704B		X74B0080
402		F9BA	F759	704C		X74C0080
403		F9BB	F75A	704D		X74D0080
404		F9BC	F75B	704E		X74E0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 16 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
405		F9BD	F75C	704F		X74F0080
406		F9BE	F75D	7050		X74G0080
407		F9BF	F75E	7051		X74H0080
408		F9C0	F75F	7052		X74I0080
409		F9C1	F760	7053		X74J0080
410		F9C2	F761	7054		X74K0080
411		F9C3	F762	7055		X74L0080
412		F9C4	F763	7056		X74M0080
413		F9C5	F764	7057		X74N0080
414		F9C6	F765	7058		X74O0080
415		F9C7	F766	7059		X74P0080
416		F9C8	F767	705A		X74Q0080
417		F9C9	F768	705B		X74R0080
418		F9CA	F769	705C		X74S0080
419		F9CB	F76A	705D		X74T0080
420		F9CC	F76B	705E		X74U0080
421		F9CD	F76C	705F		X74V0080
422		F9CE	F76D	7060		X74W0080
423		F9CF	F76E	7061		X74X0080
424		F9D0	F76F	7062		X74Y0080
425		F9D1	F770	7063		X74Z0080
426		F9D2	F771	7064		X7500080
427		F9D3	F772	7065		X7510080
428		F9D4	F773	7066		X7520080
429		F9D5	F774	7067		X7530080
430		F9D6	F775	7068		X7540080
431		F9D7	F776	7069		X7550080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 17 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
432		F9D8	F777	706A		X7560080
433		F9D9	F778	706B		X7570080
434		F9DA	F779	706C		X7580080
435		F9DB	F77A	706D		X7590080
436		F9DC	F77B	706E		X75A0080
437		F9DD	F77C	706F		X75B0080
438		F9DE	F77D	7070		X75C0080
439		F9DF	F77E	7071		X75D0080
440		F9E0	F780	7072		X75E0080
441		F9E1	F781	7073		X75F0080
442		F9E2	F782	7074		X75G0080
443		F9E3	F783	7075		X75H0080
444		F9E4	F784	7076		X75I0080
445		F9E5	F785	7077		X75J0080
446		F9E6	F786	7078		X75K0080
447		F9E7	F787	7079		X75L0080
448		F9E8	F788	707A		X75M0080
449		F9E9	F789	707B		X75N0080
450		F9EA	F78A	707C		X75O0080
451		F9EB	F78B	707D		X75P0080
452		F9EC	F78C	707E		X75Q0080
453		F9ED	F78D	707F		X75R0080
454		F9EE	F78E	7080		X75S0080
455		F9EF	F78F	7081		X75T0080
456		F9F0	F790	7082		X75U0080
457		F9F1	F791	7083		X75V0080
458		F9F2	F792	7084		X75W0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 18 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
459		F9F3	F793	7085		X75X0080
460		F9F4	F794	7086		X75Y0080
461		F9F5	F795	7087		X75Z0080
462		F9F6	F796	7088		X7600080
463		F9F7	F797	7089		X7610080
464		F9F8	F798	708A		X7620080
465		F9F9	F799	708B		X7630080
466		F9FA	F79A	708C		X7640080
467		F9FB	F79B	708D		X7650080
468		F9FC	F79C	708E		X7660080
469		F9FD	F79D	708F		X7670080
470		F9FE	F79E	7090		X7680080
471		FAA1	F79F	7091		X7690080
472		FAA2	F7A0	7092		X76A0080
473		FAA3	F7A1	7093		X76B0080
474		FAA4	F7A2	7094		X76C0080
475		FAA5	F7A3	7095		X76D0080
476		FAA6	F7A4	7096		X76E0080
477		FAA7	F7A5	7097		X76F0080
478		FAA8	F7A6	7098		X76G0080
479		FAA9	F7A7	7099		X76H0080
480		FAAA	F7A8	709A		X76I0080
481		FAAB	F7A9	709B		X76J0080
482		FAAC	F7AA	709C		X76K0080
483		FAAD	F7AB	709D		X76L0080
484		FAAE	F7AC	709E		X76M0080
485		FAAF	F7AD	709F		X76N0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 19 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
486		FAB0	F7AE	70A0		X76O0080
487		FAB1	F7AF	70A1		X76P0080
488		FAB2	F7B0	70A2		X76Q0080
489		FAB3	F7B1	70A3		X76R0080
490		FAB4	F7B2	70A4		X76S0080
491		FAB5	F7B3	70A5		X76T0080
492		FAB6	F7B4	70A6		X76U0080
493		FAB7	F7B5	70A7		X76V0080
494		FAB8	F7B6	70A8		X76W0080
495		FAB9	F7B7	70A9		X76X0080
496		FABA	F7B8	70AA		X76Y0080
497		FABB	F7B9	70AB		X76Z0080
498		FABC	F7BA	70AC		X7700080
499		FABD	F7BB	70AD		X7710080
500		FABE	F7BC	70AE		X7720080
501		FABF	F7BD	70AF		X7730080
502		FAC0	F7BE	70B0		X7740080
503		FAC1	F7BF	70B1		X7750080
504		FAC2	F7C0	70B2		X7760080
505		FAC3	F7C1	70B3		X7770080
506		FAC4	F7C2	70B4		X7780080
507		FAC5	F7C3	70B5		X7790080
508		FAC6	F7C4	70B6		X77A0080
509		FAC7	F7C5	70B7		X77B0080
510		FAC8	F7C6	70B8		X77C0080
511		FAC9	F7C7	70B9		X77D0080
512		FACA	F7C8	70BA		X77E0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 20 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
513		FACB	F7C9	70BB		X77F0080
514		FACC	F7CA	70BC		X77G0080
515		FACD	F7CB	70BD		X77H0080
516		FACE	F7CC	70BE		X77I0080
517		FACF	F7CD	70BF		X77J0080
518		FAD0	F7CE	70C0		X77K0080
519		FAD1	F7CF	70C1		X77L0080
520		FAD2	F7D0	70C2		X77M0080
521		FAD3	F7D1	70C3		X77N0080
522		FAD4	F7D2	70C4		X77O0080
523		FAD5	F7D3	70C5		X77P0080
524		FAD6	F7D4	70C6		X77Q0080
525		FAD7	F7D5	70C7		X77R0080
526		FAD8	F7D6	70C8		X77S0080
527		FAD9	F7D7	70C9		X77T0080
528		FADA	F7D8	70CA		X77U0080
529		FADB	F7D9	70CB		X77V0080
530		FADC	F7DA	70CC		X77W0080
531		FADD	F7DB	70CD		X77X0080
532		FADE	F7DC	70CE		X77Y0080
533		FADF	F7DD	70CF		X77Z0080
534		FAE0	F7DE	70D0		X7800080
535		FAE1	F7DF	70D1		X7810080
536		FAE2	F7E0	70D2		X7820080
537		FAE3	F7E1	70D3		X7830080
538		FAE4	F7E2	70D4		X7840080
539		FAE5	F7E3	70D5		X7850080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 21 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
540		FAE6	F7E4	70D6		X7860080
541		FAE7	F7E5	70D7		X7870080
542		FAE8	F7E6	70D8		X7880080
543		FAE9	F7E7	70D9		X7890080
544		FAEA	F7E8	70DA		X78A0080
545		FAEB	F7E9	70DB		X78B0080
546		FAEC	F7EA	70DC		X78C0080
547		FAED	F7EB	70DD		X78D0080
548		FAEE	F7EC	70DE		X78E0080
549		FAEF	F7ED	70DF		X78F0080
550		FAF0	F7EE	70E0		X78G0080
551		FAF1	F7EF	70E1		X78H0080
552		FAF2	F7F0	70E2		X78I0080
553		FAF3	F7F1	70E3		X78J0080
554		FAF4	F7F2	70E4		X78K0080
555		FAF5	F7F3	70E5		X78L0080
556		FAF6	F7F4	70E6		X78M0080
557		FAF7	F7F5	70E7		X78N0080
558		FAF8	F7F6	70E8		X78O0080
559		FAF9	F7F7	70E9		X78P0080
560		FAFA	F7F8	70EA		X78Q0080
561		FAFB	F7F9	70EB		X78R0080
562		FAFC	F7FA	70EC		X78S0080
563		FAFD	F7FB	70ED		X78T0080
564		FAFE	F7FC	70EE		X78U0080
565		FBA1	F840	70EF		X78V0080
566		FBA2	F841	70F0		X78W0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 22 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
567		FBA3	F842	70F1		X78X0080
568		FBA4	F843	70F2		X78Y0080
569		FBA5	F844	70F3		X78Z0080
570		FBA6	F845	70F4		X7900080
571		FBA7	F846	70F5		X7910080
572		FBA8	F847	70F6		X7920080
573		FBA9	F848	70F7		X7930080
574		FBAA	F849	70F8		X7940080
575		FBAB	F84A	70F9		X7950080
576		FBAC	F84B	70FA		X7960080
577		FBAD	F84C	70FB		X7970080
578		FBAE	F84D	70FC		X7980080
579		FBAF	F84E	70FD		X7990080
580		FBB0	F84F	70FE		X79A0080
581		FBB1	F850	7141		X79D0080
582		FBB2	F851	7142		X79E0080
583		FBB3	F852	7143		X79F0080
584		FBB4	F853	7144		X79G0080
585		FBB5	F854	7145		X79H0080
586		FBB6	F855	7146		X79I0080
587		FBB7	F856	7147		X79J0080
588		FBB8	F857	7148		X79K0080
589		FBB9	F858	7149		X79L0080
590		FBBA	F859	714A		X79M0080
591		FB BB	F85A	714B		X79N0080
592		FB BC	F85B	714C		X79O0080
593		FB BD	F85C	714D		X79P0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 23 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
594		FBBE	F85D	714E		X79Q0080
595		FBBF	F85E	714F		X79R0080
596		FBC0	F85F	7150		X79S0080
597		FBC1	F860	7151		X79T0080
598		FBC2	F861	7152		X79U0080
599		FBC3	F862	7153		X79V0080
600		FBC4	F863	7154		X79W0080
601		FBC5	F864	7155		X79X0080
602		FBC6	F865	7156		X79Y0080
603		FBC7	F866	7157		X79Z0080
604		FBC8	F867	7158		X7A00080
605		FBC9	F868	7159		X7A10080
606		FBCA	F869	715A		X7A20080
607		FBCB	F86A	715B		X7A30080
608		Fbcc	F86B	715C		X7A40080
609		FBCD	F86C	715D		X7A50080
610		FBCE	F86D	715E		X7A60080
611		FBCF	F86E	715F		X7A70080
612		FBD0	F86F	7160		X7A80080
613		FBD1	F870	7161		X7A90080
614		FBD2	F871	7162		X7AA0080
615		FBD3	F872	7163		X7AB0080
616		FBD4	F873	7164		X7AC0080
617		FBD5	F874	7165		X7AD0080
618		FBD6	F875	7166		X7AE0080
619		FBD7	F876	7167		X7AF0080
620		FBD8	F877	7168		X7AG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

Table 18 (Page 24 of 35). User Definable Characters (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
621		FBD9	F878	7169		X7AH0080
622		FBDA	F879	716A		X7AI0080
623		FBDB	F87A	716B		X7AJ0080
624		FBDC	F87B	716C		X7AK0080
625		FBDD	F87C	716D		X7AL0080
626		FBDE	F87D	716E		X7AM0080
627		FBDF	F87E	716F		X7AN0080
628		FBE0	F880	7170		X7AO0080
629		FBE1	F881	7171		X7AP0080
630		FBE2	F882	7172		X7AQ0080
631		FBE3	F883	7173		X7AR0080
632		FBE4	F884	7174		X7AS0080
633		FBE5	F885	7175		X7AT0080
634		FBE6	F886	7176		X7AU0080
635		FBE7	F887	7177		X7AV0080
636		FBE8	F888	7178		X7AW0080
637		FBE9	F889	7179		X7AX0080
638		FBEA	F88A	717A		X7AY0080
639		FBEB	F88B	717B		X7AZ0080
640		FBEC	F88C	717C		X7B00080
641		FBED	F88D	717D		X7B10080
642		FBEE	F88E	717E		X7B20080
643		FBEF	F88F	717F		X7B30080
644		FBF0	F890	7180		X7B40080
645		FBF1	F891	7181		X7B50080
646		FBF2	F892	7182		X7B60080
647		FBF3	F893	7183		X7B70080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 25 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
648		FBF4	F894	7184		X7B80080
649		FBF5	F895	7185		X7B90080
650		FBF6	F896	7186		X7BA0080
651		FBF7	F897	7187		X7BB0080
652		FBF8	F898	7188		X7BC0080
653		FBF9	F899	7189		X7BD0080
654		FBFA	F89A	718A		X7BE0080
655		FBFB	F89B	718B		X7BF0080
656		FBFC	F89C	718C		X7BG0080
657		FBFD	F89D	718D		X7BH0080
658		FBFE	F89E	718E		X7BI0080
659		FCA1	F89F	718F		X7BJ0080
660		FCA2	F8A0	7190		X7BK0080
661		FCA3	F8A1	7191		X7BL0080
662		FCA4	F8A2	7192		X7BM0080
663		FCA5	F8A3	7193		X7BN0080
664		FCA6	F8A4	7194		X7BO0080
665		FCA7	F8A5	7195		X7BP0080
666		FCA8	F8A6	7196		X7BQ0080
667		FCA9	F8A7	7197		X7BR0080
668		FCAA	F8A8	7198		X7BS0080
669		FCAB	F8A9	7199		X7BT0080
670		FCAC	F8AA	719A		X7BU0080
671		FCAD	F8AB	719B		X7BV0080
672		FCAE	F8AC	719C		X7BW0080
673		FCAF	F8AD	719D		X7BX0080
674		FCB0	F8AE	719E		X7BY0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 26 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
675		FCB1	F8AF	719F		X7BZ0080
676		FCB2	F8B0	71A0		X7C00080
677		FCB3	F8B1	71A1		X7C10080
678		FCB4	F8B2	71A2		X7C20080
679		FCB5	F8B3	71A3		X7C30080
680		FCB6	F8B4	71A4		X7C40080
681		FCB7	F8B5	71A5		X7C50080
682		FCB8	F8B6	71A6		X7C60080
683		FCB9	F8B7	71A7		X7C70080
684		FCBA	F8B8	71A8		X7C80080
685		FCBB	F8B9	71A9		X7C90080
686		FCBC	F8BA	71AA		X7CA0080
687		FCBD	F8BB	71AB		X7CB0080
688		FCBE	F8BC	71AC		X7CC0080
689		FCBF	F8BD	71AD		X7CD0080
690		FCC0	F8BE	71AE		X7CE0080
691		FCC1	F8BF	71AF		X7CF0080
692		FCC2	F8C0	71B0		X7CG0080
693		FCC3	F8C1	71B1		X7CH0080
694		FCC4	F8C2	71B2		X7CI0080
695		FCC5	F8C3	71B3		X7CJ0080
696		FCC6	F8C4	71B4		X7CK0080
697		FCC7	F8C5	71B5		X7CL0080
698		FCC8	F8C6	71B6		X7CM0080
699		FCC9	F8C7	71B7		X7CN0080
700		FCCA	F8C8	71B8		X7CO0080
701		FCCB	F8C9	71B9		X7CP0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 27 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
702		FCCC	F8CA	71BA		X7CQ0080
703		FCCD	F8CB	71BB		X7CR0080
704		FCCE	F8CC	71BC		X7CS0080
705		FCCF	F8CD	71BD		X7CT0080
706		FCD0	F8CE	71BE		X7CU0080
707		FCD1	F8CF	71BF		X7CV0080
708		FCD2	F8D0	71C0		X7CW0080
709		FCD3	F8D1	71C1		X7CX0080
710		FCD4	F8D2	71C2		X7CY0080
711		FCD5	F8D3	71C3		X7CZ0080
712		FCD6	F8D4	71C4		X7D00080
713		FCD7	F8D5	71C5		X7D10080
714		FCD8	F8D6	71C6		X7D20080
715		FCD9	F8D7	71C7		X7D30080
716		FCDA	F8D8	71C8		X7D40080
717		FCDB	F8D9	71C9		X7D50080
718		FCDC	F8DA	71CA		X7D60080
719		FCDD	F8DB	71CB		X7D70080
720		FCDE	F8DC	71CC		X7D80080
721		FCDF	F8DD	71CD		X7D90080
722		FCE0	F8DE	71CE		X7DA0080
723		FCE1	F8DF	71CF		X7DB0080
724		FCE2	F8E0	71D0		X7DC0080
725		FCE3	F8E1	71D1		X7DD0080
726		FCE4	F8E2	71D2		X7DE0080
727		FCE5	F8E3	71D3		X7DF0080
728		FCE6	F8E4	71D4		X7DG0080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 28 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
729		FCE7	F8E5	71D5		X7DH0080
730		FCE8	F8E6	71D6		X7DI0080
731		FCE9	F8E7	71D7		X7DJ0080
732		FCEA	F8E8	71D8		X7DK0080
733		FCEB	F8E9	71D9		X7DL0080
734		FCEC	F8EA	71DA		X7DM0080
735		FCED	F8EB	71DB		X7DN0080
736		FCEE	F8EC	71DC		X7DO0080
737		FCEF	F8ED	71DD		X7DP0080
738		FCF0	F8EE	71DE		X7DQ0080
739		FCF1	F8EF	71DF		X7DR0080
740		FCF2	F8F0	71E0		X7DS0080
741		FCF3	F8F1	71E1		X7DT0080
742		FCF4	F8F2	71E2		X7DU0080
743		FCF5	F8F3	71E3		X7DV0080
744		FCF6	F8F4	71E4		X7DW0080
745		FCF7	F8F5	71E5		X7DX0080
746		FCF8	F8F6	71E6		X7DY0080
747		FCF9	F8F7	71E7		X7DZ0080
748		FCFA	F8F8	71E8		X7E00080
749		FCFB	F8F9	71E9		X7E10080
750		FCFC	F8FA	71EA		X7E20080
751		FCFD	F8FB	71EB		X7E30080
752		FCFE	F8FC	71EC		X7E40080
753		FDA1	F940	71ED		X7E50080
754		FDA2	F941	71EE		X7E60080
755		FDA3	F942	71EF		X7E70080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 29 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
756		FDA4	F943	71F0		X7E80080
757		FDA5	F944	71F1		X7E90080
758		FDA6	F945	71F2		X7EA0080
759		FDA7	F946	71F3		X7EB0080
760		FDA8	F947	71F4		X7EC0080
761		FDA9	F948	71F5		X7ED0080
762		FDAA	F949	71F6		X7EE0080
763		FDAB	F94A	71F7		X7EF0080
764		FDAC	F94B	71F8		X7EG0080
765		FDAD	F94C	71F9		X7EH0080
766		FDAE	F94D	71FA		X7EI0080
767		FDAF	F94E	71FB		X7EJ0080
768		FDB0	F94F	71FC		X7EK0080
769		FDB1	F950	71FD		X7EL0080
770		FDB2	F951	71FE		X7EM0080
771		FDB3	F952	7241		X7EP0080
772		FDB4	F953	7242		X7EQ0080
773		FDB5	F954	7243		X7ER0080
774		FDB6	F955	7244		X7ES0080
775		FDB7	F956	7245		X7ET0080
776		FDB8	F957	7246		X7EU0080
777		FDB9	F958	7247		X7EV0080
778		FDBA	F959	7248		X7EW0080
779		FDBB	F95A	7249		X7EX0080
780		FDBC	F95B	724A		X7EY0080
781		FDBD	F95C	724B		X7EZ0080
782		FDBE	F95D	724C		X7F00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 30 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
783		FDBF	F95E	724D		X7F10080
784		FDC0	F95F	724E		X7F20080
785		FDC1	F960	724F		X7F30080
786		FDC2	F961	7250		X7F40080
787		FDC3	F962	7251		X7F50080
788		FDC4	F963	7252		X7F60080
789		FDC5	F964	7253		X7F70080
790		FDC6	F965	7254		X7F80080
791		FDC7	F966	7255		X7F90080
792		FDC8	F967	7256		X7FA0080
793		FDC9	F968	7257		X7FB0080
794		FDCA	F969	7258		X7FC0080
795		FDCB	F96A	7259		X7FD0080
796		FDCC	F96B	725A		X7FE0080
797		FDCD	F96C	725B		X7FF0080
798		FDCE	F96D	725C		X7FG0080
799		FDCF	F96E	725D		X7FH0080
800		FDD0	F96F	725E		X7FI0080
801		FDD1	F970	725F		X7FJ0080
802		FDD2	F971	7260		X7FK0080
803		FDD3	F972	7261		X7FL0080
804		FDD4	F973	7262		X7FM0080
805		FDD5	F974	7263		X7FN0080
806		FDD6	F975	7264		X7FO0080
807		FDD7	F976	7265		X7FP0080
808		FDD8	F977	7266		X7FQ0080
809		FDD9	F978	7267		X7FR0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 31 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
810		FDDA	F979	7268		X7FS0080
811		Fddb	F97A	7269		X7FT0080
812		FDDC	F97B	726A		X7FU0080
813		FDDD	F97C	726B		X7FV0080
814		FDDE	F97D	726C		X7FW0080
815		FDDF	F97E	726D		X7FX0080
816		FDE0	F980	726E		X7FY0080
817		FDE1	F981	726F		X7FZ0080
818		FDE2	F982	7270		X7G00080
819		FDE3	F983	7271		X7G10080
820		FDE4	F984	7272		X7G20080
821		FDE5	F985	7273		X7G30080
822		FDE6	F986	7274		X7G40080
823		FDE7	F987	7275		X7G50080
824		FDE8	F988	7276		X7G60080
825		FDE9	F989	7277		X7G70080
826		FDEA	F98A	7278		X7G80080
827		FDEB	F98B	7279		X7G90080
828		FDEC	F98C	727A		X7GA0080
829		FDED	F98D	727B		X7GB0080
830		FDEE	F98E	727C		X7GC0080
831		FDEF	F98F	727D		X7GD0080
832		FDF0	F990	727E		X7GE0080
833		FDF1	F991	727F		X7GF0080
834		FDF2	F992	7280		X7GG0080
835		FDF3	F993	7281		X7GH0080
836		FDF4	F994	7282		X7GI0080




## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 32 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
837		FDF5	F995	7283		X7GJ0080
838		FDF6	F996	7284		X7GK0080
839		FDF7	F997	7285		X7GL0080
840		FDF8	F998	7286		X7GM0080
841		FDF9	F999	7287		X7GN0080
842		FDFA	F99A	7288		X7GO0080
843		FDFB	F99B	7289		X7GP0080
844		FDFC	F99C	728A		X7GQ0080
845		FDFD	F99D	728B		X7GR0080
846		FDFE	F99E	728C		X7GS0080
847		FEA1	F99F	728D		X7GT0080
848		FEA2	F9A0	728E		X7GU0080
849		FEA3	F9A1	728F		X7GV0080
850		FEA4	F9A2	7290		X7GW0080
851		FEA5	F9A3	7291		X7GX0080
852		FEA6	F9A4	7292		X7GY0080
853		FEA7	F9A5	7293		X7GZ0080
854		FEA8	F9A6	7294		X7H00080
855		FEA9	F9A7	7295		X7H10080
856		FEAA	F9A8	7296		X7H20080
857		FEAB	F9A9	7297		X7H30080
858		FEAC	F9AA	7298		X7H40080
859		FEAD	F9AB	7299		X7H50080
860		FEAE	F9AC	729A		X7H60080
861		FEAF	F9AD	729B		X7H70080
862		FEB0	F9AE	729C		X7H80080
863		FEB1	F9AF	729D		X7H90080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 33 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
864		FEB2	F9B0	729E		X7HA0080
865		FEB3	F9B1	729F		X7HB0080
866		FEB4	F9B2	72A0		X7HC0080
867		FEB5	F9B3	72A1		X7HD0080
868		FEB6	F9B4	72A2		X7HE0080
869		FEB7	F9B5	72A3		X7HF0080
870		FEB8	F9B6	72A4		X7HG0080
871		FEB9	F9B7	72A5		X7HH0080
872		FEBA	F9B8	72A6		X7HI0080
873		FEBB	F9B9	72A7		X7HJ0080
874		FEBC	F9BA	72A8		X7HK0080
875		FEBD	F9BB	72A9		X7HL0080
876		FEBE	F9BC	72AA		X7HM0080
877		FEBF	F9BD	72AB		X7HN0080
878		FEC0	F9BE	72AC		X7HO0080
879		FEC1	F9BF	72AD		X7HP0080
880		FEC2	F9C0	72AE		X7HQ0080
881		FEC3	F9C1	72AF		X7HR0080
882		FEC4	F9C2	72B0		X7HS0080
883		FEC5	F9C3	72B1		X7HT0080
884		FEC6	F9C4	72B2		X7HU0080
885		FEC7	F9C5	72B3		X7HV0080
886		FEC8	F9C6	72B4		X7HW0080
887		FEC9	F9C7	72B5		X7HX0080
888		FECA	F9C8	72B6		X7HY0080
889		FECB	F9C9	72B7		X7HZ0080
890		FECC	F9CA	72B8		X7I00080



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

<b>Table 18 (Page 34 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
891		FECD	F9CB	72B9		X7110080
892		FECE	F9CC	72BA		X7120080
893		FECF	F9CD	72BB		X7130080
894		FED0	F9CE	72BC		X7140080
895		FED1	F9CF	72BD		X7150080
896		FED2	F9D0	72BE		X7160080
897		FED3	F9D1	72BF		X7170080
898		FED4	F9D2	72C0		X7180080
899		FED5	F9D3	72C1		X7190080
900		FED6	F9D4	72C2		X71A0080
901		FED7	F9D5	72C3		X71B0080
902		FED8	F9D6	72C4		X71C0080
903		FED9	F9D7	72C5		X71D0080
904		FEDA	F9D8	72C6		X71E0080
905		FEDB	F9D9	72C7		X71F0080
906		FEDC	F9DA	72C8		X71G0080
907		FEDD	F9DB	72C9		X71H0080
908		FEDE	F9DC	72CA		X71I0080
909		FEDF	F9DD	72CB		X71J0080
910		FEE0	F9DE	72CC		X71K0080
911		FEE1	F9DF	72CD		X71L0080
912		FEE2	F9E0	72CE		X71M0080
913		FEE3	F9E1	72CF		X71N0080
914		FEE4	F9E2	72D0		X71O0080
915		FEE5	F9E3	72D1		X71P0080
916		FEE6	F9E4	72D2		X71Q0080
917		FEE7	F9E5	72D3		X71R0080

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS - EUC

<b>Table 18 (Page 35 of 35).</b> User Definable Characters (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	JIS Code	GCGID
918		FEE8	F9E6	72D4		X7IS0080
919		FEE9	F9E7	72D5		X7IT0080
920		FEEA	F9E8	72D6		X7IU0080
921		FEEB	F9E9	72D7		X7IV0080
922		FEEC	F9EA	72D8		X7IW0080
923		FEED	F9EB	72D9		X7IX0080
924		EEEE	F9EC	72DA		X7IY0080
925		FEEF	F9ED	72DB		X7IZ0080
926		FEF0	F9EE	72DC		X7J00080
927		FEF1	F9EF	72DD		X7J10080
928		FEF2	F9F0	72DE		X7J20080
929		FEF3	F9F1	72DF		X7J30080
930		FEF4	F9F2	72E0		X7J40080
931		FEF5	F9F3	72E1		X7J50080
932		FEF6	F9F4	72E2		X7J60080
933		FEF7	F9F5	72E3		X7J70080
934		FEF8	F9F6	72E4		X7J80080
935		FEF9	F9F7	72E5		X7J90080
936		FEFA	F9F8	72E6		X7JA0080
937		FEFB	F9F9	72E7		X7JB0080
938		FEFC	F9FA	72E8		X7JC0080
939		FEFD	F9FB	72E9		X7JD0080
940		FEFE	F9FC	72EA		X7JE0080

---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**DBCS - EUC

---

**Supplementary Information****13. Definition of Terms**

The following terms are defined for the purposes of this document.

**13.1 Product**

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

**13.2 Graphic Character**

A graphic symbol character, such as a numeric, alphabetic, special, Katakana or Kanji.

**13.3 User Definable Character**

A *graphic character* whose graphic shape is definable by users.

**13.4 Graphic Character Global Identifier (GCGID)**

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

**13.5 Graphic Character Set**

A set of *graphic characters*, treated as an entity.

**13.6 Byte**

A unit of string consisting of 8 bits.

**13.7 Graphic Character Set Global Identifier (GCSGID)**

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

**13.8 Code**

A system of bit-patterns to which specific graphic or control meanings have been assigned.

**13.9 Code Point**

One of the bit-patterns specified by a *code*.

**13.10 Code Page**

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

**13.11 Registered Code Page**

A *code page* that has been registered and assigned a *CPGID*.

**13.12 Unrestricted Code Page**

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “*unrestricted*”.

**13.13 Code Page Global Identifier (CPGID)**

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

**13.14 Coded Graphic Character**

A *graphic character* with its assigned *code point*.

**13.15 Coded Graphic Character Set**

A set of *graphic characters* with their assigned *code points*.

**13.16 Registered Coded Graphic Character Set**

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

**13.17 Coded Graphic Character Set Global Identifier (CGCSGID)**

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

**13.18 SBCS**

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

**13.18.1 EBCDIC.** Abbreviation of Extended BCD Interchange Code which is defined in C-S 3-3220-002, *EBCDIC*.

**13.18.2 PC Code.** A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.



---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**DBCS - EUC

---

**13.19 DBCS**

Abbreviation of a *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

**13.19.1 DBCS-Host.** A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

**13.19.2 DBCS-PC.** A *DBCS code page* which is mainly used in conjunction with *PC code*.

**13.19.3 DBCS-EUC.** A *DBCS code page* which is mainly used with *EUC* encoding scheme.

**13.20 Ward**

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

**13.21 UNIX**

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. UNIX is a trademark of UNIX System Laboratories.

**14. EUC Encoding Scheme****14.1 Definition**

*EUC* (Extended UNIX Code) is an encoding framework which was based on Japanese UNIX internal code introduced by the Japanese UNIX System Advisory Committee in the proposal entitled "Proposal to AT&T for Japanese Capability on UNIX System V" in 1985, and enhanced by AT&T Bell Laboratories for worldwide usage. The code extension scheme is defined in compliance with the ISO 2022 code extension techniques which can handle both single- and multi-byte characters concurrently. The scheme is designed to be applicable to every coded character set in each country or region in the world, as long as it is defined based on ISO 2022.

As allowed in ISO 2022, *EUC* can deal with a maximum of four character sets and corresponding code pages at the same time, without using locking shift. It permanently assigns ISO 646 (including variants) character set to the "primary code set" (G0) and allows the assignment of country, region or user specific character set(s) to three "supplementary code sets" (G1 - G3). The encoding scheme is shown in Table 19 on page 370.



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

**Table 19.** Structure of EUC encoding framework

Code set (*1)	Code representation				associated standards
	1 byte	2 byte	3 byte	4 byte	
C0 Set (*2)	000XXXXX	N/A	N/A	N/A	ISO 646
C1 Set (*3)	100XXXXX	N/A	N/A	N/A	ISO 6429
Space character	00100000	N/A	N/A	N/A	
Delete character	01111111	N/A	N/A	N/A	
G0 Set (*4)	0xxxxxxx	N/A	N/A	N/A	ISO 646 variant
G1 Set (*5)	1xxxxxxx	N/A	N/A	N/A	country/region specific
	1xxxxxxx	1xxxxxxx	N/A	N/A	
	1xxxxxxx	1xxxxxxx	1xxxxxxx	N/A	
G2 Set (*5)	10001110	1xxxxxxx	N/A	N/A	country/region specific
	10001110	1xxxxxxx	1xxxxxxx	N/A	
	10001110	1xxxxxxx	1xxxxxxx	1xxxxxxx	
G3 Set (*5)	10001111	1xxxxxxx	N/A	N/A	country/region specific
	10001111	1xxxxxxx	1xxxxxxx	N/A	
	10001111	1xxxxxxx	1xxxxxxx	1xxxxxxx	

**Note:**

- \*1 The name of each code set is base on ISO 2022
- \*2 000xxxxx can have values in 00000000 - 00011111 inclusive.
- \*3 100xxxxx can have values in 10000000 - 10011111 inclusive.
- \*4 0xxxxxxx can have values in 00100001 - 01111110 inclusive.
- \*5 1xxxxxxx can have values in 10100000 - 11111111 inclusive.

**14.2 Japanese environment****14.2.1 Common Japanese EUC**

Although UNIX System Laboratories does not define any *character set/code page* assignment to G1, G2, or G3 set, a de-fact standard exists for each language. As for Japanese environment, an agreement has been made among Open Software Foundation, UNIX International and UNIX System Laboratories Pacific on Japanese *EUC* so called AJEC. Table 20 shows the character set assignment of the Japanese *EUC*.

**Table 20.** Common Japanese EUC (AJEC)

G set	Character Set	Bytes	Columns
G0	ISO 646 Set	1	1
G1	JIS X 0208-1990 Set User Definable Characters	2	2
G2	JIS X 0201-1976 Katakana Set	1	1
G3	JIS X 0212 Set User Definable Characters	2	2

**14.2.2 IBM Japanese EUC**

IBM basically follows the Common Japanese EUC (AJEC) specification. However, IBM assigns IBM Extended SBCS and DBCS set into G2 and G3 of IBM Japanese EUC, to keep consistency with existing IBM Japanese *graphic character sets*. Table 21 shows the character sets assignment of the IBM Japanese *EUC*.

**Table 21.** IBM Japanese EUC

G set	Character Set	Bytes	Columns
G0	JIS X 0201 Roman Set	1	1
G1	JIS X 0208-1990 Set User Definable Characters	2	2
G2	JIS X 0201-1976 Katakana Set IBM Extended SBCS Set	1	1
G3	JIS X 0212 Non-Kanji Set JIS X 0212 Kanji Set IBM Selected Non-Kanji Set IBM Selected Kanji Set User Definable Characters	2	2

---

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)**DBCS - EUC

---

**15. History of JIS X 0208****15.1 JIS C 6226-1978**

JIS X 0208, *Code of the Japanese graphic character set for information interchange*, was originally defined in 1978 as JIS C 6226-1978, in which a total of 6,802 coded graphic characters: namely 2,965 First Level Kanji characters, 3,384 Second Level Kanji characters, and 453 non-Kanji characters, were defined based on the JIS 7-bit code scheme.

**15.2 JIS X 0208-1983**

In 1983, JIS C 6226-1978 was amended. Items of JIS C 6226 amendment in 1983 are the following:

- Code point exchange between First level and Second level Kanji characters, 22 pairs (44 characters)
- Graphic pattern changes, 244 characters
- Addition of characters, 75 characters

As a result, JIS C 6226-1983 defined total 6,877 characters: 2,965 First Level Kanji characters, 3,388 Second Level Kanji characters, and 524 non-Kanji characters.

This standard was later re-numbered from JIS C 6226-1983 to JIS X 0208-1983.

**15.3 JIS X 0208-1990**

In 1990, JIS X 0208-1983 was amended, and 2 characters were added to the Second Level Kanji Set. It was corresponding to the expansion of "Kanji Characters for Personal Names" (Jinmeiyō Kanji) in 1990, which had been controlled by the Legal Ministry.

As a result, JIS X 0208-1990 defines total 6,879 characters: 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters, and 524 non-Kanji characters.

**16. History of JIS X 0201****16.1 JIS X 0201-1976**

JIS X 0201, *Code for Information Interchange*, was originally defined in 1976, in which a total of 157 coded graphic characters: namely 94 Roman characters and 63 Katakana characters, were defined based on the JIS 7-bit and JIS 8-bit code scheme.

**17. History of JIS X 0212****17.1 JIS X 0212-1990**

JIS X 0212, *Code of the supplementary Japanese graphic character set for information interchange*, was originally defined in 1990, in which a total of 6,067 coded graphic characters: namely 5,801 Kanji characters and 266 non-Kanji Katakana characters, were defined based on the JIS 7-bit and JIS 8-bit code scheme.

**18. Graphic Character Representation**

Although character graphics are inserted as sample graphics of the *coded graphic characters* in Tables 5 to 10 and 12 to 17, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the graphic representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for DBCS (SIRS 029) may be consulted.



## IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)

DBCS - EUC

## 19. Consideration for Code Translation Correspondence

As described in 7.1 on page 5, there are 57 coded characters in JIS X 0208 Set (CPGID 00952) which require a table driven code translation when they are translated to DBCS-PC. Other coded characters in JIS X 0208 Set can logically be translated to DBCS-PC. Those 57 coded characters are listed below for the reference purpose.

No.	EUC Code (Hex)	PC Code (Hex)	No.	EUC Code (Hex)	PC Code (Hex)
1	A2CC	FA54	2	A2E8	FA5B
3	B0B3	E9CB	4	B2A9	E9F2
5	B3C2	E579	6	B3C9	9D98
7	B3F6	E27D	8	B4C3	9FF3
9	B4D2	E67C	10	B6C6	EA9F
11	B7DB	E8F2	12	B9B7	FAD0
13	B9DC	E1E6	14	BCC9	E541
15	BFD9	E8D5	16	C1A8	E6CB
17	C4DB	9AE2	18	C5D7	E1E8
19	C5EE	9E8D	20	C5F3	9FB7
21	C6F6	E78E	22	C7E8	E5A2
23	C9B0	9E77	24	CBEA	EAA0
25	CBF9	98D4	26	CCF9	E54D
27	CDDA	EAA1	28	CFB6	E2C4
29	D0D6	9699	30	D4E4	92D9
31	D9F8	8A68	32	DBD8	954F
33	DBED	938E	34	DEB9	9393
35	DEF5	8AC1	36	DFE6	EAA4
37	E0F6	EAA2	38	E2EA	9376
39	E2E8	8D7B	40	E3DE	8A96
41	E4C6	9855	42	E9AE	96F7
43	E9A2	8EC7	44	E9DA	8A61
45	EAA4	9488	46	EBDD	8AD0

No.	EUC Code (Hex)	PC Code (Hex)	No.	EUC Code (Hex)	PC Code (Hex)
47	ECCD	9147	48	EDEE	93F4
49	F0D7	9078	50	F0F4	8C7A
51	F2CD	88B1	52	F2F4	89A7
53	F4A1	8BC4	54	F4A2	968A
55	F4A3	9779	56	F4A4	E0F4
57	F4A6	E086			







© Copyright IBM Corp. 1993, 2001

International Business Machines Corporation  
IBM Standards Program  
Old Orchard Road  
Armonk, New York 10504, USA

<b>Table Definitions</b>
--------------------------

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GID	33220127 SCRIPT	3	3
STRUCT	33220127 SCRIPT	4	4, 4
HOSTF	33220127 SCRIPT	5	5, 5, 6, 10, 31, 93, 146, 208, 277, 312, 315, 316, 317, 328, 329, 333
HOSTHD	33220127 SCRIPT	5	6, 10, 31, 93, 146, 208, 277, 312, 315, 316, 317, 328, 329, 333
EUCSHM	33220127 SCRIPT	369	369
DSGNATE	33220127 SCRIPT	370	370, 370
CODE57	33220127 SCRIPT	372	372

<b>Headings</b>
-----------------

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CODECOR	33220127 SCRIPT	5	7.1, Code Correspondence of Non-Kanji/Kanji Sets 372
SUPP	33220127 SCRIPT	368	12.5, User Definable Characters
TERMS	33220127 SCRIPT	368	13, Definition of Terms

<b>Tables</b>
---------------

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CGCSGID	33220127 SCRIPT	3	1 3
STRUCT1	33220127 SCRIPT	4	2 4
STRUCT3	33220127 SCRIPT	4	3 4
SCLTON	33220127 SCRIPT	5	4 5
ROMAN	33220127 SCRIPT	6	5 371
JISNK	33220127 SCRIPT	10	6 4, 5, 5
JIS11	33220127 SCRIPT	31	7
JIS12	33220127 SCRIPT	93	8
JIS21	33220127 SCRIPT	146	9
JIS22	33220127 SCRIPT	208	10 371
UDC01	33220127 SCRIPT	277	11 4, 5, 5
KANA	33220127 SCRIPT	312	12 371
EXKANA	33220127 SCRIPT	315	13
JISXNK	33220127 SCRIPT	316	14 4, 5, 5
JISXK	33220127 SCRIPT	317	15
IBMNK	33220127 SCRIPT	328	16
IBMK	33220127 SCRIPT		

		329	17	371
UDC02	33220127 SCRIPT	333	18	4, 5, 5
EUCGEN	33220127 SCRIPT	370	19	369
JPNEUC	33220127 SCRIPT	370	20	370
IBMJEUC	33220127 SCRIPT	370	21	370
EXC57	33220127 SCRIPT	372	22	

<b>Processing Options</b>
---------------------------

Runtime values:

```

Document fileid ..... 33220127 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0031
SCRIPT/VS Release ..... 4.0.0
Date ..... 01.08.07
Time ..... 02:32:57
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... 2
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
DVCF value 4 ..... (none)
DVCF value 5 ..... (none)
DVCF value 6 ..... (none)
DVCF value 7 ..... (none)
DVCF value 8 ..... (none)
DVCF value 9 ..... (none)
Explode ..... NO
Figure list on new page ..... NO
Figure/table number separation ..... YES
Folio-by-chapter ..... NO
Head 0 body text ..... (none)
Head 1 body text ..... (none)
Head 1 appendix text ..... Appendix
Hyphenation ..... YES
Justification ..... YES
Language ..... ENGL
Keyboard ..... 395
Layout ..... 2
Leader dots ..... YES
Master index ..... (none)
Partial TOC (maximum level) ..... 4
Partial TOC (new page after) ..... INLINE
Print example id's ..... NO
Print cross reference page numbers ..... YES
Process value ..... (none)
Punctuation move characters ..... ,
Read cross-reference file ..... (none)
Running heading/footing rule ..... NONE
Show index entries ..... NO
Table of Contents (maximum level) ..... 5
Table list on new page ..... NO
Title page (draft) alignment ..... RIGHT
Write cross-reference file ..... (none)
    
```

Imbed Trace
-------------

Page 6	CUCFF01
Page 10	CUCFF02
Page 31	CUCFF03
Page 93	CUCFF04
Page 146	CUCFF05
Page 208	CUCFF06
Page 277	CUCFF13
Page 312	CUCFF07
Page 315	CUCFF10
Page 316	CUCFF11
Page 317	CUCFF12
Page 328	CUCFF08
Page 329	CUCFF09
Page 333	CUCFF14