




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 2
2.4 Property Statement 2
3. Related Documents 2
3.1 Superseded Documents 2
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 2
4. External Standards 2
4.1 Korean Industrial Standards 2
4.2 Relation of the IBM Korean Graphic Character Set for EUC and KSC 5601 3
4.2.1 Character Coverage 3
4.2.1.1 IBM Selected Characters 3
4.2.1.2 User Definable Characters 3
4.2.2 Code Scheme 3
4.3 Relation with Other Standards 3
5. Specification of Character Repertoire 3
6. Character Sets and Code Page 3
6.1 Registration of GCSGID and CPGID 3
6.2 Korean DBCS-EUC KSC 5601 Set 4
7. Code Translation Correspondence 4
8. Format of Korean EUC Specification 4
9. ASCII Set (G0 Code Set of Korean EUC) 5
10. KSC 5601 Set (G1 Code Set of Korean EUC) 10
10.1 KS Non-Hangeul/Hanja Character Set 10
10.2 Hangeul Character Set 47
10.3 Hanja Character Set 138
10.4 User Definable Character Set 328
Supplementary Information 335
11. Definition of Terms 335
11.1 Byte 335
11.2 Code 335
11.3 Code Page 335
11.4 Code Page Global Identifier (CPGID) 335
11.5 Code Point 335
11.6 Coded Graphic Character 335
11.7 Coded Graphic Character Set 335
11.8 Coded Graphic Character Set Global Identifier (CGCSGID) 335
11.9 DBCS 335
11.10 DBCS-EUC 335
11.11 DBCS-Host 335
11.12 DBCS-PC 335
11.13 EBCDIC 335
11.14 EBCDIC + DBCS-Host 335
11.15 EUC 335
11.16 Graphic Character 335
11.17 Graphic Character Global Identifier (GCGID) 335
11.18 Graphic Character Set 335
11.19 Graphic Character Set Global Identifier (GCSGID) 335
11.20 ISO 7/8 bit + DBCS-EUC / TBCS-EUC 335
11.21 Multi-Byte Character Set (MBCS) 336
11.22 PC Code 336
11.23 PC Code + DBCS-PC 336
11.24 Product 336
11.25 Registered Code Page 336
11.26 Registered Coded Graphic Character Set 336
11.27 SBCS 336
11.28 TBCS 336
11.29 TBCS-EUC 336
11.30 UNIX 336
11.31 Unrestricted Code Page 336
11.32 User Definable Character (UDC) 336
11.33 Ward 336
12. EUC Encoding Scheme 337
12.1 Definition 337
12.2 Korean Environment 338
12.2.1 Common Korean EUC 338
12.2.2 IBM Korean EUC 338
12.2.3 Relation with Other IBM Code Pages 338
13. History of KSC 5601 339
14. Graphic Character Representation 339



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Tables

1. Registration of GCSGID and CPGID for the IBM Korean Graphic Character Set	3	9. KS Hanja Character Set (2 of 3), EUC	200
2. Structure of DBCS-EUC KSC 5601 Set (G1 Code Set)	4	10. KS Hanja Character Set (3 of 3), EUC	262
3. Format of Code Translation Corresponding Table	4	11. KS User Definable Character Set, EUC	328
4. KS Roman Character Set, EUC	5	12. Structure of EUC Encoding Framework	337
5. Non-Hangeul/Hanja Character Set, EUC	10	13. Korean Standard EUC	338
6. KS Hangeul Character Set (1 of 2), EUC	47	14. IBM Korean EUC	338
7. KS Hangeul Character Set (2 of 2), EUC	105	15. IBM Korean EUC with Other IBM Code Pages	338
8. KS Hanja Character Set (1 of 3), EUC	138	16. History of KSC 5601	339



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

Introduction**1. Scope****1.1 Abstract**

This document is a registry of the IBM Korean *Graphic Character Set for Extended UNIX Code (EUC)*, in which the following are set forth:

- Repertoire of the IBM Korean *Graphic Character Set for EUC* is specified.
 - Each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)*.
 - Two *graphic character sets*, which are the full set and the subset of the repertoire, are specified and identified by *Graphic Character Set Global Identifiers (GCSGIDs)*.
 - One *code page*, Korean *DBCS-EUC* KSC 5601 Set for the *graphic character sets* is specified and identified by a *Code Page Global Identifier (CPGID)*.
 - *Code* translation correspondences between the *DBCS-EUC* and the following *code pages* are specified.
 - DBCS-Host
 - DBCS-PC
 - *Code* translation correspondence between *DBCS-EUC* and KSC 5601 (*Korean Industrial Standard Code for Information Interchange*) is specified as well.
- 3) To ensure consistent implementation of the *code* translation correspondences between *DBCS-EUC* and the following *code pages*.
 - DBCS-Host
 - DBCS-PC
 - 4) To ensure consistent implementation of the *code* correspondence between the *DBCS-EUC* and KSC 5601.

Notes:

- 1) This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets, Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.
- 2) This document does not specify Korean *DBCS-Host* and *DBCS-PC*. They are specified in C-H 3-3220-125.

1.3 Application

This specification is applicable to all IBM *products* which implement the IBM Korean *Graphic Character Set for EUC* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration**2.1 Originating Area and Responsibility**

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (*Double-Byte Character Set (DBCS)*), location code 93K, Yamato.

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

1.2 Objective

Terms in italics (except in headings) are defined in the Supplementary Information section.

The objectives of this document are:

- 1) To make available to all developers supporting Korean the specification of the Korean *graphic character sets* and the *code page* for *EUC*.
- 2) To ensure consistent implementation of the IBM Korean *graphic character sets* and the *code page* for *EUC*.



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

3. Related Documents**3.1 Superseded Documents**

None, new document.

3.2 Referenced External Documents**ISO 646**

ISO 7-bit Coded Character Set for Information Interchange.

ISO 2022

ISO Standard for ISO 7-bit and 8-bit Coded Character Sets - Code Extension Techniques

ISO 8859

ISO Standard for 8-bit Single-byte Coded Graphic Character Sets

KSC 5601

Code of the Korean Graphic Character Set for Information Interchange

KSC 5636

Code of the Roman Graphic Character Set for Information Interchange

KSC 5861

Specification for UNIX Hangeul Environment

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code, EBCDIC

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-050

Registry, Graphic Character Sets and Code Pages, Online Database

C-H 3-3220-055

Graphic Character Identification System, Graphic Character Global Identifier (GCGID) Structure

C-S 3-3220-102

Double-Byte Character Set (DBCS), Terminology and Code Scheme

C-H 3-3220-125

Korean Graphic Character Set, DBCS-Host and DBCS-PC

SC09-1390

Character Data Representation Architecture - Level 1, Reference

3.4 Copyright Permission

Not applicable.

Requirements**4. External Standards****4.1 Korean Industrial Standards**

KSC 5636-1989, *Code of the Roman Graphic Character Set for Information Interchange* defines total 94 *coded graphic characters* based on the ISO 7-bit or 8-bit code scheme.

KSC 5636 assigns “Won sign” to the code point X'5C'. However, Korean *EUC* assigns “Backslash” to the same point since Korean *EUC* contains ASCII set.

KSC 5601-1989, *Korean Industrial Standard Code for Information Interchange* defines total 8,224 characters, 986 Special characters, 2,350 Hangeul characters and 4,888 Hanja characters based on ISO 2022 *code extension method*.

KSC 5861-1992, *Specification of UNIX Hangeul Environment* defines terminologies, *code scheme*, Hangeul locale, message processing, commands and utilities, system interfaces, and libraries.

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

4.2 Relation of the IBM Korean Graphic Character Set for EUC and KSC 5601

4.2.1 Character Coverage. The IBM Korean *Graphic Character Set* for *EUC* consists of KSC 5601 as the *G1 code set*.

Note: ASCII set is implemented as the *G0 code set*. As to the relation with other IBM *code pages*, refer to Section 12.2.3 on page 338.

4.2.1.1 IBM Selected Characters. For compliance with KSC 5601, IBM has assigned no IBM selected characters for *DBCS*.

4.2.1.2 User Definable Characters. For compliance with KSC 5601, the size of *UDC* is limited to 188.

4.2.2 Code Scheme. The *code scheme* for the IBM Korean *graphic character set* for *EUC* is as specified in ISO 2022.

4.3 Relation with Other Standards

This document specifies a *code page* and the *character sets*, in compliance with the *code scheme* specified in KSC 5861, *Specification of UNIX Hangeul Environment*.

5. Specification of Character Repertoire

This document specifies the repertoire of the Korean *graphic character set* for *EUC*, *DBCS-EUC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

6. Character Sets and Code Page**6.1 Registration of GCSGID and CPGID**

This specification registers the full set “*DBCS-EUC KSC 5601 Set including UDC*” and the subset “*DBCS-EUC KSC 5601 Set excluding UDC*” of the IBM Korean *Graphic Character Set* for *EUC* and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

It also specifies the relevant *code page* for those *registered graphic character sets* and identifies it by a *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and the *CPGID* of the *registered coded graphic character sets* for the IBM Korean *Graphic Character Set* for *EUC*.

The registration category “U” means “Unrestricted,” which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.


Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

Table 1. Registration of GCSGID and CPGID for the IBM Korean Graphic Character Set

CGCSGID GCSGID CPGID		Name	Character Set Size	Number of Code Points on Code Page	Category of Registration
01056	00971	DBCS-EUC KSC 5601 Set including 188 UDCs	8,412	8,836	U
01051	00971	DBCS-EUC KSC 5601 Set excluding 188 UDCs	8,224	8,836	U

Notes:

- 1) *CPGID* 00971 is defined as 7-bit *code page*. With the use of *EUC* or ISO encoding scheme, the most significant bit of each *byte* of the *code point* on the *code page* may be ignored.
- 2) *GCGIDs* 01056 and 01051 are also defined in C-H 3-3220-125 1992-09.



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

6.2 Korean DBCS-EUC KSC 5601 Set

The *coded graphic character set* of the Korean *DBCS-EUC* KSC 5601 Set is structured as shown in Table 2.

Wards in Hex	Content	Number of Characters
A1 to AC	Non-Hangeul/Hanja Character Set <ul style="list-style-type: none"> • Space • Special Symbols, Alphanumeric • Jamo, Old Jamo, Roman Digits • Greek, Grid Lines • Units, Latin, Japanese Hiragana • Japanese Katakana, Russian 	986
AD to AF	Reserved for Future Assignment	
B0 to C8	Hangeul Character Set	2,350
C9	User Definable Character Set (1 of 2)	94*
CA to FD	Hanja Character Set	4,888
FE	User Definable Character Set (2 of 2)	94*
Note: * The maximum number of <i>User Definable Characters</i> is 188.		

The specification of the IBM Korean *DBCS-EUC* KSC 5601 Set is shown in Table 5 on page 10 to Table 11 on page 328.

7. Code Translation Correspondence

The following *code* translation correspondences are defined in this specification.

- *DBCS-EUC* KSC 5601 Set to/from *DBCS-PC*
- *DBCS-EUC* KSC 5601 Set to/from *DBCS-Host*
- *DBCS-EUC* KSC 5601 Set to/from KSC 5601

In the *code* translation correspondence of Non-Hangeul/Hanja, Hangeul and Hanja character sets, between *DBCS-EUC* and *DBCS-Host*, logical conversion is not applicable, therefore all the *code* translation correspondence is shown in Table 5 on page 10 through Table 11 on page 328.

In the *code* translation correspondence between *DBCS-EUC* and *DBCS-PC*, no conversion is required since both are identical except *DBCS-PC* additionally has 1,692 *UDCs*. The additional 1,692 *UDCs* will be substituted when they are converted from *DBCS-PC* to *DBCS-EUC*.

8. Format of Korean EUC Specification

In this section, the specification of the Korean *Graphic Character Set* for *EUC*, *DBCS-EUC* is provided by tables. They are formatted as illustrated in Table 3 on page 4.

Line Number (Decimal)	Graphic	EUC Code (Hex)	PC Code (Hex)	Host Code (Hex)	KS Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXX	XXXX	XXXXXXXX
Notes:						
1) Line number in column 1 is the serial number of the listed <i>graphic characters</i> in each <i>graphic character set</i> for legibility.						
2) <i>EUC code</i> column shows <i>code points</i> on <i>CPGID</i> 00367 for <i>G0 code set</i> , which is defined in C-H 3-3220-050; and <i>CPGID</i> 00971 for <i>G1 code set</i> .						
3) <i>PC code</i> column shows <i>code points</i> on <i>CPGID</i> 01088 for <i>SBCS</i> , which is defined in C-H 3-3220-050; and <i>CPGID</i> 00951 for <i>DBCS</i> , which is defined in C-H 3-3220-125.						
4) <i>Host code</i> column shows <i>code points</i> on <i>CPGID</i> 00833 for <i>SBCS</i> , which is defined in C-H 3-3220-050; and <i>CPGID</i> 00834 for <i>DBCS</i> , which is defined in C-H 3-3220-125.						
5) <i>KS code</i> column shows <i>code points</i> of the KSC 5601 which is designated and invoked in the right half in the ISO 2022 8-bit encoding scheme. When <i>KS code</i> is used in ISO 2022 7-bit encoding scheme, the most significant bit of each <i>byte</i> of the <i>double-byte code point</i> may be ignored.						

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

9. ASCII Set (G0 Code Set of Korean EUC)

Table 4 (Page 1 of 5). KS Roman Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1		20	20	40	20	SP010000
2	!	21	21	5A	21	SP020000
3	"	22	22	7F	22	SP040000
4	#	23	23	7B	23	SM010000
5	\$	24	24	5B	24	SC030000
6	%	25	25	6C	25	SM020000
7	&	26	26	50	26	SM030000
8	'	27	27	7D	27	SP050000
9	(28	28	4D	28	SP060000
10)	29	29	5D	29	SP070000
11	*	2A	2A	5C	2A	SM040000
12	+	2B	2B	4E	2B	SA010000
13	,	2C	2C	6B	2C	SP080000
14	-	2D	2D	60	2D	SP100000
15	.	2E	2E	4B	2E	SP110000
16	/	2F	2F	61	2F	SP120000
17	0	30	30	F0	30	ND100000
18	1	31	31	F1	31	ND010000
19	2	32	32	F2	32	ND020000
20	3	33	33	F3	33	ND030000
21	4	34	34	F4	34	ND040000
22	5	35	35	F5	35	ND050000

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 2 of 5). KS Roman Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
23	6	36	36	F6	36	ND060000
24	7	37	37	F7	37	ND070000
25	8	38	38	F8	38	ND080000
26	9	39	39	F9	39	ND090000
27	:	3A	3A	7A	3A	SP130000
28	;	3B	3B	5E	3B	SP140000
29	<	3C	3C	4C	3C	SA030000
30	=	3D	3D	7E	3D	SA040000
31	>	3E	3E	6E	3E	SA050000
32	?	3F	3F	6F	3F	SP150000
33	@	40	40	7C	40	SM050000
34	A	41	41	C1	41	LA020000
35	B	42	42	C2	42	LB020000
36	C	43	43	C3	43	LC020000
37	D	44	44	C4	44	LD020000
38	E	45	45	C5	45	LE020000
39	F	46	46	C6	46	LF020000
40	G	47	47	C7	47	LG020000
41	H	48	48	C8	48	LH020000
42	I	49	49	C9	49	LI020000
43	J	4A	4A	D1	4A	LJ020000
44	K	4B	4B	D2	4B	LK020000
45	L	4C	4C	D3	4C	LL020000

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 3 of 5). KS Roman Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
46	M	4D	4D	D4	4D	LM020000
47	N	4E	4E	D5	4E	LN020000
48	O	4F	4F	D6	4F	LO020000
49	P	50	50	D7	50	LP020000
50	Q	51	51	D8	51	LQ020000
51	R	52	52	D9	52	LR020000
52	S	53	53	E2	53	LS020000
53	T	54	54	E3	54	LT020000
54	U	55	55	E4	55	LU020000
55	V	56	56	E5	56	LV020000
56	W	57	57	E6	57	LW020000
57	X	58	58	E7	58	LX020000
58	Y	59	59	E8	59	LY020000
59	Z	5A	5A	E9	5A	LZ020000
60	[5B	5B	70	5B	SM060000
61	\	5C	5C	E0	5C	SM070000
62]	5D	5D	80	5D	SM080000
63	^	5E	5E	B0	5E	SD150000
64	_	5F	5F	6D	5F	SP090000
65	`	60	60	79	60	SD130000
66	a	61	61	81	61	LA010000
67	b	62	62	82	62	LB010000
68	c	63	63	83	63	LC010000

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 4 of 5). KS Roman Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
69	d	64	64	84	64	LD010000
70	e	65	65	85	65	LE010000
71	f	66	66	86	66	LF010000
72	g	67	67	87	67	LG010000
73	h	68	68	88	68	LH010000
74	i	69	69	89	69	LI010000
75	j	6A	6A	91	6A	LJ010000
76	k	6B	6B	92	6B	LK010000
77	l	6C	6C	93	6C	LL010000
78	m	6D	6D	94	6D	LM010000
79	n	6E	6E	95	6E	LN010000
80	o	6F	6F	96	6F	LO010000
81	p	70	70	97	70	LP010000
82	q	71	71	98	71	LQ010000
83	r	72	72	99	72	LR010000
84	s	73	73	A2	73	LS010000
85	t	74	74	A3	74	LT010000
86	u	75	75	A4	75	LU010000
87	v	76	76	A5	76	LV010000
88	w	77	77	A6	77	LW010000
89	x	78	78	A7	78	LX010000
90	y	79	79	A8	79	LY010000
91	z	7A	7A	A9	7A	LZ010000

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 5 of 5). KS Roman Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
92	{	7B	7B	C0	7B	SM110000
93		7C	7C	4F	7C	SM130000
94	}	7D	7D	D0	7D	SM140000
95	~	7E	7E	A1	7E	SD190000

Notes:

- 1) This table, which is defined as *code page* 00367 in C-H 3-3220-050, is listed for reference purpose only.
- 2) "Backslash" of *EUC code point* X'5C' is mapped to "Won sign" of *PC code*, *Host code* and *KS code*.

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10. KSC 5601 Set (G1 Code Set of Korean EUC) 10.1 KS Non-Hangeul/Hanja Character Set

Table 5 (Page 1 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1		A1A1	A1A1	4040	A1A1	SP010080
2	,	A1A2	A1A2	4141	A1A2	JQ730080
3	o	A1A3	A1A3	4142	A1A3	JQ700080
4	•	A1A4	A1A4	4143	A1A4	SD630080
5	••	A1A5	A1A5	4144	A1A5	SV430080
6	•••	A1A6	A1A6	4145	A1A6	SV440080
7	••••	A1A7	A1A7	4146	A1A7	SD170080
8	//	A1A8	A1A8	4147	A1A8	SV090081
9	—	A1A9	A1A9	4148	A1A9	SP320080
10	—	A1AA	A1AA	4149	A1AA	SM120080
11		A1AB	A1AB	414A	A1AB	SA340080
12	\	A1AC	A1AC	414B	A1AC	SM070080
13	~	A1AD	A1AD	42A1	A1AD	SA160080
14	‘	A1AE	A1AE	414D	A1AE	SP190080
15	’	A1AF	A1AF	414E	A1AF	SP200080
16	“	A1B0	A1B0	414F	A1B0	SP210080
17	”	A1B1	A1B1	4150	A1B1	SP220080
18	[A1B2	A1B2	4151	A1B2	SP060081
19]	A1B3	A1B3	4152	A1B3	SP070081
20	<	A1B4	A1B4	4153	A1B4	SP060082
21	>	A1B5	A1B5	4154	A1B5	SP070082
22	<<	A1B6	A1B6	4155	A1B6	SP060083
23	>>	A1B7	A1B7	4156	A1B7	SP070083
24	┌	A1B8	A1B8	4157	A1B8	JQ710080
25	└	A1B9	A1B9	4158	A1B9	JQ720080
26	┐	A1BA	A1BA	4159	A1BA	JQ710081
27	┑	A1BB	A1BB	415A	A1BB	JQ720081



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 2 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
28	【	A1BC	A1BC	415B	A1BC	SP060084
29	】	A1BD	A1BD	415C	A1BD	SP070084
30	±	A1BE	A1BE	415D	A1BE	SA020080
31	×	A1BF	A1BF	415E	A1BF	SA070080
32	÷	A1C0	A1C0	415F	A1C0	SA060080
33	≠	A1C1	A1C1	418D	A1C1	F07H0080
34	≦	A1C2	A1C2	418E	A1C2	SA520080
35	≧	A1C3	A1C3	418F	A1C3	SA530080
36	∞	A1C4	A1C4	4163	A1C4	SA450080
37	∴	A1C5	A1C5	4164	A1C5	SA370080
38	°	A1C6	A1C6	4165	A1C6	SM190080
39	'	A1C7	A1C7	4166	A1C7	SM500080
40	"	A1C8	A1C8	4167	A1C8	SM510080
41	°C	A1C9	A1C9	4168	A1C9	SM440080
42	Å	A1CA	A1CA	4190	A1CA	SM220080
43	¢	A1CB	A1CB	424A	A1CB	SC040080
44	£	A1CC	A1CC	416B	A1CC	SC020080
45	¥	A1CD	A1CD	416C	A1CD	SC050080
46	♂	A1CE	A1CE	4191	A1CE	SM280080
47	♀	A1CF	A1CF	4192	A1CF	SM290080
48	∠	A1D0	A1D0	4193	A1D0	SA350088
49	⊥	A1D1	A1D1	4194	A1D1	SA780080
50	∩	A1D2	A1D2	4195	A1D2	SV420080
51	∂	A1D3	A1D3	4196	A1D3	SA490080
52	∇	A1D4	A1D4	4197	A1D4	SL030080
53	≡	A1D5	A1D5	4198	A1D5	SA480080
54	≡	A1D6	A1D6	4199	A1D6	SA700081
55	§	A1D7	A1D7	4176	A1D7	SM240080

IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 3 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
56	⌘	A1D8	A1D8	4177	A1D8	SM040088
57	☆	A1D9	A1D9	4178	A1D9	SS570080
58	★	A1DA	A1DA	4179	A1DA	SS580080
59	○	A1DB	A1DB	417A	A1DB	SM750080
60	●	A1DC	A1DC	417B	A1DC	SM580080
61	◎	A1DD	A1DD	417C	A1DD	SM810080
62	◇	A1DE	A1DE	417D	A1DE	SA660080
63	◆	A1DF	A1DF	417E	A1DF	SM610080
64	□	A1E0	A1E0	417F	A1E0	SM450080
65	■	A1E1	A1E1	4180	A1E1	SM470080
66	△	A1E2	A1E2	4181	A1E2	SM730080
67	▲	A1E3	A1E3	4182	A1E3	SM600080
68	▽	A1E4	A1E4	4183	A1E4	SM740080
69	▼	A1E5	A1E5	4184	A1E5	SV040080
70	→	A1E6	A1E6	4185	A1E6	SM310080
71	←	A1E7	A1E7	4186	A1E7	SM300080
72	↑	A1E8	A1E8	4187	A1E8	SM320080
73	↓	A1E9	A1E9	4188	A1E9	SM330080
74	↔	A1EA	A1EA	4189	A1EA	SM780080
75	=	A1EB	A1EB	418A	A1EB	SS750080
76	⏪	A1EC	A1EC	419A	A1EC	SA730080
77	⏩	A1ED	A1ED	419B	A1ED	SA740080
78	√	A1EE	A1EE	419C	A1EE	SA800080
79	∞	A1EF	A1EF	419D	A1EF	SA830080
80	∞	A1F0	A1F0	4941	A1F0	SA470080
81	∴	A1F1	A1F1	4942	A1F1	SS540080
82	§	A1F2	A1F2	4943	A1F2	SA510080
83	§	A1F3	A1F3	4944	A1F3	SA840080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 4 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
84	€	A1F4	A1F4	4945	A1F4	SA670080
85	∃	A1F5	A1F5	4946	A1F5	SA310080
86	⊆	A1F6	A1F6	4947	A1F6	SA240080
87	⊇	A1F7	A1F7	4948	A1F7	SA270080
88	⊂	A1F8	A1F8	4949	A1F8	SA400080
89	⊃	A1F9	A1F9	494A	A1F9	SA410080
90	∪	A1FA	A1FA	494B	A1FA	SA390080
91	∩	A1FB	A1FB	494C	A1FB	SA380080
92	∧	A1FC	A1FC	494D	A1FC	SA330080
93	∨	A1FD	A1FD	494E	A1FD	SA320080
94	¬	A1FE	A1FE	425F	A1FE	SM660080
95	⇒	A2A1	A2A1	494F	A2A1	SM420080
96	⇔	A2A2	A2A2	4950	A2A2	SM410080
97	∀	A2A3	A2A3	4951	A2A3	SA210080
98	∃	A2A4	A2A4	4952	A2A4	SA230080
99	'	A2A5	A2A5	4953	A2A5	SD110080
100	~	A2A6	A2A6	4954	A2A6	SD190080
101	∨	A2A7	A2A7	4955	A2A7	SD210080
102	∪	A2A8	A2A8	4956	A2A8	SD230080
103	”	A2A9	A2A9	4957	A2A9	SD250080
104	°	A2AA	A2AA	4958	A2AA	SD270080
105	•	A2AB	A2AB	4959	A2AB	SD290080
106	ㄱ	A2AC	A2AC	495A	A2AC	SD410080
107	ㄴ	A2AD	A2AD	495B	A2AD	SD430080
108	ㅣ	A2AE	A2AE	495C	A2AE	SP030080
109	ㄷ	A2AF	A2AF	495D	A2AF	SP160080
110	⚡	A2B0	A2B0	495E	A2B0	F1CU0080
























IBM Korean Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC

Table 5 (Page 5 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
111	⌘	A2B1	A2B1	495F	A2B1	SA720080
112	∑	A2B2	A2B2	4960	A2B2	SS400080
113	∏	A2B3	A2B3	4961	A2B3	SA810080
114	⊗	A2B4	A2B4	4962	A2B4	SC010080
115	ƒ	A2B5	A2B5	4963	A2B5	SM850080
116	‰	A2B6	A2B6	4964	A2B6	SM560080
117	◁	A2B7	A2B7	4965	A2B7	F1D10080
118	◀	A2B8	A2B8	4966	A2B8	F1D20080
119	▷	A2B9	A2B9	4967	A2B9	F1D30080
120	▶	A2BA	A2BA	4968	A2BA	SM600081
121	♠	A2BB	A2BB	4969	A2BB	F1D50080
122	♣	A2BC	A2BC	496A	A2BC	SS050080
123	♥	A2BD	A2BD	496B	A2BD	F1D70080
124	♠	A2BE	A2BE	496C	A2BE	SS020080
125	♣	A2BF	A2BF	496D	A2BF	F1D90080
126	♣	A2C0	A2C0	496E	A2C0	SS040080
127	⊙	A2C1	A2C1	496F	A2C1	F1DB0080
128	◊	A2C2	A2C2	4970	A2C2	F1DC0080
129	◻	A2C3	A2C3	4971	A2C3	F1DD0080
130	◐	A2C4	A2C4	4972	A2C4	F1DE0080
131	◑	A2C5	A2C5	4973	A2C5	F1DF0080
132	▣	A2C6	A2C6	4974	A2C6	F1DG0080
133	▤	A2C7	A2C7	4975	A2C7	F1DH0080
134	▥	A2C8	A2C8	4976	A2C8	F1DI0080
135	▧	A2C9	A2C9	4977	A2C9	F1DJ0080
136	▨	A2CA	A2CA	4978	A2CA	F1DK0080

IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 6 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
137		A2CB	A2CB	4979	A2CB	F1DL0080
138		A2CC	A2CC	497A	A2CC	F1DM0080
139		A2CD	A2CD	497B	A2CD	F1DN0080
140		A2CE	A2CE	497C	A2CE	F1DO0080
141		A2CF	A2CF	497D	A2CF	F1DP0080
142		A2D0	A2D0	497E	A2D0	F1DQ0080
143		A2D1	A2D1	497F	A2D1	F1DR0080
144		A2D2	A2D2	4980	A2D2	SM250080
145		A2D3	A2D3	4981	A2D3	F1DT0080
146		A2D4	A2D4	4982	A2D4	F1DU0080
147		A2D5	A2D5	4983	A2D5	SM760080
148		A2D6	A2D6	4984	A2D6	SM950080
149		A2D7	A2D7	4985	A2D7	F1DX0080
150		A2D8	A2D8	4986	A2D8	F1DY0080
151		A2D9	A2D9	4987	A2D9	SM990080
152		A2DA	A2DA	4988	A2DA	SM890080
153		A2DB	A2DB	4989	A2DB	F1E10080
154		A2DC	A2DC	498A	A2DC	SM930080
155		A2DD	A2DD	498B	A2DD	SM910080
156		A2DE	A2DE	498C	A2DE	F1E40080
157		A2DF	A2DF	498D	A2DF	F1E50080
158	No.	A2E0	A2E0	498E	A2E0	F1E60080
159	Co.	A2E1	A2E1	498F	A2E1	F1E70080
160	TM	A2E2	A2E2	4990	A2E2	SM540080
161	am.	A2E3	A2E3	4991	A2E3	F1E90080
162	pm.	A2E4	A2E4	4992	A2E4	F1EA0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC

Table 5 (Page 7 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
163	TEL	A2E5	A2E5	4993	A2E5	SS710080
164	!	A3A1	A3A1	425A	A3A1	SP020080
165	"	A3A2	A3A2	427F	A3A2	SP040080
166	#	A3A3	A3A3	427B	A3A3	SM010080
167	\$	A3A4	A3A4	425B	A3A4	SC030080
168	%	A3A5	A3A5	426C	A3A5	SM020080
169	&	A3A6	A3A6	4250	A3A6	SM030080
170	'	A3A7	A3A7	427D	A3A7	SP050080
171	(A3A8	A3A8	424D	A3A8	SP060080
172)	A3A9	A3A9	425D	A3A9	SP070080
173	*	A3AA	A3AA	425C	A3AA	SM040080
174	+	A3AB	A3AB	424E	A3AB	SA010080
175	,	A3AC	A3AC	426B	A3AC	SP080080
176	—	A3AD	A3AD	4260	A3AD	SP100080
177	.	A3AE	A3AE	424B	A3AE	SP110080
178	/	A3AF	A3AF	4261	A3AF	SP120080
179	0	A3B0	A3B0	42F0	A3B0	ND100080
180	1	A3B1	A3B1	42F1	A3B1	ND010080
181	2	A3B2	A3B2	42F2	A3B2	ND020080
182	3	A3B3	A3B3	42F3	A3B3	ND030080
183	4	A3B4	A3B4	42F4	A3B4	ND040080
184	5	A3B5	A3B5	42F5	A3B5	ND050080
185	6	A3B6	A3B6	42F6	A3B6	ND060080
186	7	A3B7	A3B7	42F7	A3B7	ND070080
187	8	A3B8	A3B8	42F8	A3B8	ND080080
188	9	A3B9	A3B9	42F9	A3B9	ND090080
189	:	A3BA	A3BA	427A	A3BA	SP130080
190	;	A3BB	A3BB	425E	A3BB	SP140080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 8 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
191	<	A3BC	A3BC	424C	A3BC	SA030080
192	=	A3BD	A3BD	427E	A3BD	SA040080
193	>	A3BE	A3BE	426E	A3BE	SA050080
194	?	A3BF	A3BF	426F	A3BF	SP150080
195	@	A3C0	A3C0	427C	A3C0	SM050080
196	A	A3C1	A3C1	42C1	A3C1	LA020080
197	B	A3C2	A3C2	42C2	A3C2	LB020080
198	C	A3C3	A3C3	42C3	A3C3	LC020080
199	D	A3C4	A3C4	42C4	A3C4	LD020080
200	E	A3C5	A3C5	42C5	A3C5	LE020080
201	F	A3C6	A3C6	42C6	A3C6	LF020080
202	G	A3C7	A3C7	42C7	A3C7	LG020080
203	H	A3C8	A3C8	42C8	A3C8	LH020080
204	I	A3C9	A3C9	42C9	A3C9	LI020080
205	J	A3CA	A3CA	42D1	A3CA	LJ020080
206	K	A3CB	A3CB	42D2	A3CB	LK020080
207	L	A3CC	A3CC	42D3	A3CC	LL020080
208	M	A3CD	A3CD	42D4	A3CD	LM020080
209	N	A3CE	A3CE	42D5	A3CE	LN020080
210	O	A3CF	A3CF	42D6	A3CF	LO020080
211	P	A3D0	A3D0	42D7	A3D0	LP020080
212	Q	A3D1	A3D1	42D8	A3D1	LQ020080
213	R	A3D2	A3D2	42D9	A3D2	LR020080
214	S	A3D3	A3D3	42E2	A3D3	LS020080
215	T	A3D4	A3D4	42E3	A3D4	LT020080
216	U	A3D5	A3D5	42E4	A3D5	LU020080
217	V	A3D6	A3D6	42E5	A3D6	LV020080
218	W	A3D7	A3D7	42E6	A3D7	LW020080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 9 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
219	X	A3D8	A3D8	42E7	A3D8	LX020080
220	Y	A3D9	A3D9	42E8	A3D9	LY020080
221	Z	A3DA	A3DA	42E9	A3DA	LZ020080
222	[A3DB	A3DB	418B	A3DB	SM060080
223	₩	A3DC	A3DC	42E0	A3DC	SC140080
224]	A3DD	A3DD	418C	A3DD	SM080080
225	^	A3DE	A3DE	416A	A3DE	SD150080
226	—	A3DF	A3DF	426D	A3DF	SP090080
227	`	A3E0	A3E0	4279	A3E0	SD130080
228	a	A3E1	A3E1	4281	A3E1	LA010080
229	b	A3E2	A3E2	4282	A3E2	LB010080
230	c	A3E3	A3E3	4283	A3E3	LC010080
231	d	A3E4	A3E4	4284	A3E4	LD010080
232	e	A3E5	A3E5	4285	A3E5	LE010080
233	f	A3E6	A3E6	4286	A3E6	LF010080
234	g	A3E7	A3E7	4287	A3E7	LG010080
235	h	A3E8	A3E8	4288	A3E8	LH010080
236	i	A3E9	A3E9	4289	A3E9	LI010080
237	j	A3EA	A3EA	4291	A3EA	LJ010080
238	k	A3EB	A3EB	4292	A3EB	LK010080
239	l	A3EC	A3EC	4293	A3EC	LL010080
240	m	A3ED	A3ED	4294	A3ED	LM010080
241	n	A3EE	A3EE	4295	A3EE	LN010080
242	o	A3EF	A3EF	4296	A3EF	LO010080
243	p	A3F0	A3F0	4297	A3F0	LP010080
244	q	A3F1	A3F1	4298	A3F1	LQ010080
245	r	A3F2	A3F2	4299	A3F2	LR010080
246	s	A3F3	A3F3	42A2	A3F3	LS010080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 10 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
247	t	A3F4	A3F4	42A3	A3F4	LT010080
248	u	A3F5	A3F5	42A4	A3F5	LU010080
249	v	A3F6	A3F6	42A5	A3F6	LV010080
250	w	A3F7	A3F7	42A6	A3F7	LW010080
251	x	A3F8	A3F8	42A7	A3F8	LX010080
252	y	A3F9	A3F9	42A8	A3F9	LY010080
253	z	A3FA	A3FA	42A9	A3FA	LZ010080
254	{	A3FB	A3FB	42C0	A3FB	SM110080
255		A3FC	A3FC	424F	A3FC	SM130080
256	}	A3FD	A3FD	42D0	A3FD	SM140080
257	—	A3FE	A3FE	414C	A3FE	SM150080
258	ㄱ	A4A1	A4A1	8841	A4A1	OG000080
259	ㄴ	A4A2	A4A2	8C41	A4A2	OG100080
260	ㄷ	A4A3	A4A3	8444	A4A3	OG200080
261	ㄹ	A4A4	A4A4	9041	A4A4	ON000080
262	ㄺ	A4A5	A4A5	8446	A4A5	ON150080
263	ㄻ	A4A6	A4A6	8447	A4A6	ON100080
264	ㄼ	A4A7	A4A7	9441	A4A7	OD000080
265	ㄽ	A4A8	A4A8	9841	A4A8	OD100080
266	ㄾ	A4A9	A4A9	9C41	A4A9	OL000080
267	ㄿ	A4AA	A4AA	844A	A4AA	OL200080
268	ㅀ	A4AB	A4AB	844B	A4AB	OL400080
269	ㅁ	A4AC	A4AC	844C	A4AC	OL100080
270	ㅂ	A4AD	A4AD	844D	A4AD	OL600080
271	ㅃ	A4AE	A4AE	844E	A4AE	OL700080
272	ㅄ	A4AF	A4AF	844F	A4AF	OL500080
273	ㅅ	A4B0	A4B0	8450	A4B0	OL300080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 11 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
274	□	A4B1	A4B1	A041	A4B1	OM000080
275	ㄱ	A4B2	A4B2	A441	A4B2	OB000080
276	ㅅ	A4B3	A4B3	A841	A4B3	OB100080
277	ㅈ	A4B4	A4B4	8454	A4B4	OB200080
278	ㅇ	A4B5	A4B5	AC41	A4B5	OS000080
279	ㅊ	A4B6	A4B6	B041	A4B6	OS100080
280	ㅋ	A4B7	A4B7	B441	A4B7	ON200080
281	ㅌ	A4B8	A4B8	B841	A4B8	OJ000080
282	ㅍ	A4B9	A4B9	BC41	A4B9	OJ100080
283	ㅎ	A4BA	A4BA	C041	A4BA	OC200080
284	ㅊ	A4BB	A4BB	C441	A4BB	OK000080
285	ㅌ	A4BC	A4BC	C841	A4BC	OT000080
286	ㅍ	A4BD	A4BD	CC41	A4BD	OP000080
287	ㅎ	A4BE	A4BE	D041	A4BE	OH000080
288	ㅊ	A4BF	A4BF	8461	A4BF	OA000080
289	ㅌ	A4C0	A4C0	8481	A4C0	OA200080
290	ㅍ	A4C1	A4C1	84A1	A4C1	OY200080
291	ㅎ	A4C2	A4C2	84C1	A4C2	OY250080
292	ㅊ	A4C3	A4C3	84E1	A4C3	OE200080
293	ㅌ	A4C4	A4C4	8541	A4C4	OE000080
294	ㅍ	A4C5	A4C5	8561	A4C5	OY400080
295	ㅎ	A4C6	A4C6	8581	A4C6	OY300080
296	ㅊ	A4C7	A4C7	85A1	A4C7	OO000080
297	ㅌ	A4C8	A4C8	85C1	A4C8	OO100080
298	ㅍ	A4C9	A4C9	85E1	A4C9	OO200080
299	ㅎ	A4CA	A4CA	8641	A4CA	OO300080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 12 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
300	ㄱ	A4CB	A4CB	8661	A4CB	OY500080
301	ㅌ	A4CC	A4CC	8681	A4CC	OU000080
302	ㅋ	A4CD	A4CD	86A1	A4CD	OU300080
303	ㆁ	A4CE	A4CE	86C1	A4CE	OU200080
304	ㆁ	A4CF	A4CF	86E1	A4CF	OU400080
305	ㅍ	A4D0	A4D0	8741	A4D0	OY600080
306	ㅑ	A4D1	A4D1	8761	A4D1	OE300080
307	ㅓ	A4D2	A4D2	8781	A4D2	OE400080
308	ㅕ	A4D3	A4D3	87A1	A4D3	OI000080
309		A4D4	A4D4	8441	A4D4	SP490080
310	ㄴ	A4D5	A4D5	4341	A4D5	F0G10080
311	ㄷ	A4D6	A4D6	4342	A4D6	F0G20080
312	ㄹ	A4D7	A4D7	4343	A4D7	F0G30080
313	ㄺ	A4D8	A4D8	4344	A4D8	F0G40080
314	ㄻ	A4D9	A4D9	4345	A4D9	F0G50080
315	ㄼ	A4DA	A4DA	4346	A4DA	F0G60080
316	ㄽ	A4DB	A4DB	4347	A4DB	F0G70080
317	ㄾ	A4DC	A4DC	4348	A4DC	F0G80080
318	ㄿ	A4DD	A4DD	4349	A4DD	F0G90080
319	ㅀ	A4DE	A4DE	434A	A4DE	F0GA0080
320	ㅁ	A4DF	A4DF	434B	A4DF	F0GB0080
321	ㅂ	A4E0	A4E0	434C	A4E0	F0GC0080
322	ㅅ	A4E1	A4E1	434D	A4E1	F0GD0080
323	ㅇ	A4E2	A4E2	434E	A4E2	F0GE0080
324	ㅈ	A4E3	A4E3	434F	A4E3	F0GF0080
325	ㅊ	A4E4	A4E4	4350	A4E4	F0GG0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 13 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
326	ㅁㄷ	A4E5	A4E5	4351	A4E5	F0GH0080
327	ㅁㅅ	A4E6	A4E6	4352	A4E6	F0GI0080
328	ㅁㄹ	A4E7	A4E7	4353	A4E7	F0GJ0080
329	ㅁ	A4E8	A4E8	4354	A4E8	F0GK0080
330	ㅁㅁ	A4E9	A4E9	4355	A4E9	F0GL0080
331	ㅁㄷ	A4EA	A4EA	4356	A4EA	F0GM0080
332	ㅁㅅ	A4EB	A4EB	4357	A4EB	F0GN0080
333	ㅁㄹ	A4EC	A4EC	4358	A4EC	F0GO0080
334	ㅁ	A4ED	A4ED	4359	A4ED	F0GP0080
335	ㅁㅁ	A4EE	A4EE	435A	A4EE	F0GQ0080
336	△	A4EF	A4EF	435B	A4EF	F0GR0080
337	ㅇㅇ	A4F0	A4F0	435C	A4F0	F0GS0080
338	ㅇ	A4F1	A4F1	435D	A4F1	F0GT0080
339	ㅇㅁ	A4F2	A4F2	435E	A4F2	F0GU0080
340	ㅇㅁ	A4F3	A4F3	435F	A4F3	F0GV0080
341	ㅇㅁ	A4F4	A4F4	4360	A4F4	F0GW0080
342	ㅇㅁ	A4F5	A4F5	4361	A4F5	F0GX0080
343	ㅇ	A4F6	A4F6	4362	A4F6	F0GY0080
344	ㅁㅁ	A4F7	A4F7	4363	A4F7	F0GZ0080
345	ㅁㅁ	A4F8	A4F8	4364	A4F8	F0H00080
346	ㅁㅁ	A4F9	A4F9	4365	A4F9	F0H10080
347	ㅁㅁ	A4FA	A4FA	4366	A4FA	F0H20080
348	ㅁㅁ	A4FB	A4FB	4367	A4FB	F0H30080
349	ㅁㅁ	A4FC	A4FC	4368	A4FC	F0H40080
350	·	A4FD	A4FD	4369	A4FD	F0H50080
351	·	A4FE	A4FE	436A	A4FE	F0H60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 14 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
352	i	A5A1	A5A1	4641	A5A1	NR010080
353	ii	A5A2	A5A2	4642	A5A2	NR020080
354	iii	A5A3	A5A3	4643	A5A3	NR030080
355	iv	A5A4	A5A4	4644	A5A4	NR040080
356	v	A5A5	A5A5	4645	A5A5	NR050080
357	vi	A5A6	A5A6	4646	A5A6	NR060080
358	vii	A5A7	A5A7	4647	A5A7	NR070080
359	viii	A5A8	A5A8	4648	A5A8	NR080080
360	ix	A5A9	A5A9	4649	A5A9	NR090080
361	x	A5AA	A5AA	464A	A5AA	NR100080
362	I	A5B0	A5B0	4650	A5B0	NR110080
363	II	A5B1	A5B1	4651	A5B1	NR120080
364	III	A5B2	A5B2	4652	A5B2	NR130080
365	IV	A5B3	A5B3	4653	A5B3	NR140080
366	V	A5B4	A5B4	4654	A5B4	NR150080
367	VI	A5B5	A5B5	4655	A5B5	NR160080
368	VII	A5B6	A5B6	4656	A5B6	NR170080
369	VIII	A5B7	A5B7	4657	A5B7	NR180080
370	IX	A5B8	A5B8	4658	A5B8	NR190080
371	X	A5B9	A5B9	4659	A5B9	NR200080
372	A	A5C1	A5C1	4661	A5C1	GA020080
373	B	A5C2	A5C2	4662	A5C2	GB020080
374	Γ	A5C3	A5C3	4663	A5C3	GG020080
375	Δ	A5C4	A5C4	4664	A5C4	GD020080
376	E	A5C5	A5C5	4665	A5C5	GE020080
377	Z	A5C6	A5C6	4666	A5C6	GZ020080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 15 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
378	H	A5C7	A5C7	4667	A5C7	GE320080
379	Θ	A5C8	A5C8	4668	A5C8	GT620080
380	I	A5C9	A5C9	4669	A5C9	GI020080
381	K	A5CA	A5CA	466A	A5CA	GK020080
382	Λ	A5CB	A5CB	466B	A5CB	GL020080
383	M	A5CC	A5CC	466C	A5CC	GM020080
384	N	A5CD	A5CD	466D	A5CD	GN020080
385	Ξ	A5CE	A5CE	466E	A5CE	GX020080
386	O	A5CF	A5CF	466F	A5CF	GO020080
387	Π	A5D0	A5D0	4670	A5D0	GP020080
388	P	A5D1	A5D1	4671	A5D1	GR020080
389	Σ	A5D2	A5D2	4672	A5D2	GS020080
390	T	A5D3	A5D3	4673	A5D3	GT020080
391	Υ	A5D4	A5D4	4674	A5D4	GU020080
392	Φ	A5D5	A5D5	4675	A5D5	GF020080
393	X	A5D6	A5D6	4676	A5D6	GH020080
394	Ψ	A5D7	A5D7	4677	A5D7	GP620080
395	Ω	A5D8	A5D8	4678	A5D8	GO320080
396	α	A5E1	A5E1	4681	A5E1	GA010080
397	β	A5E2	A5E2	4682	A5E2	GB010080
398	γ	A5E3	A5E3	4683	A5E3	GG010080
399	δ	A5E4	A5E4	4684	A5E4	GD010080
400	ε	A5E5	A5E5	4685	A5E5	GE010080
401	ξ	A5E6	A5E6	4686	A5E6	GZ010080
402	η	A5E7	A5E7	4687	A5E7	GE310080
403	θ	A5E8	A5E8	4688	A5E8	GT610082

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 16 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
404	ι	A5E9	A5E9	4689	A5E9	GI010080
405	κ	A5EA	A5EA	468A	A5EA	GK010080
406	λ	A5EB	A5EB	468B	A5EB	GL010080
407	μ	A5EC	A5EC	468C	A5EC	GM010080
408	ν	A5ED	A5ED	468D	A5ED	GN010080
409	ξ	A5EE	A5EE	468E	A5EE	GX010080
410	ο	A5EF	A5EF	468F	A5EF	GO010080
411	π	A5F0	A5F0	4690	A5F0	GP010080
412	ρ	A5F1	A5F1	4691	A5F1	GR010080
413	σ	A5F2	A5F2	4692	A5F2	GS010080
414	τ	A5F3	A5F3	4693	A5F3	GT010080
415	υ	A5F4	A5F4	4694	A5F4	GU010080
416	φ	A5F5	A5F5	4695	A5F5	GF010080
417	χ	A5F6	A5F6	4696	A5F6	GH010080
418	ψ	A5F7	A5F7	4697	A5F7	GP610080
419	ω	A5F8	A5F8	4698	A5F8	GO310080
420	—	A6A1	A6A1	4741	A6A1	SF100080
421		A6A2	A6A2	4742	A6A2	SF110080
422	┌	A6A3	A6A3	4743	A6A3	SF010080
423	└	A6A4	A6A4	4744	A6A4	SF030080
424	┐	A6A5	A6A5	4745	A6A5	SF040080
425	└	A6A6	A6A6	4746	A6A6	SF020080
426	┌	A6A7	A6A7	4747	A6A7	SF080080
427	┐	A6A8	A6A8	4748	A6A8	SF060080
428	┌	A6A9	A6A9	4749	A6A9	SF090080
429	└	A6AA	A6AA	474A	A6AA	SF070080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 17 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
430	+	A6AB	A6AB	474B	A6AB	SF050080
431	—	A6AC	A6AC	474C	A6AC	SF100082
432		A6AD	A6AD	474D	A6AD	SF110082
433	┌	A6AE	A6AE	474E	A6AE	SF010082
434	└	A6AF	A6AF	474F	A6AF	SF030082
435	┐	A6B0	A6B0	4750	A6B0	SF040082
436	└	A6B1	A6B1	4751	A6B1	SF020082
437	┌	A6B2	A6B2	4752	A6B2	SF080082
438	└	A6B3	A6B3	4753	A6B3	SF060082
439	┌	A6B4	A6B4	4754	A6B4	SF090082
440	└	A6B5	A6B5	4755	A6B5	SF070082
441	+	A6B6	A6B6	4756	A6B6	SF050082
442	┌	A6B7	A6B7	4757	A6B7	SF080083
443	└	A6B8	A6B8	4758	A6B8	SF060083
444	┌	A6B9	A6B9	4759	A6B9	SF090083
445	└	A6BA	A6BA	475A	A6BA	SF070083
446	+	A6BB	A6BB	475B	A6BB	SF050083
447	┌	A6BC	A6BC	475C	A6BC	SF080084
448	└	A6BD	A6BD	475D	A6BD	SF060084
449	┌	A6BE	A6BE	475E	A6BE	SF090084
450	└	A6BF	A6BF	475F	A6BF	SF070084
451	+	A6C0	A6C0	4760	A6C0	SF050084
452	└	A6C1	A6C1	4761	A6C1	F1290080
453	└	A6C2	A6C2	4762	A6C2	F12A0080
454	┐	A6C3	A6C3	4763	A6C3	F12B0080
455	┐	A6C4	A6C4	4764	A6C4	F12C0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 18 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
456	ㄴ	A6C5	A6C5	4765	A6C5	F12D0080
457	ㄴ	A6C6	A6C6	4766	A6C6	F12E0080
458	ㄷ	A6C7	A6C7	4767	A6C7	F12F0080
459	ㄷ	A6C8	A6C8	4768	A6C8	F12G0080
460	ㄸ	A6C9	A6C9	4769	A6C9	F12H0080
461	ㄸ	A6CA	A6CA	476A	A6CA	F12I0080
462	ㄸ	A6CB	A6CB	476B	A6CB	F12J0080
463	ㄸ	A6CC	A6CC	476C	A6CC	F12K0080
464	ㄹ	A6CD	A6CD	476D	A6CD	F12L0080
465	ㄹ	A6CE	A6CE	476E	A6CE	F12M0080
466	ㄹ	A6CF	A6CF	476F	A6CF	F12N0080
467	ㄺ	A6D0	A6D0	4770	A6D0	F12O0080
468	ㄺ	A6D1	A6D1	4771	A6D1	F12P0080
469	ㄺ	A6D2	A6D2	4772	A6D2	F12Q0080
470	ㄺ	A6D3	A6D3	4773	A6D3	F12R0080
471	ㄺ	A6D4	A6D4	4774	A6D4	F12S0080
472	ㄻ	A6D5	A6D5	4775	A6D5	F12T0080
473	ㄻ	A6D6	A6D6	4776	A6D6	F12U0080
474	ㄻ	A6D7	A6D7	4777	A6D7	F12V0080
475	ㄻ	A6D8	A6D8	4778	A6D8	F12W0080
476	ㄼ	A6D9	A6D9	4779	A6D9	F12X0080
477	ㄼ	A6DA	A6DA	477A	A6DA	F12Y0080
478	ㄼ	A6DB	A6DB	477B	A6DB	F12Z0080
479	ㄽ	A6DC	A6DC	477C	A6DC	F1300080
480	ㄽ	A6DD	A6DD	477D	A6DD	F1310080
481	ㄽ	A6DE	A6DE	477E	A6DE	F1320080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 5 (Page 19 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
482	+	A6DF	A6DF	477F	A6DF	F1330080
483	+	A6E0	A6E0	4780	A6E0	F1340080
484	+	A6E1	A6E1	4781	A6E1	F1350080
485	+	A6E2	A6E2	4782	A6E2	F1360080
486	+	A6E3	A6E3	4783	A6E3	F1370080
487	+	A6E4	A6E4	4784	A6E4	F1380080
488	μQ	A7A1	A7A1	4841	A7A1	F16P0080
489	mQ	A7A2	A7A2	416D	A7A2	F06L0080
490	dQ	A7A3	A7A3	416E	A7A3	F06M0080
491	Q	A7A4	A7A4	416F	A7A4	SM160080
492	kQ	A7A5	A7A5	4842	A7A5	F16Q0080
493	cc	A7A6	A7A6	4170	A7A6	SS870080
494	mŕ	A7A7	A7A7	4843	A7A7	F16R0080
495	cŕ	A7A8	A7A8	4844	A7A8	F16S0080
496	mŕ	A7A9	A7A9	4845	A7A9	F16T0080
497	kŕ	A7AA	A7AA	4846	A7AA	F16U0080
498	fŕ	A7AB	A7AB	4847	A7AB	F16V0080
499	nŕ	A7AC	A7AC	4848	A7AC	F16W0080
500	μŕ	A7AD	A7AD	4849	A7AD	F16X0080
501	mm	A7AE	A7AE	4171	A7AE	SS810080
502	cm	A7AF	A7AF	4172	A7AF	SS820080
503	km	A7B0	A7B0	4173	A7B0	SS830080
504	mŕ	A7B1	A7B1	484A	A7B1	F16Y0080
505	cŕ	A7B2	A7B2	484B	A7B2	F16Z0080
506	mŕ	A7B3	A7B3	484C	A7B3	SS840080
507	kŕ	A7B4	A7B4	484D	A7B4	F1710080
508	ha	A7B5	A7B5	484E	A7B5	F1720080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 20 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
509	μδ	A7B6	A7B6	484F	A7B6	F1730080
510	mg	A7B7	A7B7	4174	A7B7	SS850080
511	kg	A7B8	A7B8	4175	A7B8	SS860080
512	kt	A7B9	A7B9	4850	A7B9	F1740080
513	cal	A7BA	A7BA	4851	A7BA	F1750080
514	kcal	A7BB	A7BB	4852	A7BB	F1760080
515	dB	A7BC	A7BC	4853	A7BC	F1770080
516	mg	A7BD	A7BD	4854	A7BD	F1780080
517	mg	A7BE	A7BE	4855	A7BE	F1790080
518	ps	A7BF	A7BF	4856	A7BF	F17A0080
519	ns	A7C0	A7C0	4857	A7C0	F17B0080
520	μs	A7C1	A7C1	4858	A7C1	F17C0080
521	ms	A7C2	A7C2	4859	A7C2	F17D0080
522	pV	A7C3	A7C3	485A	A7C3	F17E0080
523	nV	A7C4	A7C4	485B	A7C4	F17F0080
524	μV	A7C5	A7C5	485C	A7C5	F17G0080
525	mV	A7C6	A7C6	485D	A7C6	F17H0080
526	kV	A7C7	A7C7	485E	A7C7	F17I0080
527	MV	A7C8	A7C8	485F	A7C8	F17J0080
528	PA	A7C9	A7C9	4860	A7C9	F17K0080
529	nA	A7CA	A7CA	4861	A7CA	F17L0080
530	μA	A7CB	A7CB	4862	A7CB	F17M0080
531	mA	A7CC	A7CC	4863	A7CC	F17N0080
532	kA	A7CD	A7CD	4864	A7CD	F17O0080
533	PW	A7CE	A7CE	4865	A7CE	F17P0080
534	nW	A7CF	A7CF	4866	A7CF	F17Q0080
535	μW	A7D0	A7D0	4867	A7D0	F17R0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 21 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
536	mW	A7D1	A7D1	4868	A7D1	F17S0080
537	kW	A7D2	A7D2	4869	A7D2	F17T0080
538	MW	A7D3	A7D3	486A	A7D3	F17U0080
539	Hz	A7D4	A7D4	486B	A7D4	F17V0080
540	KHz	A7D5	A7D5	486C	A7D5	F17W0080
541	MHz	A7D6	A7D6	486D	A7D6	F17X0080
542	GHz	A7D7	A7D7	486E	A7D7	F17Y0080
543	THz	A7D8	A7D8	486F	A7D8	F17Z0080
544	Ω	A7D9	A7D9	4870	A7D9	SM180080
545	kΩ	A7DA	A7DA	4871	A7DA	F1810080
546	MΩ	A7DB	A7DB	4872	A7DB	F1820080
547	PF	A7DC	A7DC	4873	A7DC	F1830080
548	nF	A7DD	A7DD	4874	A7DD	F1840080
549	μF	A7DE	A7DE	4875	A7DE	F1850080
550	mol	A7DF	A7DF	4876	A7DF	F1860080
551	cd	A7E0	A7E0	4877	A7E0	F1870080
552	rad	A7E1	A7E1	4878	A7E1	F1880080
553	deg	A7E2	A7E2	4879	A7E2	F1890080
554	deg	A7E3	A7E3	487A	A7E3	F18A0080
555	sr	A7E4	A7E4	487B	A7E4	F18B0080
556	Pa	A7E5	A7E5	487C	A7E5	F18C0080
557	kPa	A7E6	A7E6	487D	A7E6	F18D0080
558	MPa	A7E7	A7E7	487E	A7E7	F18E0080
559	GPa	A7E8	A7E8	487F	A7E8	F18F0080
560	Wb	A7E9	A7E9	4880	A7E9	F18G0080
561	lm	A7EA	A7EA	4881	A7EA	F18H0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 22 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
562	IX	A7EB	A7EB	4882	A7EB	F18I0080
563	Bq	A7EC	A7EC	4883	A7EC	F18J0080
564	Gy	A7ED	A7ED	4884	A7ED	F18K0080
565	Sv	A7EE	A7EE	4885	A7EE	F18L0080
566	Ꞥ	A7EF	A7EF	4886	A7EF	F18M0080
567	Æ	A8A1	A8A1	4B41	A8A1	LA520080
568	Ð	A8A2	A8A2	4B42	A8A2	LD620080
569	à	A8A3	A8A3	4B43	A8A3	SM210080
570	Ĥ	A8A4	A8A4	4B44	A8A4	LH620080
571	IJ	A8A6	A8A6	4B46	A8A6	LI520080
572	Ł	A8A8	A8A8	4B48	A8A8	LL640080
573	ł	A8A9	A8A9	4B49	A8A9	LL620080
574	Ø	A8AA	A8AA	4B4A	A8AA	LO620080
575	Œ	A8AB	A8AB	4B4B	A8AB	LO520080
576	ǒ	A8AC	A8AC	4B4C	A8AC	SM200080
577	Ɖ	A8AD	A8AD	4B4D	A8AD	LT640080
578	Ƒ	A8AE	A8AE	4B4E	A8AE	LT620080
579	ƒ	A8AF	A8AF	4B4F	A8AF	LN620080
580	⊖	A8B1	A8B1	4B51	A8B1	F1N50080
581	⊗	A8B2	A8B2	4B52	A8B2	F1N60080
582	⊘	A8B3	A8B3	4B53	A8B3	F1N70080
583	⊙	A8B4	A8B4	4B54	A8B4	F1N80080
584	⊚	A8B5	A8B5	4B55	A8B5	F1N90080
585	⊛	A8B6	A8B6	4B56	A8B6	F1NA0080
586	⊜	A8B7	A8B7	4B57	A8B7	F1NB0080
587	⊝	A8B8	A8B8	4B58	A8B8	F1NC0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 23 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
588	㉞	A8B9	A8B9	4B59	A8B9	F1ND0080
589	㉟	A8BA	A8BA	4B5A	A8BA	F1NE0080
590	㊀	A8BB	A8BB	4B5B	A8BB	F1NF0080
591	㊁	A8BC	A8BC	4B5C	A8BC	F1NG0080
592	㊂	A8BD	A8BD	4B5D	A8BD	F1NH0080
593	㊃	A8BE	A8BE	4B5E	A8BE	F1NI0080
594	㊄	A8BF	A8BF	4B5F	A8BF	F1NJ0080
595	㊅	A8C0	A8C0	4B60	A8C0	F1NK0080
596	㊆	A8C1	A8C1	4B61	A8C1	F1NL0080
597	㊇	A8C2	A8C2	4B62	A8C2	F1NM0080
598	㊈	A8C3	A8C3	4B63	A8C3	F1NN0080
599	㊉	A8C4	A8C4	4B64	A8C4	F1NO0080
600	㊊	A8C5	A8C5	4B65	A8C5	F1NP0080
601	㊋	A8C6	A8C6	4B66	A8C6	F1NQ0080
602	㊌	A8C7	A8C7	4B67	A8C7	F1NR0080
603	㊍	A8C8	A8C8	4B68	A8C8	F1NS0080
604	㊎	A8C9	A8C9	4B69	A8C9	F1NT0080
605	㊏	A8CA	A8CA	4B6A	A8CA	F1NU0080
606	㊑	A8CB	A8CB	4B6B	A8CB	F1NV0080
607	㊒	A8CC	A8CC	4B6C	A8CC	F1NW0080
608	㊓	A8CD	A8CD	4B6D	A8CD	F1NX0080
609	㊔	A8CE	A8CE	4B6E	A8CE	F1NY0080
610	㊕	A8CF	A8CF	4B6F	A8CF	F1NZ0080
611	㊖	A8D0	A8D0	4B70	A8D0	F1O00080
612	㊗	A8D1	A8D1	4B71	A8D1	F1O10080
613	㊘	A8D2	A8D2	4B72	A8D2	F1O20080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 24 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
614	㉠	A8D3	A8D3	4B73	A8D3	F1O30080
615	㉡	A8D4	A8D4	4B74	A8D4	F1O40080
616	㉢	A8D5	A8D5	4B75	A8D5	F1O50080
617	㉣	A8D6	A8D6	4B76	A8D6	F1O60080
618	㉤	A8D7	A8D7	4B77	A8D7	F1O70080
619	㉥	A8D8	A8D8	4B78	A8D8	F1O80080
620	㉦	A8D9	A8D9	4B79	A8D9	F1O90080
621	㉧	A8DA	A8DA	4B7A	A8DA	F1OA0080
622	㉨	A8DB	A8DB	4B7B	A8DB	F1OB0080
623	㉩	A8DC	A8DC	4B7C	A8DC	F1OC0080
624	㉪	A8DD	A8DD	4B7D	A8DD	F1OD0080
625	㉫	A8DE	A8DE	4B7E	A8DE	F1OE0080
626	㉬	A8DF	A8DF	4B7F	A8DF	F1OF0080
627	㉭	A8E0	A8E0	4B80	A8E0	F1OG0080
628	㉮	A8E1	A8E1	4B81	A8E1	F1OH0080
629	㉯	A8E2	A8E2	4B82	A8E2	F1OI0080
630	㉰	A8E3	A8E3	4B83	A8E3	F1OJ0080
631	㉱	A8E4	A8E4	4B84	A8E4	F1OK0080
632	㉲	A8E5	A8E5	4B85	A8E5	F1OL0080
633	㉳	A8E6	A8E6	4B86	A8E6	F1OM0080
634	㉴	A8E7	A8E7	4B87	A8E7	NO010080
635	㉵	A8E8	A8E8	4B88	A8E8	NO020080
636	㉶	A8E9	A8E9	4B89	A8E9	NO030080
637	㉷	A8EA	A8EA	4B8A	A8EA	NO040080
638	㉸	A8EB	A8EB	4B8B	A8EB	NO050080
639	㉹	A8EC	A8EC	4B8C	A8EC	NO060080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 25 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
640	㉚	A8ED	A8ED	4B8D	A8ED	NO070080
641	㉛	A8EE	A8EE	4B8E	A8EE	NO080080
642	㉜	A8EF	A8EF	4B8F	A8EF	NO090080
643	㉝	A8F0	A8F0	4B90	A8F0	NO100080
644	㉞	A8F1	A8F1	4B91	A8F1	F1OX0080
645	㉟	A8F2	A8F2	4B92	A8F2	F1OY0080
646	㊱	A8F3	A8F3	4B93	A8F3	F1OZ0080
647	㊲	A8F4	A8F4	4B94	A8F4	F1P00080
648	㊳	A8F5	A8F5	4B95	A8F5	F1P10080
649	1/2	A8F6	A8F6	4B96	A8F6	NF010080
650	1/3	A8F7	A8F7	4B97	A8F7	F1P30080
651	2/3	A8F8	A8F8	4B98	A8F8	F1P40080
652	1/4	A8F9	A8F9	4B99	A8F9	NF040080
653	3/4	A8FA	A8FA	4B9A	A8FA	NF050080
654	1/8	A8FB	A8FB	4B9B	A8FB	NF180080
655	3/8	A8FC	A8FC	4B9C	A8FC	NF190080
656	5/8	A8FD	A8FD	4B9D	A8FD	NF200080
657	7/8	A8FE	A8FE	4B9E	A8FE	NF210080
658	œ	A9A1	A9A1	4BA0	A9A1	LA510080
659	đ	A9A2	A9A2	4BA1	A9A2	LD610080
660	ø	A9A3	A9A3	4BA2	A9A3	LD630080
661	ħ	A9A4	A9A4	4BA3	A9A4	LH610080
662	ı	A9A5	A9A5	4BA4	A9A5	LI610080
663	ij	A9A6	A9A6	4BA5	A9A6	LI510080
664	κ	A9A7	A9A7	4BA6	A9A7	F1PI0080
665	ı·	A9A8	A9A8	4BA7	A9A8	LL630080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 26 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
666	†	A9A9	A9A9	4BA8	A9A9	LL610080
667	∅	A9AA	A9AA	4BA9	A9AA	LO610080
668	œ	A9AB	A9AB	4BAA	A9AB	LO510080
669	β	A9AC	A9AC	4BAB	A9AC	LS610080
670	Ɔ	A9AD	A9AD	4BAC	A9AD	LT630080
671	⌘	A9AE	A9AE	4BAD	A9AE	LT610080
672	Ɔ	A9AF	A9AF	4BAE	A9AF	LN610080
673	π	A9B0	A9B0	4BAF	A9B0	F1PR0080
674	(ㄱ)	A9B1	A9B1	4BB0	A9B1	F1PS0080
675	(ㄴ)	A9B2	A9B2	4BB1	A9B2	F1PT0080
676	(ㄷ)	A9B3	A9B3	4BB2	A9B3	F1PU0080
677	(ㄹ)	A9B4	A9B4	4BB3	A9B4	F1PV0080
678	(ㅁ)	A9B5	A9B5	4BB4	A9B5	F1PW0080
679	(ㅂ)	A9B6	A9B6	4BB5	A9B6	F1PX0080
680	(ㅅ)	A9B7	A9B7	4BB6	A9B7	F1PY0080
681	(ㅇ)	A9B8	A9B8	4BB7	A9B8	F1PZ0080
682	(ㅈ)	A9B9	A9B9	4BB8	A9B9	F1Q00080
683	(ㅊ)	A9BA	A9BA	4BB9	A9BA	F1Q10080
684	(ㅋ)	A9BB	A9BB	4BBA	A9BB	F1Q20080
685	(ㅌ)	A9BC	A9BC	4BBB	A9BC	F1Q30080
686	(ㅍ)	A9BD	A9BD	4BBC	A9BD	F1Q40080
687	(ㅎ)	A9BE	A9BE	4BBD	A9BE	F1Q50080
688	(가)	A9BF	A9BF	4BBE	A9BF	F1Q60080
689	(나)	A9C0	A9C0	4BBF	A9C0	F1Q70080
690	(다)	A9C1	A9C1	4BC0	A9C1	F1Q80080
691	(라)	A9C2	A9C2	4BC1	A9C2	F1Q90080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 27 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
692	(ㄷ)	A9C3	A9C3	4BC2	A9C3	F1QA0080
693	(ㅌ)	A9C4	A9C4	4BC3	A9C4	F1QB0080
694	(ㅍ)	A9C5	A9C5	4BC4	A9C5	F1QC0080
695	(ㅑ)	A9C6	A9C6	4BC5	A9C6	F1QD0080
696	(ㅓ)	A9C7	A9C7	4BC6	A9C7	F1QE0080
697	(ㅕ)	A9C8	A9C8	4BC7	A9C8	F1QF0080
698	(ㅗ)	A9C9	A9C9	4BC8	A9C9	F1QG0080
699	(ㅛ)	A9CA	A9CA	4BC9	A9CA	F1QH0080
700	(ㅜ)	A9CB	A9CB	4BCA	A9CB	F1QI0080
701	(ㅠ)	A9CC	A9CC	4BCB	A9CC	F1QJ0080
702	(ㅡ)	A9CD	A9CD	4BCC	A9CD	F1QK0080
703	(b)	A9CE	A9CE	4BCD	A9CE	F1QL0080
704	(c)	A9CF	A9CF	4BCE	A9CF	F1QM0080
705	(d)	A9D0	A9D0	4BCF	A9D0	F1QN0080
706	(e)	A9D1	A9D1	4BD0	A9D1	F1QO0080
707	(f)	A9D2	A9D2	4BD1	A9D2	F1QP0080
708	(g)	A9D3	A9D3	4BD2	A9D3	F1QQ0080
709	(h)	A9D4	A9D4	4BD3	A9D4	F1QR0080
710	(i)	A9D5	A9D5	4BD4	A9D5	F1QS0080
711	(j)	A9D6	A9D6	4BD5	A9D6	F1QT0080
712	(k)	A9D7	A9D7	4BD6	A9D7	F1QU0080
713	(l)	A9D8	A9D8	4BD7	A9D8	F1QV0080
714	(m)	A9D9	A9D9	4BD8	A9D9	F1QW0080
715	(n)	A9DA	A9DA	4BD9	A9DA	F1QX0080
716	(o)	A9DB	A9DB	4BDA	A9DB	F1QY0080
717	(p)	A9DC	A9DC	4BDB	A9DC	F1QZ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 28 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
718	(ㄱ)	A9DD	A9DD	4BDC	A9DD	F1R00080
719	(ㄴ)	A9DE	A9DE	4BDD	A9DE	F1R10080
720	(ㄷ)	A9DF	A9DF	4BDE	A9DF	F1R20080
721	(ㄹ)	A9E0	A9E0	4BDF	A9E0	F1R30080
722	(ㄴ)	A9E1	A9E1	4BE0	A9E1	F1R40080
723	(ㅇ)	A9E2	A9E2	4BE1	A9E2	F1R50080
724	(ㅁ)	A9E3	A9E3	4BE2	A9E3	F1R60080
725	(ㅂ)	A9E4	A9E4	4BE3	A9E4	F1R70080
726	(ㅅ)	A9E5	A9E5	4BE4	A9E5	F1R80080
727	(ㅈ)	A9E6	A9E6	4BE5	A9E6	F1R90080
728	(1)	A9E7	A9E7	4BE6	A9E7	NO010081
729	(2)	A9E8	A9E8	4BE7	A9E8	NO020081
730	(3)	A9E9	A9E9	4BE8	A9E9	NO030081
731	(4)	A9EA	A9EA	4BE9	A9EA	NO040081
732	(5)	A9EB	A9EB	4BEA	A9EB	NO050081
733	(6)	A9EC	A9EC	4BEB	A9EC	NO060081
734	(7)	A9ED	A9ED	4BEC	A9ED	NO070081
735	(8)	A9EE	A9EE	4BED	A9EE	NO080081
736	(9)	A9EF	A9EF	4BEE	A9EF	NO090081
737	(10)	A9F0	A9F0	4BEF	A9F0	NO100081
738	(11)	A9F1	A9F1	4BF0	A9F1	F1RK0080
739	(12)	A9F2	A9F2	4BF1	A9F2	F1RL0080
740	(13)	A9F3	A9F3	4BF2	A9F3	F1RM0080
741	(14)	A9F4	A9F4	4BF3	A9F4	F1RN0080
742	(15)	A9F5	A9F5	4BF4	A9F5	F1RO0080
743	'	A9F6	A9F6	4BF5	A9F6	ND011080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 29 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
744	²	A9F7	A9F7	4BF6	A9F7	ND021080
745	³	A9F8	A9F8	4BF7	A9F8	ND031080
746	⁴	A9F9	A9F9	4BF8	A9F9	ND041080
747	"	A9FA	A9FA	4BF9	A9FA	LN011080
748	₁	A9FB	A9FB	4BFA	A9FB	ND012080
749	₂	A9FC	A9FC	4BFB	A9FC	ND022080
750	₃	A9FD	A9FD	4BFC	A9FD	ND032080
751	₄	A9FE	A9FE	4BFD	A9FE	ND042080
752	あ	AAA1	AAA1	4441	AAA1	RA010080
753	ぁ	AAA2	AAA2	4442	AAA2	RA000080
754	い	AAA3	AAA3	4443	AAA3	RI010080
755	ぃ	AAA4	AAA4	4444	AAA4	RI000080
756	う	AAA5	AAA5	4445	AAA5	RU010080
757	ぅ	AAA6	AAA6	4446	AAA6	RU000080
758	え	AAA7	AAA7	4447	AAA7	RE010080
759	ぇ	AAA8	AAA8	4448	AAA8	RE000080
760	お	AAA9	AAA9	4449	AAA9	RO010080
761	ぉ	AAAA	AAAA	444A	AAAA	RO000080
762	か	AAAB	AAAB	444B	AAAB	RK100080
763	が	AAAC	AAAC	444C	AAAC	RG100080
764	き	AAAD	AAAD	444D	AAAD	RK200080
765	ぎ	AAAE	AAAE	444E	AAAE	RG200080
766	く	AAAF	AAAF	444F	AAAF	RK300080
767	ぐ	AAB0	AAB0	4450	AAB0	RG300080
768	け	AAB1	AAB1	4451	AAB1	RK400080
769	げ	AAB2	AAB2	4452	AAB2	RG400080
770	こ	AAB3	AAB3	4453	AAB3	RK500080
771	ご	AAB4	AAB4	4454	AAB4	RG500080
772	さ	AAB5	AAB5	4455	AAB5	RS100080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 30 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
773	ぎ	AAB6	AAB6	4456	AAB6	RZ100080
774	し	AAB7	AAB7	4457	AAB7	RS200080
775	じ	AAB8	AAB8	4458	AAB8	RZ200080
776	す	AAB9	AAB9	4459	AAB9	RS300080
777	ず	AABA	AABA	445A	AABA	RZ300080
778	せ	AABB	AABB	445B	AABB	RS400080
779	ぜ	AABC	AABC	445C	AABC	RZ400080
780	そ	AABD	AABD	445D	AABD	RS500080
781	ぞ	AABE	AABE	445E	AABE	RZ500080
782	た	AABF	AABF	445F	AABF	RT100080
783	だ	AAC0	AAC0	4460	AAC0	RD100080
784	ち	AAC1	AAC1	4461	AAC1	RT200080
785	ぢ	AAC2	AAC2	4462	AAC2	RD200080
786	っ	AAC3	AAC3	4463	AAC3	RT310080
787	つ	AAC4	AAC4	4464	AAC4	RT300080
788	づ	AAC5	AAC5	4465	AAC5	RD300080
789	て	AAC6	AAC6	4466	AAC6	RT400080
790	で	AAC7	AAC7	4467	AAC7	RD400080
791	と	AAC8	AAC8	4468	AAC8	RT500080
792	ど	AAC9	AAC9	4469	AAC9	RD500080
793	な	AACA	AACA	446A	AACA	RN100080
794	に	AACB	AACB	446B	AACB	RN200080
795	ぬ	AACC	AACC	446C	AACC	RN300080
796	ね	AACD	AACD	446D	AACD	RN400080
797	の	AACE	AACE	446E	AACE	RN500080
798	は	AACF	AACF	446F	AACF	RH100080
799	ば	AAD0	AAD0	4470	AAD0	RB100080
800	ぱ	AAD1	AAD1	4471	AAD1	RP100080
801	ひ	AAD2	AAD2	4472	AAD2	RH200080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 31 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
802	ㅃ	AAD3	AAD3	4473	AAD3	RB200080
803	ㅄ	AAD4	AAD4	4474	AAD4	RP200080
804	ㅅ	AAD5	AAD5	4475	AAD5	RH300080
805	ㅆ	AAD6	AAD6	4476	AAD6	RB300080
806	ㅈ	AAD7	AAD7	4477	AAD7	RP300080
807	ㅊ	AAD8	AAD8	4478	AAD8	RH400080
808	ㅋ	AAD9	AAD9	4479	AAD9	RB400080
809	ㆁ	AADA	AADA	447A	AADA	RP400080
810	ㆂ	AADB	AADB	447B	AADB	RH500080
811	ㆃ	AADC	AADC	447C	AADC	RB500080
812	ㆄ	AADD	AADD	447D	AADD	RP500080
813	ㅁ	AADE	AADE	447E	AADE	RM100080
814	ㅂ	AADF	AADF	447F	AADF	RM200080
815	ㅅ	AAE0	AAE0	4480	AAE0	RM300080
816	ㅇ	AAE1	AAE1	4481	AAE1	RM400080
817	ㅈ	AAE2	AAE2	4482	AAE2	RM500080
818	ㅊ	AAE3	AAE3	4483	AAE3	RY110080
819	ㅋ	AAE4	AAE4	4484	AAE4	RY100080
820	ㆁ	AAE5	AAE5	4485	AAE5	RY310080
821	ㆂ	AAE6	AAE6	4486	AAE6	RY300080
822	ㆃ	AAE7	AAE7	4487	AAE7	RY510080
823	ㆄ	AAE8	AAE8	4488	AAE8	RY500080
824	ㅁ	AAE9	AAE9	4489	AAE9	RR100080
825	ㅂ	AAEA	AAEA	448A	AAEA	RR200080
826	ㅅ	AAEB	AAEB	448B	AAEB	RR300080
827	ㅈ	AAEC	AAEC	448C	AAEC	RR400080
828	ㅊ	AAED	AAED	448D	AAED	RR500080
829	ㅋ	AAEE	AAEE	448E	AAEE	RW110080
830	ㆁ	AAEF	AAEF	448F	AAEF	RW100080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 32 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
831	ゐ	AAF0	AAF0	4490	AAF0	RW200080
832	ゑ	AAF1	AAF1	4491	AAF1	RW400080
833	を	AAF2	AAF2	4492	AAF2	RW500080
834	ん	AAF3	AAF3	4493	AAF3	RN000080
835	ア	ABA1	ABA1	4541	ABA1	JA010080
836	ア	ABA2	ABA2	4542	ABA2	JA000080
837	イ	ABA3	ABA3	4543	ABA3	JI010080
838	イ	ABA4	ABA4	4544	ABA4	JI000080
839	ウ	ABA5	ABA5	4545	ABA5	JU010080
840	ウ	ABA6	ABA6	4546	ABA6	JU000080
841	エ	ABA7	ABA7	4547	ABA7	JE010080
842	エ	ABA8	ABA8	4548	ABA8	JE000080
843	オ	ABA9	ABA9	4549	ABA9	JO010080
844	オ	ABAA	ABAA	454A	ABAA	JO000080
845	カ	ABAB	ABAB	454B	ABAB	JK100080
846	ガ	ABAC	ABAC	454C	ABAC	JG100080
847	キ	ABAD	ABAD	454D	ABAD	JK200080
848	ギ	ABAE	ABAE	454E	ABAE	JG200080
849	ク	ABAF	ABAF	454F	ABAF	JK300080
850	グ	ABB0	ABB0	4550	ABB0	JG300080
851	ケ	ABB1	ABB1	4551	ABB1	JK400080
852	ゲ	ABB2	ABB2	4552	ABB2	JG400080
853	コ	ABB3	ABB3	4553	ABB3	JK500080
854	ゴ	ABB4	ABB4	4554	ABB4	JG500080
855	サ	ABB5	ABB5	4555	ABB5	JS100080
856	ザ	ABB6	ABB6	4556	ABB6	JZ100080
857	シ	ABB7	ABB7	4557	ABB7	JS200080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 33 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
858	ジ	ABB8	ABB8	4558	ABB8	JZ200080
859	ス	ABB9	ABB9	4559	ABB9	JS300080
860	ズ	ABBA	ABBA	455A	ABBA	JZ300080
861	セ	ABBB	ABBB	455B	ABBB	JS400080
862	ぜ	ABBC	ABBC	455C	ABBC	JZ400080
863	ソ	ABBD	ABBD	455D	ABBD	JS500080
864	ゾ	ABBE	ABBE	455E	ABBE	JZ500080
865	タ	ABBF	ABBF	455F	ABBF	JT100080
866	ダ	ABC0	ABC0	4560	ABC0	JD100080
867	チ	ABC1	ABC1	4561	ABC1	JT200080
868	ヂ	ABC2	ABC2	4562	ABC2	JD200080
869	ッ	ABC3	ABC3	4563	ABC3	JT310080
870	ツ	ABC4	ABC4	4564	ABC4	JT300080
871	ヅ	ABC5	ABC5	4565	ABC5	JD300080
872	テ	ABC6	ABC6	4566	ABC6	JT400080
873	デ	ABC7	ABC7	4567	ABC7	JD400080
874	ト	ABC8	ABC8	4568	ABC8	JT500080
875	ド	ABC9	ABC9	4569	ABC9	JD500080
876	ナ	ABCA	ABCA	456A	ABCA	JN100080
877	ニ	ABCB	ABCB	456B	ABCB	JN200080
878	ヌ	ABCC	ABCC	456C	ABCC	JN300080
879	ネ	ABCD	ABCD	456D	ABCD	JN400080
880	ノ	ABCE	ABCE	456E	ABCE	JN500080
881	ハ	ABCF	ABCF	456F	ABCF	JH100080
882	バ	ABD0	ABD0	4570	ABD0	JB100080
883	パ	ABD1	ABD1	4571	ABD1	JP100080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 34 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
884	ヒ	ABD2	ABD2	4572	ABD2	JH200080
885	ビ	ABD3	ABD3	4573	ABD3	JB200080
886	ピ	ABD4	ABD4	4574	ABD4	JP200080
887	フ	ABD5	ABD5	4575	ABD5	JH300080
888	ブ	ABD6	ABD6	4576	ABD6	JB300080
889	プ	ABD7	ABD7	4577	ABD7	JP300080
890	へ	ABD8	ABD8	4578	ABD8	JH400080
891	べ	ABD9	ABD9	4579	ABD9	JB400080
892	ペ	ABDA	ABDA	457A	ABDA	JP400080
893	ホ	ABDB	ABDB	457B	ABDB	JH500080
894	ボ	ABDC	ABDC	457C	ABDC	JB500080
895	ポ	ABDD	ABDD	457D	ABDD	JP500080
896	マ	ABDE	ABDE	457E	ABDE	JM100080
897	ミ	ABDF	ABDF	457F	ABDF	JM200080
898	ム	ABE0	ABE0	4580	ABE0	JM300080
899	メ	ABE1	ABE1	4581	ABE1	JM400080
900	モ	ABE2	ABE2	4582	ABE2	JM500080
901	ャ	ABE3	ABE3	4583	ABE3	JY110080
902	ヤ	ABE4	ABE4	4584	ABE4	JY100080
903	ユ	ABE5	ABE5	4585	ABE5	JY310080
904	ユ	ABE6	ABE6	4586	ABE6	JY300080
905	ヨ	ABE7	ABE7	4587	ABE7	JY510080
906	ヨ	ABE8	ABE8	4588	ABE8	JY500080
907	ラ	ABE9	ABE9	4589	ABE9	JR100080
908	リ	ABEA	ABEA	458A	ABEA	JR200080
909	ル	ABEB	ABEB	458B	ABEB	JR300080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 35 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
910	ㄹ	ABEC	ABEC	458C	ABEC	JR400080
911	ㄱ	ABED	ABED	458D	ABED	JR500080
912	ㅋ	ABEE	ABEE	458E	ABEE	JW110080
913	ㆁ	ABEF	ABEF	458F	ABEF	JW100080
914	ㆁ	ABF0	ABF0	4590	ABF0	JW200080
915	ㆁ	ABF1	ABF1	4591	ABF1	JW400080
916	ㆁ	ABF2	ABF2	4592	ABF2	JW500080
917	ㄴ	ABF3	ABF3	4593	ABF3	JN000080
918	ㄷ	ABF4	ABF4	4594	ABF4	JV000080
919	ㄸ	ABF5	ABF5	4595	ABF5	JK110080
920	ㄹ	ABF6	ABF6	4596	ABF6	JK410080
921	А	ACA1	ACA1	4A41	ACA1	KA020080
922	Б	ACA2	ACA2	4A42	ACA2	KB020080
923	В	ACA3	ACA3	4A43	ACA3	KV020080
924	Г	ACA4	ACA4	4A44	ACA4	KG020080
925	Д	ACA5	ACA5	4A45	ACA5	KD020080
926	Е	ACA6	ACA6	4A46	ACA6	KE020080
927	Ё	ACA7	ACA7	4A47	ACA7	KE180080
928	Ж	ACA8	ACA8	4A48	ACA8	KZ220080
929	З	ACA9	ACA9	4A49	ACA9	KZ020080
930	И	ACAA	ACAA	4A4A	ACAA	KI020080
931	Й	ACAB	ACAB	4A4B	ACAB	KJ120080
932	К	ACAC	ACAC	4A4C	ACAC	KK020080
933	Л	ACAD	ACAD	4A4D	ACAD	KL020080
934	М	ACAE	ACAE	4A4E	ACAE	KM020080
935	Н	ACAF	ACAF	4A4F	ACAF	KN020080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 36 of 37). Non-Hangeul/Hanja Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
936	О	ACB0	ACB0	4A50	ACB0	KO020080
937	П	ACB1	ACB1	4A51	ACB1	KP020080
938	Р	ACB2	ACB2	4A52	ACB2	KR020080
939	С	ACB3	ACB3	4A53	ACB3	KS020080
940	Т	ACB4	ACB4	4A54	ACB4	KT020080
941	У	ACB5	ACB5	4A55	ACB5	KU020080
942	Ф	ACB6	ACB6	4A56	ACB6	KF020080
943	Х	ACB7	ACB7	4A57	ACB7	KH020080
944	Ц	ACB8	ACB8	4A58	ACB8	KC020080
945	Ч	ACB9	ACB9	4A59	ACB9	KC220080
946	Ш	ACBA	ACBA	4A5A	ACBA	KS220080
947	Щ	ACBB	ACBB	4A5B	ACBB	KS160080
948	Ъ	ACBC	ACBC	4A5C	ACBC	KU220080
949	Ы	ACBD	ACBD	4A5D	ACBD	KY020080
950	Ь	ACBE	ACBE	4A5E	ACBE	KX120080
951	Э	ACBF	ACBF	4A5F	ACBF	KE140080
952	Ю	ACC0	ACC0	4A60	ACC0	KU160080
953	Я	ACC1	ACC1	4A61	ACC1	KA160080
954	а	ACD1	ACD1	4A62	ACD1	KA010080
955	б	ACD2	ACD2	4A63	ACD2	KB010080
956	в	ACD3	ACD3	4A64	ACD3	KV010080
957	г	ACD4	ACD4	4A65	ACD4	KG010080
958	д	ACD5	ACD5	4A66	ACD5	KD010080
959	е	ACD6	ACD6	4A67	ACD6	KE010080
960	ё	ACD7	ACD7	4A68	ACD7	KE170080
961	ж	ACD8	ACD8	4A69	ACD8	KZ210080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 37 of 37). Non-Hangeul/Hanja Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
962	Э	ACD9	ACD9	4A6A	ACD9	KZ010080
963	И	ACDA	ACDA	4A6B	ACDA	KI010080
964	Й	ACDB	ACDB	4A6C	ACDB	KJ110080
965	К	ACDC	ACDC	4A6D	ACDC	KK010080
966	Л	ACDD	ACDD	4A6E	ACDD	KL010080
967	М	ACDE	ACDE	4A6F	ACDE	KM010080
968	Н	ACDF	ACDF	4A70	ACDF	KN010080
969	О	ACE0	ACE0	4A71	ACE0	KO010080
970	П	ACE1	ACE1	4A72	ACE1	KP010080
971	Р	ACE2	ACE2	4A73	ACE2	KR010080
972	С	ACE3	ACE3	4A74	ACE3	KS010080
973	Т	ACE4	ACE4	4A75	ACE4	KT010080
974	У	ACE5	ACE5	4A76	ACE5	KU010080
975	Ф	ACE6	ACE6	4A77	ACE6	KF010080
976	Х	ACE7	ACE7	4A78	ACE7	KH010080
977	Ц	ACE8	ACE8	4A79	ACE8	KC010080
978	Ч	ACE9	ACE9	4A7A	ACE9	KC210080
979	Ш	ACEA	ACEA	4A7B	ACEA	KS210080
980	Щ	ACEB	ACEB	4A7C	ACEB	KS150080
981	Ъ	ACEC	ACEC	4A7D	ACEC	KU210080
982	Ы	ACED	ACED	4A7E	ACED	KY010080
983	Ь	ACEE	ACEE	4A7F	ACEE	KX110080
984	Э	ACEF	ACEF	4A80	ACEF	KE130080
985	Ю	ACF0	ACF0	4A81	ACF0	KU150080
986	Я	ACF1	ACF1	4A82	ACF1	KA150080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.2 Hangeul Character Set

Table 6 (Page 1 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1	가	B0A1	B0A1	8861	B0A1	FAOX0080
2	각	B0A2	B0A2	8862	B0A2	FAOY0080
3	간	B0A3	B0A3	8865	B0A3	FAP10080
4	간	B0A4	B0A4	8868	B0A4	FAP40080
5	갈	B0A5	B0A5	8869	B0A5	FAP50080
6	값	B0A6	B0A6	886A	B0A6	FAP60080
7	값	B0A7	B0A7	886B	B0A7	FAP70080
8	감	B0A8	B0A8	8871	B0A8	FAPD0080
9	갑	B0A9	B0A9	8873	B0A9	FAPF0080
10	값	B0AA	B0AA	8874	B0AA	FAPG0080
11	갓	B0AB	B0AB	8875	B0AB	FAPH0080
12	갓	B0AC	B0AC	8876	B0AC	FAPI0080
13	강	B0AD	B0AD	8877	B0AD	FAPJ0080
14	갯	B0AE	B0AE	8878	B0AE	FAPK0080
15	갯	B0AF	B0AF	8879	B0AF	FAPL0080
16	갈	B0B0	B0B0	887B	B0B0	FAPN0080
17	값	B0B1	B0B1	887C	B0B1	FAPO0080
18	강	B0B2	B0B2	887D	B0B2	FAPP0080
19	개	B0B3	B0B3	8881	B0B3	FAPT0080
20	객	B0B4	B0B4	8882	B0B4	FAPU0080
21	견	B0B5	B0B5	8885	B0B5	FAPX0080
22	겉	B0B6	B0B6	8889	B0B6	FAQ10080
23	겹	B0B7	B0B7	8891	B0B7	FAQ90080
24	겹	B0B8	B0B8	8893	B0B8	FAQB0080
25	갯	B0B9	B0B9	8895	B0B9	FAQD0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 2 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
26	졌	B0BA	B0BA	8896	B0BA	FAQE0080
27	갱	B0BB	B0BB	8897	B0BB	FAQF0080
28	가	B0BC	B0BC	88A1	B0BC	FAQP0080
29	작	B0BD	B0BD	88A2	B0BD	FAQQ0080
30	간	B0BE	B0BE	88A5	B0BE	FAQT0080
31	갈	B0BF	B0BF	88A9	B0BF	FAQX0080
32	갓	B0C0	B0C0	88B5	B0C0	FAR90080
33	강	B0C1	B0C1	88B7	B0C1	FARB0080
34	개	B0C2	B0C2	88C1	B0C2	FARL0080
35	겐	B0C3	B0C3	88C5	B0C3	FARP0080
36	겔	B0C4	B0C4	88C9	B0C4	FART0080
37	거	B0C5	B0C5	88E1	B0C5	FASH0080
38	격	B0C6	B0C6	88E2	B0C6	FASI0080
39	건	B0C7	B0C7	88E5	B0C7	FASL0080
40	견	B0C8	B0C8	88E8	B0C8	FASO0080
41	결	B0C9	B0C9	88E9	B0C9	FASP0080
42	겉	B0CA	B0CA	88EB	B0CA	FASR0080
43	검	B0CB	B0CB	88F1	B0CB	FASX0080
44	겹	B0CC	B0CC	88F3	B0CC	FASZ0080
45	것	B0CD	B0CD	88F5	B0CD	FAT10080
46	졌	B0CE	B0CE	88F6	B0CE	FAT20080
47	경	B0CF	B0CF	88F7	B0CF	FAT30080
48	긋	B0D0	B0D0	88F8	B0D0	FAT40080
49	겉	B0D1	B0D1	88FB	B0D1	FAT70080
50	겹	B0D2	B0D2	88FC	B0D2	FAT80080
51	꺠	B0D3	B0D3	88FD	B0D3	FAT90080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 3 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
52	계	B0D4	B0D4	8941	B0D4	FATD0080
53	견	B0D5	B0D5	8945	B0D5	FATH0080
54	겉	B0D6	B0D6	8949	B0D6	FATL0080
55	겹	B0D7	B0D7	8951	B0D7	FATT0080
56	겻	B0D8	B0D8	8953	B0D8	FATV0080
57	갇	B0D9	B0D9	8955	B0D9	FATX0080
58	갸	B0DA	B0DA	8956	B0DA	FATY0080
59	갹	B0DB	B0DB	8957	B0DB	FATZ0080
60	겨	B0DC	B0DC	8961	B0DC	FAU90080
61	격	B0DD	B0DD	8962	B0DD	FAUA0080
62	귀	B0DE	B0DE	8963	B0DE	FAUB0080
63	견	B0DF	B0DF	8965	B0DF	FAUD0080
64	결	B0E0	B0E0	8968	B0E0	FAUG0080
65	결	B0E1	B0E1	8969	B0E1	FAUH0080
66	겹	B0E2	B0E2	8971	B0E2	FAUP0080
67	겻	B0E3	B0E3	8973	B0E3	FAUR0080
68	갇	B0E4	B0E4	8975	B0E4	FAUT0080
69	갸	B0E5	B0E5	8976	B0E5	FAUU0080
70	경	B0E6	B0E6	8977	B0E6	FAUV0080
71	결	B0E7	B0E7	897B	B0E7	FAUZ0080
72	계	B0E8	B0E8	8981	B0E8	FAV50080
73	견	B0E9	B0E9	8985	B0E9	FAV90080
74	겉	B0EA	B0EA	8989	B0EA	FAVD0080
75	겹	B0EB	B0EB	8993	B0EB	FAVN0080
76	갇	B0EC	B0EC	8995	B0EC	FAVP0080
77	고	B0ED	B0ED	89A1	B0ED	FAW10080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 4 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
78	곡	B0EE	B0EE	89A2	B0EE	FAW20080
79	곤	B0EF	B0EF	89A5	B0EF	FAW50080
80	곧	B0F0	B0F0	89A8	B0F0	FAW80080
81	골	B0F1	B0F1	89A9	B0F1	FAW90080
82	굼	B0F2	B0F2	89AB	B0F2	FAWB0080
83	굼	B0F3	B0F3	89AD	B0F3	FAWD0080
84	굼	B0F4	B0F4	89B0	B0F4	FAWG0080
85	곰	B0F5	B0F5	89B1	B0F5	FAWH0080
86	곰	B0F6	B0F6	89B3	B0F6	FAWJ0080
87	곳	B0F7	B0F7	89B5	B0F7	FAWL0080
88	공	B0F8	B0F8	89B7	B0F8	FAWN0080
89	곳	B0F9	B0F9	89B8	B0F9	FAWO0080
90	과	B0FA	B0FA	89C1	B0FA	FAWX0080
91	곽	B0FB	B0FB	89C2	B0FB	FAWY0080
92	관	B0FC	B0FC	89C5	B0FC	FAX10080
93	괄	B0FD	B0FD	89C9	B0FD	FAX50080
94	값	B0FE	B0FE	89CB	B0FE	FAX70080
95	팜	B1A1	B1A1	89D1	B1A1	FAXD0080
96	팜	B1A2	B1A2	89D3	B1A2	FAXF0080
97	팓	B1A3	B1A3	89D5	B1A3	FAXH0080
98	광	B1A4	B1A4	89D7	B1A4	FAXJ0080
99	괘	B1A5	B1A5	89E1	B1A5	FAXT0080
100	괘	B1A6	B1A6	89E5	B1A6	FAXX0080
101	필	B1A7	B1A7	89E9	B1A7	FAY10080
102	팍	B1A8	B1A8	89F3	B1A8	FAYB0080
103	팍	B1A9	B1A9	89F6	B1A9	FAYE0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 5 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
104	평	B1AA	B1AA	89F7	B1AA	FAYF0080
105	괴	B1AB	B1AB	8A41	B1AB	FAYP0080
106	픽	B1AC	B1AC	8A42	B1AC	FAYQ0080
107	핀	B1AD	B1AD	8A45	B1AD	FAYT0080
108	필	B1AE	B1AE	8A49	B1AE	FAYX0080
109	핍	B1AF	B1AF	8A51	B1AF	FAZ50080
110	핍	B1B0	B1B0	8A53	B1B0	FAZ70080
111	핏	B1B1	B1B1	8A55	B1B1	FAZ90080
112	핑	B1B2	B1B2	8A57	B1B2	FAZB0080
113	교	B1B3	B1B3	8A61	B1B3	FAZL0080
114	곤	B1B4	B1B4	8A65	B1B4	FAZP0080
115	골	B1B5	B1B5	8A69	B1B5	FAZT0080
116	굽	B1B6	B1B6	8A73	B1B6	FB030080
117	긋	B1B7	B1B7	8A75	B1B7	FB050080
118	구	B1B8	B1B8	8A81	B1B8	FB0H0080
119	국	B1B9	B1B9	8A82	B1B9	FB0I0080
120	군	B1BA	B1BA	8A85	B1BA	FB0L0080
121	굳	B1BB	B1BB	8A88	B1BB	FB0O0080
122	굴	B1BC	B1BC	8A89	B1BC	FB0P0080
123	굽	B1BD	B1BD	8A8A	B1BD	FB0Q0080
124	굼	B1BE	B1BE	8A8B	B1BE	FB0R0080
125	굼	B1BF	B1BF	8A90	B1BF	FB0W0080
126	굼	B1C0	B1C0	8A91	B1C0	FB0X0080
127	굽	B1C1	B1C1	8A93	B1C1	FB0Z0080
128	긋	B1C2	B1C2	8A95	B1C2	FB110080
129	궁	B1C3	B1C3	8A97	B1C3	FB130080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 6 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
130	꺃	B1C4	B1C4	8A98	B1C4	FB140080
131	꺄	B1C5	B1C5	8AA1	B1C5	FB1D0080
132	꺅	B1C6	B1C6	8AA2	B1C6	FB1E0080
133	꺆	B1C7	B1C7	8AA5	B1C7	FB1H0080
134	꺇	B1C8	B1C8	8AA9	B1C8	FB1L0080
135	꺈	B1C9	B1C9	8AB6	B1C9	FB1Y0080
136	꺉	B1CA	B1CA	8AB7	B1CA	FB1Z0080
137	꺊	B1CB	B1CB	8AC1	B1CB	FB290080
138	꺋	B1CC	B1CC	8AD5	B1CC	FB2T0080
139	꺌	B1CD	B1CD	8AE1	B1CD	FB350080
140	꺍	B1CE	B1CE	8AE2	B1CE	FB360080
141	꺎	B1CF	B1CF	8AE5	B1CF	FB390080
142	꺏	B1D0	B1D0	8AE9	B1D0	FB3D0080
143	꺑	B1D1	B1D1	8AF1	B1D1	FB3L0080
144	꺒	B1D2	B1D2	8AF3	B1D2	FB3N0080
145	꺓	B1D3	B1D3	8AF5	B1D3	FB3P0080
146	꺔	B1D4	B1D4	8B41	B1D4	FB410080
147	꺕	B1D5	B1D5	8B45	B1D5	FB450080
148	꺖	B1D6	B1D6	8B49	B1D6	FB490080
149	꺗	B1D7	B1D7	8B61	B1D7	FB4X0080
150	꺘	B1D8	B1D8	8B62	B1D8	FB4Y0080
151	꺙	B1D9	B1D9	8B65	B1D9	FB510080
152	꺚	B1DA	B1DA	8B68	B1DA	FB540080
153	꺛	B1DB	B1DB	8B69	B1DB	FB550080
154	꺜	B1DC	B1DC	8B6A	B1DC	FB560080
155	꺝	B1DD	B1DD	8B71	B1DD	FB5D0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 7 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
156	굽	B1DE	B1DE	8B73	B1DE	FB5F0080
157	굿	B1DF	B1DF	8B75	B1DF	FB5H0080
158	궁	B1E0	B1E0	8B77	B1E0	FB5J0080
159	긔	B1E1	B1E1	8B81	B1E1	FB5T0080
160	기	B1E2	B1E2	8BA1	B1E2	FB6P0080
161	긔	B1E3	B1E3	8BA2	B1E3	FB6Q0080
162	긴	B1E4	B1E4	8BA5	B1E4	FB6T0080
163	길	B1E5	B1E5	8BA8	B1E5	FB6W0080
164	길	B1E6	B1E6	8BA9	B1E6	FB6X0080
165	깊	B1E7	B1E7	8BAB	B1E7	FB6Z0080
166	김	B1E8	B1E8	8BB1	B1E8	FB750080
167	깁	B1E9	B1E9	8BB3	B1E9	FB770080
168	깃	B1EA	B1EA	8BB5	B1EA	FB790080
169	깁	B1EB	B1EB	8BB7	B1EB	FB7B0080
170	깃	B1EC	B1EC	8BB8	B1EC	FB7C0080
171	깊	B1ED	B1ED	8BBC	B1ED	FB7G0080
172	까	B1EE	B1EE	8C61	B1EE	FBA90080
173	깁	B1EF	B1EF	8C62	B1EF	FBAA0080
174	깁	B1F0	B1F0	8C63	B1F0	FBAB0080
175	칸	B1F1	B1F1	8C65	B1F1	FBAD0080
176	갈	B1F2	B1F2	8C69	B1F2	FBAH0080
177	깁	B1F3	B1F3	8C6B	B1F3	FBAJ0080
178	감	B1F4	B1F4	8C71	B1F4	FBAP0080
179	깁	B1F5	B1F5	8C73	B1F5	FBAR0080
180	깁	B1F6	B1F6	8C75	B1F6	FBAT0080
181	깁	B1F7	B1F7	8C76	B1F7	FBAU0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 8 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
182	강	B1F8	B1F8	8C77	B1F8	FBAV0080
183	갈	B1F9	B1F9	8C7B	B1F9	FBAZ0080
184	깨	B1FA	B1FA	8C81	B1FA	FBB50080
185	깍	B1FB	B1FB	8C82	B1FB	FBB60080
186	깎	B1FC	B1FC	8C85	B1FC	FBB90080
187	깟	B1FD	B1FD	8C89	B1FD	FBBD0080
188	깠	B1FE	B1FE	8C91	B1FE	FBBL0080
189	깡	B2A1	B2A1	8C93	B2A1	FBBN0080
190	깢	B2A2	B2A2	8C95	B2A2	FBBP0080
191	깣	B2A3	B2A3	8C96	B2A3	FBBQ0080
192	깤	B2A4	B2A4	8C97	B2A4	FBBR0080
193	깥	B2A5	B2A5	8CA1	B2A5	FBC10080
194	깦	B2A6	B2A6	8CA2	B2A6	FBC20080
195	깧	B2A7	B2A7	8CA9	B2A7	FBC90080
196	깨	B2A8	B2A8	8CE1	B2A8	FBDT0080
197	깩	B2A9	B2A9	8CE2	B2A9	FBDU0080
198	깪	B2AA	B2AA	8CE3	B2AA	FBDV0080
199	깫	B2AB	B2AB	8CE5	B2AB	FBDX0080
200	깬	B2AC	B2AC	8CE9	B2AC	FBE10080
201	깭	B2AD	B2AD	8CF1	B2AD	FBE90080
202	깮	B2AE	B2AE	8CF3	B2AE	FBEB0080
203	깯	B2AF	B2AF	8CF5	B2AF	FBED0080
204	깰	B2B0	B2B0	8CF6	B2B0	FBEE0080
205	깱	B2B1	B2B1	8CF7	B2B1	FBEF0080
206	깲	B2B2	B2B2	8D41	B2B2	FBEP0080
207	깳	B2B3	B2B3	8D42	B2B3	FBEQ0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 9 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
208	견	B2B4	B2B4	8D45	B2B4	FBET0080
209	끔	B2B5	B2B5	8D51	B2B5	FBF50080
210	끗	B2B6	B2B6	8D55	B2B6	FBF90080
211	깁	B2B7	B2B7	8D57	B2B7	FBFB0080
212	껴	B2B8	B2B8	8D61	B2B8	FBFL0080
213	견	B2B9	B2B9	8D65	B2B9	FBFP0080
214	결	B2BA	B2BA	8D69	B2BA	FBFT0080
215	껏	B2BB	B2BB	8D75	B2BB	FBG50080
216	곶	B2BC	B2BC	8D76	B2BC	FBG60080
217	결	B2BD	B2BD	8D7B	B2BD	FBGB0080
218	계	B2BE	B2BE	8D81	B2BE	FBGH0080
219	꼬	B2BF	B2BF	8DA1	B2BF	FBHD0080
220	꼭	B2C0	B2C0	8DA2	B2C0	FBHE0080
221	꾼	B2C1	B2C1	8DA5	B2C1	FBHH0080
222	품	B2C2	B2C2	8DA7	B2C2	FBHJ0080
223	פל	B2C3	B2C3	8DA9	B2C3	FBHL0080
224	폼	B2C4	B2C4	8DB1	B2C4	FBHT0080
225	픍	B2C5	B2C5	8DB3	B2C5	FBHV0080
226	꽃	B2C6	B2C6	8DB5	B2C6	FBHX0080
227	퐁	B2C7	B2C7	8DB7	B2C7	FBHZ0080
228	꽃	B2C8	B2C8	8DB8	B2C8	FBI00080
229	꽃	B2C9	B2C9	8DB9	B2C9	FBI10080
230	파	B2CA	B2CA	8DC1	B2CA	FBI90080
231	팍	B2CB	B2CB	8DC2	B2CB	FBIA0080
232	팔	B2CC	B2CC	8DC9	B2CC	FBIH0080
233	팠	B2CD	B2CD	8DD6	B2CD	FBIU0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 10 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
234	꽝	B2CE	B2CE	8DD7	B2CE	FBIV0080
235	꽤	B2CF	B2CF	8DE1	B2CF	FBJ50080
236	꽤	B2D0	B2D0	8DE2	B2D0	FBJ60080
237	꽤	B2D1	B2D1	8DF7	B2D1	FBJR0080
238	꽤	B2D2	B2D2	8E41	B2D2	FBK10080
239	꽤	B2D3	B2D3	8E45	B2D3	FBK50080
240	꽤	B2D4	B2D4	8E49	B2D4	FBK90080
241	꽤	B2D5	B2D5	8E51	B2D5	FBKH0080
242	꽤	B2D6	B2D6	8E53	B2D6	FBKJ0080
243	꽤	B2D7	B2D7	8E57	B2D7	FBKN0080
244	꽤	B2D8	B2D8	8E61	B2D8	FBKX0080
245	꾸	B2D9	B2D9	8E81	B2D9	FBLT0080
246	꾸	B2DA	B2DA	8E82	B2DA	FBLU0080
247	꾸	B2DB	B2DB	8E85	B2DB	FBLX0080
248	꾸	B2DC	B2DC	8E89	B2DC	FBM10080
249	꾸	B2DD	B2DD	8E90	B2DD	FBM80080
250	꾸	B2DE	B2DE	8E91	B2DE	FBM90080
251	꾸	B2DF	B2DF	8E93	B2DF	FBMB0080
252	꿏	B2E0	B2E0	8E95	B2E0	FBMD0080
253	꿏	B2E1	B2E1	8E97	B2E1	FBMF0080
254	꿏	B2E2	B2E2	8E98	B2E2	FBMG0080
255	꿏	B2E3	B2E3	8EA1	B2E3	FBMP0080
256	꿏	B2E4	B2E4	8EA9	B2E4	FBMX0080
257	꿏	B2E5	B2E5	8EB6	B2E5	FBNA0080
258	꿏	B2E6	B2E6	8EB7	B2E6	FBNB0080
259	꿏	B2E7	B2E7	8EC1	B2E7	FBNL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 11 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
260	꺾	B2E8	B2E8	8EC2	B2E8	FBNM0080
261	꺾	B2E9	B2E9	8EC5	B2E9	FBNP0080
262	꺾	B2EA	B2EA	8EC9	B2EA	FBNT0080
263	꺾	B2EB	B2EB	8ED1	B2EB	FBO10080
264	꺾	B2EC	B2EC	8ED3	B2EC	FBO30080
265	꺾	B2ED	B2ED	8ED6	B2ED	FBO60080
266	꺾	B2EE	B2EE	8EE1	B2EE	FBOH0080
267	꺾	B2EF	B2EF	8EE5	B2EF	FBOL0080
268	꺾	B2F0	B2F0	8EE9	B2F0	FBOP0080
269	꺾	B2F1	B2F1	8EF1	B2F1	FBOX0080
270	꺾	B2F2	B2F2	8EF3	B2F2	FBOZ0080
271	꺾	B2F3	B2F3	8F41	B2F3	FBPD0080
272	꺾	B2F4	B2F4	8F61	B2F4	FBQ90080
273	꺾	B2F5	B2F5	8F62	B2F5	FBQA0080
274	꺾	B2F6	B2F6	8F65	B2F6	FBQD0080
275	꺾	B2F7	B2F7	8F67	B2F7	FBQF0080
276	꺾	B2F8	B2F8	8F69	B2F8	FBQH0080
277	꺾	B2F9	B2F9	8F6B	B2F9	FBQJ0080
278	꺾	B2FA	B2FA	8F70	B2FA	FBQO0080
279	꺾	B2FB	B2FB	8F71	B2FB	FBQP0080
280	꺾	B2FC	B2FC	8F73	B2FC	FBQR0080
281	꺾	B2FD	B2FD	8F75	B2FD	FBQT0080
282	꺾	B2FE	B2FE	8F77	B2FE	FBQV0080
283	꺾	B3A1	B3A1	8F7B	B3A1	FBQZ0080
284	꺾	B3A2	B3A2	8FA1	B3A2	FBS10080
285	꺾	B3A3	B3A3	8FA2	B3A3	FBS20080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 12 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
286	긴	B3A4	B3A4	8FA5	B3A4	FBS50080
287	길	B3A5	B3A5	8FA9	B3A5	FBS90080
288	김	B3A6	B3A6	8FB1	B3A6	FBSH0080
289	깍	B3A7	B3A7	8FB3	B3A7	FBSJ0080
290	끼	B3A8	B3A8	8FB5	B3A8	FBSL0080
291	깁	B3A9	B3A9	8FB7	B3A9	FBSN0080
292	나	B3AA	B3AA	9061	B3AA	FBVL0080
293	낙	B3AB	B3AB	9062	B3AB	FBVM0080
294	낙	B3AC	B3AC	9063	B3AC	FBVN0080
295	난	B3AD	B3AD	9065	B3AD	FBVP0080
296	날	B3AE	B3AE	9068	B3AE	FBVS0080
297	날	B3AF	B3AF	9069	B3AF	FBVT0080
298	낙	B3B0	B3B0	906A	B3B0	FBVU0080
299	낱	B3B1	B3B1	906B	B3B1	FBVV0080
300	남	B3B2	B3B2	9071	B3B2	FBW10080
301	남	B3B3	B3B3	9073	B3B3	FBW30080
302	낫	B3B4	B3B4	9075	B3B4	FBW50080
303	낫	B3B5	B3B5	9076	B3B5	FBW60080
304	낭	B3B6	B3B6	9077	B3B6	FBW70080
305	낫	B3B7	B3B7	9078	B3B7	FBW80080
306	낫	B3B8	B3B8	9079	B3B8	FBW90080
307	날	B3B9	B3B9	907B	B3B9	FBWB0080
308	낭	B3BA	B3BA	907D	B3BA	FBWD0080
309	내	B3BB	B3BB	9081	B3BB	FBWH0080
310	넥	B3BC	B3BC	9082	B3BC	FBWI0080
311	넢	B3BD	B3BD	9085	B3BD	FBWL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 13 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
312	넌	B3BE	B3BE	9089	B3BE	FBWP0080
313	냄	B3BF	B3BF	9091	B3BF	FBWX0080
314	넙	B3C0	B3C0	9093	B3C0	FBWZ0080
315	넷	B3C1	B3C1	9095	B3C1	FBX10080
316	넙	B3C2	B3C2	9096	B3C2	FBX20080
317	넙	B3C3	B3C3	9097	B3C3	FBX30080
318	냐	B3C4	B3C4	90A1	B3C4	FBXD0080
319	냑	B3C5	B3C5	90A2	B3C5	FBXE0080
320	난	B3C6	B3C6	90A5	B3C6	FBXH0080
321	날	B3C7	B3C7	90A9	B3C7	FBXL0080
322	남	B3C8	B3C8	90B1	B3C8	FBXT0080
323	냥	B3C9	B3C9	90B7	B3C9	FBXZ0080
324	너	B3CA	B3CA	90E1	B3CA	FBZ50080
325	넉	B3CB	B3CB	90E2	B3CB	FBZ60080
326	넙	B3CC	B3CC	90E4	B3CC	FBZ80080
327	넙	B3CD	B3CD	90E5	B3CD	FBZ90080
328	넌	B3CE	B3CE	90E9	B3CE	FBZD0080
329	넙	B3CF	B3CF	90EB	B3CF	FBZF0080
330	넙	B3D0	B3D0	90EC	B3D0	FBZG0080
331	넙	B3D1	B3D1	90F1	B3D1	FBZL0080
332	넙	B3D2	B3D2	90F3	B3D2	FBZN0080
333	넙	B3D3	B3D3	90F5	B3D3	FBZP0080
334	넙	B3D4	B3D4	90F6	B3D4	FBZQ0080
335	넙	B3D5	B3D5	90F7	B3D5	FBZR0080
336	넙	B3D6	B3D6	90FD	B3D6	FBZX0080
337	네	B3D7	B3D7	9141	B3D7	FC010080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 14 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
338	넥	B3D8	B3D8	9142	B3D8	FC020080
339	넨	B3D9	B3D9	9145	B3D9	FC050080
340	넬	B3DA	B3DA	9149	B3DA	FC090080
341	넙	B3DB	B3DB	9151	B3DB	FC0H0080
342	넛	B3DC	B3DC	9153	B3DC	FC0J0080
343	넣	B3DD	B3DD	9155	B3DD	FC0L0080
344	넥	B3DE	B3DE	9156	B3DE	FC0M0080
345	넙	B3DF	B3DF	9157	B3DF	FC0N0080
346	녀	B3E0	B3E0	9161	B3E0	FC0X0080
347	넣	B3E1	B3E1	9162	B3E1	FC0Y0080
348	넨	B3E2	B3E2	9165	B3E2	FC110080
349	넬	B3E3	B3E3	9169	B3E3	FC150080
350	넙	B3E4	B3E4	9171	B3E4	FC1D0080
351	넛	B3E5	B3E5	9173	B3E5	FC1F0080
352	넣	B3E6	B3E6	9176	B3E6	FC1I0080
353	넙	B3E7	B3E7	9177	B3E7	FC1J0080
354	넬	B3E8	B3E8	917A	B3E8	FC1M0080
355	네	B3E9	B3E9	9181	B3E9	FC1T0080
356	넨	B3EA	B3EA	9185	B3EA	FC1X0080
357	노	B3EB	B3EB	91A1	B3EB	FC2P0080
358	누	B3EC	B3EC	91A2	B3EC	FC2Q0080
359	논	B3ED	B3ED	91A5	B3ED	FC2T0080
360	늘	B3EE	B3EE	91A9	B3EE	FC2X0080
361	넙	B3EF	B3EF	91AB	B3EF	FC2Z0080
362	눔	B3F0	B3F0	91B1	B3F0	FC350080
363	넙	B3F1	B3F1	91B3	B3F1	FC370080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 15 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
364	낫	B3F2	B3F2	91B5	B3F2	FC390080
365	농	B3F3	B3F3	91B7	B3F3	FC3B0080
366	눔	B3F4	B3F4	91BC	B3F4	FC3G0080
367	눉	B3F5	B3F5	91BD	B3F5	FC3H0080
368	놋	B3F6	B3F6	91C1	B3F6	FC3L0080
369	놉	B3F7	B3F7	91C5	B3F7	FC3P0080
370	날	B3F8	B3F8	91C9	B3F8	FC3T0080
371	낫	B3F9	B3F9	91D6	B3F9	FC460080
372	뇌	B3FA	B3FA	9241	B3FA	FC5D0080
373	뇌	B3FB	B3FB	9245	B3FB	FC5H0080
374	닐	B3FC	B3FC	9249	B3FC	FC5L0080
375	넉	B3FD	B3FD	9251	B3FD	FC5T0080
376	넉	B3FE	B3FE	9253	B3FE	FC5V0080
377	놋	B4A1	B4A1	9255	B4A1	FC5X0080
378	노	B4A2	B4A2	9261	B4A2	FC690080
379	눉	B4A3	B4A3	9262	B4A3	FC6A0080
380	논	B4A4	B4A4	9265	B4A4	FC6D0080
381	놀	B4A5	B4A5	9269	B4A5	FC6H0080
382	눔	B4A6	B4A6	9273	B4A6	FC6R0080
383	낫	B4A7	B4A7	9275	B4A7	FC6T0080
384	농	B4A8	B4A8	9277	B4A8	FC6V0080
385	누	B4A9	B4A9	9281	B4A9	FC750080
386	눉	B4AA	B4AA	9282	B4AA	FC760080
387	눈	B4AB	B4AB	9285	B4AB	FC790080
388	늘	B4AC	B4AC	9288	B4AC	FC7C0080
389	늘	B4AD	B4AD	9289	B4AD	FC7D0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 6 (Page 16 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
390	눔	B4AE	B4AE	9291	B4AE	FC7L0080
391	눇	B4AF	B4AF	9293	B4AF	FC7N0080
392	눉	B4B0	B4B0	9295	B4B0	FC7P0080
393	눔	B4B1	B4B1	9297	B4B1	FC7R0080
394	눏	B4B2	B4B2	92A1	B4B2	FC810080
395	눑	B4B3	B4B3	92B6	B4B3	FC8M0080
396	눓	B4B4	B4B4	92C1	B4B4	FC8X0080
397	눕	B4B5	B4B5	92E1	B4B5	FC9T0080
398	눗	B4B6	B4B6	92E5	B4B6	FC9X0080
399	눙	B4B7	B4B7	92E9	B4B7	FCA10080
400	눛	B4B8	B4B8	92F1	B4B8	FCA90080
401	눝	B4B9	B4B9	92F3	B4B9	FCAB0080
402	뉴	B4BA	B4BA	9341	B4BA	FCAP0080
403	눡	B4BB	B4BB	9342	B4BB	FCAQ0080
404	늘	B4BC	B4BC	9349	B4BC	FCAX0080
405	눔	B4BD	B4BD	9351	B4BD	FCB50080
406	눇	B4BE	B4BE	9353	B4BE	FCB70080
407	눔	B4BF	B4BF	9357	B4BF	FCBB0080
408	느	B4C0	B4C0	9361	B4C0	FCBL0080
409	누	B4C1	B4C1	9362	B4C1	FCBM0080
410	느	B4C2	B4C2	9365	B4C2	FCBP0080
411	늘	B4C3	B4C3	9369	B4C3	FCBT0080
412	눉	B4C4	B4C4	936A	B4C4	FCBU0080
413	눔	B4C5	B4C5	936B	B4C5	FCBV0080
414	눔	B4C6	B4C6	9371	B4C6	FCC10080
415	눓	B4C7	B4C7	9373	B4C7	FCC30080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 17 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
416	낫	B4C8	B4C8	9375	B4C8	FCC50080
417	앙	B4C9	B4C9	9377	B4C9	FCC70080
418	삿	B4CA	B4CA	9378	B4CA	FCC80080
419	뽁	B4CB	B4CB	937C	B4CB	FCCC0080
420	늑	B4CC	B4CC	9381	B4CC	FCCH0080
421	린	B4CD	B4CD	9385	B4CD	FCCL0080
422	넙	B4CE	B4CE	9389	B4CE	FCCP0080
423	니	B4CF	B4CF	93A1	B4CF	FCDD0080
424	닉	B4D0	B4D0	93A2	B4D0	FCDE0080
425	딘	B4D1	B4D1	93A5	B4D1	FCDH0080
426	닐	B4D2	B4D2	93A9	B4D2	FCDL0080
427	넙	B4D3	B4D3	93AB	B4D3	FCDN0080
428	딤	B4D4	B4D4	93B1	B4D4	FCDT0080
429	넙	B4D5	B4D5	93B3	B4D5	FCDV0080
430	닛	B4D6	B4D6	93B5	B4D6	FCDX0080
431	닝	B4D7	B4D7	93B7	B4D7	FCDZ0080
432	넙	B4D8	B4D8	93BC	B4D8	FCE40080
433	다	B4D9	B4D9	9461	B4D9	FCGX0080
434	닥	B4DA	B4DA	9462	B4DA	FCGY0080
435	닥	B4DB	B4DB	9463	B4DB	FCGZ0080
436	단	B4DC	B4DC	9465	B4DC	FCH10080
437	달	B4DD	B4DD	9468	B4DD	FCH40080
438	달	B4DE	B4DE	9469	B4DE	FCH50080
439	닥	B4DF	B4DF	946A	B4DF	FCH60080
440	답	B4E0	B4E0	946B	B4E0	FCH70080
441	답	B4E1	B4E1	946C	B4E1	FCH80080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 18 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
442	닭	B4E2	B4E2	9470	B4E2	FCHC0080
443	담	B4E3	B4E3	9471	B4E3	FCHD0080
444	답	B4E4	B4E4	9473	B4E4	FCHF0080
445	닷	B4E5	B4E5	9475	B4E5	FCHH0080
446	닷	B4E6	B4E6	9476	B4E6	FCHI0080
447	당	B4E7	B4E7	9477	B4E7	FCHJ0080
448	닷	B4E8	B4E8	9478	B4E8	FCHK0080
449	닷	B4E9	B4E9	9479	B4E9	FCHL0080
450	달	B4EA	B4EA	947D	B4EA	FCHP0080
451	대	B4EB	B4EB	9481	B4EB	FCHT0080
452	덕	B4EC	B4EC	9482	B4EC	FCHU0080
453	덴	B4ED	B4ED	9485	B4ED	FCHX0080
454	델	B4EE	B4EE	9489	B4EE	FCI10080
455	댐	B4EF	B4EF	9491	B4EF	FCI90080
456	덥	B4F0	B4F0	9493	B4F0	FCIB0080
457	댓	B4F1	B4F1	9495	B4F1	FCID0080
458	됐	B4F2	B4F2	9496	B4F2	FCIE0080
459	댕	B4F3	B4F3	9497	B4F3	FCIF0080
460	다	B4F4	B4F4	94A1	B4F4	FCIP0080
461	더	B4F5	B4F5	94E1	B4F5	FCKH0080
462	덕	B4F6	B4F6	94E2	B4F6	FCKI0080
463	뒤	B4F7	B4F7	94E3	B4F7	FCKJ0080
464	던	B4F8	B4F8	94E5	B4F8	FCKL0080
465	덜	B4F9	B4F9	94E8	B4F9	FCKO0080
466	덜	B4FA	B4FA	94E9	B4FA	FCKP0080
467	덥	B4FB	B4FB	94EB	B4FB	FCKR0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 19 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
468	닭	B4FC	B4FC	94EC	B4FC	FCKS0080
469	덤	B4FD	B4FD	94F1	B4FD	FCKX0080
470	덥	B4FE	B4FE	94F3	B4FE	FCKZ0080
471	덧	B5A1	B5A1	94F5	B5A1	FCL10080
472	덩	B5A2	B5A2	94F7	B5A2	FCL30080
473	덧	B5A3	B5A3	94F9	B5A3	FCL50080
474	뎡	B5A4	B5A4	94FC	B5A4	FCL80080
475	데	B5A5	B5A5	9541	B5A5	FCLD0080
476	덱	B5A6	B5A6	9542	B5A6	FCLE0080
477	덴	B5A7	B5A7	9545	B5A7	FCLH0080
478	델	B5A8	B5A8	9549	B5A8	FCLL0080
479	덤	B5A9	B5A9	9551	B5A9	FCLT0080
480	덤	B5AA	B5AA	9553	B5AA	FCLV0080
481	덧	B5AB	B5AB	9555	B5AB	FCLX0080
482	뎡	B5AC	B5AC	9556	B5AC	FCLY0080
483	덩	B5AD	B5AD	9557	B5AD	FCLZ0080
484	더	B5AE	B5AE	9561	B5AE	FCM90080
485	년	B5AF	B5AF	9565	B5AF	FCMD0080
486	덜	B5B0	B5B0	9569	B5B0	FCMH0080
487	뎡	B5B1	B5B1	9576	B5B1	FCMU0080
488	덩	B5B2	B5B2	9577	B5B2	FCMV0080
489	데	B5B3	B5B3	9581	B5B3	FCN50080
490	덴	B5B4	B5B4	9585	B5B4	FCN90080
491	도	B5B5	B5B5	95A1	B5B5	FCO10080
492	독	B5B6	B5B6	95A2	B5B6	FCO20080
493	돈	B5B7	B5B7	95A5	B5B7	FCO50080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 20 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
494	돋	B5B8	B5B8	95A8	B5B8	FCO80080
495	돌	B5B9	B5B9	95A9	B5B9	FCO90080
496	뚫	B5BA	B5BA	95AB	B5BA	FCOB0080
497	돋	B5BB	B5BB	95AD	B5BB	FCOD0080
498	돔	B5BC	B5BC	95B1	B5BC	FCOH0080
499	둠	B5BD	B5BD	95B3	B5BD	FCOJ0080
500	돏	B5BE	B5BE	95B5	B5BE	FCOL0080
501	동	B5BF	B5BF	95B7	B5BF	FCON0080
502	돏	B5C0	B5C0	95B9	B5C0	FCOP0080
503	돌	B5C1	B5C1	95BB	B5C1	FCOR0080
504	되	B5C2	B5C2	95C1	B5C2	FCOX0080
505	똥	B5C3	B5C3	95C5	B5C3	FCP10080
506	똥	B5C4	B5C4	95C9	B5C4	FCP50080
507	돼	B5C5	B5C5	95E1	B5C5	FCPT0080
508	똥	B5C6	B5C6	95F6	B5C6	FCQE0080
509	되	B5C7	B5C7	9641	B5C7	FCQP0080
510	똥	B5C8	B5C8	9645	B5C8	FCQT0080
511	똥	B5C9	B5C9	9649	B5C9	FCQX0080
512	똥	B5CA	B5CA	9651	B5CA	FCR50080
513	똥	B5CB	B5CB	9653	B5CB	FCR70080
514	똥	B5CC	B5CC	9655	B5CC	FCR90080
515	도	B5CD	B5CD	9661	B5CD	FCRL0080
516	두	B5CE	B5CE	9681	B5CE	FCSH0080
517	둑	B5CF	B5CF	9682	B5CF	FCSI0080
518	둔	B5D0	B5D0	9685	B5D0	FCSL0080
519	돌	B5D1	B5D1	9689	B5D1	FCSP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 6 (Page 21 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
520	듬	B5D2	B5D2	9691	B5D2	FCSX0080
521	듭	B5D3	B5D3	9693	B5D3	FCSZ0080
522	돏	B5D4	B5D4	9695	B5D4	FCT10080
523	둥	B5D5	B5D5	9697	B5D5	FCT30080
524	뒤	B5D6	B5D6	96A1	B5D6	FCTD0080
525	뵘	B5D7	B5D7	96B6	B5D7	FCTY0080
526	뵙	B5D8	B5D8	96C1	B5D8	FCU90080
527	뵚	B5D9	B5D9	96D7	B5D9	FCUV0080
528	뵛	B5DA	B5DA	96E1	B5DA	FCV50080
529	뵜	B5DB	B5DB	96E5	B5DB	FCV90080
530	뵝	B5DC	B5DC	96E9	B5DC	FCVD0080
531	뵞	B5DD	B5DD	96F3	B5DD	FCVN0080
532	뵟	B5DE	B5DE	96F5	B5DE	FCVP0080
533	뵠	B5DF	B5DF	96F7	B5DF	FCVR0080
534	뵡	B5E0	B5E0	9741	B5E0	FCW10080
535	뵢	B5E1	B5E1	9745	B5E1	FCW50080
536	뵣	B5E2	B5E2	9749	B5E2	FCW90080
537	뵤	B5E3	B5E3	9751	B5E3	FCWH0080
538	뵥	B5E4	B5E4	9757	B5E4	FCWN0080
539	뵦	B5E5	B5E5	9761	B5E5	FCWX0080
540	뵧	B5E6	B5E6	9762	B5E6	FCWY0080
541	뵨	B5E7	B5E7	9765	B5E7	FCX10080
542	뵩	B5E8	B5E8	9768	B5E8	FCX40080
543	뵪	B5E9	B5E9	9769	B5E9	FCX50080
544	뵫	B5EA	B5EA	976B	B5EA	FCX70080
545	뵬	B5EB	B5EB	9771	B5EB	FCXD0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 22 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
546	듬	B5EC	B5EC	9773	B5EC	FCXF0080
547	دت	B5ED	B5ED	9775	B5ED	FCXH0080
548	등	B5EE	B5EE	9777	B5EE	FCXJ0080
549	되	B5EF	B5EF	9781	B5EF	FCXT0080
550	디	B5F0	B5F0	97A1	B5F0	FCYP0080
551	덕	B5F1	B5F1	97A2	B5F1	FCYQ0080
552	딘	B5F2	B5F2	97A5	B5F2	FCYT0080
553	딜	B5F3	B5F3	97A8	B5F3	FCYW0080
554	달	B5F4	B5F4	97A9	B5F4	FCYX0080
555	담	B5F5	B5F5	97B1	B5F5	FCZ50080
556	답	B5F6	B5F6	97B3	B5F6	FCZ70080
557	دت	B5F7	B5F7	97B5	B5F7	FCZ90080
558	دت	B5F8	B5F8	97B6	B5F8	FCZA0080
559	딩	B5F9	B5F9	97B7	B5F9	FCZB0080
560	دت	B5FA	B5FA	97B8	B5FA	FCZC0080
561	따	B5FB	B5FB	9861	B5FB	FD290080
562	딱	B5FC	B5FC	9862	B5FC	FD2A0080
563	판	B5FD	B5FD	9865	B5FD	FD2D0080
564	딸	B5FE	B5FE	9869	B5FE	FD2H0080
565	땀	B6A1	B6A1	9871	B6A1	FD2P0080
566	땀	B6A2	B6A2	9873	B6A2	FD2R0080
567	맛	B6A3	B6A3	9875	B6A3	FD2T0080
568	땀	B6A4	B6A4	9876	B6A4	FD2U0080
569	땅	B6A5	B6A5	9877	B6A5	FD2V0080
570	땅	B6A6	B6A6	987D	B6A6	FD310080
571	때	B6A7	B6A7	9881	B6A7	FD350080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 23 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
572	떡	B6A8	B6A8	9882	B6A8	FD360080
573	면	B6A9	B6A9	9885	B6A9	FD390080
574	멜	B6AA	B6AA	9889	B6AA	FD3D0080
575	멤	B6AB	B6AB	9891	B6AB	FD3L0080
576	맷	B6AC	B6AC	9893	B6AC	FD3N0080
577	멧	B6AD	B6AD	9895	B6AD	FD3P0080
578	땃	B6AE	B6AE	9896	B6AE	FD3Q0080
579	땡	B6AF	B6AF	9897	B6AF	FD3R0080
580	떠	B6B0	B6B0	98E1	B6B0	FD5T0080
581	떡	B6B1	B6B1	98E2	B6B1	FD5U0080
582	면	B6B2	B6B2	98E5	B6B2	FD5X0080
583	멜	B6B3	B6B3	98E9	B6B3	FD610080
584	멤	B6B4	B6B4	98EB	B6B4	FD630080
585	맷	B6B5	B6B5	98EC	B6B5	FD640080
586	멧	B6B6	B6B6	98F1	B6B6	FD690080
587	땃	B6B7	B6B7	98F3	B6B7	FD6B0080
588	땡	B6B8	B6B8	98F5	B6B8	FD6D0080
589	땃	B6B9	B6B9	98F6	B6B9	FD6E0080
590	땡	B6BA	B6BA	98F7	B6BA	FD6F0080
591	땡	B6BB	B6BB	98FD	B6BB	FD6L0080
592	떼	B6BC	B6BC	9941	B6BC	FD6P0080
593	떡	B6BD	B6BD	9942	B6BD	FD6Q0080
594	면	B6BE	B6BE	9945	B6BE	FD6T0080
595	멜	B6BF	B6BF	9949	B6BF	FD6X0080
596	멤	B6C0	B6C0	9951	B6C0	FD750080
597	맷	B6C1	B6C1	9953	B6C1	FD770080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 24 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
598	땡	B6C2	B6C2	9955	B6C2	FD790080
599	땡	B6C3	B6C3	9956	B6C3	FD7A0080
600	땡	B6C4	B6C4	9957	B6C4	FD7B0080
601	땡	B6C5	B6C5	9961	B6C5	FD7L0080
602	땡	B6C6	B6C6	9976	B6C6	FD860080
603	땡	B6C7	B6C7	99A1	B6C7	FD9D0080
604	땡	B6C8	B6C8	99A2	B6C8	FD9E0080
605	땡	B6C9	B6C9	99A5	B6C9	FD9H0080
606	땡	B6CA	B6CA	99A9	B6CA	FD9L0080
607	땡	B6CB	B6CB	99B7	B6CB	FD9Z0080
608	땡	B6CC	B6CC	99C1	B6CC	FDA90080
609	땡	B6CD	B6CD	99C9	B6CD	FDAH0080
610	땡	B6CE	B6CE	99E1	B6CE	FDB50080
611	땡	B6CF	B6CF	9A41	B6CF	FDC10080
612	땡	B6D0	B6D0	9A45	B6D0	FDC50080
613	땡	B6D1	B6D1	9A81	B6D1	FDDT0080
614	땡	B6D2	B6D2	9A82	B6D2	FDDU0080
615	땡	B6D3	B6D3	9A85	B6D3	FDDX0080
616	땡	B6D4	B6D4	9A89	B6D4	FDE10080
617	땡	B6D5	B6D5	9A90	B6D5	FDE80080
618	땡	B6D6	B6D6	9A91	B6D6	FDE90080
619	땡	B6D7	B6D7	9A97	B6D7	FDEF0080
620	땡	B6D8	B6D8	9AC1	B6D8	FDFL0080
621	땡	B6D9	B6D9	9AE1	B6D9	FDGH0080
622	땡	B6DA	B6DA	9AE5	B6DA	FDGL0080
623	땡	B6DB	B6DB	9AE9	B6DB	FDGP0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 25 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
624	뵈	B6DC	B6DC	9AF1	B6DC	FDGX0080
625	뵉	B6DD	B6DD	9AF3	B6DD	FDGZ0080
626	뵊	B6DE	B6DE	9AF7	B6DE	FDH30080
627	뵋	B6DF	B6DF	9B61	B6DF	FDI90080
628	뵌	B6E0	B6E0	9B62	B6E0	FDIA0080
629	뵍	B6E1	B6E1	9B65	B6E1	FDID0080
630	뵑	B6E2	B6E2	9B68	B6E2	FDIG0080
631	뵒	B6E3	B6E3	9B69	B6E3	FDIH0080
632	뵓	B6E4	B6E4	9B71	B6E4	FDIP0080
633	뵔	B6E5	B6E5	9B73	B6E5	FDIR0080
634	뵕	B6E6	B6E6	9B75	B6E6	FDIT0080
635	뵖	B6E7	B6E7	9B81	B6E7	FDJ50080
636	뵗	B6E8	B6E8	9B85	B6E8	FDJ90080
637	뵘	B6E9	B6E9	9B89	B6E9	FDJD0080
638	뵙	B6EA	B6EA	9B91	B6EA	FDJL0080
639	뵚	B6EB	B6EB	9B93	B6EB	FDJN0080
640	뵛	B6EC	B6EC	9BA1	B6EC	FDK10080
641	뵜	B6ED	B6ED	9BA5	B6ED	FDK50080
642	뵝	B6EE	B6EE	9BA9	B6EE	FDK90080
643	뵞	B6EF	B6EF	9BB1	B6EF	FDKH0080
644	뵟	B6F0	B6F0	9BB3	B6F0	FDKJ0080
645	뵠	B6F1	B6F1	9BB5	B6F1	FDKL0080
646	뵡	B6F2	B6F2	9BB7	B6F2	FDKN0080
647	라	B6F3	B6F3	9C61	B6F3	FDNL0080
648	락	B6F4	B6F4	9C62	B6F4	FDNM0080
649	란	B6F5	B6F5	9C65	B6F5	FDNP0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 26 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
650	랄	B6F6	B6F6	9C69	B6F6	FDNT0080
651	람	B6F7	B6F7	9C71	B6F7	FDO10080
652	랍	B6F8	B6F8	9C73	B6F8	FDO30080
653	랏	B6F9	B6F9	9C75	B6F9	FDO50080
654	랗	B6FA	B6FA	9C76	B6FA	FDO60080
655	랑	B6FB	B6FB	9C77	B6FB	FDO70080
656	랠	B6FC	B6FC	9C78	B6FC	FDO80080
657	랡	B6FD	B6FD	9C7C	B6FD	FDOC0080
658	랢	B6FE	B6FE	9C7D	B6FE	FDOD0080
659	래	B7A1	B7A1	9C81	B7A1	FDOH0080
660	랙	B7A2	B7A2	9C82	B7A2	FDOI0080
661	렌	B7A3	B7A3	9C85	B7A3	FDOL0080
662	렐	B7A4	B7A4	9C89	B7A4	FDOP0080
663	램	B7A5	B7A5	9C91	B7A5	FDOX0080
664	랩	B7A6	B7A6	9C93	B7A6	FDOZ0080
665	랏	B7A7	B7A7	9C95	B7A7	FDP10080
666	랗	B7A8	B7A8	9C96	B7A8	FDP20080
667	랑	B7A9	B7A9	9C97	B7A9	FDP30080
668	랠	B7AA	B7AA	9CA1	B7AA	FDPD0080
669	랡	B7AB	B7AB	9CA2	B7AB	FDPE0080
670	랢	B7AC	B7AC	9CA5	B7AC	FDPH0080
671	랣	B7AD	B7AD	9CB5	B7AD	FDPX0080
672	랤	B7AE	B7AE	9CB7	B7AE	FDPZ0080
673	러	B7AF	B7AF	9CE1	B7AF	FDR50080
674	렉	B7B0	B7B0	9CE2	B7B0	FDR60080
675	렌	B7B1	B7B1	9CE5	B7B1	FDR90080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 27 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
676	릴	B7B2	B7B2	9CE9	B7B2	FDRD0080
677	림	B7B3	B7B3	9CF1	B7B3	FDRL0080
678	립	B7B4	B7B4	9CF3	B7B4	FDRN0080
679	럿	B7B5	B7B5	9CF5	B7B5	FDRP0080
680	렸	B7B6	B7B6	9CF6	B7B6	FDRQ0080
681	링	B7B7	B7B7	9CF7	B7B7	FDRR0080
682	렁	B7B8	B7B8	9CFD	B7B8	FDRX0080
683	레	B7B9	B7B9	9D41	B7B9	FDS10080
684	렉	B7BA	B7BA	9D42	B7BA	FDS20080
685	렌	B7BB	B7BB	9D45	B7BB	FDS50080
686	렐	B7BC	B7BC	9D49	B7BC	FDS90080
687	렘	B7BD	B7BD	9D51	B7BD	FDSH0080
688	렙	B7BE	B7BE	9D53	B7BE	FDSJ0080
689	럿	B7BF	B7BF	9D55	B7BF	FDSL0080
690	렁	B7C0	B7C0	9D57	B7C0	FDSN0080
691	러	B7C1	B7C1	9D61	B7C1	FDSX0080
692	력	B7C2	B7C2	9D62	B7C2	FDSY0080
693	런	B7C3	B7C3	9D65	B7C3	FDT10080
694	렐	B7C4	B7C4	9D69	B7C4	FDT50080
695	렘	B7C5	B7C5	9D71	B7C5	FDTD0080
696	렙	B7C6	B7C6	9D73	B7C6	FDTF0080
697	럿	B7C7	B7C7	9D75	B7C7	FDTH0080
698	렸	B7C8	B7C8	9D76	B7C8	FDTI0080
699	링	B7C9	B7C9	9D77	B7C9	FDTJ0080
700	레	B7CA	B7CA	9D81	B7CA	FDTT0080
701	렌	B7CB	B7CB	9D85	B7CB	FDTX0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 28 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
702	랩	B7CC	B7CC	9D93	B7CC	FDUB0080
703	랫	B7CD	B7CD	9D95	B7CD	FDUD0080
704	로	B7CE	B7CE	9DA1	B7CE	FDUP0080
705	룩	B7CF	B7CF	9DA2	B7CF	FDUQ0080
706	론	B7D0	B7D0	9DA5	B7D0	FDUT0080
707	를	B7D1	B7D1	9DA9	B7D1	FDUX0080
708	름	B7D2	B7D2	9DB1	B7D2	FDV50080
709	롭	B7D3	B7D3	9DB3	B7D3	FDV70080
710	롯데	B7D4	B7D4	9DB5	B7D4	FDV90080
711	롱	B7D5	B7D5	9DB7	B7D5	FDVB0080
712	로	B7D6	B7D6	9DC1	B7D6	FDVL0080
713	환	B7D7	B7D7	9DC5	B7D7	FDVP0080
714	왕	B7D8	B7D8	9DD7	B7D8	FDW70080
715	뤼	B7D9	B7D9	9DF6	B7D9	FDX20080
716	로	B7DA	B7DA	9E41	B7DA	FDXD0080
717	윈	B7DB	B7DB	9E45	B7DB	FDXH0080
718	릴	B7DC	B7DC	9E49	B7DC	FDXL0080
719	림	B7DD	B7DD	9E51	B7DD	FDXT0080
720	립	B7DE	B7DE	9E53	B7DE	FDXV0080
721	뤼	B7DF	B7DF	9E55	B7DF	FDXX0080
722	링	B7E0	B7E0	9E57	B7E0	FDXZ0080
723	료	B7E1	B7E1	9E61	B7E1	FDY90080
724	론	B7E2	B7E2	9E65	B7E2	FDYD0080
725	를	B7E3	B7E3	9E69	B7E3	FDYH0080
726	롭	B7E4	B7E4	9E73	B7E4	FDYR0080
727	롯데	B7E5	B7E5	9E75	B7E5	FDYT0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 29 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
728	롱	B7E6	B7E6	9E77	B7E6	FDYV0080
729	루	B7E7	B7E7	9E81	B7E7	FDZ50080
730	룩	B7E8	B7E8	9E82	B7E8	FDZ60080
731	룬	B7E9	B7E9	9E85	B7E9	FDZ90080
732	를	B7EA	B7EA	9E89	B7EA	FDZD0080
733	롬	B7EB	B7EB	9E91	B7EB	FDZL0080
734	릅	B7EC	B7EC	9E93	B7EC	FDZN0080
735	룻	B7ED	B7ED	9E95	B7ED	FDZP0080
736	롱	B7EE	B7EE	9E97	B7EE	FDZR0080
737	뤼	B7EF	B7EF	9EA1	B7EF	FE010080
738	뤼	B7F0	B7F0	9EB6	B7F0	FE0M0080
739	뤼	B7F1	B7F1	9EC1	B7F1	FE0X0080
740	뤼	B7F2	B7F2	9EE1	B7F2	FE1T0080
741	뤼	B7F3	B7F3	9EE2	B7F3	FE1U0080
742	뤼	B7F4	B7F4	9EE5	B7F4	FE1X0080
743	뤼	B7F5	B7F5	9EE9	B7F5	FE210080
744	뤼	B7F6	B7F6	9EF1	B7F6	FE290080
745	뤼	B7F7	B7F7	9EF5	B7F7	FE2D0080
746	뤼	B7F8	B7F8	9EF7	B7F8	FE2F0080
747	류	B7F9	B7F9	9F41	B7F9	FE2P0080
748	룩	B7FA	B7FA	9F42	B7FA	FE2Q0080
749	룬	B7FB	B7FB	9F45	B7FB	FE2T0080
750	를	B7FC	B7FC	9F49	B7FC	FE2X0080
751	롬	B7FD	B7FD	9F51	B7FD	FE350080
752	릅	B7FE	B7FE	9F53	B7FE	FE370080
753	룻	B8A1	B8A1	9F55	B8A1	FE390080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 30 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
754	롱	B8A2	B8A2	9F57	B8A2	FE3B0080
755	르	B8A3	B8A3	9F61	B8A3	FE3L0080
756	룩	B8A4	B8A4	9F62	B8A4	FE3M0080
757	른	B8A5	B8A5	9F65	B8A5	FE3P0080
758	를	B8A6	B8A6	9F69	B8A6	FE3T0080
759	름	B8A7	B8A7	9F71	B8A7	FE410080
760	롭	B8A8	B8A8	9F73	B8A8	FE430080
761	룻	B8A9	B8A9	9F75	B8A9	FE450080
762	롱	B8AA	B8AA	9F77	B8AA	FE470080
763	룻	B8AB	B8AB	9F78	B8AB	FE480080
764	를	B8AC	B8AC	9F7B	B8AC	FE4B0080
765	룬	B8AD	B8AD	9F7C	B8AD	FE4C0080
766	리	B8AE	B8AE	9FA1	B8AE	FE5D0080
767	릭	B8AF	B8AF	9FA2	B8AF	FE5E0080
768	린	B8B0	B8B0	9FA5	B8B0	FE5H0080
769	릴	B8B1	B8B1	9FA9	B8B1	FE5L0080
770	림	B8B2	B8B2	9FB1	B8B2	FE5T0080
771	립	B8B3	B8B3	9FB3	B8B3	FE5V0080
772	릿	B8B4	B8B4	9FB5	B8B4	FE5X0080
773	링	B8B5	B8B5	9FB7	B8B5	FE5Z0080
774	마	B8B6	B8B6	A061	B8B6	FE8X0080
775	막	B8B7	B8B7	A062	B8B7	FE8Y0080
776	만	B8B8	B8B8	A065	B8B8	FE910080
777	많	B8B9	B8B9	A067	B8B9	FE930080
778	말	B8BA	B8BA	A068	B8BA	FE940080
779	말	B8BB	B8BB	A069	B8BB	FE950080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 31 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
780	맑	B8BC	B8BC	A06A	B8BC	FE960080
781	맑	B8BD	B8BD	A06B	B8BD	FE970080
782	맘	B8BE	B8BE	A071	B8BE	FE9D0080
783	맵	B8BF	B8BF	A073	B8BF	FE9F0080
784	맛	B8C0	B8C0	A075	B8C0	FE9H0080
785	망	B8C1	B8C1	A077	B8C1	FE9J0080
786	맞	B8C2	B8C2	A078	B8C2	FE9K0080
787	말	B8C3	B8C3	A07B	B8C3	FE9N0080
788	망	B8C4	B8C4	A07D	B8C4	FE9P0080
789	매	B8C5	B8C5	A081	B8C5	FE9T0080
790	맥	B8C6	B8C6	A082	B8C6	FE9U0080
791	맨	B8C7	B8C7	A085	B8C7	FE9X0080
792	멜	B8C8	B8C8	A089	B8C8	FEA10080
793	멤	B8C9	B8C9	A091	B8C9	FEA90080
794	맵	B8CA	B8CA	A093	B8CA	FEAB0080
795	맷	B8CB	B8CB	A095	B8CB	FEAD0080
796	땃	B8CC	B8CC	A096	B8CC	FEAE0080
797	맹	B8CD	B8CD	A097	B8CD	FEAF0080
798	맷	B8CE	B8CE	A098	B8CE	FEAG0080
799	먀	B8CF	B8CF	A0A1	B8CF	FEAP0080
800	막	B8D0	B8D0	A0A2	B8D0	FEAQ0080
801	말	B8D1	B8D1	A0A9	B8D1	FEAX0080
802	망	B8D2	B8D2	A0B7	B8D2	FEBB0080
803	머	B8D3	B8D3	A0E1	B8D3	FECH0080
804	먹	B8D4	B8D4	A0E2	B8D4	FECI0080
805	먼	B8D5	B8D5	A0E5	B8D5	FECL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 32 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
806	뎡	B8D6	B8D6	A0E9	B8D6	FECP0080
807	뎡	B8D7	B8D7	A0EB	B8D7	FECR0080
808	뎡	B8D8	B8D8	A0F1	B8D8	FECX0080
809	뎡	B8D9	B8D9	A0F3	B8D9	FECZ0080
810	뎡	B8DA	B8DA	A0F5	B8DA	FED10080
811	뎡	B8DB	B8DB	A0F7	B8DB	FED30080
812	뎡	B8DC	B8DC	A0F8	B8DC	FED40080
813	뎡	B8DD	B8DD	A0FD	B8DD	FED90080
814	뎡	B8DE	B8DE	A141	B8DE	FEDD0080
815	뎡	B8DF	B8DF	A142	B8DF	FEDE0080
816	뎡	B8E0	B8E0	A145	B8E0	FEDH0080
817	뎡	B8E1	B8E1	A149	B8E1	FEDL0080
818	뎡	B8E2	B8E2	A151	B8E2	FEDT0080
819	뎡	B8E3	B8E3	A153	B8E3	FEDV0080
820	뎡	B8E4	B8E4	A155	B8E4	FEDX0080
821	뎡	B8E5	B8E5	A156	B8E5	FEDY0080
822	뎡	B8E6	B8E6	A157	B8E6	FEDZ0080
823	뎡	B8E7	B8E7	A161	B8E7	FEE90080
824	뎡	B8E8	B8E8	A162	B8E8	FEEA0080
825	뎡	B8E9	B8E9	A165	B8E9	FEED0080
826	뎡	B8EA	B8EA	A169	B8EA	FEEH0080
827	뎡	B8EB	B8EB	A175	B8EB	FEET0080
828	뎡	B8EC	B8EC	A176	B8EC	FEEU0080
829	뎡	B8ED	B8ED	A177	B8ED	FEEV0080
830	뎡	B8EE	B8EE	A179	B8EE	FEEX0080
831	뎡	B8EF	B8EF	A181	B8EF	FEF50080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 33 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
832	모	B8F0	B8F0	A1A1	B8F0	FEG10080
833	목	B8F1	B8F1	A1A2	B8F1	FEG20080
834	몫	B8F2	B8F2	A1A4	B8F2	FEG40080
835	몬	B8F3	B8F3	A1A5	B8F3	FEG50080
836	몰	B8F4	B8F4	A1A9	B8F4	FEG90080
837	몹	B8F5	B8F5	A1AB	B8F5	FEGB0080
838	뭍	B8F6	B8F6	A1B1	B8F6	FEGH0080
839	몹	B8F7	B8F7	A1B3	B8F7	FEGJ0080
840	몫	B8F8	B8F8	A1B5	B8F8	FEGM0080
841	몽	B8F9	B8F9	A1B7	B8F9	FEGN0080
842	뫼	B8FA	B8FA	A1C1	B8FA	FEGX0080
843	뫼	B8FB	B8FB	A1C5	B8FB	FEH10080
844	뫼	B8FC	B8FC	A1D6	B8FC	FEH10080
845	뫼	B8FD	B8FD	A1D7	B8FD	FEHJ0080
846	뫼	B8FE	B8FE	A241	B8FE	FEIP0080
847	뫼	B9A1	B9A1	A245	B9A1	FEIT0080
848	뫼	B9A2	B9A2	A249	B9A2	FEIX0080
849	뫼	B9A3	B9A3	A253	B9A3	FEJ70080
850	뫼	B9A4	B9A4	A255	B9A4	FEJ90080
851	뫼	B9A5	B9A5	A257	B9A5	FEJB0080
852	뫼	B9A6	B9A6	A261	B9A6	FEJL0080
853	뫼	B9A7	B9A7	A265	B9A7	FEJP0080
854	뫼	B9A8	B9A8	A269	B9A8	FEJT0080
855	뫼	B9A9	B9A9	A273	B9A9	FEK30080
856	뫼	B9AA	B9AA	A275	B9AA	FEK50080
857	뫼	B9AB	B9AB	A281	B9AB	FEKH0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 34 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
858	목	B9AC	B9AC	A282	B9AC	FEKI0080
859	뭇	B9AD	B9AD	A283	B9AD	FEKJ0080
860	문	B9AE	B9AE	A285	B9AE	FEKL0080
861	믄	B9AF	B9AF	A288	B9AF	FEKO0080
862	믈	B9B0	B9B0	A289	B9B0	FEKP0080
863	몁	B9B1	B9B1	A28A	B9B1	FEKQ0080
864	몄	B9B2	B9B2	A28B	B9B2	FEKR0080
865	믂	B9B3	B9B3	A291	B9B3	FEKX0080
866	몆	B9B4	B9B4	A293	B9B4	FEKZ0080
867	믓	B9B5	B9B5	A295	B9B5	FEL10080
868	몁	B9B6	B9B6	A297	B9B6	FEL30080
869	믈	B9B7	B9B7	A29B	B9B7	FEL70080
870	몁	B9B8	B9B8	A29D	B9B8	FEL90080
871	뮌	B9B9	B9B9	A2A1	B9B9	FELD0080
872	뮐	B9BA	B9BA	A2A5	B9BA	FELH0080
873	뮒	B9BB	B9BB	A2A9	B9BB	FELL0080
874	뮔	B9BC	B9BC	A2B3	B9BC	FELV0080
875	뮖	B9BD	B9BD	A2B5	B9BD	FELX0080
876	뮘	B9BE	B9BE	A2C1	B9BE	FEM90080
877	뮚	B9BF	B9BF	A2E1	B9BF	FEN50080
878	뮜	B9C0	B9C0	A2E5	B9C0	FEN90080
879	뮞	B9C1	B9C1	A2E9	B9C1	FEND0080
880	뮠	B9C2	B9C2	A341	B9C2	FEO10080
881	뮡	B9C3	B9C3	A345	B9C3	FEO50080
882	뮣	B9C4	B9C4	A349	B9C4	FEO90080
883	뮥	B9C5	B9C5	A351	B9C5	FEOH0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 35 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
884	못	B9C6	B9C6	A355	B9C6	FEOL0080
885	므	B9C7	B9C7	A361	B9C7	FEOX0080
886	븐	B9C8	B9C8	A365	B9C8	FEP10080
887	믈	B9C9	B9C9	A369	B9C9	FEP50080
888	믄	B9CA	B9CA	A371	B9CA	FEPD0080
889	믓	B9CB	B9CB	A375	B9CB	FEPH0080
890	미	B9CC	B9CC	A3A1	B9CC	FEQP0080
891	믹	B9CD	B9CD	A3A2	B9CD	FEQQ0080
892	민	B9CE	B9CE	A3A5	B9CE	FEQT0080
893	민	B9CF	B9CF	A3A8	B9CF	FEQW0080
894	밀	B9D0	B9D0	A3A9	B9D0	FEQX0080
895	몹	B9D1	B9D1	A3AB	B9D1	FEQZ0080
896	میم	B9D2	B9D2	A3B1	B9D2	FER50080
897	몹	B9D3	B9D3	A3B3	B9D3	FER70080
898	몹	B9D4	B9D4	A3B5	B9D4	FER90080
899	몹	B9D5	B9D5	A3B6	B9D5	FERA0080
900	밍	B9D6	B9D6	A3B7	B9D6	FERB0080
901	몹	B9D7	B9D7	A3B9	B9D7	FERD0080
902	밀	B9D8	B9D8	A3BB	B9D8	FERF0080
903	바	B9D9	B9D9	A461	B9D9	FEU90080
904	박	B9DA	B9DA	A462	B9DA	FEUA0080
905	밖	B9DB	B9DB	A463	B9DB	FEUB0080
906	밖	B9DC	B9DC	A464	B9DC	FEUC0080
907	반	B9DD	B9DD	A465	B9DD	FEUD0080
908	반	B9DE	B9DE	A468	B9DE	FEUG0080
909	발	B9DF	B9DF	A469	B9DF	FEUH0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 36 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
910	밖	B9E0	B9E0	A46A	B9E0	FEUI0080
911	밖	B9E1	B9E1	A46B	B9E1	FEUJ0080
912	밖	B9E2	B9E2	A46C	B9E2	FEUK0080
913	밖	B9E3	B9E3	A471	B9E3	FEUP0080
914	밖	B9E4	B9E4	A473	B9E4	FEUR0080
915	밖	B9E5	B9E5	A475	B9E5	FEUT0080
916	밖	B9E6	B9E6	A477	B9E6	FEUV0080
917	밖	B9E7	B9E7	A47B	B9E7	FEUZ0080
918	배	B9E8	B9E8	A481	B9E8	FEV50080
919	백	B9E9	B9E9	A482	B9E9	FEV60080
920	밴	B9EA	B9EA	A485	B9EA	FEV90080
921	벨	B9EB	B9EB	A489	B9EB	FEVD0080
922	뱀	B9EC	B9EC	A491	B9EC	FEVL0080
923	뱍	B9ED	B9ED	A493	B9ED	FEVN0080
924	뱃	B9EE	B9EE	A495	B9EE	FEVP0080
925	뱃	B9EF	B9EF	A496	B9EF	FEVQ0080
926	뱅	B9F0	B9F0	A497	B9F0	FEVR0080
927	벨	B9F1	B9F1	A49B	B9F1	FEVV0080
928	바	B9F2	B9F2	A4A1	B9F2	FEW10080
929	박	B9F3	B9F3	A4A2	B9F3	FEW20080
930	반	B9F4	B9F4	A4A5	B9F4	FEW50080
931	밖	B9F5	B9F5	A4B3	B9F5	FEWJ0080
932	버	B9F6	B9F6	A4E1	B9F6	FEXT0080
933	벽	B9F7	B9F7	A4E2	B9F7	FEXU0080
934	번	B9F8	B9F8	A4E5	B9F8	FEXX0080
935	번	B9F9	B9F9	A4E8	B9F9	FEY00080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 37 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
936	벌	B9FA	B9FA	A4E9	B9FA	FEY10080
937	벌	B9FB	B9FB	A4EB	B9FB	FEY30080
938	범	B9FC	B9FC	A4F1	B9FC	FEY90080
939	범	B9FD	B9FD	A4F3	B9FD	FEYB0080
940	벗	B9FE	B9FE	A4F5	B9FE	FEYD0080
941	빙	BAA1	BAA1	A4F7	BAA1	FEYF0080
942	벗	BAA2	BAA2	A4F8	BAA2	FEYG0080
943	베	BAA3	BAA3	A541	BAA3	FEYP0080
944	벡	BAA4	BAA4	A542	BAA4	FEYQ0080
945	벤	BAA5	BAA5	A545	BAA5	FEYT0080
946	벤	BAA6	BAA6	A548	BAA6	FEYW0080
947	벨	BAA7	BAA7	A549	BAA7	FEYX0080
948	범	BAA8	BAA8	A551	BAA8	FEZ50080
949	벱	BAA9	BAA9	A553	BAA9	FEZ70080
950	벱	BAAA	BAAA	A555	BAAA	FEZ90080
951	벱	BAAB	BAAB	A556	BAAB	FEZA0080
952	벱	BAAC	BAAC	A557	BAAC	FEZB0080
953	벼	BAAD	BAAD	A561	BAAD	FEZL0080
954	벽	BAAE	BAAE	A562	BAAE	FEZM0080
955	변	BAAF	BAAF	A565	BAAF	FEZP0080
956	벌	BAB0	BAB0	A569	BAB0	FEZT0080
957	범	BAB1	BAB1	A573	BAB1	FF030080
958	벗	BAB2	BAB2	A575	BAB2	FF050080
959	벗	BAB3	BAB3	A576	BAB3	FF060080
960	병	BAB4	BAB4	A577	BAB4	FF070080
961	벌	BAB5	BAB5	A57B	BAB5	FF0B0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 38 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
962	베	BAB6	BAB6	A581	BAB6	FF0H0080
963	벤	BAB7	BAB7	A585	BAB7	FF0L0080
964	보	BAB8	BAB8	A5A1	BAB8	FF1D0080
965	복	BAB9	BAB9	A5A2	BAB9	FF1E0080
966	북	BABA	BABA	A5A3	BABA	FF1F0080
967	븐	BABB	BABB	A5A5	BABB	FF1H0080
968	블	BABC	BABC	A5A9	BABC	FF1L0080
969	븀	BABD	BABD	A5B1	BABD	FF1T0080
970	븆	BABE	BABE	A5B3	BABE	FF1V0080
971	븇	BABF	BABF	A5B5	BABF	FF1X0080
972	봉	BAC0	BAC0	A5B7	BAC0	FF1Z0080
973	봐	BAC1	BAC1	A5C1	BAC1	FF290080
974	반	BAC2	BAC2	A5C5	BAC2	FF2D0080
975	봇	BAC3	BAC3	A5D6	BAC3	FF2U0080
976	배	BAC4	BAC4	A5E1	BAC4	FF350080
977	봏	BAC5	BAC5	A5F6	BAC5	FF3Q0080
978	뵀	BAC6	BAC6	A641	BAC6	FF410080
979	뵁	BAC7	BAC7	A642	BAC7	FF420080
980	뵂	BAC8	BAC8	A645	BAC8	FF450080
981	뵃	BAC9	BAC9	A649	BAC9	FF490080
982	뵄	BACA	BACA	A651	BACA	FF4H0080
983	뵅	BACB	BACB	A653	BACB	FF4J0080
984	뵆	BACC	BACC	A661	BACC	FF4X0080
985	븐	BACD	BACD	A665	BACD	FF510080
986	부	BACE	BACE	A681	BACE	FF5T0080
987	븃	BACF	BACF	A682	BACF	FF5U0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 39 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
988	븐	BAD0	BAD0	A685	BAD0	FF5X0080
989	븐	BAD1	BAD1	A688	BAD1	FF600080
990	불	BAD2	BAD2	A689	BAD2	FF610080
991	북	BAD3	BAD3	A68A	BAD3	FF620080
992	붉	BAD4	BAD4	A68B	BAD4	FF630080
993	븀	BAD5	BAD5	A691	BAD5	FF690080
994	븁	BAD6	BAD6	A693	BAD6	FF6B0080
995	븂	BAD7	BAD7	A695	BAD7	FF6D0080
996	븃	BAD8	BAD8	A697	BAD8	FF6F0080
997	븄	BAD9	BAD9	A69B	BAD9	FF6J0080
998	븅	BADA	BADA	A69C	BADA	FF6K0080
999	븆	BADB	BADB	A6A1	BADB	FF6P0080
1000	븇	BADC	BADC	A6A9	BADC	FF6X0080
1001	븈	BADD	BADD	A6B6	BADD	FF7A0080
1002	븉	BADE	BADE	A6C1	BADE	FF7L0080
1003	븊	BADF	BADF	A6E1	BADF	FF8H0080
1004	븋	BAE0	BAE0	A6E2	BAE0	FF8I0080
1005	브	BAE1	BAE1	A6E5	BAE1	FF8L0080
1006	븍	BAE2	BAE2	A6E9	BAE2	FF8P0080
1007	븎	BAE3	BAE3	A6F7	BAE3	FF930080
1008	븏	BAE4	BAE4	A741	BAE4	FF9D0080
1009	븐	BAE5	BAE5	A745	BAE5	FF9H0080
1010	븑	BAE6	BAE6	A749	BAE6	FF9L0080
1011	븒	BAE7	BAE7	A751	BAE7	FF9T0080
1012	븓	BAE8	BAE8	A755	BAE8	FF9X0080
1013	블	BAE9	BAE9	A757	BAE9	FF9Z0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 40 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1014	브	BAEA	BAEA	A761	BAEA	FFA90080
1015	부	BAEB	BAEB	A762	BAEB	FFAA0080
1016	븐	BAEC	BAEC	A765	BAEC	FFAD0080
1017	블	BAED	BAED	A769	BAED	FFAH0080
1018	븀	BAEE	BAEE	A771	BAEE	FFAP0080
1019	븆	BAEF	BAEF	A773	BAEF	FFAR0080
1020	붓	BAF0	BAF0	A775	BAF0	FFAT0080
1021	비	BAF1	BAF1	A7A1	BAF1	FFC10080
1022	빅	BAF2	BAF2	A7A2	BAF2	FFC20080
1023	빈	BAF3	BAF3	A7A5	BAF3	FFC50080
1024	빌	BAF4	BAF4	A7A9	BAF4	FFC90080
1025	빔	BAF5	BAF5	A7AB	BAF5	FFCB0080
1026	빔	BAF6	BAF6	A7B1	BAF6	FFCH0080
1027	빔	BAF7	BAF7	A7B3	BAF7	FFCJ0080
1028	빔	BAF8	BAF8	A7B5	BAF8	FFCL0080
1029	빙	BAF9	BAF9	A7B7	BAF9	FFCN0080
1030	빔	BAFA	BAFA	A7B8	BAFA	FFCO0080
1031	빔	BAFB	BAFB	A7B9	BAFB	FFCP0080
1032	빠	BAFC	BAFC	A861	BAFC	FFFL0080
1033	빠	BAFD	BAFD	A862	BAFD	FFFM0080
1034	빠	BAFE	BAFE	A865	BAFE	FFFP0080
1035	빨	BBA1	BBA1	A869	BBA1	FFFT0080
1036	빨	BBA2	BBA2	A86B	BBA2	FFJV0080
1037	빠	BBA3	BBA3	A871	BBA3	FFG10080
1038	빠	BBA4	BBA4	A873	BBA4	FFG30080
1039	빠	BBA5	BBA5	A875	BBA5	FFG50080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 41 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1040	뵁	BBA6	BBA6	A876	BBA6	FFG60080
1041	뵁	BBA7	BBA7	A877	BBA7	FFG70080
1042	뵁	BBA8	BBA8	A87D	BBA8	FFGD0080
1043	뵁	BBA9	BBA9	A881	BBA9	FFGH0080
1044	뵁	BBAA	BBAA	A882	BBAA	FFGI0080
1045	뵁	BBAB	BBAB	A885	BBAB	FFGL0080
1046	뵁	BBAC	BBAC	A889	BBAC	FFGP0080
1047	뵁	BBAD	BBAD	A891	BBAD	FFGX0080
1048	뵁	BBAE	BBAE	A893	BBAE	FFGZ0080
1049	뵁	BBAF	BBAF	A895	BBAF	FFH10080
1050	뵁	BBB0	BBB0	A896	BBB0	FFH20080
1051	뵁	BBB1	BBB1	A897	BBB1	FFH30080
1052	뵁	BBB2	BBB2	A8A1	BBB2	FFHD0080
1053	뵁	BBB3	BBB3	A8A2	BBB3	FFHE0080
1054	뵁	BBB4	BBB4	A8B1	BBB4	FFHT0080
1055	뵁	BBB5	BBB5	A8E1	BBB5	FFJ50080
1056	뵁	BBB6	BBB6	A8E2	BBB6	FFJ60080
1057	뵁	BBB7	BBB7	A8E5	BBB7	FFJ90080
1058	뵁	BBB8	BBB8	A8E8	BBB8	FFJC0080
1059	뵁	BBB9	BBB9	A8E9	BBB9	FFJD0080
1060	뵁	BBBA	BBBA	A8F1	BBBA	FFJL0080
1061	뵁	BBBB	BBBB	A8F5	BBBB	FFJP0080
1062	뵁	BBBC	BBBC	A8F6	BBBC	FFJQ0080
1063	뵁	BBBD	BBBD	A8F7	BBBD	FFJR0080
1064	뵁	BBBE	BBBE	A941	BBBE	FFK10080
1065	뵁	BBBF	BBBF	A957	BBBF	FFKN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 42 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1066	빠	BBC0	BBC0	A961	BBC0	FFKX0080
1067	백	BBC1	BBC1	A962	BBC1	FFKY0080
1068	뵠	BBC2	BBC2	A971	BBC2	FFLD0080
1069	뵡	BBC3	BBC3	A973	BBC3	FFLF0080
1070	뵣	BBC4	BBC4	A975	BBC4	FFLH0080
1071	뵤	BBC5	BBC5	A976	BBC5	FFLI0080
1072	뵦	BBC6	BBC6	A977	BBC6	FFLJ0080
1073	뵧	BBC7	BBC7	A9A1	BBC7	FFMP0080
1074	뵨	BBC8	BBC8	A9A2	BBC8	FFMQ0080
1075	뵩	BBC9	BBC9	A9A5	BBC9	FFMT0080
1076	뵪	BBCA	BBCA	A9A9	BBCA	FFMX0080
1077	뵫	BBCB	BBCB	A9B1	BBCB	FFN50080
1078	뵬	BBCC	BBCC	A9B3	BBCC	FFN70080
1079	뵭	BBCD	BBCD	A9B7	BBCD	FFNB0080
1080	뵮	BBCE	BBCE	AA41	BBCE	FFPD0080
1081	뵯	BBCF	BBCF	AA61	BBCF	FFQ90080
1082	뵰	BBD0	BBD0	AA77	BBD0	FFQV0080
1083	뵱	BBD1	BBD1	AA81	BBD1	FFR50080
1084	뵲	BBD2	BBD2	AA82	BBD2	FFR60080
1085	뵳	BBD3	BBD3	AA85	BBD3	FFR90080
1086	뵴	BBD4	BBD4	AA89	BBD4	FFRD0080
1087	뵵	BBD5	BBD5	AA91	BBD5	FFRL0080
1088	뵶	BBD6	BBD6	AA95	BBD6	FFRP0080
1089	뵷	BBD7	BBD7	AA97	BBD7	FFRR0080
1090	뵸	BBD8	BBD8	AB41	BBD8	FFUP0080
1091	뵹	BBD9	BBD9	AB57	BBD9	FFVB0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 43 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1092	ㅂ	BBDA	BBDA	AB61	BBDA	FFVL0080
1093	ㅃ	BBDB	BBDB	AB65	BBDB	FFVP0080
1094	ㅄ	BBDC	BBDC	AB69	BBDC	FFVT0080
1095	ㅅ	BBDD	BBDD	AB71	BBDD	FFW10080
1096	ㅆ	BBDE	BBDE	AB73	BBDE	FFW30080
1097	ㅈ	BBDF	BBDF	ABA1	BBDF	FFXD0080
1098	ㅊ	BBE0	BBE0	ABA2	BBE0	FFXE0080
1099	ㅋ	BBE1	BBE1	ABA5	BBE1	FFXH0080
1100	ㆁ	BBE2	BBE2	ABA9	BBE2	FFXL0080
1101	ㆂ	BBE3	BBE3	ABB1	BBE3	FFXT0080
1102	ㆃ	BBE4	BBE4	ABB3	BBE4	FFXV0080
1103	ㆄ	BBE5	BBE5	ABB5	BBE5	FFXX0080
1104	ㆅ	BBE6	BBE6	ABB7	BBE6	FFXZ0080
1105	ㅆ	BBE7	BBE7	AC61	BBE7	FG0X0080
1106	ㅈ	BBE8	BBE8	AC62	BBE8	FG0Y0080
1107	ㅊ	BBE9	BBE9	AC64	BBE9	FG100080
1108	ㅌ	BBEA	BBEA	AC65	BBEA	FG110080
1109	ㅍ	BBEB	BBEB	AC68	BBEB	FG140080
1110	ㅑ	BBEC	BBEC	AC69	BBEC	FG150080
1111	ㅓ	BBED	BBED	AC6A	BBED	FG160080
1112	ㅕ	BBEE	BBEE	AC6B	BBEE	FG170080
1113	ㅗ	BBEF	BBEF	AC71	BBEF	FG1D0080
1114	ㅛ	BBF0	BBF0	AC73	BBF0	FG1F0080
1115	ㅜ	BBF1	BBF1	AC75	BBF1	FG1H0080
1116	ㅠ	BBF2	BBF2	AC76	BBF2	FG1I0080
1117	ㅡ	BBF3	BBF3	AC77	BBF3	FG1J0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 44 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1118	살	BBF4	BBF4	AC7B	BBF4	FG1N0080
1119	새	BBF5	BBF5	AC81	BBF5	FG1T0080
1120	색	BBF6	BBF6	AC82	BBF6	FG1U0080
1121	샌	BBF7	BBF7	AC85	BBF7	FG1X0080
1122	셀	BBF8	BBF8	AC89	BBF8	FG210080
1123	샘	BBF9	BBF9	AC91	BBF9	FG290080
1124	셉	BBFA	BBFA	AC93	BBFA	FG2B0080
1125	셋	BBFB	BBFB	AC95	BBFB	FG2D0080
1126	셋	BBFC	BBFC	AC96	BBFC	FG2E0080
1127	생	BBFD	BBFD	AC97	BBFD	FG2F0080
1128	샤	BBFE	BBFE	ACA1	BBFE	FG2P0080
1129	삭	BCA1	BCA1	ACA2	BCA1	FG2Q0080
1130	산	BCA2	BCA2	ACA5	BCA2	FG2T0080
1131	살	BCA3	BCA3	ACA9	BCA3	FG2X0080
1132	삼	BCA4	BCA4	ACB1	BCA4	FG350080
1133	삽	BCA5	BCA5	ACB3	BCA5	FG370080
1134	삿	BCA6	BCA6	ACB5	BCA6	FG390080
1135	상	BCA7	BCA7	ACB7	BCA7	FG3B0080
1136	새	BCA8	BCA8	ACC1	BCA8	FG3L0080
1137	샌	BCA9	BCA9	ACC5	BCA9	FG3P0080
1138	셀	BCAA	BCAA	ACC9	BCAA	FG3T0080
1139	셈	BCAB	BCAB	ACD1	BCAB	FG410080
1140	생	BCAC	BCAC	ACD7	BCAC	FG470080
1141	서	BCAD	BCAD	ACE1	BCAD	FG4H0080
1142	석	BCAE	BCAE	ACE2	BCAE	FG4I0080
1143	쉬	BCAF	BCAF	ACE3	BCAF	FG4J0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 45 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1144	섯	BCB0	BCB0	ACE4	BCB0	FG4K0080
1145	선	BCB1	BCB1	ACE5	BCB1	FG4L0080
1146	설	BCB2	BCB2	ACE8	BCB2	FG4O0080
1147	설	BCB3	BCB3	ACE9	BCB3	FG4P0080
1148	섭	BCB4	BCB4	ACEB	BCB4	FG4R0080
1149	섭	BCB5	BCB5	ACEC	BCB5	FG4S0080
1150	섬	BCB6	BCB6	ACF1	BCB6	FG4X0080
1151	섭	BCB7	BCB7	ACF3	BCB7	FG4Z0080
1152	섯	BCB8	BCB8	ACF5	BCB8	FG510080
1153	섯	BCB9	BCB9	ACF6	BCB9	FG520080
1154	성	BCBA	BCBA	ACF7	BCBA	FG530080
1155	섭	BCBB	BCBB	ACFC	BCBB	FG580080
1156	세	BCBC	BCBC	AD41	BCBC	FG5D0080
1157	색	BCBD	BCBD	AD42	BCBD	FG5E0080
1158	센	BCBE	BCBE	AD45	BCBE	FG5H0080
1159	셀	BCBF	BCBF	AD49	BCBF	FG5L0080
1160	섬	BCC0	BCC0	AD51	BCC0	FG5T0080
1161	섭	BCC1	BCC1	AD53	BCC1	FG5V0080
1162	섯	BCC2	BCC2	AD55	BCC2	FG5X0080
1163	섯	BCC3	BCC3	AD56	BCC3	FG5Y0080
1164	생	BCC4	BCC4	AD57	BCC4	FG5Z0080
1165	서	BCC5	BCC5	AD61	BCC5	FG690080
1166	색	BCC6	BCC6	AD62	BCC6	FG6A0080
1167	선	BCC7	BCC7	AD65	BCC7	FG6D0080
1168	설	BCC8	BCC8	AD69	BCC8	FG6H0080
1169	섬	BCC9	BCC9	AD71	BCC9	FG6P0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 46 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1170	섭	BCCA	BCCA	AD73	BCCA	FG6R0080
1171	섯	BCCB	BCCB	AD75	BCCB	FG6T0080
1172	섯	BCCC	BCCC	AD76	BCCC	FG6U0080
1173	성	BCCD	BCCD	AD77	BCCD	FG6V0080
1174	세	BCCE	BCCE	AD81	BCCE	FG750080
1175	션	BCCF	BCCF	AD85	BCCF	FG790080
1176	셀	BCD0	BCD0	AD89	BCD0	FG7D0080
1177	생	BCD1	BCD1	AD97	BCD1	FG7R0080
1178	소	BCD2	BCD2	ADA1	BCD2	FG810080
1179	속	BCD3	BCD3	ADA2	BCD3	FG820080
1180	슈	BCD4	BCD4	ADA3	BCD4	FG830080
1181	손	BCD5	BCD5	ADA5	BCD5	FG850080
1182	솔	BCD6	BCD6	ADA9	BCD6	FG890080
1183	숯	BCD7	BCD7	ADAB	BCD7	FG8B0080
1184	숨	BCD8	BCD8	ADB1	BCD8	FG8H0080
1185	습	BCD9	BCD9	ADB3	BCD9	FG8J0080
1186	숫	BCDA	BCDA	ADB5	BCDA	FG8L0080
1187	송	BCDB	BCDB	ADB7	BCDB	FG8N0080
1188	솔	BCDC	BCDC	ADBB	BCDC	FG8R0080
1189	쇠	BCDD	BCDD	ADC1	BCDD	FG8X0080
1190	삭	BCDE	BCDE	ADC2	BCDE	FG8Y0080
1191	완	BCDF	BCDF	ADC5	BCDF	FG910080
1192	살	BCE0	BCE0	ADC9	BCE0	FG950080
1193	쌍	BCE1	BCE1	ADD7	BCE1	FG9J0080
1194	쇄	BCE2	BCE2	ADE1	BCE2	FG9T0080
1195	썬	BCE3	BCE3	ADE5	BCE3	FG9X0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 47 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1196	썰	BCE4	BCE4	ADE9	BCE4	FGA10080
1197	썰	BCE5	BCE5	ADF1	BCE5	FGA90080
1198	썩	BCE6	BCE6	ADF5	BCE6	FGAD0080
1199	썩	BCE7	BCE7	ADF6	BCE7	FGAE0080
1200	쇠	BCE8	BCE8	AE41	BCE8	FGAP0080
1201	썩	BCE9	BCE9	AE45	BCE9	FGAT0080
1202	썰	BCEA	BCEA	AE49	BCEA	FGAX0080
1203	썩	BCEB	BCEB	AE51	BCEB	FGB50080
1204	썩	BCEC	BCEC	AE53	BCEC	FGB70080
1205	썩	BCED	BCED	AE55	BCED	FGB90080
1206	쇼	BCEE	BCEE	AE61	BCEE	FGBL0080
1207	속	BCEF	BCEF	AE62	BCEF	FGBM0080
1208	손	BCF0	BCF0	AE65	BCF0	FGBP0080
1209	솔	BCF1	BCF1	AE69	BCF1	FGBT0080
1210	숨	BCF2	BCF2	AE71	BCF2	FGC10080
1211	습	BCF3	BCF3	AE73	BCF3	FGC30080
1212	솟	BCF4	BCF4	AE75	BCF4	FGC50080
1213	송	BCF5	BCF5	AE77	BCF5	FGC70080
1214	수	BCF6	BCF6	AE81	BCF6	FGCH0080
1215	숙	BCF7	BCF7	AE82	BCF7	FGCI0080
1216	순	BCF8	BCF8	AE85	BCF8	FGCL0080
1217	술	BCF9	BCF9	AE88	BCF9	FGCO0080
1218	슬	BCFA	BCFA	AE89	BCFA	FGCP0080
1219	숨	BCFB	BCFB	AE91	BCFB	FGCX0080
1220	습	BCFC	BCFC	AE93	BCFC	FGCZ0080
1221	솟	BCFD	BCFD	AE95	BCFD	FGD10080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 48 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1222	승	BCFE	BCFE	AE97	BCFE	FGD30080
1223	숯	BDA1	BDA1	AE99	BDA1	FGD50080
1224	솔	BDA2	BDA2	AE9B	BDA2	FGD70080
1225	슌	BDA3	BDA3	AE9C	BDA3	FGD80080
1226	쉬	BDA4	BDA4	AEA1	BDA4	FGDD0080
1227	췀	BDA5	BDA5	AEB6	BDA5	FGDY0080
1228	쉐	BDA6	BDA6	AEC1	BDA6	FGE90080
1229	섹	BDA7	BDA7	AEC2	BDA7	FGEA0080
1230	센	BDA8	BDA8	AEC5	BDA8	FGED0080
1231	셀	BDA9	BDA9	AEC9	BDA9	FGEH0080
1232	췁	BDAA	BDAA	AED1	BDAA	FGEP0080
1233	셩	BDAB	BDAB	AED7	BDAB	FGEV0080
1234	쉬	BDAC	BDAC	AEE1	BDAC	FGF50080
1235	석	BDAD	BDAD	AEE2	BDAD	FGF60080
1236	션	BDAE	BDAE	AEE5	BDAE	FGF90080
1237	설	BDAF	BDAF	AEE9	BDAF	FGFD0080
1238	쉽	BDB0	BDB0	AEF1	BDB0	FGFL0080
1239	습	BDB1	BDB1	AEF3	BDB1	FGFN0080
1240	숯	BDB2	BDB2	AEF5	BDB2	FGFP0080
1241	싱	BDB3	BDB3	AEF7	BDB3	FGFR0080
1242	슈	BDB4	BDB4	AF41	BDB4	FGG10080
1243	숙	BDB5	BDB5	AF42	BDB5	FGG20080
1244	솔	BDB6	BDB6	AF49	BDB6	FGG90080
1245	습	BDB7	BDB7	AF51	BDB7	FGGH0080
1246	숯	BDB8	BDB8	AF55	BDB8	FGGL0080
1247	승	BDB9	BDB9	AF57	BDB9	FGGN0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 49 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1248	스	BDBA	BDBA	AF61	BDBA	FGGX0080
1249	숙	BDBB	BDBB	AF62	BDBB	FGGY0080
1250	순	BDBC	BDBC	AF65	BDBC	FGH10080
1251	슬	BDBD	BDBD	AF69	BDBD	FGH50080
1252	슉	BDBE	BDBE	AF6A	BDBE	FGH60080
1253	슴	BDBF	BDBF	AF71	BDBF	FGHD0080
1254	슘	BDC0	BDC0	AF73	BDC0	FGHF0080
1255	슛	BDC1	BDC1	AF75	BDC1	FGHH0080
1256	슜	BDC2	BDC2	AF77	BDC2	FGHJ0080
1257	시	BDC3	BDC3	AFA1	BDC3	FGIP0080
1258	식	BDC4	BDC4	AFA2	BDC4	FGIQ0080
1259	신	BDC5	BDC5	AFA5	BDC5	FGIT0080
1260	실	BDC6	BDC6	AFA8	BDC6	FGIW0080
1261	실	BDC7	BDC7	AFA9	BDC7	FGIX0080
1262	싫	BDC8	BDC8	AFB0	BDC8	FGJ40080
1263	심	BDC9	BDC9	AFB1	BDC9	FGJ50080
1264	십	BDCA	BDCA	AFB3	BDCA	FGJ70080
1265	싣	BDCB	BDCB	AFB5	BDCB	FGJ90080
1266	싱	BDCC	BDCC	AFB7	BDCC	FGJB0080
1267	싣	BDCD	BDCD	AFBC	BDCD	FGJG0080
1268	싸	BDCE	BDCE	B061	BDCE	FGM90080
1269	쌉	BDCF	BDCF	B062	BDCF	FGMA0080
1270	쌌	BDD0	BDD0	B064	BDD0	FGMC0080
1271	쌌	BDD1	BDD1	B065	BDD1	FGMD0080
1272	쌌	BDD2	BDD2	B069	BDD2	FGMH0080
1273	쌌	BDD3	BDD3	B071	BDD3	FGMP0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 50 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1274	쌘	BDD4	BDD4	B073	BDD4	FGMR0080
1275	쌘	BDD5	BDD5	B076	BDD5	FGMU0080
1276	쌘	BDD6	BDD6	B077	BDD6	FGMV0080
1277	쌘	BDD7	BDD7	B07D	BDD7	FGN10080
1278	쌘	BDD8	BDD8	B081	BDD8	FGN50080
1279	쌘	BDD9	BDD9	B082	BDD9	FGN60080
1280	쌘	BDDA	BDDA	B085	BDDA	FGN90080
1281	쌘	BDDB	BDDB	B089	BDDB	FGND0080
1282	쌘	BDDC	BDDC	B091	BDDC	FGNL0080
1283	쌘	BDDD	BDDD	B093	BDDD	FGNN0080
1284	쌘	BDDE	BDDE	B096	BDDE	FGNQ0080
1285	쌘	BDDF	BDDF	B097	BDDF	FGNR0080
1286	쌘	BDE0	BDE0	B0B7	BDE0	FGON0080
1287	쌘	BDE1	BDE1	B0E1	BDE1	FGPT0080
1288	쌘	BDE2	BDE2	B0E2	BDE2	FGPU0080
1289	쌘	BDE3	BDE3	B0E5	BDE3	FGPX0080
1290	쌘	BDE4	BDE4	B0E9	BDE4	FGQ10080
1291	쌘	BDE5	BDE5	B0EB	BDE5	FGQ30080
1292	쌘	BDE6	BDE6	B0F1	BDE6	FGQ90080
1293	쌘	BDE7	BDE7	B0F3	BDE7	FGQB0080
1294	쌘	BDE8	BDE8	B0F6	BDE8	FGQE0080
1295	쌘	BDE9	BDE9	B0F7	BDE9	FGQF0080
1296	쌘	BDEA	BDEA	B141	BDEA	FGQP0080
1297	쌘	BDEB	BDEB	B145	BDEB	FGQT0080
1298	쌘	BDEC	BDEC	B149	BDEC	FGQX0080
1299	쌘	BDED	BDED	B185	BDED	FGSL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 51 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1300	소	BDEE	BDEE	B1A1	BDEE	FGTD0080
1301	속	BDEF	BDEF	B1A2	BDEF	FGTE0080
1302	손	BDF0	BDF0	B1A5	BDF0	FGTH0080
1303	쏟	BDF1	BDF1	B1A8	BDF1	FGTK0080
1304	쫘	BDF2	BDF2	B1A9	BDF2	FGTL0080
1305	쫙	BDF3	BDF3	B1AB	BDF3	FGTN0080
1306	쫚	BDF4	BDF4	B1B1	BDF4	FGTT0080
1307	쫛	BDF5	BDF5	B1B3	BDF5	FGTV0080
1308	쫜	BDF6	BDF6	B1B7	BDF6	FGTZ0080
1309	쫝	BDF7	BDF7	B1C1	BDF7	FGU90080
1310	쫞	BDF8	BDF8	B1C2	BDF8	FGUA0080
1311	쫟	BDF9	BDF9	B1C5	BDF9	FGUD0080
1312	쫠	BDFA	BDFA	B1D6	BDFA	FGUU0080
1313	쫡	BDFB	BDFB	B1E1	BDFB	FGV50080
1314	쫢	BDFC	BDFC	B1F6	BDFC	FGVQ0080
1315	쫣	BDFD	BDFD	B241	BDFD	FGW10080
1316	쫤	BDFE	BDFE	B245	BDFE	FGW50080
1317	쫥	BEA1	BEA1	B249	BEA1	FGW90080
1318	쫦	BEA2	BEA2	B251	BEA2	FGWH0080
1319	쫧	BEA3	BEA3	B253	BEA3	FGWJ0080
1320	쫨	BEA4	BEA4	B261	BEA4	FGWX0080
1321	쫩	BEA5	BEA5	B281	BEA5	FGXT0080
1322	쫪	BEA6	BEA6	B282	BEA6	FGXU0080
1323	쫫	BEA7	BEA7	B285	BEA7	FGXX0080
1324	쫬	BEA8	BEA8	B289	BEA8	FGY10080
1325	쫭	BEA9	BEA9	B291	BEA9	FGY90080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 52 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1326	쑈	BEAA	BEAA	B293	BEAA	FGYB0080
1327	쑂	BEAB	BEAB	B297	BEAB	FGYF0080
1328	쑃	BEAC	BEAC	B2A1	BEAC	FGYP0080
1329	쑄	BEAD	BEAD	B2B6	BEAD	FGZA0080
1330	쑅	BEAE	BEAE	B2C1	BEAE	FGZL0080
1331	쑆	BEAF	BEAF	B2E1	BEAF	FH0H0080
1332	쑇	BEB0	BEB0	B2E5	BEB0	FH0L0080
1333	쑈	BEB1	BEB1	B357	BEB1	FH1Z0080
1334	쑉	BEB2	BEB2	B361	BEB2	FH290080
1335	쑊	BEB3	BEB3	B362	BEB3	FH2A0080
1336	쑋	BEB4	BEB4	B365	BEB4	FH2D0080
1337	쑌	BEB5	BEB5	B369	BEB5	FH2H0080
1338	쑍	BEB6	BEB6	B36B	BEB6	FH2J0080
1339	쑎	BEB7	BEB7	B370	BEB7	FH2O0080
1340	쑏	BEB8	BEB8	B371	BEB8	FH2P0080
1341	쑐	BEB9	BEB9	B373	BEB9	FH2R0080
1342	쑑	BEBA	BEBA	B381	BEBA	FH350080
1343	쑒	BEBB	BEBB	B385	BEBB	FH390080
1344	쑓	BEBC	BEBC	B389	BEBC	FH3D0080
1345	쑔	BEBD	BEBD	B391	BEBD	FH3L0080
1346	쑕	BEBE	BEBE	B3A1	BEBE	FH410080
1347	쑖	BEBF	BEBF	B3A2	BEBF	FH420080
1348	쑗	BEC0	BEC0	B3A5	BEC0	FH450080
1349	쑘	BEC1	BEC1	B3A9	BEC1	FH490080
1350	쑙	BEC2	BEC2	B3B1	BEC2	FH4H0080
1351	쑚	BEC3	BEC3	B3B3	BEC3	FH4J0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 53 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1352	씻	BEC4	BEC4	B3B5	BEC4	FH4L0080
1353	씽	BEC5	BEC5	B3B7	BEC5	FH4N0080
1354	아	BEC6	BEC6	B461	BEC6	FH7L0080
1355	악	BEC7	BEC7	B462	BEC7	FH7M0080
1356	안	BEC8	BEC8	B465	BEC8	FH7P0080
1357	앞	BEC9	BEC9	B466	BEC9	FH7Q0080
1358	앓	BECA	BECA	B467	BECA	FH7R0080
1359	알	BECB	BECB	B469	BECB	FH7T0080
1360	앓	BECC	BECC	B46A	BECC	FH7U0080
1361	앓	BECD	BECD	B46B	BECD	FH7V0080
1362	앓	BECE	BECE	B470	BECE	FH800080
1363	암	BECF	BECF	B471	BECF	FH810080
1364	압	BED0	BED0	B473	BED0	FH830080
1365	앗	BED1	BED1	B475	BED1	FH850080
1366	앗	BED2	BED2	B476	BED2	FH860080
1367	앙	BED3	BED3	B477	BED3	FH870080
1368	알	BED4	BED4	B47B	BED4	FH8B0080
1369	앞	BED5	BED5	B47C	BED5	FH8C0080
1370	애	BED6	BED6	B481	BED6	FH8H0080
1371	액	BED7	BED7	B482	BED7	FH8I0080
1372	앤	BED8	BED8	B485	BED8	FH8L0080
1373	엘	BED9	BED9	B489	BED9	FH8P0080
1374	앓	BEDA	BEDA	B491	BEDA	FH8X0080
1375	앓	BEDB	BEDB	B493	BEDB	FH8Z0080
1376	앓	BEDC	BEDC	B495	BEDC	FH910080
1377	앓	BEDD	BEDD	B496	BEDD	FH920080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 54 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1378	앵	BEDE	BEDE	B497	BEDE	FH930080
1379	야	BEDF	BEDF	B4A1	BEDF	FH9D0080
1380	약	BEE0	BEE0	B4A2	BEE0	FH9E0080
1381	얀	BEE1	BEE1	B4A5	BEE1	FH9H0080
1382	얏	BEE2	BEE2	B4A9	BEE2	FH9L0080
1383	얘	BEE3	BEE3	B4AC	BEE3	FH9O0080
1384	양	BEE4	BEE4	B4B1	BEE4	FH9T0080
1385	얒	BEE5	BEE5	B4B3	BEE5	FH9V0080
1386	얓	BEE6	BEE6	B4B5	BEE6	FH9X0080
1387	얔	BEE7	BEE7	B4B7	BEE7	FH9Z0080
1388	얕	BEE8	BEE8	B4BB	BEE8	FHA30080
1389	얖	BEE9	BEE9	B4BD	BEE9	FHA50080
1390	애	BEEA	BEEA	B4C1	BEEA	FHA90080
1391	앤	BEEB	BEEB	B4C5	BEEB	FHAD0080
1392	엘	BEEC	BEEC	B4C9	BEEC	FHAH0080
1393	엎	BEED	BEED	B4D3	BEED	FHAR0080
1394	어	BEEE	BEEE	B4E1	BEEE	FHB50080
1395	의	BEEF	BEEF	B4E2	BEEF	FHB60080
1396	언	BEF0	BEF0	B4E5	BEF0	FHB90080
1397	엣	BEF1	BEF1	B4E6	BEF1	FHBA0080
1398	엔	BEF2	BEF2	B4E8	BEF2	FHBC0080
1399	을	BEF3	BEF3	B4E9	BEF3	FHBD0080
1400	읅	BEF4	BEF4	B4EA	BEF4	FHBE0080
1401	읆	BEF5	BEF5	B4EB	BEF5	FHBF0080
1402	읇	BEF6	BEF6	B4F1	BEF6	FHBL0080
1403	읈	BEF7	BEF7	B4F3	BEF7	FHBN0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 55 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1404	없	BEF8	BEF8	B4F4	BEF8	FHBO0080
1405	엇	BEF9	BEF9	B4F5	BEF9	FHBP0080
1406	엇	BEFA	BEFA	B4F6	BEFA	FHBQ0080
1407	엥	BEFB	BEFB	B4F7	BEFB	FHBR0080
1408	엇	BEFC	BEFC	B4F8	BEFC	FHBS0080
1409	억	BEFD	BEFD	B4FA	BEFD	FHBU0080
1410	엡	BEFE	BEFE	B4FC	BEFE	FHBW0080
1411	에	BFA1	BFA1	B541	BFA1	FHC10080
1412	억	BFA2	BFA2	B542	BFA2	FHC20080
1413	엔	BFA3	BFA3	B545	BFA3	FHC50080
1414	엘	BFA4	BFA4	B549	BFA4	FHC90080
1415	엠	BFA5	BFA5	B551	BFA5	FHCH0080
1416	엡	BFA6	BFA6	B553	BFA6	FHCJ0080
1417	엇	BFA7	BFA7	B555	BFA7	FHCL0080
1418	엥	BFA8	BFA8	B557	BFA8	FHCN0080
1419	억	BFA9	BFA9	B561	BFA9	FHCX0080
1420	역	BFAA	BFAA	B562	BFAA	FHCY0080
1421	윽	BFAB	BFAB	B563	BFAB	FHCZ0080
1422	엔	BFAC	BFAC	B565	BFAC	FHD10080
1423	엘	BFAD	BFAD	B569	BFAD	FHD50080
1424	엡	BFAE	BFAE	B56B	BFAE	FHD70080
1425	엡	BFAF	BFAF	B56C	BFAF	FHD80080
1426	몹	BFB0	BFB0	B571	BFB0	FHDD0080
1427	몹	BFB1	BFB1	B573	BFB1	FHDF0080
1428	엡	BFB2	BFB2	B574	BFB2	FHDG0080
1429	엇	BFB3	BFB3	B575	BFB3	FHDH0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 56 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1430	였	BFB4	BFB4	B576	BFB4	FHDI0080
1431	영	BFB5	BFB5	B577	BFB5	FHDJ0080
1432	열	BFB6	BFB6	B57B	BFB6	FHDN0080
1433	표	BFB7	BFB7	B57C	BFB7	FHDO0080
1434	영	BFB8	BFB8	B57D	BFB8	FHDP0080
1435	예	BFB9	BFB9	B581	BFB9	FHDT0080
1436	연	BFBA	BFBA	B585	BFBA	FHDX0080
1437	열	BFBB	BFBB	B589	BFBB	FHE10080
1438	웁	BFBC	BFBC	B591	BFBC	FHE90080
1439	엽	BFBD	BFBD	B593	BFBD	FHEB0080
1440	옛	BFBE	BFBE	B595	BFBE	FHED0080
1441	였	BFBF	BFBF	B596	BFBF	FHEE0080
1442	오	BFC0	BFC0	B5A1	BFC0	FHEP0080
1443	옥	BFC1	BFC1	B5A2	BFC1	FHEQ0080
1444	온	BFC2	BFC2	B5A5	BFC2	FHET0080
1445	을	BFC3	BFC3	B5A9	BFC3	FHEX0080
1446	웁	BFC4	BFC4	B5AA	BFC4	FHEY0080
1447	웁	BFC5	BFC5	B5AB	BFC5	FHEZ0080
1448	웁	BFC6	BFC6	B5AD	BFC6	FHF10080
1449	웁	BFC7	BFC7	B5B0	BFC7	FHF40080
1450	음	BFC8	BFC8	B5B1	BFC8	FHF50080
1451	음	BFC9	BFC9	B5B3	BFC9	FHF70080
1452	웃	BFCA	BFCA	B5B5	BFCA	FHF90080
1453	응	BFCB	BFCB	B5B7	BFCB	FHFB0080
1454	웃	BFCC	BFCC	B5B9	BFCC	FHFD0080
1455	와	BFCD	BFCD	B5C1	BFCD	FHFL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 57 of 58). KS Hangeul Character Set (1 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1456	악	BFCE	BFCE	B5C2	BFCE	FHFM0080
1457	완	BFCF	BFCF	B5C5	BFCF	FHFP0080
1458	왈	BFD0	BFD0	B5C9	BFD0	FHFT0080
1459	왓	BFD1	BFD1	B5D1	BFD1	FHG10080
1460	왓	BFD2	BFD2	B5D3	BFD2	FHG30080
1461	왓	BFD3	BFD3	B5D5	BFD3	FHG50080
1462	왓	BFD4	BFD4	B5D6	BFD4	FHG60080
1463	왕	BFD5	BFD5	B5D7	BFD5	FHG70080
1464	왜	BFD6	BFD6	B5E1	BFD6	FHGH0080
1465	왓	BFD7	BFD7	B5E2	BFD7	FHGI0080
1466	왓	BFD8	BFD8	B5E5	BFD8	FHGL0080
1467	왓	BFD9	BFD9	B5F1	BFD9	FHGX0080
1468	왓	BFDA	BFDA	B5F5	BFDA	FHH10080
1469	왓	BFDB	BFDB	B5F7	BFDB	FHH30080
1470	외	BFDC	BFDC	B641	BFDC	FHHD0080
1471	익	BFDD	BFDD	B642	BFDD	FHHE0080
1472	원	BFDE	BFDE	B645	BFDE	FHHH0080
1473	월	BDFD	BDFD	B649	BDFD	FHHL0080
1474	웁	BFE0	BFE0	B651	BFE0	FHHT0080
1475	웁	BFE1	BFE1	B653	BFE1	FHHV0080
1476	왓	BFE2	BFE2	B655	BFE2	FHHX0080
1477	윙	BFE3	BFE3	B657	BFE3	FHHZ0080
1478	요	BFE4	BFE4	B661	BFE4	FHI90080
1479	육	BFE5	BFE5	B662	BFE5	FHIA0080
1480	은	BFE6	BFE6	B665	BFE6	FHID0080
1481	을	BFE7	BFE7	B669	BFE7	FHIH0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 58 of 58). KS Hangeul Character Set (1 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1482	음	BFE8	BFE8	B671	BFE8	FHIP0080
1483	읍	BFE9	BFE9	B673	BFE9	FHIR0080
1484	웃	BFEA	BFEA	B675	BFEA	FHIT0080
1485	옹	BFEB	BFEB	B677	BFEB	FHIV0080
1486	우	BFEC	BFEC	B681	BFEC	FHJ50080
1487	욱	BFED	BFED	B682	BFED	FHJ60080
1488	운	BFEE	BFEE	B685	BFEE	FHJ90080
1489	을	BFEF	BFEF	B689	BFEF	FHJD0080
1490	욱	BFF0	BFF0	B68A	BFF0	FHJE0080
1491	읍	BFF1	BFF1	B68B	BFF1	FHJF0080
1492	음	BFF2	BFF2	B691	BFF2	FHJL0080
1493	읍	BFF3	BFF3	B693	BFF3	FHJN0080
1494	웃	BFF4	BFF4	B695	BFF4	FHJP0080
1495	옹	BFF5	BFF5	B697	BFF5	FHJR0080
1496	위	BFF6	BFF6	B6A1	BFF6	FHK10080
1497	웁	BFF7	BFF7	B6A2	BFF7	FHK20080
1498	원	BFF8	BFF8	B6A5	BFF8	FHK50080
1499	월	BFF9	BFF9	B6A9	BFF9	FHK90080
1500	웁	BFFA	BFFA	B6B1	BFFA	FHKH0080
1501	웁	BFFB	BFFB	B6B3	BFFB	FHKJ0080
1502	웠	BFFC	BFFC	B6B6	BFFC	FHKM0080
1503	웁	BFFD	BFFD	B6B7	BFFD	FHKN0080
1504	웨	BFFE	BFFE	B6C1	BFFE	FHKX0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 1 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1505	웍	C0A1	C0A1	B6C2	C0A1	FHKY0080
1506	웜	C0A2	C0A2	B6C5	C0A2	FHL10080
1507	웝	C0A3	C0A3	B6C9	C0A3	FHL50080
1508	웞	C0A4	C0A4	B6D1	C0A4	FHLD0080
1509	웟	C0A5	C0A5	B6D3	C0A5	FHLF0080
1510	웠	C0A6	C0A6	B6D7	C0A6	FHLJ0080
1511	웡	C0A7	C0A7	B6E1	C0A7	FHLT0080
1512	웢	C0A8	C0A8	B6E2	C0A8	FHLU0080
1513	웣	C0A9	C0A9	B6E5	C0A9	FHLX0080
1514	웤	C0AA	C0AA	B6E9	C0AA	FHM10080
1515	웦	C0AB	C0AB	B6F1	C0AB	FHM90080
1516	웧	C0AC	C0AC	B6F3	C0AC	FHMB0080
1517	웨	C0AD	C0AD	B6F5	C0AD	FHMD0080
1518	웩	C0AE	C0AE	B6F7	C0AE	FHMF0080
1519	유	C0AF	C0AF	B741	C0AF	FHMP0080
1520	육	C0B0	C0B0	B742	C0B0	FHMQ0080
1521	윤	C0B1	C0B1	B745	C0B1	FHMT0080
1522	을	C0B2	C0B2	B749	C0B2	FHMX0080
1523	음	C0B3	C0B3	B751	C0B3	FHN50080
1524	읍	C0B4	C0B4	B753	C0B4	FHN70080
1525	웃	C0B5	C0B5	B755	C0B5	FHN90080
1526	옹	C0B6	C0B6	B757	C0B6	FHNB0080
1527	웁	C0B7	C0B7	B759	C0B7	FHND0080
1528	으	C0B8	C0B8	B761	C0B8	FHNL0080
1529	우	C0B9	C0B9	B762	C0B9	FHNM0080
1530	운	C0BA	C0BA	B765	C0BA	FHNP0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 2 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1531	을	C0BB	C0BB	B769	C0BB	FHNT0080
1532	ㅡ	C0BC	C0BC	B76F	C0BC	FHNZ0080
1533	음	C0BD	C0BD	B771	C0BD	FHO10080
1534	ㅁ	C0BE	C0BE	B773	C0BE	FHO30080
1535	웃	C0BF	C0BF	B775	C0BF	FHO50080
1536	응	C0C0	C0C0	B777	C0C0	FHO70080
1537	웃	C0C1	C0C1	B778	C0C1	FHO80080
1538	웃	C0C2	C0C2	B779	C0C2	FHO90080
1539	으	C0C3	C0C3	B77A	C0C3	FHOA0080
1540	읍	C0C4	C0C4	B77B	C0C4	FHOB0080
1541	ㅡ	C0C5	C0C5	B77C	C0C5	FHOC0080
1542	옹	C0C6	C0C6	B77D	C0C6	FHOD0080
1543	의	C0C7	C0C7	B781	C0C7	FHOH0080
1544	원	C0C8	C0C8	B785	C0C8	FHOL0080
1545	월	C0C9	C0C9	B789	C0C9	FHOP0080
1546	웁	C0CA	C0CA	B791	C0CA	FHOX0080
1547	윗	C0CB	C0CB	B795	C0CB	FHP10080
1548	이	C0CC	C0CC	B7A1	C0CC	FHPD0080
1549	익	C0CD	C0CD	B7A2	C0CD	FHPE0080
1550	인	C0CE	C0CE	B7A5	C0CE	FHPH0080
1551	일	C0CF	C0CF	B7A9	C0CF	FHPL0080
1552	익	C0D0	C0D0	B7AA	C0D0	FHPM0080
1553	ㅡ	C0D1	C0D1	B7AB	C0D1	FHPN0080
1554	ㅡ	C0D2	C0D2	B7B0	C0D2	FHPS0080
1555	입	C0D3	C0D3	B7B1	C0D3	FHPT0080
1556	입	C0D4	C0D4	B7B3	C0D4	FHPV0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 3 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1557	잇	C0D5	C0D5	B7B5	C0D5	FHPX0080
1558	있	C0D6	C0D6	B7B6	C0D6	FHPY0080
1559	잉	C0D7	C0D7	B7B7	C0D7	FHPZ0080
1560	잊	C0D8	C0D8	B7B8	C0D8	FHQ00080
1561	잎	C0D9	C0D9	B7BC	C0D9	FHQ40080
1562	자	C0DA	C0DA	B861	C0DA	FHSX0080
1563	작	C0DB	C0DB	B862	C0DB	FHSY0080
1564	잔	C0DC	C0DC	B865	C0DC	FHT10080
1565	잠	C0DD	C0DD	B867	C0DD	FHT30080
1566	잔	C0DE	C0DE	B868	C0DE	FHT40080
1567	잘	C0DF	C0DF	B869	C0DF	FHT50080
1568	잠	C0E0	C0E0	B86B	C0E0	FHT70080
1569	잠	C0E1	C0E1	B871	C0E1	FHTD0080
1570	잡	C0E2	C0E2	B873	C0E2	FHTF0080
1571	жат	C0E3	C0E3	B875	C0E3	FHTH0080
1572	жат	C0E4	C0E4	B876	C0E4	FHTI0080
1573	장	C0E5	C0E5	B877	C0E5	FHTJ0080
1574	жат	C0E6	C0E6	B878	C0E6	FHTK0080
1575	재	C0E7	C0E7	B881	C0E7	FHTT0080
1576	잭	C0E8	C0E8	B882	C0E8	FHTU0080
1577	젠	C0E9	C0E9	B885	C0E9	FHTX0080
1578	젤	C0EA	C0EA	B889	C0EA	FHU10080
1579	젼	C0EB	C0EB	B891	C0EB	FHU90080
1580	젹	C0EC	C0EC	B893	C0EC	FHUB0080
1581	젼	C0ED	C0ED	B895	C0ED	FHUD0080
1582	젼	C0EE	C0EE	B896	C0EE	FHUE0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 4 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1583	쟁	C0EF	C0EF	B897	C0EF	FHUF0080
1584	쟈	C0F0	C0F0	B8A1	C0F0	FHUP0080
1585	쟉	C0F1	C0F1	B8A2	C0F1	FHUQ0080
1586	쟊	C0F2	C0F2	B8A5	C0F2	FHUT0080
1587	쟋	C0F3	C0F3	B8A7	C0F3	FHUV0080
1588	쟌	C0F4	C0F4	B8A9	C0F4	FHUX0080
1589	쟍	C0F5	C0F5	B8B1	C0F5	FHV50080
1590	쟎	C0F6	C0F6	B8B7	C0F6	FHVB0080
1591	쟏	C0F7	C0F7	B8C1	C0F7	FHVL0080
1592	쟐	C0F8	C0F8	B8C5	C0F8	FHVP0080
1593	쟑	C0F9	C0F9	B8C9	C0F9	FHVT0080
1594	저	C0FA	C0FA	B8E1	C0FA	FHWH0080
1595	적	C0FB	C0FB	B8E2	C0FB	FHWI0080
1596	전	C0FC	C0FC	B8E5	C0FC	FHWL0080
1597	절	C0FD	C0FD	B8E9	C0FD	FHWP0080
1598	젊	C0FE	C0FE	B8EB	C0FE	FHWR0080
1599	점	C1A1	C1A1	B8F1	C1A1	FHWX0080
1600	접	C1A2	C1A2	B8F3	C1A2	FHWZ0080
1601	젓	C1A3	C1A3	B8F5	C1A3	FHX10080
1602	정	C1A4	C1A4	B8F7	C1A4	FHX30080
1603	젓	C1A5	C1A5	B8F8	C1A5	FHX40080
1604	제	C1A6	C1A6	B941	C1A6	FHXD0080
1605	젝	C1A7	C1A7	B942	C1A7	FHXE0080
1606	젠	C1A8	C1A8	B945	C1A8	FHXH0080
1607	젤	C1A9	C1A9	B949	C1A9	FHXL0080
1608	젼	C1AA	C1AA	B951	C1AA	FHXT0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 5 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1609	쩍	C1AB	C1AB	B953	C1AB	FHXV0080
1610	젯	C1AC	C1AC	B955	C1AC	FHXX0080
1611	쟁	C1AD	C1AD	B957	C1AD	FHXZ0080
1612	저	C1AE	C1AE	B961	C1AE	FHY90080
1613	전	C1AF	C1AF	B965	C1AF	FHYD0080
1614	절	C1B0	C1B0	B969	C1B0	FHYH0080
1615	점	C1B1	C1B1	B971	C1B1	FHYP0080
1616	접	C1B2	C1B2	B973	C1B2	FHYR0080
1617	젯	C1B3	C1B3	B976	C1B3	FHYU0080
1618	정	C1B4	C1B4	B977	C1B4	FHYV0080
1619	계	C1B5	C1B5	B981	C1B5	FHZ50080
1620	조	C1B6	C1B6	B9A1	C1B6	FI010080
1621	죽	C1B7	C1B7	B9A2	C1B7	FI020080
1622	존	C1B8	C1B8	B9A5	C1B8	FI050080
1623	졸	C1B9	C1B9	B9A9	C1B9	FI090080
1624	줍	C1BA	C1BA	B9AB	C1BA	FI0B0080
1625	zum	C1BB	C1BB	B9B1	C1BB	FI0H0080
1626	zum	C1BC	C1BC	B9B3	C1BC	FI0J0080
1627	zot	C1BD	C1BD	B9B5	C1BD	FI0L0080
1628	zong	C1BE	C1BE	B9B7	C1BE	FI0N0080
1629	zoot	C1BF	C1BF	B9B8	C1BF	FI0O0080
1630	zoot	C1C0	C1C0	B9B9	C1C0	FI0P0080
1631	zong	C1C1	C1C1	B9BD	C1C1	FI0T0080
1632	좌	C1C2	C1C2	B9C1	C1C2	FI0X0080
1633	좌	C1C3	C1C3	B9C2	C1C3	FI0Y0080
1634	좌	C1C4	C1C4	B9C9	C1C4	FI150080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 6 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1635	잡	C1C5	C1C5	B9D3	C1C5	FI1F0080
1636	좏	C1C6	C1C6	B9D5	C1C6	FI1H0080
1637	좑	C1C7	C1C7	B9D7	C1C7	FI1J0080
1638	좒	C1C8	C1C8	B9E1	C1C8	FI1T0080
1639	좓	C1C9	C1C9	B9F6	C1C9	FI2E0080
1640	좔	C1CA	C1CA	B9F7	C1CA	FI2F0080
1641	좕	C1CB	C1CB	BA41	C1CB	FI2P0080
1642	좖	C1CC	C1CC	BA45	C1CC	FI2T0080
1643	좗	C1CD	C1CD	BA49	C1CD	FI2X0080
1644	좘	C1CE	C1CE	BA51	C1CE	FI350080
1645	좙	C1CF	C1CF	BA53	C1CF	FI370080
1646	좚	C1D0	C1D0	BA55	C1D0	FI390080
1647	좛	C1D1	C1D1	BA57	C1D1	FI3B0080
1648	좜	C1D2	C1D2	BA61	C1D2	FI3L0080
1649	좝	C1D3	C1D3	BA62	C1D3	FI3M0080
1650	좞	C1D4	C1D4	BA65	C1D4	FI3P0080
1651	좟	C1D5	C1D5	BA77	C1D5	FI470080
1652	좠	C1D6	C1D6	BA81	C1D6	FI4H0080
1653	좡	C1D7	C1D7	BA82	C1D7	FI4I0080
1654	좢	C1D8	C1D8	BA85	C1D8	FI4L0080
1655	좣	C1D9	C1D9	BA89	C1D9	FI4P0080
1656	좤	C1DA	C1DA	BA8A	C1DA	FI4Q0080
1657	좥	C1DB	C1DB	BA8B	C1DB	FI4R0080
1658	좦	C1DC	C1DC	BA91	C1DC	FI4X0080
1659	좧	C1DD	C1DD	BA93	C1DD	FI4Z0080
1660	좨	C1DE	C1DE	BA95	C1DE	FI5I0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 7 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1661	중	C1DF	C1DF	BA97	C1DF	FI530080
1662	취	C1E0	C1E0	BAA1	C1E0	FI5D0080
1663	췌	C1E1	C1E1	BAB6	C1E1	FI5Y0080
1664	췍	C1E2	C1E2	BAC1	C1E2	FI690080
1665	췎	C1E3	C1E3	BAE1	C1E3	FI750080
1666	췏	C1E4	C1E4	BAE2	C1E4	FI760080
1667	췒	C1E5	C1E5	BAE5	C1E5	FI790080
1668	췔	C1E6	C1E6	BAE9	C1E6	FI7D0080
1669	췖	C1E7	C1E7	BAF1	C1E7	FI7L0080
1670	췘	C1E8	C1E8	BAF3	C1E8	FI7N0080
1671	췚	C1E9	C1E9	BAF5	C1E9	FI7P0080
1672	췜	C1EA	C1EA	BB41	C1EA	FI810080
1673	췞	C1EB	C1EB	BB45	C1EB	FI850080
1674	췠	C1EC	C1EC	BB49	C1EC	FI890080
1675	췢	C1ED	C1ED	BB51	C1ED	FI8H0080
1676	췣	C1EE	C1EE	BB61	C1EE	FI8X0080
1677	췥	C1EF	C1EF	BB62	C1EF	FI8Y0080
1678	췦	C1F0	C1F0	BB65	C1F0	FI910080
1679	취	C1F1	C1F1	BB69	C1F1	FI950080
1680	췪	C1F2	C1F2	BB71	C1F2	FI9D0080
1681	췬	C1F3	C1F3	BB73	C1F3	FI9F0080
1682	췮	C1F4	C1F4	BB75	C1F4	FI9H0080
1683	중	C1F5	C1F5	BB77	C1F5	FI9J0080
1684	지	C1F6	C1F6	BBA1	C1F6	FIAP0080
1685	직	C1F7	C1F7	BBA2	C1F7	FIAQ0080
1686	진	C1F8	C1F8	BBA5	C1F8	FIAT0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 8 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1687	진	C1F9	C1F9	BBA8	C1F9	FIAW0080
1688	질	C1FA	C1FA	BBA9	C1FA	FIAX0080
1689	짚	C1FB	C1FB	BBAB	C1FB	FIAZ0080
1690	짐	C1FC	C1FC	BBB1	C1FC	FIB50080
1691	집	C1FD	C1FD	BBB3	C1FD	FIB70080
1692	짓	C1FE	C1FE	BBB5	C1FE	FIB90080
1693	징	C2A1	C2A1	BBB7	C2A1	FIBB0080
1694	짖	C2A2	C2A2	BBB8	C2A2	FIBC0080
1695	질	C2A3	C2A3	BBBB	C2A3	FIBF0080
1696	짚	C2A4	C2A4	BBBC	C2A4	FIBG0080
1697	짜	C2A5	C2A5	BC61	C2A5	FIE90080
1698	작	C2A6	C2A6	BC62	C2A6	FIEA0080
1699	잔	C2A7	C2A7	BC65	C2A7	FIED0080
1700	짚	C2A8	C2A8	BC67	C2A8	FIEF0080
1701	짚	C2A9	C2A9	BC69	C2A9	FIEH0080
1702	짚	C2AA	C2AA	BC6C	C2AA	FIEK0080
1703	짚	C2AB	C2AB	BC71	C2AB	FIEP0080
1704	짚	C2AC	C2AC	BC73	C2AC	FIER0080
1705	짚	C2AD	C2AD	BC75	C2AD	FIET0080
1706	짚	C2AE	C2AE	BC76	C2AE	FIEU0080
1707	짚	C2AF	C2AF	BC77	C2AF	FIEV0080
1708	째	C2B0	C2B0	BC81	C2B0	FIF50080
1709	째	C2B1	C2B1	BC82	C2B1	FIF60080
1710	째	C2B2	C2B2	BC85	C2B2	FIF90080
1711	째	C2B3	C2B3	BC89	C2B3	FIFD0080
1712	째	C2B4	C2B4	BC91	C2B4	FIFL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 9 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1713	꺄	C2B5	C2B5	BC93	C2B5	FIFN0080
1714	꺅	C2B6	C2B6	BC95	C2B6	FIFP0080
1715	꺆	C2B7	C2B7	BC96	C2B7	FIFQ0080
1716	꺇	C2B8	C2B8	BC97	C2B8	FIFR0080
1717	꺈	C2B9	C2B9	BCA1	C2B9	FIG10080
1718	꺉	C2BA	C2BA	BCA5	C2BA	FIG50080
1719	꺊	C2BB	C2BB	BCB7	C2BB	FIGN0080
1720	꺋	C2BC	C2BC	BCE1	C2BC	FIHT0080
1721	꺌	C2BD	C2BD	BCE2	C2BD	FIHU0080
1722	꺍	C2BE	C2BE	BCE5	C2BE	FIHX0080
1723	꺎	C2BF	C2BF	BCE9	C2BF	FII10080
1724	꺏	C2C0	C2C0	BCF1	C2C0	FII90080
1725	꺑	C2C1	C2C1	BCF3	C2C1	FIIB0080
1726	꺒	C2C2	C2C2	BCF5	C2C2	FIID0080
1727	꺓	C2C3	C2C3	BCF6	C2C3	FIIE0080
1728	꺔	C2C4	C2C4	BCF7	C2C4	FIIF0080
1729	꺕	C2C5	C2C5	BD41	C2C5	FIIP0080
1730	꺖	C2C6	C2C6	BD57	C2C6	FIJB0080
1731	꺗	C2C7	C2C7	BD61	C2C7	FIJL0080
1732	꺘	C2C8	C2C8	BD76	C2C8	FIK60080
1733	꺙	C2C9	C2C9	BDA1	C2C9	FILD0080
1734	꺚	C2CA	C2CA	BDA2	C2CA	FILE0080
1735	꺛	C2CB	C2CB	BDA5	C2CB	FILH0080
1736	꺜	C2CC	C2CC	BDA9	C2CC	FILL0080
1737	꺝	C2CD	C2CD	BDB1	C2CD	FILT0080
1738	꺞	C2CE	C2CE	BDB3	C2CE	FILV0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 10 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1739	쫏	C2CF	C2CF	BDB5	C2CF	FILX0080
1740	쫑	C2D0	C2D0	BDB7	C2D0	FILZ0080
1741	쫒	C2D1	C2D1	BDB9	C2D1	FIM10080
1742	쫓	C2D2	C2D2	BDC1	C2D2	FIM90080
1743	쫔	C2D3	C2D3	BDC2	C2D3	FIMA0080
1744	쫕	C2D4	C2D4	BDC9	C2D4	FIMH0080
1745	쫖	C2D5	C2D5	BDD6	C2D5	FIMU0080
1746	쫗	C2D6	C2D6	BDE1	C2D6	FIN50080
1747	쫘	C2D7	C2D7	BDF6	C2D7	FINQ0080
1748	쫙	C2D8	C2D8	BE41	C2D8	FIO10080
1749	쫚	C2D9	C2D9	BE45	C2D9	FIO50080
1750	쫛	C2DA	C2DA	BE49	C2DA	FIO90080
1751	쫜	C2DB	C2DB	BE51	C2DB	FIOH0080
1752	쫝	C2DC	C2DC	BE53	C2DC	FIOJ0080
1753	쫞	C2DD	C2DD	BE77	C2DD	FIPJ0080
1754	쫟	C2DE	C2DE	BE81	C2DE	FIPT0080
1755	쫠	C2DF	C2DF	BE82	C2DF	FIPU0080
1756	쫡	C2E0	C2E0	BE85	C2E0	FIPX0080
1757	쫢	C2E1	C2E1	BE89	C2E1	FIQ10080
1758	쫣	C2E2	C2E2	BE91	C2E2	FIQ90080
1759	쫤	C2E3	C2E3	BE93	C2E3	FIQB0080
1760	쫥	C2E4	C2E4	BE97	C2E4	FIQF0080
1761	쫦	C2E5	C2E5	BEA1	C2E5	FIQP0080
1762	쫧	C2E6	C2E6	BEB6	C2E6	FIRA0080
1763	쫨	C2E7	C2E7	BEB7	C2E7	FIRB0080
1764	쫩	C2E8	C2E8	BEE1	C2E8	FISH0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 11 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1765	쥬	C2E9	C2E9	BF41	C2E9	FITD0080
1766	즈	C2EA	C2EA	BF61	C2EA	FIU90080
1767	즘	C2EB	C2EB	BF71	C2EB	FIUP0080
1768	줏	C2EC	C2EC	BF75	C2EC	FIUT0080
1769	죡	C2ED	C2ED	BF77	C2ED	FIUV0080
1770	찌	C2EE	C2EE	BFA1	C2EE	FIW10080
1771	찍	C2EF	C2EF	BFA2	C2EF	FIW20080
1772	찐	C2F0	C2F0	BFA5	C2F0	FIW50080
1773	찐	C2F1	C2F1	BFA9	C2F1	FIW90080
1774	찢	C2F2	C2F2	BFB1	C2F2	FIWH0080
1775	찢	C2F3	C2F3	BFB3	C2F3	FIWJ0080
1776	찢	C2F4	C2F4	BFB7	C2F4	FIWN0080
1777	찢	C2F5	C2F5	BFB8	C2F5	FIWO0080
1778	찢	C2F6	C2F6	BFBD	C2F6	FIWT0080
1779	차	C2F7	C2F7	C061	C2F7	FIZL0080
1780	착	C2F8	C2F8	C062	C2F8	FIZM0080
1781	찬	C2F9	C2F9	C065	C2F9	FIZP0080
1782	창	C2FA	C2FA	C067	C2FA	FIZR0080
1783	찰	C2FB	C2FB	C069	C2FB	FIZT0080
1784	참	C2FC	C2FC	C071	C2FC	FJ010080
1785	참	C2FD	C2FD	C073	C2FD	FJ030080
1786	차	C2FE	C2FE	C075	C2FE	FJ050080
1787	차	C3A1	C3A1	C076	C3A1	FJ060080
1788	창	C3A2	C3A2	C077	C3A2	FJ070080
1789	차	C3A3	C3A3	C078	C3A3	FJ080080
1790	채	C3A4	C3A4	C081	C3A4	FJ0H0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 12 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1791	책	C3A5	C3A5	C082	C3A5	FJ0I0080
1792	첸	C3A6	C3A6	C085	C3A6	FJ0L0080
1793	첼	C3A7	C3A7	C089	C3A7	FJ0P0080
1794	첼	C3A8	C3A8	C091	C3A8	FJ0X0080
1795	첼	C3A9	C3A9	C093	C3A9	FJ0Z0080
1796	첼	C3AA	C3AA	C095	C3AA	FJ110080
1797	첼	C3AB	C3AB	C096	C3AB	FJ120080
1798	첼	C3AC	C3AC	C097	C3AC	FJ130080
1799	차	C3AD	C3AD	C0A1	C3AD	FJ1D0080
1800	찬	C3AE	C3AE	C0A5	C3AE	FJ1H0080
1801	찰	C3AF	C3AF	C0A7	C3AF	FJ1J0080
1802	찰	C3B0	C3B0	C0A9	C3B0	FJ1L0080
1803	참	C3B1	C3B1	C0B1	C3B1	FJ1T0080
1804	창	C3B2	C3B2	C0B7	C3B2	FJ1Z0080
1805	처	C3B3	C3B3	C0E1	C3B3	FJ350080
1806	척	C3B4	C3B4	C0E2	C3B4	FJ360080
1807	천	C3B5	C3B5	C0E5	C3B5	FJ390080
1808	철	C3B6	C3B6	C0E9	C3B6	FJ3D0080
1809	침	C3B7	C3B7	C0F1	C3B7	FJ3L0080
1810	첩	C3B8	C3B8	C0F3	C3B8	FJ3N0080
1811	첻	C3B9	C3B9	C0F5	C3B9	FJ3P0080
1812	첻	C3BA	C3BA	C0F6	C3BA	FJ3Q0080
1813	청	C3BB	C3BB	C0F7	C3BB	FJ3R0080
1814	체	C3BC	C3BC	C141	C3BC	FJ410080
1815	척	C3BD	C3BD	C142	C3BD	FJ420080
1816	첸	C3BE	C3BE	C145	C3BE	FJ450080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 13 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1817	첼	C3BF	C3BF	C149	C3BF	FJ490080
1818	첼	C3C0	C3C0	C151	C3C0	FJ4H0080
1819	첼	C3C1	C3C1	C153	C3C1	FJ4J0080
1820	첼	C3C2	C3C2	C155	C3C2	FJ4L0080
1821	첼	C3C3	C3C3	C157	C3C3	FJ4N0080
1822	처	C3C4	C3C4	C161	C3C4	FJ4X0080
1823	천	C3C5	C3C5	C165	C3C5	FJ510080
1824	첼	C3C6	C3C6	C176	C3C6	FJ5I0080
1825	체	C3C7	C3C7	C181	C3C7	FJ5T0080
1826	첼	C3C8	C3C8	C185	C3C8	FJ5X0080
1827	첼	C3C9	C3C9	C197	C3C9	FJ6F0080
1828	초	C3CA	C3CA	C1A1	C3CA	FJ6P0080
1829	축	C3CB	C3CB	C1A2	C3CB	FJ6Q0080
1830	촌	C3CC	C3CC	C1A5	C3CC	FJ6T0080
1831	출	C3CD	C3CD	C1A9	C3CD	FJ6X0080
1832	춤	C3CE	C3CE	C1B1	C3CE	FJ750080
1833	춤	C3CF	C3CF	C1B3	C3CF	FJ770080
1834	춧	C3D0	C3D0	C1B5	C3D0	FJ790080
1835	총	C3D1	C3D1	C1B7	C3D1	FJ7B0080
1836	화	C3D2	C3D2	C1C1	C3D2	FJ7L0080
1837	환	C3D3	C3D3	C1C5	C3D3	FJ7P0080
1838	찰	C3D4	C3D4	C1C9	C3D4	FJ7T0080
1839	창	C3D5	C3D5	C1D7	C3D5	FJ870080
1840	최	C3D6	C3D6	C241	C3D6	FJ9D0080
1841	천	C3D7	C3D7	C245	C3D7	FJ9H0080
1842	첼	C3D8	C3D8	C249	C3D8	FJ9L0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 14 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1843	침	C3D9	C3D9	C251	C3D9	FJ9T0080
1844	칩	C3DA	C3DA	C253	C3DA	FJ9V0080
1845	চিত	C3DB	C3DB	C255	C3DB	FJ9X0080
1846	칭	C3DC	C3DC	C257	C3DC	FJ9Z0080
1847	초	C3DD	C3DD	C261	C3DD	FJA90080
1848	춤	C3DE	C3DE	C271	C3DE	FJAP0080
1849	추	C3DF	C3DF	C281	C3DF	FJB50080
1850	추	C3E0	C3E0	C282	C3E0	FJB60080
1851	춘	C3E1	C3E1	C285	C3E1	FJB90080
1852	출	C3E2	C3E2	C289	C3E2	FJBD0080
1853	춤	C3E3	C3E3	C291	C3E3	FJBL0080
1854	춤	C3E4	C3E4	C293	C3E4	FJBN0080
1855	춧	C3E5	C3E5	C295	C3E5	FJBP0080
1856	춤	C3E6	C3E6	C297	C3E6	FJBR0080
1857	취	C3E7	C3E7	C2A1	C3E7	FJC10080
1858	취	C3E8	C3E8	C2B6	C3E8	FJCM0080
1859	취	C3E9	C3E9	C2C1	C3E9	FJCX0080
1860	첸	C3EA	C3EA	C2C5	C3EA	FJD10080
1861	취	C3EB	C3EB	C2E1	C3EB	FJDT0080
1862	첸	C3EC	C3EC	C2E5	C3EC	FJDX0080
1863	첸	C3ED	C3ED	C2E9	C3ED	FJE10080
1864	침	C3EE	C3EE	C2F1	C3EE	FJE90080
1865	칩	C3EF	C3EF	C2F3	C3EF	FJEB0080
1866	চিত	C3F0	C3F0	C2F5	C3F0	FJED0080
1867	칭	C3F1	C3F1	C2F7	C3F1	FJEF0080
1868	추	C3F2	C3F2	C341	C3F2	FJEP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 15 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1869	춘	C3F3	C3F3	C345	C3F3	FJET0080
1870	출	C3F4	C3F4	C349	C3F4	FJEX0080
1871	춤	C3F5	C3F5	C351	C3F5	FJF50080
1872	충	C3F6	C3F6	C357	C3F6	FJFB0080
1873	츠	C3F7	C3F7	C361	C3F7	FJFL0080
1874	추	C3F8	C3F8	C362	C3F8	FJFM0080
1875	춘	C3F9	C3F9	C365	C3F9	FJFP0080
1876	출	C3FA	C3FA	C369	C3FA	FJFT0080
1877	춤	C3FB	C3FB	C371	C3FB	FJG10080
1878	충	C3FC	C3FC	C373	C3FC	FJG30080
1879	춧	C3FD	C3FD	C375	C3FD	FJG50080
1880	충	C3FE	C3FE	C377	C3FE	FJG70080
1881	치	C4A1	C4A1	C3A1	C4A1	FJHD0080
1882	척	C4A2	C4A2	C3A2	C4A2	FJHE0080
1883	친	C4A3	C4A3	C3A5	C4A3	FJHH0080
1884	친	C4A4	C4A4	C3A8	C4A4	FJHK0080
1885	칠	C4A5	C4A5	C3A9	C4A5	FJHL0080
1886	춰	C4A6	C4A6	C3AA	C4A6	FJHM0080
1887	침	C4A7	C4A7	C3B1	C4A7	FJHT0080
1888	칩	C4A8	C4A8	C3B3	C4A8	FJHV0080
1889	춧	C4A9	C4A9	C3B5	C4A9	FJHX0080
1890	칭	C4AA	C4AA	C3B7	C4AA	FJHZ0080
1891	카	C4AB	C4AB	C461	C4AB	FJKX0080
1892	카	C4AC	C4AC	C462	C4AC	FJKY0080
1893	칸	C4AD	C4AD	C465	C4AD	FJL10080
1894	칼	C4AE	C4AE	C469	C4AE	FJL50080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 16 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1895	캠	C4AF	C4AF	C471	C4AF	FJLD0080
1896	캡	C4B0	C4B0	C473	C4B0	FJLF0080
1897	캣	C4B1	C4B1	C475	C4B1	FJLH0080
1898	캡	C4B2	C4B2	C477	C4B2	FJLJ0080
1899	캐	C4B3	C4B3	C481	C4B3	FJLT0080
1900	컹	C4B4	C4B4	C482	C4B4	FJLU0080
1901	컨	C4B5	C4B5	C485	C4B5	FJLX0080
1902	켈	C4B6	C4B6	C489	C4B6	FJM10080
1903	캠	C4B7	C4B7	C491	C4B7	FJM90080
1904	캡	C4B8	C4B8	C493	C4B8	FJMB0080
1905	캣	C4B9	C4B9	C495	C4B9	FJMD0080
1906	캡	C4BA	C4BA	C496	C4BA	FJME0080
1907	캥	C4BB	C4BB	C497	C4BB	FJMF0080
1908	카	C4BC	C4BC	C4A1	C4BC	FJMP0080
1909	각	C4BD	C4BD	C4A2	C4BD	FJMQ0080
1910	깡	C4BE	C4BE	C4B7	C4BE	FJNB0080
1911	커	C4BF	C4BF	C4E1	C4BF	FJOH0080
1912	컹	C4C0	C4C0	C4E2	C4C0	FJOI0080
1913	컨	C4C1	C4C1	C4E5	C4C1	FJOL0080
1914	켈	C4C2	C4C2	C4E8	C4C2	FJOO0080
1915	켈	C4C3	C4C3	C4E9	C4C3	FJOP0080
1916	کم	C4C4	C4C4	C4F1	C4C4	FJOX0080
1917	컵	C4C5	C4C5	C4F3	C4C5	FJOZ0080
1918	캣	C4C6	C4C6	C4F5	C4C6	FJP10080
1919	캡	C4C7	C4C7	C4F6	C4C7	FJP20080
1920	캥	C4C8	C4C8	C4F7	C4C8	FJP30080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 17 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1921	케	C4C9	C4C9	C541	C4C9	FJPD0080
1922	켠	C4CA	C4CA	C542	C4CA	FJPE0080
1923	켑	C4CB	C4CB	C545	C4CB	FJPH0080
1924	켒	C4CC	C4CC	C549	C4CC	FJPL0080
1925	켓	C4CD	C4CD	C551	C4CD	FJPT0080
1926	켔	C4CE	C4CE	C553	C4CE	FJPV0080
1927	켕	C4CF	C4CF	C555	C4CF	FJPX0080
1928	켖	C4D0	C4D0	C557	C4D0	FJPZ0080
1929	켜	C4D1	C4D1	C561	C4D1	FJQ90080
1930	켘	C4D2	C4D2	C565	C4D2	FJQD0080
1931	켙	C4D3	C4D3	C569	C4D3	FJQH0080
1932	켚	C4D4	C4D4	C571	C4D4	FJQP0080
1933	켛	C4D5	C4D5	C573	C4D5	FJQR0080
1934	켜	C4D6	C4D6	C575	C4D6	FJQT0080
1935	켝	C4D7	C4D7	C576	C4D7	FJQU0080
1936	켞	C4D8	C4D8	C577	C4D8	FJQV0080
1937	켟	C4D9	C4D9	C581	C4D9	FJR50080
1938	코	C4DA	C4DA	C5A1	C4DA	FJS10080
1939	콧	C4DB	C4DB	C5A2	C4DB	FJS20080
1940	콘	C4DC	C4DC	C5A5	C4DC	FJS50080
1941	콜	C4DD	C4DD	C5A9	C4DD	FJS90080
1942	콰	C4DE	C4DE	C5B1	C4DE	FJSH0080
1943	콷	C4DF	C4DF	C5B3	C4DF	FJSJ0080
1944	콸	C4E0	C4E0	C5B5	C4E0	FJSL0080
1945	콹	C4E1	C4E1	C5B7	C4E1	FJSN0080
1946	콺	C4E2	C4E2	C5C1	C4E2	FJSX0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 18 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1947	콧	C4E3	C4E3	C5C2	C4E3	FJSY0080
1948	환	C4E4	C4E4	C5C5	C4E4	FJT10080
1949	활	C4E5	C4E5	C5C9	C4E5	FJT50080
1950	콧	C4E6	C4E6	C5D1	C4E6	FJTD0080
1951	콧	C4E7	C4E7	C5D7	C4E7	FJTJ0080
1952	괘	C4E8	C4E8	C5E1	C4E8	FJTT0080
1953	괘	C4E9	C4E9	C5F7	C4E9	FJUF0080
1954	콧	C4EA	C4EA	C641	C4EA	FJUP0080
1955	콧	C4EB	C4EB	C649	C4EB	FJUX0080
1956	쿄	C4EC	C4EC	C661	C4EC	FJVL0080
1957	쿠	C4ED	C4ED	C681	C4ED	FJWH0080
1958	쿣	C4EE	C4EE	C682	C4EE	FJWI0080
1959	쿣	C4EF	C4EF	C685	C4EF	FJWL0080
1960	쿨	C4F0	C4F0	C689	C4F0	FJWP0080
1961	쿣	C4F1	C4F1	C691	C4F1	FJWX0080
1962	콧	C4F2	C4F2	C693	C4F2	FJWZ0080
1963	콧	C4F3	C4F3	C695	C4F3	FJX10080
1964	쿣	C4F4	C4F4	C697	C4F4	FJX30080
1965	콧	C4F5	C4F5	C6A1	C4F5	FJXD0080
1966	퀸	C4F6	C4F6	C6A5	C4F6	FJXH0080
1967	퀸	C4F7	C4F7	C6A9	C4F7	FJXL0080
1968	퀸	C4F8	C4F8	C6B7	C4F8	FJXZ0080
1969	콧	C4F9	C4F9	C6C1	C4F9	FJY90080
1970	퀸	C4FA	C4FA	C6D7	C4FA	FJYV0080
1971	콧	C4FB	C4FB	C6E1	C4FB	FJZ50080
1972	콧	C4FC	C4FC	C6E2	C4FC	FJZ60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 19 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1973	퀸	C4FD	C4FD	C6E5	C4FD	FJZ90080
1974	퀼	C4FE	C4FE	C6E9	C4FE	FJZD0080
1975	큘	C5A1	C5A1	C6F1	C5A1	FJZL0080
1976	큘	C5A2	C5A2	C6F3	C5A2	FJZN0080
1977	큘	C5A3	C5A3	C6F5	C5A3	FJZP0080
1978	큘	C5A4	C5A4	C6F7	C5A4	FJZR0080
1979	큐	C5A5	C5A5	C741	C5A5	FK010080
1980	큐	C5A6	C5A6	C745	C5A6	FK050080
1981	쿨	C5A7	C5A7	C749	C5A7	FK090080
1982	큘	C5A8	C5A8	C751	C5A8	FK0H0080
1983	크	C5A9	C5A9	C761	C5A9	FK0X0080
1984	쿠	C5AA	C5AA	C762	C5AA	FK0Y0080
1985	큰	C5AB	C5AB	C765	C5AB	FK110080
1986	클	C5AC	C5AC	C769	C5AC	FK150080
1987	큘	C5AD	C5AD	C771	C5AD	FK1D0080
1988	큘	C5AE	C5AE	C773	C5AE	FK1F0080
1989	큘	C5AF	C5AF	C777	C5AF	FK1J0080
1990	키	C5B0	C5B0	C7A1	C5B0	FK2P0080
1991	키키	C5B1	C5B1	C7A2	C5B1	FK2Q0080
1992	킨	C5B2	C5B2	C7A5	C5B2	FK2T0080
1993	퀼	C5B3	C5B3	C7A9	C5B3	FK2X0080
1994	큘	C5B4	C5B4	C7B1	C5B4	FK350080
1995	큘	C5B5	C5B5	C7B3	C5B5	FK370080
1996	큘	C5B6	C5B6	C7B5	C5B6	FK390080
1997	큘	C5B7	C5B7	C7B7	C5B7	FK3B0080
1998	타	C5B8	C5B8	C861	C5B8	FK690080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 20 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1999	탁	C5B9	C5B9	C862	C5B9	FK6A0080
2000	탄	C5BA	C5BA	C865	C5BA	FK6D0080
2001	탈	C5BB	C5BB	C869	C5BB	FK6H0080
2002	탁	C5BC	C5BC	C86A	C5BC	FK6I0080
2003	탐	C5BD	C5BD	C871	C5BD	FK6P0080
2004	탐	C5BE	C5BE	C873	C5BE	FK6R0080
2005	탓	C5BF	C5BF	C875	C5BF	FK6T0080
2006	랏	C5C0	C5C0	C876	C5C0	FK6U0080
2007	탕	C5C1	C5C1	C877	C5C1	FK6V0080
2008	태	C5C2	C5C2	C881	C5C2	FK750080
2009	택	C5C3	C5C3	C882	C5C3	FK760080
2010	탠	C5C4	C5C4	C885	C5C4	FK790080
2011	텔	C5C5	C5C5	C889	C5C5	FK7D0080
2012	탐	C5C6	C5C6	C891	C5C6	FK7L0080
2013	탐	C5C7	C5C7	C893	C5C7	FK7N0080
2014	탓	C5C8	C5C8	C895	C5C8	FK7P0080
2015	랏	C5C9	C5C9	C896	C5C9	FK7Q0080
2016	탱	C5CA	C5CA	C897	C5CA	FK7R0080
2017	타	C5CB	C5CB	C8A1	C5CB	FK810080
2018	탕	C5CC	C5CC	C8B7	C5CC	FK8N0080
2019	터	C5CD	C5CD	C8E1	C5CD	FK9T0080
2020	턱	C5CE	C5CE	C8E2	C5CE	FK9U0080
2021	턴	C5CF	C5CF	C8E5	C5CF	FK9X0080
2022	털	C5D0	C5D0	C8E9	C5D0	FKA10080
2023	툼	C5D1	C5D1	C8EB	C5D1	FKA30080
2024	텀	C5D2	C5D2	C8F1	C5D2	FKA90080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 21 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2025	텢	C5D3	C5D3	C8F3	C5D3	FKAB0080
2026	텣	C5D4	C5D4	C8F5	C5D4	FKAD0080
2027	텤	C5D5	C5D5	C8F6	C5D5	FKAE0080
2028	텦	C5D6	C5D6	C8F7	C5D6	FKAF0080
2029	테	C5D7	C5D7	C941	C5D7	FKAP0080
2030	텍	C5D8	C5D8	C942	C5D8	FKAQ0080
2031	텐	C5D9	C5D9	C945	C5D9	FKAT0080
2032	텔	C5DA	C5DA	C949	C5DA	FKAX0080
2033	템	C5DB	C5DB	C951	C5DB	FKB50080
2034	텢	C5DC	C5DC	C953	C5DC	FKB70080
2035	텣	C5DD	C5DD	C955	C5DD	FKB90080
2036	텤	C5DE	C5DE	C957	C5DE	FKBB0080
2037	텦	C5DF	C5DF	C961	C5DF	FKBL0080
2038	텐	C5E0	C5E0	C965	C5E0	FKBP0080
2039	텤	C5E1	C5E1	C976	C5E1	FKC60080
2040	테	C5E2	C5E2	C981	C5E2	FKCH0080
2041	텐	C5E3	C5E3	C985	C5E3	FKCL0080
2042	토	C5E4	C5E4	C9A1	C5E4	FKDD0080
2043	톡	C5E5	C5E5	C9A2	C5E5	FKDE0080
2044	톤	C5E6	C5E6	C9A5	C5E6	FKDH0080
2045	тол	C5E7	C5E7	C9A9	C5E7	FKDL0080
2046	툼	C5E8	C5E8	C9B1	C5E8	FKDT0080
2047	툽	C5E9	C5E9	C9B3	C5E9	FKDV0080
2048	툸	C5EA	C5EA	C9B5	C5EA	FKDX0080
2049	통	C5EB	C5EB	C9B7	C5EB	FKDZ0080
2050	툹	C5EC	C5EC	C9BC	C5EC	FKE40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 22 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2051	ㅓ	C5ED	C5ED	C9C1	C5ED	FKE90080
2052	ㅕ	C5EE	C5EE	C9C5	C5EE	FKED0080
2053	ㅖ	C5EF	C5EF	C9E1	C5EF	FKF50080
2054	ㅗ	C5F0	C5F0	CA41	C5F0	FKG10080
2055	ㅛ	C5F1	C5F1	CA45	C5F1	FKG50080
2056	ㅜ	C5F2	C5F2	CA55	C5F2	FKGL0080
2057	ㅠ	C5F3	C5F3	CA57	C5F3	FKGN0080
2058	ㅡ	C5F4	C5F4	CA61	C5F4	FKGX0080
2059	ㅓ	C5F5	C5F5	CA81	C5F5	FKHT0080
2060	ㅕ	C5F6	C5F6	CA82	C5F6	FKHU0080
2061	ㅖ	C5F7	C5F7	CA85	C5F7	FKHX0080
2062	ㅗ	C5F8	C5F8	CA89	C5F8	FKI10080
2063	ㅛ	C5F9	C5F9	CA91	C5F9	FKI90080
2064	ㅜ	C5FA	C5FA	CA93	C5FA	FKIB0080
2065	ㅠ	C5FB	C5FB	CA95	C5FB	FKID0080
2066	ㅡ	C5FC	C5FC	CA97	C5FC	FKIF0080
2067	ㅓ	C5FD	C5FD	CAA1	C5FD	FKIP0080
2068	ㅕ	C5FE	C5FE	CAB6	C5FE	FKJA0080
2069	ㅖ	C6A1	C6A1	CAC1	C6A1	FKJL0080
2070	ㅗ	C6A2	C6A2	CAE1	C6A2	FKKH0080
2071	ㅛ	C6A3	C6A3	CAE2	C6A3	FKKI0080
2072	ㅜ	C6A4	C6A4	CAE5	C6A4	FKKL0080
2073	ㅠ	C6A5	C6A5	CAE9	C6A5	FKKP0080
2074	ㅡ	C6A6	C6A6	CAF1	C6A6	FKKX0080
2075	ㅓ	C6A7	C6A7	CAF3	C6A7	FKKZ0080
2076	ㅕ	C6A8	C6A8	CAF7	C6A8	FKL30080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 23 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2077	튜	C6A9	C6A9	CB41	C6A9	FKLD0080
2078	툰	C6AA	C6AA	CB45	C6AA	FKLH0080
2079	툴	C6AB	C6AB	CB49	C6AB	FKLL0080
2080	툼	C6AC	C6AC	CB51	C6AC	FKLT0080
2081	통	C6AD	C6AD	CB57	C6AD	FKLZ0080
2082	트	C6AE	C6AE	CB61	C6AE	FKM90080
2083	투	C6AF	C6AF	CB62	C6AF	FKMA0080
2084	튼	C6B0	C6B0	CB65	C6B0	FKMD0080
2085	툼	C6B1	C6B1	CB68	C6B1	FKMG0080
2086	툴	C6B2	C6B2	CB69	C6B2	FKMH0080
2087	툼	C6B3	C6B3	CB6B	C6B3	FKMJ0080
2088	툼	C6B4	C6B4	CB71	C6B4	FKMP0080
2089	툼	C6B5	C6B5	CB73	C6B5	FKMR0080
2090	툼	C6B6	C6B6	CB75	C6B6	FKMT0080
2091	퓌	C6B7	C6B7	CB81	C6B7	FKN50080
2092	툼	C6B8	C6B8	CB85	C6B8	FKN90080
2093	툼	C6B9	C6B9	CB89	C6B9	FKND0080
2094	툼	C6BA	C6BA	CB91	C6BA	FKNL0080
2095	툼	C6BB	C6BB	CB93	C6BB	FKNN0080
2096	티	C6BC	C6BC	CBA1	C6BC	FKO10080
2097	티	C6BD	C6BD	CBA2	C6BD	FKO20080
2098	틴	C6BE	C6BE	CBA5	C6BE	FKO50080
2099	틸	C6BF	C6BF	CBA9	C6BF	FKO90080
2100	툼	C6C0	C6C0	CBB1	C6C0	FKOH0080
2101	툼	C6C1	C6C1	CBB3	C6C1	FKOJ0080
2102	툼	C6C2	C6C2	CBB5	C6C2	FKOL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 24 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2103	팅	C6C3	C6C3	CBB7	C6C3	FKON0080
2104	파	C6C4	C6C4	CC61	C6C4	FKRL0080
2105	팍	C6C5	C6C5	CC62	C6C5	FKRM0080
2106	팍	C6C6	C6C6	CC63	C6C6	FKRN0080
2107	판	C6C7	C6C7	CC65	C6C7	FKRP0080
2108	팔	C6C8	C6C8	CC69	C6C8	FKRT0080
2109	팜	C6C9	C6C9	CC6B	C6C9	FKRV0080
2110	팜	C6CA	C6CA	CC71	C6CA	FKS10080
2111	팜	C6CB	C6CB	CC73	C6CB	FKS30080
2112	팜	C6CC	C6CC	CC75	C6CC	FKS50080
2113	팜	C6CD	C6CD	CC76	C6CD	FKS60080
2114	팜	C6CE	C6CE	CC77	C6CE	FKS70080
2115	팔	C6CF	C6CF	CC7B	C6CF	FKSB0080
2116	패	C6D0	C6D0	CC81	C6D0	FKSH0080
2117	팍	C6D1	C6D1	CC82	C6D1	FKSI0080
2118	판	C6D2	C6D2	CC85	C6D2	FKSL0080
2119	팜	C6D3	C6D3	CC89	C6D3	FKSP0080
2120	팜	C6D4	C6D4	CC91	C6D4	FKSX0080
2121	팜	C6D5	C6D5	CC93	C6D5	FKSZ0080
2122	팜	C6D6	C6D6	CC95	C6D6	FKT10080
2123	팜	C6D7	C6D7	CC96	C6D7	FKT20080
2124	팜	C6D8	C6D8	CC97	C6D8	FKT30080
2125	파	C6D9	C6D9	CCA1	C6D9	FKTD0080
2126	팍	C6DA	C6DA	CCA2	C6DA	FKTE0080
2127	퍼	C6DB	C6DB	CCE1	C6DB	FKV50080
2128	팍	C6DC	C6DC	CCE2	C6DC	FKV60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 25 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2129	편	C6DD	C6DD	CCE5	C6DD	FKV90080
2130	펼	C6DE	C6DE	CCE9	C6DE	FKVD0080
2131	펼	C6DF	C6DF	CCF1	C6DF	FKVL0080
2132	펼	C6E0	C6E0	CCF3	C6E0	FKVN0080
2133	펼	C6E1	C6E1	CCF5	C6E1	FKVP0080
2134	펼	C6E2	C6E2	CCF6	C6E2	FKVQ0080
2135	평	C6E3	C6E3	CCF7	C6E3	FKVR0080
2136	페	C6E4	C6E4	CD41	C6E4	FKW10080
2137	페	C6E5	C6E5	CD42	C6E5	FKW20080
2138	펜	C6E6	C6E6	CD45	C6E6	FKW50080
2139	펼	C6E7	C6E7	CD49	C6E7	FKW90080
2140	펼	C6E8	C6E8	CD51	C6E8	FKWH0080
2141	펼	C6E9	C6E9	CD53	C6E9	FKWJ0080
2142	펼	C6EA	C6EA	CD55	C6EA	FKWL0080
2143	평	C6EB	C6EB	CD57	C6EB	FKWN0080
2144	펴	C6EC	C6EC	CD61	C6EC	FKWX0080
2145	편	C6ED	C6ED	CD65	C6ED	FKX10080
2146	펼	C6EE	C6EE	CD69	C6EE	FKX50080
2147	펼	C6EF	C6EF	CD71	C6EF	FKXD0080
2148	펼	C6F0	C6F0	CD73	C6F0	FKXF0080
2149	펼	C6F1	C6F1	CD76	C6F1	FKXI0080
2150	평	C6F2	C6F2	CD77	C6F2	FKXJ0080
2151	페	C6F3	C6F3	CD81	C6F3	FKXT0080
2152	펼	C6F4	C6F4	CD89	C6F4	FKY10080
2153	펼	C6F5	C6F5	CD93	C6F5	FKYB0080
2154	펼	C6F6	C6F6	CD95	C6F6	FKYD0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 26 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2155	포	C6F7	C6F7	CDA1	C6F7	FKYP0080
2156	푼	C6F8	C6F8	CDA2	C6F8	FKYQ0080
2157	푼	C6F9	C6F9	CDA5	C6F9	FKYT0080
2158	푼	C6FA	C6FA	CDA9	C6FA	FKYX0080
2159	푼	C6FB	C6FB	CDB1	C6FB	FKZ50080
2160	푼	C6FC	C6FC	CDB3	C6FC	FKZ70080
2161	푼	C6FD	C6FD	CDB5	C6FD	FKZ90080
2162	푼	C6FE	C6FE	CDB7	C6FE	FKZB0080
2163	푼	C7A1	C7A1	CDC1	C7A1	FKZL0080
2164	푼	C7A2	C7A2	CDD7	C7A2	FL070080
2165	푼	C7A3	C7A3	CE41	C7A3	FL1D0080
2166	푼	C7A4	C7A4	CE45	C7A4	FL1H0080
2167	푼	C7A5	C7A5	CE61	C7A5	FL290080
2168	푼	C7A6	C7A6	CE65	C7A6	FL2D0080
2169	푼	C7A7	C7A7	CE69	C7A7	FL2H0080
2170	푼	C7A8	C7A8	CE73	C7A8	FL2R0080
2171	푼	C7A9	C7A9	CE75	C7A9	FL2T0080
2172	푼	C7AA	C7AA	CE81	C7AA	FL350080
2173	푼	C7AB	C7AB	CE82	C7AB	FL360080
2174	푼	C7AC	C7AC	CE85	C7AC	FL390080
2175	푼	C7AD	C7AD	CE88	C7AD	FL3C0080
2176	푼	C7AE	C7AE	CE89	C7AE	FL3D0080
2177	푼	C7AF	C7AF	CE8B	C7AF	FL3F0080
2178	푼	C7B0	C7B0	CE91	C7B0	FL3L0080
2179	푼	C7B1	C7B1	CE93	C7B1	FL3N0080
2180	푼	C7B2	C7B2	CE95	C7B2	FL3P0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 27 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2181	풍	C7B3	C7B3	CE97	C7B3	FL3R0080
2182	퓌	C7B4	C7B4	CEA1	C7B4	FL410080
2183	퓌	C7B5	C7B5	CEB7	C7B5	FL4N0080
2184	퓌	C7B6	C7B6	CEE1	C7B6	FL5T0080
2185	퓌	C7B7	C7B7	CEE5	C7B7	FL5X0080
2186	퓌	C7B8	C7B8	CEE9	C7B8	FL610080
2187	퓌	C7B9	C7B9	CEF1	C7B9	FL690080
2188	퓌	C7BA	C7BA	CEF5	C7BA	FL6D0080
2189	퓌	C7BB	C7BB	CF41	C7BB	FL6P0080
2190	퓌	C7BC	C7BC	CF45	C7BC	FL6T0080
2191	퓌	C7BD	C7BD	CF49	C7BD	FL6X0080
2192	퓌	C7BE	C7BE	CF51	C7BE	FL750080
2193	퓌	C7BF	C7BF	CF55	C7BF	FL790080
2194	퓌	C7C0	C7C0	CF57	C7C0	FL7B0080
2195	프	C7C1	C7C1	CF61	C7C1	FL7L0080
2196	픈	C7C2	C7C2	CF65	C7C2	FL7P0080
2197	플	C7C3	C7C3	CF69	C7C3	FL7T0080
2198	플	C7C4	C7C4	CF71	C7C4	FL810080
2199	플	C7C5	C7C5	CF73	C7C5	FL830080
2200	플	C7C6	C7C6	CF75	C7C6	FL850080
2201	피	C7C7	C7C7	CFA1	C7C7	FL9D0080
2202	픽	C7C8	C7C8	CFA2	C7C8	FL9E0080
2203	핀	C7C9	C7C9	CFA5	C7C9	FL9H0080
2204	필	C7CA	C7CA	CFA9	C7CA	FL9L0080
2205	핍	C7CB	C7CB	CFB1	C7CB	FL9T0080
2206	핍	C7CC	C7CC	CFB3	C7CC	FL9V0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 28 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2207	꺾	C7CD	C7CD	CFB5	C7CD	FL9X0080
2208	꺾	C7CE	C7CE	CFB7	C7CE	FL9Z0080
2209	하	C7CF	C7CF	D061	C7CF	FLCX0080
2210	학	C7D0	C7D0	D062	C7D0	FLCY0080
2211	한	C7D1	C7D1	D065	C7D1	FLD10080
2212	할	C7D2	C7D2	D069	C7D2	FLD50080
2213	할	C7D3	C7D3	D06E	C7D3	FLDA0080
2214	함	C7D4	C7D4	D071	C7D4	FLDD0080
2215	합	C7D5	C7D5	D073	C7D5	FLDF0080
2216	햇	C7D6	C7D6	D075	C7D6	FLDH0080
2217	항	C7D7	C7D7	D077	C7D7	FLDJ0080
2218	해	C7D8	C7D8	D081	C7D8	FLDT0080
2219	핵	C7D9	C7D9	D082	C7D9	FLDU0080
2220	헌	C7DA	C7DA	D085	C7DA	FLDX0080
2221	헬	C7DB	C7DB	D089	C7DB	FLE10080
2222	햄	C7DC	C7DC	D091	C7DC	FLE90080
2223	헵	C7DD	C7DD	D093	C7DD	FLEB0080
2224	햇	C7DE	C7DE	D095	C7DE	FLED0080
2225	헛	C7DF	C7DF	D096	C7DF	FLEE0080
2226	행	C7E0	C7E0	D097	C7E0	FLEF0080
2227	하	C7E1	C7E1	D0A1	C7E1	FLEP0080
2228	향	C7E2	C7E2	D0B7	C7E2	FLFB0080
2229	허	C7E3	C7E3	D0E1	C7E3	FLGH0080
2230	혁	C7E4	C7E4	D0E2	C7E4	FLGI0080
2231	헌	C7E5	C7E5	D0E5	C7E5	FLGL0080
2232	헐	C7E6	C7E6	D0E9	C7E6	FLGP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 29 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2233	핍	C7E7	C7E7	D0EB	C7E7	FLGR0080
2234	핇	C7E8	C7E8	D0F1	C7E8	FLGX0080
2235	핈	C7E9	C7E9	D0F3	C7E9	FLGZ0080
2236	핉	C7EA	C7EA	D0F5	C7EA	FLH10080
2237	핊	C7EB	C7EB	D0F7	C7EB	FLH30080
2238	핋	C7EC	C7EC	D141	C7EC	FLHD0080
2239	핌	C7ED	C7ED	D142	C7ED	FLHE0080
2240	핎	C7EE	C7EE	D145	C7EE	FLHH0080
2241	핏	C7EF	C7EF	D149	C7EF	FLHL0080
2242	핐	C7F0	C7F0	D151	C7F0	FLHT0080
2243	핑	C7F1	C7F1	D153	C7F1	FLHV0080
2244	핒	C7F2	C7F2	D155	C7F2	FLHX0080
2245	핓	C7F3	C7F3	D157	C7F3	FLHZ0080
2246	핕	C7F4	C7F4	D161	C7F4	FLI90080
2247	핖	C7F5	C7F5	D162	C7F5	FLIA0080
2248	핗	C7F6	C7F6	D165	C7F6	FLID0080
2249	하	C7F7	C7F7	D169	C7F7	FLIH0080
2250	학	C7F8	C7F8	D171	C7F8	FLIP0080
2251	핚	C7F9	C7F9	D173	C7F9	FLIR0080
2252	핛	C7FA	C7FA	D175	C7FA	FLIT0080
2253	한	C7FB	C7FB	D176	C7FB	FLIU0080
2254	핝	C7FC	C7FC	D177	C7FC	FLIV0080
2255	핞	C7FD	C7FD	D181	C7FD	FLJ50080
2256	핟	C7FE	C7FE	D185	C7FE	FLJ90080
2257	할	C8A1	C8A1	D189	C8A1	FLJD0080
2258	핡	C8A2	C8A2	D193	C8A2	FLJN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 30 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2259	호	C8A3	C8A3	D1A1	C8A3	FLK10080
2260	후	C8A4	C8A4	D1A2	C8A4	FLK20080
2261	훈	C8A5	C8A5	D1A5	C8A5	FLK50080
2262	홀	C8A6	C8A6	D1A9	C8A6	FLK90080
2263	훈	C8A7	C8A7	D1AE	C8A7	FLKE0080
2264	흠	C8A8	C8A8	D1B1	C8A8	FLKH0080
2265	흙	C8A9	C8A9	D1B3	C8A9	FLKJ0080
2266	훗	C8AA	C8AA	D1B5	C8AA	FLKL0080
2267	흥	C8AB	C8AB	D1B7	C8AB	FLKN0080
2268	홀	C8AC	C8AC	D1BB	C8AC	FLKR0080
2269	화	C8AD	C8AD	D1C1	C8AD	FLKX0080
2270	확	C8AE	C8AE	D1C2	C8AE	FLKY0080
2271	환	C8AF	C8AF	D1C5	C8AF	FLL10080
2272	활	C8B0	C8B0	D1C9	C8B0	FLL50080
2273	훗	C8B1	C8B1	D1D5	C8B1	FLLH0080
2274	황	C8B2	C8B2	D1D7	C8B2	FLLJ0080
2275	회	C8B3	C8B3	D1E1	C8B3	FLLT0080
2276	획	C8B4	C8B4	D1E2	C8B4	FLLU0080
2277	훤	C8B5	C8B5	D1E5	C8B5	FLLX0080
2278	훗	C8B6	C8B6	D1F5	C8B6	FLMD0080
2279	행	C8B7	C8B7	D1F7	C8B7	FLMF0080
2280	회	C8B8	C8B8	D241	C8B8	FLMP0080
2281	획	C8B9	C8B9	D242	C8B9	FLMQ0080
2282	훤	C8BA	C8BA	D245	C8BA	FLMT0080
2283	훗	C8BB	C8BB	D249	C8BB	FLMX0080
2284	휼	C8BC	C8BC	D253	C8BC	FLN70080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 31 of 33). KS Hangeul Character Set (2 of 2), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2285	횃	C8BD	C8BD	D255	C8BD	FLN90080
2286	횅	C8BE	C8BE	D257	C8BE	FLNB0080
2287	호	C8BF	C8BF	D261	C8BF	FLNL0080
2288	흔	C8C0	C8C0	D265	C8C0	FLNP0080
2289	홀	C8C1	C8C1	D269	C8C1	FLNT0080
2290	흙	C8C2	C8C2	D273	C8C2	FLO30080
2291	흙	C8C3	C8C3	D275	C8C3	FLO50080
2292	후	C8C4	C8C4	D281	C8C4	FLOH0080
2293	후	C8C5	C8C5	D282	C8C5	FLOI0080
2294	훈	C8C6	C8C6	D285	C8C6	FLOL0080
2295	흙	C8C7	C8C7	D289	C8C7	FLOP0080
2296	흙	C8C8	C8C8	D28E	C8C8	FLOU0080
2297	흙	C8C9	C8C9	D291	C8C9	FLOX0080
2298	후	C8CA	C8CA	D295	C8CA	FLP10080
2299	훈	C8CB	C8CB	D297	C8CB	FLP30080
2300	회	C8CC	C8CC	D2A1	C8CC	FLPD0080
2301	회	C8CD	C8CD	D2A5	C8CD	FLPH0080
2302	회	C8CE	C8CE	D2A9	C8CE	FLPL0080
2303	회	C8CF	C8CF	D2B1	C8CF	FLPT0080
2304	회	C8D0	C8D0	D2B7	C8D0	FLPZ0080
2305	회	C8D1	C8D1	D2C1	C8D1	FLQ90080
2306	회	C8D2	C8D2	D2C2	C8D2	FLQA0080
2307	회	C8D3	C8D3	D2C5	C8D3	FLQD0080
2308	회	C8D4	C8D4	D2C9	C8D4	FLQH0080
2309	회	C8D5	C8D5	D2D7	C8D5	FLQV0080
2310	회	C8D6	C8D6	D2E1	C8D6	FLR50080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 32 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2311	획	C8D7	C8D7	D2E2	C8D7	FLR60080
2312	훤	C8D8	C8D8	D2E5	C8D8	FLR90080
2313	훗	C8D9	C8D9	D2E9	C8D9	FLRD0080
2314	휼	C8DA	C8DA	D2F1	C8DA	FLRL0080
2315	휻	C8DB	C8DB	D2F3	C8DB	FLRN0080
2316	휼	C8DC	C8DC	D2F5	C8DC	FLRP0080
2317	휼	C8DD	C8DD	D2F7	C8DD	FLRR0080
2318	후	C8DE	C8DE	D341	C8DE	FLS10080
2319	후	C8DF	C8DF	D342	C8DF	FLS20080
2320	후	C8E0	C8E0	D345	C8E0	FLS50080
2321	후	C8E1	C8E1	D349	C8E1	FLS90080
2322	후	C8E2	C8E2	D351	C8E2	FLSH0080
2323	후	C8E3	C8E3	D355	C8E3	FLSL0080
2324	후	C8E4	C8E4	D357	C8E4	FLSN0080
2325	후	C8E5	C8E5	D361	C8E5	FLSX0080
2326	후	C8E6	C8E6	D362	C8E6	FLSY0080
2327	후	C8E7	C8E7	D365	C8E7	FLT10080
2328	후	C8E8	C8E8	D367	C8E8	FLT30080
2329	후	C8E9	C8E9	D368	C8E9	FLT40080
2330	후	C8EA	C8EA	D369	C8EA	FLT50080
2331	후	C8EB	C8EB	D36A	C8EB	FLT60080
2332	후	C8EC	C8EC	D371	C8EC	FLTD0080
2333	후	C8ED	C8ED	D373	C8ED	FLTF0080
2334	후	C8EE	C8EE	D375	C8EE	FLTH0080
2335	후	C8EF	C8EF	D377	C8EF	FLTJ0080
2336	후	C8F0	C8F0	D37B	C8F0	FLTN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 33 of 33). KS Hangeul Character Set (2 of 2), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2337	희	C8F1	C8F1	D381	C8F1	FLTT0080
2338	흰	C8F2	C8F2	D385	C8F2	FLTX0080
2339	힐	C8F3	C8F3	D389	C8F3	FLU10080
2340	힘	C8F4	C8F4	D391	C8F4	FLU90080
2341	힉	C8F5	C8F5	D393	C8F5	FLUB0080
2342	횡	C8F6	C8F6	D397	C8F6	FLUF0080
2343	히	C8F7	C8F7	D3A1	C8F7	FLUP0080
2344	힉	C8F8	C8F8	D3A2	C8F8	FLUQ0080
2345	흰	C8F9	C8F9	D3A5	C8F9	FLUT0080
2346	힐	C8FA	C8FA	D3A9	C8FA	FLUX0080
2347	힘	C8FB	C8FB	D3B1	C8FB	FLV50080
2348	힉	C8FC	C8FC	D3B3	C8FC	FLV70080
2349	힉	C8FD	C8FD	D3B5	C8FD	FLV90080
2350	힉	C8FE	C8FE	D3B7	C8FE	FLVB0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.3 Hanja Character Set

Table 8 (Page 1 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1	伽	CAA1	CAA1	5041	CAA1	F2DD0080
2	佳	CAA2	CAA2	5042	CAA2	F2DE0080
3	假	CAA3	CAA3	5043	CAA3	F2DF0080
4	價	CAA4	CAA4	5044	CAA4	F2DG0080
5	加	CAA5	CAA5	5045	CAA5	F2DH0080
6	可	CAA6	CAA6	5046	CAA6	F2DI0080
7	呵	CAA7	CAA7	5047	CAA7	F2DJ0080
8	哥	CAA8	CAA8	5048	CAA8	F2DK0080
9	嘉	CAA9	CAA9	5049	CAA9	F2DL0080
10	嫁	CAAA	CAAA	504A	CAAA	F2DM0080
11	家	CAAB	CAAB	504B	CAAB	F2DN0080
12	暇	CAAC	CAAC	504C	CAAC	F2DO0080
13	架	CAAD	CAAD	504E	CAAD	F2DQ0080
14	枷	CAAE	CAAE	6841	CAAE	F5XD0080
15	柯	CAAF	CAAF	504D	CAAF	F2DP0080
16	歌	CAB0	CAB0	504F	CAB0	F2DR0080
17	珂	CAB1	CAB1	6842	CAB1	F5XE0080
18	痂	CAB2	CAB2	6843	CAB2	F5XF0080
19	稼	CAB3	CAB3	5050	CAB3	F2DS0080
20	竒	CAB4	CAB4	5051	CAB4	F2DT0080
21	茄	CAB5	CAB5	5052	CAB5	F2DU0080
22	街	CAB6	CAB6	5053	CAB6	F2DV0080
23	袈	CAB7	CAB7	5054	CAB7	F2DW0080
24	訶	CAB8	CAB8	5055	CAB8	F2DX0080
25	賈	CAB9	CAB9	5056	CAB9	F2DY0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 2 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
26	跏	CABA	CABA	5057	CABA	F2DZ0080
27	軻	CABB	CABB	5058	CABB	F2E00080
28	迦	CABC	CABC	5059	CABC	F2E10080
29	駕	CABD	CABD	505A	CABD	F2E20080
30	刻	CABE	CABE	505B	CABE	F2E30080
31	却	CABF	CABF	505C	CABF	F2E40080
32	各	CAC0	CAC0	505D	CAC0	F2E50080
33	恪	CAC1	CAC1	505F	CAC1	F2E70080
34	慤	CAC2	CAC2	6844	CAC2	F5XG0080
35	殼	CAC3	CAC3	5061	CAC3	F2E90080
36	珏	CAC4	CAC4	5062	CAC4	F2EA0080
37	脚	CAC5	CAC5	5063	CAC5	F2EB0080
38	覺	CAC6	CAC6	5064	CAC6	F2EC0080
39	角	CAC7	CAC7	5065	CAC7	F2ED0080
40	閣	CAC8	CAC8	5066	CAC8	F2EE0080
41	侃	CAC9	CAC9	6845	CAC9	F5XH0080
42	刊	CACA	CACA	5067	CACA	F2EF0080
43	壘	CACB	CACB	5068	CACB	F2EG0080
44	奸	CACC	CACC	5069	CACC	F2EH0080
45	姦	CACD	CACD	506A	CACD	F2EI0080
46	干	CACE	CACE	506B	CACE	F2EJ0080
47	幹	CACF	CACF	506C	CACF	F2EK0080
48	懇	CAD0	CAD0	506D	CAD0	F2EL0080
49	揀	CAD1	CAD1	506E	CAD1	F2EM0080
50	杆	CAD2	CAD2	506F	CAD2	F2EN0080
51	柬	CAD3	CAD3	6846	CAD3	F5XI0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 3 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
52	桿	CAD4	CAD4	6847	CAD4	F5XJ0080
53	澗	CAD5	CAD5	5070	CAD5	F2EO0080
54	癩	CAD6	CAD6	5071	CAD6	F2EP0080
55	看	CAD7	CAD7	5072	CAD7	F2EQ0080
56	欄	CAD8	CAD8	6848	CAD8	F5XK0080
57	稈	CAD9	CAD9	5073	CAD9	F2ER0080
58	竿	CADA	CADA	5074	CADA	F2ES0080
59	簡	CADB	CADB	5075	CADB	F2ET0080
60	肝	CADC	CADC	5078	CADC	F2EW0080
61	艮	CADD	CADD	5076	CADD	F2EU0080
62	艱	CADE	CADE	5077	CADE	F2EV0080
63	諫	CADF	CADF	5079	CADF	F2EX0080
64	間	CAE0	CAE0	507A	CAE0	F2EY0080
65	芑	CAE1	CAE1	507B	CAE1	F2EZ0080
66	喝	CAE2	CAE2	507C	CAE2	F2F00080
67	曷	CAE3	CAE3	507D	CAE3	F2F10080
68	渴	CAE4	CAE4	507E	CAE4	F2F20080
69	碣	CAE5	CAE5	507F	CAE5	F2F30080
70	竭	CAE6	CAE6	5080	CAE6	F2F40080
71	葛	CAE7	CAE7	5083	CAE7	F2F70080
72	褐	CAE8	CAE8	5081	CAE8	F2F50080
73	蝎	CAE9	CAE9	6849	CAE9	F5XL0080
74	鞞	CAEA	CAEA	5084	CAEA	F2F80080
75	勸	CAEB	CAEB	5085	CAEB	F2F90080
76	坎	CAEC	CAEC	5086	CAEC	F2FA0080
77	堪	CAED	CAED	5087	CAED	F2FB0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 4 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
78	嵌	CAEE	CAEE	5088	CAEE	F2FC0080
79	感	CAEF	CAEF	5089	CAEF	F2FD0080
80	憾	CAF0	CAF0	508A	CAF0	F2FE0080
81	戡	CAF1	CAF1	684A	CAF1	F5XM0080
82	敢	CAF2	CAF2	508B	CAF2	F2FF0080
83	柑	CAF3	CAF3	508C	CAF3	F2FG0080
84	橄	CAF4	CAF4	508D	CAF4	F2FH0080
85	減	CAF5	CAF5	508E	CAF5	F2FI0080
86	甘	CAF6	CAF6	508F	CAF6	F2FJ0080
87	疖	CAF7	CAF7	5090	CAF7	F2FK0080
88	監	CAF8	CAF8	5091	CAF8	F2FL0080
89	瞰	CAF9	CAF9	684B	CAF9	F5XN0080
90	紺	CAFA	CAFA	5092	CAFA	F2FM0080
91	邯	CAFB	CAFB	684C	CAFB	F5XO0080
92	鑑	CAFC	CAFC	5094	CAFC	F2FO0080
93	鑿	CAFD	CAFD	684D	CAFD	F5XP0080
94	龕	CAFE	CAFE	5095	CAFE	F2FP0080
95	匡	CBA1	CBA1	5096	CBA1	F2FQ0080
96	岬	CBA2	CBA2	5097	CBA2	F2FR0080
97	甲	CBA3	CBA3	5098	CBA3	F2FS0080
98	胛	CBA4	CBA4	5099	CBA4	F2FT0080
99	鉀	CBA5	CBA5	509A	CBA5	F2FU0080
100	闌	CBA6	CBA6	509B	CBA6	F2FV0080
101	剛	CBA7	CBA7	509D	CBA7	F2FX0080
102	塙	CBA8	CBA8	684E	CBA8	F5XQ0080
103	姜	CBA9	CBA9	509E	CBA9	F2FY0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 5 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
104	岡	CBAA	CBAA	509C	CBAA	F2FW0080
105	崗	CBAB	CBAB	509F	CBAB	F2FZ0080
106	康	CBAC	CBAC	50A0	CBAC	F2G00080
107	強	CBAD	CBAD	50A1	CBAD	F2G10080
108	疆	CBAE	CBAE	50A2	CBAE	F2G20080
109	慷	CBAF	CBAF	50A3	CBAF	F2G30080
110	江	CBB0	CBB0	50A4	CBB0	F2G40080
111	薑	CBB1	CBB1	684F	CBB1	F5XR0080
112	疆	CBB2	CBB2	50A5	CBB2	F2G50080
113	糠	CBB3	CBB3	50A8	CBB3	F2G80080
114	絳	CBB4	CBB4	6850	CBB4	F5XS0080
115	綱	CBB5	CBB5	50A6	CBB5	F2G60080
116	羌	CBB6	CBB6	6851	CBB6	F5XT0080
117	腔	CBB7	CBB7	50A9	CBB7	F2G90080
118	缸	CBB8	CBB8	6852	CBB8	F5XU0080
119	薑	CBB9	CBB9	50AA	CBB9	F2GA0080
120	襖	CBBA	CBBA	50A7	CBBA	F2G70080
121	講	CBBB	CBBB	50AB	CBBB	F2GB0080
122	鋼	CBBC	CBBC	50AC	CBBC	F2GC0080
123	降	CBBD	CBBD	50AD	CBBD	F2GD0080
124	鯨	CBBE	CBBE	6853	CBBE	F5XV0080
125	介	CBBF	CBBF	50AE	CBBF	F2GE0080
126	价	CBC0	CBC0	50AF	CBC0	F2GF0080
127	個	CBC1	CBC1	50B0	CBC1	F2GG0080
128	凱	CBC2	CBC2	50B1	CBC2	F2GH0080
129	塏	CBC3	CBC3	6854	CBC3	F5XW0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 6 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
130	愷	CBC4	CBC4	50B2	CBC4	F2GI0080
131	愷	CBC5	CBC5	50B3	CBC5	F2GJ0080
132	慨	CBC6	CBC6	50B4	CBC6	F2GK0080
133	改	CBC7	CBC7	50B5	CBC7	F2GL0080
134	概	CBC8	CBC8	50B6	CBC8	F2GM0080
135	漑	CBC9	CBC9	50B7	CBC9	F2GN0080
136	疥	CBCA	CBCA	50B8	CBCA	F2GO0080
137	皆	CBCB	CBCB	50B9	CBCB	F2GP0080
138	盖	CBCC	CBCC	50BA	CBCC	F2GQ0080
139	箇	CBCD	CBCD	50BB	CBCD	F2GR0080
140	芥	CBCE	CBCE	50BC	CBCE	F2GS0080
141	蓋	CBCF	CBCF	50BD	CBCF	F2GT0080
142	豈	CBD0	CBD0	6855	CBD0	F5XX0080
143	鎧	CBD1	CBD1	6856	CBD1	F5XY0080
144	開	CBD2	CBD2	50BE	CBD2	F2GU0080
145	喀	CBD3	CBD3	6857	CBD3	F5XZ0080
146	客	CBD4	CBD4	50BF	CBD4	F2GV0080
147	坑	CBD5	CBD5	50C0	CBD5	F2GW0080
148	更	CBD6	CBD6	50C1	CBD6	F2GX0080
149	粳	CBD7	CBD7	50C2	CBD7	F2GY0080
150	羹	CBD8	CBD8	50C3	CBD8	F2GZ0080
151	醅	CBD9	CBD9	50C4	CBD9	F2H00080
152	倨	CBDA	CBDA	6858	CBDA	F5Y00080
153	去	CBDB	CBDB	50C5	CBDB	F2H10080
154	居	CBDC	CBDC	50C6	CBDC	F2H20080
155	巨	CBDD	CBDD	50C7	CBDD	F2H30080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 7 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
156	拒	CBDE	CBDE	50C8	CBDE	F2H40080
157	据	CBDF	CBDF	50C9	CBDF	F2H50080
158	據	CBE0	CBE0	50CA	CBE0	F2H60080
159	舉	CBE1	CBE1	50CD	CBE1	F2H90080
160	渠	CBE2	CBE2	50CB	CBE2	F2H70080
161	炬	CBE3	CBE3	50CC	CBE3	F2H80080
162	祛	CBE4	CBE4	6859	CBE4	F5Y10080
163	距	CBE5	CBE5	50CE	CBE5	F2HA0080
164	踞	CBE6	CBE6	685A	CBE6	F5Y20080
165	車	CBE7	CBE7	50D0	CBE7	F2HC0080
166	遽	CBE8	CBE8	50CF	CBE8	F2HB0080
167	鉅	CBE9	CBE9	685B	CBE9	F5Y30080
168	鋸	CBEA	CBEA	50D2	CBEA	F2HE0080
169	乾	CBEB	CBEB	50D3	CBEB	F2HF0080
170	件	CBEC	CBEC	50D4	CBEC	F2HG0080
171	健	CBED	CBED	50D5	CBED	F2HH0080
172	巾	CBEE	CBEE	50D6	CBEE	F2HI0080
173	建	CBEF	CBEF	50D7	CBEF	F2HJ0080
174	愆	CBF0	CBF0	50D8	CBF0	F2HK0080
175	楨	CBF1	CBF1	685C	CBF1	F5Y40080
176	臆	CBF2	CBF2	685D	CBF2	F5Y50080
177	虔	CBF3	CBF3	50D9	CBF3	F2HL0080
178	蹇	CBF4	CBF4	50DA	CBF4	F2HM0080
179	鍵	CBF5	CBF5	50DB	CBF5	F2HN0080
180	騫	CBF6	CBF6	50DC	CBF6	F2HO0080
181	乞	CBF7	CBF7	50DD	CBF7	F2HP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 8 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
182	傑	CBF8	CBF8	50DE	CBF8	F2HQ0080
183	杰	CBF9	CBF9	50DF	CBF9	F2HR0080
184	桀	CBFA	CBFA	685E	CBFA	F5Y60080
185	儉	CBFB	CBFB	50E0	CBFB	F2HS0080
186	劍	CBFC	CBFC	50E1	CBFC	F2HT0080
187	劒	CBFD	CBFD	685F	CBFD	F5Y70080
188	檢	CBFE	CBFE	50E2	CBFE	F2HU0080
189	臉	CCA1	CCA1	50E3	CCA1	F2HV0080
190	鈐	CCA2	CCA2	6860	CCA2	F5Y80080
191	黔	CCA3	CCA3	50E4	CCA3	F2HW0080
192	劫	CCA4	CCA4	50E5	CCA4	F2HX0080
193	怯	CCA5	CCA5	50E6	CCA5	F2HY0080
194	法	CCA6	CCA6	6861	CCA6	F5Y90080
195	偈	CCA7	CCA7	50E7	CCA7	F2HZ0080
196	憩	CCA8	CCA8	50E8	CCA8	F2I00080
197	揭	CCA9	CCA9	50E9	CCA9	F2I10080
198	擊	CCAA	CCAA	50EA	CCAA	F2I20080
199	格	CCAB	CCAB	50EB	CCAB	F2I30080
200	檄	CCAC	CCAC	50EC	CCAC	F2I40080
201	激	CCAD	CCAD	50ED	CCAD	F2I50080
202	膈	CCAE	CCAE	6862	CCAE	F5YA0080
203	覲	CCAF	CCAF	50EE	CCAF	F2I60080
204	隔	CCB0	CCB0	50EF	CCB0	F2I70080
205	堅	CCB1	CCB1	50F1	CCB1	F2I90080
206	牽	CCB2	CCB2	50F3	CCB2	F2IB0080
207	犬	CCB3	CCB3	50F4	CCB3	F2IC0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 9 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
208	甄	CCB4	CCB4	50F5	CCB4	F2ID0080
209	絹	CCB5	CCB5	50F6	CCB5	F2IE0080
210	繭	CCB6	CCB6	50F7	CCB6	F2IF0080
211	肩	CCB7	CCB7	50F2	CCB7	F2IA0080
212	見	CCB8	CCB8	50F8	CCB8	F2IG0080
213	譴	CCB9	CCB9	50F9	CCB9	F2IH0080
214	遣	CCBA	CCBA	50FA	CCBA	F2II0080
215	鶻	CCBB	CCBB	50FB	CCBB	F2IJ0080
216	抉	CCBC	CCBC	6863	CCBC	F5YB0080
217	決	CCBD	CCBD	50FD	CCBD	F2IL0080
218	潔	CCBE	CCBE	50FC	CCBE	F2IK0080
219	結	CCBF	CCBF	50FE	CCBF	F2IM0080
220	缺	CCC0	CCC0	5141	CCC0	F2IP0080
221	訣	CCC1	CCC1	5142	CCC1	F2IQ0080
222	兼	CCC2	CCC2	5143	CCC2	F2IR0080
223	慊	CCC3	CCC3	5144	CCC3	F2IS0080
224	箝	CCC4	CCC4	5145	CCC4	F2IT0080
225	謙	CCC5	CCC5	5147	CCC5	F2IV0080
226	鉗	CCC6	CCC6	6864	CCC6	F5YC0080
227	鎌	CCC7	CCC7	5148	CCC7	F2IW0080
228	京	CCC8	CCC8	5149	CCC8	F2IX0080
229	徑	CCC9	CCC9	6865	CCC9	F5YD0080
230	倥	CCCA	CCCA	6866	CCCA	F5YE0080
231	傾	CCCB	CCCB	514A	CCCB	F2IY0080
232	傲	CCCC	CCCC	6867	CCCC	F5YF0080
233	勁	CCCD	CCCD	514B	CCCD	F2IZ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 10 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
234	勅	CCCE	CCCE	514C	CCCE	F2J00080
235	卿	CCCF	CCCF	514D	CCCF	F2J10080
236	垧	CCD0	CCD0	6868	CCD0	F5YG0080
237	境	CCD1	CCD1	514F	CCD1	F2J30080
238	庚	CCD2	CCD2	5150	CCD2	F2J40080
239	徑	CCD3	CCD3	5151	CCD3	F2J50080
240	慶	CCD4	CCD4	5152	CCD4	F2J60080
241	憬	CCD5	CCD5	6869	CCD5	F5YH0080
242	擎	CCD6	CCD6	5155	CCD6	F2J90080
243	敬	CCD7	CCD7	5156	CCD7	F2JA0080
244	景	CCD8	CCD8	5157	CCD8	F2JB0080
245	暲	CCD9	CCD9	5153	CCD9	F2J70080
246	更	CCDA	CCDA	5158	CCDA	F2JC0080
247	梗	CCDB	CCDB	5159	CCDB	F2JD0080
248	涇	CCDC	CCDC	515B	CCDC	F2JF0080
249	炅	CCDD	CCDD	515C	CCDD	F2JG0080
250	炯	CCDE	CCDE	686A	CCDE	F5YI0080
251	璟	CCDF	CCDF	515E	CCDF	F2JI0080
252	澈	CCE0	CCE0	686B	CCE0	F5YJ0080
253	瓊	CCE1	CCE1	515F	CCE1	F2JJ0080
254	瘞	CCE2	CCE2	5161	CCE2	F2JL0080
255	硬	CCE3	CCE3	5162	CCE3	F2JM0080
256	磬	CCE4	CCE4	5163	CCE4	F2JN0080
257	竟	CCE5	CCE5	5164	CCE5	F2JO0080
258	競	CCE6	CCE6	5165	CCE6	F2JP0080
259	綱	CCE7	CCE7	5166	CCE7	F2JQ0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 11 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
260	經	CCE8	CCE8	5167	CCE8	F2JR0080
261	耕	CCE9	CCE9	5168	CCE9	F2JS0080
262	耿	CCEA	CCEA	5169	CCEA	F2JT0080
263	脛	CCEB	CCEB	516A	CCEB	F2JU0080
264	莖	CCEC	CCEC	516B	CCEC	F2JV0080
265	警	CCED	CCED	516C	CCED	F2JW0080
266	輕	CCEE	CCEE	516D	CCEE	F2JX0080
267	逕	CCEF	CCEF	516E	CCEF	F2JY0080
268	鏡	CCF0	CCF0	516F	CCF0	F2JZ0080
269	頃	CCF1	CCF1	5170	CCF1	F2K00080
270	顛	CCF2	CCF2	5171	CCF2	F2K10080
271	驚	CCF3	CCF3	5172	CCF3	F2K20080
272	鯨	CCF4	CCF4	5173	CCF4	F2K30080
273	係	CCF5	CCF5	5174	CCF5	F2K40080
274	啓	CCF6	CCF6	5175	CCF6	F2K50080
275	堺	CCF7	CCF7	686C	CCF7	F5YK0080
276	契	CCF8	CCF8	5176	CCF8	F2K60080
277	季	CCF9	CCF9	5177	CCF9	F2K70080
278	屆	CCFA	CCFA	5178	CCFA	F2K80080
279	悻	CCFB	CCFB	5179	CCFB	F2K90080
280	戒	CCFC	CCFC	517A	CCFC	F2KA0080
281	桂	CCFD	CCFD	517B	CCFD	F2KB0080
282	械	CCFE	CCFE	517C	CCFE	F2KC0080
283	槩	CDA1	CDA1	686D	CDA1	F5YL0080
284	溪	CDA2	CDA2	517D	CDA2	F2KD0080
285	界	CDA3	CDA3	517E	CDA3	F2KE0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 12 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
286	癸	CDA4	CDA4	517F	CDA4	F2KF0080
287	磳	CDA5	CDA5	5180	CDA5	F2KG0080
288	稽	CDA6	CDA6	5182	CDA6	F2KI0080
289	系	CDA7	CDA7	5183	CDA7	F2KJ0080
290	繫	CDA8	CDA8	5184	CDA8	F2KK0080
291	繼	CDA9	CDA9	5185	CDA9	F2KL0080
292	計	CDAA	CDAA	5186	CDAA	F2KM0080
293	誠	CDAB	CDAB	5187	CDAB	F2KN0080
294	谿	CDAC	CDAC	5189	CDAC	F2KP0080
295	階	CDAD	CDAD	5188	CDAD	F2KO0080
296	鷄	CDAE	CDAE	518B	CDAE	F2KR0080
297	古	CDAF	CDAF	518D	CDAF	F2KT0080
298	叩	CDB0	CDB0	518C	CDB0	F2KS0080
299	告	CDB1	CDB1	518E	CDB1	F2KU0080
300	呱	CDB2	CDB2	518F	CDB2	F2KV0080
301	固	CDB3	CDB3	5190	CDB3	F2KW0080
302	姑	CDB4	CDB4	5191	CDB4	F2KX0080
303	孤	CDB5	CDB5	5192	CDB5	F2KY0080
304	尻	CDB6	CDB6	686E	CDB6	F5YM0080
305	庫	CDB7	CDB7	5193	CDB7	F2KZ0080
306	拷	CDB8	CDB8	5194	CDB8	F2L00080
307	攷	CDB9	CDB9	5195	CDB9	F2L10080
308	故	CDBA	CDBA	5196	CDBA	F2L20080
309	敲	CDBB	CDBB	5197	CDBB	F2L30080
310	髡	CDBC	CDBC	686F	CDBC	F5YN0080
311	枯	CDBD	CDBD	5198	CDBD	F2L40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 13 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
312	稿	CDBE	CDBE	6870	CDBE	F5YO0080
313	沽	CDBF	CDBF	519A	CDBF	F2L60080
314	痼	CDC0	CDC0	519B	CDC0	F2L70080
315	皐	CDC1	CDC1	519C	CDC1	F2L80080
316	皐	CDC2	CDC2	51A0	CDC2	F2LC0080
317	稿	CDC3	CDC3	519F	CDC3	F2LB0080
318	羔	CDC4	CDC4	6871	CDC4	F5YP0080
319	考	CDC5	CDC5	51A1	CDC5	F2LD0080
320	股	CDC6	CDC6	51A2	CDC6	F2LE0080
321	膏	CDC7	CDC7	51A3	CDC7	F2LF0080
322	苦	CDC8	CDC8	51A4	CDC8	F2LG0080
323	苽	CDC9	CDC9	6872	CDC9	F5YQ0080
324	菰	CDCA	CDCA	6873	CDCA	F5YR0080
325	藁	CDCB	CDCB	51A5	CDCB	F2LH0080
326	蠱	CDCC	CDCC	519D	CDCC	F2L90080
327	袴	CDCD	CDCD	51A6	CDCD	F2LI0080
328	誥	CDCE	CDCE	51A8	CDCE	F2LK0080
329	賈	CDCF	CDCF	51A9	CDCF	F2LL0080
330	辜	CDD0	CDD0	51AA	CDD0	F2LM0080
331	錮	CDD1	CDD1	51AB	CDD1	F2LN0080
332	雇	CDD2	CDD2	51AC	CDD2	F2LO0080
333	顧	CDD3	CDD3	51AD	CDD3	F2LP0080
334	高	CDD4	CDD4	51AE	CDD4	F2LQ0080
335	鼓	CDD5	CDD5	51AF	CDD5	F2LR0080
336	哭	CDD6	CDD6	51B0	CDD6	F2LS0080
337	斛	CDD7	CDD7	51B1	CDD7	F2LT0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 14 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
338	曲	CDD8	CDD8	51B2	CDD8	F2LU0080
339	梛	CDD9	CDD9	51B3	CDD9	F2LV0080
340	穀	CDDA	CDDA	51B4	CDDA	F2LW0080
341	谷	Cddb	Cddb	51B5	Cddb	F2LX0080
342	鵠	CDDC	CDDC	51B6	CDDC	F2LY0080
343	困	CDDD	CDDD	51B7	CDDD	F2LZ0080
344	坤	CDDE	CDDE	51B8	CDDE	F2M00080
345	崑	CDDF	CDDF	51B9	CDDF	F2M10080
346	昆	CDE0	CDE0	51BA	CDE0	F2M20080
347	梱	CDE1	CDE1	51BB	CDE1	F2M30080
348	棍	CDE2	CDE2	51BC	CDE2	F2M40080
349	滾	CDE3	CDE3	51BD	CDE3	F2M50080
350	琨	CDE4	CDE4	6874	CDE4	F5YS0080
351	袞	CDE5	CDE5	51BE	CDE5	F2M60080
352	鯤	CDE6	CDE6	6875	CDE6	F5YT0080
353	汨	CDE7	CDE7	51BF	CDE7	F2M70080
354	滑	CDE8	CDE8	51C0	CDE8	F2M80080
355	骨	CDE9	CDE9	51C1	CDE9	F2M90080
356	供	CDEA	CDEA	51C2	CDEA	F2MA0080
357	公	CDEB	CDEB	51C3	CDEB	F2MB0080
358	共	CDEC	CDEC	51C4	CDEC	F2MC0080
359	功	CDED	CDED	51C5	CDED	F2MD0080
360	孔	CDEE	CDEE	51C6	CDEE	F2ME0080
361	工	CDEF	CDEF	51C7	CDEF	F2MF0080
362	恐	CDF0	CDF0	51CA	CDF0	F2MI0080
363	恭	CDF1	CDF1	51C9	CDF1	F2MH0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 15 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
364	拱	CDF2	CDF2	51CB	CDF2	F2MJ0080
365	控	CDF3	CDF3	51CC	CDF3	F2MK0080
366	攻	CDF4	CDF4	51CD	CDF4	F2ML0080
367	珙	CDF5	CDF5	6876	CDF5	F5YU0080
368	空	CDF6	CDF6	51D0	CDF6	F2MO0080
369	蚣	CDF7	CDF7	6877	CDF7	F5YV0080
370	貢	CDF8	CDF8	51C8	CDF8	F2MG0080
371	鞏	CDF9	CDF9	6878	CDF9	F5YW0080
372	串	CDFA	CDFA	6879	CDFA	F5YX0080
373	寡	CDFB	CDFB	51D2	CDFB	F2MQ0080
374	戈	CDFC	CDFC	51D3	CDFC	F2MR0080
375	果	CDFD	CDFD	51D4	CDFD	F2MS0080
376	瓜	CDFE	CDFE	51D5	CDFE	F2MT0080
377	科	CEA1	CEA1	51D6	CEA1	F2MU0080
378	菓	CEA2	CEA2	51D7	CEA2	F2MV0080
379	誇	CEA3	CEA3	51D9	CEA3	F2MX0080
380	課	CEA4	CEA4	51DA	CEA4	F2MY0080
381	跨	CEA5	CEA5	687A	CEA5	F5YY0080
382	過	CEA6	CEA6	51DB	CEA6	F2MZ0080
383	鍋	CEA7	CEA7	687B	CEA7	F5YZ0080
384	顆	CEA8	CEA8	51DC	CEA8	F2N00080
385	廓	CEA9	CEA9	51DD	CEA9	F2N10080
386	槲	CEAA	CEAA	51DE	CEAA	F2N20080
387	藿	CEAB	CEAB	51DF	CEAB	F2N30080
388	郭	CEAC	CEAC	51E0	CEAC	F2N40080
389	串	CEAD	CEAD	51E2	CEAD	F2N60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 16 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
390	冠	CEAE	CEAE	51E3	CEAE	F2N70080
391	官	CEAF	CEAF	51E4	CEAF	F2N80080
392	寬	CEB0	CEB0	51E5	CEB0	F2N90080
393	慣	CEB1	CEB1	51E6	CEB1	F2NA0080
394	棺	CEB2	CEB2	51E7	CEB2	F2NB0080
395	款	CEB3	CEB3	51E9	CEB3	F2ND0080
396	灌	CEB4	CEB4	51EA	CEB4	F2NE0080
397	琯	CEB5	CEB5	687C	CEB5	F5Z00080
398	攏	CEB6	CEB6	51E8	CEB6	F2NC0080
399	管	CEB7	CEB7	51EC	CEB7	F2NG0080
400	罐	CEB8	CEB8	51ED	CEB8	F2NH0080
401	菅	CEB9	CEB9	51EE	CEB9	F2NI0080
402	觀	CEBA	CEBA	51EF	CEBA	F2NJ0080
403	貫	CEBB	CEBB	51F0	CEBB	F2NK0080
404	關	CEBC	CEBC	51F1	CEBC	F2NL0080
405	館	CEBD	CEBD	51F2	CEBD	F2NM0080
406	刮	CEBE	CEBE	51F4	CEBE	F2NO0080
407	𠂇	CEBF	CEBF	51F5	CEBF	F2NP0080
408	括	CEC0	CEC0	51F6	CEC0	F2NQ0080
409	适	CEC1	CEC1	51F7	CEC1	F2NR0080
410	𠂇	CEC2	CEC2	687D	CEC2	F5Z10080
411	光	CEC3	CEC3	51F8	CEC3	F2NS0080
412	匡	CEC4	CEC4	51F9	CEC4	F2NT0080
413	壙	CEC5	CEC5	51FA	CEC5	F2NU0080
414	廣	CEC6	CEC6	51FB	CEC6	F2NV0080
415	曠	CEC7	CEC7	51FC	CEC7	F2NW0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 17 of 62). KS Hanja Character Set (1 of 3), EUC


Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
416	洸	CEC8	CEC8	51FD	CEC8	F2NX0080
417	眈	CEC9	CEC9	687E	CEC9	F5Z20080
418	狂	CECA	CECA	51FE	CECA	F2NY0080
419	琯	CECB	CECB	5241	CECB	F2O10080
420	筐	CECC	CECC	5242	CECC	F2O20080
421	胱	CECD	CECD	5243	CECD	F2O30080
422	鑛	CECE	CECE	5244	CECE	F2O40080
423	卦	CECF	CECF	5245	CECF	F2O50080
424	掛	CED0	CED0	5246	CED0	F2O60080
425	罨	CED1	CED1	5247	CED1	F2O70080
426	乖	CED2	CED2	5248	CED2	F2O80080
427	傀	CED3	CED3	5249	CED3	F2O90080
428	塊	CED4	CED4	524A	CED4	F2OA0080
429	壞	CED5	CED5	524B	CED5	F2OB0080
430	怪	CED6	CED6	524C	CED6	F2OC0080
431	愧	CED7	CED7	524D	CED7	F2OD0080
432	拐	CED8	CED8	524E	CED8	F2OE0080
433	槐	CED9	CED9	524F	CED9	F2OF0080
434	魁	CEDA	CEDA	5250	CEDA	F2OG0080
435	宏	CEDB	CEDB	5251	CEDB	F2OH0080
436	紘	CEDC	CEDC	5252	CEDC	F2OI0080
437	肱	CEDD	CEDD	5253	CEDD	F2OJ0080
438	轟	CEDE	CEDE	5254	CEDE	F2OK0080
439	交	CEDF	CEDF	5255	CEDF	F2OL0080
440	僑	CEE0	CEE0	5256	CEE0	F2OM0080
441	咬	CEE1	CEE1	5257	CEE1	F2ON0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 18 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
442	喬	CEE2	CEE2	5258	CEE2	F2OQ0080
443	嬌	CEE3	CEE3	5259	CEE3	F2OP0080
444	嶠	CEE4	CEE4	525A	CEE4	F2OQ0080
445	巧	CEE5	CEE5	525B	CEE5	F2OR0080
446	攪	CEE6	CEE6	525D	CEE6	F2OT0080
447	教	CEE7	CEE7	525C	CEE7	F2OS0080
448	校	CEE8	CEE8	525E	CEE8	F2OU0080
449	橋	CEE9	CEE9	525F	CEE9	F2OV0080
450	狡	CEEA	CEEA	5260	CEEA	F2OW0080
451	皎	CEEB	CEEB	5261	CEEB	F2OX0080
452	矯	CEEC	CEEC	5262	CEEC	F2OY0080
453	絞	CEED	CEED	5263	CEED	F2OZ0080
454	翹	CEEE	CEEE	5264	CEEE	F2P00080
455	膠	CEEF	CEEF	5265	CEEF	F2P10080
456	菁	CEF0	CEF0	5266	CEF0	F2P20080
457	蛟	CEF1	CEF1	5267	CEF1	F2P30080
458	較	CEF2	CEF2	5268	CEF2	F2P40080
459	輻	CEF3	CEF3	5269	CEF3	F2P50080
460	郊	CEF4	CEF4	526A	CEF4	F2P60080
461	餃	CEF5	CEF5	526C	CEF5	F2P80080
462	驕	CEF6	CEF6	526D	CEF6	F2P90080
463	鮫	CEF7	CEF7	526E	CEF7	F2PA0080
464	丘	CEF8	CEF8	526F	CEF8	F2PB0080
465	久	CEF9	CEF9	5270	CEF9	F2PC0080
466	九	CEFA	CEFA	5271	CEFA	F2PD0080
467	仇	CEFB	CEFB	5272	CEFB	F2PE0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 19 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
468	俱	CEFC	CEFC	5274	CEFC	F2PG0080
469	具	CEFD	CEFD	5276	CEFD	F2PI0080
470	勾	CEFE	CEFE	5277	CEFE	F2PJ0080
471	區	CFA1	CFA1	5278	CFA1	F2PK0080
472	口	CFA2	CFA2	5279	CFA2	F2PL0080
473	旬	CFA3	CFA3	527A	CFA3	F2PM0080
474	咎	CFA4	CFA4	527B	CFA4	F2PN0080
475	嘔	CFA5	CFA5	527C	CFA5	F2PO0080
476	坵	CFA6	CFA6	687F	CFA6	F5Z30080
477	垢	CFA7	CFA7	527D	CFA7	F2PP0080
478	寇	CFA8	CFA8	5280	CFA8	F2PS0080
479	嶮	CFA9	CFA9	5281	CFA9	F2PT0080
480	廐	CFAA	CFAA	5282	CFAA	F2PU0080
481	懼	CFAB	CFAB	5283	CFAB	F2PV0080
482	拘	CFAC	CFAC	5284	CFAC	F2PW0080
483	救	CFAD	CFAD	5285	CFAD	F2PX0080
484	枸	CFAE	CFAE	5287	CFAE	F2PZ0080
485	樞	CFAF	CFAF	5288	CFAF	F2Q00080
486	構	CFB0	CFB0	5289	CFB0	F2Q10080
487	歐	CFB1	CFB1	528A	CFB1	F2Q20080
488	毆	CFB2	CFB2	528B	CFB2	F2Q30080
489	毬	CFB3	CFB3	528C	CFB3	F2Q40080
490	求	CFB4	CFB4	528D	CFB4	F2Q50080
491	溝	CFB5	CFB5	528E	CFB5	F2Q60080
492	灸	CFB6	CFB6	528F	CFB6	F2Q70080
493	狗	CFB7	CFB7	5290	CFB7	F2Q80080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 20 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
494	玖	CFB8	CFB8	5291	CFB8	F2Q90080
495	球	CFB9	CFB9	5292	CFB9	F2QA0080
496	瞿	CFBA	CFBA	5294	CFBA	F2QC0080
497	矩	CFBB	CFBB	5295	CFBB	F2QD0080
498	究	CFBC	CFBC	5296	CFBC	F2QE0080
499	絀	CFBD	CFBD	5297	CFBD	F2QF0080
500	考	CFBE	CFBE	6880	CFBE	F5Z40080
501	白	CFBF	CFBF	5299	CFBF	F2QH0080
502	鼻	CFC0	CFC0	529A	CFC0	F2QI0080
503	舊	CFC1	CFC1	529B	CFC1	F2QJ0080
504	苟	CFC2	CFC2	529C	CFC2	F2QK0080
505	衢	CFC3	CFC3	529D	CFC3	F2QL0080
506	謳	CFC4	CFC4	529F	CFC4	F2QN0080
507	購	CFC5	CFC5	5298	CFC5	F2QG0080
508	軀	CFC6	CFC6	52A0	CFC6	F2QO0080
509	逵	CFC7	CFC7	52A1	CFC7	F2QP0080
510	邱	CFC8	CFC8	52A2	CFC8	F2QQ0080
511	鉤	CFC9	CFC9	52A3	CFC9	F2QR0080
512	錄	CFCA	CFCA	6881	CFCA	F5Z50080
513	駒	CFCB	CFCB	52A5	CFCB	F2QT0080
514	驅	CFCC	CFCC	52A6	CFCC	F2QU0080
515	鳩	CFCD	CFCD	52A7	CFCD	F2QV0080
516	鷗	CFCE	CFCE	52A8	CFCE	F2QW0080
517	龜	CFCF	CFCF	52A9	CFCF	F2QX0080
518	國	CFD0	CFD0	52AA	CFD0	F2QY0080
519	局	CFD1	CFD1	52AB	CFD1	F2QZ0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 8 (Page 21 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
520	菊	CFD2	CFD2	52AD	CFD2	F2R10080
521	鞠	CFD3	CFD3	52AE	CFD3	F2R20080
522	鞫	CFD4	CFD4	6882	CFD4	F5Z60080
523	麴	CFD5	CFD5	52AF	CFD5	F2R30080
524	君	CFD6	CFD6	52B3	CFD6	F2R70080
525	窘	CFD7	CFD7	52B0	CFD7	F2R40080
526	群	CFD8	CFD8	52B1	CFD8	F2R50080
527	裙	CFD9	CFD9	6883	CFD9	F5Z70080
528	軍	CFDA	CFDA	52B2	CFDA	F2R60080
529	郡	CFDB	CFDB	52B4	CFDB	F2R80080
530	堀	CFDC	CFDC	52B5	CFDC	F2R90080
531	屈	CFDD	CFDD	52B6	CFDD	F2RA0080
532	掘	CFDE	CFDE	52B7	CFDE	F2RB0080
533	窟	CFDF	CFDF	52B8	CFDF	F2RC0080
534	宮	CFE0	CFE0	52B9	CFE0	F2RD0080
535	弓	CFE1	CFE1	52BA	CFE1	F2RE0080
536	穹	CFE2	CFE2	52BB	CFE2	F2RF0080
537	窮	CFE3	CFE3	52BC	CFE3	F2RG0080
538	芎	CFE4	CFE4	6884	CFE4	F5Z80080
539	躬	CFE5	CFE5	52BD	CFE5	F2RH0080
540	倦	CFE6	CFE6	52BE	CFE6	F2RI0080
541	券	CFE7	CFE7	52BF	CFE7	F2RJ0080
542	勸	CFE8	CFE8	52C0	CFE8	F2RK0080
543	卷	CFE9	CFE9	52C1	CFE9	F2RL0080
544	圈	CFEA	CFEA	52C2	CFEA	F2RM0080
545	拳	CFEB	CFEB	52C3	CFEB	F2RN0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 22 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
546	捲	CFEC	CFEC	6885	CFEC	F5Z90080
547	權	CFED	CFED	52C4	CFED	F2RO0080
548	漣	CFEE	CFEE	6886	CFEE	F5ZA0080
549	脊	CFEF	CFEF	52C5	CFEF	F2RP0080
550	厥	CFF0	CFF0	52C6	CFF0	F2RQ0080
551	獾	CFF1	CFF1	6887	CFF1	F5ZB0080
552	厥	CFF2	CFF2	6888	CFF2	F5ZC0080
553	蹶	CFF3	CFF3	52C7	CFF3	F2RR0080
554	闕	CFF4	CFF4	52C8	CFF4	F2RS0080
555	机	CFF5	CFF5	52C9	CFF5	F2RT0080
556	櫃	CFF6	CFF6	52CA	CFF6	F2RU0080
557	潰	CFF7	CFF7	52CB	CFF7	F2RV0080
558	詭	CFF8	CFF8	52CC	CFF8	F2RW0080
559	軌	CFF9	CFF9	52CE	CFF9	F2RY0080
560	饋	CFFA	CFFA	52CF	CFFA	F2RZ0080
561	句	CFFB	CFFB	6889	CFFB	F5ZD0080
562	晷	CFFC	CFFC	688A	CFFC	F5ZE0080
563	歸	CFFD	CFFD	52D0	CFFD	F2S00080
564	貴	CFFE	CFFE	52D1	CFFE	F2S10080
565	鬼	D0A1	D0A1	52D2	D0A1	F2S20080
566	龜	D0A2	D0A2	52D3	D0A2	F2S30080
567	叫	D0A3	D0A3	52D4	D0A3	F2S40080
568	圭	D0A4	D0A4	52D5	D0A4	F2S50080
569	奎	D0A5	D0A5	52D6	D0A5	F2S60080
570	揆	D0A6	D0A6	52D7	D0A6	F2S70080
571	槻	D0A7	D0A7	688B	D0A7	F5ZF0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 23 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
572	珪	D0A8	D0A8	52D8	D0A8	F2S80080
573	硅	D0A9	D0A9	52D9	D0A9	F2S90080
574	窺	D0AA	D0AA	52DA	D0AA	F2SA0080
575	竅	D0AB	D0AB	688C	D0AB	F5ZG0080
576	糾	D0AC	D0AC	52DC	D0AC	F2SC0080
577	葵	D0AD	D0AD	52DB	D0AD	F2SB0080
578	規	D0AE	D0AE	52DD	D0AE	F2SD0080
579	赳	D0AF	D0AF	52DE	D0AF	F2SE0080
580	逵	D0B0	D0B0	52DF	D0B0	F2SF0080
581	閨	D0B1	D0B1	52E0	D0B1	F2SG0080
582	勻	D0B2	D0B2	688D	D0B2	F5ZH0080
583	均	D0B3	D0B3	52E1	D0B3	F2SH0080
584	昀	D0B4	D0B4	688E	D0B4	F5ZI0080
585	筠	D0B5	D0B5	52E2	D0B5	F2SI0080
586	菌	D0B6	D0B6	52E3	D0B6	F2SJ0080
587	鈞	D0B7	D0B7	52E4	D0B7	F2SK0080
588	龜	D0B8	D0B8	52E5	D0B8	F2SL0080
589	橘	D0B9	D0B9	52E6	D0B9	F2SM0080
590	克	D0BA	D0BA	52E7	D0BA	F2SN0080
591	剋	D0BB	D0BB	52E8	D0BB	F2SO0080
592	劇	D0BC	D0BC	52E9	D0BC	F2SP0080
593	戟	D0BD	D0BD	52EA	D0BD	F2SQ0080
594	棘	D0BE	D0BE	52EC	D0BE	F2SS0080
595	極	D0BF	D0BF	52EB	D0BF	F2SR0080
596	隙	D0C0	D0C0	52ED	D0C0	F2ST0080
597	僅	D0C1	D0C1	52EE	D0C1	F2SU0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 8 (Page 24 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
598	勗	D0C2	D0C2	688F	D0C2	F5ZJ0080
599	勤	D0C3	D0C3	52EF	D0C3	F2SV0080
600	勲	D0C4	D0C4	52F1	D0C4	F2SX0080
601	斤	D0C5	D0C5	52F2	D0C5	F2SY0080
602	根	D0C6	D0C6	52F3	D0C6	F2SZ0080
603	槿	D0C7	D0C7	52F4	D0C7	F2T00080
604	瑾	D0C8	D0C8	52F6	D0C8	F2T20080
605	筋	D0C9	D0C9	52F7	D0C9	F2T30080
606	芹	D0CA	D0CA	52F8	D0CA	F2T40080
607	董	D0CB	D0CB	52F9	D0CB	F2T50080
608	覲	D0CC	D0CC	52FA	D0CC	F2T60080
609	謹	D0CD	D0CD	52FB	D0CD	F2T70080
610	近	D0CE	D0CE	52FC	D0CE	F2T80080
611	饑	D0CF	D0CF	52FD	D0CF	F2T90080
612	契	D0D0	D0D0	52FE	D0D0	F2TA0080
613	今	D0D1	D0D1	5341	D0D1	F2TD0080
614	妗	D0D2	D0D2	6890	D0D2	F5ZK0080
615	擒	D0D3	D0D3	5342	D0D3	F2TE0080
616	吟	D0D4	D0D4	6891	D0D4	F5ZL0080
617	檣	D0D5	D0D5	5343	D0D5	F2TF0080
618	琴	D0D6	D0D6	5344	D0D6	F2TG0080
619	禁	D0D7	D0D7	5345	D0D7	F2TH0080
620	禽	D0D8	D0D8	5346	D0D8	F2TI0080
621	芩	D0D9	D0D9	6892	D0D9	F5ZM0080
622	衾	D0DA	D0DA	5348	D0DA	F2TK0080
623	衿	D0DB	D0DB	5347	D0DB	F2TJ0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 25 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
624	襟	D0DC	D0DC	5349	D0DC	F2TL0080
625	金	D0DD	D0DD	534A	D0DD	F2TM0080
626	錦	D0DE	D0DE	534B	D0DE	F2TN0080
627	佞	D0DF	D0DF	6893	D0DF	F5ZN0080
628	及	D0E0	D0E0	534C	D0E0	F2TO0080
629	急	D0E1	D0E1	534E	D0E1	F2TQ0080
630	扱	D0E2	D0E2	534F	D0E2	F2TR0080
631	汲	D0E3	D0E3	5350	D0E3	F2TS0080
632	級	D0E4	D0E4	5352	D0E4	F2TU0080
633	給	D0E5	D0E5	5353	D0E5	F2TV0080
634	亘	D0E6	D0E6	5354	D0E6	F2TW0080
635	兢	D0E7	D0E7	5355	D0E7	F2TX0080
636	矜	D0E8	D0E8	5356	D0E8	F2TY0080
637	肯	D0E9	D0E9	5357	D0E9	F2TZ0080
638	企	D0EA	D0EA	5358	D0EA	F2U00080
639	伎	D0EB	D0EB	5359	D0EB	F2U10080
640	其	D0EC	D0EC	535A	D0EC	F2U20080
641	冀	D0ED	D0ED	535B	D0ED	F2U30080
642	嗜	D0EE	D0EE	535C	D0EE	F2U40080
643	器	D0EF	D0EF	535D	D0EF	F2U50080
644	圻	D0F0	D0F0	535E	D0F0	F2U60080
645	基	D0F1	D0F1	535F	D0F1	F2U70080
646	埼	D0F2	D0F2	6894	D0F2	F5ZO0080
647	夔	D0F3	D0F3	5360	D0F3	F2U80080
648	奇	D0F4	D0F4	5361	D0F4	F2U90080
649	妓	D0F5	D0F5	5362	D0F5	F2UA0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 26 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
650	寄	D0F6	D0F6	5363	D0F6	F2UB0080
651	岐	D0F7	D0F7	5364	D0F7	F2UC0080
652	崎	D0F8	D0F8	5366	D0F8	F2UE0080
653	己	D0F9	D0F9	5368	D0F9	F2UG0080
654	幾	D0FA	D0FA	5367	D0FA	F2UF0080
655	忌	D0FB	D0FB	5369	D0FB	F2UH0080
656	技	D0FC	D0FC	536A	D0FC	F2UI0080
657	旗	D0FD	D0FD	536B	D0FD	F2UJ0080
658	既	D0FE	D0FE	536C	D0FE	F2UK0080
659	朞	D1A1	D1A1	5388	D1A1	F2VC0080
660	期	D1A2	D1A2	536D	D1A2	F2UL0080
661	杞	D1A3	D1A3	536E	D1A3	F2UM0080
662	棋	D1A4	D1A4	536F	D1A4	F2UN0080
663	棄	D1A5	D1A5	5370	D1A5	F2UO0080
664	機	D1A6	D1A6	5371	D1A6	F2UP0080
665	欺	D1A7	D1A7	5372	D1A7	F2UQ0080
666	氣	D1A8	D1A8	5373	D1A8	F2UR0080
667	汽	D1A9	D1A9	5374	D1A9	F2US0080
668	沂	D1AA	D1AA	5375	D1AA	F2UT0080
669	淇	D1AB	D1AB	5376	D1AB	F2UU0080
670	玘	D1AC	D1AC	6895	D1AC	F5ZP0080
671	琦	D1AD	D1AD	5377	D1AD	F2UV0080
672	琪	D1AE	D1AE	5378	D1AE	F2UW0080
673	璦	D1AF	D1AF	6896	D1AF	F5ZQ0080
674	璣	D1B0	D1B0	5379	D1B0	F2UX0080
675	畸	D1B1	D1B1	537A	D1B1	F2UY0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 27 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
676	畿	D1B2	D1B2	537B	D1B2	F2UZ0080
677	碁	D1B3	D1B3	537C	D1B3	F2V00080
678	磯	D1B4	D1B4	537D	D1B4	F2V10080
679	祁	D1B5	D1B5	6897	D1B5	F5ZR0080
680	祇	D1B6	D1B6	537E	D1B6	F2V20080
681	祈	D1B7	D1B7	537F	D1B7	F2V30080
682	祺	D1B8	D1B8	5380	D1B8	F2V40080
683	箕	D1B9	D1B9	5381	D1B9	F2V50080
684	紀	D1BA	D1BA	5382	D1BA	F2V60080
685	綺	D1BB	D1BB	5383	D1BB	F2V70080
686	羈	D1BC	D1BC	6898	D1BC	F5ZS0080
687	耆	D1BD	D1BD	5385	D1BD	F2V90080
688	機	D1BE	D1BE	5386	D1BE	F2VA0080
689	肌	D1BF	D1BF	5387	D1BF	F2VB0080
690	記	D1C0	D1C0	5389	D1C0	F2VD0080
691	譏	D1C1	D1C1	538A	D1C1	F2VE0080
692	豈	D1C2	D1C2	5365	D1C2	F2UD0080
693	起	D1C3	D1C3	538B	D1C3	F2VF0080
694	錡	D1C4	D1C4	538C	D1C4	F2VG0080
695	鎰	D1C5	D1C5	6899	D1C5	F5ZT0080
696	飢	D1C6	D1C6	538D	D1C6	F2VH0080
697	饑	D1C7	D1C7	538E	D1C7	F2VI0080
698	騎	D1C8	D1C8	538F	D1C8	F2VJ0080
699	騏	D1C9	D1C9	5390	D1C9	F2VK0080
700	驥	D1CA	D1CA	5391	D1CA	F2VL0080
701	麒	D1CB	D1CB	5393	D1CB	F2VN0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 28 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
702	緊	D1CC	D1CC	5394	D1CC	F2VO0080
703	佶	D1CD	D1CD	5395	D1CD	F2VP0080
704	吉	D1CE	D1CE	5396	D1CE	F2VQ0080
705	拮	D1CF	D1CF	5397	D1CF	F2VR0080
706	桔	D1D0	D1D0	5398	D1D0	F2VS0080
707	金	D1D1	D1D1	5399	D1D1	F2VT0080
708	喫	D1D2	D1D2	539B	D1D2	F2VV0080
709	儼	D1D3	D1D3	539C	D1D3	F2VW0080
710	喇	D1D4	D1D4	689A	D1D4	F5ZU0080
711	奈	D1D5	D1D5	689B	D1D5	F5ZV0080
712	娜	D1D6	D1D6	689C	D1D6	F5ZW0080
713	懦	D1D7	D1D7	539D	D1D7	F2VX0080
714	懶	D1D8	D1D8	689D	D1D8	F5ZX0080
715	拏	D1D9	D1D9	539E	D1D9	F2VY0080
716	拿	D1DA	D1DA	539F	D1DA	F2VZ0080
717	癩	D1DB	D1DB	689E	D1DB	F5ZY0080
718	羅	D1DC	D1DC	689F	D1DC	F5ZZ0080
719	蘿	D1DD	D1DD	68A0	D1DD	F6000080
720	螺	D1DE	D1DE	68A1	D1DE	F6010080
721	裸	D1DF	D1DF	68A2	D1DF	F6020080
722	邏	D1E0	D1E0	68A3	D1E0	F6030080
723	那	D1E1	D1E1	53A1	D1E1	F2W10080
724	樂	D1E2	D1E2	68A4	D1E2	F6040080
725	洛	D1E3	D1E3	68A5	D1E3	F6050080
726	烙	D1E4	D1E4	68A6	D1E4	F6060080
727	珞	D1E5	D1E5	68A7	D1E5	F6070080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 29 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
728	落	D1E6	D1E6	68A8	D1E6	F6080080
729	諾	D1E7	D1E7	53A2	D1E7	F2W20080
730	酪	D1E8	D1E8	68A9	D1E8	F6090080
731	駱	D1E9	D1E9	68AA	D1E9	F60A0080
732	亂	D1EA	D1EA	68AB	D1EA	F60B0080
733	卵	D1EB	D1EB	68AC	D1EB	F60C0080
734	暖	D1EC	D1EC	53A3	D1EC	F2W30080
735	欄	D1ED	D1ED	68AD	D1ED	F60D0080
736	煖	D1EE	D1EE	53A4	D1EE	F2W40080
737	爛	D1EF	D1EF	68AE	D1EF	F60E0080
738	蘭	D1F0	D1F0	68AF	D1F0	F60F0080
739	難	D1F1	D1F1	53A5	D1F1	F2W50080
740	鸞	D1F2	D1F2	68B0	D1F2	F60G0080
741	捏	D1F3	D1F3	53A7	D1F3	F2W70080
742	捺	D1F4	D1F4	53A6	D1F4	F2W60080
743	南	D1F5	D1F5	53A8	D1F5	F2W80080
744	嵐	D1F6	D1F6	68B1	D1F6	F60H0080
745	枅	D1F7	D1F7	68B2	D1F7	F60I0080
746	楠	D1F8	D1F8	68B3	D1F8	F60J0080
747	滷	D1F9	D1F9	68B4	D1F9	F60K0080
748	濫	D1FA	D1FA	68B5	D1FA	F60L0080
749	男	D1FB	D1FB	53AA	D1FB	F2WA0080
750	藍	D1FC	D1FC	68B6	D1FC	F60M0080
751	檻	D1FD	D1FD	68B7	D1FD	F60N0080
752	拉	D1FE	D1FE	68B8	D1FE	F60O0080
753	納	D2A1	D2A1	53AB	D2A1	F2WB0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 30 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
754	臘	D2A2	D2A2	68B9	D2A2	F60P0080
755	蠟	D2A3	D2A3	68BA	D2A3	F60Q0080
756	衲	D2A4	D2A4	68BB	D2A4	F60R0080
757	囊	D2A5	D2A5	53AC	D2A5	F2WC0080
758	娘	D2A6	D2A6	53AD	D2A6	F2WD0080
759	廊	D2A7	D2A7	68BC	D2A7	F60S0080
760	朗	D2A8	D2A8	68BD	D2A8	F60T0080
761	浪	D2A9	D2A9	68BE	D2A9	F60U0080
762	狼	D2AA	D2AA	68BF	D2AA	F60V0080
763	郎	D2AB	D2AB	68C0	D2AB	F60W0080
764	乃	D2AC	D2AC	53AF	D2AC	F2WF0080
765	來	D2AD	D2AD	68C1	D2AD	F60X0080
766	內	D2AE	D2AE	53B0	D2AE	F2WG0080
767	奈	D2AF	D2AF	53B1	D2AF	F2WH0080
768	柰	D2B0	D2B0	53B2	D2B0	F2WI0080
769	耐	D2B1	D2B1	53B3	D2B1	F2WJ0080
770	冷	D2B2	D2B2	68C2	D2B2	F60Y0080
771	女	D2B3	D2B3	53B5	D2B3	F2WL0080
772	年	D2B4	D2B4	53B6	D2B4	F2WM0080
773	撚	D2B5	D2B5	68C3	D2B5	F60Z0080
774	季	D2B6	D2B6	53B7	D2B6	F2WN0080
775	念	D2B7	D2B7	53B8	D2B7	F2WO0080
776	恬	D2B8	D2B8	53B9	D2B8	F2WP0080
777	拈	D2B9	D2B9	53BA	D2B9	F2WQ0080
778	捻	D2BA	D2BA	53BB	D2BA	F2WR0080
779	寧	D2BB	D2BB	53BD	D2BB	F2WT0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 31 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
780	霽	D2BC	D2BC	68C4	D2BC	F6100080
781	努	D2BD	D2BD	53BF	D2BD	F2WV0080
782	勞	D2BE	D2BE	68C5	D2BE	F6110080
783	奴	D2BF	D2BF	53C0	D2BF	F2WW0080
784	弩	D2C0	D2C0	53C2	D2C0	F2WY0080
785	怒	D2C1	D2C1	53C3	D2C1	F2WZ0080
786	擄	D2C2	D2C2	68C6	D2C2	F6120080
787	櫓	D2C3	D2C3	68C7	D2C3	F6130080
788	爐	D2C4	D2C4	68C8	D2C4	F6140080
789	璫	D2C5	D2C5	53C4	D2C5	F2X00080
790	盧	D2C6	D2C6	68C9	D2C6	F6150080
791	老	D2C7	D2C7	68CA	D2C7	F6160080
792	蘆	D2C8	D2C8	68CB	D2C8	F6170080
793	虜	D2C9	D2C9	68CC	D2C9	F6180080
794	路	D2CA	D2CA	68CD	D2CA	F6190080
795	露	D2CB	D2CB	68CE	D2CB	F61A0080
796	駑	D2CC	D2CC	68CF	D2CC	F61B0080
797	魯	D2CD	D2CD	68D0	D2CD	F61C0080
798	鷺	D2CE	D2CE	68D1	D2CE	F61D0080
799	碌	D2CF	D2CF	68D2	D2CF	F61E0080
800	祿	D2D0	D2D0	68D3	D2D0	F61F0080
801	綠	D2D1	D2D1	68D4	D2D1	F61G0080
802	菘	D2D2	D2D2	68D5	D2D2	F61H0080
803	錄	D2D3	D2D3	68D6	D2D3	F61I0080
804	鹿	D2D4	D2D4	68D7	D2D4	F61J0080
805	論	D2D5	D2D5	68D8	D2D5	F61K0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 32 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
806	壘	D2D6	D2D6	68D9	D2D6	F61L0080
807	弄	D2D7	D2D7	68DA	D2D7	F61M0080
808	濃	D2D8	D2D8	53C5	D2D8	F2X10080
809	籠	D2D9	D2D9	68DB	D2D9	F61N0080
810	聾	D2DA	D2DA	68DC	D2DA	F61O0080
811	膿	D2DB	D2DB	53C6	D2DB	F2X20080
812	農	D2DC	D2DC	53C7	D2DC	F2X30080
813	惱	D2DD	D2DD	53C8	D2DD	F2X40080
814	牢	D2DE	D2DE	68DD	D2DE	F61P0080
815	磊	D2DF	D2DF	68DE	D2DF	F61Q0080
816	腦	D2E0	D2E0	53C9	D2E0	F2X50080
817	賂	D2E1	D2E1	68DF	D2E1	F61R0080
818	雷	D2E2	D2E2	68E0	D2E2	F61S0080
819	尿	D2E3	D2E3	53CA	D2E3	F2X60080
820	壘	D2E4	D2E4	68E1	D2E4	F61T0080
821	屢	D2E5	D2E5	68E2	D2E5	F61U0080
822	樓	D2E6	D2E6	68E3	D2E6	F61V0080
823	淚	D2E7	D2E7	68E4	D2E7	F61W0080
824	漏	D2E8	D2E8	68E5	D2E8	F61X0080
825	累	D2E9	D2E9	68E6	D2E9	F61Y0080
826	縷	D2EA	D2EA	68E7	D2EA	F61Z0080
827	陋	D2EB	D2EB	68E8	D2EB	F6200080
828	嫩	D2EC	D2EC	53CC	D2EC	F2X80080
829	訥	D2ED	D2ED	53CD	D2ED	F2X90080
830	杻	D2EE	D2EE	68E9	D2EE	F6210080
831	紐	D2EF	D2EF	53CE	D2EF	F2XA0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 33 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
832	勒	D2F0	D2F0	68EA	D2F0	F6220080
833	肋	D2F1	D2F1	68EB	D2F1	F6230080
834	凜	D2F2	D2F2	68EC	D2F2	F6240080
835	凌	D2F3	D2F3	68ED	D2F3	F6250080
836	稜	D2F4	D2F4	68EE	D2F4	F6260080
837	綾	D2F5	D2F5	68EF	D2F5	F6270080
838	能	D2F6	D2F6	53CF	D2F6	F2XB0080
839	菱	D2F7	D2F7	68F0	D2F7	F6280080
840	陵	D2F8	D2F8	68F1	D2F8	F6290080
841	尼	D2F9	D2F9	53D0	D2F9	F2XC0080
842	泥	D2FA	D2FA	53D1	D2FA	F2XD0080
843	匱	D2FB	D2FB	53D2	D2FB	F2XE0080
844	溺	D2FC	D2FC	53D3	D2FC	F2XF0080
845	多	D2FD	D2FD	53D4	D2FD	F2XG0080
846	茶	D2FE	D2FE	53D5	D2FE	F2XH0080
847	丹	D3A1	D3A1	53D6	D3A1	F2XI0080
848	亶	D3A2	D3A2	68F2	D3A2	F62A0080
849	但	D3A3	D3A3	53D7	D3A3	F2XJ0080
850	單	D3A4	D3A4	53D8	D3A4	F2XK0080
851	團	D3A5	D3A5	53D9	D3A5	F2XL0080
852	壇	D3A6	D3A6	53DA	D3A6	F2XM0080
853	豕	D3A7	D3A7	68F3	D3A7	F62B0080
854	斷	D3A8	D3A8	53DB	D3A8	F2XN0080
855	旦	D3A9	D3A9	53DC	D3A9	F2XO0080
856	檀	D3AA	D3AA	53DD	D3AA	F2XP0080
857	段	D3AB	D3AB	53DE	D3AB	F2XQ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 34 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
858	湍	D3AC	D3AC	53DF	D3AC	F2XR0080
859	短	D3AD	D3AD	53E0	D3AD	F2XS0080
860	端	D3AE	D3AE	53E1	D3AE	F2XT0080
861	簞	D3AF	D3AF	53E2	D3AF	F2XU0080
862	緞	D3B0	D3B0	53E3	D3B0	F2XV0080
863	蛋	D3B1	D3B1	53E4	D3B1	F2XW0080
864	袒	D3B2	D3B2	53E5	D3B2	F2XX0080
865	鄆	D3B3	D3B3	53E6	D3B3	F2XY0080
866	鍛	D3B4	D3B4	53E7	D3B4	F2XZ0080
867	撻	D3B5	D3B5	53EA	D3B5	F2Y20080
868	澣	D3B6	D3B6	68F4	D3B6	F62C0080
869	獺	D3B7	D3B7	53EB	D3B7	F2Y30080
870	疸	D3B8	D3B8	53EC	D3B8	F2Y40080
871	達	D3B9	D3B9	53ED	D3B9	F2Y50080
872	啖	D3BA	D3BA	53F0	D3BA	F2Y80080
873	丹	D3BB	D3BB	68F5	D3BB	F62D0080
874	擔	D3BC	D3BC	68F6	D3BC	F62E0080
875	擔	D3BD	D3BD	53F1	D3BD	F2Y90080
876	曇	D3BE	D3BE	53F2	D3BE	F2YA0080
877	淡	D3BF	D3BF	53F3	D3BF	F2YB0080
878	湛	D3C0	D3C0	68F7	D3C0	F62F0080
879	潭	D3C1	D3C1	53F4	D3C1	F2YC0080
880	澹	D3C2	D3C2	53F5	D3C2	F2YD0080
881	痰	D3C3	D3C3	53F6	D3C3	F2YE0080
882	聃	D3C4	D3C4	53F7	D3C4	F2YF0080
883	膽	D3C5	D3C5	53F8	D3C5	F2YG0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 35 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
884	尋	D3C6	D3C6	68F8	D3C6	F62G0080
885	覃	D3C7	D3C7	53F9	D3C7	F2YH0080
886	談	D3C8	D3C8	53FA	D3C8	F2YI0080
887	譚	D3C9	D3C9	53FB	D3C9	F2YJ0080
888	鎔	D3CA	D3CA	68F9	D3CA	F62H0080
889	沓	D3CB	D3CB	53FC	D3CB	F2YK0080
890	沓	D3CC	D3CC	68FA	D3CC	F62I0080
891	答	D3CD	D3CD	53FD	D3CD	F2YL0080
892	踏	D3CE	D3CE	53FE	D3CE	F2YM0080
893	逕	D3CF	D3CF	5441	D3CF	F2YP0080
894	唐	D3D0	D3D0	5446	D3D0	F2YU0080
895	堂	D3D1	D3D1	5443	D3D1	F2YR0080
896	塘	D3D2	D3D2	5444	D3D2	F2YS0080
897	幢	D3D3	D3D3	5445	D3D3	F2YT0080
898	戇	D3D4	D3D4	68FB	D3D4	F62J0080
899	撞	D3D5	D3D5	5447	D3D5	F2YV0080
900	棠	D3D6	D3D6	5448	D3D6	F2YW0080
901	當	D3D7	D3D7	5449	D3D7	F2YX0080
902	糖	D3D8	D3D8	544A	D3D8	F2YY0080
903	螳	D3D9	D3D9	68FC	D3D9	F62K0080
904	黨	D3DA	D3DA	544C	D3DA	F2Z00080
905	代	D3DB	D3DB	544D	D3DB	F2Z10080
906	垩	D3DC	D3DC	544E	D3DC	F2Z20080
907	垠	D3DD	D3DD	68FD	D3DD	F62L0080
908	大	D3DE	D3DE	544F	D3DE	F2Z30080
909	對	D3DF	D3DF	5450	D3DF	F2Z40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 36 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
910	岱	D3E0	D3E0	5451	D3E0	F2Z50080
911	帶	D3E1	D3E1	5452	D3E1	F2Z60080
912	待	D3E2	D3E2	5453	D3E2	F2Z70080
913	戴	D3E3	D3E3	5454	D3E3	F2Z80080
914	擡	D3E4	D3E4	5455	D3E4	F2Z90080
915	玳	D3E5	D3E5	5456	D3E5	F2ZA0080
916	臺	D3E6	D3E6	5458	D3E6	F2ZC0080
917	袋	D3E7	D3E7	5459	D3E7	F2ZD0080
918	貸	D3E8	D3E8	545A	D3E8	F2ZE0080
919	隊	D3E9	D3E9	545B	D3E9	F2ZF0080
920	黛	D3EA	D3EA	545C	D3EA	F2ZG0080
921	宅	D3EB	D3EB	545D	D3EB	F2ZH0080
922	德	D3EC	D3EC	545E	D3EC	F2ZI0080
923	憲	D3ED	D3ED	545F	D3ED	F2ZJ0080
924	倒	D3EE	D3EE	5460	D3EE	F2ZK0080
925	刀	D3EF	D3EF	5461	D3EF	F2ZL0080
926	到	D3F0	D3F0	5462	D3F0	F2ZM0080
927	圖	D3F1	D3F1	5463	D3F1	F2ZN0080
928	堵	D3F2	D3F2	5464	D3F2	F2ZO0080
929	塗	D3F3	D3F3	5465	D3F3	F2ZP0080
930	導	D3F4	D3F4	5466	D3F4	F2ZQ0080
931	屠	D3F5	D3F5	5467	D3F5	F2ZR0080
932	島	D3F6	D3F6	5468	D3F6	F2ZS0080
933	嶋	D3F7	D3F7	68FE	D3F7	F62M0080
934	度	D3F8	D3F8	5469	D3F8	F2ZT0080
935	徒	D3F9	D3F9	546A	D3F9	F2ZU0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 37 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
936	悼	D3FA	D3FA	546B	D3FA	F2ZV0080
937	挑	D3FB	D3FB	546C	D3FB	F2ZW0080
938	掉	D3FC	D3FC	6941	D3FC	F62P0080
939	搗	D3FD	D3FD	546D	D3FD	F2ZX0080
940	桃	D3FE	D3FE	546E	D3FE	F2ZY0080
941	棹	D4A1	D4A1	546F	D4A1	F2ZZ0080
942	權	D4A2	D4A2	6942	D4A2	F62Q0080
943	淘	D4A3	D4A3	5470	D4A3	F3000080
944	渡	D4A4	D4A4	5471	D4A4	F3010080
945	滔	D4A5	D4A5	5472	D4A5	F3020080
946	濤	D4A6	D4A6	5473	D4A6	F3030080
947	熹	D4A7	D4A7	5474	D4A7	F3040080
948	盜	D4A8	D4A8	5475	D4A8	F3050080
949	睹	D4A9	D4A9	5476	D4A9	F3060080
950	禱	D4AA	D4AA	5477	D4AA	F3070080
951	稻	D4AB	D4AB	5478	D4AB	F3080080
952	萄	D4AC	D4AC	5479	D4AC	F3090080
953	靚	D4AD	D4AD	6943	D4AD	F62R0080
954	賭	D4AE	D4AE	547B	D4AE	F30B0080
955	跳	D4AF	D4AF	547C	D4AF	F30C0080
956	踏	D4B0	D4B0	547D	D4B0	F30D0080
957	逃	D4B1	D4B1	547E	D4B1	F30E0080
958	途	D4B2	D4B2	547F	D4B2	F30F0080
959	道	D4B3	D4B3	5480	D4B3	F30G0080
960	都	D4B4	D4B4	5481	D4B4	F30H0080
961	鍍	D4B5	D4B5	5482	D4B5	F30I0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 38 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
962	陶	D4B6	D4B6	5483	D4B6	F30J0080
963	韜	D4B7	D4B7	5484	D4B7	F30K0080
964	毒	D4B8	D4B8	5485	D4B8	F30L0080
965	瀆	D4B9	D4B9	5486	D4B9	F30M0080
966	牘	D4BA	D4BA	5487	D4BA	F30N0080
967	犢	D4BB	D4BB	5488	D4BB	F30O0080
968	獨	D4BC	D4BC	5489	D4BC	F30P0080
969	督	D4BD	D4BD	548A	D4BD	F30Q0080
970	禿	D4BE	D4BE	548B	D4BE	F30R0080
971	篤	D4BF	D4BF	548C	D4BF	F30S0080
972	轟	D4C0	D4C0	548D	D4C0	F30T0080
973	讀	D4C1	D4C1	548E	D4C1	F30U0080
974	墩	D4C2	D4C2	548F	D4C2	F30V0080
975	惇	D4C3	D4C3	5490	D4C3	F30W0080
976	敦	D4C4	D4C4	5491	D4C4	F30X0080
977	吨	D4C5	D4C5	6944	D4C5	F62S0080
978	墩	D4C6	D4C6	5492	D4C6	F30Y0080
979	沌	D4C7	D4C7	5493	D4C7	F30Z0080
980	焯	D4C8	D4C8	6945	D4C8	F62T0080
981	燉	D4C9	D4C9	5494	D4C9	F3100080
982	豚	D4CA	D4CA	5495	D4CA	F3110080
983	頓	D4CB	D4CB	5496	D4CB	F3120080
984	彗	D4CC	D4CC	5498	D4CC	F3140080
985	突	D4CD	D4CD	5499	D4CD	F3150080
986	仝	D4CE	D4CE	549A	D4CE	F3160080
987	冬	D4CF	D4CF	549B	D4CF	F3170080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 39 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
988	凍	D4D0	D4D0	549C	D4D0	F3180080
989	動	D4D1	D4D1	549D	D4D1	F3190080
990	同	D4D2	D4D2	549E	D4D2	F31A0080
991	懂	D4D3	D4D3	54A0	D4D3	F31C0080
992	東	D4D4	D4D4	54A1	D4D4	F31D0080
993	桐	D4D5	D4D5	54A2	D4D5	F31E0080
994	棟	D4D6	D4D6	54A3	D4D6	F31F0080
995	洞	D4D7	D4D7	54A4	D4D7	F31G0080
996	潼	D4D8	D4D8	54A5	D4D8	F31H0080
997	疼	D4D9	D4D9	54A7	D4D9	F31J0080
998	瞳	D4DA	D4DA	54A8	D4DA	F31K0080
999	童	D4DB	D4DB	54A6	D4DB	F31I0080
1000	胴	D4DC	D4DC	54AA	D4DC	F31M0080
1001	董	D4DD	D4DD	54A9	D4DD	F31L0080
1002	銅	D4DE	D4DE	54AB	D4DE	F31N0080
1003	兜	D4DF	D4DF	54AC	D4DF	F31O0080
1004	斗	D4E0	D4E0	54AD	D4E0	F31P0080
1005	杜	D4E1	D4E1	54AE	D4E1	F31Q0080
1006	抖	D4E2	D4E2	54AF	D4E2	F31R0080
1007	痘	D4E3	D4E3	54B0	D4E3	F31S0080
1008	竇	D4E4	D4E4	54B1	D4E4	F31T0080
1009	荳	D4E5	D4E5	54B2	D4E5	F31U0080
1010	讀	D4E6	D4E6	54B5	D4E6	F31X0080
1011	豆	D4E7	D4E7	54B6	D4E7	F31Y0080
1012	逗	D4E8	D4E8	6946	D4E8	F62U0080
1013	頭	D4E9	D4E9	54B7	D4E9	F31Z0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 40 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1014	屯	D4EA	D4EA	54B8	D4EA	F3200080
1015	臀	D4EB	D4EB	54B9	D4EB	F3210080
1016	茈	D4EC	D4EC	6947	D4EC	F62V0080
1017	遁	D4ED	D4ED	54BA	D4ED	F3220080
1018	遯	D4EE	D4EE	54BB	D4EE	F3230080
1019	鈍	D4EF	D4EF	54BC	D4EF	F3240080
1020	得	D4F0	D4F0	54BD	D4F0	F3250080
1021	橙	D4F1	D4F1	6948	D4F1	F62W0080
1022	橙	D4F2	D4F2	54BE	D4F2	F3260080
1023	燈	D4F3	D4F3	54C1	D4F3	F3290080
1024	登	D4F4	D4F4	54C2	D4F4	F32A0080
1025	等	D4F5	D4F5	54C3	D4F5	F32B0080
1026	藤	D4F6	D4F6	54C4	D4F6	F32C0080
1027	膽	D4F7	D4F7	54C5	D4F7	F32D0080
1028	鄧	D4F8	D4F8	54C6	D4F8	F32E0080
1029	騰	D4F9	D4F9	54C8	D4F9	F32G0080
1030	喇	D4FA	D4FA	54C9	D4FA	F32H0080
1031	懶	D4FB	D4FB	54CA	D4FB	F32I0080
1032	拏	D4FC	D4FC	6949	D4FC	F62X0080
1033	癩	D4FD	D4FD	54CB	D4FD	F32J0080
1034	羅	D4FE	D4FE	54CC	D4FE	F32K0080
1035	蘿	D5A1	D5A1	54CD	D5A1	F32L0080
1036	螺	D5A2	D5A2	54CE	D5A2	F32M0080
1037	裸	D5A3	D5A3	54CF	D5A3	F32N0080
1038	邏	D5A4	D5A4	54D0	D5A4	F32O0080
1039	樂	D5A5	D5A5	54D1	D5A5	F32P0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 41 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1040	洛	D5A6	D5A6	54D2	D5A6	F32Q0080
1041	烙	D5A7	D5A7	54D3	D5A7	F32R0080
1042	瑤	D5A8	D5A8	54D5	D5A8	F32T0080
1043	絡	D5A9	D5A9	54D6	D5A9	F32U0080
1044	落	D5AA	D5AA	54D7	D5AA	F32V0080
1045	諾	D5AB	D5AB	694A	D5AB	F62Y0080
1046	酪	D5AC	D5AC	54D8	D5AC	F32W0080
1047	駱	D5AD	D5AD	54D9	D5AD	F32X0080
1048	丹	D5AE	D5AE	694B	D5AE	F62Z0080
1049	亂	D5AF	D5AF	54DA	D5AF	F32Y0080
1050	卵	D5B0	D5B0	54DB	D5B0	F32Z0080
1051	欄	D5B1	D5B1	54DD	D5B1	F3310080
1052	欒	D5B2	D5B2	54DE	D5B2	F3320080
1053	瀾	D5B3	D5B3	54DF	D5B3	F3330080
1054	爛	D5B4	D5B4	54E0	D5B4	F3340080
1055	蘭	D5B5	D5B5	54E1	D5B5	F3350080
1056	鸞	D5B6	D5B6	54E2	D5B6	F3360080
1057	刺	D5B7	D5B7	54E3	D5B7	F3370080
1058	辣	D5B8	D5B8	54E5	D5B8	F3390080
1059	嵐	D5B9	D5B9	54E6	D5B9	F33A0080
1060	擘	D5BA	D5BA	54E7	D5BA	F33B0080
1061	攪	D5BB	D5BB	54E8	D5BB	F33C0080
1062	欖	D5BC	D5BC	54E9	D5BC	F33D0080
1063	濫	D5BD	D5BD	54EA	D5BD	F33E0080
1064	籃	D5BE	D5BE	54EB	D5BE	F33F0080
1065	纜	D5BF	D5BF	54EC	D5BF	F33G0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 42 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1066	藍	D5C0	D5C0	54ED	D5C0	F33H0080
1067	檻	D5C1	D5C1	54EE	D5C1	F33I0080
1068	覽	D5C2	D5C2	54EF	D5C2	F33J0080
1069	拉	D5C3	D5C3	54F0	D5C3	F33K0080
1070	臘	D5C4	D5C4	54F1	D5C4	F33L0080
1071	蠟	D5C5	D5C5	54F2	D5C5	F33M0080
1072	廊	D5C6	D5C6	54F3	D5C6	F33N0080
1073	朗	D5C7	D5C7	54F4	D5C7	F33O0080
1074	浪	D5C8	D5C8	54F6	D5C8	F33Q0080
1075	狼	D5C9	D5C9	54F7	D5C9	F33R0080
1076	琅	D5CA	D5CA	54F8	D5CA	F33S0080
1077	瑯	D5CB	D5CB	54F9	D5CB	F33T0080
1078	螂	D5CC	D5CC	54FA	D5CC	F33U0080
1079	郎	D5CD	D5CD	54FB	D5CD	F33V0080
1080	來	D5CE	D5CE	54FC	D5CE	F33W0080
1081	峽	D5CF	D5CF	694C	D5CF	F6300080
1082	徠	D5D0	D5D0	694D	D5D0	F6310080
1083	萊	D5D1	D5D1	54FD	D5D1	F33X0080
1084	冷	D5D2	D5D2	54FE	D5D2	F33Y0080
1085	掠	D5D3	D5D3	5541	D5D3	F3410080
1086	略	D5D4	D5D4	5542	D5D4	F3420080
1087	亮	D5D5	D5D5	5543	D5D5	F3430080
1088	倆	D5D6	D5D6	5545	D5D6	F3450080
1089	兩	D5D7	D5D7	5544	D5D7	F3440080
1090	涼	D5D8	D5D8	5546	D5D8	F3460080
1091	梁	D5D9	D5D9	5547	D5D9	F3470080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 43 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1092	樑	D5DA	D5DA	5549	D5DA	F3490080
1093	糧	D5DB	D5DB	554A	D5DB	F34A0080
1094	梁	D5DC	D5DC	554B	D5DC	F34B0080
1095	糧	D5DD	D5DD	554C	D5DD	F34C0080
1096	良	D5DE	D5DE	554D	D5DE	F34D0080
1097	諒	D5DF	D5DF	554E	D5DF	F34E0080
1098	輛	D5E0	D5E0	554F	D5E0	F34F0080
1099	量	D5E1	D5E1	5550	D5E1	F34G0080
1100	侶	D5E2	D5E2	5552	D5E2	F34I0080
1101	儷	D5E3	D5E3	694E	D5E3	F6320080
1102	勵	D5E4	D5E4	5553	D5E4	F34J0080
1103	呂	D5E5	D5E5	5554	D5E5	F34K0080
1104	廬	D5E6	D5E6	5555	D5E6	F34L0080
1105	慮	D5E7	D5E7	555E	D5E7	F34U0080
1106	戾	D5E8	D5E8	5556	D5E8	F34M0080
1107	旅	D5E9	D5E9	5557	D5E9	F34N0080
1108	欄	D5EA	D5EA	5558	D5EA	F34O0080
1109	濾	D5EB	D5EB	5559	D5EB	F34P0080
1110	礪	D5EC	D5EC	555B	D5EC	F34R0080
1111	藜	D5ED	D5ED	555D	D5ED	F34T0080
1112	蠣	D5EE	D5EE	555F	D5EE	F34V0080
1113	閭	D5EF	D5EF	5562	D5EF	F34Y0080
1114	驢	D5F0	D5F0	5563	D5F0	F34Z0080
1115	驪	D5F1	D5F1	5564	D5F1	F3500080
1116	麗	D5F2	D5F2	5565	D5F2	F3510080
1117	黎	D5F3	D5F3	5566	D5F3	F3520080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 44 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1118	力	D5F4	D5F4	5567	D5F4	F3530080
1119	曆	D5F5	D5F5	5569	D5F5	F3550080
1120	歷	D5F6	D5F6	5568	D5F6	F3540080
1121	瀝	D5F7	D5F7	556B	D5F7	F3570080
1122	礫	D5F8	D5F8	556C	D5F8	F3580080
1123	礫	D5F9	D5F9	556D	D5F9	F3590080
1124	歷	D5FA	D5FA	556E	D5FA	F35A0080
1125	憐	D5FB	D5FB	556F	D5FB	F35B0080
1126	戀	D5FC	D5FC	5570	D5FC	F35C0080
1127	摯	D5FD	D5FD	5571	D5FD	F35D0080
1128	漣	D5FE	D5FE	5572	D5FE	F35E0080
1129	煉	D6A1	D6A1	5573	D6A1	F35F0080
1130	璉	D6A2	D6A2	694F	D6A2	F6330080
1131	練	D6A3	D6A3	5574	D6A3	F35G0080
1132	聯	D6A4	D6A4	5575	D6A4	F35H0080
1133	蓮	D6A5	D6A5	5576	D6A5	F35I0080
1134	輦	D6A6	D6A6	5577	D6A6	F35J0080
1135	連	D6A7	D6A7	5578	D6A7	F35K0080
1136	鍊	D6A8	D6A8	5579	D6A8	F35L0080
1137	冽	D6A9	D6A9	557A	D6A9	F35M0080
1138	列	D6AA	D6AA	557C	D6AA	F35O0080
1139	劣	D6AB	D6AB	557B	D6AB	F35N0080
1140	冽	D6AC	D6AC	557D	D6AC	F35P0080
1141	烈	D6AD	D6AD	557E	D6AD	F35Q0080
1142	裂	D6AE	D6AE	557F	D6AE	F35R0080
1143	廉	D6AF	D6AF	5580	D6AF	F35S0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 45 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1144	斂	D6B0	D6B0	5581	D6B0	F35T0080
1145	殮	D6B1	D6B1	5582	D6B1	F35U0080
1146	濂	D6B2	D6B2	5583	D6B2	F35V0080
1147	簾	D6B3	D6B3	5584	D6B3	F35W0080
1148	獵	D6B4	D6B4	5585	D6B4	F35X0080
1149	令	D6B5	D6B5	5587	D6B5	F35Z0080
1150	伶	D6B6	D6B6	5588	D6B6	F3600080
1151	囿	D6B7	D6B7	5589	D6B7	F3610080
1152	寧	D6B8	D6B8	6950	D6B8	F6340080
1153	岑	D6B9	D6B9	6951	D6B9	F6350080
1154	嶺	D6BA	D6BA	558A	D6BA	F3620080
1155	伶	D6BB	D6BB	558B	D6BB	F3630080
1156	玲	D6BC	D6BC	558E	D6BC	F3660080
1157	箒	D6BD	D6BD	6952	D6BD	F6360080
1158	羚	D6BE	D6BE	558F	D6BE	F3670080
1159	翎	D6BF	D6BF	5590	D6BF	F3680080
1160	聆	D6C0	D6C0	6953	D6C0	F6370080
1161	逞	D6C1	D6C1	5593	D6C1	F36B0080
1162	鈴	D6C2	D6C2	5596	D6C2	F36E0080
1163	零	D6C3	D6C3	5594	D6C3	F36C0080
1164	靈	D6C4	D6C4	5595	D6C4	F36D0080
1165	領	D6C5	D6C5	5597	D6C5	F36F0080
1166	齡	D6C6	D6C6	5598	D6C6	F36G0080
1167	例	D6C7	D6C7	5599	D6C7	F36H0080
1168	禮	D6C8	D6C8	6954	D6C8	F6380080
1169	禮	D6C9	D6C9	559A	D6C9	F36I0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 46 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1170	醴	D6CA	D6CA	559B	D6CA	F36J0080
1171	隸	D6CB	D6CB	559C	D6CB	F36K0080
1172	勞	D6CC	D6CC	559D	D6CC	F36L0080
1173	怒	D6CD	D6CD	6955	D6CD	F6390080
1174	撈	D6CE	D6CE	559E	D6CE	F36M0080
1175	擄	D6CF	D6CF	6956	D6CF	F63A0080
1176	櫓	D6D0	D6D0	559F	D6D0	F36N0080
1177	潞	D6D1	D6D1	6957	D6D1	F63B0080
1178	瀘	D6D2	D6D2	55A2	D6D2	F36Q0080
1179	爐	D6D3	D6D3	55A1	D6D3	F36P0080
1180	盧	D6D4	D6D4	55A3	D6D4	F36R0080
1181	老	D6D5	D6D5	55A4	D6D5	F36S0080
1182	蘆	D6D6	D6D6	55A6	D6D6	F36U0080
1183	虜	D6D7	D6D7	55A7	D6D7	F36V0080
1184	路	D6D8	D6D8	55A8	D6D8	F36W0080
1185	輅	D6D9	D6D9	55A9	D6D9	F36X0080
1186	露	D6DA	D6DA	55AB	D6DA	F36Z0080
1187	魯	D6DB	D6DB	55AC	D6DB	F3700080
1188	鷺	D6DC	D6DC	55AD	D6DC	F3710080
1189	鹵	D6DD	D6DD	55AE	D6DD	F3720080
1190	碌	D6DE	D6DE	55B0	D6DE	F3740080
1191	祿	D6DF	D6DF	6958	D6DF	F63C0080
1192	綠	D6E0	D6E0	55B2	D6E0	F3760080
1193	茱	D6E1	D6E1	6959	D6E1	F63D0080
1194	錄	D6E2	D6E2	55B4	D6E2	F3780080
1195	鹿	D6E3	D6E3	55B6	D6E3	F37A0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 47 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1196	麓	D6E4	D6E4	55B5	D6E4	F3790080
1197	論	D6E5	D6E5	55B7	D6E5	F37B0080
1198	壘	D6E6	D6E6	55B8	D6E6	F37C0080
1199	弄	D6E7	D6E7	55B9	D6E7	F37D0080
1200	臚	D6E8	D6E8	55BA	D6E8	F37E0080
1201	瀧	D6E9	D6E9	55BB	D6E9	F37F0080
1202	瓏	D6EA	D6EA	55BC	D6EA	F37G0080
1203	籠	D6EB	D6EB	55BD	D6EB	F37H0080
1204	聾	D6EC	D6EC	55BE	D6EC	F37I0080
1205	偶	D6ED	D6ED	55BF	D6ED	F37J0080
1206	瀨	D6EE	D6EE	695A	D6EE	F63E0080
1207	牢	D6EF	D6EF	55C0	D6EF	F37K0080
1208	磊	D6F0	D6F0	55C1	D6F0	F37L0080
1209	賂	D6F1	D6F1	55C6	D6F1	F37Q0080
1210	賚	D6F2	D6F2	695B	D6F2	F63F0080
1211	賴	D6F3	D6F3	55C5	D6F3	F37P0080
1212	雷	D6F4	D6F4	55C7	D6F4	F37R0080
1213	了	D6F5	D6F5	55C8	D6F5	F37S0080
1214	僚	D6F6	D6F6	55C9	D6F6	F37T0080
1215	寮	D6F7	D6F7	55CB	D6F7	F37V0080
1216	廖	D6F8	D6F8	55CC	D6F8	F37W0080
1217	料	D6F9	D6F9	55D0	D6F9	F3800080
1218	燎	D6FA	D6FA	55CD	D6FA	F37X0080
1219	療	D6FB	D6FB	55CE	D6FB	F37Y0080
1220	瞭	D6FC	D6FC	55CF	D6FC	F37Z0080
1221	聊	D6FD	D6FD	55D1	D6FD	F3810080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 48 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1222	蓼	D6FE	D6FE	55D2	D6FE	F3820080
1223	遼	D7A1	D7A1	55D3	D7A1	F3830080
1224	鬧	D7A2	D7A2	695C	D7A2	F63G0080
1225	龍	D7A3	D7A3	55D4	D7A3	F3840080
1226	壘	D7A4	D7A4	55D6	D7A4	F3860080
1227	婁	D7A5	D7A5	695D	D7A5	F63H0080
1228	屢	D7A6	D7A6	55D7	D7A6	F3870080
1229	樓	D7A7	D7A7	55D8	D7A7	F3880080
1230	淚	D7A8	D7A8	55D9	D7A8	F3890080
1231	漏	D7A9	D7A9	55DA	D7A9	F38A0080
1232	瘻	D7AA	D7AA	695E	D7AA	F63I0080
1233	累	D7AB	D7AB	55DB	D7AB	F38B0080
1234	縷	D7AC	D7AC	55DC	D7AC	F38C0080
1235	婁	D7AD	D7AD	695F	D7AD	F63J0080
1236	樓	D7AE	D7AE	55DD	D7AE	F38D0080
1237	鏤	D7AF	D7AF	6960	D7AF	F63K0080
1238	陋	D7B0	D7B0	55DE	D7B0	F38E0080
1239	劉	D7B1	D7B1	55E0	D7B1	F38G0080
1240	旒	D7B2	D7B2	6961	D7B2	F63L0080
1241	柳	D7B3	D7B3	55E1	D7B3	F38H0080
1242	榴	D7B4	D7B4	55E2	D7B4	F38I0080
1243	流	D7B5	D7B5	55E3	D7B5	F38J0080
1244	溜	D7B6	D7B6	55E4	D7B6	F38K0080
1245	瀏	D7B7	D7B7	6962	D7B7	F63M0080
1246	琉	D7B8	D7B8	55E5	D7B8	F38L0080
1247	瑠	D7B9	D7B9	55E6	D7B9	F38M0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 49 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1248	留	D7BA	D7BA	55E7	D7BA	F38N0080
1249	瘤	D7BB	D7BB	55E8	D7BB	F38O0080
1250	硫	D7BC	D7BC	55E9	D7BC	F38P0080
1251	謬	D7BD	D7BD	55EA	D7BD	F38Q0080
1252	類	D7BE	D7BE	55EB	D7BE	F38R0080
1253	六	D7BF	D7BF	55EC	D7BF	F38S0080
1254	戮	D7C0	D7C0	55ED	D7C0	F38T0080
1255	陸	D7C1	D7C1	55EE	D7C1	F38U0080
1256	侖	D7C2	D7C2	6963	D7C2	F63N0080
1257	倫	D7C3	D7C3	55EF	D7C3	F38V0080
1258	崙	D7C4	D7C4	55F0	D7C4	F38W0080
1259	淪	D7C5	D7C5	55F1	D7C5	F38X0080
1260	綸	D7C6	D7C6	55F2	D7C6	F38Y0080
1261	輪	D7C7	D7C7	55F3	D7C7	F38Z0080
1262	律	D7C8	D7C8	55F4	D7C8	F3900080
1263	慄	D7C9	D7C9	55F5	D7C9	F3910080
1264	栗	D7CA	D7CA	55F6	D7CA	F3920080
1265	率	D7CB	D7CB	55F7	D7CB	F3930080
1266	隆	D7CC	D7CC	55F9	D7CC	F3950080
1267	勒	D7CD	D7CD	55FB	D7CD	F3970080
1268	肋	D7CE	D7CE	55FA	D7CE	F3960080
1269	凜	D7CF	D7CF	6964	D7CF	F63O0080
1270	凌	D7D0	D7D0	55FE	D7D0	F39A0080
1271	楞	D7D1	D7D1	5641	D7D1	F39D0080
1272	稜	D7D2	D7D2	5642	D7D2	F39E0080
1273	綾	D7D3	D7D3	5643	D7D3	F39F0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 50 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1274	菱	D7D4	D7D4	5644	D7D4	F39G0080
1275	陵	D7D5	D7D5	5645	D7D5	F39H0080
1276	俚	D7D6	D7D6	5646	D7D6	F39I0080
1277	利	D7D7	D7D7	5647	D7D7	F39J0080
1278	厘	D7D8	D7D8	5648	D7D8	F39K0080
1279	吏	D7D9	D7D9	5649	D7D9	F39L0080
1280	喇	D7DA	D7DA	6965	D7DA	F63P0080
1281	履	D7DB	D7DB	564A	D7DB	F39M0080
1282	俐	D7DC	D7DC	564B	D7DC	F39N0080
1283	李	D7DD	D7DD	564D	D7DD	F39P0080
1284	梨	D7DE	D7DE	564E	D7DE	F39Q0080
1285	湮	D7DF	D7DF	6966	D7DF	F63Q0080
1286	犁	D7E0	D7E0	5650	D7E0	F39S0080
1287	狸	D7E1	D7E1	5651	D7E1	F39T0080
1288	理	D7E2	D7E2	5652	D7E2	F39U0080
1289	璃	D7E3	D7E3	5653	D7E3	F39V0080
1290	異	D7E4	D7E4	6967	D7E4	F63R0080
1291	痢	D7E5	D7E5	5654	D7E5	F39W0080
1292	籬	D7E6	D7E6	5657	D7E6	F39Z0080
1293	罹	D7E7	D7E7	5656	D7E7	F39Y0080
1294	羸	D7E8	D7E8	6968	D7E8	F63S0080
1295	莉	D7E9	D7E9	6969	D7E9	F63T0080
1296	裏	D7EA	D7EA	5659	D7EA	F3A10080
1297	裡	D7EB	D7EB	696A	D7EB	F63U0080
1298	里	D7EC	D7EC	565A	D7EC	F3A20080
1299	釐	D7ED	D7ED	565B	D7ED	F3A30080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 51 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1300	離	D7EE	D7EE	565C	D7EE	F3A40080
1301	鯉	D7EF	D7EF	565E	D7EF	F3A60080
1302	吝	D7F0	D7F0	565F	D7F0	F3A70080
1303	潏	D7F1	D7F1	696B	D7F1	F63V0080
1304	燐	D7F2	D7F2	5660	D7F2	F3A80080
1305	璘	D7F3	D7F3	5661	D7F3	F3A90080
1306	藺	D7F4	D7F4	5662	D7F4	F3AA0080
1307	躑	D7F5	D7F5	5663	D7F5	F3AB0080
1308	隣	D7F6	D7F6	5664	D7F6	F3AC0080
1309	鱗	D7F7	D7F7	5665	D7F7	F3AD0080
1310	麟	D7F8	D7F8	5666	D7F8	F3AE0080
1311	林	D7F9	D7F9	5667	D7F9	F3AF0080
1312	淋	D7FA	D7FA	5668	D7FA	F3AG0080
1313	琳	D7FB	D7FB	5669	D7FB	F3AH0080
1314	臨	D7FC	D7FC	566B	D7FC	F3AJ0080
1315	霖	D7FD	D7FD	566C	D7FD	F3AK0080
1316	礪	D7FE	D7FE	566E	D7FE	F3AM0080
1317	立	D8A1	D8A1	566F	D8A1	F3AN0080
1318	笠	D8A2	D8A2	5670	D8A2	F3AO0080
1319	粒	D8A3	D8A3	5671	D8A3	F3AP0080
1320	摩	D8A4	D8A4	5673	D8A4	F3AR0080
1321	瑪	D8A5	D8A5	5674	D8A5	F3AS0080
1322	痲	D8A6	D8A6	5675	D8A6	F3AT0080
1323	碼	D8A7	D8A7	696C	D8A7	F63W0080
1324	磨	D8A8	D8A8	5676	D8A8	F3AU0080
1325	馬	D8A9	D8A9	5678	D8A9	F3AW0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 8 (Page 52 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1326	魔	D8AA	D8AA	5679	D8AA	F3AX0080
1327	麻	D8AB	D8AB	567A	D8AB	F3AY0080
1328	寞	D8AC	D8AC	567B	D8AC	F3AZ0080
1329	幕	D8AD	D8AD	567C	D8AD	F3B00080
1330	漠	D8AE	D8AE	567D	D8AE	F3B10080
1331	膜	D8AF	D8AF	567E	D8AF	F3B20080
1332	莫	D8B0	D8B0	567F	D8B0	F3B30080
1333	邈	D8B1	D8B1	696D	D8B1	F63X0080
1334	万	D8B2	D8B2	696E	D8B2	F63Y0080
1335	巳	D8B3	D8B3	696F	D8B3	F63Z0080
1336	娩	D8B4	D8B4	5680	D8B4	F3B40080
1337	𪛗	D8B5	D8B5	5681	D8B5	F3B50080
1338	彎	D8B6	D8B6	5682	D8B6	F3B60080
1339	慢	D8B7	D8B7	5683	D8B7	F3B70080
1340	挽	D8B8	D8B8	5684	D8B8	F3B80080
1341	晚	D8B9	D8B9	5685	D8B9	F3B90080
1342	曼	D8BA	D8BA	5686	D8BA	F3BA0080
1343	滿	D8BB	D8BB	5687	D8BB	F3BB0080
1344	漫	D8BC	D8BC	5688	D8BC	F3BC0080
1345	灣	D8BD	D8BD	5689	D8BD	F3BD0080
1346	瞞	D8BE	D8BE	568A	D8BE	F3BE0080
1347	萬	D8BF	D8BF	568B	D8BF	F3BF0080
1348	蔓	D8C0	D8C0	568C	D8C0	F3BG0080
1349	蠻	D8C1	D8C1	568D	D8C1	F3BH0080
1350	輓	D8C2	D8C2	568F	D8C2	F3BJ0080
1351	饅	D8C3	D8C3	5691	D8C3	F3BL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 53 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1352	鰻	D8C4	D8C4	5693	D8C4	F3BN0080
1353	忝	D8C5	D8C5	6970	D8C5	F6400080
1354	抹	D8C6	D8C6	5694	D8C6	F3BO0080
1355	末	D8C7	D8C7	5695	D8C7	F3BP0080
1356	沫	D8C8	D8C8	5696	D8C8	F3BQ0080
1357	茱	D8C9	D8C9	6971	D8C9	F6410080
1358	襪	D8CA	D8CA	5697	D8CA	F3BR0080
1359	鞅	D8CB	D8CB	5698	D8CB	F3BS0080
1360	亡	D8CC	D8CC	5699	D8CC	F3BT0080
1361	妄	D8CD	D8CD	569A	D8CD	F3BU0080
1362	忘	D8CE	D8CE	569B	D8CE	F3BV0080
1363	忙	D8CF	D8CF	569C	D8CF	F3BW0080
1364	望	D8D0	D8D0	569D	D8D0	F3BX0080
1365	網	D8D1	D8D1	569E	D8D1	F3BY0080
1366	罔	D8D2	D8D2	569F	D8D2	F3BZ0080
1367	芒	D8D3	D8D3	56A0	D8D3	F3C00080
1368	茫	D8D4	D8D4	56A1	D8D4	F3C10080
1369	莽	D8D5	D8D5	56A2	D8D5	F3C20080
1370	輜	D8D6	D8D6	6972	D8D6	F6420080
1371	邛	D8D7	D8D7	56A3	D8D7	F3C30080
1372	埋	D8D8	D8D8	56A5	D8D8	F3C50080
1373	妹	D8D9	D8D9	56A6	D8D9	F3C60080
1374	媒	D8DA	D8DA	56A7	D8DA	F3C70080
1375	寐	D8DB	D8DB	56A8	D8DB	F3C80080
1376	昧	D8DC	D8DC	56A9	D8DC	F3C90080
1377	枚	D8DD	D8DD	56AA	D8DD	F3CA0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 54 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1378	梅	D8DE	D8DE	56AB	D8DE	F3CB0080
1379	每	D8DF	D8DF	56AC	D8DF	F3CC0080
1380	煤	D8E0	D8E0	56AD	D8E0	F3CD0080
1381	罵	D8E1	D8E1	56AF	D8E1	F3CF0080
1382	買	D8E2	D8E2	56B1	D8E2	F3CH0080
1383	賣	D8E3	D8E3	56B2	D8E3	F3CI0080
1384	邁	D8E4	D8E4	56B3	D8E4	F3CJ0080
1385	魅	D8E5	D8E5	56B4	D8E5	F3CK0080
1386	脈	D8E6	D8E6	56B5	D8E6	F3CL0080
1387	貉	D8E7	D8E7	56B7	D8E7	F3CN0080
1388	陌	D8E8	D8E8	56B8	D8E8	F3CO0080
1389	騫	D8E9	D8E9	56B9	D8E9	F3CP0080
1390	麥	D8EA	D8EA	56BA	D8EA	F3CQ0080
1391	孟	D8EB	D8EB	56BB	D8EB	F3CR0080
1392	氓	D8EC	D8EC	56BC	D8EC	F3CS0080
1393	猛	D8ED	D8ED	56BD	D8ED	F3CT0080
1394	盲	D8EE	D8EE	56BF	D8EE	F3CV0080
1395	盟	D8EF	D8EF	56BE	D8EF	F3CU0080
1396	萌	D8F0	D8F0	56C0	D8F0	F3CW0080
1397	冪	D8F1	D8F1	56C1	D8F1	F3CX0080
1398	覓	D8F2	D8F2	56C2	D8F2	F3CY0080
1399	免	D8F3	D8F3	56C4	D8F3	F3D00080
1400	冕	D8F4	D8F4	56C6	D8F4	F3D20080
1401	勉	D8F5	D8F5	56C5	D8F5	F3D10080
1402	棉	D8F6	D8F6	56C7	D8F6	F3D30080
1403	沔	D8F7	D8F7	6973	D8F7	F6430080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 55 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1404	眇	D8F8	D8F8	56C8	D8F8	F3D40080
1405	眠	D8F9	D8F9	56C9	D8F9	F3D50080
1406	綿	D8FA	D8FA	56CA	D8FA	F3D60080
1407	緬	D8FB	D8FB	56CB	D8FB	F3D70080
1408	面	D8FC	D8FC	56CC	D8FC	F3D80080
1409	麵	D8FD	D8FD	56CD	D8FD	F3D90080
1410	滅	D8FE	D8FE	56CE	D8FE	F3DA0080
1411	蔑	D9A1	D9A1	56CF	D9A1	F3DB0080
1412	冥	D9A2	D9A2	56D1	D9A2	F3DD0080
1413	名	D9A3	D9A3	56D2	D9A3	F3DE0080
1414	命	D9A4	D9A4	56D0	D9A4	F3DC0080
1415	明	D9A5	D9A5	56D4	D9A5	F3DG0080
1416	暝	D9A6	D9A6	56D5	D9A6	F3DH0080
1417	榊	D9A7	D9A7	6974	D9A7	F6440080
1418	溟	D9A8	D9A8	56D6	D9A8	F3DI0080
1419	皿	D9A9	D9A9	56D7	D9A9	F3DJ0080
1420	暝	D9AA	D9AA	6975	D9AA	F6450080
1421	茗	D9AB	D9AB	56D8	D9AB	F3DK0080
1422	莫	D9AC	D9AC	6976	D9AC	F6460080
1423	螟	D9AD	D9AD	56D9	D9AD	F3DL0080
1424	酪	D9AE	D9AE	56DA	D9AE	F3DM0080
1425	銘	D9AF	D9AF	56DB	D9AF	F3DN0080
1426	鳴	D9B0	D9B0	56D3	D9B0	F3DF0080
1427	袂	D9B1	D9B1	56DC	D9B1	F3DO0080
1428	侮	D9B2	D9B2	56DD	D9B2	F3DP0080
1429	冒	D9B3	D9B3	56E4	D9B3	F3DW0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 56 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1430	募	D9B4	D9B4	56DE	D9B4	F3DQ0080
1431	姆	D9B5	D9B5	56E0	D9B5	F3DS0080
1432	帽	D9B6	D9B6	56DF	D9B6	F3DR0080
1433	慕	D9B7	D9B7	56E1	D9B7	F3DT0080
1434	摸	D9B8	D9B8	56E2	D9B8	F3DU0080
1435	募	D9B9	D9B9	6977	D9B9	F6470080
1436	暮	D9BA	D9BA	56E3	D9BA	F3DV0080
1437	某	D9BB	D9BB	56E5	D9BB	F3DX0080
1438	模	D9BC	D9BC	56E6	D9BC	F3DY0080
1439	母	D9BD	D9BD	56E7	D9BD	F3DZ0080
1440	毛	D9BE	D9BE	56E8	D9BE	F3E00080
1441	牟	D9BF	D9BF	56E9	D9BF	F3E10080
1442	牡	D9C0	D9C0	56EA	D9C0	F3E20080
1443	瑁	D9C1	D9C1	6978	D9C1	F6480080
1444	眸	D9C2	D9C2	56EB	D9C2	F3E30080
1445	矛	D9C3	D9C3	56EC	D9C3	F3E40080
1446	耗	D9C4	D9C4	56EE	D9C4	F3E60080
1447	毫	D9C5	D9C5	6979	D9C5	F6490080
1448	茅	D9C6	D9C6	56EF	D9C6	F3E70080
1449	謀	D9C7	D9C7	56F0	D9C7	F3E80080
1450	謨	D9C8	D9C8	56F1	D9C8	F3E90080
1451	貌	D9C9	D9C9	56F2	D9C9	F3EA0080
1452	木	D9CA	D9CA	56F4	D9CA	F3EC0080
1453	沐	D9CB	D9CB	56F5	D9CB	F3ED0080
1454	牧	D9CC	D9CC	56F6	D9CC	F3EE0080
1455	目	D9CD	D9CD	56F7	D9CD	F3EF0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 8 (Page 57 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1456	睦	D9CE	D9CE	56F8	D9CE	F3EG0080
1457	穆	D9CF	D9CF	56F9	D9CF	F3EH0080
1458	鶩	D9D0	D9D0	697A	D9D0	F64A0080
1459	歿	D9D1	D9D1	56FA	D9D1	F3EI0080
1460	沒	D9D2	D9D2	56FB	D9D2	F3EJ0080
1461	夢	D9D3	D9D3	56FC	D9D3	F3EK0080
1462	朦	D9D4	D9D4	56FD	D9D4	F3EL0080
1463	蒙	D9D5	D9D5	5742	D9D5	F3EQ0080
1464	卯	D9D6	D9D6	5743	D9D6	F3ER0080
1465	墓	D9D7	D9D7	5744	D9D7	F3ES0080
1466	妙	D9D8	D9D8	5745	D9D8	F3ET0080
1467	廟	D9D9	D9D9	5746	D9D9	F3EU0080
1468	描	D9DA	D9DA	5747	D9DA	F3EV0080
1469	昴	D9DB	D9DB	5748	D9DB	F3EW0080
1470	杳	D9DC	D9DC	5749	D9DC	F3EX0080
1471	渺	D9DD	D9DD	574A	D9DD	F3EY0080
1472	猫	D9DE	D9DE	574B	D9DE	F3EZ0080
1473	妙	D9DF	D9DF	697B	D9DF	F64B0080
1474	苗	D9E0	D9E0	574C	D9E0	F3F00080
1475	錨	D9E1	D9E1	574D	D9E1	F3F10080
1476	務	D9E2	D9E2	574E	D9E2	F3F20080
1477	巫	D9E3	D9E3	574F	D9E3	F3F30080
1478	懽	D9E4	D9E4	697C	D9E4	F64C0080
1479	懋	D9E5	D9E5	5750	D9E5	F3F40080
1480	戊	D9E6	D9E6	5751	D9E6	F3F50080
1481	拇	D9E7	D9E7	5752	D9E7	F3F60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 58 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1482	撫	D9E8	D9E8	5753	D9E8	F3F70080
1483	无	D9E9	D9E9	5754	D9E9	F3F80080
1484	楸	D9EA	D9EA	697D	D9EA	F64D0080
1485	武	D9EB	D9EB	5755	D9EB	F3F90080
1486	母	D9EC	D9EC	5756	D9EC	F3FA0080
1487	無	D9ED	D9ED	5757	D9ED	F3FB0080
1488	珣	D9EE	D9EE	697E	D9EE	F64E0080
1489	畝	D9EF	D9EF	5758	D9EF	F3FC0080
1490	繆	D9F0	D9F0	5759	D9F0	F3FD0080
1491	舞	D9F1	D9F1	575A	D9F1	F3FE0080
1492	茂	D9F2	D9F2	575B	D9F2	F3FF0080
1493	蕪	D9F3	D9F3	575C	D9F3	F3FG0080
1494	誣	D9F4	D9F4	575D	D9F4	F3FH0080
1495	貿	D9F5	D9F5	575E	D9F5	F3FI0080
1496	霧	D9F6	D9F6	575F	D9F6	F3FJ0080
1497	鷓	D9F7	D9F7	5760	D9F7	F3FK0080
1498	墨	D9F8	D9F8	5761	D9F8	F3FL0080
1499	默	D9F9	D9F9	5762	D9F9	F3FM0080
1500	們	D9FA	D9FA	697F	D9FA	F64F0080
1501	芻	D9FB	D9FB	5763	D9FB	F3FN0080
1502	吻	D9FC	D9FC	5764	D9FC	F3FO0080
1503	問	D9FD	D9FD	576B	D9FD	F3FV0080
1504	文	D9FE	D9FE	5765	D9FE	F3FP0080
1505	汶	DAA1	DAA1	5766	DAA1	F3FQ0080
1506	紊	DAA2	DAA2	5768	DAA2	F3FS0080
1507	紋	DAA3	DAA3	5767	DAA3	F3FR0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 59 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1508	聞	DAA4	DAA4	576C	DAA4	F3FW0080
1509	蚊	DAA5	DAA5	5769	DAA5	F3FT0080
1510	門	DAA6	DAA6	576A	DAA6	F3FU0080
1511	雯	DAA7	DAA7	6980	DAA7	F64G0080
1512	勿	DAA8	DAA8	576D	DAA8	F3FX0080
1513	沕	DAA9	DAA9	6981	DAA9	F64H0080
1514	物	DAAA	DAAA	576E	DAAA	F3FY0080
1515	味	DAAB	DAAB	576F	DAAB	F3FZ0080
1516	媚	DAAC	DAAC	5770	DAAC	F3G00080
1517	尾	DAAD	DAAD	5771	DAAD	F3G10080
1518	媚	DAAE	DAAE	5772	DAAE	F3G20080
1519	彌	DAAF	DAAF	5774	DAAF	F3G40080
1520	微	DAB0	DAB0	5775	DAB0	F3G50080
1521	未	DAB1	DAB1	5776	DAB1	F3G60080
1522	桴	DAB2	DAB2	6982	DAB2	F64I0080
1523	桴	DAB3	DAB3	6983	DAB3	F64J0080
1524	洩	DAB4	DAB4	5777	DAB4	F3G70080
1525	湄	DAB5	DAB5	6984	DAB5	F64K0080
1526	眉	DAB6	DAB6	5779	DAB6	F3G90080
1527	米	DAB7	DAB7	577A	DAB7	F3GA0080
1528	美	DAB8	DAB8	577C	DAB8	F3GC0080
1529	薇	DAB9	DAB9	577D	DAB9	F3GD0080
1530	謎	DABA	DABA	577E	DABA	F3GE0080
1531	迷	DABB	DABB	577F	DABB	F3GF0080
1532	靡	DABC	DABC	5773	DABC	F3G30080
1533	微	DABD	DABD	6985	DABD	F64L0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 60 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1534	岷	DABE	DABE	6986	DABE	F64M0080
1535	悶	DABF	DABF	5780	DABF	F3GG0080
1536	愍	DAC0	DAC0	5781	DAC0	F3GH0080
1537	憫	DAC1	DAC1	5782	DAC1	F3GI0080
1538	敏	DAC2	DAC2	5783	DAC2	F3GJ0080
1539	旻	DAC3	DAC3	5785	DAC3	F3GL0080
1540	旻	DAC4	DAC4	5784	DAC4	F3GK0080
1541	民	DAC5	DAC5	5786	DAC5	F3GM0080
1542	泯	DAC6	DAC6	5787	DAC6	F3GN0080
1543	玟	DAC7	DAC7	5788	DAC7	F3GO0080
1544	珉	DAC8	DAC8	5789	DAC8	F3GP0080
1545	縉	DAC9	DAC9	6987	DAC9	F64N0080
1546	閔	DACA	DACA	578A	DACA	F3GQ0080
1547	密	DACB	DACB	578C	DACB	F3GS0080
1548	蜜	DACC	DACC	578D	DACC	F3GT0080
1549	謚	DACD	DACD	578E	DACD	F3GU0080
1550	剝	DACE	DACE	5790	DACE	F3GW0080
1551	博	DACF	DACF	5791	DACF	F3GX0080
1552	拍	DAD0	DAD0	5792	DAD0	F3GY0080
1553	搏	DAD1	DAD1	5793	DAD1	F3GZ0080
1554	撲	DAD2	DAD2	5794	DAD2	F3H00080
1555	朴	DAD3	DAD3	5795	DAD3	F3H10080
1556	樸	DAD4	DAD4	5796	DAD4	F3H20080
1557	泊	DAD5	DAD5	5798	DAD5	F3H40080
1558	珀	DAD6	DAD6	579A	DAD6	F3H60080
1559	璞	DAD7	DAD7	579B	DAD7	F3H70080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 61 of 62). KS Hanja Character Set (1 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1560	箔	DAD8	DAD8	579C	DAD8	F3H80080
1561	粕	DAD9	DAD9	579E	DAD9	F3HA0080
1562	縛	DADA	DADA	579D	DADA	F3H90080
1563	膊	DADB	DADB	579F	DADB	F3HB0080
1564	舶	DADC	DADC	57A0	DADC	F3HC0080
1565	薄	DADD	DADD	57A1	DADD	F3HD0080
1566	迫	DADE	DADE	57A2	DADE	F3HE0080
1567	雹	DADF	DADF	57A3	DADF	F3HF0080
1568	駁	DAE0	DAE0	57A4	DAE0	F3HG0080
1569	伴	DAE1	DAE1	57A5	DAE1	F3HH0080
1570	半	DAE2	DAE2	57A6	DAE2	F3HI0080
1571	反	DAE3	DAE3	57A7	DAE3	F3HJ0080
1572	叛	DAE4	DAE4	57A8	DAE4	F3HK0080
1573	拌	DAE5	DAE5	57A9	DAE5	F3HL0080
1574	搬	DAE6	DAE6	57AA	DAE6	F3HM0080
1575	攀	DAE7	DAE7	57AB	DAE7	F3HN0080
1576	斑	DAE8	DAE8	57AC	DAE8	F3HO0080
1577	槃	DAE9	DAE9	57AD	DAE9	F3HP0080
1578	泮	DAEA	DAEA	57AF	DAEA	F3HR0080
1579	潘	DAEB	DAEB	57AE	DAEB	F3HQ0080
1580	班	DAEC	DAEC	57B0	DAEC	F3HS0080
1581	畔	DAED	DAED	57B1	DAED	F3HT0080
1582	癩	DAEE	DAEE	6988	DAEE	F64O0080
1583	盤	DAEF	DAEF	57B2	DAEF	F3HU0080
1584	盼	DAF0	DAF0	6989	DAF0	F64P0080
1585	磐	DAF1	DAF1	698A	DAF1	F64Q0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 62 of 62). KS Hanja Character Set (1 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1586	磻	DAF2	DAF2	57B3	DAF2	F3HV0080
1587	磬	DAF3	DAF3	57B4	DAF3	F3HW0080
1588	絆	DAF4	DAF4	57B5	DAF4	F3HX0080
1589	般	DAF5	DAF5	57B8	DAF5	F3I00080
1590	蟠	DAF6	DAF6	57B7	DAF6	F3HZ0080
1591	返	DAF7	DAF7	57B9	DAF7	F3I10080
1592	頒	DAF8	DAF8	57BA	DAF8	F3I20080
1593	飯	DAF9	DAF9	57BB	DAF9	F3I30080
1594	勃	DAFA	DAFA	57BC	DAFA	F3I40080
1595	拔	DAFB	DAFB	57BD	DAFB	F3I50080
1596	撥	DAFC	DAFC	57BF	DAFC	F3I70080
1597	渤	DAFD	DAFD	698B	DAFD	F64R0080
1598	潑	DAFE	DAFE	57BE	DAFE	F3I60080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 1 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1599	發	DBA1	DBA1	57C0	DBA1	F3I80080
1600	跋	DBA2	DBA2	57C1	DBA2	F3I90080
1601	醜	DBA3	DBA3	57C2	DBA3	F3IA0080
1602	鉢	DBA4	DBA4	57C3	DBA4	F3IB0080
1603	髮	DBA5	DBA5	57C4	DBA5	F3IC0080
1604	魃	DBA6	DBA6	57C5	DBA6	F3ID0080
1605	倣	DBA7	DBA7	57C6	DBA7	F3IE0080
1606	傍	DBA8	DBA8	57C7	DBA8	F3IF0080
1607	坊	DBA9	DBA9	57C8	DBA9	F3IG0080
1608	妨	DBAA	DBAA	57C9	DBAA	F3IH0080
1609	尪	DBAB	DBAB	57CA	DBAB	F3II0080
1610	幫	DBAC	DBAC	57CB	DBAC	F3IJ0080
1611	彷彿	DBAD	DBAD	57CC	DBAD	F3IK0080
1612	房	DBAE	DBAE	57CD	DBAE	F3IL0080
1613	放	DBAF	DBAF	57CE	DBAF	F3IM0080
1614	方	DBB0	DBB0	57CF	DBB0	F3IN0080
1615	旁	DBB1	DBB1	57D0	DBB1	F3IO0080
1616	昉	DBB2	DBB2	57D1	DBB2	F3IP0080
1617	枋	DBB3	DBB3	698C	DBB3	F64S0080
1618	榜	DBB4	DBB4	57D2	DBB4	F3IQ0080
1619	滂	DBB5	DBB5	698D	DBB5	F64T0080
1620	磅	DBB6	DBB6	698E	DBB6	F64U0080
1621	紡	DBB7	DBB7	57D3	DBB7	F3IR0080
1622	肪	DBB8	DBB8	57D4	DBB8	F3IS0080
1623	勝	DBB9	DBB9	57D5	DBB9	F3IT0080
1624	舫	DBBA	DBBA	57D6	DBBA	F3IU0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 2 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1625	芳	DBBB	DBBB	57D7	DBBB	F3IV0080
1626	莠	DBBC	DBBC	57D8	DBBC	F3IW0080
1627	蚌	DBBD	DBBD	57D9	DBBD	F3IX0080
1628	訪	DBBE	DBBE	57DA	DBBE	F3IY0080
1629	諉	DBBF	DBBF	57DB	DBBF	F3IZ0080
1630	邦	DBC0	DBC0	57DC	DBC0	F3J00080
1631	防	DBC1	DBC1	57DD	DBC1	F3J10080
1632	龐	DBC2	DBC2	57E0	DBC2	F3J40080
1633	倍	DBC3	DBC3	57E2	DBC3	F3J60080
1634	俳	DBC4	DBC4	57E1	DBC4	F3J50080
1635	北	DBC5	DBC5	57E3	DBC5	F3J70080
1636	培	DBC6	DBC6	57E4	DBC6	F3J80080
1637	徘	DBC7	DBC7	57E5	DBC7	F3J90080
1638	拜	DBC8	DBC8	57E6	DBC8	F3JA0080
1639	排	DBC9	DBC9	57E7	DBC9	F3JB0080
1640	杯	DBCA	DBCA	57E8	DBCA	F3JC0080
1641	湃	DBCB	DBCB	57E9	DBCB	F3JD0080
1642	焙	DBCC	DBCC	698F	DBCC	F64V0080
1643	盃	DBCD	DBCD	57EA	DBCD	F3JE0080
1644	背	DBCE	DBCE	57EC	DBCE	F3JG0080
1645	胚	DBCF	DBCF	57EB	DBCF	F3JF0080
1646	裴	DBD0	DBD0	57EE	DBD0	F3JI0080
1647	裴	DBD1	DBD1	57ED	DBD1	F3JH0080
1648	褻	DBD2	DBD2	57EF	DBD2	F3JJ0080
1649	賠	DBD3	DBD3	57F0	DBD3	F3JK0080
1650	輩	DBD4	DBD4	57F1	DBD4	F3JL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 3 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1651	配	DBD5	DBD5	57F2	DBD5	F3JM0080
1652	陪	DBD6	DBD6	57F3	DBD6	F3JN0080
1653	伯	DBD7	DBD7	57F4	DBD7	F3JO0080
1654	佰	DBD8	DBD8	57F5	DBD8	F3JP0080
1655	帛	DBD9	DBD9	57F6	DBD9	F3JQ0080
1656	柏	DBDA	DBDA	57F7	DBDA	F3JR0080
1657	栢	DBDB	DBDB	57F8	DBDB	F3JS0080
1658	白	DBDC	DBDC	57F9	DBDC	F3JT0080
1659	百	DBDD	DBDD	57FA	DBDD	F3JU0080
1660	魄	DBDE	DBDE	57FB	DBDE	F3JV0080
1661	幡	DBDF	DBDF	6990	DBDF	F64W0080
1662	樊	DBE0	DBE0	57FC	DBE0	F3JW0080
1663	煩	DBE1	DBE1	57FE	DBE1	F3JY0080
1664	燻	DBE2	DBE2	6991	DBE2	F64X0080
1665	番	DBE3	DBE3	5841	DBE3	F3K10080
1666	磻	DBE4	DBE4	5842	DBE4	F3K20080
1667	繁	DBE5	DBE5	5843	DBE5	F3K30080
1668	蕃	DBE6	DBE6	5845	DBE6	F3K50080
1669	藩	DBE7	DBE7	5846	DBE7	F3K60080
1670	讎	DBE8	DBE8	5847	DBE8	F3K70080
1671	伐	DBE9	DBE9	5848	DBE9	F3K80080
1672	筏	DBEA	DBEA	5849	DBEA	F3K90080
1673	罰	DBEB	DBEB	584A	DBEB	F3KA0080
1674	閥	DBEC	DBEC	584B	DBEC	F3KB0080
1675	凡	DBED	DBED	584C	DBED	F3KC0080
1676	帆	DBEE	DBEE	584D	DBEE	F3KD0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 4 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1677	梵	DBEF	DBEF	584E	DBEF	F3KE0080
1678	汜	DBF0	DBF0	584F	DBF0	F3KF0080
1679	汎	DBF1	DBF1	5850	DBF1	F3KG0080
1680	泛	DBF2	DBF2	5851	DBF2	F3KH0080
1681	犯	DBF3	DBF3	5852	DBF3	F3KI0080
1682	範	DBF4	DBF4	5853	DBF4	F3KJ0080
1683	范	DBF5	DBF5	5854	DBF5	F3KK0080
1684	法	DBF6	DBF6	5855	DBF6	F3KL0080
1685	珞	DBF7	DBF7	5856	DBF7	F3KM0080
1686	僻	DBF8	DBF8	5857	DBF8	F3KN0080
1687	劈	DBF9	DBF9	5858	DBF9	F3KO0080
1688	壁	DBFA	DBFA	5859	DBFA	F3KP0080
1689	擘	DBFB	DBFB	585A	DBFB	F3KQ0080
1690	檠	DBFC	DBFC	6992	DBFC	F64Y0080
1691	璧	DBFD	DBFD	585B	DBFD	F3KR0080
1692	癖	DBFE	DBFE	585C	DBFE	F3KS0080
1693	碧	DCA1	DCA1	585D	DCA1	F3KT0080
1694	藥	DCA2	DCA2	6993	DCA2	F64Z0080
1695	關	DCA3	DCA3	585F	DCA3	F3KV0080
1696	霹	DCA4	DCA4	5860	DCA4	F3KW0080
1697	便	DCA5	DCA5	5861	DCA5	F3KX0080
1698	卞	DCA6	DCA6	5862	DCA6	F3KY0080
1699	弁	DCA7	DCA7	5863	DCA7	F3KZ0080
1700	變	DCA8	DCA8	5866	DCA8	F3L20080
1701	辨	DCA9	DCA9	5867	DCA9	F3L30080
1702	辯	DCAA	DCAA	5868	DCAA	F3L40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 5 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1703	邊	DCAB	DCAB	586A	DCAB	F3L60080
1704	別	DCAC	DCAC	586C	DCAC	F3L80080
1705	瞥	DCAD	DCAD	586E	DCAD	F3LA0080
1706	鰲	DCAE	DCAE	586F	DCAE	F3LB0080
1707	鼈	DCAF	DCAF	5870	DCAF	F3LC0080
1708	丙	DCB0	DCB0	5871	DCB0	F3LD0080
1709	併	DCB1	DCB1	5872	DCB1	F3LE0080
1710	兵	DCB2	DCB2	5873	DCB2	F3LF0080
1711	屏	DCB3	DCB3	5874	DCB3	F3LG0080
1712	并	DCB4	DCB4	5875	DCB4	F3LH0080
1713	晒	DCB5	DCB5	5876	DCB5	F3LI0080
1714	昃	DCB6	DCB6	5877	DCB6	F3LJ0080
1715	柄	DCB7	DCB7	5878	DCB7	F3LK0080
1716	棟	DCB8	DCB8	6994	DCB8	F6500080
1717	炳	DCB9	DCB9	5879	DCB9	F3LL0080
1718	瓶	DCBA	DCBA	587A	DCBA	F3LM0080
1719	病	DCBB	DCBB	587B	DCBB	F3LN0080
1720	秉	DCBC	DCBC	587D	DCBC	F3LP0080
1721	並	DCBD	DCBD	587C	DCBD	F3LO0080
1722	駢	DCBE	DCBE	587E	DCBE	F3LQ0080
1723	餅	DCBF	DCBF	5880	DCBF	F3LS0080
1724	駢	DCC0	DCC0	6995	DCC0	F6510080
1725	保	DCC1	DCC1	5881	DCC1	F3LT0080
1726	堡	DCC2	DCC2	5882	DCC2	F3LU0080
1727	報	DCC3	DCC3	5883	DCC3	F3LV0080
1728	寶	DCC4	DCC4	5884	DCC4	F3LW0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 6 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1729	普	DCC5	DCC5	5885	DCC5	F3LX0080
1730	步	DCC6	DCC6	5886	DCC6	F3LY0080
1731	洑	DCC7	DCC7	5888	DCC7	F3M00080
1732	淶	DCC8	DCC8	5887	DCC8	F3LZ0080
1733	潛	DCC9	DCC9	5889	DCC9	F3M10080
1734	瑤	DCCA	DCCA	6996	DCCA	F6520080
1735	甫	DCCB	DCCB	588A	DCCB	F3M20080
1736	菩	DCCC	DCCC	6997	DCCC	F6530080
1737	補	DCCD	DCCD	588B	DCCD	F3M30080
1738	襍	DCCE	DCCE	588C	DCCE	F3M40080
1739	譜	DCCF	DCCF	588D	DCCF	F3M50080
1740	輔	DCD0	DCD0	588E	DCD0	F3M60080
1741	伏	DCD1	DCD1	5891	DCD1	F3M90080
1742	僕	DCD2	DCD2	5892	DCD2	F3MA0080
1743	匍	DCD3	DCD3	5893	DCD3	F3MB0080
1744	卜	DCD4	DCD4	5894	DCD4	F3MC0080
1745	宓	DCD5	DCD5	5895	DCD5	F3MD0080
1746	復	DCD6	DCD6	5896	DCD6	F3ME0080
1747	服	DCD7	DCD7	5898	DCD7	F3MG0080
1748	福	DCD8	DCD8	5897	DCD8	F3MF0080
1749	腹	DCD9	DCD9	5899	DCD9	F3MH0080
1750	茯	DCDA	DCDA	589A	DCDA	F3MI0080
1751	蔔	DCDB	DCDB	589B	DCDB	F3MJ0080
1752	複	DCDC	DCDC	589E	DCDC	F3MM0080
1753	覆	DCDD	DCDD	589C	DCDD	F3MK0080
1754	輻	DCDE	DCDE	6998	DCDE	F6540080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 7 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1755	輻	DCDF	DCDF	589F	DCDF	F3MN0080
1756	馥	DCE0	DCE0	58A0	DCE0	F3MO0080
1757	馥	DCE1	DCE1	58A1	DCE1	F3MP0080
1758	本	DCE2	DCE2	58A2	DCE2	F3MQ0080
1759	芑	DCE3	DCE3	58A3	DCE3	F3MR0080
1760	俸	DCE4	DCE4	58A5	DCE4	F3MT0080
1761	奉	DCE5	DCE5	58A6	DCE5	F3MU0080
1762	封	DCE6	DCE6	58A7	DCE6	F3MV0080
1763	峯	DCE7	DCE7	58A9	DCE7	F3MX0080
1764	峰	DCE8	DCE8	58A8	DCE8	F3MW0080
1765	捧	DCE9	DCE9	58AA	DCE9	F3MY0080
1766	棒	DCEA	DCEA	58AC	DCEA	F3N00080
1767	烽	DCEB	DCEB	58AD	DCEB	F3N10080
1768	烽	DCEC	DCEC	6999	DCEC	F6550080
1769	琫	DCED	DCED	58AB	DCED	F3MZ0080
1770	縫	DCEE	DCEE	58AE	DCEE	F3N20080
1771	蓬	DCEF	DCEF	58B0	DCEF	F3N40080
1772	蜂	DCF0	DCF0	58B1	DCF0	F3N50080
1773	逢	DCF1	DCF1	58B2	DCF1	F3N60080
1774	鋒	DCF2	DCF2	58B3	DCF2	F3N70080
1775	鳳	DCF3	DCF3	58B4	DCF3	F3N80080
1776	不	DCF4	DCF4	699A	DCF4	F6560080
1777	付	DCF5	DCF5	58B6	DCF5	F3NA0080
1778	俯	DCF6	DCF6	699B	DCF6	F6570080
1779	傅	DCF7	DCF7	58B7	DCF7	F3NB0080
1780	剖	DCF8	DCF8	58B8	DCF8	F3NC0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 8 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1781	副	DCF9	DCF9	58B9	DCF9	F3ND0080
1782	否	DCFA	DCFA	58BA	DCFA	F3NE0080
1783	咐	DCFB	DCFB	699C	DCFB	F6580080
1784	埠	DCFC	DCFC	58BB	DCFC	F3NF0080
1785	夫	DCFD	DCFD	58BC	DCFD	F3NG0080
1786	婦	DCFE	DCFE	58BD	DCFE	F3NH0080
1787	孚	DDA1	DDA1	699D	DDA1	F6590080
1788	孵	DDA2	DDA2	58BE	DDA2	F3NI0080
1789	富	DDA3	DDA3	58BF	DDA3	F3NJ0080
1790	府	DDA4	DDA4	58C0	DDA4	F3NK0080
1791	復	DDA5	DDA5	58C1	DDA5	F3NL0080
1792	扶	DDA6	DDA6	58C2	DDA6	F3NM0080
1793	敷	DDA7	DDA7	58C3	DDA7	F3NN0080
1794	斧	DDA8	DDA8	58C4	DDA8	F3NO0080
1795	浮	DDA9	DDA9	58C5	DDA9	F3NP0080
1796	溥	DDAA	DDAA	58C6	DDAA	F3NQ0080
1797	父	DDAB	DDAB	58C7	DDAB	F3NR0080
1798	符	DDAC	DDAC	58CA	DDAC	F3NU0080
1799	簿	DDAD	DDAD	58C8	DDAD	F3NS0080
1800	缶	DDAE	DDAE	58C9	DDAE	F3NT0080
1801	腐	DDAF	DDAF	58CD	DDAF	F3NX0080
1802	腑	DDB0	DDB0	58CC	DDB0	F3NW0080
1803	膚	DDB1	DDB1	58CE	DDB1	F3NY0080
1804	孵	DDB2	DDB2	699E	DDB2	F65A0080
1805	芙	DDB3	DDB3	58CF	DDB3	F3NZ0080
1806	葶	DDB4	DDB4	699F	DDB4	F65B0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 9 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1807	訃	DDB5	DDB5	58D2	DDB5	F3O20080
1808	負	DDB6	DDB6	58D3	DDB6	F3O30080
1809	賦	DDB7	DDB7	58D4	DDB7	F3O40080
1810	賻	DDB8	DDB8	58D5	DDB8	F3O50080
1811	赴	DDB9	DDB9	58D6	DDB9	F3O60080
1812	趺	DDBA	DDBA	58D7	DDBA	F3O70080
1813	部	DDBB	DDBB	58D8	DDBB	F3O80080
1814	釜	DDBC	DDBC	58D9	DDBC	F3O90080
1815	阜	DDBD	DDBD	58DA	DDBD	F3OA0080
1816	附	DDBE	DDBE	58DB	DDBE	F3OB0080
1817	駙	DDBF	DDBF	58DD	DDBF	F3OD0080
1818	鳧	DDC0	DDC0	58DF	DDC0	F3OF0080
1819	北	DDC1	DDC1	58E0	DDC1	F3OG0080
1820	分	DDC2	DDC2	58E1	DDC2	F3OH0080
1821	吩	DDC3	DDC3	69A0	DDC3	F65C0080
1822	噴	DDC4	DDC4	58E2	DDC4	F3OI0080
1823	墳	DDC5	DDC5	58E4	DDC5	F3OK0080
1824	奔	DDC6	DDC6	58E5	DDC6	F3OL0080
1825	奮	DDC7	DDC7	58E6	DDC7	F3OM0080
1826	忿	DDC8	DDC8	58E7	DDC8	F3ON0080
1827	憤	DDC9	DDC9	58E8	DDC9	F3OO0080
1828	扮	DDCA	DDCA	58E9	DDCA	F3OP0080
1829	吩	DDCB	DDCB	69A1	DDCB	F65D0080
1830	汾	DDCC	DDCC	58EA	DDCC	F3OQ0080
1831	焚	DDCD	DDCD	58EB	DDCD	F3OR0080
1832	盆	DDCE	DDCE	58EC	DDCE	F3OS0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 10 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1833	粉	DDCF	DDCF	58ED	DDCF	F3OT0080
1834	糞	DDD0	DDD0	58EE	DDD0	F3OU0080
1835	紛	DDD1	DDD1	58EF	DDD1	F3OV0080
1836	芬	DDD2	DDD2	58F0	DDD2	F3OW0080
1837	賁	DDD3	DDD3	69A2	DDD3	F65E0080
1838	雰	DDD4	DDD4	58F2	DDD4	F3OY0080
1839	不	DDD5	DDD5	58F3	DDD5	F3OZ0080
1840	佛	DDD6	DDD6	58F4	DDD6	F3P00080
1841	弗	DDD7	DDD7	58F6	DDD7	F3P20080
1842	彿	DDD8	DDD8	69A3	DDD8	F65F0080
1843	拂	DDD9	DDD9	58F7	DDD9	F3P30080
1844	崩	DDDA	DDDA	58FA	DDDA	F3P60080
1845	朋	DDDB	DDDB	58FB	DDDB	F3P70080
1846	棚	DDDC	DDDC	58FC	DDDC	F3P80080
1847	礪	DDDD	DDDD	58FD	DDDD	F3P90080
1848	繡	DDDE	DDDE	58FE	DDDE	F3PA0080
1849	鵬	DDDF	DDDF	5941	DDDF	F3PD0080
1850	丕	DDE0	DDE0	5942	DDE0	F3PE0080
1851	備	DDE1	DDE1	5943	DDE1	F3PF0080
1852	匕	DDE2	DDE2	5944	DDE2	F3PG0080
1853	匪	DDE3	DDE3	5945	DDE3	F3PH0080
1854	卑	DDE4	DDE4	5946	DDE4	F3PI0080
1855	妃	DDE5	DDE5	5947	DDE5	F3PJ0080
1856	婢	DDE6	DDE6	5949	DDE6	F3PL0080
1857	庇	DDE7	DDE7	594A	DDE7	F3PM0080
1858	悲	DDE8	DDE8	594B	DDE8	F3PN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 11 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1859	億	DDE9	DDE9	594C	DDE9	F3PO0080
1860	屮	DDEA	DDEA	594D	DDEA	F3PP0080
1861	批	DDEB	DDEB	594E	DDEB	F3PQ0080
1862	斐	DDEC	DDEC	594F	DDEC	F3PR0080
1863	枇	DDED	DDED	69A4	DDED	F65G0080
1864	櫃	DDEE	DDEE	5951	DDEE	F3PT0080
1865	比	DDEF	DDEF	5955	DDEF	F3PX0080
1866	毖	DDF0	DDF0	69A5	DDF0	F65H0080
1867	毗	DDF1	DDF1	69A6	DDF1	F65I0080
1868	毘	DDF2	DDF2	5956	DDF2	F3PY0080
1869	沸	DDF3	DDF3	5954	DDF3	F3PW0080
1870	泌	DDF4	DDF4	5953	DDF4	F3PV0080
1871	毳	DDF5	DDF5	5957	DDF5	F3PZ0080
1872	痺	DDF6	DDF6	5958	DDF6	F3Q00080
1873	砒	DDF7	DDF7	595A	DDF7	F3Q20080
1874	碑	DDF8	DDF8	595B	DDF8	F3Q30080
1875	枇	DDF9	DDF9	69A7	DDF9	F65J0080
1876	秘	DDFA	DDFA	595C	DDFA	F3Q40080
1877	糝	DDFB	DDFB	69A8	DDFB	F65K0080
1878	緋	DDFC	DDFC	595E	DDFC	F3Q60080
1879	翡	DDFD	DDFD	595F	DDFD	F3Q70080
1880	肥	DDFE	DDFE	5960	DDFE	F3Q80080
1881	脾	DEA1	DEA1	5962	DEA1	F3QA0080
1882	臂	DEA2	DEA2	5963	DEA2	F3QB0080
1883	菲	DEA3	DEA3	5964	DEA3	F3QC0080
1884	蜚	DEA4	DEA4	5965	DEA4	F3QD0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 12 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1885	裨	DEA5	DEA5	5966	DEA5	F3QE0080
1886	誹	DEA6	DEA6	5967	DEA6	F3QF0080
1887	譬	DEA7	DEA7	5968	DEA7	F3QG0080
1888	費	DEA8	DEA8	5969	DEA8	F3QH0080
1889	鄙	DEA9	DEA9	596B	DEA9	F3QJ0080
1890	非	DEAA	DEAA	596C	DEAA	F3QK0080
1891	飛	DEAB	DEAB	596D	DEAB	F3QL0080
1892	鼻	DEAC	DEAC	596F	DEAC	F3QN0080
1893	噸	DEAD	DEAD	69A9	DEAD	F65L0080
1894	嬪	DEAE	DEAE	5970	DEAE	F3QO0080
1895	彬	DEAF	DEAF	5972	DEAF	F3QQ0080
1896	斌	DEB0	DEB0	5974	DEB0	F3QS0080
1897	檳	DEB1	DEB1	5975	DEB1	F3QT0080
1898	殯	DEB2	DEB2	5976	DEB2	F3QU0080
1899	浜	DEB3	DEB3	69AA	DEB3	F65M0080
1900	濱	DEB4	DEB4	5977	DEB4	F3QV0080
1901	瀕	DEB5	DEB5	5978	DEB5	F3QW0080
1902	牝	DEB6	DEB6	5979	DEB6	F3QX0080
1903	玼	DEB7	DEB7	69AB	DEB7	F65N0080
1904	貧	DEB8	DEB8	597B	DEB8	F3QZ0080
1905	賓	DEB9	DEB9	5971	DEB9	F3QP0080
1906	頻	DEBA	DEBA	597D	DEBA	F3R10080
1907	憑	DEBB	DEBB	5980	DEBB	F3R40080
1908	水	DEBC	DEBC	5981	DEBC	F3R50080
1909	聘	DEBD	DEBD	5982	DEBD	F3R60080
1910	騁	DEBE	DEBE	5983	DEBE	F3R70080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 13 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1911	乍	DEBF	DEBF	5984	DEBF	F3R80080
1912	事	DEC0	DEC0	5985	DEC0	F3R90080
1913	些	DEC1	DEC1	5986	DEC1	F3RA0080
1914	仕	DEC2	DEC2	5987	DEC2	F3RB0080
1915	伺	DEC3	DEC3	5989	DEC3	F3RD0080
1916	似	DEC4	DEC4	5988	DEC4	F3RC0080
1917	使	DEC5	DEC5	598B	DEC5	F3RF0080
1918	俟	DEC6	DEC6	69AC	DEC6	F65O0080
1919	僊	DEC7	DEC7	598C	DEC7	F3RG0080
1920	史	DEC8	DEC8	598D	DEC8	F3RH0080
1921	司	DEC9	DEC9	598E	DEC9	F3RI0080
1922	峻	DECA	DECA	5990	DECA	F3RK0080
1923	嗣	DECB	DECB	5991	DECB	F3RL0080
1924	四	DECC	DECC	598F	DECC	F3RJ0080
1925	士	DECD	DECD	5992	DECD	F3RM0080
1926	奢	DECE	DECE	5993	DECE	F3RN0080
1927	娑	DECF	DECF	5995	DECF	F3RP0080
1928	寫	DED0	DED0	5996	DED0	F3RQ0080
1929	寺	DED1	DED1	5997	DED1	F3RR0080
1930	射	DED2	DED2	59BD	DED2	F3ST0080
1931	巳	DED3	DED3	5998	DED3	F3RS0080
1932	師	DED4	DED4	5999	DED4	F3RT0080
1933	徙	DED5	DED5	599B	DED5	F3RV0080
1934	思	DED6	DED6	599C	DED6	F3RW0080
1935	捨	DED7	DED7	599D	DED7	F3RX0080
1936	斜	DED8	DED8	59A0	DED8	F3S00080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 14 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1937	斯	DED9	DED9	599F	DED9	F3RZ0080
1938	栖	DEDA	DEDA	69AD	DEDA	F65P0080
1939	查	DEDB	DEDB	59A1	DEDB	F3S10080
1940	梭	DEDC	DEDC	59A2	DEDC	F3S20080
1941	死	DEDD	DEDD	59AE	DEDD	F3SE0080
1942	沙	DEDE	DEDE	59A5	DEDE	F3S50080
1943	泗	DEDF	DEDF	59A6	DEDF	F3S60080
1944	渣	DEE0	DEE0	59A7	DEE0	F3S70080
1945	瀉	DEE1	DEE1	59A8	DEE1	F3S80080
1946	獅	DEE2	DEE2	59AA	DEE2	F3SA0080
1947	砂	DEE3	DEE3	59AF	DEE3	F3SF0080
1948	社	DEE4	DEE4	59AC	DEE4	F3SC0080
1949	祀	DEE5	DEE5	59AB	DEE5	F3SB0080
1950	祠	DEE6	DEE6	59AD	DEE6	F3SD0080
1951	私	DEE7	DEE7	59B0	DEE7	F3SG0080
1952	篩	DEE8	DEE8	59B2	DEE8	F3SI0080
1953	紗	DEE9	DEE9	59B4	DEE9	F3SK0080
1954	絲	DEEA	DEEA	59B5	DEEA	F3SL0080
1955	肆	DEEB	DEEB	59BF	DEEB	F3SV0080
1956	舍	DEEC	DEEC	598A	DEEC	F3RE0080
1957	莎	DEED	DEED	59B6	DEED	F3SM0080
1958	蓑	DEEE	DEEE	59B3	DEEE	F3SJ0080
1959	蛇	DEEF	DEEF	59B7	DEEF	F3SN0080
1960	裘	DEF0	DEF0	59B8	DEF0	F3SO0080
1961	詐	DEF1	DEF1	59B9	DEF1	F3SP0080
1962	訶	DEF2	DEF2	59BA	DEF2	F3SQ0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 15 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1963	謝	DEF3	DEF3	59BB	DEF3	F3SR0080
1964	賜	DEF4	DEF4	59BC	DEF4	F3SS0080
1965	赦	DEF5	DEF5	599E	DEF5	F3RY0080
1966	辭	DEF6	DEF6	59BE	DEF6	F3SU0080
1967	邪	DEF7	DEF7	59A9	DEF7	F3S90080
1968	飼	DEF8	DEF8	59C0	DEF8	F3SW0080
1969	駟	DEF9	DEF9	59C1	DEF9	F3SX0080
1970	麪	DEFA	DEFA	69AE	DEFA	F65Q0080
1971	削	DEFB	DEFB	59C2	DEFB	F3SY0080
1972	數	DEFC	DEFC	59C3	DEFC	F3SZ0080
1973	朔	DEFD	DEFD	59C5	DEFD	F3T10080
1974	索	DEFE	DEFE	59C6	DEFE	F3T20080
1975	傘	DFA1	DFA1	59C8	DFA1	F3T40080
1976	刪	DFA2	DFA2	59C9	DFA2	F3T50080
1977	山	DFA3	DFA3	59CA	DFA3	F3T60080
1978	散	DFA4	DFA4	59CB	DFA4	F3T70080
1979	汕	DFA5	DFA5	59CC	DFA5	F3T80080
1980	珊	DFA6	DFA6	59CD	DFA6	F3T90080
1981	產	DFA7	DFA7	59CE	DFA7	F3TA0080
1982	疝	DFA8	DFA8	59CF	DFA8	F3TB0080
1983	算	DFA9	DFA9	59D0	DFA9	F3TC0080
1984	蒜	DFAA	DFAA	59D1	DFAA	F3TD0080
1985	酸	DFAB	DFAB	59D2	DFAB	F3TE0080
1986	霰	DFAC	DFAC	69AF	DFAC	F65R0080
1987	望	DFAD	DFAD	59D5	DFAD	F3TH0080
1988	撒	DFAE	DFAE	59D3	DFAE	F3TF0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 16 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1989	殺	DFAF	DFAF	59D4	DFAF	F3TG0080
1990	煞	DFB0	DFB0	69B0	DFB0	F65S0080
1991	薩	DFB1	DFB1	59D6	DFB1	F3TI0080
1992	三	DFB2	DFB2	59D7	DFB2	F3TJ0080
1993	參	DFB3	DFB3	59D8	DFB3	F3TK0080
1994	杉	DFB4	DFB4	59D9	DFB4	F3TL0080
1995	森	DFB5	DFB5	59DA	DFB5	F3TM0080
1996	滲	DFB6	DFB6	59DB	DFB6	F3TN0080
1997	苳	DFB7	DFB7	59DD	DFB7	F3TP0080
1998	蓼	DFB8	DFB8	59DE	DFB8	F3TQ0080
1999	衫	DFB9	DFB9	59DC	DFB9	F3TO0080
2000	插	DFBA	DFBA	59E0	DFBA	F3TS0080
2001	澁	DFBB	DFBB	59E1	DFBB	F3TT0080
2002	鋏	DFBC	DFBC	69B1	DFBC	F65T0080
2003	颯	DFBD	DFBD	59E2	DFBD	F3TU0080
2004	上	DFBE	DFBE	59E5	DFBE	F3TX0080
2005	傷	DFBF	DFBF	59E6	DFBF	F3TY0080
2006	像	DFC0	DFC0	59E7	DFC0	F3TZ0080
2007	償	DFC1	DFC1	59E8	DFC1	F3U00080
2008	商	DFC2	DFC2	59E9	DFC2	F3U10080
2009	喪	DFC3	DFC3	59EA	DFC3	F3U20080
2010	嘗	DFC4	DFC4	59EB	DFC4	F3U30080
2011	孀	DFC5	DFC5	59ED	DFC5	F3U50080
2012	尙	DFC6	DFC6	59EE	DFC6	F3U60080
2013	峙	DFC7	DFC7	69B2	DFC7	F65U0080
2014	常	DFC8	DFC8	59F2	DFC8	F3UA0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 17 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2015	床	DFC9	DFC9	59EF	DFC9	F3U70080
2016	庠	DFCA	DFCA	59F0	DFCA	F3U80080
2017	廂	DFCB	DFCB	59F1	DFCB	F3U90080
2018	想	DFCC	DFCC	59F3	DFCC	F3UB0080
2019	桑	DFCD	DFCD	59F5	DFCD	F3UD0080
2020	橡	DFCE	DFCE	59F6	DFCE	F3UE0080
2021	湘	DFCF	DFCF	59F8	DFCF	F3UG0080
2022	爽	DFD0	DFD0	59EC	DFD0	F3U40080
2023	牀	DFD1	DFD1	59FA	DFD1	F3UI0080
2024	狀	DFD2	DFD2	59F9	DFD2	F3UH0080
2025	相	DFD3	DFD3	59F4	DFD3	F3UC0080
2026	祥	DFD4	DFD4	59FB	DFD4	F3UJ0080
2027	箱	DFD5	DFD5	59FC	DFD5	F3UK0080
2028	翔	DFD6	DFD6	59FD	DFD6	F3UL0080
2029	裳	DFD7	DFD7	59FE	DFD7	F3UM0080
2030	觴	DFD8	DFD8	5A41	DFD8	F3UP0080
2031	詳	DFD9	DFD9	5A44	DFD9	F3US0080
2032	象	DFDA	DFDA	5A42	DFDA	F3UQ0080
2033	賞	DFDB	DFDB	5A43	DFDB	F3UR0080
2034	霜	DFDC	DFDC	5A45	DFDC	F3UT0080
2035	塞	DFDD	DFDD	5A46	DFDD	F3UU0080
2036	璽	DFDE	DFDE	5A47	DFDE	F3UV0080
2037	賽	DFDF	DFDF	5A48	DFDF	F3UW0080
2038	嗇	DFE0	DFE0	69B3	DFE0	F65V0080
2039	塞	DFE1	DFE1	5A4A	DFE1	F3UY0080
2040	穢	DFE2	DFE2	5A4B	DFE2	F3UZ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 18 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2041	索	DFE3	DFE3	5A4C	DFE3	F3V00080
2042	色	DFE4	DFE4	5A4D	DFE4	F3V10080
2043	牲	DFE5	DFE5	5A4E	DFE5	F3V20080
2044	生	DFE6	DFE6	5A4F	DFE6	F3V30080
2045	甥	DFE7	DFE7	5A50	DFE7	F3V40080
2046	省	DFE8	DFE8	5A51	DFE8	F3V50080
2047	笙	DFE9	DFE9	5A52	DFE9	F3V60080
2048	墅	DFEA	DFEA	5A55	DFEA	F3V90080
2049	壻	DFEB	DFEB	5A54	DFEB	F3V80080
2050	嶼	DFEC	DFEC	5A58	DFEC	F3VC0080
2051	序	DFED	DFED	5A59	DFED	F3VD0080
2052	庶	DFEE	DFEE	5A5A	DFEE	F3VE0080
2053	徐	DFEF	DFEF	5A5B	DFEF	F3VF0080
2054	恕	DFF0	DFF0	5A5C	DFF0	F3VG0080
2055	抒	DFF1	DFF1	5A5D	DFF1	F3VH0080
2056	棲	DFF2	DFF2	69B4	DFF2	F65W0080
2057	敝	DFF3	DFF3	5A5E	DFF3	F3VI0080
2058	暑	DFF4	DFF4	5A5F	DFF4	F3VJ0080
2059	曙	DFF5	DFF5	5A60	DFF5	F3VK0080
2060	書	DFF6	DFF6	5A61	DFF6	F3VL0080
2061	栖	DFF7	DFF7	5A62	DFF7	F3VM0080
2062	棲	DFF8	DFF8	5A63	DFF8	F3VN0080
2063	犀	DFF9	DFF9	5A57	DFF9	F3VB0080
2064	瑞	DFFA	DFFA	5A64	DFFA	F3VO0080
2065	筮	DFFB	DFFB	69B5	DFFB	F65X0080
2066	絮	DFFC	DFFC	5A65	DFFC	F3VP0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 19 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2067	緒	DFFD	DFFD	5A66	DFFD	F3VQ0080
2068	署	DFFE	DFFE	5A67	DFFE	F3VR0080
2069	胥	E0A1	E0A1	5A68	E0A1	F3VS0080
2070	舒	E0A2	E0A2	5A69	E0A2	F3VT0080
2071	薯	E0A3	E0A3	5A6A	E0A3	F3VU0080
2072	西	E0A4	E0A4	5A6B	E0A4	F3VV0080
2073	誓	E0A5	E0A5	5A6C	E0A5	F3VW0080
2074	逝	E0A6	E0A6	5A6E	E0A6	F3VY0080
2075	鋤	E0A7	E0A7	5A6D	E0A7	F3VX0080
2076	黍	E0A8	E0A8	5A6F	E0A8	F3VZ0080
2077	鼠	E0A9	E0A9	5A71	E0A9	F3W10080
2078	夕	E0AA	E0AA	5A72	E0AA	F3W20080
2079	爽	E0AB	E0AB	5A73	E0AB	F3W30080
2080	席	E0AC	E0AC	5A75	E0AC	F3W50080
2081	惜	E0AD	E0AD	5A76	E0AD	F3W60080
2082	昔	E0AE	E0AE	5A77	E0AE	F3W70080
2083	皙	E0AF	E0AF	5A78	E0AF	F3W80080
2084	析	E0B0	E0B0	5A79	E0B0	F3W90080
2085	汐	E0B1	E0B1	5A7A	E0B1	F3WA0080
2086	漸	E0B2	E0B2	5A7B	E0B2	F3WB0080
2087	瀉	E0B3	E0B3	5A7C	E0B3	F3WC0080
2088	石	E0B4	E0B4	5A7D	E0B4	F3WD0080
2089	碩	E0B5	E0B5	5A7E	E0B5	F3WE0080
2090	蓆	E0B6	E0B6	5A7F	E0B6	F3WF0080
2091	釋	E0B7	E0B7	5A80	E0B7	F3WG0080
2092	錫	E0B8	E0B8	5A81	E0B8	F3WH0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 20 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2093	仙	E0B9	E0B9	5A83	E0B9	F3WJ0080
2094	僊	E0BA	E0BA	5A84	E0BA	F3WK0080
2095	先	E0BB	E0BB	5A82	E0BB	F3WI0080
2096	善	E0BC	E0BC	5A86	E0BC	F3WM0080
2097	嬋	E0BD	E0BD	69B6	E0BD	F65Y0080
2098	宣	E0BE	E0BE	5A87	E0BE	F3WN0080
2099	扇	E0BF	E0BF	5A8A	E0BF	F3WQ0080
2100	斂	E0C0	E0C0	69B7	E0C0	F65Z0080
2101	旋	E0C1	E0C1	5A8B	E0C1	F3WR0080
2102	渲	E0C2	E0C2	69B8	E0C2	F6600080
2103	煽	E0C3	E0C3	5A8D	E0C3	F3WT0080
2104	璇	E0C4	E0C4	69B9	E0C4	F6610080
2105	瑄	E0C5	E0C5	5A90	E0C5	F3WW0080
2106	璇	E0C6	E0C6	5A91	E0C6	F3WX0080
2107	璿	E0C7	E0C7	5A92	E0C7	F3WY0080
2108	癩	E0C8	E0C8	5A93	E0C8	F3WZ0080
2109	禪	E0C9	E0C9	5A8F	E0C9	F3WV0080
2110	線	E0CA	E0CA	5A94	E0CA	F3X00080
2111	繕	E0CB	E0CB	5A95	E0CB	F3X10080
2112	羨	E0CC	E0CC	5A96	E0CC	F3X20080
2113	腺	E0CD	E0CD	5A97	E0CD	F3X30080
2114	膳	E0CE	E0CE	5A98	E0CE	F3X40080
2115	船	E0CF	E0CF	5A99	E0CF	F3X50080
2116	藓	E0D0	E0D0	5A9A	E0D0	F3X60080
2117	蟬	E0D1	E0D1	5A9B	E0D1	F3X70080
2118	詵	E0D2	E0D2	5A9C	E0D2	F3X80080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 21 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2119	跣	E0D3	E0D3	5A9D	E0D3	F3X90080
2120	選	E0D4	E0D4	5A9E	E0D4	F3XA0080
2121	銑	E0D5	E0D5	5A9F	E0D5	F3XB0080
2122	鑄	E0D6	E0D6	69BA	E0D6	F6620080
2123	鑄	E0D7	E0D7	69BB	E0D7	F6630080
2124	鮮	E0D8	E0D8	5AA1	E0D8	F3XD0080
2125	尙	E0D9	E0D9	5AA3	E0D9	F3XF0080
2126	屑	E0DA	E0DA	5AA6	E0DA	F3XI0080
2127	楔	E0DB	E0DB	5AA8	E0DB	F3XK0080
2128	泄	E0DC	E0DC	69BC	E0DC	F6640080
2129	洩	E0DD	E0DD	5AA9	E0DD	F3XL0080
2130	喋	E0DE	E0DE	5AAA	E0DE	F3XM0080
2131	舌	E0DF	E0DF	5AA4	E0DF	F3XG0080
2132	薛	E0E0	E0E0	5AAB	E0E0	F3XN0080
2133	褻	E0E1	E0E1	69BD	E0E1	F6650080
2134	設	E0E2	E0E2	5AAC	E0E2	F3XO0080
2135	說	E0E3	E0E3	5AAD	E0E3	F3XP0080
2136	雪	E0E4	E0E4	5AAE	E0E4	F3XQ0080
2137	齧	E0E5	E0E5	69BE	E0E5	F6660080
2138	剡	E0E6	E0E6	69BF	E0E6	F6670080
2139	暹	E0E7	E0E7	5AB3	E0E7	F3XV0080
2140	殲	E0E8	E0E8	5AAF	E0E8	F3XR0080
2141	織	E0E9	E0E9	5AB0	E0E9	F3XS0080
2142	蟾	E0EA	E0EA	5AB1	E0EA	F3XT0080
2143	瞻	E0EB	E0EB	5AB2	E0EB	F3XU0080
2144	閃	E0EC	E0EC	5AB4	E0EC	F3XW0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 22 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2145	陝	E0ED	E0ED	69C0	E0ED	F6680080
2146	攝	E0EE	E0EE	5AB6	E0EE	F3XY0080
2147	涉	E0EF	E0EF	5AB7	E0EF	F3XZ0080
2148	變	E0F0	E0F0	5AB5	E0F0	F3XX0080
2149	葉	E0F1	E0F1	5AB8	E0F1	F3Y00080
2150	城	E0F2	E0F2	5AB9	E0F2	F3Y10080
2151	姓	E0F3	E0F3	5ABA	E0F3	F3Y20080
2152	歲	E0F4	E0F4	69C1	E0F4	F6690080
2153	性	E0F5	E0F5	5ABB	E0F5	F3Y30080
2154	惺	E0F6	E0F6	5ABC	E0F6	F3Y40080
2155	成	E0F7	E0F7	5ABD	E0F7	F3Y50080
2156	星	E0F8	E0F8	5ABE	E0F8	F3Y60080
2157	晟	E0F9	E0F9	5ABF	E0F9	F3Y70080
2158	猩	E0FA	E0FA	5AC0	E0FA	F3Y80080
2159	城	E0FB	E0FB	69C2	E0FB	F66A0080
2160	盛	E0FC	E0FC	5AC1	E0FC	F3Y90080
2161	省	E0FD	E0FD	5AC2	E0FD	F3YA0080
2162	箴	E0FE	E0FE	5AC3	E0FE	F3YB0080
2163	聖	E1A1	E1A1	5AC4	E1A1	F3YC0080
2164	聲	E1A2	E1A2	5AC5	E1A2	F3YD0080
2165	腥	E1A3	E1A3	5AC6	E1A3	F3YE0080
2166	誠	E1A4	E1A4	5AC7	E1A4	F3YF0080
2167	醒	E1A5	E1A5	5AC8	E1A5	F3YG0080
2168	世	E1A6	E1A6	5AC9	E1A6	F3YH0080
2169	勢	E1A7	E1A7	5ACA	E1A7	F3YI0080
2170	歲	E1A8	E1A8	5ACB	E1A8	F3YJ0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 23 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2171	洗	E1A9	E1A9	5ACC	E1A9	F3YK0080
2172	税	E1AA	E1AA	5ACD	E1AA	F3YL0080
2173	筐	E1AB	E1AB	5ACE	E1AB	F3YM0080
2174	細	E1AC	E1AC	5ACF	E1AC	F3YN0080
2175	說	E1AD	E1AD	5AD0	E1AD	F3YO0080
2176	貫	E1AE	E1AE	5AD1	E1AE	F3YP0080
2177	召	E1AF	E1AF	5AD2	E1AF	F3YQ0080
2178	嘯	E1B0	E1B0	5AD3	E1B0	F3YR0080
2179	塑	E1B1	E1B1	5AD4	E1B1	F3YS0080
2180	宵	E1B2	E1B2	5AD7	E1B2	F3YV0080
2181	小	E1B3	E1B3	5AD5	E1B3	F3YT0080
2182	少	E1B4	E1B4	5AD6	E1B4	F3YU0080
2183	巢	E1B5	E1B5	5AD8	E1B5	F3YW0080
2184	所	E1B6	E1B6	5ADB	E1B6	F3YZ0080
2185	掃	E1B7	E1B7	5AD9	E1B7	F3YX0080
2186	搔	E1B8	E1B8	5ADA	E1B8	F3YY0080
2187	昭	E1B9	E1B9	5ADC	E1B9	F3Z00080
2188	梳	E1BA	E1BA	5ADD	E1BA	F3Z10080
2189	沼	E1BB	E1BB	5ADE	E1BB	F3Z20080
2190	消	E1BC	E1BC	5ADF	E1BC	F3Z30080
2191	溯	E1BD	E1BD	5AE0	E1BD	F3Z40080
2192	瀟	E1BE	E1BE	5AE1	E1BE	F3Z50080
2193	炤	E1BF	E1BF	5AE2	E1BF	F3Z60080
2194	燒	E1C0	E1C0	5AE3	E1C0	F3Z70080
2195	甦	E1C1	E1C1	5AE4	E1C1	F3Z80080
2196	疏	E1C2	E1C2	5AE6	E1C2	F3ZA0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 24 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2197	疎	E1C3	E1C3	5AE5	E1C3	F3Z90080
2198	癢	E1C4	E1C4	69C3	E1C4	F66B0080
2199	笑	E1C5	E1C5	5AE7	E1C5	F3ZB0080
2200	篠	E1C6	E1C6	69C4	E1C6	F66C0080
2201	簫	E1C7	E1C7	5AE8	E1C7	F3ZC0080
2202	素	E1C8	E1C8	5AE9	E1C8	F3ZD0080
2203	紹	E1C9	E1C9	5AEA	E1C9	F3ZE0080
2204	蔬	E1CA	E1CA	5AEC	E1CA	F3ZG0080
2205	蕭	E1CB	E1CB	5AED	E1CB	F3ZH0080
2206	蘇	E1CC	E1CC	5AEE	E1CC	F3ZI0080
2207	訴	E1CD	E1CD	5AEF	E1CD	F3ZJ0080
2208	迨	E1CE	E1CE	5AF0	E1CE	F3ZK0080
2209	遡	E1CF	E1CF	5AF1	E1CF	F3ZL0080
2210	邵	E1D0	E1D0	5AF2	E1D0	F3ZM0080
2211	銷	E1D1	E1D1	5AF3	E1D1	F3ZN0080
2212	韶	E1D2	E1D2	5AF5	E1D2	F3ZP0080
2213	騷	E1D3	E1D3	5AF6	E1D3	F3ZQ0080
2214	俗	E1D4	E1D4	5AF7	E1D4	F3ZR0080
2215	屬	E1D5	E1D5	5AF8	E1D5	F3ZS0080
2216	束	E1D6	E1D6	5AF9	E1D6	F3ZT0080
2217	涑	E1D7	E1D7	69C5	E1D7	F66D0080
2218	粟	E1D8	E1D8	5AFA	E1D8	F3ZU0080
2219	續	E1D9	E1D9	5AFB	E1D9	F3ZV0080
2220	謾	E1DA	E1DA	69C6	E1DA	F66E0080
2221	贖	E1DB	E1DB	69C7	E1DB	F66F0080
2222	速	E1DC	E1DC	5AFC	E1DC	F3ZW0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 25 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2223	孫	E1DD	E1DD	5AFD	E1DD	F3ZX0080
2224	巽	E1DE	E1DE	69C8	E1DE	F66G0080
2225	損	E1DF	E1DF	5AFE	E1DF	F3ZY0080
2226	蓀	E1E0	E1E0	69C9	E1E0	F66H0080
2227	遜	E1E1	E1E1	5B41	E1E1	F4010080
2228	飡	E1E2	E1E2	69CA	E1E2	F66I0080
2229	率	E1E3	E1E3	5B42	E1E3	F4020080
2230	宋	E1E4	E1E4	5B44	E1E4	F4040080
2231	悚	E1E5	E1E5	69CB	E1E5	F66J0080
2232	松	E1E6	E1E6	5B45	E1E6	F4050080
2233	淞	E1E7	E1E7	69CC	E1E7	F66K0080
2234	訟	E1E8	E1E8	5B46	E1E8	F4060080
2235	誦	E1E9	E1E9	5B47	E1E9	F4070080
2236	送	E1EA	E1EA	5B48	E1EA	F4080080
2237	頌	E1EB	E1EB	5B49	E1EB	F4090080
2238	刷	E1EC	E1EC	5B4A	E1EC	F40A0080
2239	殺	E1ED	E1ED	5B4B	E1ED	F40B0080
2240	灑	E1EE	E1EE	5B4C	E1EE	F40C0080
2241	碎	E1EF	E1EF	5B4E	E1EF	F40E0080
2242	鎖	E1F0	E1F0	5B4F	E1F0	F40F0080
2243	衰	E1F1	E1F1	5B50	E1F1	F40G0080
2244	釗	E1F2	E1F2	5B51	E1F2	F40H0080
2245	修	E1F3	E1F3	5B52	E1F3	F40I0080
2246	受	E1F4	E1F4	5B53	E1F4	F40J0080
2247	嗽	E1F5	E1F5	5B56	E1F5	F40M0080
2248	囚	E1F6	E1F6	5B55	E1F6	F40L0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 26 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2249	垂	E1F7	E1F7	5B57	E1F7	F40N0080
2250	壽	E1F8	E1F8	5B58	E1F8	F40O0080
2251	嫂	E1F9	E1F9	5B59	E1F9	F40P0080
2252	守	E1FA	E1FA	5B5A	E1FA	F40Q0080
2253	岫	E1FB	E1FB	5B5C	E1FB	F40S0080
2254	岵	E1FC	E1FC	69CD	E1FC	F66L0080
2255	帥	E1FD	E1FD	5B5D	E1FD	F40T0080
2256	愁	E1FE	E1FE	5B5F	E1FE	F40V0080
2257	戍	E2A1	E2A1	5B5E	E2A1	F40U0080
2258	手	E2A2	E2A2	5B60	E2A2	F40W0080
2259	授	E2A3	E2A3	5B61	E2A3	F40X0080
2260	搜	E2A4	E2A4	5B62	E2A4	F40Y0080
2261	收	E2A5	E2A5	5B63	E2A5	F40Z0080
2262	數	E2A6	E2A6	5B64	E2A6	F4100080
2263	樹	E2A7	E2A7	5B66	E2A7	F4120080
2264	殊	E2A8	E2A8	5B67	E2A8	F4130080
2265	水	E2A9	E2A9	5B69	E2A9	F4150080
2266	洙	E2AA	E2AA	5B6A	E2AA	F4160080
2267	漱	E2AB	E2AB	5B6C	E2AB	F4180080
2268	澣	E2AC	E2AC	5B68	E2AC	F4140080
2269	狩	E2AD	E2AD	5B6D	E2AD	F4190080
2270	獸	E2AE	E2AE	5B6E	E2AE	F41A0080
2271	琇	E2AF	E2AF	69CE	E2AF	F66M0080
2272	璩	E2B0	E2B0	69CF	E2B0	F66N0080
2273	瘦	E2B1	E2B1	5B70	E2B1	F41C0080
2274	睡	E2B2	E2B2	5B71	E2B2	F41D0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 27 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2275	秀	E2B3	E2B3	5B73	E2B3	F41F0080
2276	穗	E2B4	E2B4	5B74	E2B4	F41G0080
2277	豎	E2B5	E2B5	5B75	E2B5	F41H0080
2278	粹	E2B6	E2B6	5B76	E2B6	F41I0080
2279	綏	E2B7	E2B7	5B77	E2B7	F41J0080
2280	綬	E2B8	E2B8	5B78	E2B8	F41K0080
2281	繡	E2B9	E2B9	5B79	E2B9	F41L0080
2282	羞	E2BA	E2BA	5B7A	E2BA	F41M0080
2283	脩	E2BB	E2BB	5B7B	E2BB	F41N0080
2284	茱	E2BC	E2BC	5B7C	E2BC	F41O0080
2285	菟	E2BD	E2BD	5B7D	E2BD	F41P0080
2286	蓀	E2BE	E2BE	5B7E	E2BE	F41Q0080
2287	藪	E2BF	E2BF	5B7F	E2BF	F41R0080
2288	袖	E2C0	E2C0	5B80	E2C0	F41S0080
2289	誰	E2C1	E2C1	5B81	E2C1	F41T0080
2290	讐	E2C2	E2C2	69D0	E2C2	F66O0080
2291	輸	E2C3	E2C3	5B82	E2C3	F41U0080
2292	遂	E2C4	E2C4	5B83	E2C4	F41V0080
2293	邃	E2C5	E2C5	5B84	E2C5	F41W0080
2294	酬	E2C6	E2C6	5B85	E2C6	F41X0080
2295	銖	E2C7	E2C7	5B86	E2C7	F41Y0080
2296	銹	E2C8	E2C8	5B87	E2C8	F41Z0080
2297	隋	E2C9	E2C9	5B88	E2C9	F4200080
2298	隄	E2CA	E2CA	69D1	E2CA	F66P0080
2299	隨	E2CB	E2CB	5B89	E2CB	F4210080
2300	雖	E2CC	E2CC	5B8A	E2CC	F4220080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 28 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2301	需	E2CD	E2CD	5B8B	E2CD	F4230080
2302	須	E2CE	E2CE	5B8C	E2CE	F4240080
2303	首	E2CF	E2CF	5B8D	E2CF	F4250080
2304	髓	E2D0	E2D0	5B8E	E2D0	F4260080
2305	鬚	E2D1	E2D1	5B8F	E2D1	F4270080
2306	叔	E2D2	E2D2	5B90	E2D2	F4280080
2307	塾	E2D3	E2D3	5B91	E2D3	F4290080
2308	夙	E2D4	E2D4	5B92	E2D4	F42A0080
2309	孰	E2D5	E2D5	5B93	E2D5	F42B0080
2310	宿	E2D6	E2D6	5B94	E2D6	F42C0080
2311	淑	E2D7	E2D7	5B95	E2D7	F42D0080
2312	瀟	E2D8	E2D8	69D2	E2D8	F66Q0080
2313	熟	E2D9	E2D9	5B96	E2D9	F42E0080
2314	琚	E2DA	E2DA	69D3	E2DA	F66R0080
2315	壽	E2DB	E2DB	69D4	E2DB	F66S0080
2316	肅	E2DC	E2DC	5B97	E2DC	F42F0080
2317	菽	E2DD	E2DD	5B98	E2DD	F42G0080
2318	巡	E2DE	E2DE	5BA9	E2DE	F42X0080
2319	徇	E2DF	E2DF	69D5	E2DF	F66T0080
2320	循	E2E0	E2E0	5B99	E2E0	F42H0080
2321	恂	E2E1	E2E1	5B9A	E2E1	F42I0080
2322	旬	E2E2	E2E2	5B9B	E2E2	F42J0080
2323	枸	E2E3	E2E3	69D6	E2E3	F66U0080
2324	楯	E2E4	E2E4	5B9C	E2E4	F42K0080
2325	櫛	E2E5	E2E5	69D7	E2E5	F66V0080
2326	殉	E2E6	E2E6	5B9D	E2E6	F42L0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 29 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2327	洵	E2E7	E2E7	5B9E	E2E7	F42M0080
2328	淳	E2E8	E2E8	5B9F	E2E8	F42N0080
2329	珣	E2E9	E2E9	5BA0	E2E9	F42O0080
2330	盾	E2EA	E2EA	5BA1	E2EA	F42P0080
2331	瞬	E2EB	E2EB	5BA2	E2EB	F42Q0080
2332	筍	E2EC	E2EC	5BA3	E2EC	F42R0080
2333	純	E2ED	E2ED	5BA4	E2ED	F42S0080
2334	脣	E2EE	E2EE	5BA5	E2EE	F42T0080
2335	舜	E2EF	E2EF	5BA6	E2EF	F42U0080
2336	荀	E2F0	E2F0	5BA7	E2F0	F42V0080
2337	蓴	E2F1	E2F1	69D8	E2F1	F66W0080
2338	蕘	E2F2	E2F2	69D9	E2F2	F66X0080
2339	詢	E2F3	E2F3	5BA8	E2F3	F42W0080
2340	諄	E2F4	E2F4	69DA	E2F4	F66Y0080
2341	醇	E2F5	E2F5	5BAA	E2F5	F42Y0080
2342	鎔	E2F6	E2F6	5BAB	E2F6	F42Z0080
2343	順	E2F7	E2F7	5BAC	E2F7	F4300080
2344	馴	E2F8	E2F8	5BAD	E2F8	F4310080
2345	戍	E2F9	E2F9	5BAF	E2F9	F4330080
2346	術	E2FA	E2FA	5BB0	E2FA	F4340080
2347	述	E2FB	E2FB	5BB1	E2FB	F4350080
2348	鉏	E2FC	E2FC	69DB	E2FC	F66Z0080
2349	崇	E2FD	E2FD	5BB2	E2FD	F4360080
2350	崧	E2FE	E2FE	5BB3	E2FE	F4370080
2351	嵩	E3A1	E3A1	5BB4	E3A1	F4380080
2352	瑟	E3A2	E3A2	5BB5	E3A2	F4390080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 30 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2353	膝	E3A3	E3A3	5BB6	E3A3	F43A0080
2354	蝨	E3A4	E3A4	5BB8	E3A4	F43C0080
2355	濕	E3A5	E3A5	5BBA	E3A5	F43E0080
2356	拾	E3A6	E3A6	5BB9	E3A6	F43D0080
2357	習	E3A7	E3A7	5BBB	E3A7	F43F0080
2358	褶	E3A8	E3A8	5BBC	E3A8	F43G0080
2359	襲	E3A9	E3A9	5BBD	E3A9	F43H0080
2360	丞	E3AA	E3AA	5BBE	E3AA	F43I0080
2361	乘	E3AB	E3AB	5BBF	E3AB	F43J0080
2362	僧	E3AC	E3AC	5BC0	E3AC	F43K0080
2363	勝	E3AD	E3AD	5BC4	E3AD	F43O0080
2364	升	E3AE	E3AE	5BC1	E3AE	F43L0080
2365	承	E3AF	E3AF	5BC2	E3AF	F43M0080
2366	昇	E3B0	E3B0	5BC3	E3B0	F43N0080
2367	繩	E3B1	E3B1	5BC5	E3B1	F43P0080
2368	蠅	E3B2	E3B2	5BC6	E3B2	F43Q0080
2369	陞	E3B3	E3B3	5BC7	E3B3	F43R0080
2370	侍	E3B4	E3B4	5BC8	E3B4	F43S0080
2371	匙	E3B5	E3B5	5BC9	E3B5	F43T0080
2372	嘶	E3B6	E3B6	5BCB	E3B6	F43V0080
2373	始	E3B7	E3B7	5BCC	E3B7	F43W0080
2374	媿	E3B8	E3B8	5BCD	E3B8	F43X0080
2375	尸	E3B9	E3B9	5BCF	E3B9	F43Z0080
2376	屎	E3BA	E3BA	69DC	E3BA	F6700080
2377	屍	E3BB	E3BB	5BD0	E3BB	F4400080
2378	市	E3BC	E3BC	5BD1	E3BC	F4410080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 31 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2379	絨	E3BD	E3BD	5BD2	E3BD	F4420080
2380	恃	E3BE	E3BE	5BD3	E3BE	F4430080
2381	施	E3BF	E3BF	5BD4	E3BF	F4440080
2382	是	E3C0	E3C0	5BD5	E3C0	F4450080
2383	時	E3C1	E3C1	5BD6	E3C1	F4460080
2384	柿	E3C2	E3C2	5BD7	E3C2	F4470080
2385	柴	E3C3	E3C3	5BD8	E3C3	F4480080
2386	猜	E3C4	E3C4	5BD9	E3C4	F4490080
2387	矢	E3C5	E3C5	5BDA	E3C5	F44A0080
2388	示	E3C6	E3C6	5BDB	E3C6	F44B0080
2389	翅	E3C7	E3C7	5BDE	E3C7	F44E0080
2390	蒔	E3C8	E3C8	5BDF	E3C8	F44F0080
2391	著	E3C9	E3C9	5BE0	E3C9	F44G0080
2392	視	E3CA	E3CA	5BDC	E3CA	F44C0080
2393	試	E3CB	E3CB	5BE2	E3CB	F44I0080
2394	詩	E3CC	E3CC	5BE1	E3CC	F44H0080
2395	諡	E3CD	E3CD	5BE3	E3CD	F44J0080
2396	豕	E3CE	E3CE	69DD	E3CE	F6710080
2397	豸	E3CF	E3CF	5BE4	E3CF	F44K0080
2398	埴	E3D0	E3D0	5BE5	E3D0	F44L0080
2399	寔	E3D1	E3D1	5BE6	E3D1	F44M0080
2400	式	E3D2	E3D2	5BE7	E3D2	F44N0080
2401	息	E3D3	E3D3	5BE8	E3D3	F44O0080
2402	拭	E3D4	E3D4	5BE9	E3D4	F44P0080
2403	植	E3D5	E3D5	5BEA	E3D5	F44Q0080
2404	殖	E3D6	E3D6	5BEB	E3D6	F44R0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 32 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2405	湜	E3D7	E3D7	5BEC	E3D7	F44S0080
2406	熄	E3D8	E3D8	5BED	E3D8	F44T0080
2407	簋	E3D9	E3D9	69DE	E3D9	F6720080
2408	蝕	E3DA	E3DA	69DF	E3DA	F6730080
2409	識	E3DB	E3DB	5BEE	E3DB	F44U0080
2410	軾	E3DC	E3DC	5BEF	E3DC	F44V0080
2411	食	E3DD	E3DD	5BF0	E3DD	F44W0080
2412	飾	E3DE	E3DE	5BF1	E3DE	F44X0080
2413	伸	E3DF	E3DF	5BF2	E3DF	F44Y0080
2414	侏	E3E0	E3E0	69E0	E3E0	F6740080
2415	信	E3E1	E3E1	5BF3	E3E1	F44Z0080
2416	呻	E3E2	E3E2	5BF4	E3E2	F4500080
2417	娠	E3E3	E3E3	5BF5	E3E3	F4510080
2418	宸	E3E4	E3E4	5BF6	E3E4	F4520080
2419	愼	E3E5	E3E5	5BF7	E3E5	F4530080
2420	新	E3E6	E3E6	5BF8	E3E6	F4540080
2421	晨	E3E7	E3E7	5BF9	E3E7	F4550080
2422	燼	E3E8	E3E8	5BFA	E3E8	F4560080
2423	申	E3E9	E3E9	5BFB	E3E9	F4570080
2424	神	E3EA	E3EA	5BFD	E3EA	F4590080
2425	紳	E3EB	E3EB	5BFE	E3EB	F45A0080
2426	腎	E3EC	E3EC	5C41	E3EC	F45D0080
2427	臣	E3ED	E3ED	5C42	E3ED	F45E0080
2428	莘	E3EE	E3EE	5C43	E3EE	F45F0080
2429	薪	E3EF	E3EF	5C44	E3EF	F45G0080
2430	蓋	E3F0	E3F0	69E1	E3F0	F6750080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 33 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2431	蜃	E3F1	E3F1	5C45	E3F1	F45H0080
2432	訊	E3F2	E3F2	5C46	E3F2	F45I0080
2433	身	E3F3	E3F3	5C47	E3F3	F45J0080
2434	辛	E3F4	E3F4	5C48	E3F4	F45K0080
2435	辰	E3F5	E3F5	5C49	E3F5	F45L0080
2436	迅	E3F6	E3F6	5C4A	E3F6	F45M0080
2437	失	E3F7	E3F7	5C4B	E3F7	F45N0080
2438	室	E3F8	E3F8	5C4C	E3F8	F45O0080
2439	實	E3F9	E3F9	5C4D	E3F9	F45P0080
2440	悉	E3FA	E3FA	5C4E	E3FA	F45Q0080
2441	審	E3FB	E3FB	5C50	E3FB	F45S0080
2442	尋	E3FC	E3FC	5C51	E3FC	F45T0080
2443	心	E3FD	E3FD	5C52	E3FD	F45U0080
2444	沁	E3FE	E3FE	5C54	E3FE	F45W0080
2445	沈	E4A1	E4A1	5C53	E4A1	F45V0080
2446	深	E4A2	E4A2	5C55	E4A2	F45X0080
2447	潘	E4A3	E4A3	5C56	E4A3	F45Y0080
2448	甚	E4A4	E4A4	5C57	E4A4	F45Z0080
2449	芯	E4A5	E4A5	5C58	E4A5	F4600080
2450	諶	E4A6	E4A6	69E2	E4A6	F6760080
2451	什	E4A7	E4A7	5C59	E4A7	F4610080
2452	十	E4A8	E4A8	5C5A	E4A8	F4620080
2453	拾	E4A9	E4A9	5C5B	E4A9	F4630080
2454	雙	E4AA	E4AA	5C5C	E4AA	F4640080
2455	氏	E4AB	E4AB	5C5D	E4AB	F4650080
2456	亞	E4AC	E4AC	5C5E	E4AC	F4660080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 34 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2457	俄	E4AD	E4AD	5C5F	E4AD	F4670080
2458	兒	E4AE	E4AE	5C60	E4AE	F4680080
2459	啞	E4AF	E4AF	69E3	E4AF	F6770080
2460	娥	E4B0	E4B0	5C61	E4B0	F4690080
2461	峨	E4B1	E4B1	5C62	E4B1	F46A0080
2462	我	E4B2	E4B2	5C63	E4B2	F46B0080
2463	牙	E4B3	E4B3	5C64	E4B3	F46C0080
2464	芽	E4B4	E4B4	5C65	E4B4	F46D0080
2465	莪	E4B5	E4B5	69E4	E4B5	F6780080
2466	蛾	E4B6	E4B6	5C66	E4B6	F46E0080
2467	衙	E4B7	E4B7	5C67	E4B7	F46F0080
2468	訝	E4B8	E4B8	5C68	E4B8	F46G0080
2469	阿	E4B9	E4B9	5C69	E4B9	F46H0080
2470	雅	E4BA	E4BA	5C6A	E4BA	F46I0080
2471	餓	E4BB	E4BB	5C6B	E4BB	F46J0080
2472	鴉	E4BC	E4BC	5C6C	E4BC	F46K0080
2473	鵝	E4BD	E4BD	5C6D	E4BD	F46L0080
2474	堊	E4BE	E4BE	5C6E	E4BE	F46M0080
2475	岳	E4BF	E4BF	5C6F	E4BF	F46N0080
2476	嶽	E4C0	E4C0	5C70	E4C0	F46O0080
2477	幄	E4C1	E4C1	69E5	E4C1	F6790080
2478	惡	E4C2	E4C2	5C72	E4C2	F46Q0080
2479	愕	E4C3	E4C3	5C71	E4C3	F46P0080
2480	握	E4C4	E4C4	5C73	E4C4	F46R0080
2481	樂	E4C5	E4C5	5C74	E4C5	F46S0080
2482	渥	E4C6	E4C6	5C75	E4C6	F46T0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 35 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2483	鄂	E4C7	E4C7	69E6	E4C7	F67A0080
2484	鏢	E4C8	E4C8	69E7	E4C8	F67B0080
2485	顎	E4C9	E4C9	5C77	E4C9	F46V0080
2486	鰐	E4CA	E4CA	69E8	E4CA	F67C0080
2487	齷	E4CB	E4CB	5C78	E4CB	F46W0080
2488	安	E4CC	E4CC	5C79	E4CC	F46X0080
2489	岸	E4CD	E4CD	5C7A	E4CD	F46Y0080
2490	按	E4CE	E4CE	5C7B	E4CE	F46Z0080
2491	晏	E4CF	E4CF	5C7C	E4CF	F4700080
2492	案	E4D0	E4D0	5C7D	E4D0	F4710080
2493	眼	E4D1	E4D1	5C7E	E4D1	F4720080
2494	雁	E4D2	E4D2	5C7F	E4D2	F4730080
2495	鞍	E4D3	E4D3	5C81	E4D3	F4750080
2496	顏	E4D4	E4D4	5C82	E4D4	F4760080
2497	鮫	E4D5	E4D5	69E9	E4D5	F67D0080
2498	幹	E4D6	E4D6	5C85	E4D6	F4790080
2499	謁	E4D7	E4D7	5C86	E4D7	F47A0080
2500	軋	E4D8	E4D8	5C87	E4D8	F47B0080
2501	闕	E4D9	E4D9	5C89	E4D9	F47D0080
2502	庵	E4DA	E4DA	69EA	E4DA	F67E0080
2503	岩	E4DB	E4DB	69EB	E4DB	F67F0080
2504	巖	E4DC	E4DC	5C8B	E4DC	F47F0080
2505	庵	E4DD	E4DD	5C8C	E4DD	F47G0080
2506	暗	E4DE	E4DE	5C8D	E4DE	F47H0080
2507	癌	E4DF	E4DF	5C8E	E4DF	F47I0080
2508	菴	E4E0	E4E0	5C8F	E4E0	F47J0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 36 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2509	闇	E4E1	E4E1	5C91	E4E1	F47L0080
2510	壓	E4E2	E4E2	5C93	E4E2	F47N0080
2511	押	E4E3	E4E3	5C94	E4E3	F47O0080
2512	狎	E4E4	E4E4	5C95	E4E4	F47P0080
2513	鴨	E4E5	E4E5	5C96	E4E5	F47Q0080
2514	仰	E4E6	E4E6	5C97	E4E6	F47R0080
2515	央	E4E7	E4E7	5C98	E4E7	F47S0080
2516	快	E4E8	E4E8	5C99	E4E8	F47T0080
2517	昂	E4E9	E4E9	5C9A	E4E9	F47U0080
2518	殃	E4EA	E4EA	5C9B	E4EA	F47V0080
2519	秧	E4EB	E4EB	5C9C	E4EB	F47W0080
2520	鴛	E4EC	E4EC	5C9E	E4EC	F47Y0080
2521	厓	E4ED	E4ED	5C9F	E4ED	F47Z0080
2522	哀	E4EE	E4EE	5CAA	E4EE	F48A0080
2523	埃	E4EF	E4EF	5CA0	E4EF	F4800080
2524	崖	E4F0	E4F0	5CA1	E4F0	F4810080
2525	愛	E4F1	E4F1	5CA2	E4F1	F4820080
2526	曖	E4F2	E4F2	5CA6	E4F2	F4860080
2527	涯	E4F3	E4F3	5CA4	E4F3	F4840080
2528	碍	E4F4	E4F4	5CA7	E4F4	F4870080
2529	艾	E4F5	E4F5	5CA9	E4F5	F4890080
2530	隘	E4F6	E4F6	5CAB	E4F6	F48B0080
2531	霽	E4F7	E4F7	5CAC	E4F7	F48C0080
2532	厄	E4F8	E4F8	5CAE	E4F8	F48E0080
2533	扼	E4F9	E4F9	69EC	E4F9	F67G0080
2534	掖	E4FA	E4FA	5CAF	E4FA	F48F0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 37 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2535	液	E4FB	E4FB	5CB0	E4FB	F48G0080
2536	縊	E4FC	E4FC	69ED	E4FC	F67H0080
2537	腋	E4FD	E4FD	5CB1	E4FD	F48H0080
2538	額	E4FE	E4FE	5CB3	E4FE	F48J0080
2539	櫻	E5A1	E5A1	5CB4	E5A1	F48K0080
2540	罍	E5A2	E5A2	5CB5	E5A2	F48L0080
2541	鶯	E5A3	E5A3	5CB6	E5A3	F48M0080
2542	鸚	E5A4	E5A4	5CB7	E5A4	F48N0080
2543	也	E5A5	E5A5	5CB8	E5A5	F48O0080
2544	倝	E5A6	E5A6	5CB9	E5A6	F48P0080
2545	冶	E5A7	E5A7	5CBA	E5A7	F48Q0080
2546	夜	E5A8	E5A8	5CBB	E5A8	F48R0080
2547	惹	E5A9	E5A9	5CC2	E5A9	F48Y0080
2548	擲	E5AA	E5AA	5CBD	E5AA	F48T0080
2549	椰	E5AB	E5AB	5CBE	E5AB	F48U0080
2550	爺	E5AC	E5AC	5CBF	E5AC	F48V0080
2551	耶	E5AD	E5AD	5CC0	E5AD	F48W0080
2552	若	E5AE	E5AE	5CC1	E5AE	F48X0080
2553	野	E5AF	E5AF	5CC3	E5AF	F48Z0080
2554	弱	E5B0	E5B0	5CC4	E5B0	F4900080
2555	掠	E5B1	E5B1	69EE	E5B1	F67I0080
2556	略	E5B2	E5B2	69EF	E5B2	F67J0080
2557	約	E5B3	E5B3	5CC7	E5B3	F4930080
2558	若	E5B4	E5B4	5CC8	E5B4	F4940080
2559	葯	E5B5	E5B5	5CC9	E5B5	F4950080
2560	蕪	E5B6	E5B6	69F0	E5B6	F67K0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 38 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2561	藥	E5B7	E5B7	5CCA	E5B7	F4960080
2562	躍	E5B8	E5B8	5CCB	E5B8	F4970080
2563	亮	E5B9	E5B9	69F1	E5B9	F67L0080
2564	伴	E5BA	E5BA	5CCC	E5BA	F4980080
2565	兩	E5BB	E5BB	69F2	E5BB	F67M0080
2566	涼	E5BC	E5BC	69F3	E5BC	F67N0080
2567	壤	E5BD	E5BD	5CCD	E5BD	F4990080
2568	孃	E5BE	E5BE	5CCE	E5BE	F49A0080
2569	恙	E5BF	E5BF	5CCF	E5BF	F49B0080
2570	揚	E5C0	E5C0	5CD0	E5C0	F49C0080
2571	攘	E5C1	E5C1	5CD1	E5C1	F49D0080
2572	敷	E5C2	E5C2	5CD2	E5C2	F49E0080
2573	暘	E5C3	E5C3	5CD3	E5C3	F49F0080
2574	梁	E5C4	E5C4	69F4	E5C4	F67O0080
2575	楊	E5C5	E5C5	5CD4	E5C5	F49G0080
2576	樣	E5C6	E5C6	5CD5	E5C6	F49H0080
2577	洋	E5C7	E5C7	5CD6	E5C7	F49I0080
2578	漾	E5C8	E5C8	5CD7	E5C8	F49J0080
2579	煬	E5C9	E5C9	5CD8	E5C9	F49K0080
2580	痒	E5CA	E5CA	5CDA	E5CA	F49M0080
2581	瘍	E5CB	E5CB	5CDB	E5CB	F49N0080
2582	禳	E5CC	E5CC	69F5	E5CC	F67P0080
2583	穰	E5CD	E5CD	5CD9	E5CD	F49L0080
2584	糧	E5CE	E5CE	69F6	E5CE	F67Q0080
2585	羊	E5CF	E5CF	5CDC	E5CF	F49O0080
2586	良	E5D0	E5D0	69F7	E5D0	F67R0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 39 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2587	裏	E5D1	E5D1	5CDE	E5D1	F49Q0080
2588	諒	E5D2	E5D2	69F8	E5D2	F67S0080
2589	讓	E5D3	E5D3	5CDF	E5D3	F49R0080
2590	釀	E5D4	E5D4	5CE0	E5D4	F49S0080
2591	陽	E5D5	E5D5	5CE1	E5D5	F49T0080
2592	量	E5D6	E5D6	69F9	E5D6	F67T0080
2593	養	E5D7	E5D7	5CE2	E5D7	F49U0080
2594	囿	E5D8	E5D8	5CE3	E5D8	F49V0080
2595	御	E5D9	E5D9	5CE4	E5D9	F49W0080
2596	於	E5DA	E5DA	5CE6	E5DA	F49Y0080
2597	漁	E5DB	E5DB	5CE7	E5DB	F49Z0080
2598	療	E5DC	E5DC	69FA	E5DC	F67U0080
2599	禦	E5DD	E5DD	5CE8	E5DD	F4A00080
2600	語	E5DE	E5DE	5CE9	E5DE	F4A10080
2601	馭	E5DF	E5DF	5CEA	E5DF	F4A20080
2602	魚	E5E0	E5E0	5CEB	E5E0	F4A30080
2603	齧	E5E1	E5E1	5CEC	E5E1	F4A40080
2604	億	E5E2	E5E2	5CED	E5E2	F4A50080
2605	憶	E5E3	E5E3	5CEE	E5E3	F4A60080
2606	抑	E5E4	E5E4	5CEF	E5E4	F4A70080
2607	憶	E5E5	E5E5	5CF0	E5E5	F4A80080
2608	臆	E5E6	E5E6	5CF1	E5E6	F4A90080
2609	偃	E5E7	E5E7	5CF2	E5E7	F4AA0080
2610	堰	E5E8	E5E8	5CF3	E5E8	F4AB0080
2611	彥	E5E9	E5E9	5CF4	E5E9	F4AC0080
2612	焉	E5EA	E5EA	5CF5	E5EA	F4AD0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 40 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2613	言	E5EB	E5EB	5CF6	E5EB	F4AE0080
2614	諺	E5EC	E5EC	5CF7	E5EC	F4AF0080
2615	孽	E5ED	E5ED	5CF8	E5ED	F4AG0080
2616	藁	E5EE	E5EE	69FB	E5EE	F67V0080
2617	俺	E5EF	E5EF	69FC	E5EF	F67W0080
2618	儼	E5F0	E5F0	5CF9	E5F0	F4AH0080
2619	嚴	E5F1	E5F1	5CFA	E5F1	F4AI0080
2620	奄	E5F2	E5F2	5CFB	E5F2	F4AJ0080
2621	掩	E5F3	E5F3	5CFC	E5F3	F4AK0080
2622	淹	E5F4	E5F4	5CFD	E5F4	F4AL0080
2623	業	E5F5	E5F5	5CFE	E5F5	F4AM0080
2624	業	E5F6	E5F6	5D41	E5F6	F4AP0080
2625	円	E5F7	E5F7	69FD	E5F7	F67X0080
2626	予	E5F8	E5F8	5D43	E5F8	F4AR0080
2627	余	E5F9	E5F9	5D44	E5F9	F4AS0080
2628	勵	E5FA	E5FA	69FE	E5FA	F67Y0080
2629	呂	E5FB	E5FB	6A41	E5FB	F6810080
2630	女	E5FC	E5FC	6A42	E5FC	F6820080
2631	如	E5FD	E5FD	5D45	E5FD	F4AT0080
2632	廬	E5FE	E5FE	6A43	E5FE	F6830080
2633	旅	E6A1	E6A1	6A44	E6A1	F6840080
2634	歟	E6A2	E6A2	5D46	E6A2	F4AU0080
2635	汝	E6A3	E6A3	5D47	E6A3	F4AV0080
2636	濾	E6A4	E6A4	6A45	E6A4	F6850080
2637	璵	E6A5	E6A5	6A46	E6A5	F6860080
2638	璵	E6A6	E6A6	6A47	E6A6	F6870080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 41 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2639	礪	E6A7	E6A7	6A48	E6A7	F6880080
2640	與	E6A8	E6A8	5D48	E6A8	F4AW0080
2641	餘	E6A9	E6A9	6A49	E6A9	F6890080
2642	茹	E6AA	E6AA	6A4A	E6AA	F68A0080
2643	輿	E6AB	E6AB	6A4B	E6AB	F68B0080
2644	舉	E6AC	E6AC	6A4C	E6AC	F68C0080
2645	閭	E6AD	E6AD	6A4D	E6AD	F68D0080
2646	餘	E6AE	E6AE	5D49	E6AE	F4AX0080
2647	驪	E6AF	E6AF	6A4E	E6AF	F68E0080
2648	麗	E6B0	E6B0	6A4F	E6B0	F68F0080
2649	黎	E6B1	E6B1	6A50	E6B1	F68G0080
2650	亦	E6B2	E6B2	5D4A	E6B2	F4AY0080
2651	力	E6B3	E6B3	6A51	E6B3	F68H0080
2652	域	E6B4	E6B4	5D4B	E6B4	F4AZ0080
2653	役	E6B5	E6B5	5D4D	E6B5	F4B10080
2654	易	E6B6	E6B6	5D4E	E6B6	F4B20080
2655	曆	E6B7	E6B7	6A52	E6B7	F68I0080
2656	歷	E6B8	E6B8	6A53	E6B8	F68J0080
2657	疫	E6B9	E6B9	5D4F	E6B9	F4B30080
2658	繹	E6BA	E6BA	5D50	E6BA	F4B40080
2659	譯	E6BB	E6BB	5D51	E6BB	F4B50080
2660	輓	E6BC	E6BC	6A54	E6BC	F68K0080
2661	逆	E6BD	E6BD	5D52	E6BD	F4B60080
2662	驛	E6BE	E6BE	5D53	E6BE	F4B70080
2663	噓	E6BF	E6BF	5D54	E6BF	F4B80080
2664	堧	E6C0	E6C0	5D55	E6C0	F4B90080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 42 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2665	妍	E6C1	E6C1	5D56	E6C1	F4BA0080
2666	娟	E6C2	E6C2	5D57	E6C2	F4BB0080
2667	宴	E6C3	E6C3	5D58	E6C3	F4BC0080
2668	年	E6C4	E6C4	6A55	E6C4	F68L0080
2669	延	E6C5	E6C5	5D59	E6C5	F4BD0080
2670	憐	E6C6	E6C6	6A56	E6C6	F68M0080
2671	戀	E6C7	E6C7	6A57	E6C7	F68N0080
2672	捐	E6C8	E6C8	5D5A	E6C8	F4BE0080
2673	挺	E6C9	E6C9	6A58	E6C9	F68O0080
2674	撚	E6CA	E6CA	5D5B	E6CA	F4BF0080
2675	椽	E6CB	E6CB	5D5C	E6CB	F4BG0080
2676	沅	E6CC	E6CC	6A59	E6CC	F68P0080
2677	沿	E6CD	E6CD	5D5D	E6CD	F4BH0080
2678	涎	E6CE	E6CE	5D5F	E6CE	F4BJ0080
2679	涓	E6CF	E6CF	5D5E	E6CF	F4BI0080
2680	淵	E6D0	E6D0	5D60	E6D0	F4BK0080
2681	演	E6D1	E6D1	5D61	E6D1	F4BL0080
2682	漣	E6D2	E6D2	6A5A	E6D2	F68Q0080
2683	烟	E6D3	E6D3	5D62	E6D3	F4BM0080
2684	然	E6D4	E6D4	5D63	E6D4	F4BN0080
2685	煙	E6D5	E6D5	5D64	E6D5	F4BO0080
2686	煉	E6D6	E6D6	6A5B	E6D6	F68R0080
2687	燃	E6D7	E6D7	5D65	E6D7	F4BP0080
2688	燕	E6D8	E6D8	5D66	E6D8	F4BQ0080
2689	璉	E6D9	E6D9	6A5C	E6D9	F68S0080
2690	研	E6DA	E6DA	5D67	E6DA	F4BR0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 43 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2691	硯	E6DB	E6DB	5D68	E6DB	F4BS0080
2692	季	E6DC	E6DC	6A5D	E6DC	F68T0080
2693	筵	E6DD	E6DD	5D69	E6DD	F4BT0080
2694	緣	E6DE	E6DE	5D6A	E6DE	F4BU0080
2695	練	E6DF	E6DF	6A5E	E6DF	F68U0080
2696	續	E6E0	E6E0	6A5F	E6E0	F68V0080
2697	聯	E6E1	E6E1	6A60	E6E1	F68W0080
2698	衍	E6E2	E6E2	5D6E	E6E2	F4BY0080
2699	軟	E6E3	E6E3	5D70	E6E3	F4C00080
2700	輦	E6E4	E6E4	6A61	E6E4	F68X0080
2701	蓮	E6E5	E6E5	6A62	E6E5	F68Y0080
2702	連	E6E6	E6E6	6A63	E6E6	F68Z0080
2703	鉛	E6E7	E6E7	5D71	E6E7	F4C10080
2704	鍊	E6E8	E6E8	6A64	E6E8	F6900080
2705	鳶	E6E9	E6E9	5D72	E6E9	F4C20080
2706	列	E6EA	E6EA	6A65	E6EA	F6910080
2707	劣	E6EB	E6EB	6A66	E6EB	F6920080
2708	咽	E6EC	E6EC	5D73	E6EC	F4C30080
2709	悅	E6ED	E6ED	5D74	E6ED	F4C40080
2710	涅	E6EE	E6EE	5D75	E6EE	F4C50080
2711	烈	E6EF	E6EF	6A67	E6EF	F6930080
2712	熱	E6F0	E6F0	5D76	E6F0	F4C60080
2713	裂	E6F1	E6F1	6A68	E6F1	F6940080
2714	說	E6F2	E6F2	5D77	E6F2	F4C70080
2715	閱	E6F3	E6F3	5D78	E6F3	F4C80080
2716	厭	E6F4	E6F4	5D79	E6F4	F4C90080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 44 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2717	廉	E6F5	E6F5	6A69	E6F5	F6950080
2718	念	E6F6	E6F6	6A6A	E6F6	F6960080
2719	捻	E6F7	E6F7	6A6B	E6F7	F6970080
2720	染	E6F8	E6F8	5D7B	E6F8	F4CB0080
2721	殮	E6F9	E6F9	6A6C	E6F9	F6980080
2722	炎	E6FA	E6FA	5D7C	E6FA	F4CC0080
2723	焰	E6FB	E6FB	5D7D	E6FB	F4CD0080
2724	琰	E6FC	E6FC	6A6D	E6FC	F6990080
2725	艷	E6FD	E6FD	5D80	E6FD	F4CG0080
2726	苒	E6FE	E6FE	5D7F	E6FE	F4CF0080
2727	簾	E7A1	E7A1	6A6E	E7A1	F69A0080
2728	閻	E7A2	E7A2	5D81	E7A2	F4CH0080
2729	髻	E7A3	E7A3	5D83	E7A3	F4CJ0080
2730	鹽	E7A4	E7A4	5D7E	E7A4	F4CE0080
2731	曄	E7A5	E7A5	5D84	E7A5	F4CK0080
2732	獵	E7A6	E7A6	6A6F	E7A6	F69B0080
2733	燁	E7A7	E7A7	5D85	E7A7	F4CL0080
2734	葉	E7A8	E7A8	5D86	E7A8	F4CM0080
2735	令	E7A9	E7A9	6A70	E7A9	F69C0080
2736	圀	E7AA	E7AA	6A71	E7AA	F69D0080
2737	瑩	E7AB	E7AB	5D87	E7AB	F4CN0080
2738	寧	E7AC	E7AC	6A72	E7AC	F69E0080
2739	嶺	E7AD	E7AD	6A73	E7AD	F69F0080
2740	嶸	E7AE	E7AE	6A74	E7AE	F69G0080
2741	影	E7AF	E7AF	5D89	E7AF	F4CP0080
2742	伶	E7B0	E7B0	6A75	E7B0	F69H0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 45 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2743	映	E7B1	E7B1	5D8A	E7B1	F4CQ0080
2744	暎	E7B2	E7B2	5D8B	E7B2	F4CR0080
2745	楹	E7B3	E7B3	5D8C	E7B3	F4CS0080
2746	榮	E7B4	E7B4	5D8D	E7B4	F4CT0080
2747	永	E7B5	E7B5	5D8E	E7B5	F4CU0080
2748	泳	E7B6	E7B6	5D8F	E7B6	F4CV0080
2749	漢	E7B7	E7B7	6A76	E7B7	F69I0080
2750	穎	E7B8	E7B8	5D90	E7B8	F4CW0080
2751	滌	E7B9	E7B9	6A77	E7B9	F69J0080
2752	瀛	E7BA	E7BA	5D91	E7BA	F4CX0080
2753	灣	E7BB	E7BB	6A78	E7BB	F69K0080
2754	煨	E7BC	E7BC	6A79	E7BC	F69L0080
2755	營	E7BD	E7BD	5D92	E7BD	F4CY0080
2756	擥	E7BE	E7BE	6A7A	E7BE	F69M0080
2757	玲	E7BF	E7BF	6A7B	E7BF	F69N0080
2758	瑛	E7C0	E7C0	5D93	E7C0	F4CZ0080
2759	瑩	E7C1	E7C1	5D94	E7C1	F4D00080
2760	櫻	E7C2	E7C2	5D95	E7C2	F4D10080
2761	盈	E7C3	E7C3	5D96	E7C3	F4D20080
2762	穎	E7C4	E7C4	6A7C	E7C4	F69O0080
2763	櫻	E7C5	E7C5	5D97	E7C5	F4D30080
2764	矜	E7C6	E7C6	6A7D	E7C6	F69P0080
2765	聆	E7C7	E7C7	6A7E	E7C7	F69Q0080
2766	英	E7C8	E7C8	5D98	E7C8	F4D40080
2767	詠	E7C9	E7C9	5D99	E7C9	F4D50080
2768	迎	E7CA	E7CA	5D9A	E7CA	F4D60080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 46 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2769	鈴	E7CB	E7CB	6A7F	E7CB	F69R0080
2770	鎂	E7CC	E7CC	6A80	E7CC	F69S0080
2771	零	E7CD	E7CD	6A81	E7CD	F69T0080
2772	翼	E7CE	E7CE	6A82	E7CE	F69U0080
2773	靈	E7CF	E7CF	6A83	E7CF	F69V0080
2774	領	E7D0	E7D0	6A84	E7D0	F69W0080
2775	乂	E7D1	E7D1	6A85	E7D1	F69X0080
2776	倪	E7D2	E7D2	5D9B	E7D2	F4D70080
2777	例	E7D3	E7D3	6A86	E7D3	F69Y0080
2778	刈	E7D4	E7D4	5D9C	E7D4	F4D80080
2779	叡	E7D5	E7D5	5D9D	E7D5	F4D90080
2780	曳	E7D6	E7D6	5D9E	E7D6	F4DA0080
2781	訥	E7D7	E7D7	6A87	E7D7	F69Z0080
2782	滅	E7D8	E7D8	5D9F	E7D8	F4DB0080
2783	猊	E7D9	E7D9	5DA0	E7D9	F4DC0080
2784	睿	E7DA	E7DA	5DA2	E7DA	F4DE0080
2785	穢	E7DB	E7DB	6A88	E7DB	F6A00080
2786	芮	E7DC	E7DC	5DA4	E7DC	F4DG0080
2787	藝	E7DD	E7DD	5DA6	E7DD	F4DI0080
2788	藁	E7DE	E7DE	5DA7	E7DE	F4DJ0080
2789	禮	E7DF	E7DF	6A89	E7DF	F6A10080
2790	裔	E7E0	E7E0	5DA8	E7E0	F4DK0080
2791	詣	E7E1	E7E1	5DA9	E7E1	F4DL0080
2792	譽	E7E2	E7E2	5DAA	E7E2	F4DM0080
2793	豫	E7E3	E7E3	5DAB	E7E3	F4DN0080
2794	醴	E7E4	E7E4	6A8A	E7E4	F6A20080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 47 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2795	銳	E7E5	E7E5	5DAC	E7E5	F4DO0080
2796	隸	E7E6	E7E6	6A8B	E7E6	F6A30080
2797	霓	E7E7	E7E7	5DAD	E7E7	F4DP0080
2798	預	E7E8	E7E8	5DAE	E7E8	F4DQ0080
2799	五	E7E9	E7E9	5DAF	E7E9	F4DR0080
2800	伍	E7EA	E7EA	5DB0	E7EA	F4DS0080
2801	倍	E7EB	E7EB	6A8C	E7EB	F6A40080
2802	傲	E7EC	E7EC	5DB1	E7EC	F4DT0080
2803	午	E7ED	E7ED	5DB2	E7ED	F4DU0080
2804	吾	E7EE	E7EE	5DC4	E7EE	F4EC0080
2805	吳	E7EF	E7EF	5DB3	E7EF	F4DV0080
2806	鳴	E7F0	E7F0	5DB4	E7F0	F4DW0080
2807	塢	E7F1	E7F1	6A8D	E7F1	F6A50080
2808	塢	E7F2	E7F2	5DB5	E7F2	F4DX0080
2809	奧	E7F3	E7F3	5DB6	E7F3	F4DY0080
2810	娛	E7F4	E7F4	5DB7	E7F4	F4DZ0080
2811	寤	E7F5	E7F5	5DB8	E7F5	F4E00080
2812	悟	E7F6	E7F6	5DB9	E7F6	F4E10080
2813	惡	E7F7	E7F7	5DBA	E7F7	F4E20080
2814	懊	E7F8	E7F8	6A8E	E7F8	F6A60080
2815	敖	E7F9	E7F9	6A8F	E7F9	F6A70080
2816	阡	E7FA	E7FA	5DBB	E7FA	F4E30080
2817	晤	E7FB	E7FB	5DBC	E7FB	F4E40080
2818	梧	E7FC	E7FC	5DBD	E7FC	F4E50080
2819	汚	E7FD	E7FD	5DBE	E7FD	F4E60080
2820	澳	E7FE	E7FE	6A90	E7FE	F6A80080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 48 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2821	烏	E8A1	E8A1	5DBF	E8A1	F4E70080
2822	熬	E8A2	E8A2	6A91	E8A2	F6A90080
2823	葵	E8A3	E8A3	5DC0	E8A3	F4E80080
2824	奠	E8A4	E8A4	6A92	E8A4	F6AA0080
2825	蜈	E8A5	E8A5	5DC1	E8A5	F4E90080
2826	誤	E8A6	E8A6	5DC2	E8A6	F4EA0080
2827	鰲	E8A7	E8A7	6A93	E8A7	F6AB0080
2828	鼇	E8A8	E8A8	6A94	E8A8	F6AC0080
2829	屋	E8A9	E8A9	5DC5	E8A9	F4ED0080
2830	沃	E8AA	E8AA	5DC6	E8AA	F4EE0080
2831	獄	E8AB	E8AB	5DC7	E8AB	F4EF0080
2832	玉	E8AC	E8AC	5DC8	E8AC	F4EG0080
2833	鈺	E8AD	E8AD	5DC9	E8AD	F4EH0080
2834	溫	E8AE	E8AE	5DCB	E8AE	F4EJ0080
2835	璦	E8AF	E8AF	5DCC	E8AF	F4EK0080
2836	瘟	E8B0	E8B0	5DCD	E8B0	F4EL0080
2837	穩	E8B1	E8B1	5DCE	E8B1	F4EM0080
2838	縉	E8B2	E8B2	6A95	E8B2	F6AD0080
2839	蘊	E8B3	E8B3	5DD0	E8B3	F4EQ0080
2840	兀	E8B4	E8B4	5DD2	E8B4	F4EQ0080
2841	壅	E8B5	E8B5	5DD3	E8B5	F4ER0080
2842	擁	E8B6	E8B6	5DD6	E8B6	F4EU0080
2843	瓮	E8B7	E8B7	5DD4	E8B7	F4ES0080
2844	甕	E8B8	E8B8	5DD7	E8B8	F4EV0080
2845	癰	E8B9	E8B9	5DD5	E8B9	F4ET0080
2846	翁	E8BA	E8BA	5DD8	E8BA	F4EW0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 49 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2847	邕	E8BB	E8BB	5DD9	E8BB	F4EX0080
2848	雍	E8BC	E8BC	5DDA	E8BC	F4EY0080
2849	雍	E8BD	E8BD	6A96	E8BD	F6AE0080
2850	渦	E8BE	E8BE	5DDB	E8BE	F4EZ0080
2851	瓦	E8BF	E8BF	5DDC	E8BF	F4F00080
2852	窩	E8C0	E8C0	5DDD	E8C0	F4F10080
2853	窪	E8C1	E8C1	6A97	E8C1	F6AF0080
2854	臥	E8C2	E8C2	5DE1	E8C2	F4F50080
2855	蛙	E8C3	E8C3	5DDE	E8C3	F4F20080
2856	蝸	E8C4	E8C4	5DDF	E8C4	F4F30080
2857	訛	E8C5	E8C5	5DE0	E8C5	F4F40080
2858	婉	E8C6	E8C6	5DE2	E8C6	F4F60080
2859	完	E8C7	E8C7	5DE3	E8C7	F4F70080
2860	宛	E8C8	E8C8	5DE4	E8C8	F4F80080
2861	椀	E8C9	E8C9	6A98	E8C9	F6AG0080
2862	椀	E8CA	E8CA	6A99	E8CA	F6AH0080
2863	浣	E8CB	E8CB	5DE5	E8CB	F4F90080
2864	玩	E8CC	E8CC	5DE6	E8CC	F4FA0080
2865	琬	E8CD	E8CD	6A9A	E8CD	F6AI0080
2866	琬	E8CE	E8CE	5DE7	E8CE	F4FB0080
2867	碗	E8CF	E8CF	5DE8	E8CF	F4FC0080
2868	緩	E8D0	E8D0	5DE9	E8D0	F4FD0080
2869	翫	E8D1	E8D1	5DEA	E8D1	F4FE0080
2870	腕	E8D2	E8D2	6A9B	E8D2	F6AJ0080
2871	腕	E8D3	E8D3	5DEB	E8D3	F4FF0080
2872	莞	E8D4	E8D4	5DEC	E8D4	F4FG0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 50 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2873	颯	E8D5	E8D5	5DED	E8D5	F4FH0080
2874	阮	E8D6	E8D6	5DEE	E8D6	F4FI0080
2875	頑	E8D7	E8D7	5DEF	E8D7	F4FJ0080
2876	臼	E8D8	E8D8	5DF0	E8D8	F4FK0080
2877	往	E8D9	E8D9	5DF1	E8D9	F4FL0080
2878	旺	E8DA	E8DA	5DF2	E8DA	F4FM0080
2879	枉	E8DB	E8DB	5DF3	E8DB	F4FN0080
2880	汪	E8DC	E8DC	5DF4	E8DC	F4FO0080
2881	王	E8DD	E8DD	5DF5	E8DD	F4FP0080
2882	倭	E8DE	E8DE	5DF6	E8DE	F4FQ0080
2883	娃	E8DF	E8DF	6A9C	E8DF	F6AK0080
2884	歪	E8E0	E8E0	5DF7	E8E0	F4FR0080
2885	矮	E8E1	E8E1	5DF8	E8E1	F4FS0080
2886	外	E8E2	E8E2	5DF9	E8E2	F4FT0080
2887	嵬	E8E3	E8E3	6A9D	E8E3	F6AL0080
2888	巍	E8E4	E8E4	5DFA	E8E4	F4FU0080
2889	猥	E8E5	E8E5	5DFB	E8E5	F4FV0080
2890	畏	E8E6	E8E6	5DFC	E8E6	F4FW0080
2891	了	E8E7	E8E7	6A9E	E8E7	F6AM0080
2892	僚	E8E8	E8E8	6A9F	E8E8	F6AN0080
2893	僥	E8E9	E8E9	5DFD	E8E9	F4FX0080
2894	凹	E8EA	E8EA	5DFE	E8EA	F4FY0080
2895	堯	E8EB	E8EB	5E41	E8EB	F4G10080
2896	夭	E8EC	E8EC	5E42	E8EC	F4G20080
2897	妖	E8ED	E8ED	5E43	E8ED	F4G30080
2898	姚	E8EE	E8EE	5E44	E8EE	F4G40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 51 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2899	寥	E8EF	E8EF	6AA0	E8EF	F6AO0080
2900	寮	E8F0	E8F0	6AA1	E8F0	F6AP0080
2901	尿	E8F1	E8F1	6AA2	E8F1	F6AQ0080
2902	嶢	E8F2	E8F2	5E45	E8F2	F4G50080
2903	拗	E8F3	E8F3	5E46	E8F3	F4G60080
2904	搖	E8F4	E8F4	5E47	E8F4	F4G70080
2905	撓	E8F5	E8F5	6AA3	E8F5	F6AR0080
2906	擾	E8F6	E8F6	5E48	E8F6	F4G80080
2907	料	E8F7	E8F7	6AA4	E8F7	F6AS0080
2908	曜	E8F8	E8F8	5E49	E8F8	F4G90080
2909	樂	E8F9	E8F9	5E4B	E8F9	F4GB0080
2910	橈	E8FA	E8FA	5E4C	E8FA	F4GC0080
2911	燎	E8FB	E8FB	6AA5	E8FB	F6AT0080
2912	耀	E8FC	E8FC	6AA6	E8FC	F6AU0080
2913	瑤	E8FD	E8FD	5E4D	E8FD	F4GD0080
2914	療	E8FE	E8FE	6AA7	E8FE	F6AV0080
2915	窈	E9A1	E9A1	5E4E	E9A1	F4GE0080
2916	窯	E9A2	E9A2	5E4F	E9A2	F4GF0080
2917	繇	E9A3	E9A3	5E50	E9A3	F4GG0080
2918	繞	E9A4	E9A4	5E51	E9A4	F4GH0080
2919	耀	E9A5	E9A5	5E52	E9A5	F4GI0080
2920	腰	E9A6	E9A6	5E4A	E9A6	F4GA0080
2921	蓼	E9A7	E9A7	6AA8	E9A7	F6AW0080
2922	嶢	E9A8	E9A8	5E54	E9A8	F4GK0080
2923	要	E9A9	E9A9	5E55	E9A9	F4GL0080
2924	謠	E9AA	E9AA	5E56	E9AA	F4GM0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 52 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2925	遙	E9AB	E9AB	5E57	E9AB	F4GN0080
2926	遼	E9AC	E9AC	6AA9	E9AC	F6AX0080
2927	邀	E9AD	E9AD	5E58	E9AD	F4GO0080
2928	饒	E9AE	E9AE	5E59	E9AE	F4GP0080
2929	慾	E9AF	E9AF	5E5B	E9AF	F4GR0080
2930	欲	E9B0	E9B0	5E5C	E9B0	F4GS0080
2931	浴	E9B1	E9B1	5E5D	E9B1	F4GT0080
2932	縲	E9B2	E9B2	6AAA	E9B2	F6AY0080
2933	褫	E9B3	E9B3	5E5E	E9B3	F4GU0080
2934	辱	E9B4	E9B4	5E5A	E9B4	F4GQ0080
2935	備	E9B5	E9B5	6AAB	E9B5	F6AZ0080
2936	傭	E9B6	E9B6	5E5F	E9B6	F4GV0080
2937	冗	E9B7	E9B7	5E63	E9B7	F4GZ0080
2938	勇	E9B8	E9B8	5E60	E9B8	F4GW0080
2939	埶	E9B9	E9B9	6AAC	E9B9	F6B00080
2940	墉	E9BA	E9BA	6AAD	E9BA	F6B10080
2941	容	E9BB	E9BB	5E61	E9BB	F4GX0080
2942	庸	E9BC	E9BC	5E62	E9BC	F4GY0080
2943	滂	E9BD	E9BD	6AAE	E9BD	F6B20080
2944	榕	E9BE	E9BE	5E64	E9BE	F4H00080
2945	涌	E9BF	E9BF	6AAF	E9BF	F6B30080
2946	湧	E9C0	E9C0	5E65	E9C0	F4H10080
2947	溶	E9C1	E9C1	5E66	E9C1	F4H20080
2948	熔	E9C2	E9C2	5E67	E9C2	F4H30080
2949	瑤	E9C3	E9C3	5E68	E9C3	F4H40080
2950	用	E9C4	E9C4	5E69	E9C4	F4H50080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 53 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2951	甬	E9C5	E9C5	6AB0	E9C5	F6B40080
2952	聳	E9C6	E9C6	5E6A	E9C6	F4H60080
2953	茸	E9C7	E9C7	5E6C	E9C7	F4H80080
2954	蓉	E9C8	E9C8	5E6D	E9C8	F4H90080
2955	踊	E9C9	E9C9	5E6F	E9C9	F4HB0080
2956	鎔	E9CA	E9CA	5E70	E9CA	F4HC0080
2957	鏞	E9CB	E9CB	5E71	E9CB	F4HD0080
2958	龍	E9CC	E9CC	6AB1	E9CC	F6B50080
2959	于	E9CD	E9CD	5E7C	E9CD	F4HO0080
2960	佑	E9CE	E9CE	5E72	E9CE	F4HE0080
2961	偶	E9CF	E9CF	5E73	E9CF	F4HF0080
2962	優	E9D0	E9D0	5E74	E9D0	F4HG0080
2963	又	E9D1	E9D1	5E75	E9D1	F4HH0080
2964	友	E9D2	E9D2	5E76	E9D2	F4HI0080
2965	右	E9D3	E9D3	5E77	E9D3	F4HJ0080
2966	宇	E9D4	E9D4	5E79	E9D4	F4HL0080
2967	寓	E9D5	E9D5	5E7A	E9D5	F4HM0080
2968	尤	E9D6	E9D6	5E7B	E9D6	F4HN0080
2969	愚	E9D7	E9D7	5E7D	E9D7	F4HP0080
2970	憂	E9D8	E9D8	5E7E	E9D8	F4HQ0080
2971	吁	E9D9	E9D9	6AB2	E9D9	F6B60080
2972	牛	E9DA	E9DA	5E7F	E9DA	F4HR0080
2973	玗	E9DB	E9DB	6AB3	E9DB	F6B70080
2974	瑤	E9DC	E9DC	6AB4	E9DC	F6B80080
2975	盂	E9DD	E9DD	5E80	E9DD	F4HS0080
2976	祐	E9DE	E9DE	5E81	E9DE	F4HT0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 54 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
2977	禍	E9DF	E9DF	5E82	E9DF	F4HU0080
2978	禹	E9E0	E9E0	5E83	E9E0	F4HV0080
2979	紆	E9E1	E9E1	6AB5	E9E1	F6B90080
2980	羽	E9E2	E9E2	5E84	E9E2	F4HW0080
2981	芋	E9E3	E9E3	5E85	E9E3	F4HX0080
2982	藕	E9E4	E9E4	6AB6	E9E4	F6BA0080
2983	虞	E9E5	E9E5	5E86	E9E5	F4HY0080
2984	迂	E9E6	E9E6	5E87	E9E6	F4HZ0080
2985	遇	E9E7	E9E7	5E88	E9E7	F4I00080
2986	郵	E9E8	E9E8	5E89	E9E8	F4I10080
2987	釘	E9E9	E9E9	6AB7	E9E9	F6BB0080
2988	隅	E9EA	E9EA	5E8A	E9EA	F4I20080
2989	雨	E9EB	E9EB	5E8B	E9EB	F4I30080
2990	雩	E9EC	E9EC	5E8C	E9EC	F4I40080
2991	勛	E9ED	E9ED	6AB8	E9ED	F6BC0080
2992	噫	E9EE	E9EE	6AB9	E9EE	F6BD0080
2993	旭	E9EF	E9EF	5E8D	E9EF	F4I50080
2994	昱	E9F0	E9F0	5E8E	E9F0	F4I60080
2995	梢	E9F1	E9F1	6ABA	E9F1	F6BE0080
2996	煜	E9F2	E9F2	5E8F	E9F2	F4I70080
2997	穢	E9F3	E9F3	5E90	E9F3	F4I80080
2998	郁	E9F4	E9F4	5E91	E9F4	F4I90080
2999	頊	E9F5	E9F5	5E92	E9F5	F4IA0080
3000	云	E9F6	E9F6	5E93	E9F6	F4IB0080
3001	暈	E9F7	E9F7	5E94	E9F7	F4IC0080
3002	標	E9F8	E9F8	6ABB	E9F8	F6BF0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 55 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3003	殞	E9F9	E9F9	5E95	E9F9	F4ID0080
3004	灑	E9FA	E9FA	6ABC	E9FA	F6BG0080
3005	熾	E9FB	E9FB	6ABD	E9FB	F6BH0080
3006	耘	E9FC	E9FC	5E96	E9FC	F4IE0080
3007	芸	E9FD	E9FD	5E97	E9FD	F4IF0080
3008	藝	E9FE	E9FE	6ABE	E9FE	F6BI0080
3009	運	EAA1	EAA1	5E98	EAA1	F4IG0080
3010	隕	EAA2	EAA2	5E99	EAA2	F4IH0080
3011	雲	EAA3	EAA3	5E9A	EAA3	F4II0080
3012	韻	EAA4	EAA4	5E9B	EAA4	F4IJ0080
3013	蔚	EAA5	EAA5	5E9D	EAA5	F4IL0080
3014	鬱	EAA6	EAA6	5E9E	EAA6	F4IM0080
3015	亏	EAA7	EAA7	6ABF	EAA7	F6BJ0080
3016	熊	EAA8	EAA8	5E9F	EAA8	F4IN0080
3017	雄	EAA9	EAA9	5EA0	EAA9	F4IO0080
3018	元	EAAA	EAAA	5EA1	EAAA	F4IP0080
3019	原	EAA8	EAA8	5EA2	EAA8	F4IQ0080
3020	員	EAA8	EAA8	5EA3	EAA8	F4IR0080
3021	圓	EAA8	EAA8	5EA5	EAA8	F4IT0080
3022	園	EAA8	EAA8	5EA4	EAA8	F4IS0080
3023	垣	EAA8	EAA8	5EA7	EAA8	F4IV0080
3024	媛	EAB0	EAB0	5EA8	EAB0	F4IW0080
3025	嫵	EAB1	EAB1	6AC0	EAB1	F6BK0080
3026	冤	EAB2	EAB2	5EA9	EAB2	F4IX0080
3027	怨	EAB3	EAB3	5EAA	EAB3	F4IY0080
3028	愿	EAB4	EAB4	5EAB	EAB4	F4IZ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 56 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3029	援	EAB5	EAB5	5EAC	EAB5	F4J00080
3030	沅	EAB6	EAB6	6AC1	EAB6	F6BL0080
3031	洹	EAB7	EAB7	6AC2	EAB7	F6BM0080
3032	浚	EAB8	EAB8	6AC3	EAB8	F6BN0080
3033	源	EAB9	EAB9	5EAD	EAB9	F4J10080
3034	爰	EABA	EABA	5EA6	EABA	F4IU0080
3035	猿	EABB	EABB	5EAE	EABB	F4J20080
3036	璦	EABC	EABC	5EAF	EABC	F4J30080
3037	苑	EABD	EABD	5EB0	EABD	F4J40080
3038	袁	EABE	EABE	5EB2	EABE	F4J60080
3039	轅	EABF	EABF	5EB3	EABF	F4J70080
3040	遠	EAC0	EAC0	5EB4	EAC0	F4J80080
3041	阮	EAC1	EAC1	6AC4	EAC1	F6BO0080
3042	院	EAC2	EAC2	5EB5	EAC2	F4J90080
3043	願	EAC3	EAC3	5EB6	EAC3	F4JA0080
3044	鴛	EAC4	EAC4	5EB7	EAC4	F4JB0080
3045	月	EAC5	EAC5	5EB8	EAC5	F4JC0080
3046	越	EAC6	EAC6	5EB9	EAC6	F4JD0080
3047	鉞	EAC7	EAC7	5EBA	EAC7	F4JE0080
3048	位	EAC8	EAC8	5EBB	EAC8	F4JF0080
3049	偉	EAC9	EAC9	5EBC	EAC9	F4JG0080
3050	僞	EACA	EACA	5EBD	EACA	F4JH0080
3051	危	EACB	EACB	5EBE	EACB	F4JI0080
3052	圍	EACC	EACC	5EBF	EACC	F4JJ0080
3053	委	EACD	EACD	5EC0	EACD	F4JK0080
3054	威	EACE	EACE	5EC4	EACE	F4JO0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 57 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3055	尉	EACF	EACF	5EC1	EACF	F4JL0080
3056	慰	EAD0	EAD0	5EC3	EAD0	F4JN0080
3057	曄	EAD1	EAD1	6AC5	EAD1	F6BP0080
3058	渭	EAD2	EAD2	5EC5	EAD2	F4JP0080
3059	爲	EAD3	EAD3	5EC6	EAD3	F4JQ0080
3060	瑋	EAD4	EAD4	5EC7	EAD4	F4JR0080
3061	緯	EAD5	EAD5	5EC8	EAD5	F4JS0080
3062	胃	EAD6	EAD6	5EC9	EAD6	F4JT0080
3063	菱	EAD7	EAD7	5ECA	EAD7	F4JU0080
3064	葦	EAD8	EAD8	5ECB	EAD8	F4JV0080
3065	薦	EAD9	EAD9	6AC6	EAD9	F6BQ0080
3066	蝟	EADA	EADA	5ECC	EADA	F4JW0080
3067	衛	EADB	EADB	5ECD	EADB	F4JX0080
3068	樟	EADC	EADC	6AC7	EADC	F6BR0080
3069	謂	EADD	EADD	5ECF	EADD	F4JZ0080
3070	違	EADE	EADE	5ED0	EADE	F4K00080
3071	韋	EADF	EADF	5ED1	EADF	F4K10080
3072	魏	EAE0	EAE0	5ED2	EAE0	F4K20080
3073	乳	EAE1	EAE1	5ED3	EAE1	F4K30080
3074	侑	EAE2	EAE2	5ED5	EAE2	F4K50080
3075	儒	EAE3	EAE3	5ED6	EAE3	F4K60080
3076	兪	EAE4	EAE4	5ED7	EAE4	F4K70080
3077	劉	EAE5	EAE5	6AC8	EAE5	F6BS0080
3078	唯	EAE6	EAE6	5ED9	EAE6	F4K90080
3079	喻	EAE7	EAE7	5EDA	EAE7	F4KA0080
3080	孺	EAE8	EAE8	5EDC	EAE8	F4KC0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 58 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3081	宥	EAE9	EAE9	5EDD	EAE9	F4KD0080
3082	幼	EAEA	EAEA	5ED8	EAEA	F4K80080
3083	幽	EAEB	EAEB	5EDF	EAEB	F4KF0080
3084	庾	EAEC	EAEC	5EE0	EAEC	F4KG0080
3085	悠	EAED	EAED	5EE1	EAED	F4KH0080
3086	惟	EAEF	EAEF	5EE2	EAEF	F4KI0080
3087	愈	EAEF	EAEF	5EE4	EAEF	F4KK0080
3088	愉	EAF0	EAF0	5EE3	EAF0	F4KJ0080
3089	揄	EAF1	EAF1	5EE5	EAF1	F4KL0080
3090	攸	EAF2	EAF2	5ED4	EAF2	F4K40080
3091	有	EAF3	EAF3	5EE6	EAF3	F4KM0080
3092	杻	EAF4	EAF4	6AC9	EAF4	F6BT0080
3093	柔	EAF5	EAF5	5EE7	EAF5	F4KN0080
3094	柚	EAF6	EAF6	5EE8	EAF6	F4KO0080
3095	柳	EAF7	EAF7	6ACA	EAF7	F6BU0080
3096	榆	EAF8	EAF8	5EE9	EAF8	F4KP0080
3097	檣	EAF9	EAF9	6ACB	EAF9	F6BV0080
3098	油	EAFA	EAFA	5EEA	EAFA	F4KQ0080
3099	洧	EAFB	EAFB	6ACC	EAFB	F6BW0080
3100	流	E AFC	E AFC	6ACD	E AFC	F6BX0080
3101	游	EAFD	EAFD	5EEB	EAFD	F4KR0080
3102	溜	EAFE	EAFE	6ACE	EAFE	F6BY0080
3103	濡	EBA1	EBA1	5EEC	EBA1	F4KS0080
3104	猶	EBA2	EBA2	5EED	EBA2	F4KT0080
3105	猷	EBA3	EBA3	6ACF	EBA3	F6BZ0080
3106	琉	EBA4	EBA4	6AD0	EBA4	F6C00080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 59 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3107	瑜	EBA5	EBA5	5EEE	EBA5	F4KU0080
3108	由	EBA6	EBA6	5EEF	EBA6	F4KV0080
3109	留	EBA7	EBA7	6AD1	EBA7	F6C10080
3110	癒	EBA8	EBA8	5EF0	EBA8	F4KW0080
3111	硫	EBA9	EBA9	6AD2	EBA9	F6C20080
3112	紐	EBAA	EBAA	6AD3	EBAA	F6C30080
3113	維	EBAB	EBAB	5EF1	EBAB	F4KX0080
3114	臾	EBAC	EBAC	5EF2	EBAC	F4KY0080
3115	奠	EBAD	EBAD	5EF3	EBAD	F4KZ0080
3116	裕	EBAE	EBAE	5EF5	EBAE	F4L10080
3117	誘	EBAF	EBAF	5EF6	EBAF	F4L20080
3118	諛	EBB0	EBB0	5EF7	EBB0	F4L30080
3119	諭	EBB1	EBB1	5EF8	EBB1	F4L40080
3120	踰	EBB2	EBB2	5EFA	EBB2	F4L60080
3121	蹂	EBB3	EBB3	5EF9	EBB3	F4L50080
3122	遊	EBB4	EBB4	5EFB	EBB4	F4L70080
3123	逾	EBB5	EBB5	5EFC	EBB5	F4L80080
3124	遺	EBB6	EBB6	5EFD	EBB6	F4L90080
3125	酉	EBB7	EBB7	5EFE	EBB7	F4LA0080
3126	釉	EBB8	EBB8	5F41	EBB8	F4LD0080
3127	鎗	EBB9	EBB9	5F42	EBB9	F4LE0080
3128	類	EBBA	EBBA	6AD4	EBBA	F6C40080
3129	六	EBBB	EBBB	6AD5	EBBB	F6C50080
3130	埴	EBBC	EBBC	6AD6	EBBC	F6C60080
3131	戮	EBBD	EBBD	6AD7	EBBD	F6C70080
3132	毓	EBBE	EBBE	5F44	EBBE	F4LG0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 60 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3133	肉	EBBF	EBBF	5F45	EBBF	F4LH0080
3134	育	EBC0	EBC0	5F46	EBC0	F4LI0080
3135	陸	EBC1	EBC1	6AD8	EBC1	F6C80080
3136	倫	EBC2	EBC2	6AD9	EBC2	F6C90080
3137	允	EBC3	EBC3	5F48	EBC3	F4LK0080
3138	齏	EBC4	EBC4	5F49	EBC4	F4LL0080
3139	尹	EBC5	EBC5	5F4A	EBC5	F4LM0080
3140	崙	EBC6	EBC6	6ADA	EBC6	F6CA0080
3141	淪	EBC7	EBC7	6ADB	EBC7	F6CB0080
3142	潤	EBC8	EBC8	5F4B	EBC8	F4LN0080
3143	玠	EBC9	EBC9	5F4C	EBC9	F4LO0080
3144	胤	EBCA	EBCA	5F4D	EBCA	F4LP0080
3145	贊	EBCB	EBCB	6ADC	EBCB	F6CC0080
3146	輪	EBCC	EBCC	6ADD	EBCC	F6CD0080
3147	鈞	EBCD	EBCD	6ADE	EBCD	F6CE0080
3148	閏	EBCE	EBCE	5F4E	EBCE	F4LQ0080
3149	律	EBCF	EBCF	6ADF	EBCF	F6CF0080
3150	慄	EBD0	EBD0	6AE0	EBD0	F6CG0080
3151	栗	EBD1	EBD1	6AE1	EBD1	F6CH0080
3152	率	EBD2	EBD2	6AE2	EBD2	F6CI0080
3153	聿	EBD3	EBD3	5F4F	EBD3	F4LR0080
3154	戎	EBD4	EBD4	5F50	EBD4	F4LS0080
3155	澌	EBD5	EBD5	6AE3	EBD5	F6CJ0080
3156	絨	EBD6	EBD6	5F51	EBD6	F4LT0080
3157	融	EBD7	EBD7	5F52	EBD7	F4LU0080
3158	隆	EBD8	EBD8	6AE4	EBD8	F6CK0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 61 of 62). KS Hanja Character Set (2 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3159	垠	EBD9	EBD9	5F53	EBD9	F4LV0080
3160	恩	EBDA	EBDA	5F54	EBDA	F4LW0080
3161	殷	EBDB	EBDB	5F55	EBDB	F4LX0080
3162	殷	EBDC	EBDC	5F57	EBDC	F4LZ0080
3163	閻	EBDD	EBDD	5F5A	EBDD	F4M20080
3164	銀	EBDE	EBDE	5F59	EBDE	F4M10080
3165	隱	EBDF	EBDF	5F5B	EBDF	F4M30080
3166	乙	EBE0	EBE0	5F5D	EBE0	F4M50080
3167	吟	EBE1	EBE1	5F5E	EBE1	F4M60080
3168	淫	EBE2	EBE2	5F5F	EBE2	F4M70080
3169	蔭	EBE3	EBE3	5F60	EBE3	F4M80080
3170	陰	EBE4	EBE4	5F61	EBE4	F4M90080
3171	音	EBE5	EBE5	5F63	EBE5	F4MB0080
3172	飲	EBE6	EBE6	5F62	EBE6	F4MA0080
3173	捐	EBE7	EBE7	5F65	EBE7	F4MD0080
3174	泣	EBE8	EBE8	5F66	EBE8	F4ME0080
3175	邑	EBE9	EBE9	5F67	EBE9	F4MF0080
3176	凝	EBEA	EBEA	5F68	EBEA	F4MG0080
3177	應	EBEB	EBEB	5F69	EBEB	F4MH0080
3178	膺	EBEC	EBEC	5F6A	EBEC	F4MI0080
3179	鷹	EBED	EBED	5F6B	EBED	F4MJ0080
3180	依	EBEE	EBEE	5F6C	EBEE	F4MK0080
3181	倚	EBEF	EBEF	5F6D	EBEF	F4ML0080
3182	儀	EBF0	EBF0	5F6E	EBF0	F4MM0080
3183	宜	EBF1	EBF1	5F71	EBF1	F4MP0080
3184	意	EBF2	EBF2	5F72	EBF2	F4MQ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 62 of 62). KS Hanja Character Set (2 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3185	懿	EBF3	EBF3	5F73	EBF3	F4MR0080
3186	擬	EBF4	EBF4	5F74	EBF4	F4MS0080
3187	椅	EBF5	EBF5	6AE5	EBF5	F6CL0080
3188	毅	EBF6	EBF6	5F75	EBF6	F4MT0080
3189	疑	EBF7	EBF7	5F6F	EBF7	F4MN0080
3190	矣	EBF8	EBF8	5F70	EBF8	F4MO0080
3191	義	EBF9	EBF9	5F76	EBF9	F4MU0080
3192	蟻	EBFA	EBFA	5F77	EBFA	F4MV0080
3193	惹	EBFB	EBFB	6AE6	EBFB	F6CM0080
3194	蟻	EBFC	EBFC	5F78	EBFC	F4MW0080
3195	衣	EBFD	EBFD	5F79	EBFD	F4MX0080
3196	誼	EBFE	EBFE	5F7A	EBFE	F4MY0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 1 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3197	議	ECA1	ECA1	5F7B	ECA1	F4MZ0080
3198	醫	ECA2	ECA2	5F7C	ECA2	F4N00080
3199	二	ECA3	ECA3	5F7D	ECA3	F4N10080
3200	以	ECA4	ECA4	5F7E	ECA4	F4N20080
3201	伊	ECA5	ECA5	5F7F	ECA5	F4N30080
3202	利	ECA6	ECA6	6AE7	ECA6	F6CN0080
3203	吏	ECA7	ECA7	6AE8	ECA7	F6CO0080
3204	夷	ECA8	ECA8	5F80	ECA8	F4N40080
3205	姨	ECA9	ECA9	5F81	ECA9	F4N50080
3206	履	ECAA	ECAA	6AE9	ECAA	F6CP0080
3207	已	ECAB	ECAB	5F82	ECAB	F4N60080
3208	弛	ECAC	ECAC	5F84	ECAC	F4N80080
3209	彝	ECAD	ECAD	5F85	ECAD	F4N90080
3210	怡	ECAE	ECAE	5F86	ECAE	F4NA0080
3211	易	ECAF	ECAF	5F87	ECAF	F4NB0080
3212	李	ECB0	ECB0	6AEA	ECB0	F6CQ0080
3213	梨	ECB1	ECB1	6AEB	ECB1	F6CR0080
3214	泥	ECB2	ECB2	6AEC	ECB2	F6CS0080
3215	爾	ECB3	ECB3	5F89	ECB3	F4ND0080
3216	珥	ECB4	ECB4	5F8A	ECB4	F4NE0080
3217	理	ECB5	ECB5	6AED	ECB5	F6CT0080
3218	異	ECB6	ECB6	5F8B	ECB6	F4NF0080
3219	瘕	ECB7	ECB7	5F8C	ECB7	F4NG0080
3220	痢	ECB8	ECB8	6AEE	ECB8	F6CU0080
3221	移	ECB9	ECB9	5F8D	ECB9	F4NH0080
3222	罹	ECBA	ECBA	6AEF	ECBA	F6CV0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 2 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3223	而	ECBB	ECBB	5F8E	ECBB	F4NI0080
3224	耳	ECBC	ECBC	5F8F	ECBC	F4NJ0080
3225	肆	ECBD	ECBD	6AF0	ECBD	F6CW0080
3226	苡	ECBE	ECBE	6AF1	ECBE	F6CX0080
3227	萸	ECBF	ECBF	5F90	ECBF	F4NK0080
3228	裏	ECC0	ECC0	6AF2	ECC0	F6CY0080
3229	裡	ECC1	ECC1	6AF3	ECC1	F6CZ0080
3230	貽	ECC2	ECC2	6AF4	ECC2	F6D00080
3231	貳	ECC3	ECC3	5F83	ECC3	F4N70080
3232	邇	ECC4	ECC4	6AF5	ECC4	F6D10080
3233	里	ECC5	ECC5	6AF6	ECC5	F6D20080
3234	離	ECC6	ECC6	6AF7	ECC6	F6D30080
3235	飴	ECC7	ECC7	5F91	ECC7	F4NL0080
3236	餌	ECC8	ECC8	5F92	ECC8	F4NM0080
3237	匿	ECC9	ECC9	6AF8	ECC9	F6D40080
3238	溺	ECCA	ECCA	6AF9	ECCA	F6D50080
3239	澳	ECCB	ECCB	5F94	ECCB	F4NO0080
3240	益	ECCC	ECCC	5F96	ECCC	F4NQ0080
3241	翊	ECCD	ECCD	5F97	ECCD	F4NR0080
3242	翌	ECCE	ECCE	5F98	ECCE	F4NS0080
3243	翼	ECCF	ECCF	5F95	ECCF	F4NP0080
3244	諡	ECD0	ECD0	6AFA	ECD0	F6D60080
3245	人	ECD1	ECD1	5F99	ECD1	F4NT0080
3246	仁	ECD2	ECD2	5F9A	ECD2	F4NU0080
3247	刃	ECD3	ECD3	5F9C	ECD3	F4NW0080
3248	印	ECD4	ECD4	5F9D	ECD4	F4NX0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 3 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3249	吝	ECD5	ECD5	6AFB	ECD5	F6D70080
3250	咽	ECD6	ECD6	5F9E	ECD6	F4NY0080
3251	因	ECD7	ECD7	5F9F	ECD7	F4NZ0080
3252	姻	ECD8	ECD8	5FA0	ECD8	F4O00080
3253	寅	ECD9	ECD9	5FA1	ECD9	F4O10080
3254	引	ECDA	ECDA	5FA2	ECDA	F4O20080
3255	忍	ECDB	ECDB	5FA3	ECDB	F4O30080
3256	湮	ECDC	ECDC	5FA4	ECDC	F4O40080
3257	燐	ECDD	ECDD	6AFC	ECDD	F6D80080
3258	磷	ECDE	ECDE	6AFD	ECDE	F6D90080
3259	網	ECDF	ECDF	6AFE	ECDF	F6DA0080
3260	茵	ECE0	ECE0	6B41	ECE0	F6DD0080
3261	蘭	ECE1	ECE1	6B42	ECE1	F6DE0080
3262	蚓	ECE2	ECE2	6B43	ECE2	F6DF0080
3263	認	ECE3	ECE3	5FA5	ECE3	F4O50080
3264	隣	ECE4	ECE4	6B44	ECE4	F6DG0080
3265	靱	ECE5	ECE5	5FA6	ECE5	F4O60080
3266	韌	ECE6	ECE6	5FA7	ECE6	F4O70080
3267	鱗	ECE7	ECE7	6B45	ECE7	F6DH0080
3268	麟	ECE8	ECE8	6B46	ECE8	F6DI0080
3269	一	ECE9	ECE9	5FA8	ECE9	F4O80080
3270	佚	ECEA	ECEA	6B47	ECEA	F6DJ0080
3271	侷	ECEB	ECEB	5FA9	ECEB	F4O90080
3272	壹	ECEC	ECEC	5FAA	ECEC	F4OA0080
3273	日	ECED	ECED	5FAB	ECED	F4OB0080
3274	溢	ECEE	ECEE	5FAC	ECEE	F4OC0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 4 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3275	逸	ECEF	ECEF	5FAD	ECEF	F4OD0080
3276	鎰	ECF0	ECF0	5FAE	ECF0	F4OE0080
3277	駟	ECF1	ECF1	5FAF	ECF1	F4OF0080
3278	任	ECF2	ECF2	5FB0	ECF2	F4OG0080
3279	壬	ECF3	ECF3	5FB1	ECF3	F4OH0080
3280	妊	ECF4	ECF4	5FB2	ECF4	F4OI0080
3281	姪	ECF5	ECF5	5FB3	ECF5	F4OJ0080
3282	恁	ECF6	ECF6	6B48	ECF6	F6DK0080
3283	林	ECF7	ECF7	6B49	ECF7	F6DL0080
3284	淋	ECF8	ECF8	6B4A	ECF8	F6DM0080
3285	稔	ECF9	ECF9	5FB4	ECF9	F4OK0080
3286	臨	ECFA	ECFA	6B4B	ECFA	F6DN0080
3287	莅	ECFB	ECFB	5FB5	ECFB	F4OL0080
3288	賃	ECFC	ECFC	5FB6	ECFC	F4OM0080
3289	入	ECFD	ECFD	5FB7	ECFD	F4ON0080
3290	廿	ECFE	ECFE	6B4C	ECFE	F6DO0080
3291	立	EDA1	EDA1	6B4D	EDA1	F6DP0080
3292	笠	EDA2	EDA2	6B4E	EDA2	F6DQ0080
3293	粒	EDA3	EDA3	6B4F	EDA3	F6DR0080
3294	仍	EDA4	EDA4	5FB8	EDA4	F4OO0080
3295	剩	EDA5	EDA5	5FBA	EDA5	F4OQ0080
3296	孕	EDA6	EDA6	5FB9	EDA6	F4OP0080
3297	仍	EDA7	EDA7	6B50	EDA7	F6DS0080
3298	仔	EDA8	EDA8	5FBB	EDA8	F4OR0080
3299	刺	EDA9	EDA9	5FBC	EDA9	F4OS0080
3300	咨	EDAA	EDAA	5FBD	EDAA	F4OT0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 5 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3301	姊	EDAB	EDAB	5FBE	EDAB	F4OU0080
3302	姿	EDAC	EDAC	5FBF	EDAC	F4OV0080
3303	子	EDAD	EDAD	5FC0	EDAD	F4OW0080
3304	字	EDAE	EDAE	5FC2	EDAE	F4OY0080
3305	孜	EDAF	EDAF	5FC1	EDAF	F4OX0080
3306	恣	EDB0	EDB0	5FC3	EDB0	F4OZ0080
3307	慈	EDB1	EDB1	5FC4	EDB1	F4P00080
3308	滋	EDB2	EDB2	5FC5	EDB2	F4P10080
3309	炙	EDB3	EDB3	5FC6	EDB3	F4P20080
3310	煮	EDB4	EDB4	5FC7	EDB4	F4P30080
3311	玆	EDB5	EDB5	5FC8	EDB5	F4P40080
3312	瓷	EDB6	EDB6	5FC9	EDB6	F4P50080
3313	疵	EDB7	EDB7	5FCA	EDB7	F4P60080
3314	磁	EDB8	EDB8	5FCC	EDB8	F4P80080
3315	紫	EDB9	EDB9	5FCE	EDB9	F4PA0080
3316	者	EDBA	EDBA	5FCF	EDBA	F4PB0080
3317	自	EDBB	EDBB	5FD1	EDBB	F4PD0080
3318	茨	EDBC	EDBC	6B51	EDBC	F6DT0080
3319	蔗	EDBD	EDBD	5FD2	EDBD	F4PE0080
3320	藉	EDBE	EDBE	5FD3	EDBE	F4PF0080
3321	諮	EDBF	EDBF	5FD5	EDBF	F4PH0080
3322	資	EDC0	EDC0	5FD6	EDC0	F4PI0080
3323	雌	EDC1	EDC1	5FD8	EDC1	F4PK0080
3324	作	EDC2	EDC2	5FD9	EDC2	F4PL0080
3325	勺	EDC3	EDC3	5FDA	EDC3	F4PM0080
3326	嚼	EDC4	EDC4	5FDB	EDC4	F4PN0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 6 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3327	斫	EDC5	EDC5	5FDC	EDC5	F4PO0080
3328	昨	EDC6	EDC6	5FDD	EDC6	F4PP0080
3329	灼	EDC7	EDC7	5FDF	EDC7	F4PR0080
3330	炸	EDC8	EDC8	5FE0	EDC8	F4PS0080
3331	爵	EDC9	EDC9	5FE1	EDC9	F4PT0080
3332	綽	EDCA	EDCA	5FE2	EDCA	F4PU0080
3333	芎	EDCB	EDCB	5FE3	EDCB	F4PV0080
3334	酌	EDCC	EDCC	5FE4	EDCC	F4PW0080
3335	雀	EDCD	EDCD	5FE5	EDCD	F4PX0080
3336	鵲	EDCE	EDCE	5FE6	EDCE	F4PY0080
3337	孱	EDCF	EDCF	6B52	EDCF	F6DU0080
3338	棧	EDD0	EDD0	5FE7	EDD0	F4PZ0080
3339	殘	EDD1	EDD1	5FE8	EDD1	F4Q00080
3340	潺	EDD2	EDD2	5FE9	EDD2	F4Q10080
3341	盞	EDD3	EDD3	5FEA	EDD3	F4Q20080
3342	岑	EDD4	EDD4	5FEB	EDD4	F4Q30080
3343	暫	EDD5	EDD5	5FEC	EDD5	F4Q40080
3344	潛	EDD6	EDD6	5FED	EDD6	F4Q50080
3345	箴	EDD7	EDD7	5FEF	EDD7	F4Q70080
3346	簪	EDD8	EDD8	5FF0	EDD8	F4Q80080
3347	蠶	EDD9	EDD9	5FF2	EDD9	F4QA0080
3348	雜	EDDA	EDDA	5FF3	EDDA	F4QB0080
3349	丈	EDDB	EDDB	5FF4	EDDB	F4QC0080
3350	仗	EDDC	EDDC	5FF5	EDDC	F4QD0080
3351	匠	EDDD	EDDD	5FF6	EDDD	F4QE0080
3352	場	EDDE	EDDE	5FF7	EDDE	F4QF0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 7 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3353	墻	EDDF	EDDF	5FF8	EDDF	F4QG0080
3354	壯	EDE0	EDE0	6047	EDE0	F4QV0080
3355	獎	EDE1	EDE1	5FF9	EDE1	F4QH0080
3356	將	EDE2	EDE2	6048	EDE2	F4QW0080
3357	帳	EDE3	EDE3	5FFB	EDE3	F4QJ0080
3358	庄	EDE4	EDE4	5FFC	EDE4	F4QK0080
3359	張	EDE5	EDE5	5FFD	EDE5	F4QL0080
3360	掌	EDE6	EDE6	5FFE	EDE6	F4QM0080
3361	璋	EDE7	EDE7	6041	EDE7	F4QP0080
3362	杖	EDE8	EDE8	6042	EDE8	F4QQ0080
3363	樟	EDE9	EDE9	6043	EDE9	F4QR0080
3364	檣	EDEA	EDEA	6044	EDEA	F4QS0080
3365	櫛	EDEB	EDEB	6045	EDEB	F4QT0080
3366	漿	EDEC	EDEC	6046	EDEC	F4QU0080
3367	牆	EDED	EDED	6049	EDED	F4QX0080
3368	狀	EDEE	EDEE	604A	EDEE	F4QY0080
3369	獐	EDEF	EDEF	604B	EDEF	F4QZ0080
3370	璋	EDF0	EDF0	604C	EDF0	F4R00080
3371	章	EDF1	EDF1	604E	EDF1	F4R20080
3372	粧	EDF2	EDF2	604F	EDF2	F4R30080
3373	腸	EDF3	EDF3	6050	EDF3	F4R40080
3374	臧	EDF4	EDF4	6051	EDF4	F4R50080
3375	臧	EDF5	EDF5	6B53	EDF5	F6DV0080
3376	莊	EDF6	EDF6	6052	EDF6	F4R60080
3377	葬	EDF7	EDF7	6053	EDF7	F4R70080
3378	蔣	EDF8	EDF8	6054	EDF8	F4R80080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 8 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3379	蓄	EDF9	EDF9	6055	EDF9	F4R90080
3380	藏	EDFA	EDFA	6056	EDFA	F4RA0080
3381	裝	EDFB	EDFB	6058	EDFB	F4RC0080
3382	贓	EDFC	EDFC	6059	EDFC	F4RD0080
3383	醬	EDFD	EDFD	605A	EDFD	F4RE0080
3384	長	EDFE	EDFE	605B	EDFE	F4RF0080
3385	障	EEA1	EEA1	605C	EEA1	F4RG0080
3386	再	EEA2	EEA2	605D	EEA2	F4RH0080
3387	哉	EEA3	EEA3	605E	EEA3	F4RI0080
3388	在	EEA4	EEA4	605F	EEA4	F4RJ0080
3389	宰	EEA5	EEA5	6060	EEA5	F4RK0080
3390	才	EEA6	EEA6	6061	EEA6	F4RL0080
3391	材	EEA7	EEA7	6062	EEA7	F4RM0080
3392	栽	EEA8	EEA8	6063	EEA8	F4RN0080
3393	梓	EEA9	EEA9	6064	EEA9	F4RO0080
3394	澁	EEAA	EEAA	6B54	EEAA	F6DW0080
3395	滓	EEAB	EEAB	6065	EEAB	F4RP0080
3396	災	EEAC	EEAC	6066	EEAC	F4RQ0080
3397	絳	EEAD	EEAD	6B55	EEAD	F6DX0080
3398	裁	EEAE	EEAE	6068	EEAE	F4RS0080
3399	財	EEAF	EEAF	6069	EEAF	F4RT0080
3400	載	EEB0	EEB0	606A	EEB0	F4RU0080
3401	齋	EEB1	EEB1	606B	EEB1	F4RV0080
3402	齋	EEB2	EEB2	606C	EEB2	F4RW0080
3403	爭	EEB3	EEB3	606D	EEB3	F4RX0080
3404	箏	EEB4	EEB4	606E	EEB4	F4RY0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 9 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3405	諍	EEB5	EEB5	606F	EEB5	F4RZ0080
3406	錚	EEB6	EEB6	6070	EEB6	F4S00080
3407	佇	EEB7	EEB7	6072	EEB7	F4S20080
3408	低	EEB8	EEB8	6071	EEB8	F4S10080
3409	儲	EEB9	EEB9	6073	EEB9	F4S30080
3410	咀	EEBA	EEBA	6074	EEBA	F4S40080
3411	姐	EEBB	EEBB	6075	EEBB	F4S50080
3412	底	EEBC	EEBC	6076	EEBC	F4S60080
3413	抵	EEBD	EEBD	6077	EEBD	F4S70080
3414	杵	EEBE	EEBE	6078	EEBE	F4S80080
3415	楮	EEBF	EEBF	607A	EEBF	F4SA0080
3416	樗	EEC0	EEC0	607B	EEC0	F4SB0080
3417	沮	EEC1	EEC1	607C	EEC1	F4SC0080
3418	渚	EEC2	EEC2	607D	EEC2	F4SD0080
3419	狙	EEC3	EEC3	607E	EEC3	F4SE0080
3420	猪	EEC4	EEC4	607F	EEC4	F4SF0080
3421	疽	EEC5	EEC5	6080	EEC5	F4SG0080
3422	箸	EEC6	EEC6	6081	EEC6	F4SH0080
3423	紵	EEC7	EEC7	6B56	EEC7	F6DY0080
3424	苧	EEC8	EEC8	6082	EEC8	F4SI0080
3425	疽	EEC9	EEC9	6B57	EEC9	F6DZ0080
3426	著	EECA	EECA	6083	EECA	F4SJ0080
3427	藹	EECB	EECB	6084	EECB	F4SK0080
3428	詛	EECC	EECC	6086	EECC	F4SM0080
3429	貯	EECD	EECD	6088	EECD	F4SO0080
3430	躅	EECE	EECE	6089	EECE	F4SP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 10 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3431	這	EECF	EECF	608A	EECF	F4SQ0080
3432	邸	EED0	EED0	608B	EED0	F4SR0080
3433	睢	EED1	EED1	6B58	EED1	F6E00080
3434	齟	EED2	EED2	6B59	EED2	F6E10080
3435	勣	EED3	EED3	608C	EED3	F4SS0080
3436	吊	EED4	EED4	6B5A	EED4	F6E20080
3437	嫡	EED5	EED5	608D	EED5	F4ST0080
3438	寂	EED6	EED6	608E	EED6	F4SU0080
3439	摘	EED7	EED7	608F	EED7	F4SV0080
3440	敵	EED8	EED8	6090	EED8	F4SW0080
3441	滴	EED9	EED9	6091	EED9	F4SX0080
3442	狄	EEDA	EEDA	6092	EEDA	F4SY0080
3443	炙	EEDB	EEDB	6B5B	EEDB	F6E30080
3444	的	EEDC	EEDC	6093	EEDC	F4SZ0080
3445	積	EEDD	EEDD	6094	EEDD	F4T00080
3446	笛	EEDE	EEDE	6095	EEDE	F4T10080
3447	籍	EEDF	EEDF	6096	EEDF	F4T20080
3448	績	EEE0	EEE0	6098	EEE0	F4T40080
3449	翟	EEE1	EEE1	6B5C	EEE1	F6E40080
3450	荻	EEE2	EEE2	6099	EEE2	F4T50080
3451	謫	EEE3	EEE3	609A	EEE3	F4T60080
3452	賊	EEE4	EEE4	609B	EEE4	F4T70080
3453	赤	EEE5	EEE5	609C	EEE5	F4T80080
3454	跡	EEE6	EEE6	609D	EEE6	F4T90080
3455	蹟	EEE7	EEE7	609E	EEE7	F4TA0080
3456	迪	EEE8	EEE8	609F	EEE8	F4TB0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 11 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3457	迹	EEE9	EEE9	60A0	EEE9	F4TC0080
3458	適	EEEE	EEEE	60A1	EEEE	F4TD0080
3459	鎚	EEEB	EEEB	6B5D	EEEB	F6E50080
3460	佃	EEEC	EEEC	6B5E	EEEC	F6E60080
3461	佺	EEED	EEED	6B5F	EEED	F6E70080
3462	傳	EEEE	EEEE	60A2	EEEE	F4TE0080
3463	全	EEEF	EEEF	60A3	EEEF	F4TF0080
3464	典	EEF0	EEF0	60A4	EEF0	F4TG0080
3465	前	EEF1	EEF1	60A5	EEF1	F4TH0080
3466	剪	EEF2	EEF2	60A6	EEF2	F4TI0080
3467	墳	EEF3	EEF3	60A8	EEF3	F4TK0080
3468	搏	EEF4	EEF4	6B60	EEF4	F6E80080
3469	奠	EEF5	EEF5	60A9	EEF5	F4TL0080
3470	專	EEF6	EEF6	60AA	EEF6	F4TM0080
3471	展	EEF7	EEF7	60AB	EEF7	F4TN0080
3472	塵	EEF8	EEF8	60AD	EEF8	F4TP0080
3473	悛	EEF9	EEF9	60AE	EEF9	F4TQ0080
3474	戰	EEFA	EEFA	60AF	EEFA	F4TR0080
3475	栓	EEFB	EEFB	60B0	EEFB	F4TS0080
3476	殿	EEFC	EEFC	60B1	EEFC	F4TT0080
3477	氈	EEFD	EEFD	60B2	EEFD	F4TU0080
3478	澱	EEFE	EEFE	60B3	EEFE	F4TV0080
3479	煎	EFA1	EFA1	60B4	EFA1	F4TW0080
3480	璵	EFA2	EFA2	6B61	EFA2	F6E90080
3481	田	EFA3	EFA3	60B5	EFA3	F4TX0080
3482	甸	EFA4	EFA4	60B6	EFA4	F4TY0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 12 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3483	焮	EFA5	EFA5	6B62	EFA5	F6EA0080
3484	癩	EFA6	EFA6	60B7	EFA6	F4TZ0080
3485	筌	EFA7	EFA7	6B63	EFA7	F6EB0080
3486	箋	EFA8	EFA8	60B9	EFA8	F4U10080
3487	箭	EFA9	EFA9	60BA	EFA9	F4U20080
3488	篆	EFAA	EFAA	60BB	EFAA	F4U30080
3489	纏	EFAB	EFAB	60BC	EFAB	F4U40080
3490	詮	EFAC	EFAC	60BE	EFAC	F4U60080
3491	輓	EFAD	EFAD	60BF	EFAD	F4U70080
3492	轉	EFAE	EFAE	60C0	EFAE	F4U80080
3493	鈿	EFAF	EFAF	60C1	EFAF	F4U90080
3494	銓	EFB0	EFB0	60C2	EFB0	F4UA0080
3495	錢	EFB1	EFB1	60C3	EFB1	F4UB0080
3496	鐫	EFB2	EFB2	6B64	EFB2	F6EC0080
3497	電	EFB3	EFB3	60C4	EFB3	F4UC0080
3498	顛	EFB4	EFB4	60C5	EFB4	F4UD0080
3499	顛	EFB5	EFB5	60C6	EFB5	F4UE0080
3500	錢	EFB6	EFB6	60C7	EFB6	F4UF0080
3501	切	EFB7	EFB7	60C8	EFB7	F4UG0080
3502	截	EFB8	EFB8	60C9	EFB8	F4UH0080
3503	折	EFB9	EFB9	60CA	EFB9	F4UI0080
3504	浙	EFBA	EFBA	60CB	EFBA	F4UJ0080
3505	癩	EFBB	EFBB	6B65	EFBB	F6ED0080
3506	竊	EFBC	EFBC	60CD	EFBC	F4UL0080
3507	節	EFBD	EFBD	60CE	EFBD	F4UM0080
3508	絕	EFBE	EFBE	60CF	EFBE	F4UN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 13 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3509	占	EFBF	EFBF	60D0	EFBF	F4U0080
3510	帖	EFC0	EFC0	60D1	EFC0	F4UP080
3511	店	EFC1	EFC1	60D2	EFC1	F4UQ080
3512	漸	EFC2	EFC2	60D3	EFC2	F4UR080
3513	点	EFC3	EFC3	60D4	EFC3	F4US080
3514	粘	EFC4	EFC4	60D6	EFC4	F4UU080
3515	霑	EFC5	EFC5	60D7	EFC5	F4UV080
3516	鮎	EFC6	EFC6	6B66	EFC6	F6EE080
3517	點	EFC7	EFC7	60D5	EFC7	F4UT080
3518	接	EFC8	EFC8	60D8	EFC8	F4UW080
3519	摺	EFC9	EFC9	60D9	EFC9	F4UX080
3520	蝶	EFCA	EFCA	60DB	EFCA	F4UZ080
3521	丁	EFCB	EFCB	60DC	EFCB	F4V0080
3522	井	EFCC	EFCC	60DD	EFCC	F4V1080
3523	亭	EFCD	EFCD	60DE	EFCD	F4V2080
3524	停	EFCE	EFCE	60DF	EFCE	F4V3080
3525	偵	EFCF	EFCF	60E0	EFCF	F4V4080
3526	呈	EFD0	EFD0	60E1	EFD0	F4V5080
3527	妊	EFD1	EFD1	60E2	EFD1	F4V6080
3528	定	EFD2	EFD2	60E6	EFD2	F4VA080
3529	幘	EFD3	EFD3	60E3	EFD3	F4V7080
3530	庭	EFD4	EFD4	60E7	EFD4	F4VB080
3531	廷	EFD5	EFD5	60E4	EFD5	F4V8080
3532	征	EFD6	EFD6	60E5	EFD6	F4V9080
3533	情	EFD7	EFD7	60E8	EFD7	F4VC080
3534	挺	EFD8	EFD8	60E9	EFD8	F4VD080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 14 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3535	政	EFD9	EFD9	60EA	EFD9	F4VE0080
3536	整	EFDA	EFDA	60EB	EFDA	F4VF0080
3537	旌	EFDB	EFDB	60EC	EFDB	F4VG0080
3538	晶	EFDC	EFDC	60ED	EFDC	F4VH0080
3539	最	EFDD	EFDD	60EE	EFDD	F4VI0080
3540	枉	EFDE	EFDE	6B67	EFDE	F6EF0080
3541	楨	EFDF	EFDF	60F0	EFDF	F4VK0080
3542	櫻	EFE0	EFE0	6B68	EFE0	F6EG0080
3543	正	EFE1	EFE1	60F1	EFE1	F4VL0080
3544	汀	EFE2	EFE2	60F2	EFE2	F4VM0080
3545	淀	EFE3	EFE3	6B69	EFE3	F6EH0080
3546	淨	EFE4	EFE4	60F3	EFE4	F4VN0080
3547	凈	EFE5	EFE5	60F4	EFE5	F4VO0080
3548	瀆	EFE6	EFE6	6B6A	EFE6	F6EI0080
3549	澗	EFE7	EFE7	6B6B	EFE7	F6EJ0080
3550	炆	EFE8	EFE8	6B6C	EFE8	F6EK0080
3551	玎	EFE9	EFE9	6B6D	EFE9	F6EL0080
3552	斑	EFEA	EFEA	6B6E	EFEA	F6EM0080
3553	町	EFEB	EFEB	60F5	EFEB	F4VP0080
3554	睛	EFEC	EFEC	60F6	EFEC	F4VQ0080
3555	碇	EFED	EFED	60F7	EFED	F4VR0080
3556	禎	EFEE	EFEE	60F8	EFEE	F4VS0080
3557	程	EFEF	EFEF	60F9	EFEF	F4VT0080
3558	穽	EFF0	EFF0	60FA	EFF0	F4VU0080
3559	精	EFF1	EFF1	60FC	EFF1	F4VW0080
3560	緹	EFF2	EFF2	6B6F	EFF2	F6EN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 15 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3561	艇	EFF3	EFF3	60FD	EFF3	F4VX0080
3562	訂	EFF4	EFF4	60FE	EFF4	F4VY0080
3563	諄	EFF5	EFF5	6141	EFF5	F4W10080
3564	貞	EFF6	EFF6	6142	EFF6	F4W20080
3565	鄭	EFF7	EFF7	6143	EFF7	F4W30080
3566	酌	EFF8	EFF8	6144	EFF8	F4W40080
3567	釘	EFF9	EFF9	6145	EFF9	F4W50080
3568	鉦	EFFA	EFFA	6146	EFFA	F4W60080
3569	鋌	EFFB	EFFB	6B70	EFFB	F6EO0080
3570	錠	EFFC	EFFC	6147	EFFC	F4W70080
3571	霆	EFFD	EFFD	6148	EFFD	F4W80080
3572	靖	EF FE	EF FE	60FB	EF FE	F4VV0080
3573	靜	F0A1	F0A1	6149	F0A1	F4W90080
3574	頂	F0A2	F0A2	614A	F0A2	F4WA0080
3575	鼎	F0A3	F0A3	614B	F0A3	F4WB0080
3576	制	F0A4	F0A4	614C	F0A4	F4WC0080
3577	劑	F0A5	F0A5	614D	F0A5	F4WD0080
3578	啼	F0A6	F0A6	614E	F0A6	F4WE0080
3579	堤	F0A7	F0A7	614F	F0A7	F4WF0080
3580	帝	F0A8	F0A8	6150	F0A8	F4WG0080
3581	弟	F0A9	F0A9	6151	F0A9	F4WH0080
3582	悌	F0AA	F0AA	6152	F0AA	F4WI0080
3583	提	F0AB	F0AB	6153	F0AB	F4WJ0080
3584	梯	F0AC	F0AC	6155	F0AC	F4WL0080
3585	濟	F0AD	F0AD	6156	F0AD	F4WM0080
3586	祭	F0AE	F0AE	6159	F0AE	F4WP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 16 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3587	第	F0AF	F0AF	615A	F0AF	F4WQ0080
3588	臍	F0B0	F0B0	6158	F0B0	F4WO0080
3589	齊	F0B1	F0B1	615B	F0B1	F4WR0080
3590	製	F0B2	F0B2	615C	F0B2	F4WS0080
3591	諸	F0B3	F0B3	615D	F0B3	F4WT0080
3592	蹄	F0B4	F0B4	615F	F0B4	F4WV0080
3593	醜	F0B5	F0B5	6160	F0B5	F4WW0080
3594	除	F0B6	F0B6	6161	F0B6	F4WX0080
3595	際	F0B7	F0B7	6162	F0B7	F4WY0080
3596	霽	F0B8	F0B8	6163	F0B8	F4WZ0080
3597	題	F0B9	F0B9	6164	F0B9	F4X00080
3598	齊	F0BA	F0BA	6165	F0BA	F4X10080
3599	俎	F0BB	F0BB	6166	F0BB	F4X20080
3600	兆	F0BC	F0BC	6168	F0BC	F4X40080
3601	凋	F0BD	F0BD	6167	F0BD	F4X30080
3602	助	F0BE	F0BE	6169	F0BE	F4X50080
3603	嘲	F0BF	F0BF	616B	F0BF	F4X70080
3604	弔	F0C0	F0C0	616D	F0C0	F4X90080
3605	彫	F0C1	F0C1	616E	F0C1	F4XA0080
3606	措	F0C2	F0C2	616F	F0C2	F4XB0080
3607	操	F0C3	F0C3	6170	F0C3	F4XC0080
3608	早	F0C4	F0C4	6171	F0C4	F4XD0080
3609	晁	F0C5	F0C5	6172	F0C5	F4XE0080
3610	宵	F0C6	F0C6	6173	F0C6	F4XF0080
3611	曹	F0C7	F0C7	6174	F0C7	F4XG0080
3612	朝	F0C8	F0C8	6175	F0C8	F4XH0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 17 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3613	條	F0C9	F0C9	6176	F0C9	F4XI0080
3614	棗	F0CA	F0CA	6177	F0CA	F4XJ0080
3615	槽	F0CB	F0CB	6178	F0CB	F4XK0080
3616	漕	F0CC	F0CC	6179	F0CC	F4XL0080
3617	潮	F0CD	F0CD	617A	F0CD	F4XM0080
3618	照	F0CE	F0CE	617B	F0CE	F4XN0080
3619	燥	F0CF	F0CF	617C	F0CF	F4XO0080
3620	爪	F0D0	F0D0	617D	F0D0	F4XP0080
3621	皁	F0D1	F0D1	6B71	F0D1	F6EP0080
3622	眺	F0D2	F0D2	617F	F0D2	F4XR0080
3623	祖	F0D3	F0D3	6180	F0D3	F4XS0080
3624	祚	F0D4	F0D4	6181	F0D4	F4XT0080
3625	租	F0D5	F0D5	6182	F0D5	F4XU0080
3626	稠	F0D6	F0D6	6183	F0D6	F4XV0080
3627	窳	F0D7	F0D7	6184	F0D7	F4XW0080
3628	粗	F0D8	F0D8	6187	F0D8	F4XZ0080
3629	糟	F0D9	F0D9	6188	F0D9	F4Y00080
3630	組	F0DA	F0DA	618A	F0DA	F4Y20080
3631	繰	F0DB	F0DB	618C	F0DB	F4Y40080
3632	肇	F0DC	F0DC	618D	F0DC	F4Y50080
3633	藻	F0DD	F0DD	618E	F0DD	F4Y60080
3634	蚤	F0DE	F0DE	618F	F0DE	F4Y70080
3635	詔	F0DF	F0DF	6190	F0DF	F4Y80080
3636	調	F0E0	F0E0	6191	F0E0	F4Y90080
3637	趙	F0E1	F0E1	6192	F0E1	F4YA0080
3638	躁	F0E2	F0E2	6193	F0E2	F4YB0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 18 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3639	造	F0E3	F0E3	6194	F0E3	F4YC0080
3640	遭	F0E4	F0E4	6195	F0E4	F4YD0080
3641	釣	F0E5	F0E5	6196	F0E5	F4YE0080
3642	阻	F0E6	F0E6	6197	F0E6	F4YF0080
3643	雕	F0E7	F0E7	6B72	F0E7	F6EQ0080
3644	烏	F0E8	F0E8	6199	F0E8	F4YH0080
3645	族	F0E9	F0E9	619A	F0E9	F4YI0080
3646	簇	F0EA	F0EA	619B	F0EA	F4YJ0080
3647	足	F0EB	F0EB	619C	F0EB	F4YK0080
3648	齧	F0EC	F0EC	619D	F0EC	F4YL0080
3649	存	F0ED	F0ED	619E	F0ED	F4YM0080
3650	尊	F0EE	F0EE	619F	F0EE	F4YN0080
3651	卒	F0EF	F0EF	61A0	F0EF	F4YO0080
3652	拙	F0F0	F0F0	61A1	F0F0	F4YP0080
3653	猝	F0F1	F0F1	61A2	F0F1	F4YQ0080
3654	倥	F0F2	F0F2	61A3	F0F2	F4YR0080
3655	宗	F0F3	F0F3	61A4	F0F3	F4YS0080
3656	從	F0F4	F0F4	61A5	F0F4	F4YT0080
3657	悰	F0F5	F0F5	6B73	F0F5	F6ER0080
3658	憇	F0F6	F0F6	61A6	F0F6	F4YU0080
3659	棕	F0F7	F0F7	61A7	F0F7	F4YV0080
3660	淙	F0F8	F0F8	61A9	F0F8	F4YX0080
3661	琮	F0F9	F0F9	61AA	F0F9	F4YY0080
3662	種	F0FA	F0FA	61AB	F0FA	F4YZ0080
3663	終	F0FB	F0FB	61AC	F0FB	F4Z00080
3664	綜	F0FC	F0FC	61AD	F0FC	F4Z10080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 19 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3665	縱	F0FD	F0FD	61AE	F0FD	F4Z20080
3666	腫	F0FE	F0FE	61AF	F0FE	F4Z30080
3667	踪	F1A1	F1A1	6B74	F1A1	F6ES0080
3668	踵	F1A2	F1A2	61B0	F1A2	F4Z40080
3669	鍾	F1A3	F1A3	61B2	F1A3	F4Z60080
3670	鐘	F1A4	F1A4	61B3	F1A4	F4Z70080
3671	佐	F1A5	F1A5	61B4	F1A5	F4Z80080
3672	坐	F1A6	F1A6	61B5	F1A6	F4Z90080
3673	左	F1A7	F1A7	61B6	F1A7	F4ZA0080
3674	座	F1A8	F1A8	61B7	F1A8	F4ZB0080
3675	挫	F1A9	F1A9	61B8	F1A9	F4ZC0080
3676	罪	F1AA	F1AA	61B9	F1AA	F4ZD0080
3677	主	F1AB	F1AB	61BA	F1AB	F4ZE0080
3678	住	F1AC	F1AC	61BB	F1AC	F4ZF0080
3679	侏	F1AD	F1AD	61BC	F1AD	F4ZG0080
3680	做	F1AE	F1AE	61BD	F1AE	F4ZH0080
3681	姝	F1AF	F1AF	6B75	F1AF	F6ET0080
3682	冑	F1B0	F1B0	61D5	F1B0	F5050080
3683	呪	F1B1	F1B1	61BF	F1B1	F4ZJ0080
3684	周	F1B2	F1B2	61C0	F1B2	F4ZK0080
3685	噤	F1B3	F1B3	61C1	F1B3	F4ZL0080
3686	奏	F1B4	F1B4	61C2	F1B4	F4ZM0080
3687	宙	F1B5	F1B5	61C3	F1B5	F4ZN0080
3688	州	F1B6	F1B6	61C4	F1B6	F4ZO0080
3689	廚	F1B7	F1B7	61BE	F1B7	F4ZI0080
3690	晝	F1B8	F1B8	61C5	F1B8	F4ZP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 20 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3691	朱	F1B9	F1B9	61C6	F1B9	F4ZQ0080
3692	柱	F1BA	F1BA	61C7	F1BA	F4ZR0080
3693	株	F1BB	F1BB	61C8	F1BB	F4ZS0080
3694	注	F1BC	F1BC	61CA	F1BC	F4ZU0080
3695	洲	F1BD	F1BD	61CB	F1BD	F4ZV0080
3696	湊	F1BE	F1BE	6B76	F1BE	F6EU0080
3697	澍	F1BF	F1BF	6B77	F1BF	F6EV0080
3698	炷	F1C0	F1C0	61C9	F1C0	F4ZT0080
3699	珠	F1C1	F1C1	61CD	F1C1	F4ZX0080
3700	疇	F1C2	F1C2	61CE	F1C2	F4ZY0080
3701	籌	F1C3	F1C3	61D0	F1C3	F5000080
3702	紂	F1C4	F1C4	61D1	F1C4	F5010080
3703	紬	F1C5	F1C5	61D2	F1C5	F5020080
3704	綢	F1C6	F1C6	61D3	F1C6	F5030080
3705	舟	F1C7	F1C7	61D6	F1C7	F5060080
3706	蛛	F1C8	F1C8	61D7	F1C8	F5070080
3707	註	F1C9	F1C9	61D8	F1C9	F5080080
3708	誅	F1CA	F1CA	61D9	F1CA	F5090080
3709	走	F1CB	F1CB	61DA	F1CB	F50A0080
3710	躡	F1CC	F1CC	61DB	F1CC	F50B0080
3711	輳	F1CD	F1CD	61DC	F1CD	F50C0080
3712	週	F1CE	F1CE	61DE	F1CE	F50E0080
3713	耐	F1CF	F1CF	61DD	F1CF	F50D0080
3714	酒	F1D0	F1D0	61CC	F1D0	F4ZW0080
3715	鑄	F1D1	F1D1	61DF	F1D1	F50F0080
3716	駐	F1D2	F1D2	61E0	F1D2	F50G0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 10 (Page 21 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3717	竹	F1D3	F1D3	61E1	F1D3	F50H0080
3718	粥	F1D4	F1D4	61E2	F1D4	F50I0080
3719	俊	F1D5	F1D5	61E3	F1D5	F50J0080
3720	備	F1D6	F1D6	61E4	F1D6	F50K0080
3721	准	F1D7	F1D7	61E5	F1D7	F50L0080
3722	竣	F1D8	F1D8	61E6	F1D8	F50M0080
3723	竊	F1D9	F1D9	6B78	F1D9	F6EW0080
3724	峻	F1DA	F1DA	61E7	F1DA	F50N0080
3725	竣	F1DB	F1DB	61E8	F1DB	F50O0080
3726	樽	F1DC	F1DC	61E9	F1DC	F50P0080
3727	浚	F1DD	F1DD	61EA	F1DD	F50Q0080
3728	準	F1DE	F1DE	61EB	F1DE	F50R0080
3729	濬	F1DF	F1DF	61EC	F1DF	F50S0080
3730	竣	F1E0	F1E0	6B79	F1E0	F6EX0080
3731	峻	F1E1	F1E1	61ED	F1E1	F50T0080
3732	竣	F1E2	F1E2	61EE	F1E2	F50U0080
3733	蠢	F1E3	F1E3	61EF	F1E3	F50V0080
3734	逡	F1E4	F1E4	61F0	F1E4	F50W0080
3735	遵	F1E5	F1E5	61F1	F1E5	F50X0080
3736	雋	F1E6	F1E6	6B7A	F1E6	F6EY0080
3737	駿	F1E7	F1E7	61F3	F1E7	F50Z0080
3738	茁	F1E8	F1E8	61F4	F1E8	F5100080
3739	中	F1E9	F1E9	61F5	F1E9	F5110080
3740	仲	F1EA	F1EA	61F6	F1EA	F5120080
3741	衆	F1EB	F1EB	61F7	F1EB	F5130080
3742	重	F1EC	F1EC	61F8	F1EC	F5140080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 22 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3743	卽	F1ED	F1ED	61FA	F1ED	F5160080
3744	櫛	F1EE	F1EE	61FB	F1EE	F5170080
3745	楫	F1EF	F1EF	61FC	F1EF	F5180080
3746	汁	F1F0	F1F0	61FD	F1F0	F5190080
3747	葺	F1F1	F1F1	61FE	F1F1	F51A0080
3748	增	F1F2	F1F2	6241	F1F2	F51D0080
3749	憎	F1F3	F1F3	6242	F1F3	F51E0080
3750	曾	F1F4	F1F4	6245	F1F4	F51H0080
3751	拯	F1F5	F1F5	6243	F1F5	F51F0080
3752	烝	F1F6	F1F6	6244	F1F6	F51G0080
3753	甌	F1F7	F1F7	6246	F1F7	F51I0080
3754	症	F1F8	F1F8	6247	F1F8	F51J0080
3755	繪	F1F9	F1F9	6B7B	F1F9	F6EZ0080
3756	蒸	F1FA	F1FA	6248	F1FA	F51K0080
3757	證	F1FB	F1FB	624A	F1FB	F51M0080
3758	贈	F1FC	F1FC	624B	F1FC	F51N0080
3759	之	F1FD	F1FD	624C	F1FD	F51O0080
3760	只	F1FE	F1FE	624D	F1FE	F51P0080
3761	咫	F2A1	F2A1	624E	F2A1	F51Q0080
3762	地	F2A2	F2A2	624F	F2A2	F51R0080
3763	址	F2A3	F2A3	6250	F2A3	F51S0080
3764	志	F2A4	F2A4	6251	F2A4	F51T0080
3765	持	F2A5	F2A5	6252	F2A5	F51U0080
3766	指	F2A6	F2A6	6253	F2A6	F51V0080
3767	摯	F2A7	F2A7	6254	F2A7	F51W0080
3768	支	F2A8	F2A8	6255	F2A8	F51X0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 23 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3769	旨	F2A9	F2A9	6256	F2A9	F51Y0080
3770	智	F2AA	F2AA	6257	F2AA	F51Z0080
3771	枝	F2AB	F2AB	6258	F2AB	F5200080
3772	枳	F2AC	F2AC	6259	F2AC	F5210080
3773	止	F2AD	F2AD	625A	F2AD	F5220080
3774	池	F2AE	F2AE	625B	F2AE	F5230080
3775	汙	F2AF	F2AF	6B7C	F2AF	F6F00080
3776	漬	F2B0	F2B0	625C	F2B0	F5240080
3777	知	F2B1	F2B1	625E	F2B1	F5260080
3778	砥	F2B2	F2B2	625F	F2B2	F5270080
3779	祉	F2B3	F2B3	6261	F2B3	F5290080
3780	祗	F2B4	F2B4	6260	F2B4	F5280080
3781	紙	F2B5	F2B5	6262	F2B5	F52A0080
3782	肢	F2B6	F2B6	6263	F2B6	F52B0080
3783	脂	F2B7	F2B7	6264	F2B7	F52C0080
3784	至	F2B8	F2B8	6265	F2B8	F52D0080
3785	芝	F2B9	F2B9	6266	F2B9	F52E0080
3786	芷	F2BA	F2BA	6B7D	F2BA	F6F10080
3787	蜘	F2BB	F2BB	6267	F2BB	F52F0080
3788	誌	F2BC	F2BC	6268	F2BC	F52G0080
3789	識	F2BD	F2BD	6269	F2BD	F52H0080
3790	贄	F2BE	F2BE	626A	F2BE	F52I0080
3791	趾	F2BF	F2BF	626B	F2BF	F52J0080
3792	遲	F2C0	F2C0	626C	F2C0	F52K0080
3793	直	F2C1	F2C1	626D	F2C1	F52L0080
3794	殖	F2C2	F2C2	626E	F2C2	F52M0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 24 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3795	稷	F2C3	F2C3	626F	F2C3	F52N0080
3796	織	F2C4	F2C4	6270	F2C4	F52O0080
3797	職	F2C5	F2C5	6271	F2C5	F52P0080
3798	昏	F2C6	F2C6	6B7E	F2C6	F6F20080
3799	噴	F2C7	F2C7	6273	F2C7	F52R0080
3800	塵	F2C8	F2C8	6274	F2C8	F52S0080
3801	振	F2C9	F2C9	6275	F2C9	F52T0080
3802	摺	F2CA	F2CA	6B7F	F2CA	F6F30080
3803	晉	F2CB	F2CB	6276	F2CB	F52U0080
3804	晋	F2CC	F2CC	6B80	F2CC	F6F40080
3805	振	F2CD	F2CD	6B81	F2CD	F6F50080
3806	榛	F2CE	F2CE	6277	F2CE	F52V0080
3807	殄	F2CF	F2CF	6B82	F2CF	F6F60080
3808	津	F2D0	F2D0	6278	F2D0	F52W0080
3809	溱	F2D1	F2D1	6279	F2D1	F52X0080
3810	珍	F2D2	F2D2	627A	F2D2	F52Y0080
3811	璿	F2D3	F2D3	627B	F2D3	F52Z0080
3812	璉	F2D4	F2D4	627C	F2D4	F5300080
3813	畛	F2D5	F2D5	6B83	F2D5	F6F70080
3814	疹	F2D6	F2D6	627D	F2D6	F5310080
3815	盡	F2D7	F2D7	627E	F2D7	F5320080
3816	眞	F2D8	F2D8	627F	F2D8	F5330080
3817	瞋	F2D9	F2D9	6280	F2D9	F5340080
3818	秦	F2DA	F2DA	6281	F2DA	F5350080
3819	縉	F2DB	F2DB	6282	F2DB	F5360080
3820	纈	F2DC	F2DC	6B84	F2DC	F6F80080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 25 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3821	臻	F2DD	F2DD	6B85	F2DD	F6F90080
3822	陳	F2DE	F2DE	6B86	F2DE	F6FA0080
3823	衫	F2DF	F2DF	6B87	F2DF	F6FB0080
3824	診	F2E0	F2E0	6283	F2E0	F5370080
3825	賑	F2E1	F2E1	6284	F2E1	F5380080
3826	軫	F2E2	F2E2	6285	F2E2	F5390080
3827	辰	F2E3	F2E3	6272	F2E3	F52Q0080
3828	進	F2E4	F2E4	6286	F2E4	F53A0080
3829	鎭	F2E5	F2E5	6287	F2E5	F53B0080
3830	陣	F2E6	F2E6	6288	F2E6	F53C0080
3831	陳	F2E7	F2E7	6289	F2E7	F53D0080
3832	震	F2E8	F2E8	628A	F2E8	F53E0080
3833	侄	F2E9	F2E9	6B88	F2E9	F6FC0080
3834	叱	F2EA	F2EA	628B	F2EA	F53F0080
3835	姪	F2EB	F2EB	628D	F2EB	F53H0080
3836	嫉	F2EC	F2EC	628E	F2EC	F53I0080
3837	帙	F2ED	F2ED	628F	F2ED	F53J0080
3838	桎	F2EE	F2EE	6290	F2EE	F53K0080
3839	瓊	F2EF	F2EF	6B89	F2EF	F6FD0080
3840	疾	F2F0	F2F0	6291	F2F0	F53L0080
3841	秩	F2F1	F2F1	6292	F2F1	F53M0080
3842	窒	F2F2	F2F2	628C	F2F2	F53G0080
3843	臚	F2F3	F2F3	6293	F2F3	F53N0080
3844	蛭	F2F4	F2F4	6294	F2F4	F53O0080
3845	質	F2F5	F2F5	6295	F2F5	F53P0080
3846	跌	F2F6	F2F6	6296	F2F6	F53Q0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 26 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3847	送	F2F7	F2F7	6297	F2F7	F53R0080
3848	斟	F2F8	F2F8	6298	F2F8	F53S0080
3849	朕	F2F9	F2F9	6299	F2F9	F53T0080
3850	什	F2FA	F2FA	6B8A	F2FA	F6FE0080
3851	執	F2FB	F2FB	629A	F2FB	F53U0080
3852	灑	F2FC	F2FC	6B8B	F2FC	F6FF0080
3853	緝	F2FD	F2FD	629C	F2FD	F53W0080
3854	輯	F2FE	F2FE	629D	F2FE	F53X0080
3855	鏤	F3A1	F3A1	6B8C	F3A1	F6FG0080
3856	集	F3A2	F3A2	629B	F3A2	F53V0080
3857	徵	F3A3	F3A3	629E	F3A3	F53Y0080
3858	懲	F3A4	F3A4	629F	F3A4	F53Z0080
3859	澄	F3A5	F3A5	62A0	F3A5	F5400080
3860	且	F3A6	F3A6	62A1	F3A6	F5410080
3861	侘	F3A7	F3A7	6B8D	F3A7	F6FH0080
3862	借	F3A8	F3A8	62A2	F3A8	F5420080
3863	叉	F3A9	F3A9	62A4	F3A9	F5440080
3864	嗟	F3AA	F3AA	62A5	F3AA	F5450080
3865	嗟	F3AB	F3AB	62A7	F3AB	F5470080
3866	差	F3AC	F3AC	62A6	F3AC	F5460080
3867	次	F3AD	F3AD	62A8	F3AD	F5480080
3868	此	F3AE	F3AE	62A9	F3AE	F5490080
3869	磋	F3AF	F3AF	62AA	F3AF	F54A0080
3870	筭	F3B0	F3B0	62A3	F3B0	F5430080
3871	茶	F3B1	F3B1	62AB	F3B1	F54B0080
3872	蹉	F3B2	F3B2	62AC	F3B2	F54C0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 27 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3873	車	F3B3	F3B3	62AE	F3B3	F54E0080
3874	遮	F3B4	F3B4	62AD	F3B4	F54D0080
3875	捉	F3B5	F3B5	62AF	F3B5	F54F0080
3876	搾	F3B6	F3B6	62B0	F3B6	F54G0080
3877	着	F3B7	F3B7	62B1	F3B7	F54H0080
3878	窄	F3B8	F3B8	62B2	F3B8	F54I0080
3879	錯	F3B9	F3B9	62B3	F3B9	F54J0080
3880	鑿	F3BA	F3BA	62B4	F3BA	F54K0080
3881	齷	F3BB	F3BB	62B5	F3BB	F54L0080
3882	撰	F3BC	F3BC	62B6	F3BC	F54M0080
3883	濼	F3BD	F3BD	62B7	F3BD	F54N0080
3884	燦	F3BE	F3BE	62B8	F3BE	F54O0080
3885	璨	F3BF	F3BF	62B9	F3BF	F54P0080
3886	瓚	F3C0	F3C0	62BA	F3C0	F54Q0080
3887	竄	F3C1	F3C1	62BB	F3C1	F54R0080
3888	篡	F3C2	F3C2	6B8E	F3C2	F6FI0080
3889	篡	F3C3	F3C3	62BC	F3C3	F54S0080
3890	粲	F3C4	F3C4	62BD	F3C4	F54T0080
3891	纘	F3C5	F3C5	62BE	F3C5	F54U0080
3892	讚	F3C6	F3C6	62BF	F3C6	F54V0080
3893	贊	F3C7	F3C7	62C0	F3C7	F54W0080
3894	鑽	F3C8	F3C8	62C1	F3C8	F54X0080
3895	餐	F3C9	F3C9	62C3	F3C9	F54Z0080
3896	饑	F3CA	F3CA	62C4	F3CA	F5500080
3897	刹	F3CB	F3CB	62C5	F3CB	F5510080
3898	察	F3CC	F3CC	62C6	F3CC	F5520080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 28 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3899	擦	F3CD	F3CD	62C7	F3CD	F5530080
3900	札	F3CE	F3CE	62C8	F3CE	F5540080
3901	紮	F3CF	F3CF	6B8F	F3CF	F6FJ0080
3902	僭	F3D0	F3D0	62C9	F3D0	F5550080
3903	參	F3D1	F3D1	62CA	F3D1	F5560080
3904	斬	F3D2	F3D2	62CB	F3D2	F5570080
3905	慘	F3D3	F3D3	62CC	F3D3	F5580080
3906	慙	F3D4	F3D4	62CD	F3D4	F5590080
3907	饑	F3D5	F3D5	62CF	F3D5	F55B0080
3908	斬	F3D6	F3D6	62D0	F3D6	F55C0080
3909	站	F3D7	F3D7	62D1	F3D7	F55D0080
3910	讒	F3D8	F3D8	62D2	F3D8	F55E0080
3911	讖	F3D9	F3D9	6B90	F3D9	F6FK0080
3912	倉	F3DA	F3DA	62D4	F3DA	F55G0080
3913	倡	F3DB	F3DB	62D3	F3DB	F55F0080
3914	創	F3DC	F3DC	62D6	F3DC	F55I0080
3915	唱	F3DD	F3DD	62D7	F3DD	F55J0080
3916	娼	F3DE	F3DE	62D8	F3DE	F55K0080
3917	廠	F3DF	F3DF	62D9	F3DF	F55L0080
3918	彰	F3E0	F3E0	62DA	F3E0	F55M0080
3919	愴	F3E1	F3E1	6B91	F3E1	F6FL0080
3920	敵	F3E2	F3E2	62DC	F3E2	F55O0080
3921	昌	F3E3	F3E3	62DD	F3E3	F55P0080
3922	昶	F3E4	F3E4	62DE	F3E4	F55Q0080
3923	暢	F3E5	F3E5	62DF	F3E5	F55R0080
3924	槍	F3E6	F3E6	62E0	F3E6	F55S0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 29 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3925	滄	F3E7	F3E7	62E2	F3E7	F55U0080
3926	漲	F3E8	F3E8	62E3	F3E8	F55V0080
3927	猖	F3E9	F3E9	6B92	F3E9	F6FM0080
3928	瘡	F3EA	F3EA	62E4	F3EA	F55W0080
3929	窓	F3EB	F3EB	62E5	F3EB	F55X0080
3930	脹	F3EC	F3EC	62E6	F3EC	F55Y0080
3931	艙	F3ED	F3ED	62E7	F3ED	F55Z0080
3932	菖	F3EE	F3EE	62E8	F3EE	F5600080
3933	蒼	F3EF	F3EF	62E9	F3EF	F5610080
3934	債	F3F0	F3F0	62EA	F3F0	F5620080
3935	塚	F3F1	F3F1	62EB	F3F1	F5630080
3936	案	F3F2	F3F2	6B93	F3F2	F6FN0080
3937	寨	F3F3	F3F3	6B94	F3F3	F6FO0080
3938	彩	F3F4	F3F4	62EC	F3F4	F5640080
3939	採	F3F5	F3F5	62ED	F3F5	F5650080
3940	砦	F3F6	F3F6	62EE	F3F6	F5660080
3941	綵	F3F7	F3F7	62EF	F3F7	F5670080
3942	菜	F3F8	F3F8	62F0	F3F8	F5680080
3943	蔡	F3F9	F3F9	62F1	F3F9	F5690080
3944	采	F3FA	F3FA	62F2	F3FA	F56A0080
3945	釵	F3FB	F3FB	62F3	F3FB	F56B0080
3946	册	F3FC	F3FC	62F4	F3FC	F56C0080
3947	柵	F3FD	F3FD	62F5	F3FD	F56D0080
3948	策	F3FE	F3FE	62F6	F3FE	F56E0080
3949	責	F4A1	F4A1	62F8	F4A1	F56G0080
3950	淒	F4A2	F4A2	62F9	F4A2	F56H0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 30 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3951	妻	F4A3	F4A3	62FA	F4A3	F56I0080
3952	悽	F4A4	F4A4	62FB	F4A4	F56J0080
3953	處	F4A5	F4A5	62FC	F4A5	F56K0080
3954	個	F4A6	F4A6	6B95	F4A6	F6FP0080
3955	刺	F4A7	F4A7	62FD	F4A7	F56L0080
3956	剔	F4A8	F4A8	62FE	F4A8	F56M0080
3957	尺	F4A9	F4A9	6341	F4A9	F56P0080
3958	憾	F4AA	F4AA	6342	F4AA	F56Q0080
3959	戚	F4AB	F4AB	6343	F4AB	F56R0080
3960	拓	F4AC	F4AC	6344	F4AC	F56S0080
3961	擲	F4AD	F4AD	6345	F4AD	F56T0080
3962	斥	F4AE	F4AE	6346	F4AE	F56U0080
3963	滌	F4AF	F4AF	6347	F4AF	F56V0080
3964	瘡	F4B0	F4B0	6348	F4B0	F56W0080
3965	脊	F4B1	F4B1	6349	F4B1	F56X0080
3966	蹠	F4B2	F4B2	6B96	F4B2	F6FQ0080
3967	陟	F4B3	F4B3	634C	F4B3	F5700080
3968	隻	F4B4	F4B4	634D	F4B4	F5710080
3969	仟	F4B5	F4B5	634E	F4B5	F5720080
3970	千	F4B6	F4B6	634F	F4B6	F5730080
3971	喘	F4B7	F4B7	6350	F4B7	F5740080
3972	天	F4B8	F4B8	6351	F4B8	F5750080
3973	川	F4B9	F4B9	6352	F4B9	F5760080
3974	擅	F4BA	F4BA	6353	F4BA	F5770080
3975	泉	F4BB	F4BB	6354	F4BB	F5780080
3976	淺	F4BC	F4BC	6355	F4BC	F5790080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 31 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
3977	玼	F4BD	F4BD	6B97	F4BD	F6FR0080
3978	穿	F4BE	F4BE	6357	F4BE	F57B0080
3979	舛	F4BF	F4BF	6358	F4BF	F57C0080
3980	薦	F4C0	F4C0	6359	F4C0	F57D0080
3981	賤	F4C1	F4C1	635A	F4C1	F57E0080
3982	踐	F4C2	F4C2	635B	F4C2	F57F0080
3983	遷	F4C3	F4C3	635C	F4C3	F57G0080
3984	釧	F4C4	F4C4	635D	F4C4	F57H0080
3985	闡	F4C5	F4C5	635E	F4C5	F57I0080
3986	阡	F4C6	F4C6	635F	F4C6	F57J0080
3987	韃	F4C7	F4C7	6360	F4C7	F57K0080
3988	凸	F4C8	F4C8	6361	F4C8	F57L0080
3989	哲	F4C9	F4C9	6363	F4C9	F57N0080
3990	喆	F4CA	F4CA	6364	F4CA	F57O0080
3991	徹	F4CB	F4CB	6362	F4CB	F57M0080
3992	撤	F4CC	F4CC	6365	F4CC	F57P0080
3993	澈	F4CD	F4CD	6366	F4CD	F57Q0080
3994	綴	F4CE	F4CE	6367	F4CE	F57R0080
3995	輟	F4CF	F4CF	6B98	F4CF	F6FS0080
3996	轍	F4D0	F4D0	6368	F4D0	F57S0080
3997	鐵	F4D1	F4D1	6369	F4D1	F57T0080
3998	兪	F4D2	F4D2	636A	F4D2	F57U0080
3999	尖	F4D3	F4D3	636B	F4D3	F57V0080
4000	沾	F4D4	F4D4	636C	F4D4	F57W0080
4001	添	F4D5	F4D5	636D	F4D5	F57X0080
4002	甜	F4D6	F4D6	636E	F4D6	F57Y0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 32 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4003	瞻	F4D7	F4D7	636F	F4D7	F57Z0080
4004	簽	F4D8	F4D8	6B99	F4D8	F6FT0080
4005	籤	F4D9	F4D9	6371	F4D9	F5810080
4006	詹	F4DA	F4DA	6B9A	F4DA	F6FU0080
4007	諂	F4DB	F4DB	6372	F4DB	F5820080
4008	堞	F4DC	F4DC	6B9B	F4DC	F6FV0080
4009	妾	F4DD	F4DD	6373	F4DD	F5830080
4010	帖	F4DE	F4DE	6374	F4DE	F5840080
4011	捷	F4DF	F4DF	6375	F4DF	F5850080
4012	牒	F4E0	F4E0	6376	F4E0	F5860080
4013	疊	F4E1	F4E1	6377	F4E1	F5870080
4014	睫	F4E2	F4E2	6378	F4E2	F5880080
4015	諜	F4E3	F4E3	6379	F4E3	F5890080
4016	貼	F4E4	F4E4	637A	F4E4	F58A0080
4017	輒	F4E5	F4E5	637B	F4E5	F58B0080
4018	廳	F4E6	F4E6	637C	F4E6	F58C0080
4019	晴	F4E7	F4E7	637D	F4E7	F58D0080
4020	清	F4E8	F4E8	637E	F4E8	F58E0080
4021	聽	F4E9	F4E9	637F	F4E9	F58F0080
4022	菁	F4EA	F4EA	6380	F4EA	F58G0080
4023	請	F4EB	F4EB	6382	F4EB	F58I0080
4024	青	F4EC	F4EC	6383	F4EC	F58J0080
4025	鯖	F4ED	F4ED	6384	F4ED	F58K0080
4026	切	F4EE	F4EE	6385	F4EE	F58L0080
4027	荊	F4EF	F4EF	6386	F4EF	F58M0080
4028	替	F4F0	F4F0	6387	F4F0	F58N0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 33 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4029	涕	F4F1	F4F1	6388	F4F1	F58O0080
4030	滯	F4F2	F4F2	6389	F4F2	F58P0080
4031	締	F4F3	F4F3	638B	F4F3	F58R0080
4032	諦	F4F4	F4F4	638C	F4F4	F58S0080
4033	逮	F4F5	F4F5	638D	F4F5	F58T0080
4034	遞	F4F6	F4F6	638E	F4F6	F58U0080
4035	體	F4F7	F4F7	6390	F4F7	F58W0080
4036	初	F4F8	F4F8	6391	F4F8	F58X0080
4037	剿	F4F9	F4F9	6B9C	F4F9	F6FW0080
4038	哨	F4FA	F4FA	6392	F4FA	F58Y0080
4039	樵	F4FB	F4FB	6394	F4FB	F5900080
4040	抄	F4FC	F4FC	6395	F4FC	F5910080
4041	招	F4FD	F4FD	6396	F4FD	F5920080
4042	梢	F4FE	F4FE	6397	F4FE	F5930080
4043	椒	F5A1	F5A1	6398	F5A1	F5940080
4044	楚	F5A2	F5A2	6399	F5A2	F5950080
4045	樵	F5A3	F5A3	639A	F5A3	F5960080
4046	炒	F5A4	F5A4	639B	F5A4	F5970080
4047	焦	F5A5	F5A5	639C	F5A5	F5980080
4048	硝	F5A6	F5A6	639D	F5A6	F5990080
4049	礁	F5A7	F5A7	639E	F5A7	F59A0080
4050	礎	F5A8	F5A8	639F	F5A8	F59B0080
4051	秒	F5A9	F5A9	63A0	F5A9	F59C0080
4052	稍	F5AA	F5AA	63A1	F5AA	F59D0080
4053	肖	F5AB	F5AB	63A3	F5AB	F59F0080
4054	艸	F5AC	F5AC	6B9D	F5AC	F6FX0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 34 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4055	苕	F5AD	F5AD	6B9E	F5AD	F6FY0080
4056	草	F5AE	F5AE	63A4	F5AE	F59G0080
4057	蕉	F5AF	F5AF	63A5	F5AF	F59H0080
4058	貂	F5B0	F5B0	63A6	F5B0	F59I0080
4059	超	F5B1	F5B1	63A7	F5B1	F59J0080
4060	酢	F5B2	F5B2	63A8	F5B2	F59K0080
4061	醋	F5B3	F5B3	63A9	F5B3	F59L0080
4062	醮	F5B4	F5B4	63AA	F5B4	F59M0080
4063	促	F5B5	F5B5	63AD	F5B5	F59P0080
4064	囑	F5B6	F5B6	63AE	F5B6	F59Q0080
4065	燭	F5B7	F5B7	63B0	F5B7	F59S0080
4066	矗	F5B8	F5B8	63B1	F5B8	F59T0080
4067	蜀	F5B9	F5B9	63B2	F5B9	F59U0080
4068	觸	F5BA	F5BA	63B3	F5BA	F59V0080
4069	寸	F5BB	F5BB	63B6	F5BB	F59Y0080
4070	付	F5BC	F5BC	63B7	F5BC	F59Z0080
4071	村	F5BD	F5BD	63B8	F5BD	F5A00080
4072	邨	F5BE	F5BE	6B9F	F5BE	F6FZ0080
4073	叢	F5BF	F5BF	63B9	F5BF	F5A10080
4074	塚	F5C0	F5C0	63BA	F5C0	F5A20080
4075	寵	F5C1	F5C1	63BB	F5C1	F5A30080
4076	恧	F5C2	F5C2	6BA0	F5C2	F6G00080
4077	惚	F5C3	F5C3	6BA1	F5C3	F6G10080
4078	摠	F5C4	F5C4	63BD	F5C4	F5A50080
4079	總	F5C5	F5C5	63BE	F5C5	F5A60080
4080	聰	F5C6	F5C6	63BF	F5C6	F5A70080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 35 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4081	蔥	F5C7	F5C7	6BA2	F5C7	F6G20080
4082	銃	F5C8	F5C8	63C1	F5C8	F5A90080
4083	撮	F5C9	F5C9	63C2	F5C9	F5AA0080
4084	催	F5CA	F5CA	63C3	F5CA	F5AB0080
4085	崔	F5CB	F5CB	63C4	F5CB	F5AC0080
4086	最	F5CC	F5CC	63C6	F5CC	F5AE0080
4087	墜	F5CD	F5CD	63C7	F5CD	F5AF0080
4088	抽	F5CE	F5CE	63C8	F5CE	F5AG0080
4089	推	F5CF	F5CF	63C9	F5CF	F5AH0080
4090	椎	F5D0	F5D0	63CA	F5D0	F5AI0080
4091	楸	F5D1	F5D1	63CB	F5D1	F5AJ0080
4092	樞	F5D2	F5D2	63CD	F5D2	F5AL0080
4093	湫	F5D3	F5D3	63CE	F5D3	F5AM0080
4094	皺	F5D4	F5D4	63D0	F5D4	F5AO0080
4095	秋	F5D5	F5D5	63D1	F5D5	F5AP0080
4096	芻	F5D6	F5D6	63D3	F5D6	F5AR0080
4097	菽	F5D7	F5D7	63D4	F5D7	F5AS0080
4098	諏	F5D8	F5D8	6BA3	F5D8	F6G30080
4099	趨	F5D9	F5D9	63D5	F5D9	F5AT0080
4100	追	F5DA	F5DA	63D6	F5DA	F5AU0080
4101	鄒	F5DB	F5DB	63D7	F5DB	F5AV0080
4102	曾	F5DC	F5DC	63D8	F5DC	F5AW0080
4103	醜	F5DD	F5DD	63D9	F5DD	F5AX0080
4104	錐	F5DE	F5DE	63DB	F5DE	F5AZ0080
4105	錘	F5DF	F5DF	63DA	F5DF	F5AY0080
4106	鎚	F5E0	F5E0	6BA4	F5E0	F6G40080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 36 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4107	雛	F5E1	F5E1	63DC	F5E1	F5B00080
4108	驕	F5E2	F5E2	6BA5	F5E2	F6G50080
4109	鯨	F5E3	F5E3	63DE	F5E3	F5B20080
4110	丑	F5E4	F5E4	63E1	F5E4	F5B50080
4111	畜	F5E5	F5E5	63E4	F5E5	F5B80080
4112	祝	F5E6	F5E6	63E3	F5E6	F5B70080
4113	竺	F5E7	F5E7	63E5	F5E7	F5B90080
4114	筑	F5E8	F5E8	63E6	F5E8	F5BA0080
4115	築	F5E9	F5E9	63E7	F5E9	F5BB0080
4116	縮	F5EA	F5EA	63E8	F5EA	F5BC0080
4117	蓄	F5EB	F5EB	63EA	F5EB	F5BE0080
4118	蹙	F5EC	F5EC	6BA6	F5EC	F6G60080
4119	蹴	F5ED	F5ED	63EB	F5ED	F5BF0080
4120	軸	F5EE	F5EE	63EC	F5EE	F5BG0080
4121	逐	F5EF	F5EF	63ED	F5EF	F5BH0080
4122	春	F5F0	F5F0	63EE	F5F0	F5BI0080
4123	椿	F5F1	F5F1	63EF	F5F1	F5BJ0080
4124	椿	F5F2	F5F2	6BA7	F5F2	F6G70080
4125	出	F5F3	F5F3	63F0	F5F3	F5BK0080
4126	朮	F5F4	F5F4	6BA8	F5F4	F6G80080
4127	黜	F5F5	F5F5	63F1	F5F5	F5BL0080
4128	充	F5F6	F5F6	63F2	F5F6	F5BM0080
4129	忠	F5F7	F5F7	63F4	F5F7	F5BO0080
4130	沖	F5F8	F5F8	63F5	F5F8	F5BP0080
4131	蟲	F5F9	F5F9	63F6	F5F9	F5BQ0080
4132	衝	F5FA	F5FA	63F7	F5FA	F5BR0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 37 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4133	衷	F5FB	F5FB	63F8	F5FB	F5BS0080
4134	悴	F5FC	F5FC	63F9	F5FC	F5BT0080
4135	膝	F5FD	F5FD	63FA	F5FD	F5BU0080
4136	萃	F5FE	F5FE	63FB	F5FE	F5BV0080
4137	贅	F6A1	F6A1	6BA9	F6A1	F6G90080
4138	取	F6A2	F6A2	63FC	F6A2	F5BW0080
4139	吹	F6A3	F6A3	63FD	F6A3	F5BX0080
4140	嘴	F6A4	F6A4	63FE	F6A4	F5BY0080
4141	娶	F6A5	F6A5	6441	F6A5	F5C10080
4142	就	F6A6	F6A6	6442	F6A6	F5C20080
4143	炊	F6A7	F6A7	6444	F6A7	F5C40080
4144	翠	F6A8	F6A8	6445	F6A8	F5C50080
4145	聚	F6A9	F6A9	6446	F6A9	F5C60080
4146	脆	F6AA	F6AA	6447	F6AA	F5C70080
4147	臭	F6AB	F6AB	6448	F6AB	F5C80080
4148	趣	F6AC	F6AC	644A	F6AC	F5CA0080
4149	醉	F6AD	F6AD	644B	F6AD	F5CB0080
4150	驟	F6AE	F6AE	644C	F6AE	F5CC0080
4151	鶩	F6AF	F6AF	644D	F6AF	F5CD0080
4152	側	F6B0	F6B0	644F	F6B0	F5CF0080
4153	仄	F6B1	F6B1	644E	F6B1	F5CE0080
4154	厠	F6B2	F6B2	6BAA	F6B2	F6GA0080
4155	惻	F6B3	F6B3	6450	F6B3	F5CG0080
4156	測	F6B4	F6B4	6451	F6B4	F5CH0080
4157	層	F6B5	F6B5	6452	F6B5	F5CI0080
4158	侈	F6B6	F6B6	6453	F6B6	F5CJ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 38 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4159	值	F6B7	F6B7	6454	F6B7	F5CK0080
4160	嗤	F6B8	F6B8	6455	F6B8	F5CL0080
4161	峙	F6B9	F6B9	6456	F6B9	F5CM0080
4162	幟	F6BA	F6BA	6458	F6BA	F5CO0080
4163	恥	F6BB	F6BB	6466	F6BB	F5D20080
4164	梔	F6BC	F6BC	645A	F6BC	F5CQ0080
4165	治	F6BD	F6BD	645B	F6BD	F5CR0080
4166	溜	F6BE	F6BE	645C	F6BE	F5CS0080
4167	熾	F6BF	F6BF	645D	F6BF	F5CT0080
4168	痔	F6C0	F6C0	645E	F6C0	F5CU0080
4169	痴	F6C1	F6C1	645F	F6C1	F5CV0080
4170	癡	F6C2	F6C2	6460	F6C2	F5CW0080
4171	稚	F6C3	F6C3	6462	F6C3	F5CY0080
4172	穉	F6C4	F6C4	6BAB	F6C4	F6GB0080
4173	緇	F6C5	F6C5	6463	F6C5	F5CZ0080
4174	緻	F6C6	F6C6	6464	F6C6	F5D00080
4175	置	F6C7	F6C7	6465	F6C7	F5D10080
4176	致	F6C8	F6C8	6467	F6C8	F5D30080
4177	蚩	F6C9	F6C9	6BAC	F6C9	F6GC0080
4178	輜	F6CA	F6CA	6468	F6CA	F5D40080
4179	雉	F6CB	F6CB	6461	F6CB	F5CX0080
4180	馳	F6CC	F6CC	6469	F6CC	F5D50080
4181	齒	F6CD	F6CD	646B	F6CD	F5D70080
4182	則	F6CE	F6CE	646C	F6CE	F5D80080
4183	勅	F6CF	F6CF	646D	F6CF	F5D90080
4184	飭	F6D0	F6D0	646E	F6D0	F5DA0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 39 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4185	親	F6D1	F6D1	646F	F6D1	F5DB0080
4186	七	F6D2	F6D2	6470	F6D2	F5DC0080
4187	柒	F6D3	F6D3	6471	F6D3	F5DD0080
4188	漆	F6D4	F6D4	6472	F6D4	F5DE0080
4189	侵	F6D5	F6D5	6473	F6D5	F5DF0080
4190	寢	F6D6	F6D6	6474	F6D6	F5DG0080
4191	枕	F6D7	F6D7	6476	F6D7	F5DI0080
4192	沈	F6D8	F6D8	6477	F6D8	F5DJ0080
4193	浸	F6D9	F6D9	6478	F6D9	F5DK0080
4194	琛	F6DA	F6DA	6BAD	F6DA	F6GD0080
4195	砧	F6DB	F6DB	6479	F6DB	F5DL0080
4196	針	F6DC	F6DC	647A	F6DC	F5DM0080
4197	鍼	F6DD	F6DD	647B	F6DD	F5DN0080
4198	蟄	F6DE	F6DE	647C	F6DE	F5DO0080
4199	秤	F6DF	F6DF	647D	F6DF	F5DP0080
4200	稱	F6E0	F6E0	647E	F6E0	F5DQ0080
4201	快	F6E1	F6E1	647F	F6E1	F5DR0080
4202	他	F6E2	F6E2	6480	F6E2	F5DS0080
4203	咤	F6E3	F6E3	6BAE	F6E3	F6GE0080
4204	唾	F6E4	F6E4	6481	F6E4	F5DT0080
4205	墮	F6E5	F6E5	6482	F6E5	F5DU0080
4206	妥	F6E6	F6E6	6483	F6E6	F5DV0080
4207	惰	F6E7	F6E7	6484	F6E7	F5DW0080
4208	打	F6E8	F6E8	6485	F6E8	F5DX0080
4209	掩	F6E9	F6E9	6BAF	F6E9	F6GF0080
4210	朶	F6EA	F6EA	6486	F6EA	F5DY0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 40 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4211	橈	F6EB	F6EB	6487	F6EB	F5DZ0080
4212	舵	F6EC	F6EC	6488	F6EC	F5E00080
4213	陀	F6ED	F6ED	6489	F6ED	F5E10080
4214	馱	F6EE	F6EE	6BB0	F6EE	F6GG0080
4215	駝	F6EF	F6EF	648A	F6EF	F5E20080
4216	倬	F6F0	F6F0	648B	F6F0	F5E30080
4217	卓	F6F1	F6F1	648C	F6F1	F5E40080
4218	啄	F6F2	F6F2	648D	F6F2	F5E50080
4219	坼	F6F3	F6F3	6BB1	F6F3	F6GH0080
4220	度	F6F4	F6F4	648E	F6F4	F5E60080
4221	托	F6F5	F6F5	648F	F6F5	F5E70080
4222	拓	F6F6	F6F6	6491	F6F6	F5E90080
4223	擢	F6F7	F6F7	6492	F6F7	F5EA0080
4224	皦	F6F8	F6F8	6BB2	F6F8	F6GI0080
4225	柝	F6F9	F6F9	6493	F6F9	F5EB0080
4226	濁	F6FA	F6FA	6495	F6FA	F5ED0080
4227	濯	F6FB	F6FB	6496	F6FB	F5EE0080
4228	琢	F6FC	F6FC	6497	F6FC	F5EF0080
4229	瑁	F6FD	F6FD	6BB3	F6FD	F6GJ0080
4230	託	F6FE	F6FE	6498	F6FE	F5EG0080
4231	鐸	F7A1	F7A1	6499	F7A1	F5EH0080
4232	吞	F7A2	F7A2	649A	F7A2	F5EI0080
4233	嘆	F7A3	F7A3	649B	F7A3	F5EJ0080
4234	坦	F7A4	F7A4	649C	F7A4	F5EK0080
4235	彈	F7A5	F7A5	649D	F7A5	F5EL0080
4236	憚	F7A6	F7A6	649E	F7A6	F5EM0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 41 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4237	歎	F7A7	F7A7	649F	F7A7	F5EN0080
4238	灘	F7A8	F7A8	64A0	F7A8	F5EO0080
4239	炭	F7A9	F7A9	64A1	F7A9	F5EP0080
4240	綻	F7AA	F7AA	64A2	F7AA	F5EQ0080
4241	誕	F7AB	F7AB	64A3	F7AB	F5ER0080
4242	奪	F7AC	F7AC	64A4	F7AC	F5ES0080
4243	脫	F7AD	F7AD	64A5	F7AD	F5ET0080
4244	探	F7AE	F7AE	64A6	F7AE	F5EU0080
4245	眈	F7AF	F7AF	6BB4	F7AF	F6GK0080
4246	耽	F7B0	F7B0	64A7	F7B0	F5EV0080
4247	貪	F7B1	F7B1	64A8	F7B1	F5EW0080
4248	塔	F7B2	F7B2	64A9	F7B2	F5EX0080
4249	搭	F7B3	F7B3	64AA	F7B3	F5EY0080
4250	榻	F7B4	F7B4	64AB	F7B4	F5EZ0080
4251	宕	F7B5	F7B5	64AC	F7B5	F5F00080
4252	帑	F7B6	F7B6	64AD	F7B6	F5F10080
4253	湯	F7B7	F7B7	64AE	F7B7	F5F20080
4254	糖	F7B8	F7B8	6BB5	F7B8	F6GL0080
4255	蕩	F7B9	F7B9	64AF	F7B9	F5F30080
4256	兌	F7BA	F7BA	64B0	F7BA	F5F40080
4257	台	F7BB	F7BB	64B1	F7BB	F5F50080
4258	太	F7BC	F7BC	64B2	F7BC	F5F60080
4259	怠	F7BD	F7BD	64B3	F7BD	F5F70080
4260	態	F7BE	F7BE	64B4	F7BE	F5F80080
4261	殆	F7BF	F7BF	64B5	F7BF	F5F90080
4262	汰	F7C0	F7C0	64B6	F7C0	F5FA0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 42 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4263	泰	F7C1	F7C1	64B7	F7C1	F5FB0080
4264	答	F7C2	F7C2	64B8	F7C2	F5FC0080
4265	胎	F7C3	F7C3	64B9	F7C3	F5FD0080
4266	苔	F7C4	F7C4	64BA	F7C4	F5FE0080
4267	跽	F7C5	F7C5	64BB	F7C5	F5FF0080
4268	郤	F7C6	F7C6	64BC	F7C6	F5FG0080
4269	颯	F7C7	F7C7	64BD	F7C7	F5FH0080
4270	宅	F7C8	F7C8	64BF	F7C8	F5FJ0080
4271	擇	F7C9	F7C9	64C0	F7C9	F5FK0080
4272	澤	F7CA	F7CA	64C1	F7CA	F5FL0080
4273	撐	F7CB	F7CB	64C3	F7CB	F5FN0080
4274	攄	F7CC	F7CC	64C4	F7CC	F5FO0080
4275	兔	F7CD	F7CD	64C5	F7CD	F5FP0080
4276	吐	F7CE	F7CE	64C6	F7CE	F5FQ0080
4277	土	F7CF	F7CF	64C7	F7CF	F5FR0080
4278	討	F7D0	F7D0	64C8	F7D0	F5FS0080
4279	慟	F7D1	F7D1	64C9	F7D1	F5FT0080
4280	桶	F7D2	F7D2	64CA	F7D2	F5FU0080
4281	洞	F7D3	F7D3	64CB	F7D3	F5FV0080
4282	痛	F7D4	F7D4	64CC	F7D4	F5FW0080
4283	筒	F7D5	F7D5	64CD	F7D5	F5FX0080
4284	統	F7D6	F7D6	64CE	F7D6	F5FY0080
4285	通	F7D7	F7D7	64CF	F7D7	F5FZ0080
4286	堆	F7D8	F7D8	64D0	F7D8	F5G00080
4287	槌	F7D9	F7D9	6BB6	F7D9	F6GM0080
4288	腿	F7DA	F7DA	64D1	F7DA	F5G10080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 43 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4289	褪	F7DB	F7DB	64D2	F7DB	F5G20080
4290	退	F7DC	F7DC	64D3	F7DC	F5G30080
4291	頹	F7DD	F7DD	64D4	F7DD	F5G40080
4292	偷	F7DE	F7DE	64D5	F7DE	F5G50080
4293	套	F7DF	F7DF	64D6	F7DF	F5G60080
4294	妬	F7E0	F7E0	64D7	F7E0	F5G70080
4295	投	F7E1	F7E1	64D8	F7E1	F5G80080
4296	透	F7E2	F7E2	64D9	F7E2	F5G90080
4297	鬪	F7E3	F7E3	64DA	F7E3	F5GA0080
4298	慝	F7E4	F7E4	64DB	F7E4	F5GB0080
4299	特	F7E5	F7E5	64DC	F7E5	F5GC0080
4300	闖	F7E6	F7E6	6BB7	F7E6	F6GN0080
4301	坡	F7E7	F7E7	64DE	F7E7	F5GE0080
4302	婆	F7E8	F7E8	64DD	F7E8	F5GD0080
4303	巴	F7E9	F7E9	64DF	F7E9	F5GF0080
4304	把	F7EA	F7EA	64E0	F7EA	F5GG0080
4305	播	F7EB	F7EB	64E1	F7EB	F5GH0080
4306	擺	F7EC	F7EC	6BB8	F7EC	F6GO0080
4307	杷	F7ED	F7ED	64E2	F7ED	F5GI0080
4308	波	F7EE	F7EE	64E3	F7EE	F5GJ0080
4309	派	F7EF	F7EF	64E4	F7EF	F5GK0080
4310	爬	F7F0	F7F0	64E5	F7F0	F5GL0080
4311	琶	F7F1	F7F1	64E6	F7F1	F5GM0080
4312	破	F7F2	F7F2	64E7	F7F2	F5GN0080
4313	罷	F7F3	F7F3	64E8	F7F3	F5GO0080
4314	芭	F7F4	F7F4	64E9	F7F4	F5GP0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 44 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4315	跋	F7F5	F7F5	64EA	F7F5	F5GQ0080
4316	頗	F7F6	F7F6	64EB	F7F6	F5GR0080
4317	判	F7F7	F7F7	64ED	F7F7	F5GT0080
4318	坂	F7F8	F7F8	64EC	F7F8	F5GS0080
4319	板	F7F9	F7F9	64EE	F7F9	F5GU0080
4320	版	F7FA	F7FA	64EF	F7FA	F5GV0080
4321	瓣	F7FB	F7FB	64F2	F7FB	F5GY0080
4322	販	F7FC	F7FC	64F0	F7FC	F5GW0080
4323	辦	F7FD	F7FD	64F1	F7FD	F5GX0080
4324	鋌	F7FE	F7FE	6BB9	F7FE	F6GP0080
4325	阪	F8A1	F8A1	64F3	F8A1	F5GZ0080
4326	八	F8A2	F8A2	64F4	F8A2	F5H00080
4327	叭	F8A3	F8A3	64F5	F8A3	F5H10080
4328	捌	F8A4	F8A4	64F6	F8A4	F5H20080
4329	佩	F8A5	F8A5	64F7	F8A5	F5H30080
4330	唄	F8A6	F8A6	64F8	F8A6	F5H40080
4331	悖	F8A7	F8A7	64F9	F8A7	F5H50080
4332	敗	F8A8	F8A8	6542	F8A8	F5HE0080
4333	沛	F8A9	F8A9	64FA	F8A9	F5H60080
4334	涓	F8AA	F8AA	64FB	F8AA	F5H70080
4335	牌	F8AB	F8AB	64FC	F8AB	F5H80080
4336	狽	F8AC	F8AC	64FD	F8AC	F5H90080
4337	稗	F8AD	F8AD	64FE	F8AD	F5HA0080
4338	霸	F8AE	F8AE	6543	F8AE	F5HF0080
4339	貝	F8AF	F8AF	6541	F8AF	F5HD0080
4340	彭	F8B0	F8B0	6544	F8B0	F5HG0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 45 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4341	澎	F8B1	F8B1	6545	F8B1	F5HH0080
4342	烹	F8B2	F8B2	6546	F8B2	F5HI0080
4343	膨	F8B3	F8B3	6547	F8B3	F5HJ0080
4344	復	F8B4	F8B4	6548	F8B4	F5HK0080
4345	便	F8B5	F8B5	6549	F8B5	F5HL0080
4346	偏	F8B6	F8B6	654A	F8B6	F5HM0080
4347	扁	F8B7	F8B7	654B	F8B7	F5HN0080
4348	片	F8B8	F8B8	654C	F8B8	F5HO0080
4349	篇	F8B9	F8B9	654D	F8B9	F5HP0080
4350	編	F8BA	F8BA	654E	F8BA	F5HQ0080
4351	翩	F8BB	F8BB	654F	F8BB	F5HR0080
4352	遍	F8BC	F8BC	6551	F8BC	F5HT0080
4353	鞭	F8BD	F8BD	6552	F8BD	F5HU0080
4354	騙	F8BE	F8BE	6BBA	F8BE	F6GQ0080
4355	貶	F8BF	F8BF	6553	F8BF	F5HV0080
4356	坪	F8C0	F8C0	6554	F8C0	F5HW0080
4357	平	F8C1	F8C1	6555	F8C1	F5HX0080
4358	枰	F8C2	F8C2	6BBB	F8C2	F6GR0080
4359	萍	F8C3	F8C3	6556	F8C3	F5HY0080
4360	評	F8C4	F8C4	6557	F8C4	F5HZ0080
4361	吠	F8C5	F8C5	6558	F8C5	F5I00080
4362	嬖	F8C6	F8C6	6559	F8C6	F5I10080
4363	幣	F8C7	F8C7	655A	F8C7	F5I20080
4364	廢	F8C8	F8C8	655B	F8C8	F5I30080
4365	弊	F8C9	F8C9	655C	F8C9	F5I40080
4366	斃	F8CA	F8CA	655D	F8CA	F5I50080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 46 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4367	肺	F8CB	F8CB	655E	F8CB	F5I60080
4368	蔽	F8CC	F8CC	655F	F8CC	F5I70080
4369	閉	F8CD	F8CD	6560	F8CD	F5I80080
4370	陞	F8CE	F8CE	6561	F8CE	F5I90080
4371	佈	F8CF	F8CF	6562	F8CF	F5IA0080
4372	包	F8D0	F8D0	6563	F8D0	F5IB0080
4373	匍	F8D1	F8D1	6564	F8D1	F5IC0080
4374	匏	F8D2	F8D2	6565	F8D2	F5ID0080
4375	咆	F8D3	F8D3	6566	F8D3	F5IE0080
4376	哺	F8D4	F8D4	6567	F8D4	F5IF0080
4377	圃	F8D5	F8D5	6568	F8D5	F5IG0080
4378	布	F8D6	F8D6	656A	F8D6	F5II0080
4379	佈	F8D7	F8D7	656B	F8D7	F5IJ0080
4380	拋	F8D8	F8D8	656D	F8D8	F5IL0080
4381	抱	F8D9	F8D9	656C	F8D9	F5IK0080
4382	捕	F8DA	F8DA	656E	F8DA	F5IM0080
4383	暴	F8DB	F8DB	6BBC	F8DB	F6GS0080
4384	泡	F8DC	F8DC	656F	F8DC	F5IN0080
4385	浦	F8DD	F8DD	6570	F8DD	F5IO0080
4386	庖	F8DE	F8DE	6572	F8DE	F5IQ0080
4387	砲	F8DF	F8DF	6573	F8DF	F5IR0080
4388	胞	F8E0	F8E0	6574	F8E0	F5IS0080
4389	脯	F8E1	F8E1	6575	F8E1	F5IT0080
4390	苞	F8E2	F8E2	6BBD	F8E2	F6GT0080
4391	葡	F8E3	F8E3	6577	F8E3	F5IV0080
4392	蒲	F8E4	F8E4	6578	F8E4	F5IW0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 47 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4393	袍	F8E5	F8E5	6579	F8E5	F5IX0080
4394	褒	F8E6	F8E6	657A	F8E6	F5IY0080
4395	逋	F8E7	F8E7	6BBE	F8E7	F6GU0080
4396	鋪	F8E8	F8E8	657C	F8E8	F5J00080
4397	飽	F8E9	F8E9	657E	F8E9	F5J20080
4398	鮑	F8EA	F8EA	657F	F8EA	F5J30080
4399	幅	F8EB	F8EB	6580	F8EB	F5J40080
4400	暴	F8EC	F8EC	6581	F8EC	F5J50080
4401	曝	F8ED	F8ED	6BBF	F8ED	F6GV0080
4402	瀑	F8EE	F8EE	6582	F8EE	F5J60080
4403	爆	F8EF	F8EF	6583	F8EF	F5J70080
4404	輻	F8F0	F8F0	6BC0	F8F0	F6GW0080
4405	倭	F8F1	F8F1	6584	F8F1	F5J80080
4406	剽	F8F2	F8F2	6585	F8F2	F5J90080
4407	彪	F8F3	F8F3	6586	F8F3	F5JA0080
4408	慄	F8F4	F8F4	6587	F8F4	F5JB0080
4409	杓	F8F5	F8F5	6588	F8F5	F5JC0080
4410	標	F8F6	F8F6	6589	F8F6	F5JD0080
4411	漂	F8F7	F8F7	658A	F8F7	F5JE0080
4412	瓢	F8F8	F8F8	658B	F8F8	F5JF0080
4413	票	F8F9	F8F9	658C	F8F9	F5JG0080
4414	表	F8FA	F8FA	658D	F8FA	F5JH0080
4415	豹	F8FB	F8FB	658E	F8FB	F5JI0080
4416	飈	F8FC	F8FC	6BC1	F8FC	F6GX0080
4417	飄	F8FD	F8FD	658F	F8FD	F5JJ0080
4418	驃	F8FE	F8FE	6BC2	F8FE	F6GY0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 48 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4419	品	F9A1	F9A1	6591	F9A1	F5JL0080
4420	稟	F9A2	F9A2	6592	F9A2	F5JM0080
4421	楓	F9A3	F9A3	6594	F9A3	F5JO0080
4422	諷	F9A4	F9A4	6595	F9A4	F5JP0080
4423	豊	F9A5	F9A5	6596	F9A5	F5JQ0080
4424	風	F9A6	F9A6	6597	F9A6	F5JR0080
4425	馮	F9A7	F9A7	6593	F9A7	F5JN0080
4426	彼	F9A8	F9A8	6598	F9A8	F5JS0080
4427	披	F9A9	F9A9	6599	F9A9	F5JT0080
4428	疲	F9AA	F9AA	659A	F9AA	F5JU0080
4429	皮	F9AB	F9AB	659B	F9AB	F5JV0080
4430	被	F9AC	F9AC	659D	F9AC	F5JX0080
4431	避	F9AD	F9AD	659E	F9AD	F5JY0080
4432	陂	F9AE	F9AE	6BC3	F9AE	F6GZ0080
4433	匹	F9AF	F9AF	659F	F9AF	F5JZ0080
4434	粥	F9B0	F9B0	65A0	F9B0	F5K00080
4435	必	F9B1	F9B1	65A1	F9B1	F5K10080
4436	泌	F9B2	F9B2	65A2	F9B2	F5K20080
4437	秘	F9B3	F9B3	6BC4	F9B3	F6H00080
4438	畢	F9B4	F9B4	65A3	F9B4	F5K30080
4439	疋	F9B5	F9B5	65A4	F9B5	F5K40080
4440	筆	F9B6	F9B6	65A5	F9B6	F5K50080
4441	苾	F9B7	F9B7	6BC5	F9B7	F6H10080
4442	秘	F9B8	F9B8	6BC6	F9B8	F6H20080
4443	乏	F9B9	F9B9	65A7	F9B9	F5K70080
4444	逼	F9BA	F9BA	65A8	F9BA	F5K80080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 49 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4445	下	F9BB	F9BB	65A9	F9BB	F5K90080
4446	何	F9BC	F9BC	65AA	F9BC	F5KA0080
4447	厦	F9BD	F9BD	6BC7	F9BD	F6H30080
4448	夏	F9BE	F9BE	65AB	F9BE	F5KB0080
4449	廈	F9BF	F9BF	65AC	F9BF	F5KC0080
4450	昷	F9C0	F9C0	65AD	F9C0	F5KD0080
4451	河	F9C1	F9C1	65AE	F9C1	F5KE0080
4452	瑕	F9C2	F9C2	65AF	F9C2	F5KF0080
4453	荷	F9C3	F9C3	65B1	F9C3	F5KH0080
4454	蝦	F9C4	F9C4	65B0	F9C4	F5KG0080
4455	賀	F9C5	F9C5	65B2	F9C5	F5KI0080
4456	遐	F9C6	F9C6	65B3	F9C6	F5KJ0080
4457	霞	F9C7	F9C7	65B4	F9C7	F5KK0080
4458	鰕	F9C8	F9C8	65B5	F9C8	F5KL0080
4459	壑	F9C9	F9C9	65B6	F9C9	F5KM0080
4460	學	F9CA	F9CA	65B7	F9CA	F5KN0080
4461	虐	F9CB	F9CB	65B9	F9CB	F5KP0080
4462	謔	F9CC	F9CC	65BA	F9CC	F5KQ0080
4463	鶴	F9CD	F9CD	65BB	F9CD	F5KR0080
4464	寒	F9CE	F9CE	65BC	F9CE	F5KS0080
4465	恨	F9CF	F9CF	65BD	F9CF	F5KT0080
4466	悍	F9D0	F9D0	65BE	F9D0	F5KU0080
4467	旱	F9D1	F9D1	65BF	F9D1	F5KV0080
4468	汗	F9D2	F9D2	65C0	F9D2	F5KW0080
4469	漢	F9D3	F9D3	65C1	F9D3	F5KX0080
4470	澣	F9D4	F9D4	65C2	F9D4	F5KY0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 50 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4471	瀚	F9D5	F9D5	6BC8	F9D5	F6H40080
4472	罕	F9D6	F9D6	65C3	F9D6	F5KZ0080
4473	翰	F9D7	F9D7	65C4	F9D7	F5L00080
4474	閑	F9D8	F9D8	65C7	F9D8	F5L30080
4475	閒	F9D9	F9D9	65C6	F9D9	F5L20080
4476	限	F9DA	F9DA	65C8	F9DA	F5L40080
4477	韓	F9DB	F9DB	65C9	F9DB	F5L50080
4478	割	F9DC	F9DC	65CB	F9DC	F5L70080
4479	轄	F9DD	F9DD	65CC	F9DD	F5L80080
4480	函	F9DE	F9DE	65CD	F9DE	F5L90080
4481	含	F9DF	F9DF	65CE	F9DF	F5LA0080
4482	咸	F9E0	F9E0	65CF	F9E0	F5LB0080
4483	啣	F9E1	F9E1	65D0	F9E1	F5LC0080
4484	喊	F9E2	F9E2	65D1	F9E2	F5LD0080
4485	檻	F9E3	F9E3	65D2	F9E3	F5LE0080
4486	涵	F9E4	F9E4	65D3	F9E4	F5LF0080
4487	緘	F9E5	F9E5	65D4	F9E5	F5LG0080
4488	艦	F9E6	F9E6	65D5	F9E6	F5LH0080
4489	銜	F9E7	F9E7	6BC9	F9E7	F6H50080
4490	陷	F9E8	F9E8	65D6	F9E8	F5LI0080
4491	鹹	F9E9	F9E9	6BCA	F9E9	F6H60080
4492	合	F9EA	F9EA	65D7	F9EA	F5LJ0080
4493	哈	F9EB	F9EB	65D8	F9EB	F5LK0080
4494	盒	F9EC	F9EC	65D9	F9EC	F5LL0080
4495	蛤	F9ED	F9ED	65DA	F9ED	F5LM0080
4496	閣	F9EE	F9EE	65DB	F9EE	F5LN0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 51 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4497	闔	F9EF	F9EF	6BCB	F9EF	F6H70080
4498	陝	F9F0	F9F0	65DC	F9F0	F5LO0080
4499	亢	F9F1	F9F1	65DD	F9F1	F5LP0080
4500	仇	F9F2	F9F2	65DE	F9F2	F5LQ0080
4501	姁	F9F3	F9F3	65DF	F9F3	F5LR0080
4502	嫦	F9F4	F9F4	6BCC	F9F4	F6H80080
4503	巷	F9F5	F9F5	65E0	F9F5	F5LS0080
4504	恒	F9F6	F9F6	65E1	F9F6	F5LT0080
4505	抗	F9F7	F9F7	65E2	F9F7	F5LU0080
4506	杭	F9F8	F9F8	65E3	F9F8	F5LV0080
4507	桁	F9F9	F9F9	65E4	F9F9	F5LW0080
4508	沆	F9FA	F9FA	65E5	F9FA	F5LX0080
4509	港	F9FB	F9FB	65E6	F9FB	F5LY0080
4510	缸	F9FC	F9FC	65E8	F9FC	F5M00080
4511	肛	F9FD	F9FD	65E9	F9FD	F5M10080
4512	航	F9FE	F9FE	65EA	F9FE	F5M20080
4513	行	FAA1	FAA1	6BCD	FAA1	F6H90080
4514	降	FAA2	FAA2	65EB	FAA2	F5M30080
4515	項	FAA3	FAA3	65EC	FAA3	F5M40080
4516	亥	FAA4	FAA4	65ED	FAA4	F5M50080
4517	偕	FAA5	FAA5	65EE	FAA5	F5M60080
4518	咳	FAA6	FAA6	65EF	FAA6	F5M70080
4519	垓	FAA7	FAA7	65F1	FAA7	F5M90080
4520	奚	FAA8	FAA8	65F0	FAA8	F5M80080
4521	孩	FAA9	FAA9	65F2	FAA9	F5MA0080
4522	害	FAAA	FAAA	65F3	FAAA	F5MB0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 52 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4523	懈	FAAB	FAAB	65F5	FAAB	F5MD0080
4524	楷	FAAC	FAAC	65F6	FAAC	F5ME0080
4525	海	FAAD	FAAD	65F7	FAAD	F5MF0080
4526	濯	FAAE	FAAE	6BCE	FAAE	F6HA0080
4527	蟹	FAAF	FAAF	65F8	FAAF	F5MG0080
4528	解	FAB0	FAB0	65F9	FAB0	F5MH0080
4529	該	FAB1	FAB1	65FA	FAB1	F5MI0080
4530	諧	FAB2	FAB2	65FB	FAB2	F5MJ0080
4531	邂	FAB3	FAB3	65FC	FAB3	F5MK0080
4532	駭	FAB4	FAB4	65FD	FAB4	F5ML0080
4533	骸	FAB5	FAB5	65FE	FAB5	F5MM0080
4534	劾	FAB6	FAB6	6641	FAB6	F5MP0080
4535	核	FAB7	FAB7	6642	FAB7	F5MQ0080
4536	倖	FAB8	FAB8	6643	FAB8	F5MR0080
4537	幸	FAB9	FAB9	6644	FAB9	F5MS0080
4538	杏	FABA	FABA	6645	FABA	F5MT0080
4539	荇	FABB	FABB	6BCF	FABB	F6HB0080
4540	行	FABC	FABC	6646	FABC	F5MU0080
4541	享	FABD	FABD	6647	FABD	F5MV0080
4542	向	FABE	FABE	6648	FABE	F5MW0080
4543	嚮	FABF	FABF	6649	FABF	F5MX0080
4544	珣	FAC0	FAC0	664B	FAC0	F5MZ0080
4545	鄉	FAC1	FAC1	664A	FAC1	F5MY0080
4546	響	FAC2	FAC2	664C	FAC2	F5N00080
4547	餉	FAC3	FAC3	664D	FAC3	F5N10080
4548	饗	FAC4	FAC4	664E	FAC4	F5N20080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 53 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4549	香	FAC5	FAC5	664F	FAC5	F5N30080
4550	嘘	FAC6	FAC6	6650	FAC6	F5N40080
4551	墟	FAC7	FAC7	6651	FAC7	F5N50080
4552	虚	FAC8	FAC8	6652	FAC8	F5N60080
4553	許	FAC9	FAC9	6653	FAC9	F5N70080
4554	憲	FACA	FACA	6654	FACA	F5N80080
4555	德	FACB	FACB	6BD0	FACB	F6HC0080
4556	獻	FACC	FACC	6656	FACC	F5NA0080
4557	軒	FACD	FACD	6655	FACD	F5N90080
4558	歇	FACE	FACE	6657	FACE	F5NB0080
4559	險	FACF	FACF	6658	FACF	F5NC0080
4560	驗	FAD0	FAD0	6659	FAD0	F5ND0080
4561	奕	FAD1	FAD1	665A	FAD1	F5NE0080
4562	赫	FAD2	FAD2	665B	FAD2	F5NF0080
4563	赫	FAD3	FAD3	665C	FAD3	F5NG0080
4564	革	FAD4	FAD4	665D	FAD4	F5NH0080
4565	倪	FAD5	FAD5	6BD1	FAD5	F6HD0080
4566	峴	FAD6	FAD6	665E	FAD6	F5NI0080
4567	弦	FAD7	FAD7	665F	FAD7	F5NJ0080
4568	懸	FAD8	FAD8	6660	FAD8	F5NK0080
4569	睨	FAD9	FAD9	6BD5	FAD9	F6HH0080
4570	泫	FADA	FADA	6BD3	FADA	F6HF0080
4571	炫	FADB	FADB	6661	FADB	F5NL0080
4572	玄	FADC	FADC	6663	FADC	F5NN0080
4573	玆	FADD	FADD	6BD4	FADD	F6HG0080
4574	現	FADE	FADE	6662	FADE	F5NM0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 54 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4575	眩	FADF	FADF	6664	FADF	F5NO0080
4576	睨	FAE0	FAE0	6BD2	FAE0	F6HE0080
4577	絃	FAE1	FAE1	6665	FAE1	F5NP0080
4578	絢	FAE2	FAE2	6666	FAE2	F5NQ0080
4579	縣	FAE3	FAE3	6667	FAE3	F5NR0080
4580	舷	FAE4	FAE4	6668	FAE4	F5NS0080
4581	銜	FAE5	FAE5	6669	FAE5	F5NT0080
4582	見	FAE6	FAE6	666A	FAE6	F5NU0080
4583	賢	FAE7	FAE7	666B	FAE7	F5NV0080
4584	鉉	FAE8	FAE8	666C	FAE8	F5NW0080
4585	顯	FAE9	FAE9	666D	FAE9	F5NX0080
4586	孑	FAEA	FAEA	666E	FAEA	F5NY0080
4587	穴	FAEB	FAEB	666F	FAEB	F5NZ0080
4588	血	FAEC	FAEC	6670	FAEC	F5O00080
4589	頁	FAED	FAED	6671	FAED	F5O10080
4590	嫌	FAEE	FAEE	6672	FAEE	F5O20080
4591	俠	FAEF	FAEF	6674	FAEF	F5O40080
4592	協	FAF0	FAF0	6675	FAF0	F5O50080
4593	夾	FAF1	FAF1	6676	FAF1	F5O60080
4594	峽	FAF2	FAF2	6677	FAF2	F5O70080
4595	挾	FAF3	FAF3	6678	FAF3	F5O80080
4596	浹	FAF4	FAF4	6679	FAF4	F5O90080
4597	狹	FAF5	FAF5	667A	FAF5	F5OA0080
4598	脅	FAF6	FAF6	667D	FAF6	F5OD0080
4599	脇	FAF7	FAF7	667C	FAF7	F5OC0080
4600	莢	FAF8	FAF8	667E	FAF8	F5OE0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 55 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4601	缺	FAF9	FAF9	6680	FAF9	F5OG0080
4602	颊	FAFA	FAFA	6681	FAFA	F5OH0080
4603	亨	FAFB	FAFB	6682	FAFB	F5OI0080
4604	兄	FAFC	FAFC	6686	FAFC	F5OM0080
4605	刑	FAFD	FAFD	6683	FAFD	F5OJ0080
4606	型	FAFE	FAFE	6684	FAFE	F5OK0080
4607	形	FBA1	FBA1	6685	FBA1	F5OL0080
4608	洞	FBA2	FBA2	6BD6	FBA2	F6HI0080
4609	荣	FBA3	FBA3	6BD7	FBA3	F6HJ0080
4610	澄	FBA4	FBA4	6687	FBA4	F5ON0080
4611	澄	FBA5	FBA5	6BD8	FBA5	F6HK0080
4612	炯	FBA6	FBA6	6688	FBA6	F5OO0080
4613	荧	FBA7	FBA7	6BD9	FBA7	F6HL0080
4614	珩	FBA8	FBA8	6689	FBA8	F5OP0080
4615	莹	FBA9	FBA9	6BDA	FBA9	F6HM0080
4616	荊	FBAA	FBAA	668A	FBAA	F5OQ0080
4617	螢	FBAB	FBAB	668B	FBAB	F5OR0080
4618	衡	FBAC	FBAC	668C	FBAC	F5OS0080
4619	迥	FBAD	FBAD	6BDB	FBAD	F6HN0080
4620	邢	FBAE	FBAE	668D	FBAE	F5OT0080
4621	鎿	FBAF	FBAF	668E	FBAF	F5OU0080
4622	馨	FBB0	FBB0	668F	FBB0	F5OV0080
4623	兮	FBB1	FBB1	6690	FBB1	F5OW0080
4624	彗	FBB2	FBB2	6691	FBB2	F5OX0080
4625	惠	FBB3	FBB3	6692	FBB3	F5OY0080
4626	慧	FBB4	FBB4	6693	FBB4	F5OZ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 56 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4627	嘒	FBB5	FBB5	6BDC	FBB5	F6HO0080
4628	蕙	FBB6	FBB6	6694	FBB6	F5P00080
4629	蹊	FBB7	FBB7	6BDD	FBB7	F6HP0080
4630	醯	FBB8	FBB8	6695	FBB8	F5P10080
4631	鞋	FBB9	FBB9	6696	FBB9	F5P20080
4632	乎	FBBA	FBBA	6697	FBBA	F5P30080
4633	互	FBBB	FBBB	6698	FBBB	F5P40080
4634	呼	FBBC	FBBC	669A	FBBC	F5P60080
4635	壕	FBBD	FBBD	669C	FBBD	F5P80080
4636	壺	FBBE	FBBE	669B	FBBE	F5P70080
4637	好	FBBF	FBBF	669D	FBBF	F5P90080
4638	岾	FBC0	FBC0	6BDE	FBC0	F6HQ0080
4639	弧	FBC1	FBC1	669E	FBC1	F5PA0080
4640	戶	FBC2	FBC2	66A0	FBC2	F5PC0080
4641	扈	FBC3	FBC3	66B8	FBC3	F5Q00080
4642	昊	FBC4	FBC4	669F	FBC4	F5PB0080
4643	皓	FBC5	FBC5	6BDF	FBC5	F6HR0080
4644	毫	FBC6	FBC6	66A1	FBC6	F5PD0080
4645	浩	FBC7	FBC7	66A2	FBC7	F5PE0080
4646	溟	FBC8	FBC8	66A3	FBC8	F5PF0080
4647	湖	FBC9	FBC9	66A4	FBC9	F5PG0080
4648	滸	FBCA	FBCA	66A5	FBCA	F5PH0080
4649	滹	FBCB	FBCB	66A6	FBCB	F5PI0080
4650	濠	FBCC	FBCC	66A8	FBCC	F5PK0080
4651	濩	FBCD	FBCD	66A7	FBCD	F5PJ0080
4652	灑	FBCE	FBCE	66A9	FBCE	F5PL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 57 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4653	狐	FBCF	FBCF	66AA	FBCF	F5PM0080
4654	琥	FBD0	FBD0	6BE0	FBD0	F6HS0080
4655	瑚	FBD1	FBD1	66AB	FBD1	F5PN0080
4656	瓠	FBD2	FBD2	66AC	FBD2	F5PO0080
4657	皓	FBD3	FBD3	66AD	FBD3	F5PP0080
4658	祜	FBD4	FBD4	66AF	FBD4	F5PR0080
4659	糊	FBD5	FBD5	66B0	FBD5	F5PS0080
4660	縞	FBD6	FBD6	66B1	FBD6	F5PT0080
4661	胡	FBD7	FBD7	66B2	FBD7	F5PU0080
4662	芦	FBD8	FBD8	6BE1	FBD8	F6HT0080
4663	葫	FBD9	FBD9	66B3	FBD9	F5PV0080
4664	蒿	FBDA	FBDA	6BE2	FBDA	F6HU0080
4665	虎	FBDB	FBDB	66B4	FBDB	F5PW0080
4666	號	FBDC	FBDC	66B5	FBDC	F5PX0080
4667	蝴	FBDD	FBDD	66B6	FBDD	F5PY0080
4668	護	FBDE	FBDE	66B7	FBDE	F5PZ0080
4669	豪	FBDF	FBDF	6699	FBDF	F5P50080
4670	鎬	FBE0	FBE0	66BA	FBE0	F5Q20080
4671	護	FBE1	FBE1	66BB	FBE1	F5Q30080
4672	顥	FBE2	FBE2	66BC	FBE2	F5Q40080
4673	惑	FBE3	FBE3	66BD	FBE3	F5Q50080
4674	或	FBE4	FBE4	66BE	FBE4	F5Q60080
4675	酷	FBE5	FBE5	66BF	FBE5	F5Q70080
4676	婚	FBE6	FBE6	66C0	FBE6	F5Q80080
4677	昏	FBE7	FBE7	66C1	FBE7	F5Q90080
4678	混	FBE8	FBE8	66C2	FBE8	F5QA0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 58 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4679	渾	FBE9	FBE9	66C3	FBE9	F5QB0080
4680	瓊	FBEA	FBEA	66C4	FBEA	F5QC0080
4681	魂	FBEB	FBEB	66C5	FBEB	F5QD0080
4682	忽	FBEC	FBEC	66C6	FBEC	F5QE0080
4683	惚	FBED	FBED	66C7	FBED	F5QF0080
4684	笏	FBEE	FBEE	66C8	FBEE	F5QG0080
4685	哄	FBEF	FBEF	66CB	FBEF	F5QJ0080
4686	弘	FBF0	FBF0	66CA	FBF0	F5QI0080
4687	汞	FBF1	FBF1	66CC	FBF1	F5QK0080
4688	泓	FBF2	FBF2	66CD	FBF2	F5QL0080
4689	洪	FBF3	FBF3	66CE	FBF3	F5QM0080
4690	烘	FBF4	FBF4	6BE3	FBF4	F6HV0080
4691	紅	FBF5	FBF5	66D0	FBF5	F5QO0080
4692	虹	FBF6	FBF6	66D1	FBF6	F5QP0080
4693	訶	FBF7	FBF7	66D2	FBF7	F5QQ0080
4694	鴻	FBF8	FBF8	66CF	FBF8	F5QN0080
4695	化	FBF9	FBF9	66D3	FBF9	F5QR0080
4696	和	FBFA	FBFA	66DA	FBFA	F5QY0080
4697	燁	FBFB	FBFB	66D4	FBFB	F5QS0080
4698	樺	FBFC	FBFC	66D5	FBFC	F5QT0080
4699	火	FBFD	FBFD	66D6	FBFD	F5QU0080
4700	晝	FBFE	FBFE	66D8	FBFE	F5QW0080
4701	禍	FCA1	FCA1	66D7	FCA1	F5QV0080
4702	禾	FCA2	FCA2	66D9	FCA2	F5QX0080
4703	花	FCA3	FCA3	66DB	FCA3	F5QZ0080
4704	華	FCA4	FCA4	66DC	FCA4	F5R00080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 59 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4705	話	FCA5	FCA5	66DD	FCA5	F5R10080
4706	諱	FCA6	FCA6	6BE4	FCA6	F6HW0080
4707	貨	FCA7	FCA7	66DF	FCA7	F5R30080
4708	靴	FCA8	FCA8	66DE	FCA8	F5R20080
4709	廓	FCA9	FCA9	66E0	FCA9	F5R40080
4710	擴	FCAA	FCAA	66E1	FCAA	F5R50080
4711	攪	FCAB	FCAB	66E2	FCAB	F5R60080
4712	確	FCAC	FCAC	66E3	FCAC	F5R70080
4713	礪	FCAD	FCAD	66E4	FCAD	F5R80080
4714	穫	FCAE	FCAE	66E5	FCAE	F5R90080
4715	丸	FCAF	FCAF	66E7	FCAF	F5RB0080
4716	喚	FCB0	FCB0	66E8	FCB0	F5RC0080
4717	奩	FCB1	FCB1	6BE5	FCB1	F6HX0080
4718	宦	FCB2	FCB2	66EA	FCB2	F5RE0080
4719	幻	FCB3	FCB3	66EB	FCB3	F5RF0080
4720	患	FCB4	FCB4	66EC	FCB4	F5RG0080
4721	換	FCB5	FCB5	66EE	FCB5	F5RI0080
4722	歡	FCB6	FCB6	66F0	FCB6	F5RK0080
4723	睨	FCB7	FCB7	6BE6	FCB7	F6HY0080
4724	桓	FCB8	FCB8	66EF	FCB8	F5RJ0080
4725	渙	FCB9	FCB9	66F1	FCB9	F5RL0080
4726	煥	FCBA	FCBA	66F2	FCBA	F5RM0080
4727	環	FCBB	FCBB	66F3	FCBB	F5RN0080
4728	紈	FCBC	FCBC	66F4	FCBC	F5RO0080
4729	還	FCBD	FCBD	66F5	FCBD	F5RP0080
4730	驩	FCBE	FCBE	66F6	FCBE	F5RQ0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 60 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4731	鰈	FCCF	FCCF	66F7	FCCF	F5RR0080
4732	活	FCC0	FCC0	66F9	FCC0	F5RT0080
4733	滑	FCC1	FCC1	66FA	FCC1	F5RU0080
4734	猾	FCC2	FCC2	66FB	FCC2	F5RV0080
4735	豁	FCC3	FCC3	66FC	FCC3	F5RW0080
4736	闊	FCC4	FCC4	66FD	FCC4	F5RX0080
4737	凰	FCC5	FCC5	66FE	FCC5	F5RY0080
4738	幌	FCC6	FCC6	6BE7	FCC6	F6HZ0080
4739	徨	FCC7	FCC7	6742	FCC7	F5S20080
4740	恍	FCC8	FCC8	6744	FCC8	F5S40080
4741	惶	FCC9	FCC9	6746	FCC9	F5S60080
4742	愧	FCCA	FCCA	6BE8	FCCA	F6I00080
4743	慌	FCCB	FCCB	6745	FCCB	F5S50080
4744	晃	FCCC	FCCC	6747	FCCC	F5S70080
4745	眈	FCCD	FCCD	6BE9	FCCD	F6I10080
4746	浬	FCCE	FCCE	6BEA	FCCE	F6I20080
4747	況	FCCF	FCCF	6748	FCCF	F5S80080
4748	滄	FCD0	FCD0	6BEB	FCD0	F6I30080
4749	滉	FCD1	FCD1	6749	FCD1	F5S90080
4750	潢	FCD2	FCD2	6BEC	FCD2	F6I40080
4751	煌	FCD3	FCD3	674A	FCD3	F5SA0080
4752	璜	FCD4	FCD4	6BED	FCD4	F6I50080
4753	皇	FCD5	FCD5	674B	FCD5	F5SB0080
4754	篁	FCD6	FCD6	674C	FCD6	F5SC0080
4755	簧	FCD7	FCD7	6BEE	FCD7	F6I60080
4756	荒	FCD8	FCD8	674D	FCD8	F5SD0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 61 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4757	蝗	FCD9	FCD9	674E	FCD9	F5SE0080
4758	遑	FCDA	FCDA	674F	FCDA	F5SF0080
4759	隍	FCDB	FCDB	6750	FCDB	F5SG0080
4760	黄	FCDC	FCDC	6751	FCDC	F5SH0080
4761	匯	FCDD	FCDD	6BEF	FCDD	F6I70080
4762	回	FCDE	FCDE	6752	FCDE	F5SI0080
4763	廻	FCDF	FCDF	6753	FCDF	F5SJ0080
4764	徊	FCE0	FCE0	6754	FCE0	F5SK0080
4765	恢	FCE1	FCE1	6755	FCE1	F5SL0080
4766	悔	FCE2	FCE2	6756	FCE2	F5SM0080
4767	懷	FCE3	FCE3	6757	FCE3	F5SN0080
4768	晦	FCE4	FCE4	6758	FCE4	F5SO0080
4769	會	FCE5	FCE5	6759	FCE5	F5SP0080
4770	檜	FCE6	FCE6	675A	FCE6	F5SQ0080
4771	淮	FCE7	FCE7	675B	FCE7	F5SR0080
4772	滄	FCE8	FCE8	675C	FCE8	F5SS0080
4773	灰	FCE9	FCE9	675D	FCE9	F5ST0080
4774	獮	FCEA	FCEA	675E	FCEA	F5SU0080
4775	繪	FCEB	FCEB	675F	FCEB	F5SV0080
4776	膾	FCEC	FCEC	6760	FCEC	F5SW0080
4777	茴	FCED	FCED	6BF0	FCED	F6I80080
4778	蛔	FCEE	FCEE	6761	FCEE	F5SX0080
4779	誨	FCEF	FCEF	6762	FCEF	F5SY0080
4780	賄	FCF0	FCF0	6763	FCF0	F5SZ0080
4781	劃	FCF1	FCF1	6764	FCF1	F5T00080
4782	獲	FCF2	FCF2	6765	FCF2	F5T10080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 62 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4783	弘	FCF3	FCF3	6BF1	FCF3	F6I90080
4784	橫	FCF4	FCF4	6766	FCF4	F5T20080
4785	鑽	FCF5	FCF5	6BF2	FCF5	F6IA0080
4786	哮	FCF6	FCF6	6767	FCF6	F5T30080
4787	嚙	FCF7	FCF7	6768	FCF7	F5T40080
4788	孝	FCF8	FCF8	676A	FCF8	F5T60080
4789	效	FCF9	FCF9	676B	FCF9	F5T70080
4790	斃	FCFA	FCFA	6BF3	FCFA	F6IB0080
4791	曉	FCFB	FCFB	676C	FCFB	F5T80080
4792	梟	FCFC	FCFC	676D	FCFC	F5T90080
4793	淳	FCFD	FCFD	6BF4	FCFD	F6IC0080
4794	淆	FCFE	FCFE	6BF5	FCFE	F6ID0080
4795	爻	FDA1	FDA1	676E	FDA1	F5TA0080
4796	肴	FDA2	FDA2	676F	FDA2	F5TB0080
4797	醇	FDA3	FDA3	6770	FDA3	F5TC0080
4798	驍	FDA4	FDA4	6BF6	FDA4	F6IE0080
4799	侯	FDA5	FDA5	6771	FDA5	F5TD0080
4800	候	FDA6	FDA6	6772	FDA6	F5TE0080
4801	厚	FDA7	FDA7	6773	FDA7	F5TF0080
4802	后	FDA8	FDA8	6774	FDA8	F5TG0080
4803	吼	FDA9	FDA9	6775	FDA9	F5TH0080
4804	喉	FDAA	FDAA	6776	FDAA	F5TI0080
4805	嗅	FDAB	FDAB	6777	FDAB	F5TJ0080
4806	幘	FDAC	FDAC	6BF7	FDAC	F6IF0080
4807	後	FDAD	FDAD	6778	FDAD	F5TK0080
4808	朽	FDAE	FDAE	6779	FDAE	F5TL0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 63 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4809	煦	FDAF	FDAF	6BF8	FDAF	F6IG0080
4810	翊	FDB0	FDB0	6BF9	FDB0	F6IH0080
4811	逅	FDB1	FDB1	677B	FDB1	F5TN0080
4812	勛	FDB2	FDB2	6BFA	FDB2	F6II0080
4813	勳	FDB3	FDB3	677D	FDB3	F5TP0080
4814	墳	FDB4	FDB4	677E	FDB4	F5TQ0080
4815	燠	FDB5	FDB5	677F	FDB5	F5TR0080
4816	焄	FDB6	FDB6	6781	FDB6	F5TT0080
4817	燠	FDB7	FDB7	6782	FDB7	F5TU0080
4818	燠	FDB8	FDB8	6783	FDB8	F5TV0080
4819	薰	FDB9	FDB9	6784	FDB9	F5TW0080
4820	訓	FDBA	FDBA	6785	FDBA	F5TX0080
4821	暈	FDBB	FDBB	6780	FDBB	F5TS0080
4822	蕘	FDBC	FDBC	6786	FDBC	F5TY0080
4823	暄	FDBD	FDBD	6787	FDBD	F5TZ0080
4824	暄	FDBE	FDBE	6BFB	FDBE	F6IJ0080
4825	煊	FDBF	FDBF	6BFC	FDBF	F6IK0080
4826	萱	FDC0	FDC0	6788	FDC0	F5U00080
4827	卉	FDC1	FDC1	6789	FDC1	F5U10080
4828	喙	FDC2	FDC2	678A	FDC2	F5U20080
4829	毀	FDC3	FDC3	678B	FDC3	F5U30080
4830	彙	FDC4	FDC4	678C	FDC4	F5U40080
4831	徽	FDC5	FDC5	678D	FDC5	F5U50080
4832	揮	FDC6	FDC6	678E	FDC6	F5U60080
4833	暉	FDC7	FDC7	678F	FDC7	F5U70080
4834	輝	FDC8	FDC8	6790	FDC8	F5U80080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 64 of 66). KS Hanja Character Set (3 of 3), EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4835	諱	FDC9	FDC9	6791	FDC9	F5U90080
4836	輝	FDCA	FDCA	6792	FDCA	F5UA0080
4837	麾	FDCB	FDCB	6793	FDCB	F5UB0080
4838	休	FDCC	FDCC	6794	FDCC	F5UC0080
4839	携	FDCD	FDCD	6795	FDCD	F5UD0080
4840	侏	FDCE	FDCE	6796	FDCE	F5UE0080
4841	畦	FDCF	FDCF	6797	FDCF	F5UF0080
4842	虧	FDD0	FDD0	6798	FDD0	F5UG0080
4843	恤	FDD1	FDD1	6799	FDD1	F5UH0080
4844	譎	FDD2	FDD2	679A	FDD2	F5UI0080
4845	鷓	FDD3	FDD3	679B	FDD3	F5UJ0080
4846	兇	FDD4	FDD4	679E	FDD4	F5UM0080
4847	凶	FDD5	FDD5	679C	FDD5	F5UK0080
4848	匈	FDD6	FDD6	679D	FDD6	F5UL0080
4849	洵	FDD7	FDD7	679F	FDD7	F5UN0080
4850	胸	FDD8	FDD8	67A0	FDD8	F5UO0080
4851	黑	FDD9	FDD9	67A1	FDD9	F5UP0080
4852	昕	FDDA	FDDA	67A3	FDDA	F5UR0080
4853	欣	Fddb	Fddb	67A4	Fddb	F5US0080
4854	炘	FDDC	FDDC	6BFD	FDDC	F6IL0080
4855	痕	FDDD	FDDD	67A5	FDDD	F5UT0080
4856	吃	FDDE	FDDE	67A6	FDDE	F5UU0080
4857	屹	FDDF	FDDF	67A7	FDDF	F5UV0080
4858	紘	FDE0	FDE0	67A8	FDE0	F5UW0080
4859	訖	FDE1	FDE1	6BFE	FDE1	F6IM0080
4860	欠	FDE2	FDE2	67AA	FDE2	F5UY0080



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 65 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4861	欽	FDE3	FDE3	67AC	FDE3	F5V00080
4862	飲	FDE4	FDE4	67AB	FDE4	F5UZ0080
4863	吸	FDE5	FDE5	67AD	FDE5	F5V10080
4864	恰	FDE6	FDE6	67AE	FDE6	F5V20080
4865	洽	FDE7	FDE7	67AF	FDE7	F5V30080
4866	翕	FDE8	FDE8	6C41	FDE8	F6IP0080
4867	興	FDE9	FDE9	67B0	FDE9	F5V40080
4868	僖	FDEA	FDEA	67B1	FDEA	F5V50080
4869	漚	FDEB	FDEB	67BC	FDEB	F5VG0080
4870	喜	FDEC	FDEC	67B2	FDEC	F5V60080
4871	噫	FDED	FDED	67B3	FDED	F5V70080
4872	囍	FDEE	FDEE	6C42	FDEE	F6IQ0080
4873	姬	FDEF	FDEF	67B4	FDEF	F5V80080
4874	嬉	FDF0	FDF0	67B5	FDF0	F5V90080
4875	希	FDF1	FDF1	67B6	FDF1	F5VA0080
4876	熹	FDF2	FDF2	67B8	FDF2	F5VC0080
4877	愜	FDF3	FDF3	6C43	FDF3	F6IR0080
4878	戲	FDF4	FDF4	67B9	FDF4	F5VD0080
4879	晞	FDF5	FDF5	6C44	FDF5	F6IS0080
4880	曦	FDF6	FDF6	67B7	FDF6	F5VB0080
4881	熙	FDF7	FDF7	67BB	FDF7	F5VF0080
4882	熹	FDF8	FDF8	67BD	FDF8	F5VH0080
4883	熿	FDF9	FDF9	6C45	FDF9	F6IT0080
4884	犧	FDFA	FDFA	67BA	FDFA	F5VE0080
4885	禧	FDFB	FDFB	67BE	FDFB	F5VI0080
4886	稀	FDFC	FDFC	67BF	FDFC	F5VJ0080




IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 66 of 66). KS Hanja Character Set (3 of 3), EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
4887	義	FDFD	FDFD	67C0	FDFD	F5VK0080
4888	詰	FDFE	FDFE	67C1	FDFE	F5VL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.4 User Definable Character Set

Table 11 (Page 1 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
1		C9A1	C9A1	D441	C9A1	XLXD0080
2		C9A2	C9A2	D442	C9A2	XLXE0080
3		C9A3	C9A3	D443	C9A3	XLXF0080
4		C9A4	C9A4	D444	C9A4	XLXG0080
5		C9A5	C9A5	D445	C9A5	XLXH0080
6		C9A6	C9A6	D446	C9A6	XLXI0080
7		C9A7	C9A7	D447	C9A7	XLXJ0080
8		C9A8	C9A8	D448	C9A8	XLXK0080
9		C9A9	C9A9	D449	C9A9	XLXL0080
10		C9AA	C9AA	D44A	C9AA	XLXM0080
11		C9AB	C9AB	D44B	C9AB	XLXN0080
12		C9AC	C9AC	D44C	C9AC	XLXO0080
13		C9AD	C9AD	D44D	C9AD	XLXP0080
14		C9AE	C9AE	D44E	C9AE	XLXQ0080
15		C9AF	C9AF	D44F	C9AF	XLXR0080
16		C9B0	C9B0	D450	C9B0	XLXS0080
17		C9B1	C9B1	D451	C9B1	XLXT0080
18		C9B2	C9B2	D452	C9B2	XLXU0080
19		C9B3	C9B3	D453	C9B3	XLXV0080
20		C9B4	C9B4	D454	C9B4	XLXW0080
21		C9B5	C9B5	D455	C9B5	XLXX0080
22		C9B6	C9B6	D456	C9B6	XLXY0080
23		C9B7	C9B7	D457	C9B7	XLXZ0080
24		C9B8	C9B8	D458	C9B8	XLY00080
25		C9B9	C9B9	D459	C9B9	XLY10080
26		C9BA	C9BA	D45A	C9BA	XLY20080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 2 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
27		C9BB	C9BB	D45B	C9BB	XLY30080
28		C9BC	C9BC	D45C	C9BC	XLY40080
29		C9BD	C9BD	D45D	C9BD	XLY50080
30		C9BE	C9BE	D45E	C9BE	XLY60080
31		C9BF	C9BF	D45F	C9BF	XLY70080
32		C9C0	C9C0	D460	C9C0	XLY80080
33		C9C1	C9C1	D461	C9C1	XLY90080
34		C9C2	C9C2	D462	C9C2	XLYA0080
35		C9C3	C9C3	D463	C9C3	XLYB0080
36		C9C4	C9C4	D464	C9C4	XLYC0080
37		C9C5	C9C5	D465	C9C5	XLYD0080
38		C9C6	C9C6	D466	C9C6	XLYE0080
39		C9C7	C9C7	D467	C9C7	XLYF0080
40		C9C8	C9C8	D468	C9C8	XLYG0080
41		C9C9	C9C9	D469	C9C9	XLYH0080
42		C9CA	C9CA	D46A	C9CA	XLYI0080
43		C9CB	C9CB	D46B	C9CB	XLYJ0080
44		C9CC	C9CC	D46C	C9CC	XLYK0080
45		C9CD	C9CD	D46D	C9CD	XLYL0080
46		C9CE	C9CE	D46E	C9CE	XLYM0080
47		C9CF	C9CF	D46F	C9CF	XLYN0080
48		C9D0	C9D0	D470	C9D0	XLYO0080
49		C9D1	C9D1	D471	C9D1	XLYP0080
50		C9D2	C9D2	D472	C9D2	XLYQ0080
51		C9D3	C9D3	D473	C9D3	XLYR0080
52		C9D4	C9D4	D474	C9D4	XLYS0080
53		C9D5	C9D5	D475	C9D5	XLYT0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 3 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
54		C9D6	C9D6	D476	C9D6	XLYOU0080
55		C9D7	C9D7	D477	C9D7	XLVYV0080
56		C9D8	C9D8	D478	C9D8	XLVW0080
57		C9D9	C9D9	D479	C9D9	XLVX0080
58		C9DA	C9DA	D47A	C9DA	XLVY0080
59		C9DB	C9DB	D47B	C9DB	XLVZ0080
60		C9DC	C9DC	D47C	C9DC	XLZ00080
61		C9DD	C9DD	D47D	C9DD	XLZ10080
62		C9DE	C9DE	D47E	C9DE	XLZ20080
63		C9DF	C9DF	D47F	C9DF	XLZ30080
64		C9E0	C9E0	D481	C9E0	XLZ50080
65		C9E1	C9E1	D482	C9E1	XLZ60080
66		C9E2	C9E2	D483	C9E2	XLZ70080
67		C9E3	C9E3	D484	C9E3	XLZ80080
68		C9E4	C9E4	D485	C9E4	XLZ90080
69		C9E5	C9E5	D486	C9E5	XLZA0080
70		C9E6	C9E6	D487	C9E6	XLZB0080
71		C9E7	C9E7	D488	C9E7	XLZC0080
72		C9E8	C9E8	D489	C9E8	XLZD0080
73		C9E9	C9E9	D48A	C9E9	XLZE0080
74		C9EA	C9EA	D48B	C9EA	XLZF0080
75		C9EB	C9EB	D48C	C9EB	XLZG0080
76		C9EC	C9EC	D48D	C9EC	XLZH0080
77		C9ED	C9ED	D48E	C9ED	XLZI0080
78		C9EE	C9EE	D48F	C9EE	XLZJ0080
79		C9EF	C9EF	D490	C9EF	XLZK0080
80		C9F0	C9F0	D491	C9F0	XLZL0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 4 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
81		C9F1	C9F1	D492	C9F1	XLZM0080
82		C9F2	C9F2	D493	C9F2	XLZN0080
83		C9F3	C9F3	D494	C9F3	XLZO0080
84		C9F4	C9F4	D495	C9F4	XLZP0080
85		C9F5	C9F5	D496	C9F5	XLZQ0080
86		C9F6	C9F6	D497	C9F6	XLZR0080
87		C9F7	C9F7	D498	C9F7	XLZS0080
88		C9F8	C9F8	D499	C9F8	XLZT0080
89		C9F9	C9F9	D49A	C9F9	XLZU0080
90		C9FA	C9FA	D49B	C9FA	XLZV0080
91		C9FB	C9FB	D49C	C9FB	XLZW0080
92		C9FC	C9FC	D49D	C9FC	XLZX0080
93		C9FD	C9FD	D49E	C9FD	XLZY0080
94		C9FE	C9FE	D49F	C9FE	XLZZ0080
95		FEA1	FEA1	D4A0	FEA1	XM000080
96		FEA2	FEA2	D4A1	FEA2	XM010080
97		FEA3	FEA3	D4A2	FEA3	XM020080
98		FEA4	FEA4	D4A3	FEA4	XM030080
99		FEA5	FEA5	D4A4	FEA5	XM040080
100		FEA6	FEA6	D4A5	FEA6	XM050080
101		FEA7	FEA7	D4A6	FEA7	XM060080
102		FEA8	FEA8	D4A7	FEA8	XM070080
103		FEA9	FEA9	D4A8	FEA9	XM080080
104		FEAA	FEAA	D4A9	FEAA	XM090080
105		FEAB	FEAB	D4AA	FEAB	XM0A0080
106		FEAC	FEAC	D4AB	FEAC	XM0B0080
107		FEAD	FEAD	D4AC	FEAD	XM0C0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 5 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
108		FEAE	FEAE	D4AD	FEAE	XM0D0080
109		FEAF	FEAF	D4AE	FEAF	XM0E0080
110		FEB0	FEB0	D4AF	FEB0	XM0F0080
111		FEB1	FEB1	D4B0	FEB1	XM0G0080
112		FEB2	FEB2	D4B1	FEB2	XM0H0080
113		FEB3	FEB3	D4B2	FEB3	XM0I0080
114		FEB4	FEB4	D4B3	FEB4	XM0J0080
115		FEB5	FEB5	D4B4	FEB5	XM0K0080
116		FEB6	FEB6	D4B5	FEB6	XM0L0080
117		FEB7	FEB7	D4B6	FEB7	XM0M0080
118		FEB8	FEB8	D4B7	FEB8	XM0N0080
119		FEB9	FEB9	D4B8	FEB9	XM0O0080
120		FEBA	FEBA	D4B9	FEBA	XM0P0080
121		FEBB	FEBB	D4BA	FEBB	XM0Q0080
122		FEBC	FEBC	D4BB	FEBC	XM0R0080
123		FEBD	FEBD	D4BC	FEBD	XM0S0080
124		FEBE	FEBE	D4BD	FEBE	XM0T0080
125		FEBF	FEBF	D4BE	FEBF	XM0U0080
126		FEC0	FEC0	D4BF	FEC0	XM0V0080
127		FEC1	FEC1	D4C0	FEC1	XM0W0080
128		FEC2	FEC2	D4C1	FEC2	XM0X0080
129		FEC3	FEC3	D4C2	FEC3	XM0Y0080
130		FEC4	FEC4	D4C3	FEC4	XM0Z0080
131		FEC5	FEC5	D4C4	FEC5	XM100080
132		FEC6	FEC6	D4C5	FEC6	XM110080
133		FEC7	FEC7	D4C6	FEC7	XM120080
134		FEC8	FEC8	D4C7	FEC8	XM130080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 6 of 7). KS User Definable Character Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
135		FEC9	FEC9	D4C8	FEC9	XM140080
136		FECA	FECA	D4C9	FECA	XM150080
137		FECB	FECB	D4CA	FECB	XM160080
138		FECC	FECC	D4CB	FECC	XM170080
139		FECD	FECD	D4CC	FECD	XM180080
140		FECE	FECE	D4CD	FECE	XM190080
141		FECF	FECF	D4CE	FECF	XM1A0080
142		FED0	FED0	D4CF	FED0	XM1B0080
143		FED1	FED1	D4D0	FED1	XM1C0080
144		FED2	FED2	D4D1	FED2	XM1D0080
145		FED3	FED3	D4D2	FED3	XM1E0080
146		FED4	FED4	D4D3	FED4	XM1F0080
147		FED5	FED5	D4D4	FED5	XM1G0080
148		FED6	FED6	D4D5	FED6	XM1H0080
149		FED7	FED7	D4D6	FED7	XM1I0080
150		FED8	FED8	D4D7	FED8	XM1J0080
151		FED9	FED9	D4D8	FED9	XM1K0080
152		FEDA	FEDA	D4D9	FEDA	XM1L0080
153		FEDB	FEDB	D4DA	FEDB	XM1M0080
154		FEDC	FEDC	D4DB	FEDC	XM1N0080
155		FEDD	FEDD	D4DC	FEDD	XM1O0080
156		FEDE	FEDE	D4DD	FEDE	XM1P0080
157		FEDF	FEDF	D4DE	FEDF	XM1Q0080
158		FEE0	FEE0	D4DF	FEE0	XM1R0080
159		FEE1	FEE1	D4E0	FEE1	XM1S0080
160		FEE2	FEE2	D4E1	FEE2	XM1T0080
161		FEE3	FEE3	D4E2	FEE3	XM1U0080

**IBM Korean Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 11 (Page 7 of 7). KS User Definable Character Set, EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	KS Code	GCGID
162		FEE4	FEE4	D4E3	FEE4	XM1V0080
163		FEE5	FEE5	D4E4	FEE5	XM1W0080
164		FEE6	FEE6	D4E5	FEE6	XM1X0080
165		FEE7	FEE7	D4E6	FEE7	XM1Y0080
166		FEE8	FEE8	D4E7	FEE8	XM1Z0080
167		FEE9	FEE9	D4E8	FEE9	XM200080
168		FEEA	FEEA	D4E9	FEEA	XM210080
169		FEEB	FEEB	D4EA	FEEB	XM220080
170		FEEC	FEEC	D4EB	FEEC	XM230080
171		FEED	FEED	D4EC	FEED	XM240080
172		FEEE	FEEE	D4ED	FEEE	XM250080
173		FEEF	FEEF	D4EE	FEEF	XM260080
174		FEF0	FEF0	D4EF	FEF0	XM270080
175		FEF1	FEF1	D4F0	FEF1	XM280080
176		FEF2	FEF2	D4F1	FEF2	XM290080
177		FEF3	FEF3	D4F2	FEF3	XM2A0080
178		FEF4	FEF4	D4F3	FEF4	XM2B0080
179		FEF5	FEF5	D4F4	FEF5	XM2C0080
180		FEF6	FEF6	D4F5	FEF6	XM2D0080
181		FEF7	FEF7	D4F6	FEF7	XM2E0080
182		FEF8	FEF8	D4F7	FEF8	XM2F0080
183		FEF9	FEF9	D4F8	FEF9	XM2G0080
184		FEFA	FEFA	D4F9	FEFA	XM2H0080
185		FEFB	FEFB	D4FA	FEFB	XM2I0080
186		FEFC	FEFC	D4FB	FEFC	XM2J0080
187		FEFD	FEFD	D4FC	FEFD	XM2K0080
188		FEFE	FEFE	D4FD	FEFE	XM2L0080

IBM Korean Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

Supplementary Information**11. Definition of Terms**

The following terms are defined for the purposes of this document.

11.1 Byte

A unit of string consisting of 8 bits.

11.2 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

11.3 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

11.4 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

11.5 Code Point

One of the bit-patterns specified by a *code*.

11.6 Coded Graphic Character

A *graphic character* with its assigned *code point*.

11.7 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

11.8 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

11.9 DBCS

Abbreviation of *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

11.10 DBCS-EUC

A *DBCS code page* which is mainly used with *EUC* encoding scheme.

11.11 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

11.12 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

11.13 EBCDIC

Abbreviation of *Extended BCD Interchange Code* which is defined in C-S 3-3220-002, *EBCDIC*.

11.14 EBCDIC + DBCS-Host

When a *DBCS-Host* is mixed with an *EBCDIC code page*, *DBCS* string is enclosed with a pair of SO: X'0E' and SI: X'0F'. See C-S 3-3220-002 for the definition of SO and SI. This is also referred to as Host-Mixed in CDRA publication.

11.15 EUC

Abbreviation of *Extended UNIX Code*. See C-S 3-3220-102 for detail.

Note: *UNIX* is a trademark of *UNIX System Laboratories*.

11.16 Graphic Character

A *graphic symbol character*, such as a numeric, alphabetic, special, Hangeul or Hanja.

11.17 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

11.18 Graphic Character Set

A set of *graphic characters*, treated as an entity.

11.19 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

11.20 ISO 7/8 bit + DBCS-EUC / TBCS-EUC

The *code extension* technique to combine the *code pages* of ISO 7/8 bit, *DBCS-EUC* and *TBCS-EUC* is called *EUC*. See Section 12 on page 337 for the details of *EUC* encoding schemes.



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

11.21 Multi-Byte Character Set (MBCS)

Multi-Byte Character Set contains a set of *graphic characters* in which each character is represented by multiple *bytes*.

MBCS may consist of plural *code pages* as follows:

- *EBCDIC* + *DBCS-Host*
- *PC Code* + *DBCS-PC*
- ISO 7/8 bit + *DBCS-EUC* / *TBCS-EUC*

11.22 PC Code

A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

11.23 PC Code + DBCS-PC

There is no explicit *code switching mechanism* in the *code extension* of PC environment, as a *DBCS-PC code point* can be distinguished from that of *PC Code* by the first *byte value*. The range of the valid first *byte* is *code page dependent*. This is also referred to as *PC-Mixed* in CDRA publication.

11.24 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

11.25 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

11.26 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

11.27 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

11.28 TBCS

Abbreviation of *Triple-Byte Character Set*. It is a *graphic character set* in which each character is represented by three *bytes*. See C-S 3-3220-102 for details.

11.29 TBCS-EUC

A *TBCS code page* which is mainly used with *EUC* encoding scheme.

11.30 UNIX

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. *UNIX* is a trademark of UNIX System Laboratories.

11.31 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of "Unrestricted."

11.32 User Definable Character (UDC)

A *graphic character* whose graphic shape is definable by users.

11.33 Ward

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

12. EUC Encoding Scheme

12.1 Definition

EUC (Extended UNIX Code) is an encoding framework which was based on Japanese *UNIX* internal code introduced by the Japanese *UNIX* System Advisory Committee in the proposal entitled “Proposal to AT&T for Japanese Capability on *UNIX* System V” in 1985, and enhanced by AT&T Bell Laboratories for worldwide usage. The *code* extension scheme is defined in compliance with the ISO 2022 *code* extension techniques which can handle both single- and multi-*byte* characters concurrently. The scheme is

designed to be applicable to every *coded graphic character set* in each country or region in the world, as long as it is defined based on ISO 2022.

As allowed in ISO 2022, *EUC* can deal with a maximum of four *graphic character sets* and corresponding *code pages* at the same time, without using locking shift. It permanently assigns ISO 646 (including variants) character set to the “primary *code set*” (G0) and allows the assignment of country, region or user specific character set(s) to three “supplementary *code sets*” (G1 - G3). The encoding scheme is shown in Table 12.

Table 12. Structure of EUC Encoding Framework

Code Set (*1)	Code Representation				Associated Standards
	1 byte	2 byte	3 byte	4 byte	
C0 Code Set (*2)	000xxxxx	N/A	N/A	N/A	ISO 646
C1 Code Set (*3)	100xxxxx	N/A	N/A	N/A	ISO 6429
Space	00100000	N/A	N/A	N/A	
Delete	01111111	N/A	N/A	N/A	
G0 Code Set (*4)	0xxxxxxx	N/A	N/A	N/A	ISO 646 variant
G1 Code Set (*5)	1xxxxxxx	N/A	N/A	N/A	Country/ Region specific
	1xxxxxxx	1xxxxxxx	N/A	N/A	
	1xxxxxxx	1xxxxxxx	1xxxxxxx	N/A	
G2 Code Set (*5)	10001110	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001110	1xxxxxxx	1xxxxxxx	N/A	
	10001110	1xxxxxxx	1xxxxxxx	1xxxxxxx	
G3 Code Set (*5)	10001111	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001111	1xxxxxxx	1xxxxxxx	N/A	
	10001111	1xxxxxxx	1xxxxxxx	1xxxxxxx	

Notes:

- *1 The name of each *code set* is base on ISO 2022.
- *2 000xxxxx can have values in 00000000 - 00011111 inclusive.
- *3 100xxxxx can have values in 10000000 - 10011111 inclusive.
- *4 0xxxxxxx can have values in 00100001 - 01111110 inclusive.
- *5 1xxxxxxx can have values in 10100000 - 11111111 inclusive.



IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

12.2 Korean Environment

12.2.1 Common Korean EUC

Although UNIX System Laboratories does not define any *graphic character set/code page* assignment to G1, G2, or G3 *code set*, a de fact standard exists for each language. As for Korean environment, most UNIX vendors in Korea have used Korean standard PC *code* as their UNIX *code* and it is adopted as Korean standard EUC *code*. Table 13 shows the *graphic character set* assignment of the Korean standard EUC.

G Code Set	Graphic Character Set	Bytes	Columns
G0	KSC 5636 Roman Set	1	1
G1	KSC 5601-1989 Set (including 188 UDCs)	2	2
G2	Undefined	N/A	N/A
G3	Undefined	N/A	N/A

12.2.2 IBM Korean EUC

IBM perfectly follows the Korean standard EUC specification (KSC 5861) with the exception of the graphic image at X'5C' in G0 set. KSC 5861 has defined Korean currency “Won sign,” but IBM defines “Backslash” instead of the currency sign to follow most UNIX vendors' fashion. To avoid any confusion, G0 *code set* is called “ASCII Set.” Table 14 shows the *graphic character set* assignment of the IBM Korean EUC.

G Code Set	Graphic Character Set	Bytes	Columns
G0	ASCII Set	1	1
G1	KSC 5601-1989 Set (including 188 UDCs)	2	2
G2	Undefined	N/A	N/A
G3	Undefined	N/A	N/A

12.2.3 Relation with Other IBM Code Pages

Since Korean industrial standard for EUC (KSC 5861) only defines G0 and G1 *code sets*, the IBM Korean EUC has followed the definition without adding any IBM selected characters in order to be compatible with outside IBM systems. The size of *user definable characters* has also been limited to as small as 188. As the result, the EUC *graphic character sets* are the subset of PC-Mixed (PC Code + DBCS-PC) and Host-Mixed (EBCDIC + DBCS-Host) as shown in Table 15, which shows the relation of the IBM Korean EUC *code* with other IBM *code pages* in terms of the number of *graphic characters* defined. It is, however, IBM Korea's long term direction to pursue the solution to provide the common character sets on all platforms.

Graphic Character Set	EUC	Host-Mixed	PC-Mixed
DBCS Character Set	8,224	8,877	8,224
User Definable Character Set	188	1,880	1,880
SBCS Character Set	94	151	94

Notes:

- 1) EUC consists of CPGIDs 00367 and 00971. See Section 12 on page 337
- 2) Host-Mixed consists of CPGIDs 00833 and 00834. See Section 11.14 on page 335
- 3) PC-Mixed consists of CPGIDs 01088 and 00951. See Section 11.23 on page 336
- 4) CPGIDs 00367, 00833 and 01088 are specified in C-H 3-3220-050.
- 5) CPGIDs 00834 and 00951 are specified in C-H 3-3220-125 1992-09.

IBM Korean Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

13. History of KSC 5601

KSC 5601, *Code for Information Interchange*, was originally defined in 1974. In its first revision in 1982, a total of 3,455 characters were defined, but this standard was not accepted by the computer industry because the number of the characters was not large enough to cover the efficient information processing by computers. Thus the second revision was required in 1987, with a total of 8,224 characters. In 1987, KSC 5601 was amended by addition of 4,769 characters with no consideration of the compatibility in terms of the relationship of the *graphic character* with the *code point* defined in 1982. In 1989, Korean government announced KSC 5842 which specified KSC 5601 as a PC internal *code* and mandated it as the basic procurement condition for the government related information systems. Table 16 shows the history of KSC 5601.


Table 16. History of KSC 5601

Graphic Character Set	KSC 5601-1982	Added Characters	KSC 5601-1987
Special	447	+539	986
Hangeul	1,316	+1,034	2,350
Hanja	1,692	+3,196	4,888
Total	3,455	+4,769	8,224

14. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in Table 4 on page 5 to Table 10 on page 262, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the graphic representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for DBCS (SIRS 029) may be consulted.



© Copyright IBM Corp. 1993, 2001

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

Table Definitions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GID	33220128 SCRIPT	3	3
STRUCT	33220128 SCRIPT	4	4
HOSTF	33220128 SCRIPT	4	4, 4, 4, 5, 10, 47, 105, 138, 200, 262, 328
HOSTHD	33220128 SCRIPT	4	5, 10, 47, 105, 138, 200, 262, 328
EUCSHM	33220128 SCRIPT	337	337
DSGNATE	33220128 SCRIPT	338	338, 338
OTHER	33220128 SCRIPT	338	338
LAST	33220128 SCRIPT	339	339

Headings

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
SUPP	33220128 SCRIPT	335	10.4, User Definable Character Set
TERMS	33220128 SCRIPT	335	11, Definition of Terms
HOSTMX	33220128 SCRIPT	335	11.14, EBCDIC + DBCS-Host 338
DEFEUC	33220128 SCRIPT	335	11.20, ISO 7/8 bit + DBCS-EUC / TBCS-EUC
DEFMBCS	33220128 SCRIPT	336	11.21, Multi-Byte Character Set (MBCS)
PCMX	33220128 SCRIPT	336	11.23, PC Code + DBCS-PC 338
EUCES	33220128 SCRIPT	337	12, EUC Encoding Scheme 335, 338
OTH	33220128 SCRIPT	338	12.2.3, Relation with Other IBM Code Pages 3

Revisions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
REV01	33220128 SCRIPT	i	i, i, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2, 2, 3, 3, 3, 3, 4, 4, 5, 5, 335, 335, 335, 336, 336, 336, 338, 338, 338, 338

Tables

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CGCSGID	33220128 SCRIPT	3	1 3
STRUCT1	33220128 SCRIPT	4	2 4
SCLTON	33220128 SCRIPT	4	3 4
ROMAN	33220128 SCRIPT	5	4 339
KSCNH	33220128 SCRIPT	10	5 4, 4
KSC11	33220128 SCRIPT	47	6
KSC12	33220128 SCRIPT		

KSC21	33220128 SCRIPT	105	7	
KSC22	33220128 SCRIPT	138	8	
KSC23	33220128 SCRIPT	200	9	
		262	10	
UDC01	33220128 SCRIPT			339
		328	11	
EUCGEN	33220128 SCRIPT			4, 4
		337	12	
				337
JPNEUC	33220128 SCRIPT			
		338	13	
				338
IBMJEUC	33220128 SCRIPT			
		338	14	
				338
OTHT	33220128 SCRIPT			
		338	15	
				338
COMTBL	33220128 SCRIPT			
		339	16	
				339

Processing Options

Runtime values:

```

Document fileid ..... 33220128 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0031
SCRIPT/VS Release ..... 4.0.0
Date ..... 01.08.08
Time ..... 12:05:41
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... 2
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
DVCF value 4 ..... (none)
DVCF value 5 ..... (none)
DVCF value 6 ..... (none)
DVCF value 7 ..... (none)
DVCF value 8 ..... (none)
DVCF value 9 ..... (none)
Explode ..... NO
Figure list on new page ..... NO
Figure/table number separation ..... YES
Folio-by-chapter ..... NO
Head 0 body text ..... (none)
Head 1 body text ..... (none)
Head 1 appendix text ..... Appendix
Hyphenation ..... YES
Justification ..... YES
Language ..... ENGL
Keyboard ..... 395
Layout ..... 2
Leader dots ..... YES
Master index ..... (none)
Partial TOC (maximum level) ..... 4
Partial TOC (new page after) ..... INLINE
Print example id's ..... NO
Print cross reference page numbers ..... YES
Process value ..... (none)
Punctuation move characters ..... ,
    
```

Read cross-reference file (none)
Running heading/footing rule NONE
Show index entries NO
Table of Contents (maximum level) 5
Table list on new page NO
Title page (draft) alignment RIGHT
Write cross-reference file (none)

Inbed Trace

Page 5	CUSCFG01
Page 10	CUSCFG02
Page 47	CUSCFG03
Page 105	CUSCFG04
Page 138	CUSCFG05
Page 200	CUSCFG06
Page 262	CUSCFG07
Page 328	CUSCFG08