



IBM 🙋 server iSeries

iSeries Access Programming Overview



© Copyright IBM Corporation, 2004. All Rights Reserved. This publication may refer to products that are not currently available in your country. IBM makes no commitment to make available any products referred to herein



Agenda

- Introduction
 - > API
 - Strategy
 - Where to start?
- Traditional APIs
 - Industry Standards
 - iSeries Specific
 - Client Management
 - Next Generation APIs
 - ActiveX automation objects and controls
 - OLE DB Provider
 - Java tools
- iSeries Navigator
 - Plug-ins
- Where to start
- What's new

API – a definition

- A set of method calls
- An object supporting data flows or a service from program to program
- A software development kit
 - Visual such as Visual Basic
 - Non-visual such as ODBC
- Any combination of the above

"The interface (calling conventions) by which an application program accesses operating system and other services. An API is defined at **source code level** and provides a **level of abstraction** between the application and the kernel (or other privileged utilities) to ensure the portability of the code. An API can also provide an interface between a high level language and lower level utilities and services which were written without consideration for the calling conventions supported by compiled languages. In this case, the API's main task may be the translation of parameter lists from one format to another and the interpretation of call-by- value and call-by-reference arguments in one or both directions." From Denis Howe's FOLDOC.

















Next Generation APIs

- ActiveX Automation objects and custom controls
- OLE DB Provider & Wizards
- IBM Toolbox for Java
- .Net
- iSeries Navigator Plug-ins











Toolbox for Java ME

Interfaces for Java programs to access iSeries data and resources:

✓ Available in JTOpen 3.0	✓CMDs
✓Access to iSeries from wireless devices with a JVM	✓PGMs
✓ Small footprint on device	√ DQs
	✓JDBC











Functions supported						
	C/C++,	APIs (traditio	onal)	ActiveX		Java
	Non-IBM	IBM	ODBC	Automation Objects	OLE DB	Java Toolbox
Record level DB2/400 database access					x	X 18
SQL Statements		х	X	X 10	X 6	X 1, 18
Call Stored Procedure		х	X	X10	х	X1, 18
Call AS/400 Program (parameter I/O)		х		X 3	х	X 18
Call AS/400 Command		х		X3, 13	х	X 18
Data Queue (FIFO, LIFO, Keyed)		х		X3, 13	X 2	X 18
Data Area						х
Integrated File System						X 18
User Space						х
Data Manipulation (code page, data type)		х	9	X12, 19	4	X 12
Network Print		x				х
Multimedia (USF)		x				
Security		x				х
Service		x				х
Directory Update		x				х
Client Access Client Information		x		x		
AS/400 Connection management		x		x		х
List of AS/400 systems		x		X13		
Jobs		Xs				X18
Messages		Xa				X18
Manipulate print resources		Xa				X18
Object Authorities						X
System Values						x
System Status information						x
Users and groups						Y Y
Operations Navinator Plug-In		¥7				
Object Lists						x
Operations Navigator Control				x		~
PC5250 Emulator control (HACL)		X15 16		X15 16		
EHLLAPL (and PCSAPI)		¥ 13, 10		A 13, 10		
ENPTU		<u> </u>				Ys
Code generation or Wizards					X17	~
DDE in PC5250 Emulator	¥				A 17	
File arress	V.					
I DAP	A14					
Sockete	^					x
0000000						

1. Using JDBC

- 2. Reads all entries on the queue even for keyed data queues
- 3. Automation objects require developer to transform host data
- OLE DB transforms data automatically, but complex types are no supported
- 5. Has wrapper classes
- 6. No commitment control
- 7. Class implementation that can be in Java, C++, or Visual Basic
- 8. This is the same as System Object Access
- 9. ODBC transforms data automatically, but only SQL types are supported
- 10. These are simple wrappers of the C/C++ APIs
- 11.If the API supports the new System Object
- 12. Complex data types such as structures and arrays supported
- 13. Custom control still available
- 14. Regular file I/O and 95/NT Network Drives to AS/400s configured with Netserver (don't need CA for this)
- 15. This library is like EHLLAPI, but has more capability
- 16.C++ language only
- 17. Code generating wizards for Visual Basic
- 18. Java GUI class is available here
- 19. Not in Lotus script

New or changed significantly for Client Access Express

	To Use or Not to Use?					
		C/C++ APIs (traditional)		ActiveX		Java
		IBM interfaces	ODBC	Automation objects	ADO / OLE DB	Java Toolbox
	Performance	Best performance (if coded properly)	Best performance for SQL			
	Language	Difficult to use in anything except C/C++	Most languages/tools add function to support ODBC calls	Language independent (must support COM)	Language independent (must support COM)	Must use the Java language
	OS	Windows only	ODBC SQL on many platforms	Windows only	Windows only	Platform independent
	Standards?	Different coding for each type of data or service access	Standard way to access relational data	IBM defined the interface	Microsoft defined the interface	IBM defined the interface (except JDBC)
	Binding		Automatically binds data (translation and conversion)	Requires developer to translate and convert data (API provided)	Automatically binds data (translation and conversion)	Requires developer to translate and convert data (API provided)
	Complex data		SQL data types only	Handles complex data types (call system APIs)	All but complex data types (i.e. structures)	Handles complex data types (call system APIs)
	Coding model	Many API calls for one kind of data or service access	ODBC SQL common across platforms	Each data or service access has its own interface	One common object model for all data and service access	Each data or service access has its own interface
	Record level access				Keyed record-level access	Keyed record-level access
	Code generation tools				VB wizards to get you started in ADO	XML Framework for GUI building and program call
	Connecting	Connections in iSeries Access can occur on the fly	Must configure Datasource connections	Connections in iSeries Access can occur on the fly	Connections in iSeries Access can occur on the fly	Connections can occur on the fly
	Coverage	Broad functional coverage	Most mature/robust (older and highly used)			Broad functional coverage
	Support					More IBM resource behind Java













Books

- Client Access Reference Manuals
 - SC41-5507-02 Client Access/400 for Windows Setup V5R1M0
 - SC41-3513 Client Access/400 for Windows 95 API and Technical Reference
- Client Series Redbooks
 - GG24-4027 AS/400 Client Series Products and Positioning
 - GG24-4285 AS/400 Client Series Handbook
 - SG24-5191 AS/400 Client Access Express for Windows: Implementing V4R4M0
 - SG24-5183 A Fast Path to AS/400 Client/Server Using AS/400 OLE DB Support
- Other References
 - SC41-3554 Client Access/400 PC5250 Programmer's Guide
 - SC41-3652 Ultimedia System Facility Programming Guide
 - GG24-3070 Bibliography of International Technical Support Organization Technical Bulletins
 - Microsoft Open Database Connectivity Software Development Toolkit Version 3.0: Programmer's Reference

Summary

- Use the correct API set that suits your business needs.
- Take advantage of the iSeries Information Center

Trademarks & Disclaimers

© IBM Corporation 1994-2003. All rights reserved. References in this document to IBM products or services do not imply that IBM intends to make them available in every country.

ms are trademarks or registe red trad national Business Machines Corporation in the United States, other countries, or both:

S/400	IBM
S/400e	IBM (
erver	iSerie
	OS/40

ogo)

nd SmartSuite are trademarks of Lotus Development Corporation and/or IBM Corporation in the United States, other countries, or both. Pentium, and PosShare are trademarks or registered trademarks of Intel Corporation in the United States, other countries, or both. of and Windows NT are registered intelmarks of Microsystems, Inc. in the United States, other countries, or both. do tall Windows NT are registered intelmarks of Microsystems, Inc. in the United States, other countries, or both. do the SET Loga are trademarks are trademarks of States, other countries, or both. as a trademark of Corollary, Inc. in the United States, other countries, or both. as a registered trademark of The Organ in the United States, or both. as a registered trademark of The Organ in the United States and other countries, ompany, product or service names may be trademarks or service marks of others.

n is provided "AS IS" without warranty of any kind.

omer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual environmental costs and ance characteristics may vary by customer.

nation in this presentation concerning non-IBM products was obtained from a supplier of these products, published announcement material, or other publicly available sources and ot constitute an endoesement of such products by IBM. Sources for non-IBM list prices and performance numbers are taken from publicly available information, including vendor neuronts and vendor worldwich homegase. IBM has not leadt these products and cannot commit me havancey of performance, capability, or any other claims related to non-IBM etc. Questions on the capability of non-IBM products should be addressed to the supplier of those products.

atements regarding IBM future direction and intent are subject to change or withdrawal without notice; and represent goals and objectives only. Contact your local IBM office or IBM rized reseller for the full text of the specific Statement of Direction.

information in this presentation addresses anticipated future capabilities. Such information is not intended as a definitive statement of a commitment to specific levels of nance, finction or delivery schedules with respect to any future products. Such commitments are only made in IBM product amountements. The information is presented here to match IBM's current investment and development activities as a good fairb (for to help with our customers' future planning.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the IO configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

uphs shown are of engineering prototypes. Changes may be incorporated in production models.