





BM System i	TEM
.NET definitions	
.NET framework Underlying plumbing for .NET applications Common Language Runtime (CLR) Unified set of class libraries 	
 CLR Language integration, security handling, memory/thread/process management, exception handling, 	
ADO.NET – .NET classes enabling access to databases	
ASP.NET – .NET classes to support development of Web-based applications and Web service	s
i want an i.	A Corporation



























IBM System i
DB2 Connect for iSeries
 Data Integration With a single SQL request Joining DB2 tables from multiple System i5 servers/partitions Joining data from DB2 UDB for iSeries & DB2 distributed databases Joining data from DB2 UDB for iSeries and zSeries databases when coupled with other DB2 Connect offering Access to DB2 UDB for iSeries and non-IBM data sources like Oracle, SQL Server, Sybase etc. when coupled with WebSphere Information Integrator Extends System i5 data to mobile devices Simplified Application Development Integration of .NET applications (and Java and PHP)
 Easy access to DB2 UDB for iSeries from Visual Studio Access to multiple DB2 family application programming interfaces <i>i want an i.</i> © 2000 IBM Corporation



IBM System i	
DB2 Add-ins for Visual Studio .NET	
WindowsApplication7 - Microsoft Visual C# .NET [design] - Form Lcs*	
Control C	ojects ynamic Help
Bartaset ds = new DataSet(); DataSet ds = new DataSet ds	
KOETDOCUMB Succesfully retriaved details from database Prodom DB2 Output Message Pane COLUMN TopCrites	Optimized for
Ready	Vsip Summit PREMIER Support
i want an i.	© 2006 IBM Corporation

ries A	Access - V	'isual St	udio .N	ET I	ntegration
🕫 TestProject - Mic	rosoft Visual C# .NET [design] - Fo	orm1.cs [Design]*		1	
Ele Edit View Br	oject Build Debug Data Format	Tools PyrifyPlus Window He	Q		Toolbox
🖓 • 🖽 • 😅 🖬	🕲 🕺 👘 🕼 🗠 • 🗤 • 🕅 • I	🛶 🕨 Debug 📼 🍏	STR		Data
11 B & 4 5	· ~ ㅎ 등 류 빈 명 ~ 적 !	\$2 \$2 중 첫 삼 야 앤	최 백 •		Pointer
Form1.cs [Design]*	4.9	Solution Explorer - TestProject		* ×	DataSat
😼 Form1		Solution 'TestProject' (1 p	oject)	•	
		E- D TestProject			OleDbDataAdapter
		ibm.data.db2	iseries		OleDbConnection
		System System.Data		¥	OleDbCommand
		Solution Explorer 🗷 Cl	iss View 📿 Macro Explorer		SolDataAdapter
		Properties		⇒ ×	
		iDB2Command1 IBM.Data	.D82.iSeries.iD82Command	•	
					SqlCommand
		Connection	iD82Connection1	-	DataView
		UpdatedRowSource	Both	- H.	iDB2Command
		(DynamicProperties)			iDB2CommandBuilder
ch	(h	E Data CommandText	SELECT * FROM TABLE		(B) iDB2Connection
Characterine and a	O IDB2CommandBuilder1	CommandType	Text	- 1	
W ID52Connection1	W iD52DataAdapter1	Design	(conectory)		www.iDb2DataAdapter
Task List - 0 Build Error ta	sks shown (fitered) a	(Name) X Modifian	iDB2Command1		Components
1 Description		(Name)		-	Windows Forms
Click here to ac	id a new task	Indicates the name used in co	de to identify the object.		Clipboard Ring
¢]		3			General
TaskList 🔲 Outp	ut	Properties 2 Dynamic	-telp		L
Dearly .				111	













	IBM System i		THM
С	ommands		
ſ			7
	iDB2Com	mand	
	Properties:	Methods:	
	CommandText	Prepare	
	CommandType	CreateParameter	
	Parameters	DeriveParameters	
	Connection	 ExecuteNonQuery 	
	Transaction	ExecuteReader	
		ExecuteScalar	
		IDB2DataAdapter SELECT INSERT	Reader
		UPDATE DELETE iDB2Connection	
	i want an <mark>i</mark> .	© 2006 IBM C	orporation



	IBM System i		
Da	ataReader		
Γ	iDB2Data	Reader	
	Properties:	Methods:	
	FieldCount	Close	
	Item	NextResult	
	RecordsAffected	Read	
		IsDBNull	
		GetName	
		GetField I ype	
		GetAAA S	
		iDB2DataAdapter SELECT_INSERT Parameters iDB2Command iDB2DataR	leader
		UPDATE DELETE IDB2Connection	
		iSeries Access	
	i want an i.	© 2006 IBM Cor	poration















	IBM System i				TEM
Fxamn	le #1 [.] Basic	Class	Usane		
Елатр			, cougo		
E Form1					
System	mySystem	UserID	myUserid	Bup Queru	
Table	QIWS.QCUSTCDT	Password	*****		
938472	Henning GK 4859 Elm Ave D	Dallas TX 7521	7 5000 3 37 0		<u> </u>
392859 938485	Vine S S PO Box 79 Broton V Johnson J A 3 Alpine Way Hi	VT 5046 700 ° elen GA 30545	400 1 100 0 1 439 0 1 9999 2 3987 5 33 5		
397267 389572	Tyron WE 13 Myrtle Dr Hect Stevens KL 208 Snow Pass	tor NY 14841 Denver CO 80	1000 1 0 0 226 400 1 58.75 1.5		
846283 475938	∣Alison, JS, 787 Lake Dr. Isle. N ⊨ Doe, JW, 59 Archer Rd, Sutte	MN 56342 500 r CA 95685 70	03100 102250100		
693829 593029	∣Thomas AN 3Dove Circle C ∣Williams ED 485SE2Ave D	asper WY 826 Jallas TX 7521	09 9999 2 0 0 8 200 1 25 0		
192837 583990	Lee FL 5963 Oak St Hector Abraham MT 392 Mill St Isle	NY 14841 700 MN 56342 99	0 2 489.5 0.5 99 3 500 0		
					T
<u> </u>					F
	i want an i.			© 200	06 IBM Corporation



IBM System i	THE
Example #1: Basic Class Usage - Code (part 2)	
<pre>while(dr.Read()) { while(counter < fieldcount) { dataRowString += myDR.GetValue(counter).ToString() + " "; counter++; } ResultsBox.Items.Add(dataRowString); dataRowString = ""; counter = 0; }</pre>	
<pre>myConn.Close(); }</pre>	
<pre>catch(Exception myException) { ResultsBox.Items.Add(myException.Message); } }</pre>	
i want an i.	1 Corporation







	BM System i	11/////				
ADO.NET Performance						
	I	I	1	1		
	DB2 for iSeries .NET Provider	DB2 LUW .NET Provider	ODBC "bridge" provider	OLE DB "bridge" provider over IBMDASQL		
INSERT	13.81	18.23	26.32	14.39		
UPDATE	14.14	17.92	28.21	14.76		
SELECT	0.3	0.26	0.39	0.55		
FAST DELETE	0.11	1.00	0.1	0.1		
DELETE	11.82	18.31	19.57	10.39		
			·			
	i want an <mark>i</mark> .			© 2006 IBM Corporation		







IBM System i	
iSeries Access for Windows sessions:	
32MC - iSeries Access for Windows: What's New in V5R4	
33MI - iSeries Access Data Transfer: Tips & Techniques	
42MK - Performance Tune iSeries Access ODBC	
43MC - PC5250 Emulation: Everything You Need To Know	
46ME - iSeries Access in the .NET World	
iSeries Access for Linux session:	
53ML – Creating the iSeries Linux Desktop	
Stop in EXPO for a demo	
Functional enhancements can be submitted via the FITS system. The url is:	
http://www.ibm.com/eserver/iseries/access/	
And click on link "Request for Design Change"	
i want an i.	2006 IBM Corporation







IBM System i	
.NET versus COM	
 Designed to build Internet Applications "Managed" by the .NET runtime Common Language Runtime (like JVM) Can call COM objects through COM Interop bridge 	 Modified to work in Internet App world "Unmanaged" Standard DLLs Windows still based on COM
i want an i .	© 2006 IBM Corporation

11	BM	S	'ste	m	

Mapping of ADO Objects to ADO.NET

ADO object	Corresponding ADO.NET object	
Command	iDB2Command	
Command.Parameters collection	iDB2Command.Parameters (iDB2ParameterCollection)	
Command.Properties collection	iDB2Command properties	
Connection	iDB2Connection	
Connection.Errors collection	iDB2Exception.Errors (iDB2ErrorCollection)	
Connection.Properties collection	iDB2Connection properties	
Error	iDB2Error (item in an iDB2ErrorCollection)	
Field	DataColumn of a DataRow or column of a DataReader	
Field.Properties collection	Column metadata returned from the DataReader's GetSchemaTable method or the DataAdapter's FillSchema method	
Parameter	iDB2Parameter	
Record	DataRow of a DataTable or "current" row of a DataReader	
Record.Fields collection	DataColumns of a DataRow or columns of a DataReader	
Recordset	iDB2DataReader for read-only forward-only, iDB2DataAdapter with DataTable for updatable	
Recordset.Fields collection	DataColumns of a DataRow or columns of a DataReader	
Recordset.Properties collection	iDB2DataReader properties or iDB2DataAdapter properties	
NOTE: This table taken from the "Integrating DB2 Universal Database for iSeries with Microsoft ADO .NET" Redbook at: http://www.redbooks.ibm.com/abstracts/sg246440.html?Open		
i want an	© 2006 IBM Corporatio	

BM System i	THAT
DB2 Connect Add-ins / Plug-ins	
Microsoft programmer: DB2 add-ins for Visual Studio .NET make building complete DB2 applications a natural experience for VS.NET users. No .NET programmer should be without these!	
programmers to build DB2 applications within the Java IDE	
PHP programmer: comprehensive PHP service and support for developers with Zend Core	
 Zend Core enables PHP application use of all DB2 server environments (including eServer iSeries and zSeries via DB2 Connect). 	
• Database programmer : Development Center, an Integrated Development Environment (IDE) for building server-side objects that does not require knowledge of a programming language	
i want an i.	Corporation



IBM System i	
For more information	
 V5R4 iSeries Access .NET provider <u>http://www-1.ibm.com/servers/eserver/iseries/access/</u> NET Technical Reference - cwbmptch.hlp Found in\IBM\Client Access\Mri2924 directory 	
 DB2 V8.2 (Stinger) .NET provider <u>http://www.ibm.com/software/data/db2/db2connect</u> 	
 Using iSeries Access through .NET Info APAR II13341 Using IBMDA400: <u>http://www.ibm.com/servers/eserver/iseries/access/caiixe1.htm</u> Scroll to the OLE DB section look for "Using managed providers in the framework for accessing DB2 data on AS/400 or iSeries servers" 	.NET
i want an i.	2006 IBM Corporation





IBM System i

Trademarks and Disclaimers

© IBM Corporation 1994-2006. All rights reserved.

References in this document to IBM products or services do not imply that IBM intends to make them available in every country

Trademarks of International Business Machines Corporation in the United States, other countries, or both can be found on the World Wide Web at http://www.ibm.com/legal/copytrade.shtml

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered Inter, Intel logo, Intel inside, Intel Inside, intel Centurno, Intel Centurno logo, Celeron, Intel Acon, Intel Aspectstep, Itanium, and Penuum are I trademarks of Intel Coproration or its subsidiaries in the United States other countries. Linux is a registered trademark of Linux Torvalds in the United States, other countries, or both. Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, UNIX is a registered trademark of The Open Group in the United States and other countries. Java and all Java-based trademarks are trademarks of Microsystems, Inc. in the United States, other countries, or both. Other company, product, or service names may be trademarks or service marks of others.

Information is provided "AS IS" without warranty of any kind.

The customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics may vary by customer.

Information concerning non-IBM products was obtained from a supplier of these products, published announcement material, or other publicly available sources and does not constitute an endorsement of such products by IBM. Sources for non-IBM list prices and performance numbers are taken from publicly available information, including vendor announcements and vendor worldwide homegages. IBM has not tested threes products and cannot confirm the accuracy of performance, capability, or any other claims related to non-IBM products. Questions on the capability of non-IBM products should be addressed to the supplier of those products.

All statements regarding IBM future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only

Some information addresses anticipated future capabilities. Such information is not intended as a definitive statement of a commitment to specific levels of performance, function or delivery schedules with respect to any future products. Such commitments are only made in IBM product announcements. The information is presented here to communicate IBM's current investment and development activities as a good faith effort to help with our customers' future planning.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

Photographs shown may be engineering prototypes. Changes may be incorporated in production models

i want an i.