



# **Get to Your i5/OS with a Browser: System i Access for Web V6R1**


**Linda Hirsch**

**LLHIRSCH@us.ibm.com**

**<http://www.ibm.com/systems/i/software/access/web>**

## System i Access Sessions/Labs

### Presentations:

- 
- **Wed 10:15 – Get to Your i5/OS with a Browser: System i Access for Web V6R1 (Overview)**
  - Thurs 10:15 – System i Access for Web: The Fast Path to Configuration and Managing End User Access


### Labs

- Wed 2:30 - LAB: Series Access for Web Configuration
- Wed 4:15 – LAB: Administrator's First Steps to Customize iSeries Access for Web
- Thurs 2:30 - LAB: System i Access for Windows: Basic
- Thurs 4:15 - LAB: System i Access for Windows: Advanced

***Functional enhancements can be submitted via the FITS system. The url is:***  
**<http://www.ibm.com/systems/i/software/access/>**

**And click on link “[Request for Design Change](#)”**

# Packaging and Ordering



# System i Access Family - Packaging

<b>V6R1</b> <b>5761-XW1</b> <b>System i Access Family</b>	<b>V5R4</b> <b>5722-XW1</b> <b>iSeries Access Family</b>
System i Access for Windows, 5761-XE1, V6R1	iSeries Access for Windows, 5722-XE1, V5R4
System i Access for Web, 5761-XH2, V6R1	iSeries Access for Web, 5722-XH2, V5R4
System i Access for Linux, 5761-XL1, Vx.x (V6R1)	iSeries Access for Linux, 5722-XL1, V1.10 (V5R4)
System i Access for Wireless, 5722-XP1, <b>V5R3</b>	iSeries Access for Wireless, 5722-XP1, <b>V5R3</b>
V5R4 i5/OS customers not wanting to upgrade to V6R1 i5/OS but want the new V6R1 System i Access Family clients can order no-charge <b>Feature No. 2649 of Product No. 5722-XW1</b>	V5R3 i5/OS customers not wanting to upgrade to V5R4 i5/OS but want the V5R4 iSeries Access Family clients can order no-charge <b>Feature No. 2648 of Product No. 5722-XW1</b>


# Products - Focus

Description	Product	Product Number	Need 5761-XW1 or 5722-XW1 to use?
Family Name	➤ System i Access Family	5761-XW1	
Windows client	➤ System i Access for Windows	5761-XE1	Yes (for 5250 and Data Transfer)
Linux client	➤ System i Access for Linux	5761-XL1	Yes (for 5250)
Browser Access	➤ System i Access for Web	5761-XH2	Yes
Handheld / Wireless offering	➤ System i Access for Wireless ➤ iSeries Toolbox for Java ME	5722-XP1	No
i5/OS systems management	➤ System i Navigator ➤ Operations Console	Packaged in 5761-XE1	No

- Flexible Purchase Options
- ★ Processor-Based = purchase price based on software tier, connect unlimited numbers of users
- ★ User-Based = purchase only number of users who will be concurrently connected
- ★ Note: Can upgrade from User-Based to Processor-Based, but cannot go back to User-Based after purchasing Processor-Based
- ★ Software maintenance included in base i5/OS software subscription

# System i Access Family included with new hardware

- **System i Access Family (5722-XW1 or 5761-XW1) unlimited user feature included with the following System i hardware**
  - **System i Model 515 Express configurations**
    - See Announcement Letter 107-181 dated 4/1/07 for more details
  - **System i Model 525 Express and CBU configurations**
    - See Announcement Letter 107-182 dated 4/1/07 for more details
  - **System i Model 570 with POWER6 technology**
    - See Announcement Letter 107-448 dated 7/31/07 for more details
- **Any i5/OS user connecting to the above System i models is entitled to use any of the System i Access Family products at no additional charge. This includes:**
  - **System i Access for Windows**
  - **System i Access for Web**
  - **System i Access for Linux**



# Table of Contents

- **What is System i Access for Web?**
- **Getting Started**
- **Ways to roll out to end users**
- **Control Access to functions**



# What is System i Access for Web?


*End users can leverage business information, applications, and resources across an enterprise by extending the iSeries resources to the client desktop through a web browser*

## Provides access to iSeries through a browser

- **5250 access**
- **Access to database, integrated file system, printers, output queues, jobs**
- **Can run batch commands and send/receive messages**

## It has the following advantages:



- **Is server based**
- **Requires only a browser on the client, no configuration required at desktop, no applets installed on desktop**
- **Uses industry standard protocols - HTTP, HTTPS and HTML**





# Fully Integrated with your Browser

- ❖ Use any code page available in your browser
  - System i Access for Web translated into 38 NLVs (including DBCS)
  - See screens in preferred language
- ❖ Use any keyboard setting available in Windows
- ❖ Font Size
- ❖ Set up your SSL through your browser



# Functions you can perform with System i Access for Web V6R1

## Print

- Printer output
- PDF Printer output
- Printers
- PDF Printers
- Internet Printers
- Internet Printer Shares
- Printer shares
- Output Queues

## 5250

- Active Sessions
- Start 5250 Session
- Configured Sessions
- Bypass Sign-on

## Files

- Browse Files
- File Shares
- Browse File Share

## Messages

- Display Messages
- Send Messages
- Sametime
- Operator Messages
- Message Queue

## Database

- Tables
- My Request
- Run SQL
  - Open Office Formats
  - **\*\* Wizards supports joins across multiple tables**
  - **\*\* Chart SQL results**
- Copy Data to Table
- Import Requests
  - System i Access for Windows
  - Query Manager
  - Query/400
- Extract Server Data

## Commands

- Run commands
- My commands
- Search

## My Personal Folder

### Jobs

- User Jobs
- Server Jobs

### Customize

- Preferences
- Policies
- Settings
- Transfer configuration data

### Download

### Other

- Bookmarks
- Change Password
- Connection Pool
- Status
- Trace

### Single sign-on


- EIM (WAS authentication)
- **\*\* Windows domain login (WAS authentication)**

**\*\* Scheduling of tasks**

Items marked with “\*\*” are new in the V6R1 version

# Getting Started

**Before you start with Access for Web you must get your web application server running**



# Supported Web Application Servers

- The System i Access for Web servlet code can be used with any of the following web application servers:
  - **Integrated web application server**
  - **WebSphere® Application Server V6.1 and V6.0 – Express for i5/OS**
  - WebSphere Application Server V6.1 and 6.0 Base and Network Deployment
  - **WebSphere Application Server V5.1 - Express for iSeries**
  - WebSphere Application Server V5.0 - Express
  - WebSphere Application Server V5.1 and 5.0 Base and Network Deployment Editions
  - **ASF Tomcat (V5R4 and earlier releases)**
- The System i Access for Web portlet code can be used with any of the following portal servers:
  - IBM Workplace Services Express V2.6
  - WebSphere Portal for Multiplatforms V6.0
  - WebSphere Portal for Multiplatforms V5.1.0.1
  - WebSphere Portal Express for Multiplatforms V5.0.2
  - WebSphere Portal Express Plus for Multiplatforms V5.0

**PTFs required for latest web app server and portal support:**

**<http://www.ibm.com/systems/i/software/access/web/servicepacks.html>**

# Integrated Web application server

What is it? Does System i Access for Web support it?

- **What is the i5/OS integrated Web application server?**
  - A web application engine much like ASF Tomcat
  - Uses minimal system resources, similar to ASF Tomcat
  - Minimal effort by an Administrator to maintain
  - V5R4 is the last release i5/OS will contain ASF Tomcat
  
- **How is it packaged?**
  - 5761-DG1 and 5722-DG1 IBM HTTP Server for i5/OS
  - Available in the DG1 group PTF
    - V5R4 SF99114 level 6 or later
    - V5R3 SF99099 level 15 or later
  
- **System i Access for Web support**
  - V5R4 and V6R1 System i Access for Web support the i5/OS integrated Web application server
  - V5R4 iSeries Access for Web can be installed and is supported on V5R4 and V5R3 i5/OS
  - V6R1 System i Access for Web can be installed and is supported on V6R1 and V5R4 i5/OS

# Integrated Web application server

## System i Access for Web within this environment

### Step-by-step: Use V5R4 iSeries Access for Web within the V5R4 or V5R3 i5/OS integrated Web application server

1. Stop the Web Administration for i5/OS
  - ENDTCPSVR SERVER(\*HTTP) HTTPSVR(ADMIN)
2. Load/apply latest 5722-DG1 group PTF (review cover letters for any additional information)
  - V5R4 SF99114
  - V5R3 SF99099
3. Load/apply latest V5R4 iSeries Access for Web PTF
  - SI25551 or later
4. Configure iSeries Access for Web
  - QSH
  - cd /QIBM/ProdData/Access/Web2/install
  - cfgaccweb2 -appsvrtype \*INTAPPSVR
5. Start the Web Administration for i5/OS
  - STRTCPSVR SERVER(\*HTTP) HTTPSVR(\*ADMIN)
6. Start preconfigured HTTP web server
  - STRTCPSVR SERVER(\*HTTP) HTTPSVR(IWADFT)
7. Open a browser to iSeries Access for Web using preconfigured HTTP:port
  - [http://<system\\_name>:2020/webaccess/iWAMain](http://<system_name>:2020/webaccess/iWAMain)
8. Done!

<http://www.ibm.com/systems/i/software/websphere/>

IBM Systems > System i >

## WebSphere Application Server

for i5/OS

<a href="#">WebSphere Home</a>
<a href="#">What's New</a>
<a href="#">About WebSphere</a>
<a href="#">Ordering</a>
<a href="#">Documentation</a>
<a href="#">FAQs</a>
<a href="#">Business Solutions</a>
<a href="#">Samples</a>
<a href="#">PTFs</a>
<a href="#">Performance</a>
<a href="#">Coexistence</a>
<a href="#">Migration</a>
<a href="#">Forum</a>
<a href="#">Newsletter</a>
<a href="#">Related Resources</a>

### Features

WebSphere Application Server Version 6.1 for i5/OS is announced. To find out more about the new version or any other of the supported versions — please click on the links below:

#### Version 6.1

- [IBM WebSphere Application Server V6.1 for i5/OS](#)
- [IBM WebSphere Application Server for Developers V6.1 for i5/OS](#)
- [IBM WebSphere Application Server Network Deployment V6.1 for i5/OS](#)
- [IBM WebSphere Application Server – Express V6.1 for i5/OS](#)

#### Version 6.0

- [IBM WebSphere Application Server V6.0 for OS/400](#)
- [IBM WebSphere Application Server for Developers V6.0 for OS/400](#)
- [IBM WebSphere Application Server Network Deployment V6.0 for OS/400](#)
- [IBM WebSphere Application Server – Express V6.0 for OS/400](#)

#### Version 5.1

- [IBM WebSphere Application Server V5.1 for iSeries](#)
- [IBM WebSphere Application Server for Developers V5.1 for iSeries](#)
- [IBM WebSphere Application Server Network Deployment V5.1 for iSeries](#)
- [IBM WebSphere Application Server – Express for iSeries V5.1](#)


#### Version 5.0

- [IBM WebSphere Application Server V5.0 for iSeries](#)
- [IBM WebSphere Application Server Network Deployment V5.0 for iSeries](#)
- [IBM WebSphere Application Server – Express for iSeries V5.0](#)


### Need directions?



→ [iSeries Developer roadmap](#)

 [An Independent Analysis of the iSeries Developer Roadmap - Updated for 2006 \(1.4MB\)](#)

 [The Business Benefits of iSeries Application Modernization \(183KB\)](#)

 [Get Adobe® Reader®](#)


### Emerging Technology

→ [Dynamic web site development for the non-technical business user.](#)

### Pilot Pricing Program

→ [IBM Software Pilot Pricing Program for IBM eServer i5 520 Systems](#)



 Local intranet

# Is your System i ready?

**Under 512Mb  
Under 300 CPW**

Bxx, Cxx, Dxx, Exx, Fxx  
S10, S01, Pxx  
S20 / #2161, #2163  
100, 150  
170 /  
#2159, #2160, #2164, #2289, #2290, #2291, #2292 #2407,  
#2408, #2409  
200, 20S, 250  
270 / #2422, #2423, #2424, #2248, #2452, #2454

3xx, 4xx  
500, 510, 50S  
53S / #2154  
530 / # 2150, # 2151  
600  
620 / #2175, #2179, #2180, #2181  
720 / #2061  
820 / #2425, #2426, #2457, #2456

**512Mb–1GB  
300-500 CPW**

S30 / #2257  
S20 / #2170, #2165  
170 / #2176, #2183, #2383, #2384, #2385, #2386  
270 / #2250, #2431  
53S / #2155  
530 / #2150, #2151  
600 / All  
620 / #2175, #2179, #2180, #2181  
720 / #2161  
820 / #2425, #2426, #2456, #2457

**WAS Express with  
few concurrent  
users**

**Over 1GB  
And  
500 CPW**

SB1, SB2, SB3, S20(1), S30(1), S40, 170 / #2388  
270 / #2252, #2253, #2432, #2434  
53S / #2156, #2157  
530 / #2153, #2162  
730, 740, 800 / #2464  
810, 825, 870, 890, i5 520, i5 550, i5 570, i5 595 / All

**Complex web  
applications with  
many concurrent  
users**



# Performance Considerations...

Use the **IBM Systems Workload Estimator** at  
<http://www-912.ibm.com/wle/EstimatorServlet>

**IBM eServer Workload Estimator** Version: 2005.4.fx.1  
14-Dec-05  
www-912

**Workload Selection** | **Workload Definition** | **Selected System** | **Help/Tutorials**

- Download PDF
- Printable Version
- Choose Base System
- Modify System
- External Storage
- Call Me Now
- Edit Estimation Info
- Options
- Change Growth Factors
- Save all Workloads

**Selected System**

	Immediate Solution	Growth Solution
Available	93.5%	90.2%
HATS #1	6.5%	9.8%


**Model/Feature:** 520-8950/7450 500/30

Number of Systems:	1	1
Processor CPW:	500	500
5250 OLTP CPW:	30 (24% utilized)	30 (35% utilized)

The 520-8950/7450 can handle the defined workloads **NOW**.

It can also handle the specified growth.

# Setting up your web application server



***Only need to set up one web application server***

# Port Requirements Comparison

## System i Access for Windows (5722-XE1)\*

- Port 449 for Port Mapper
- Port 8476 (9476) for Sign-on
- Port 8470 (9470) for Central
- Port 8472 (9472) for Data Queues
- Port 8471 (9471) for Database
- Port 8475 (9475) for Remote Commands
- Port 8473 (9493) for Print
- Port 2001 (2010) for Web Admin
- Port 446 (448) for DDM
- Port 23 (992) for Telnet
- Port 137, 138 for NetServer
- Port 389 (636) for LDAP
- Port 5555 (5566) for Mgmt Central
- Port 53 if using DNS Server

## System i Access for Web (5722-XH2)

- Port 80 (or any other port) for HTTP Server
- Port 443 (or any other port) for HTTPS Server

\*See Information APAR  
II12227 for detailed  
information

## Get System i Access for Web running

- **Get a copy of the System i Access for Web Install & Users Guide**
  - <http://www.ibm.com/systems/i/software/access/web/doc.html>
- **Install System i Access for Web from your i5/OS stacked media.**
  - **RSTLICPGM - Install Access for Web, 5722-XH2, into QIBM directory**
- **Configure and start System i Access for Web.**
  - **CFGACCWEB2 - Configure the System i Access for Web application server**
  - **STRACCWEB2 - Start the System i Access for Web application server.**
- **Set some policies to enable or limit access to various functions of Access for Web**

# System i Access for Web Documentation on the Web...

**V5R4 iSeries Access for Web is supported on V5R4 and V5R3 i5/OS.**

Connecting to iSeries: iSeries Access for Web (Information Center)	<a href="#">HTML</a> <a href="#">PDF</a>
URL Interfaces to V5R4 iSeries Access for Web	<a href="#">PDF</a>

→ [Back to top](#)

**V5R3**

**V5R3 iSeries Access for Web is supported on V5R3 i5/OS and V5R2 OS/400.**

Connecting to iSeries: iSeries Access for Web (Information Center)	<a href="#">HTML</a> <a href="#">PDF</a>
WAS V6.1 for i5/OS (Base, Express, ND) - Setup/Configuration example	<a href="#">PDF</a>
WAS V6.0 for iSeries (Base, Express) - Setup/Configuration Example	<a href="#">PDF</a>
WAS - Express for iSeries V5.1 - Setup/Configuration Example	<a href="#">PDF</a>
WAS - Express for iSeries V5.0 - Setup/Configuration Example	<a href="#">PDF</a>
WAS V5.1 for iSeries (Base, Network Deployment) - Setup/Configuration Example	<a href="#">PDF</a>
WAS V5.0 for iSeries (Base, Network Deployment) - Setup/Configuration Example	<a href="#">PDF</a>
Apache Software Foundation (ASF) Tomcat - Setup/Configuration Example	<a href="#">PDF</a>
Workplace Services Express V2.5 - Setup/Configuration Example	<a href="#">PDF</a>
WebSphere Portal Enable for Multiplatforms V5.1 - Setup/Configuration Example	<a href="#">PDF</a>
WebSphere Portal - Express for iSeries V5.0 - Setup/Configuration Example	<a href="#">PDF</a>
WebSphere Portal - Express for iSeries V5.0 Configuring the use of authenticated WebSphere credential for Single Sign-On (SSO) and iSeries Access for Web portlets	<a href="#">HTML</a> <a href="#">PDF</a>
URL Interfaces to V5R3 iSeries Access for Web	<a href="#">PDF</a>

Local intranet

<http://www.ibm.com/systems/i/software/access/web/doc.html>

# i5/OS Software Requirements

Product Number	Product Name	Option	\$
57xx-SS1	V5R3 iSeries Access for Web: V5R2 OS/400 or V5R3 i5/OS V5R4 iSeries Access for Web: V5R3 and V5R4 i5/OS V6R1 System I Access for Web: V5R4 or V6R1 i5/OS	Base	w/HW
57xx-SS1	i5/OS- Extended Base Directory Support	3	N/C
57xx-SS1	i5/OS - AFP Compatibility Fonts	8	N/C
57xx-SS1	i5/OS - Host Servers	12	N/C
57xx-SS1	i5/OS QShell Interpreter	30	N/C
57xx-SS1	<ul style="list-style-type: none"> <li>If you plan to use Secure Sockets Layer (SSL): i5/OS Digital Certificate Manager</li> <li>Cryptographic Access Provider (128-bit)</li> </ul>	34	N/C N/C
57xx-DG1	IBM HTTP Server for i5/OS	Base	N/C
57xx-JV1	Developer Kit for Java Developer Kit for Java Version 1.3 Developer Kit for Java Version 1.4 <b>(or later: Check WebSphere doc for required version)</b>	Base 5 6	N/C N/C N/C
57xx-JC1	Toolbox for Java	Base	N/C
57xx-TC1	TCP/IP Connectivity Utilities for i5/OS	Base	N/C



# i5/OS Software Requirements (continued)

Product Number	Product Name	Option	\$
57xx-XW1	System i Access Family	Base	\$
57xx-XH2	System i Access for Web <ul style="list-style-type: none"> <li>• Ships with 57xx-XW1 System i Access Family</li> <li>• V5R3 iSeries Access for Web runs on OS/400 V5R2 and i5/OS V5R3</li> <li>• V5R4 iSeries Access for Web runs on i5/OS V5R3 and V5R4</li> <li>• V6R1 System i Access for Web runs on i5/OS V5R4 and V6R1</li> </ul>	Base	part of XW1
57xx-IP1	IBM Info Print Server ( <b>Optional</b> -- enables best PDF output: - <b>is not</b> required to view PDF output - is required for V5R3 and V5R4 “PDF Printer” support)	Base	\$

## Software Requirements (continued)

Product Number	Product Name	Option	\$
5733-W61 5733-W60 57xx-E51 5733-W51 57xx-IWE 5733-WS5  57xx-DG1 57xx-DG1  * * * *	<p><u>One, or more, of the following web servers</u></p> <ul style="list-style-type: none"> <li>• WebSphere Application Server V6.1 for i5/OS (all three editions)</li> <li>• WebSphere Application Server V6.0 for OS/400 (all three editions)</li> <li>• WebSphere Application Server V5.1 - Express for iSeries</li> <li>• WebSphere Application Server V5.1 for iSeries (Base and ND)</li> <li>• WebSphere Application Server V5.0 - Express for iSeries</li> <li>• WebSphere Application Server V5.0 for iSeries (Base and ND)</li> </ul> <ul style="list-style-type: none"> <li>• Apache Software Foundation Tomcat</li> <li>• Integrated web application server</li> </ul> <ul style="list-style-type: none"> <li>• WebSphere Portal for iSeries (Express and Express Plus) V5.0.2.2</li> <li>• WebSphere Portal Enable for Multiplatforms V5.1.0.1</li> <li>• WebSphere Portal V6.0</li> <li>• IBM Workplace Services Express V2.5, V2.6</li> </ul>	<p style="text-align: center;">See documentation</p>	

Refer to the documentation for the individual web serving environments additional requirements that may not be listed above.

- WebSphere <http://www.ibm.com/servers/eserver/series/software/websphere/wsappserver/>
- ASF Tomcat <http://www.ibm.com/servers/eserver/series/software/http/>
- Portal V5.0.2.2 <http://publib.boulder.ibm.com/pvc/wp/502/smbi/en/InfoCenter/index.html>
- Portal V5.1.0.1 <http://publib.boulder.ibm.com/infocenter/wp51help/index.jsp>
- Portal V6.0 <http://publib.boulder.ibm.com/infocenter/wpdoc/v6r0/index.jsp>
- Workplace V2.5 <http://publib.boulder.ibm.com/infocenter/wseic/v2r5/index.jsp>
- Workplace V2.6 <http://publib.boulder.ibm.com/infocenter/wseic/v2r6/index.jsp>





## 4 CL Commands in System i Access for Web

- **Configure** Command example when using WebSphere Application Server V5.1 - Express for iSeries
  - CFGACCWEB2 -appsvrtype \*WAS51EXP -wasinst iwa51exp -appsvr iwa51exp
- **Start** Command example when using WebSphere Application Server V5.1 - Express for iSeries
  - STRACCWEB2 APPSVRTYPE(\*WAS51EXP) WASINST(MYINST) APPSVR(\*DEFAULT)
- **End** Command example when using WebSphere Application Server V5.1 for iSeries
  - ENDACCWEB2 APPSVRTYPE(\*WAS51) WASINST(DEPTXYZ) APPSVR(\*DEFAULT)
  - Sometimes you may need to end Access for Web so you can make changes, then start it again.
- **Remove** Command
  - The Remove System i Access for Web (RMVACCWEB2) command is used to remove the System i Access for Web configuration from a web application server

# Users can now Connect!

- Open browser
- Key in System i url
- Prompted for i5/OS user id and password



# Different Ways to Roll Out System i Access for Web



- **Use ‘out of the box’**
  - Set some policies to limit what functions are accessible to your users, and give them the URL address to System i Access for Web
- **Use ‘out of the box’, but set up predefined functions**
  - You can set up preconfigured 5250 sessions that users (or groups of users) can run, can create predefined database requests for users to run, set up commands users can run, etc.
- **Create your own ‘window’ to your system through Access for Web**
  - Add company banners to screens, set up ‘click and link’ tasks that users can perform, set up macros to simplify user access.
- **Use Access for Web with the IBM WebSphere Portal solution**
  - A single unified workspace in which your employees, trading partners, and customers can easily find and use the applications and information that they need

## Different Ways to Roll Out System i Access for Web

- Use 'out of the box'
- Use 'out of the box', but set up predefined functions
- **Create your own 'window' to your system through System i Access for Web**
- Use the WebSphere Portal solution



# Home Page entry point

*Home Page = <http://<myiseries>:<port>/webaccess/iWAHome>*

- **System i Access for Web ‘Home Page’ out-of-the-box view**
- **This page is totally customizable**

***New ‘look’ in V5R4...***

# Your **Window** to your System i

<http://<myseries>/webaccess/iWAHome>

## Customized 'window' to i5/OS

## Window is associated with i5/OS user profiles

- An administrator can create multiple different 'windows' based on user profile / group profile for different types of users.
- Can tightly control what functions a user can perform on your iSeries
- Tie in with other web applications (such as WebFacing and HATS) from here as well
- Link to other systems, not just System i



- **One view and set of functions for the Accounting department**
- **Another view and set of functions for the Warehouse staff**

# Customized Home Page

## Customized view of the Home Page

- Could be used as 'entry' point to iSeries
- Let's drill down and look at some of this...

Address <http://iseriesd.dfw.ibm.com/webaccess/iWAHome>

mywebsearch Search Smiley Central Screensavers Cursor Mania PopSwatter Games My Info

**IBM** *Access for Water* Supplying quality boats since 2002


**Services**

- [See boat details - 5250](#)
- [See boat details - HATS LE](#)
- [See boat details - WebFacing](#)
- [View available boats](#)
- [Order a boat](#)

**Work with invoices**

- [Check messages](#)
- [Check system messages](#)
- [Administrator tasks](#)
- [Manage incoming items](#)
- [Monitor jobs](#)
- [Download client software](#)

**This Week's Special**



Beautifully maintained 28 foot 1978 Carver Santa Cruz for only \$23,900. Head and galley refurbished in 2001. Only 31 hours on completely rebuilt motor. Click [here](#) to see this boat cruising the seas.

**Great Deals**

For those bargain conscious among you, we have a large selection of new and slightly used boats for under \$75,000. Whether you are planning on sailing in your backyard pond or navigating the mighty Mississippi we can meet your wants, needs, or desires. [View our selection of modestly priced boats.](#)


**Site Support**

Your comments are important to us. Please let us know if you have any questions or if we can help you in any way. Address your message to user BOATHELP. [Send us a message](#)

If you prefer to contact us directly, use our [telephone directory](#) to lookup phone numbers and e-mail addresses.

**Weather Conditions**

Is it a great day for boating? Check out today's forecast.



Conditions as of: 7:00 LST

Done Internet

<http://iseriesd.dfw.ibm.com/webaccess/iWAHome>

# Using 5250 emulator in System i Access for Web

The company banner, 'Access for Water' is carried forward on all screens



- Went into 'Customize → General' and pointed at file with the company .gif.

## 5250 emulator in Access for Web

- Application looks better and did no work
- Can use 5250 Bypass Signon (new in V5R4) to bypass i5/OS sign-on screen
- Can use Access for Web Macro support to start the RPG application (BOATS)

Address <http://seriesd.dfw.ibm.com/webaccess/WA5250?sessname=boat&initmac=startboat>

mywebsearch Search Smiley Central Screensavers Cursor Mania PopS

  *Access for Water* Supplying quality boats since 2002

[Home](#)

AS/400 WSG Boat Demo 8/24/04 15:22:18

Enter your search parameters

Type  P=Powered, S=Sailing, T=Tug, C=Commercial, A=All

Length (feet)

Year built  year to start from


**Zero (0) extra steps**



# Task Oriented – not function oriented...

## Selected 'work with invoices'

- This takes user to 'Printer Output' – user's Spoolfile printer output
- SCS or AFP printer output is converted to PDF 'on the fly' by Access for Web to PDF
- Since it is now in .PDF format, user can print it to any network printer



Access for Water - Microsoft Internet Explorer

Address: http://seriesd.dfw.ibm.com/webaccess/01/AtHome

mywebsearch

**IBM** Access for Water

**Services**

- See boat details - 5250
- See boat details - HATS LE
- See boat details - WebFacing
- View available boats
- Order a boat

**Work with invoices**

- Check messages
- Check system messages
- Administrator tasks
- Manage incoming items
- Monitor jobs
- Download client software

**This Week's Special**

Beautifully maintained 28 foot 1978 Carver Santa for only \$23,900. Head and galley refurbished in 2. Only 31 hours on completely rebuilt motor. Click! see this boat cruising the seas.

Address: http://seriesd.dfw.ibm.com/webaccess/iWAPDFDownload/QPNPSRPTf.pdf?destType=brws&transPDF=Run&saveSpf=true&devType=\*TP40300&drawer1=\*LETTER&

mywebsearch

145%

**Access for Water**

To: Joe Customer  
1234 Beach Street  
Hometown, CA 12345

Date: Thursday, June 13, 2002

Invoice No. 9876543

Payment Due Monday, July 15, 2002

Description	Part No.	Quantity	Price	Amount
Hunter 33.5	004356	1	\$57,900.00	\$57,900.00
Boat trailer	199234	1	\$1,800.00	\$1,800.00
Boat anchor	043993	1	FREE	\$0.00
			Subtotal	\$59,700.00
			Tax	7.00%
			<b>TOTAL</b>	<b>\$63,879.00</b>



# E-mail PDF output

## E-mail is integrated with System i Access for Web

- Your mail server can be anywhere in your network
- Users receiving your e-mail need only an e-mail address

## User selects an option in the Printer Output screen to 'e-mail PDF output'

- The PDF document is then included in the e-mail
- Sender's e-mail address filled in; user only needs to address it.



# Run an i5/OS Database Query

Clicked on 'View our selection of moderately priced boats'

- Administrator had previously built an SQL Query using the System i Access for Web 'Database' function
- Could also have been set up to show in an .XLS or .PDF format
  - a variety of other output types as well

The screenshot shows a Mozilla Firefox browser window displaying a website for 'Access for Water'. The website has a navigation menu with 'Home' highlighted. Below the navigation is a table of boat data. A red arrow points from the browser window to a smaller inset window above it, which shows a different view of the website, possibly a search results page or a detailed view of a boat.

BNAME	BFEE	BYEAR	BCOST	BNT01
Mako Sportfisher	19	1989	13000	-Located in Anacortes, WA.
Monk Bridgedeck Cruiser	36	1956	19900	-Built of mahogany, oak, and cedar.
Carver Santa Cruz	28	1978	23900	-Constructed of fiberglass.
Bill Garden Schooner	36	1953	27500	-The hull is 1/8" carvel cedar planked atop 1 1/4" x 1 1/2" oak frames
Monk Flybridge/Sedan	34	1985	55000	-Double planked cedar on oak frames.
Hunter 33.5	33	1990	57900	-The boat has a large wheel steering a spade rudder.
Mariner Ketch	40	1979	63000	-Full keel and the rudder is keel hung
Morgan 382 Race/Cruise Sloop	38	1978	69000	-Has an Airex hull and skeg rudder. Has been rated by LLoyd's
Corsair 27	27	1994	69950	-Equipped for cruising and racing

# Try out System i Access for Web on a demo server!

Start your browser and connect to the following web site:

<http://iseriesd.dfw.ibm.com/webaccess/iWAHome> (case sensitive)

<p><b>User ID = WACUST</b></p> <p><b>Password = demo2pwd</b></p>	<p>This shows the basic look of System i Access for Web as we ship it. You can try various functions -- including working with printer output, creating database requests, etc. Click on the 5250 tab, sign onto the iSeries, then start an RPG application called BOATS and run it.</p>
<p><b>User ID = BOATADMIN</b></p> <p><b>Password = demo2pwd</b></p>	<p>This is an example of how a customer might design a web page for their use. You will see that an end user could start the same BOATS application by clicking on the 5250 session, or they could have used HATS to run the application. You will also see other links that would let a user work with spooled file information, work with IFS, run database requests, etc..</p>

Send email to: [LLHIRSCH@us.ibm.com](mailto:LLHIRSCH@us.ibm.com) to reset the user profiles if either gets disabled.



## Different Ways to Rollout Access for Web

- Use 'out of the box'
- Use 'out of the box', but set up predefined functions
- Create your own 'window' to your system through Access for Web
- Use the WebSphere Portal solution



# System i Access for Web has many entry points

'URL Interfaces to System i Access for Web' manual available on the web

- Can enter at many different pages

<http://<myiseries>/webaccess/iWAMain>

- Can use navigation bar to move from function to function

<http://<myiseries>/webaccess/iWA5250>

The screenshot shows the 'iSeries Access for Web' interface. On the left is a navigation bar with options: My Home Page, My Folder, Print, Messages, Jobs, 5250, Database, Files, Command, Download, Customize, and Other. The main area contains a 'Sign On' form with fields for User, Password, Program/procedure, Menu, and Current library. System information is displayed: System: I SERIESD, Subsystem: QINTER, Display: QPADEV0018. A footer contains copyright information and a grid of buttons: Attention, Refresh Screen, Field Exit, Page Up, System Request, Stop Session, Reset, Page Down.



This screenshot is similar to the previous one but has a red circle around the left-hand navigation bar. The main content area includes a welcome message and sections for 'Pure Java servlet based access' and 'Industry standard protocol'.

<http://<myiseries>/webaccess/iWASpool>

The screenshot shows the 'Printer Output for CMINER' page. It features a table with columns: File Name, User, Data, Creation Date/Time, Pages Per Copy, Copies, Status, Action, User, and Job Name. The table lists several print jobs from user QSYSVRT on 12/15/05.

File Name	User	Data	Creation Date/Time	Pages Per Copy	Copies	Status	Action	User	Job Name
QSYSVRT	QSYSVRT	12/15/05	4:31 PM	1	1	Ready	[Icons]	CMINER	CMINER0
QSYSVRT	QSYSVRT	12/15/05	4:31 PM	1	1	Ready	[Icons]	CMINER	CMINER0
QSYSVRT	QSYSVRT	12/15/05	4:32 PM	1	1	Ready	[Icons]	CMINER	CMINER0
QSYSVRT	QSYSVRT	12/15/05	4:39 PM	1	1	Ready	[Icons]	CMINER	CMINER0
QPRINT	QPRINT	12/15/05	4:48 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR
QPRINT	QPRINT	12/15/05	4:50 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR
QPRINT	QPRINT	12/15/05	4:52 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR
QPRINT	QPRINT	12/15/05	4:57 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR

# Reduce functions you give to users




Reduce tabs that get displayed




Reduce options under tabs

2



3





# Printer Output - Spoolfile

## 1. Print Tab

- User only has one option available, i.e. 'Printer output'

## 2. Default look of 'Printer Output'

## 3. Customized look of 'Printer Output' for signed on user

- Removed many of the columns of printer output
- Reordered list
- Removed several end user actions

**1**

iSeries Access for Web User: cminer1

**Print**

Access printers and printer output on your iSeries server with iSeries Access for Web.

**Printer output**

- List, preview and manage printer output on your iSeries server.
- Hold, release or cause a spooled file to be printed next.
- Move printer output to another printer or output queue.
- Send printer output to another iSeries server.
- View, mail, or send printer output in PDF format.
- Preview SCS and AFP printer output in PNG, TIFF, PCL and AFP formats.
- Download ASCII printer output to your browser.

Related Links:

- iSeries Access for Web
- iSeries Access
- iSeries Navigator
- iSeries Information Center
- iSeries Resource Library

**2**

iSeries Access for Web User: cminer System: LP126AB.RCHLAND.IBML.COM

**Printer Output for cminer**

File Name	User Data	Creation Date/Time	Pages Per Copy	Copies	Status	Action	User	Job Name	Job Number	File Name
QSYSPRT		12/15/05 4:31 PM	1	1	Ready	[Icons]	CMINER	CMINERO	502274	
QSYSPRT		12/15/05 4:31 PM	1	1	Ready	[Icons]	CMINER	CMINERO	502274	
QSYSPRT		12/15/05 4:32 PM	1	1	Ready	[Icons]	CMINER	CMINERO	502274	
QSYSPRT		12/15/05 4:39 PM	1	1	Ready	[Icons]	CMINER	CMINERO	502274	
QSYSPRT		12/15/05 4:41 PM	1	1	Ready	[Icons]	CMINER	CMINERO	502274	
QPRINT		12/15/05 4:48 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502281	
QPRINT		12/15/05 4:50 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502285	
QPRINT		12/15/05 4:52 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502287	
QPRINT		12/15/05 4:57 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502291	

**3**

iSeries Access for Web User: cminer1 System: LP126AB.RCHLAND.IBML.COM




**Printer Output for cminer1**

File Name	Job Name	Creation Date/Time	Pages Per Copy	User	Priority	Action
QPJOBLOG	CMINER10	12/16/05 6:23 PM	2	CMINER1	5	[Icons]
QPJOBLOG	CMINER13	12/16/05 10:23 PM	2	CMINER1	5	[Icons]
QSYSPRT	CMINER10	12/19/05 10:33 AM	1	CMINER1	5	[Icons]
QSYSPRT	CMINER10	12/19/05 10:33 AM	1	CMINER1	5	[Icons]
QSYSPRT	CMINER10	12/19/05 10:33 AM	1	CMINER1	5	[Icons]

# Run Pre-configured 5250 Sessions

You want to limit users to only starting 5250 sessions that you have preconfigured


- You have removed user's ability to configure a session
- User selects 'Configured Sessions'
  - Only one listed, only action user can perform is to 'start' it
- User clicks on Start



# User can run 5250 application

User is placed in this application


- The session could be configured to include a macro to put the user directly into a specific application on the System i
  - Or on a menu screen
- Use CHGUSRPRF, LMTCPB=Yes to remove command line from user's screen



# Change look of 5250 session

1. Default 'web' look

1




2. Changed colors, added keypad at side, changed buttons at bottom to words




2

3. Removed navigation bar, put keypad on top




3

4. Selected 'traditional' view, removed navigation bar



# Work with Files in the IFS

- **Navigate and browse the directories located on your iSeries server integrated file system**
  - **Don't need to map drives**
  - **Don't need to know directory structures**



- **View, upload, and download files**
- **Copy and mail files**
- **Rename and delete files and directories**
- **Zip and unzip files and directories**
- **Edit authorities and change ownership of objects in the integrated file system**

# Browse Files - 'Filtered View'

When I click on 'Browse Files', I see only a directory called 'cminer1' and its content

- **Because the administrator set a 'Default Directory' policy for me**

Actions I can perform:

- **Subdirectories:** Create new ones, Rename, Work with
- **Files:** Copy, Rename, Delete, Mail, Work with (ie, Zip, Unzip, etc)

The screenshot shows the 'iSeries Access for Web' interface. The main content area displays the 'Directory Contents' for the '/CMINER1' directory. It includes a table with the following data:

Name	Size (bytes)	Type	Modified	Action
<a href="#">AMP23 Use iSeries Access for iSeries Database Access.ppt</a>	12799488	File	12/19/05 11:32:18 AM	[Icons]
<a href="#">ASJ_2005 NovDec_A new beta is out for iSeries Access for Web.doc</a>	873472	File	12/19/05 11:29:19 AM	[Icons]
<a href="#">ISN_2005 Dec_Cool Tips about iSeries Access.doc</a>	158208	File	12/19/05 11:30:36 AM	[Icons]
<a href="#">V5R4 iSeries Access for Web RUN SQL Output Options.JPG</a>	97627	File	12/19/05 11:31:34 AM	[Icons]

Below the table, there is a 'Copy Files to Server' button. The interface also shows a summary: 'Found 0 directories. Found 4 files with a total size of 13,928,795 bytes.'

# Different Ways to Rollout System i Access for Web

- Use 'out of the box'
- Use 'out of the box', but set up predefined functions
- Create your own 'window' to your system through Access for Web



- **Use the WebSphere Portal solution**

# Portal Solutions – the next wave in technology

For most organizations, the decision to invest in an enterprise portal is not a question of “if,” but “when”?

(Craig Roth, VP META Group, 6/3/03)





# Portal built on i5/OS

**WebSphere Portal** Administration Edit my profile ?

Welcome My Work My Finances My Newsroom My iSeries My Favorites

My Page

**IBM.**

**v5**

Welcome to WebSphere Portal version 5.0

To rearrange portlets on this page, click the **Show tools** icon. This action produces tools that allow you to arrange and remove portlets. Click **Edit page** to add new portlets or change page layout.

To create a page, click **New page**.

**Bookmarks**

- WebSphere Portal home
- WebSphere Portal Zone
- WebSphere Portal catalog
- WebSphere Portal product documentation
- WebSphere Portal support
- WebSphere Portal offerings

**My Vertical News**

**"Iraq al-Qaeda link" - 15 Islamists are arrested in Spain**

[A handcuffed suspect is led away by members of the Spanish Police following a raid against suspected members of a radical ...](#)

**World News (includes photo)**

- ["Iraq al-Qaeda link" - 15 Islamists are arrested in Spain](#)
- [U.S. releases some Saddam-era detainees](#)
- [Israel's Sharon suffers minor stroke](#)
- [Baghdad hospital car bomb kills two](#)

**US News (includes photo)**

- [Unrest in Congress over Bush's wiretaps](#)
- [Secretary of State defends NSA spying](#)
- [Time honors three who live to give](#)
- [NYC transit strike begins](#)

**Market & Economy News**

- [Late shoppers get benefit of bargain](#)

**My Stocks**

Monday, December 19, 2005 1:31:00 PM E

▲ <b>IBM</b>	83.48	0.11	0.1
▼ <b>\$COMPO</b>	2,235.15	-17.33	-0.7
▲ <b>\$DJI</b>	10,900.56	24.97	0.2
▼ <b>\$SPX</b>	1,263.98	-3.34	-0.2

Data delayed at least 20 minutes.

**Get Quote** [Symbol Lookup](#)


MarketWatch © MarketWatch, Inc. 2005  
Intraday data provided by ComStock, an Interactive Data Company.

**My Weather**

Monday, December 19, 2005 5:18:00 PM C

	<b>Raleigh, North Carolina</b>	<b>48°</b>
	Partly Sunny	24°/
	<b>Stuttgart, Germany</b>	<b>30°</b>
	Snow	24°/
	<b>Beijing (Peking), China</b>	<b>23°</b>
	Partly Cloudy	17°/
	<b>Tokyo, Japan</b>	<b>36°</b>
	Clear	31°/

# System i Access for Web Portlets on System i Portal



The screenshot displays the System i Portal interface. At the top, there is a navigation bar with the following items: "WebSphere Portal", "My Portal", "Administration", "Edit my profile", and "Log out". Below this, there are links for "New Page", "Edit Page", and "Assign Permissions". The main navigation menu includes "Welcome", "My Work", "My Finances", "My Newsroom", "My iSeries" (highlighted with a red circle), and "My Favorites".

The "My iSeries" portlet is active, showing a "Start Session" form on the left and a "Welcome" message on the right. The "Start Session" form includes the following fields and options:

- Server:** x1519p4.rchland.ibm.com
- Port:** 23
- Code page:** 37
- Display HTML data in fields
- Workstation ID:**
  - Use user ID
  - Specify workstation ID
  - Avoid duplicates for this user
  - Avoid duplicates with other users
- Start Session** button

The "Welcome" message on the right reads: "Welcome to the iSeries Access portlets - specifically developed for iSeries Access customers. These portlets allow you to access information on your iSeries servers through a Web browser."

iSeries Access portlets include the following:

- 5250 portlet
  - Run commands and access full-screen 5250 character-based applications.
- IFrame portlet
  - Access any of the iSeries Access for Web servlets using the IFrame portlet.
- Integrated file system (IFS) browsing portlets
  - Browse the iSeries integrated file system.
  - View, edit, upload and download files.
- Printers, printer output, and output queues portlets
  - View printer status, start and stop the writer job associated with a printer.
  - Hold, release, print, delete and view printer output files.
  - Move printer output files to another output queue or printer.
  - Hold and release output queues.
- Database tables and SQL portlets
  - View database tables, add and update records.
  - View query results, customize format of results.
  - Run SQL statements dynamically.
- Commands portlets
  - Run CL commands.

The iSeries Access portlets are included with iSeries Access for Web. The iSeries Access for Web product is part of the iSeries Access Family (5722-XW1). For more information regarding iSeries Access, iSeries Access for Web, and the iSeries Access

# Portlet Support added to System i Access for Web


V5R4	V5R3 PTF SI11914 (May 2004)	V5R3 (Jan 2004)
<ul style="list-style-type: none"> <li>• <b>Single Sign-on (SSO)</b> <ul style="list-style-type: none"> <li>– Via WAS Security model</li> <li>– 5250 Bypass signon option</li> </ul> </li> <li>• <b>Database</b> <ul style="list-style-type: none"> <li>– OpenOffice spreadsheet format (.ods)</li> <li>– iSeries SQL Requests</li> <li>– Viewer to look at iSeries SQL results</li> </ul> </li> <li>• <b>Files</b> <ul style="list-style-type: none"> <li>– Zip function to zip files in IFS</li> </ul> </li> <li>• <b>iSeries Credentials</b> <ul style="list-style-type: none"> <li>– Users can change i5/OS password via System i Access for Web, and it will additionally update currently defined credentials with the new password value.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• <b>File</b></li> <li>• <b>Print</b></li> <li>• <b>Database</b></li> <li>• <b>Command</b></li> <li>• <b>Credentials</b></li> <li>• <b>Related Links</b></li> </ul>	<ul style="list-style-type: none"> <li>• <b>5250</b></li> <li>• <b>iFrame</b></li> <li>• <b>Welcome</b></li> </ul>



- **Use 'out of the box'**
  - **Use 'out of the box', but set up predefined functions**
  - **Create your own 'window' to your system through Access for Web**
  - **Use the WebSphere Portal solution**



# Control User Access to functions



1. How do I keep my users from using all these functions?
2. How do I set up the environment for my users?
3. Should I let my users set have some individual screen settings for some functions?

**You need \*SECADM authority to customize profiles**

# System i Access for Web uses i5/OS User Profiles

When an System i Access for Web user attempts to access any function on the iSeries, the following sequence of checks are made to authenticate user access:

- User profile
- Group profile(s)
- \*PUBLIC profile

**\*PUBLIC profile is the set of default policy settings shipped with Access for Web**

- The defaults allow most functions to be available to all users

The settings in these policies indicate what functions within System i Access for Web, a user can attempt to use.

- For Example: Let's say you give users full access to the 'Database' tab.
- You have Object Level authority set up on your data
- When a user attempts to use one of the System i Access for Web Database GUIs to get at the database information, the user will get an i5/OS message indicating they are not authorized to access data

# Customize → Policies

**Policies are used to control access to System i Access for Web functions**

For example:

- A Files access policy can be set to Deny or restrict a user or group from accessing the file function.
- Policies are saved and associated with the appropriate iSeries user or group profile.
- Each 'Category' expands for granular control

Policies			
Profile: <b>CMINER1</b>			
Action	Category	Description	Access
	5250	5250 user interface custom settings.	Allowed
	Command	Run batch command custom settings.	Allowed
	Customize	Preferences and policy administration custom settings.	Allowed
	Database	Database tables, requests, and run SQL custom settings.	Allowed
	Database connections	Create and edit database connection definitions.	Allowed
	Download	Download packages custom settings.	Allowed
	Files	Integrated file system and file share custom settings.	Allowed
	General	Page layout, language and character set custom settings.	Allowed
	Jobs	Work with jobs custom settings.	Allowed
	Mail	Send mail custom settings.	Allowed
	Messages	Display messages, send messages, and message queue custom settings.	Allowed
	My Folder	My Folder custom settings.	Allowed
	Print	Printer output, printers, printer shares and output queue custom settings.	Allowed
	Sametime	Lotus Sametime custom settings.	Allowed
	Other	Change password and other miscellaneous custom settings.	Allowed

# Policies - customize for all users at once


One alternative...

Use the **\*PUBLIC** group profile and set policies for all users

- **'Deny'** functions for all users in a single step
- Then **'Allow'** specific users access to functions via their User or Group profiles

**Problem:**

You're locked out too, until you go in and **"Allow"** functions to yourself



iSeries Access for Web

System: RCHLAND.IBM.COM

## Policies

Profile: \*PUBLIC

Action	Category	Description	Access
<input checked="" type="checkbox"/>	5250	5250 user interface custom settings.	Allowed
<input checked="" type="checkbox"/>	Command	Run batch command custom settings.	Allowed
<input checked="" type="checkbox"/>	Customize	Preferences and policy administration custom settings.	Allowed
<input checked="" type="checkbox"/>	Database	Database tables, requests, and run SQL custom settings.	Allowed
<input checked="" type="checkbox"/>	Database connections	Create and edit database connection definitions.	Allowed
<input checked="" type="checkbox"/>	Download	Download packages custom settings.	Allowed
<input checked="" type="checkbox"/>	Files	Integrated file system and file share custom settings.	Allowed
<input checked="" type="checkbox"/>	General	Page layout, language and character set custom settings.	Allowed
<input checked="" type="checkbox"/>	Jobs	Work with jobs custom settings.	Allowed
<input checked="" type="checkbox"/>	Mail	Send mail custom settings.	Allowed
<input checked="" type="checkbox"/>	Messages	Display messages, send messages, and message queue custom settings.	Allowed
<input checked="" type="checkbox"/>	My Folder	My Folder custom settings.	Allowed
<input checked="" type="checkbox"/>	Print	Printer output, printers, printer shares and output queue custom settings.	Allowed
<input checked="" type="checkbox"/>	Sametime	Lotus Sametime custom settings.	Allowed
<input checked="" type="checkbox"/>	Other	Change password and other miscellaneous custom settings.	Allowed

Related Links:

- iSeries Access for Web
- iSeries Access
- iSeries Navigator
- iSeries Information



# Example: Set Policy to Default to Specific Directory in IFS

Set a 'Default Directory' for:

- **\*PUBLIC**
- **Groups of users**
- **Specific user**

**Edit Policies - Files**  
Profile: CMINER1

Policy	Derived From	Action	Setting
Files access	Shipped default	Use current setting	Allow
Files tab	Shipped default	Use current setting	Show
Display directory contents in new window	Shipped default	Use current setting	No
Enable sort links for directory contents	Shipped default	Use current setting	Yes
Display directory contents statistics	Shipped default	Use current setting	Yes
Browse files	Profile setting	Use current setting	Allow
Copy files to server	Shipped default	Use current setting	Allow
Copy files from server	Shipped default	Use current setting	Allow
Default directory	Profile setting	Use current setting	/cminer1
Display subdirectory contents	Shipped default	Use current setting	Allow
Display parent directory contents	Shipped default	Use current setting	Allow
Display default	Shipped default	Use current setting	Deny

*In this example, I went into CMINER1 profile, and set policy to show only the 'CMINER1' directory to this user...*



# System i Access for Web 5250 Interface

Runs as an interactive job

- Only function in System i Access for Web that is interactive

TN5250 port

- Only function in System i Access for Web that uses TN5250 port

# Use “Start Session” Dynamically

- Specify the system to connect
- Select the session attributes
  - Port, code page, workstation ID, etc.
- Start session

**My Home Page**

- My Folder
- Print
- Messages
- Jobs
- 5250
  - Active sessions
  - Configured sessions
  - Start session
- Database
- Files
- Command
- Download
- Customize
- Other

**Start Session**

**Server** ?

Server:

Port:

Code page:  ▼

**Workstation ID** ?

Use user ID

Specify workstation ID

Avoid duplicates for this user

Avoid duplicates with other users

**General** ?

Initial macro:  ▼

Bypass signon

Display HTML data in fields

**Start Session**

**Related Links:**

- iSeries Access for Web
- iSeries Access













# Start a Configured Session

- Configured sessions list shows the list of sessions for the logged in user
- Select the “Start” icon for the session to start

**My Home Page**

- My Folder
- Print
- Messages
- Jobs
- 5250
  - Active sessions
  - Configured sessions
- Start session
- Database
- Files
- Command
- Download
- Customize
- Other

## Configured Sessions

Session	Server	Action ?	Shortcut	Created By	Access
system A	LP016AB.RCHLAND.IBM.COM	     	No	smshao	smshao
system B	LP016AB.RCHLAND.IBM.COM	     	No	smshao	smshao

[Configure new session](#)  
Configure a new session.

[Shortcuts to sessions you configured](#)  
Display a list of shortcuts to sessions you configured. Shortcuts can be deleted from this list.

[Active sessions](#)  
Work with your active sessions.

[Start session](#)  
Start a new session.

[My macros](#)  
Work with your macros.

[My keypads](#)  
Work with your keypads.

# Run Pre-Configured 5250 Sessions

You can limit users to connecting to only specific systems or running only specific applications.

`http://<systemi>:<port>/webaccess/iWAMain`

- Create preconfigured 5250 sessions
- Then set policies to restrict users to only preconfigured sessions
- User selects 'Configured Sessions'
  - Only link provided
  - User has only one action → to start a session

The screenshot shows the 'iSeries Access for Web' interface. The top navigation bar includes the user name 'adams', the system 'System', and the URL 'RCHLAND.IBM.COM'. The main content area is titled 'Configured Sessions' and contains a table with the following data:

Session	Action	Shortcut	Created By	Access
Shortcut to demo		Yes	smshao	*PUBLIC
Shortcut to Payroll		Yes	cminer	*PUBLIC

Below the table, there are several related links and descriptions:

- [Shortcuts to sessions you configured](#): Display a list of shortcuts to sessions you configured. Shortcuts can be deleted from this list.
- [Active sessions](#): Work with your active sessions.
- [My macros](#): Work with your macros.
- [My keypads](#): Work with your keypads.
- [5250 user interface help](#): View help for working with configured sessions.

# Run Pre-Configured 5250 Sessions

If you do not want users using anything in System i Access for Web except 5250, you could:

<http://<systemi>:<port>/webaccess/iWA5250>

- Simply give them the 5250 url address (ie, <http://systemi/webaccess/iWA5250>)
- Set policies so users end up where you want them to be
  - Could include a macro so user bypasses i5/OS sign-on screen
- Predefine what screens will look like:
  - Colors
  - No Navigation pane



**Web look**

**Traditional  
'green screen'  
look**



# Configure a New Session

Select the “Configure new session” link

**My Home Page**

- My Folder
- Print
- Messages
- Jobs
- 5250
  - Active sessions
  - Configured sessions
  - Start session
- Database
- Files
- Command
- Download
- Customize
- Other

## Configured Sessions

Session	Server	Action <span style="font-size: small;">?</span>	Shortcut	Created By	Access
system A	LP016AB.RCHLAND.IBM.COM		No	smshao	smshao
system B	LP016AB.RCHLAND.IBM.COM		No	smshao	smshao

---

[Configure new session](#)
  
 Configure a new session.

[Shortcuts to sessions you configured](#)  
 Display a list of shortcuts to sessions you configured. Shortcuts can be deleted from this list.

[Active sessions](#)  
 Work with your active sessions.

[Start session](#)  
 Start a new session.

[My macros](#)  
 Work with your macros.

[My keypads](#)  
 Work with your keypads.



# Setting up a 5250 Session

## Select Session Name

- Name of this 'Configured' session

## Determine screen look

- Web View is default
- Traditional View can be selected

## Select System i to connect to

- Enter System Name or TCP/IP address
- Port Address

Configure New Session [X1519P4.RCHLAND.IBM.COM] - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail Printers AutoPlay

My Web Search Search Address http://x1519p4.rchland.ibm.com/webaccess/IWACfgSession Go Links

Google Go Bookmarks 42 blocked ABC Check AutoLink AutoFill Send to Settings

**Configure New Session**

**General**

Session:  \* required

Default view: Web

Initial macro: Traditional **Web**

Bypass signon

Display HTML data in fields

Enable advanced JavaScript functions

**Server**

Server: X1519P4.RCHLAND.IBM.COM

Port: 23

Code page: 37

**Workstation ID**

Use user ID

Specify workstation ID

Avoid duplicates for this user

Avoid duplicates with other users

**Related Links:**

[iSeries Access for Web](#)

[iSeries Access](#)

Done Internet

## Things to know

*Because System i Access for Web 5250 is implemented using HTML and is servlet based, there are considerations to be aware of. This 5250 interface...*

- is not a full-function emulator
  - does not have keyboard interaction and keyboard mapping capability of full-function  
E.g., 'field exit' cannot be done with one keystroke.
- is not intended to replace full-function emulators like PC5250, PCOMM, Host On-Demand, etc. for purposes of "heads-down" data entry type of operations
- does not include file transfer from session
- does not include printer emulation
  - i5/OS strategy is Internet Printing Protocol (IPP) printing
  - System i Access for Web provides capability to convert spooled files to PDF
- does not include graphics, EHLAPPI, DDE functionality
- does not have direction interaction with server, so unsolicited server messages can't be received. (The user needs to request refresh or take an action on the interface to see break messages)



# System i Access for Web – Database Functions

Access database tables on your iSeries server with iSeries Access for Web.

## Tables

- View a list of database tables on your iSeries server.
- Perform actions on these tables without having knowledge of SQL and its syntax.
- View the contents of a table in a paged list, using the Quick view action.
- Add and update records in a table using the Insert and Update actions.
- Create your own customized SQL request for a table using the Run SQL action.
- Create your own customized copy data request for a table using the Copy data to table action.

## My requests

- View a list of previously saved requests.
- Run or Edit requests from this list.
- Manage lists using the Copy, Delete, and Rename actions
- Create and manage shortcuts to requests

## Run SQL

- Run SQL statements dynamically.
- View output as a paged list or in a popular file format, like Microsoft Excel or Lotus 1-2-3. (Output format depends on how you have your browser configured and whether the browser can locate a plug-in for the output type you choose.)
- Customize how data is returned by setting options specific to the output type.
- Build SELECT statements using an SQL Wizard.
- Save requests for repeated use.

## Copy data to table

- Copy existing data files from your PC to a database table on your iSeries server.
- These data files can be in many popular file formats, including Microsoft Excel and Lotus 1-2-3.
- Replace the contents of a table or add data to an existing table.
- Create a new database table based on the contents of a workstation file.
- Save requests for repeated use.

## Import request

- Import Client Access Data Transfer upload and download requests into iSeries Access for Web copy data and SQL requests.
- Imported requests are automatically converted to iSeries Access for Web format.
- Run and edit converted requests on your iSeries server just like other copy data and SQL requests.

## Import query

- Import queries generated by Query for iSeries and DB2 UDB for iSeries Query Manager.
- Imported queries can be saved into iSeries Access for Web database requests.
- Run and edit converted queries on your iSeries server just like iSeries Access for Web SQL requests.

## Extract server data

- Extract server object information into a database table.

## Upload PC Data to the System i

- Upload data from a variety of file types
  - Excel, XML, Lotus, etc
  - OpenOffice **new V5R4**
- Put into iSeries database
  - 'Replace' contents of table
  - 'Append' to existing data
- If no table exists on the iSeries, you will get a wizard to help you create a new table



iSeries Access for Web

### Copy Data to Table

**File to Copy** ?

File:  Browse...

File type: Comma Separated Value (.csv) Settings

**Table to Receive Data** ?

Table:

Action: Replace data if table exists

**Connection** ?

Connection: IBM Toolbox for Java - LP126AB.RCHLAND.IBM.COM

Copy Data to Table Save Request...

# Create System i Table

iSeries Access for Web User: CMINER System: LP116AB

**Copy Data to Table**

Table BOATS.DATA does not exist.

Create options

View or change column definitions before creating table

Create table using the source file's column definitions

- My Home Page
- My Folder
- Print
- Messages
- Jobs
- 5250
- Database
  - Tables
  - My requests
  - Run SQL

**Wizard to help you create an iSeries table from your PC spreadsheet**

Copy Data To Table [LP116AB.RCHLAND.IBM.COM] - Mozilla Firefox

http://lp116ab:2016/webaccess/WADbUpload

iSeries Access for Web cminer LP116AB.RCHLAND.IBM.COM

**Table Column Definitions**

Verifying column definitions before creating the table is recommended. You can change any of the column definition attributes before clicking Create Table.

Column	Description	Type	Length	Scale	Sample Data
EMPNO		CHAR	6	0	200340
FIRSTNME		CHAR	9	0	ROY
MIDINIT		CHAR	1	0	R
LASTNAME		CHAR	10	0	ALONZO
WORKDEPT		CHAR	3	0	E21
PHONENO		CHAR	4	0	5698
HIREDATE		CHAR	8	0	5/5/47
JOB		CHAR	8	0	FIELDREP
EDLEVEL		FLOAT	0	0	16.0
SEX		CHAR	1	0	M
BIRTHDATE		CHAR	8	0	1/1/01
SALARY		FLOAT	0	0	23840.0
BONUS		FLOAT	0	0	500.0
COMM		FLOAT	0	0	1907.0

# Database Tables

You can:

- Insert
- Update
- Quick View
- Find (new V5R4)
- Run SQL
- Copy Data to Table

iSeries Access for Web
User: CMINER

**My Home Page**

- My Folder
- Print
- Messages
- Jobs
- 5250
- Database**
- Tables
- My requests
- Run SQL
- Copy data to table
- Import request
- Import query
- Extract server data
- Files**
- Command**
- Download**
- Customize**
- Other**

**Related Links:**

- iSeries Access for Web
- iSeries Access
- iSeries Navigator
- iSeries Information Center
- iSeries Resource Library

## Tables

Connection: IBM Toolbox for Java - LP126AB.RCHLAND.IBM.COM  
Table filter: \*USRLIBL, boats

⏪
⏩
[1]
2
3
4
5
6
7
8
9
▶
▶▶
🔍

Table	Description	Action ?
BOATS.BOATS	Available BOATS	
BOATS.BOATS1	Available boats by length	
BOATS.PCFILES	PC files needed by BOATS WSG Demo	
BOATS.QCLSRC		
BOATS.QCMDSRC		
BOATS.QDDSSRC		
BOATS.QRNCVTLG		
BOATS.QRPGLESRC		
BOATS.QRPGSRC		
QGPL.#	\$	
QGPL.BITYPES		
QGPL.CHADDEC		
QGPL.CONCURTYPE		
QGPL.CPY_INFO		
QGPL.DAVE		
QGPL.DECSEP		
QGPL.DIVZERO		
QGPL.DIVZERO2		
QGPL.DSD		
QGPL.DSPSFWRSC	Output file for DSPSFWRSC	

# Download Database Information from System i

Run SQL allows you to run SQL statements

- Could copy/paste complex SQL statements in here...

Variety of output types

- PDF, Excel, 1-2-3, XML, etc

Destination

- Browser
- Mail as attachment
- Personal Folders
- IFS (new V5R4)

Can save request

- My Requests, Give Shortcut to others



SQL Wizard if you don't know SQL

iSeries Access for Web

User: GIMBEL System: LP120AD.RCHLAND

My Home Page

- My Folder
- Print
- Messages
- Jobs
- 5250
- Database
  - Tables
  - My requests
  - Run SQL
  - Copy data to table
  - Import request
  - Import query
  - Extract server data
- Files
- Command
- Download
- Customize
- Other

Related Links:

- iSeries Access for Web
- iSeries Access
- iSeries Navigator
- iSeries Information

## Run SQL

SQL Statement

```
SELECT
  "BCOST", "BYEAR", "BTYP", "BNAME", "BFEET", "BNT01"
FROM
  BOATS.BOATS
WHERE
  ( ("BCOST" > 10000) )
```

SQL Wizard

SQL Output

Type: Microsoft Excel XML (.xml) Settings

Destination: Mail as attachment Settings

Format

Date: 12/23/05

Time: 10:16:44 AM

Connection

Connection: IBM Toolbox for Java - ... .RCHLAND.IBM.COM

Run SQL Save Request...



# Create Database Requests with SQL Wizard


SQL Wizard enables you to:

- Select **tables**
- Select which **columns** to return
- Add **conditions** to your select statement
- Select the columns by which you want the data **sorted**

The screenshot shows the 'iSeries Access for Web' interface. On the left is a navigation menu with categories: 'My Home Page', 'My Folder', 'Print', 'Messages', 'Jobs', '5250', 'Database' (containing 'Tables', 'My requests', 'Run SQL', 'Copy data to table', 'Import request', 'Import query', 'Extract server data'), 'Files', 'Command', and 'Download'. The main area is titled 'SQL Wizard' and displays a SQL query: 'SELECT \* FROM BOATS.BOATS'. Below the query are several icons for editing. A 'Welcome' message states: 'This wizard steps you through creating an SQL select statement.' At the bottom are three buttons: 'Next', 'Finish', and 'Cancel'.

# New in V6R1! Chart SQL Results: Background

- System i Access for Web provides support to run SQL statements and store the results in a selected file format
- Historical sSupported file formats include:
  - HTML
  - Microsoft Excel
  - PDF
  - OpenDocument







A	B	C	D	E	F	G	H	I	J	K
CUSNUM	LSTNAM	INIT	STREET	CITY	STATE	ZIPCOD	CDTLMT	CHGCOD	BALDUE	CDTDUE
938472	Henning	G K	4859 Elm	Dallas	TX	75217	5000	3	37	0
839283	Jones	B D	21B NW 1	Clay	NY	13041	400	1	100	0
392859	Vine	S S	PO Box 79	Broton	VT	5046	700	1	439	0
938485	Johnson	J A	3 Alpine W	Helen	GA	30545	9999	2	3987.5	33.5
397267	Tyron	W E	13 Myrtle	Hector	NY	14841	1000	1	0	0
389572	Stevens	K L	208 Snow	Denver	CO	80226	400	1	58.75	1.5
846283	Alison	J S	787 Lake	Isle	MN	56342	5000	3	10	0
475938	Doe	J W	59 Archer	Sutter	CA	95685	700	2	250	100
693829	Thomas	A N	3 Dove	Cir Casper	WY	82609	9999	2	0	0
593029	Williams	E D	485 SE 2	Dallas	TX	75218	200	1	25	0
192837	Lee	F L	5963 Oak	Hector	NY	14841	700	2	489.5	0.5
583990	Abraham	M T	392 Mill	StIsle	MN	56342	9999	3	0	0

CUSNU	LSTNAM	INIT	STREET	CITY	STATE	ZIPCOD	CDTLM	CHGCO	D	BALDUE	CDTDUE
938472	Henning	G K	4859 Elm Ave	Dallas	TX	75217	5000	3		37.00	0.00
839283	Jones	B D	21B NW 135 St	Clay	NY	13041	400	1		100.00	0.00
392859	Vine	S S	PO Box 79	Broton	VT	5046	700	1		439.00	0.00
938485	Johnson	J A	3 Alpine Way	Helen	GA	30545	9999	2		3987.50	33.50
397267	Tyron	W E	13 Myrtle Dr	Hector	NY	14841	1000	1		0.00	0.00
389572	Stevens	K L	208 Snow Pass	Denver	CO	80226	400	1		58.75	1.50
846283	Alison	J S	787 Lake Dr	Isle	MN	56342	5000	3		10.00	0.00
475938	Doe	J W	59 Archer Rd	Sutter	CA	95685	700	2		250.00	100.00
693829	Thomas	A N	3 Dove Circle	Casper	WY	82609	9999	2		0.00	0.00
593029	Williams	E D	485 SE 2 Ave	Dallas	TX	75218	200	1		25.00	0.00
192837	Lee	F L	5963 Oak St	Hector	NY	14841	700	2		489.50	0.50
583990	Abraham	M T	392 Mill St	Isle	MN	56342	9999	3		0.00	0.00


# Chart SQL results: SVG File Format

- **Support for new output file type in V6R1**
  - Scalable Vector Graphics Chart (\*.svg)
    - Language for describing 2D graphics in XML
    - W3C standard
  - Users can store SQL results in a chart



# Chart SQL Results: SVG Configuration

- Many configuration options
  - Chart type
    - Area, Bar, Pie, Line
  - Colors
  - Legend location
  - Grid shown
  - Chart type options
    - Bar – vertical or horizontal
    - Pie – exploded or complete
    - Line – marker shape
  - Other....
- Same destination options:
  - Browser, mail, IFS, personal folder



# Database - Run Requests



Administrator could:

- Give users or groups of users some database requests that were created for them.
- Users can run only these specific requests
- No other database options offered

iSeries Access for Web

My Home Page  
Print  
5250  
Database  
· My requests  
Files  
Download

Related Links:  
· iSeries Access for Web  
· iSeries Access  
· iSeries Navigator  
· iSeries Information Center  
· iSeries Resource Library

## My Requests

« « [1] » » » Q

Request	Description	Action	Shortcut	Created By	Access
Shortcut to Boats For Sale	View all available boats		Yes	CMINER	groupa
Shortcut to Find Boat To Buy	Select type and price limits		Yes	CMINER	*PUBLIC
Shortcut to My Customers Mailing	Mail Customer List		Yes	CMINER	groupa
Shortcut to My Customers Mailing	Mail Customer List		Yes	cminer	cminer1
Shortcut to Put My Customer List in Folder	Store Customer List		Yes	CMINER	groupa
Shortcut to request sql			Yes	secyesi	*PUBLIC
Shortcut to request upload			Yes	secyesi	*PUBLIC

« « [1] » » » Q

# Printing



# Work with Printer Output, Printers, Queues


## Typical end user printer tasks

- **Printer Output**
- **PDF Printer Output**



## Tasks more oriented toward system operators, administrators, programmers, etc

- **Printers**
- **PDF Printers**
- **Internet Printers**
- **Internet Printer Shares**
- **Printer Shares**
- **Output Queues**



# Work with Printer Output

*http://<myiseries>/webaccess/iWASpool*

## My 'printer output'

### Actions include:

- Work with
- View
- View As
- View PDF

## Easy-to-use GUI for working with my printer output

- Don't need to sign onto a 5250 session, and run commands to get to spool file

The screenshot shows the 'iSeries Access for Web' interface. The main content area is titled 'Printer Output for cminer'. On the left, there is a navigation menu with sections like 'My Home Page', 'My Folder', 'Print', 'Messages', 'Jobs', '5250', 'Database', 'Files', 'Command', 'Download', 'Customize', and 'Other'. The 'Print' section is expanded, showing options like 'Printer output', 'PDF printer output', 'Printers', etc. The main table displays the following data:

File Name	User	Creation Date/Time	Pages Per Copy	Copies	Status	Action	User	Job Name	Job Number
QSYSPRT	CMINER	12/15/05 4:31 PM	1	1	Ready	[Icons]	CMINER	CMINER0	502274
QSYSPRT	CMINER	12/15/05 4:31 PM	1	1	Ready	[Icons]	CMINER	CMINER0	502274
QSYSPRT	CMINER	12/15/05 4:32 PM	1	1	Ready	[Icons]	CMINER	CMINER0	502274
QSYSPRT	CMINER	12/15/05 4:39 PM	1	1	Ready	[Icons]	CMINER	CMINER0	502274
QSYSPRT	CMINER	12/15/05 4:41 PM	1	1	Ready	[Icons]	CMINER	CMINER0	502274
QPRINT	CMINER	12/15/05 4:48 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502281
QPRINT	CMINER	12/15/05 4:50 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502285
QPRINT	CMINER	12/15/05 4:52 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502287
QPRINT	CMINER	12/15/05 4:57 PM	1	1	Ready	[Icons]	CMINER	QIWAPDFSTR	502291

**Note: IBM Infoprint Server (5722-IP1) is NOT needed to use "View PDF"**



# Printer Output - Spoolfile

## 1. Requested 'View PDF'



- Can select any option on pulldown for my printer output

## 2. View in Browser

- Shows overlays, etc
- Can print on any printer in network

## 3. Send .PDF document in an email

- Mail server does not have to be installed on iSeries



# PDF Printer Output


<http://<myiseries>/webaccess/iWAPDFPrinterOutput>

Printer output  
**automatically**  
converted to PDF and  
placed in PDF Printer  
Output Queue at spool  
time

Actions include:

- View
- Copy to File
- Copy to Folder;  
Delete
- Mail


Actual host application could additionally send spooled file to another output queue (in SCS or AFP mode)



File Name	File Number	User	Creation Date/Time	Job Name	Job Number	Action
QSYSVRT	5	JOANSG	4/7/05	QPRTJOB	064814	[Icons]
QSYSVRT	1	CLARKD	4/27/05	QPADEV0018	115207	[Icons]
QSYSVRT	2	CLARKD	4/27/05	QPADEV0018	115207	[Icons]
QSYSVRT	1	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
QSYSVRT	2	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
QSYSVRT	3	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
QSYSVRT	4	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
QSYSVRT	5	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
QSYSVRT	6	CLARKD	5/2/05	QPADEV0012	122000	[Icons]
COVER_PAGE	11	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
BG1_3812	12	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
BG2_3812	13	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
BG3_3812	14	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
BOX_3812	15	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
MBX_3812	16	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
IMG_3812	17	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]
HRZ_3812	19	GILBERTM	11/1/05	QPRTJOB	287159	[Icons]

**Note: IBM Infoprint Server (5722-IP1) needed to use “PDF Printer Output” and “PDF Printers”**

# My Folder



# My Folder

## Folder resides in the IFS

- Folder does not show up in IFS directory listing
- Administrator can control size of Folders (new in V5R3)

## Folder can only be accessed by owner

- Good for long-running requests (ie, actions performed asynchronously so the browser is not tied up)
- An easy way to avoid large attachments (ie, a large query result)

## Can place information in other users' Folders


- Performing requests for someone else
- Mechanism for workflow.

## Combine e-mail and My Folder functions to:

- Perform requests for someone else
- Distribute results to a group of users
- Send e-mail to others when you place information in their Folder
- Be notified when new items are placed in your Folder

# Simply click on 'My Folder' to see items

- Can store items, email them, delete them, etc



- Do not need to understand any Directory structure to put information in My Folder or another's Folder

iSeries Access for Web User: CMINER System: EP120AB.RCHLAND1.IBM.COM IBM.

**My Home Page**

- My Folder
- Print
- Messages
- Jobs
- 5250
- Database
- Files
- Command
- Download
- Customize
- Other

**Related Links:**

- iSeries Access for Web
- iSeries Access
- iSeries Navigator
- iSeries Information Center
- iSeries Resource Library

**My Folder**

« « [1] » »

Item	Status	From	Date/Time	Size	Action
<input type="checkbox"/> Status [SQL output in PDF]	Unopened	CMINER	12/12/05 6:08 PM	202	
<input type="checkbox"/> SQL output in PDF	Unopened	CMINER	12/12/05 6:08 PM	2543	
<input type="checkbox"/> Status [SQL output in PDF]	Unopened	CMINER	12/12/05 6:04 PM	202	
<input type="checkbox"/> SQL output in PDF	Opened	CMINER	12/12/05 6:04 PM	2543	
<input type="checkbox"/> Status: SQL output to Integrated File System	Unopened	CMINER	12/12/05 5:39 PM	272	
<input type="checkbox"/> Status: SQL output to Integrated File System	Unopened	CMINER	12/12/05 5:35 PM	271	
<input type="checkbox"/> Status [SQL output in HTML]	Unopened	CMINER	12/9/05 4:52 PM	202	
<input type="checkbox"/> SQL output in HTML	Opened	CMINER	12/9/05 4:52 PM	816	
<input type="checkbox"/> Status [SQL output in XLS]	Unopened	CMINER	12/5/05 4:35 PM	297	
<input type="checkbox"/> SQL output in XLS	Opened	CMINER	12/5/05 4:35 PM	3956	

Delete Selected Items

# Downloads



# Downloads – for file/program distribution

*http://<myiseries>/webaccess/iWAPackages*

- Mechanism to distribute files / programs to users
- Administrator can create downloads
- Management functions included for updating downloads and for controlling access to them

The screenshot displays the 'Downloads' section of the iSeries Access for Web interface. On the left is a navigation menu with options like 'My Home Page', 'My Folder', 'Print', 'Messages', 'Jobs', '5250', 'Database', 'Files', 'Command', 'Download', 'Other', and 'Customize'. The main content area shows a table of download items:

Name	Description	File	Size	Action
Down1cg		file.txt	20	[Icons]
iSeries Access for Linux (PPC)	iSeries Access for Linux contains a full 5250 emulator and an enhanced ODBC driver. For more information see: <a href="http://www.ibm.com/eserver/iseries/access/linux/">http://www.ibm.com/eserver/iseries/access/linux/</a> .	iSeriesAccess-5.2.0-1.6.ppc.rpm	4,291,646	[Icons]
Windows AFP Viewer Plug-in	The AFP Viewer plug-in lets you view AFP documents from a Web browser.	gnsp32dm.exe	9,997,972	[Icons]



Other new  
functions in  
V6R1



## New in V6R1!

### Single sign-on via Windows domain login – V6R1

- WAS 6.1 provides a trust association interceptor (TAI) that uses the Simple and Protected GSS-API Negotiation Mechanism (SPNEGO) to securely negotiate and authenticate HTTP requires for secured resources in WAS.
  - This uses kerberos authentication.
  - The SPNEGO TAI enables Windows domain login to be used when granting access to secure resources in WAS.
- When V6R1 System i Access for Web is configured in a SPNEGO TAI environment, the Windows workstation user can login to the Windows domain and have Access for Web use those credentials to authenticate to i5/OS

# New in V6R1!

## Schedule tasks: Create automated task as a .jar file

System i Access for Web User: jcook System: RCHAS61

### My Requests

Page 1 of 1 Jump to page: 1 Total: 1

Request	Description	Action	Shortcut	Owner	Access
JCV61_SEL_CSTFIL	Select 199 - 499 from CSTFIL		No	jcook	jcook

Page 1 of 1 Jump to page: 1 Total: 1

- 1.
- 2.
- 3.
- 4.
- 5.

System i Access for Web User: jcook System: RCHAS61

### Create Automated Task

Request: JCV61\_SEL\_CSTFIL  
 User profile: jcook  
 Password:   
 Confirm password:   
 Output file: /JCSQLCST.ext  
 Java archive: iwATask.jar

[Database help](#)  
 View help for creating an automated task.

leted from this list.

System i Access for Web User: jcook System: RCHAS61

### Create Automated Task

Automated task created successfully.

Request: JCV61\_SEL\_CSTFIL  
 User profile: jcook  
 Output file: /JCSQLCST.ext  
 Java archive: iwATask.jar

[iwATask.jar](#) Download automated task Java archive  
[My requests](#) Display the list of your requests


# Summary



# System i Access for Web V6R1 Enhancements



- Single sign-on: support authentication using Windows domain login
- Chart SQL results in bar, area, line, or pie chart
- SQL wizard supports joins of multiple tables
- Automation and scheduling of tasks
- JSR 168 Portlets



## Why use System i Access for Web?

*Start simple, grow fast...*

- Any System i customer -- **with any hardware model** - can quickly get started working in a Web environment
  - ▶ If their system is not capable to running WAS, they can easily install the ASF Tomcat web application server. ASF Tomcat runs on hardware with 70 CPW and 256 MB memory
- Any System i customer -- **with little Web experience** - can easily get started working with e-business
  - ▶ System i Access for Web is simple to install and configure
  - ▶ No programming skills required to set it up
- Any System i customer -- **without training or setup on users' desktops** - can extend the reach of their resources to end users
  - ▶ Use customize facility to set up view ('window') to System i and to control access to various i5/OS resources
    - all built around i5/OS user profiles

*A great first  
step to get  
System i  
into e-  
business*



*Use 'out of  
the box'*

## Additional Information

- System i Access Home page:
  - <http://www.ibm.com/systems/i/software/access>
- System i Access for Web Home page:
  - <http://www.ibm.com/systems/i/software/access/web/>
- Demo of System i Access for Web:
  - <http://iseriesd.dfw.ibm.com/webaccess/iWHome>

# Trademarks and Disclaimers

© IBM Corporation 1994-2006. All rights reserved.

References in this document to IBM products or services do not imply that IBM intends to make them available in every country.

The following terms are trademarks of International Business Machines Corporation in the United States, other countries, or both:

<b>AS/400</b>	<b>e-business on demand</b>	<b>i5/OS</b>
<b>AS/400e</b>	<b>IBM</b>	<b>OS/400</b>
<b>eServer</b>	<b>IBM (logo)</b>	<b>System i5</b>
	<b>iSeries</b>	<b>System i</b>

Rational is a trademark of International Business Machines Corporation and Rational Software Corporation in the United States, other countries, or both.

Intel, Intel Logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product or service names may be trademarks or service marks of others.

Information is provided "AS IS" without warranty of any kind.

All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics may vary by customer.

Information concerning non-IBM products was obtained from a supplier of these products, published announcement material, or other publicly available sources and does not constitute an endorsement of such products by IBM. Sources for non-IBM list prices and performance numbers are taken from publicly available information, including vendor announcements and vendor worldwide homepages. IBM has not tested these products and cannot confirm the accuracy of performance, capability, or any other claims related to non-IBM products. Questions on the capability of non-IBM products should be addressed to the supplier of those products.

All statements regarding IBM future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. Contact your local IBM office or IBM authorized reseller for the full text of the specific Statement of Direction.

Some information addresses anticipated future capabilities. Such information is not intended as a definitive statement of a commitment to specific levels of performance, function or delivery schedules with respect to any future products. Such commitments are only made in IBM product announcements. The information is presented here to communicate IBM's current investment and development activities as a good faith effort to help with our customers' future planning.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

Photographs shown are of engineering prototypes. Changes may be incorporated in production models.