Gentran:Structure® for zSeries

# Installation Guide

Release 6.4

# Sterling Commerce An IBM Company

Sterling Commerce (Mid America), Inc. 4600 Lakehurst Court Dublin, OH 43016-2000 \* 614/793-4000 © Copyright 1988 – 2006—Sterling Commerce, Inc.

#### March 2006

Gentran:Structure for zSeries © Copyright 1988 – 2006 Sterling Commerce, Inc. ALL RIGHTS RESERVED

#### **Sterling Commerce Software**

#### **Trade Secret Notice**

THE GENTRAN:STRUCTURE AND GENTRAN:BASIC FOR ZSERIES SOFTWARE ("STERLING COMMERCE SOFTWARE") IS THE CONFIDENTIAL AND TRADE SECRET PROPERTY OF STERLING COMMERCE, INC., ITS AFFILIATED COMPANIES OR ITS OR THEIR LICENSORS, AND IS PROVIDED UNDER THE TERMS OF A LICENSE AGREEMENT. NO DUPLICATION OR DISCLOSURE WITHOUT PRIOR WRITTEN PERMISSION. RESTRICTED RIGHTS.

This documentation, the Sterling Commerce Software it describes, and the information and know-how they contain constitute the proprietary, confidential and valuable trade secret information of Sterling Commerce, Inc., its affiliated companies or its or their licensors, and may not be used for any unauthorized purpose, or disclosed to others without the prior written permission of the applicable Sterling Commerce entity. This documentation and the Sterling Commerce Software that it describes have been provided pursuant to a license agreement that contains prohibitions against and/or restrictions on their copying, modification and use. Duplication, in whole or in part, if and when permitted, shall bear this notice and the Sterling Commerce, Inc. copyright notice.

As and when provided to any governmental entity, government contractor or subcontractor subject to the FARs, this documentation is provided with RESTRICTED RIGHTS under Title 48 CFR 52.227-19. Further, as and when provided to any governmental entity, government contractor or subcontractor subject to DFARs, this documentation and the Sterling Commerce Software it describes are provided pursuant to the customary Sterling Commerce license, as described in Title 48 CFR 227-7202 with respect to commercial software and commercial software documentation.

These terms of use shall be governed by the laws of the State of Ohio, USA, without regard to its conflict of laws provisions. If you are accessing the Sterling Commerce Software under an executed agreement, then nothing in these terms and conditions supersedes or modifies the executed agreement.

Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies. Gentran, Gentran:Basic, Gentran:Control, Gentran:Plus, Gentran:Realtime, Gentran:Structure, and Gentran:Viewpoint are registered trademarks of Sterling Commerce, Inc.

### **Third Party Software:**

Portions of the Sterling Commerce Software may include products, or may be distributed on the same storage media with products, ("Third Party Software") offered by third parties ("Third Party Licensors").

#### **Warranty Disclaimer**

This documentation and the Sterling Commerce Software which it describes are licensed either "AS IS" or with a limited warranty, as set forth in the Sterling Commerce license agreement. Other than any limited warranties provided, NO OTHER WARRANTY IS EXPRESSED AND NONE SHALL BE IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR USE OR FOR A PARTICULAR PURPOSE. The applicable Sterling Commerce entity reserves the right to revise this publication from time to time and to make changes in the content hereof without the obligation to notify any person or entity of such revisions or changes.

The Third Party Software is provided 'AS IS' WITHOUT ANY WARRANTY AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. FURTHER, IF YOU ARE LOCATED OR ACCESSING THIS SOFTWARE IN THE UNITED STATES, ANY EXPRESS OR IMPLIED WARRANTY REGARDING TITLE OR NON-INFRINGEMENT ARE DISCLAIMED.

# **Table of Contents**

Chapter 1	Getting Started			
	Overview			
	Executive Overview			
	Using this Guide			
	Related Documentation	1-6		
Chapter 2	Completing the Pre-installation Worksheet			
	Overview			
	Pre-installation Worksheet	2-2		
Chapter 3	Installing Gentran:Structure			
	Overview			
	The Installation Process			
	Performing Initial Procedures			
	Upload Product Distribution Files			
	Defining the Gentran:Structure Subsystem	3-14		
Chapter 4	Performing Installation Verification			
	Overview	4-1		
	Introduction			
	Verification for Gentran:Basic for zSeries Users			
	Verification for Gentran:Realtime Users	4-19		
Chapter 5	Converting to Gentran:Structure			
	Overview	5-1		
	Before You Begin			
	Converting to Gentran:Structure Release 6.4	5-3		
Chapter 6	Implementing Gentran:Structure			
	Overview	6-1		
	Deleting the Files			
	Concurrent Processing	6-3		
Appendix A	A Library Descriptions			
	Job Control (JCL) Library	A-1		
	Batch Load Library			
	Online Load Library	A-4		

### **Table of Contents**

Appendix B System and Program Image Features			
	Alternative System Image and Program Image Feature	B-2	
	Replicating the System Image	B-3	
	Replicating the Program Image	B-4	
Appendix C Gentran:Structure Files			
	Data Set Naming Conventions	C-1	
	Production Data Set Names for Gentran:Structure Release 6.4	C-2	

# Chapter

1

# **Getting Started**

### **Overview**

Welcome to Gentran: Structure for zSeries Release 6.4.

Gentran:Structure® works with Gentran:Basic for zSeries® or Gentran:Realtime® and other applications to make your fixed-format standards processing more user-friendly.

This installation guide assists you with installing Gentran:Structure for zSeries Release 6.4 and in converting from version 6.0, 6.1, 6.2, or 6.3 of Gentran:Structure to Release 6.4.

**Note:** Gentran:Structure Releases 6.0, 6.1, 6.2, and 6.3 upgrade directly to Release 6.4. If you are using a release of Gentran:Structure that is earlier than 6.0, please contact Gentran Software Product Support for information on converting Gentran:Structure to Release 6.4.

Follow the directions in this guide sequentially by chapter. We have provided space for you to track each step that you complete during the installation.

This chapter contains the following topics.

Topic	Page
Overview	1-1
Important Prerequisite	1-2
Executive Overview	1-3
User Overview	1-3
Using this Guide	1-5
Related Documentation	

### **Important Prerequisite**

Gentran:Structure for zSeries Release 6.4 requires that you also have Gentran:Basic for zSeries Release 6.4 and/or Gentran:Realtime for zSeries Release 6.4 with current maintenance. Prior to beginning the installation of Gentran:Structure for zSeries Release 6.4, you must ensure that you have either:

• Recently installed Gentran:Basic for zSeries Release 6.4 and/or Gentran:Realtime for zSeries Release 6.4.

### OR

• Recently applied cumulative fixes to Gentran:Basic for zSeries Release 6.4 and/or Gentran:Realtime for zSeries Release 6.4.

Check with the Gentran Software Product Support Center for assistance in determining if your product is current before beginning the installation of Gentran: Structure for zSeries Release 6.4.

Executive Overview Getting Started

### **Executive Overview**

Gentran:Structure is a subsystem of Gentran:Basic/Realtime that permits organizations to process both their non-delimited (fixed-format) standards and variable (delimited) EDI standards, such as ASC X12, through a common EDI system.

A fixed-format standard is a standard in which elements within each segment are of a fixed length and are not separated by an element separator. Further, each segment that comprises the standard is defined by a fixed length and is not separated by a segment terminator.

Gentran:Structure programs enable users of Gentran:Basic/Realtime to define fixed-format standards and to map to and from these standards. This simplifies standards processing between organizations using fixed-format standards and variable-format EDI standards.

Some advantages of Gentran:Structure are:

- All of the Gentran:Basic/Realtime mapping features that are available for variable-format standards are implemented for fixed-format standards in Gentran:Structure.
- You can audit, track, and maintain processing control of the fixed-format standards data using the Application Databank facility.
- Common information such as standard definitions, trading partner profiles, application definitions, and transaction definitions (maps) can be shared between batch and real-time operations.

#### **User Overview**

The following list describes several Gentran: Structure advantages and enhancements.

### • Defining Proprietary Standards

Non-delimited (fixed-format) standards are defined using the Gentran:Basic/Realtime Standards Maintenance facility. These standards can be defined to contain either fixed-length segments or variable-length segments (records), and each segment can contain up to 32,760 characters of data. You can use any of the following variety of data types to define the elements (fields) in these segments:

Packed decimal

Zoned decimal

EDI 'N' type

EDI 'R' type

Eight different date formats

Alphanumeric

#### Mapping Features

Outbound mapping from an application to a fixed-format standard and inbound mapping from a fixed-format standard are provided via the Gentran:Basic/Realtime Mapping Integration facility. All of the mapping features that are available for variable-format standards also are available for fixed-format standards.

Getting Started Executive Overview

### • Enveloping Capabilities

Gentran:Structure supports user-defined or generic envelopes so that proprietary enveloping structures can be generated for outbound processing, and critical envelope information can be extracted and mapped to the application during inbound processing.

### Data Control and Monitoring

Using the Application Databank facility, you can audit, track, and maintain processing control of the fixed-format standards data. The ability to databank fixed-format standards has also been enabled. Reporting is also supported.

### • Batch/Real-time Information Sharing

Standard definitions, trading partner profiles, application definitions, transaction definitions (maps), data and code translation tables, and user-envelope specifications can be shared between batch and real-time operations.

Using this Guide Getting Started

### **Using this Guide**

This installation guide explains how to install Gentran: Structure for zSeries Release 6.4, then how to run a series of tests to verify that the installation was successful. After you verify the new installation, you can perform conversion procedures from the previous version of Gentran: Structure as needed.

Follow the directions in this guide sequentially by chapter. Space is provided for you to record when and by whom each step in the installation process was completed.

Note: If you are a new Gentran:Structure customer, skip

Chapter 5, "Conversion Procedures."

Getting Started Related Documentation

### **Related Documentation**

The following guides contain additional information related to using Gentran:Basic and Gentran:Structure for zSeries Release 6.4.

- Gentran for zSeries Release 6.4 Release Notes

  Contains information about the changes and enhancements made in this release of
  the Gentran zSeries family of products, as well as information about the impact
  this release will have on your operations. The "Impact" section includes such
  information as file conversion, JCL changes, and CICS table entry changes.
- Gentran: Structure for zSeries Release 6.4 User's Guide
  Contains reference information such as field descriptions and function keys, about the online screens.
- *Gentran:Basic for zSeries Release 6.4 Installation Guide* Contains installation and conversion information.
- Gentran: Basic for zSeries Release 6.4 User's Guide
  Contains reference information, such as field descriptions and function keys, about the online screens.
- Gentran: Basic for zSeries Release 6.4 Technical Reference Guide
  Contains detailed reference information on batch programs and file descriptions.
- Gentran:Basic for zSeries Release 6.4 System Message Guide
  Contains the specific Gentran:Basic and Gentran:Structure system messages.
- *Gentran:Realtime for zSeries Release 6.4 Install Guide*Contains installation and conversion information.
- Gentran: Realtime for zSeries Release 6.4 User Guide
  Contains reference information, such as field descriptions and function keys, about the online screens.
- *Gentran:Realtime for zSeries Release 6.4 Technical Reference Guide*Contains detailed reference information on batch programs and file descriptions.

# Chapter

2

# Completing the Pre-installation Worksheet

### Overview

This chapter contains a worksheet of information you must complete before you begin the installation procedures. You must obtain answers for all questions on the worksheet before you begin installing Gentran:Structure.

The worksheet should be completed by someone who is familiar with the EDI requirements of your organization and has a working knowledge of CICS tables, JCL, and VSAM, as well as your organization's data processing naming and standards conventions.

Decisions made while completing the worksheet directly affect how various portions of Gentran:Structure are installed. In addition, key information you enter on the worksheet is used to create the proper filenames and values during installation.

The Gentran default values provided on this worksheet are appropriate for most installations. If you are unsure about the appropriate value to use for your installation, use the default value.

### **Pre-installation Worksheet**

Complete this worksheet before you install Gentran:Structure.

**Note:** You can refer to the Pre-installation Worksheet that

was used for the installation of Gentran:Basic or Gentran:Realtime Release 6.4 for help determining the

correct selections required below.

re-
ins
sta
lla
tic
n
W
or/
ks
h
ee
í

	Pre-installation Worksheet		
System Image	Default: SIM Your Value:		
	umeric value is used to uniquely identify your Gentran:Basic online system. u use "EDI" when possible. However, you can select any value you wish.		
Note:	The System Image value should match the value established during the installation of Gentran:Basic/Realtime.		
For a complete descript	ion of system image, see Appendix B.		
Program Image	<b>Default:</b> PIM <b>Your Value:</b>		
Gentran:Basic online sy the recommended value	This 3-character alphanumeric value is used to uniquely identify programs and mapsets for your Gentran:Basic online system. We recommend that you use "EDI" when possible. If you do not use the recommended value of "EDI," we recommend that you use the same value that you used for your system image. However, you can select any value you wish.  Note: The Program Image value should match the value established during the installation of Gentran:Basic/Realtime.		
For a complete desc	cription of system image, see Appendix B.		
High-Level Qualifiers fo	or Data Set Names  Default: GENTRAN.V6X4 Your Value:		
	s creates many data sets that are used to generate the Gentran:Structure gin with the qualifier "GENTRAN.V6X4." Change the qualifier to conform		
The general naming cor GENTRAN.V6X	nventions used in the JCL for loading Gentran:Structure are the following:  K4.STR Identifies Gentran:Structure data sets that are either permanent or used to load the system.		
GENTRAN.V6X	Identifies Gentran:Basic Release 6.4 data sets.		
	ion of Gentran:Basic files, see Appendix D of the <i>Gentran:Basic for zSeries Guide</i> or Appendix D of the <i>Gentran:Realtime for zSeries Release 6.4</i>		

Installation Guide.

### **Pre-installation Worksheet**

### **External Security Systems**

After determining the system image and the high-level qualifier for the data set names, review any external security system (e.g., RACF, ACF2, etc.) parameters to ensure that the correct transactions, programs and data sets can be accessed by the appropriate personnel.

**Note:** Gentran:Basic/Realtime resources have been identified to your security system. Your CICS administrator can determine whether special security setup considerations in your RACF and ACF2 parameters are required to access the Gentran:Basic/

Realtime and Gentran: Structure files.

Completed by:	
Date:	_Time:

# Chapter

3

# **Installing Gentran:Structure**

### **Overview**

This chapter describes the steps that are required to install Gentran:Structure. Review all the steps in this procedure before you perform the actual installation. After you have read all steps, be sure to perform the steps in the order in which they are presented.

**Note:** Before installing Gentran:Structure, you must install

Gentran:Basic for zSeries Release 6.4 and/or Gentran:Realtime for zSeries Release 6.4.

Note: The person performing this Gentran installation should

have a working knowledge of CICS tables, JCL, VSAM, and the CICS environment in which the

software is to be installed.

This chapter contains the following topics:

Topic	Page
The Installation Process	3-2
Performing Initial Procedures	3-3
System Requirements	3-3
Hardware Requirements	3-3
Software Requirements	3-4
Upload Product Distribution Files	3-5
Obtain Product Updates	3-13
Defining the Gentran:Structure Subsystem	
Overview	3-14
Modifying Gentran:Basic/Realtime System Files	3-15
Additional Gentran:Realtime Procedures	3-17
Establishing the Online Environment	3-18
CICS Installation for Gentran:Structure Online Application Software	3-18
CICS Resource Definitions for Gentran:Structure Files	3-19
CICS Resource Definitions for Gentran:Structure Programs and Mapsets	3-20
Defining Gentran:Structure in the CICS System Definition File	3-21
Renaming Gentran:Structure Programs and Mapsets	
Updating CICS Startup JCL	
Installing the Gentran:Structure CICS Group	
Verifying the Gentran:Structure CICS Installation	3-25

### The Installation Process

Installing Gentran:Structure involves completing a series of dependent jobs that build individual subsystems. In the initial steps, you will unload files from either the Electronic Software Distribution (ESD) portal or CD-ROM and then use those files to build sequential files and partitioned data sets on your mainframe. In subsequent steps, you will run jobs on your mainframe that will use these sequential files and partitioned data sets to create and initialize Gentran:Structure system files.

**Note:** The person performing this installation should have a working knowledge of CICS tables, JCL, VSAM, and the CICS environment in which the software will be installed.

If you are installing from ESD, the installation package includes one file. The product file contains all the files necessary to install the programs and base files for Gentran: Structure. Its name is:

### Structure 6.4 Package.zip

If you are installing from CD-ROM, the installation package includes one CD-ROM. The product CD-ROM contains all the files necessary to install the programs and base files for Gentran: Structure. Its label reads:

Gentran: Structure for zSeries Release 6.4 Product

### **Performing Initial Procedures**

Perform the following steps in the order presented, to complete the initial procedures required for installing Gentran:Structure.

### **Step 1** Confirm hardware and software requirements.

*Typically performed by:* System Installer

### **System Requirements**

To install Gentran: Structure from the CD, you need the following:

- A personal computer running Microsoft® Windows® operating system
- A CD-ROM drive, if you are installing from CD-ROM
- 3 MB available disk space
- FTP capability

### **Hardware Requirements**

Gentran:Structure operates on any IBM mainframe running the OS/390 or z/OS operating system. Gentran:Structure also requires disk storage for libraries and test files (in addition to the disk storage required for Gentran:Basic).

### Host System Disk Space Requirements

Disk space requirements listed below are based on the use of IBM 3390 disk drives.

Component	Tracks Required
Batch Load Library	25
Online Load Library	30
System JCL Library	20
System Test Data	2
VSAM Files	80

VSAM space requirements listed above are enough for your initial use of the Gentran:Structure system. As you increase the number of partners, applications and maps you use, you may need additional space.

The installation process also requires approximately 60 tracks of temporary storage space for sequential seed and work files. Delete these temporary files after the Gentran:Structure installation is complete.

### **Software Requirements**

To operate properly, the following software must reside on the host system:

- OS/390 or z/OS operating system
- CICS Transaction Server Version 1.3 or higher
- Language Environment Run-time support
- Gentran:Basic for zSeries Release 6.4 and/or Gentran:Realtime for zSeries Release 6.4.

### Additional CICS Software Environment

- CICS command-level support for COBOL and Assembler languages
- CICS language environment run-time modules.
- VSAM support
- 3270-type terminal support

After you ensure that all hardware and software requirements are met, you can proceed with the installation of Gentran:Structure (see **Step 2**).

Completed by:			
<b>Date:</b>	Time:		

# **Upload Product Distribution Files**

Because the Gentran:Structure product is distributed either on a CD-ROM or by downloading from the ESD portal, you must upload the files to your mainframe before you can begin installing the product. This section provides step-by-step instructions for that process.

Step 2	Transfer files to your PC.					
	Typically performed by: System Installer					
	Check	the box next to each task as yo	ou complete it.			
		If you are installing from ESD, unzip the Structure_6.4_Package.zip file that you downloaded from ESD to extract the file named Structure_6.4_Product.exe. This is a self-extracting .zip file that contain the entire Gentran:Structure product.				
		If you are installing from CD-ROM, insert the Gentran: Structure product CD-ROM into your computer's CD-ROM drive and navigate to locate the file named Structure_6.4_Product.exe. This is a self-extracting .zip file that contains the entire Gentran: Realtime product.				
		Double-click the file name to begin extracting the files onto the local hard disk on your PC. A system message prompts you with a default folder name to which the system will save the files it is extracting. If you want to select a different location, change the default folder name to your desired location in this system message.				
		At the completion of the process, note the files' location. The folder should contain the following files:				
		File	Description			
		PCSTRPRD	Gentran:Structure product			
		PCSTRPD1.TXT	JCL to allocate the target product file			
		PCSTRPD2.TXT	JCL to build the sequential product files			
	Comp	oleted by:				
	Date		Time:			

Step 3	Upload the	e product JCL	files to your	mainframe.

To build the sequential product files on your mainframe, you must upload the needed JCL to the mainframe.

Typically performed by: System Installer

Check the box next to each task as you complete it.

Perform the upload manually from your PC, using FTP configured in ASCII data transfer mode.

**Note:** For FTP, the Carriage Return and Line Feed settings (CR/LF) must be set to **off**.

The files to upload are:

File	Description
PCSTRPD1.TXT	JCL to allocate the target product file
PCSTRPD2.TXT	JCL to build the sequential product files

	Choose target file names that are appropriate for your installation requirements.
Comple	eted by:
Date: _	Time:

	Date:	Time:			
	Compl	eted by:			
		Verify the job results. You should never receive a return code greater than <b>0</b> .			
		Submit the job.			
		Read the comments within the JCL and follow any additional instructions.			
		Change the data set names as required by your installation. Change only the first two index levels ( <b>GENTRAN.V6X4</b> ).			
		Change the text string <b>XXXXXX</b> of <b>VOL=SER=</b> to an appropriate volume serial number used at your installation.			
		Change <b>DISK</b> of <b>UNIT=DISK</b> as required by your installation.			
		Add a job card.			
		Customize JCL member PCSTRPD1 that you uploaded in Step 3.			
	Check	the box next to each task as you complete it.			
	Typical	lly performed by: System Installer			
	Before you can upload the Gentran:Structure product file to your mainframe, the target file must be allocated on it.				
Step 4	Allocate the target product file on your mainframe.				

Step 5	Upload the Gentran:Structure product file from your PC to your mainframe.			
	Typically performed by: System Installer			
(	Check th	e box next to each task as you	complete it.	
Į	Perform the upload manually from your PC using FTP configured data transfer mode. The target file on the mainframe must be the fallocated in <b>Step 4</b> (GENTRAN.V6X4.STR.UPLOAD.PCPRD).			
	J	The file to be uploaded is::		
		File	Description	
		PCSTRPRD	Gentran:Structure product	
Į		by looking for the following:	l, verify the integrity of the file on the mainframe cord in the file should begin with the value	
	•	The number of bytes tra	ansferred should match the size of the source file.	
	<b>Note:</b> If neither of these are true, or if the entire file is unreadable, verify that your FTP session was configured in BINARY data transfer mode. Using an incorrect transfer configuration is the most common cause upload problems.			
Į		f the file is not acceptable, performing from the uploaded file ag	form the upload process again and verify the ain until it is acceptable.	
(	Completed by:			
1	Date: _		Time:	

**Step 6** Build the sequential Gentran: Structure files on your mainframe.

installation is complete.

Typically performed by: System Installer

This step reads the Gentran: Structure product file that you uploaded in **Step 5** and extracts the files needed to complete the installation of the product on your mainframe.

The following table lists the abbreviated names of the data sets to be extracted. In the job, they are referenced by complete data set name, with the prefix **GENTRAN.V6X4**. followed by the text in the table below. For example, the full name of STR.BATCH.LOAD is GENTRAN.V6X4.STR.BATCH.LOAD.

**Note:** The data set names listed in **bold** are permanent files that must be retained after the installation is complete. All of the other files are used to initially seed the permanent Gentran:Structure files; you can delete them when the

Data Set Name	Description
STR.BATCH.LOAD	Partitioned data set that contains all of the batch program load modules This is a permanent data set; do not delete this data set at the end of installation.
STR.CICS.LOAD	Partitioned data set that contains all of the CICS program load modules This is a permanent data set; do not delete this data set at the end of installation.
STR.JCL	Partitioned data set containing all of the Gentran:Structure execution JCL, sample JCL, and Network Toolkit This is a permanent dataset; do not delete this dataset at the end of installation.
STR.SEQ.PARTNER	Sequential data set containing partner records for Partner/Qualifier mode The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.CONTROL.OUTBOUND	Sequential data set containing outbound control records for Partner/Qualifier mode The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.CONTROL.INBOUND	Sequential data set containing inbound control records for Partner/Qualifier mode The information in this file will be added to the current file; it contains information required for the installation verification procedure.

Data Set Name	Description
STR.SEQ.APPL.HEADER	Sequential data set containing mapping application header records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.APPL.RECORD	Sequential data set containing mapping application records The information in this file will be added to the current file; it contains information required for the installation verification procedure
STR.SEQ.APPL.FIELD	Sequential data set containing mapping application field records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.APPL.LINK	Sequential data set containing mapping application link records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.TRANS.HEADER	Sequential data set containing mapping transaction header records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.TRANS.SEGMENT	Sequential data set containing mapping transaction segment records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR. SEQ.TRANS.ELEMENT	Sequential data set containing mapping transaction element records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.VERSION	Sequential data set containing fixed-format standards version records The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.TRANS	Sequential data set containing fixed-format standards transaction records The information in this file will be added to the current file; it contains information required for the installation verification procedure.

Data Set Name	Description
STR.SEQ.STD.SEGMENT	Sequential data set containing fixed-format standards segment records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.ELEMENT	Sequential data set containing fixed-format standards element records The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.DICT	Sequential data set containing fixed-format standards dictionary records The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.CODE1	Sequential data set containing fixed-format standards code records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.ELEDESC	Sequential data set containing fixed-format standards element description records The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.SEGDESC	Sequential data set containing fixed-format standards segment description records  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.STD.EDIUENV	Sequential data set used to seed the Gentran:Structure User Envelope Specification file These records are also required for the installation verification procedure.
STR.MAPIN.TESTDATA	Sequential data set containing the inbound test data used to validate the installation This data set is permanent and should not be deleted after the installation is complete.
STR.MAPOUT.TESTDATA	Sequential data set containing the outbound test data used to validate the installation This data set is permanent and should not be deleted after the installation is complete.
STR.SEQ.EDI.EDICFG	Sequential data set used to load the required records into the Gentran:Basic System Configuration file This data set is permanent and should not be deleted after the installation is complete.

Data Set Name	Description
STR.SEQ.REL.PARTNER	Sequential data set containing partner records for Relationship mode The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.REL.CNTL.OUTBOUND	Sequential data set containing outbound control records for Relationship mode  The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.REL.CNTL.INBOUND	Sequential data set containing inbound control records for Relationship mode The information in this file will be added to the current file; it contains information required for the installation verification procedure.
STR.SEQ.REL.PARTREL	Sequential data set containing Partner Relationship records for Relationship mode The information in this file will be added to the current file. It contains information required for the installation verification procedure.

Customize JCL member PCSTRPD2 that you uploaded in Step 3. Add a job card. Change **DISK** of **UNIT=DISK** as required by your installation. Change the text string **XXXXXX** of **VOL=SER=** to an appropriate volume serial number used at your installation. Change the data set names as required by your installation. Change only the first two index levels (GENTRAN. V6X4). Read the comments within the JCL and follow any additional instructions. Submit the job. Verify the job results. You should never receive a return code greater than **0**. Completed by: Date:\_\_\_\_\_ Time:\_\_\_\_

Check the box next to each task as you complete it.

### **Obtain Product Updates**

Before defining the Gentran:Structure system files (page 3-14), you must obtain the latest product updates. It is important that all product updates be installed before continuing with the installation process. Failing to do so may cause a failure of the installation process or corruption of the Gentran:Structure system that you build. Call the Gentran Software Product Support Center at 1-800-GENTRAN if you have questions about product updates.

**Note:** Product updates are available from the Support On Demand website. Step 7 Check for the latest product updates. *Typically performed by:* System Installer Check the box next to each task as you complete it. Check for the latest updates for the Gentran:Structure product by going to the Support On Demand website at https://support.sterlingcommerce.com/. **Note:** If the Support On Demand website indicates that there are no updates for the Gentran:Structure product, you may skip the rest of this step and continue with the next section. Download all updates from the Support On Demand website. Install the updates. Instructions for how to install the updates can be obtained from the Support On Demand website. Completed by: Date: \_\_\_\_\_ Time: \_\_\_\_

### **Defining the Gentran:Structure Subsystem**

### Overview

The JCL required to install Gentran: Structure is contained in the partitioned data set GENTRAN.V6X4.STR.JCL.

You must make the following changes to the JCL before you execute it:

- Add an appropriate job card.
- Change DISK of UNIT=DISK as required by your installation.
- Change the text string XXXXXX to the DASD volume that will contain the permanent data sets that are defined.
- Change the data set names to match your installation's internal requirements as specified in your Pre-installation Worksheet in Chapter 2. Target data sets should reflect Release 6.4 in the name.

**Note:** Modify only the first two index levels of the data set names (GENTRAN.V6X4) to simplify the installation process.

Carefully read all of the comments included within each JCL member. These comments provide valuable information that may be essential to the installation process, as well as last-minute changes that were not included in the documentation.

Verify the results of each job before you proceed to the next installation step. You should never receive a return code greater than 8. A return code of 8 usually indicates a step that tried to delete a file that doesn't currently exist, but that will be created during a job.

You will define Gentran:Structure system files by executing the batch jobs, which define Gentran:Structure files and updates the Gentran:Basic/Realtime system files needed to support fixed-format standards. These batch jobs include:

Batch Job	Description
DEFSTRUC	Defines User Envelope Specification file when processing in Partner/Qualifier mode. Adds records to existing Gentran:Basic/Realtime files: Configuration, Partner, Application, Transaction, and Standards.
DEFSTRRL	Defines User Envelope Specification file when processing in Relationship mode. Adds records to existing Gentran:Basic/Realtime files: Configuration, Partner, Application, Transaction, and Standards.
DEFSTRTE	Creates test data sets to be used during verification of the Gentran:Structure for Realtime installation procedures.

# **Modifying Gentran:Basic/Realtime System Files**

This step will define the User Envelope Specification file and add records to the following existing Gentran:Basic/Realtime system files:

- Configuration
- Partner
- Application
- Transaction
- Standards

These records will be used in the verification and tutorial processes.

Step 8		Customize JCL member <b>DEFSTRUC</b> (for Partner/Qualifier mode) or <b>DEFSTRRL</b> (for Relationship mode).				
	Туріса	Typically performed by: System Installer				
	Check	Check the box next to each task as you complete it.				
		Add a job card.				
		Change <b>DISK</b> of <b>UNIT=DISK</b> as required by your installation.				
		Change the text string <b>xxxxxx</b> to the DASD volume that will contain the permanent data sets that are defined.				
		Change data set names as required by your Pre-installation Worksheet in Chapter 2.				
		• Change only the first two index levels of each data set name (GENTRAN.V6X4). This simplifies the installation process, enabling you to mass-edit data set names.				
		• Permanent Gentran:Basic/Realtime and Gentran:Structure files are identified with <b>VSAM</b> as the third node of the data set name.				
		• Temporary Gentran:Basic and Gentran:Structure files are identified with <b>SEQ</b> as the third node of the data set name. Delete these files after installation is complete.				
		Read the comments within the JCL member and follow any additional instructions.				
		If your Gentran:Basic CICS region is active, you must ensure that the following files are closed and disabled before submitting this job:				
		• Replace the first three characters of each file name with your system image characters:				
		• SIMCFG, SIMAPFL, SIMAPF1, SIMAPHD, SIMAPRC, SIMAPR1, SIMAPTR, SIMSVER, SIMSTRN, SIMSELD, SIMSSGD, SIMSSEG, SIMSELE, SIMSDIC, SIMSCD1, SIMPART, SIMPINB, SIMPOTB.				

SIMTREL, SIMTRE1, SIMTRHD, SIMTRSG, SIMTRS1 SIMPREL and SIMPREL1 if using member **DEFSTRRL** 

Date:	Time:
Compl	eted by:
	If you closed and disabled files before submitting the job, open and enable them.
	Verify the job results. You should never receive a return code greater than 8. A return code of 8 usually indicates that Gentran tried to delete a file that does not exist. The file will be created during the job.
	Submit the JCL member.

### **Additional Gentran: Realtime Procedures**

Step 9	Custon	nize JCL member <b>DEFSTRTE</b> .
(Optional)		
	No	ote: If your organization does not use Gentran:Realtime, skip this step. Proceed to the next section, "Establishing the Online Environment."
	Туріса	lly performed by: System Installer
	Check	the box next to each task as you complete it.
		Add a job card.
		Change text string <b>XXXXXX</b> of <b>VOLUMES ( )</b> as required by your installation.
		Change data set names as required by your Pre-installation Worksheet in Chapter 2.
		• Change only the first two index levels of each data set name (GENTRAN.V6X4). This simplifies the installation process, enabling you to mass-edit data set names.
		• Permanent Gentran:Realtime files are identified with <b>VSAM</b> as the third node of the data set name.
		• Temporary Gentran:Structure files are identified with <b>SEQ</b> as the third node of the data set name. Delete these files after installation is complete.
		Read the comments within the JCL member and follow any additional instructions that are noted.
		Submit the JCL member.
		Verify job results. You should never receive a return code greater than 8. A return code of 8 usually indicates that Gentran tried to delete a file that does not exist. The file will be created during the job.
	Compl	leted by:
	Date:	Time:
		<del></del>

### **Establishing the Online Environment**

The Gentran:Structure CICS online environment enables you to define, map and track EDI documents for fixed-format standards. This section describes the steps that you must perform to enable the Gentran:Structure online features.

### **CICS Installation for Gentran:Structure Online Application Software**

Resource Definition Online has been available since the release of CICS version 1.7. The most current CICS releases fully implement several CICS tables using RDO. Resource Definitions are made through a batch utility, DFHCSDUP, or through the CEDA master transaction. Gentran:Structure defines and installs group definitions for FCT and PPT CICS tables. This section provides the steps to update your CICS environment to include the Gentran:Structure application software and files.

You need full access to the following items to complete this CICS installation:

- The CICS system definition file DFHCSD
- The CICS Batch Utility DFHCSDUP
- The CICS Resource Definition Online Transaction (CEDA)
- The CICS Master Terminal transaction (CEMT)

### CICS Resource Definitions for Gentran: Structure Files

Step 10	Customize JCL member <b>STRRDOF</b> .				
	Typically performed by: System Installer				
	Check	Check the box next to each task as you complete it.			
		Review each definition for your site requirements.			
		Globally change the value <b>SIM</b> to the three-character system image specified on the Pre-installation Worksheet in Chapter 2.			
		Each definition contains the <b>DSNAME</b> parameter to specify the names of the data sets to be allocated for the files. You may remove these parameters and instead specify the files using DD statements in the CICS startup JCL. If you wish to do this, <b>Step 14</b> provides instructions for updating the CICS startup JCL.			
		If you elect to retain the <b>DSNAME</b> parameters, you must globally change the data set name high-level qualifier <b>GENTRAN.V6x4</b> to the value specified on the Pre-installation Worksheet in Chapter 2.			
		If you changed the CICS Group Name on the Pre-Installation Worksheet in Chapter 2 from the default value <b>GENSTR</b> , globally change the value in the <b>GROUP</b> parameter in each definition to the value you are using.			
		Review Local Shared Resource Pool IDs for your system. To manage overhead, most Gentran: Structure files are assigned to an LSR pool. Files that cannot be installed in a pool use the parameter <b>LSRPOOLID (NONE)</b> in the definitions.			
		If Gentran:Realtime is installed, uncomment the <b>SIMAPPLF</b> and <b>SIMDATF</b> definitions.			
		If you are installing into an MRO environment, you will need to uncomment the <b>KEYLENGTH</b> and <b>RECORDSIZE</b> parameters for each resource definition.			
		You may also need to uncomment the <b>REMOTESYSTEM (NAME)</b> parameter for each resource and change the value <b>NAME</b> to the 4-character alphanumeric name of the CICS region where the files reside.			
		In addition, if you are creating a unique group name for each MRO region, you will need to create a duplicate JCL member for each unique group name.			
		Read the comments within the JCL member and follow additional instructions.			
	Completed by:				
	Date:	Time:			

# CICS Resource Definitions for Gentran:Structure Programs and Mapsets

Step 11	Customize member STRRDOPM.			
	Typically performed by: System Installer			
	Check	the box next to each task as you complete it.		
		Review each definition for your site requirements.		
		All Gentran:Structure CICS applications are identified in this member. Programs and mapsets are included.		
		Globally change the value <b>PIM</b> to the three-character program image specified on your Pre-installation Worksheet in Chapter 2.		
		If you changed the CICS Group Name on the Pre-installation Worksheet in Chapter 2 from the default value of <b>GENSTR</b> , globally change the value in the <b>GROUP</b> parameter in each definition to the value you are using.		
		If Gentran:Realtime is installed, un-comment the following definitions:		
		<ul> <li>PIMRCMPD</li></ul>		
		Read the comments within the JCL member and follow additional instructions.		
	Compl	leted by:		
	Date:	Time:		

# Defining Gentran: Structure in the CICS System Definition File

	Date:	Time:
	Compl	leted by:
		Verify the job results. You should never receive a return code greater than 0.
		Submit the JCL member.
		Read the comments within the JCL member and follow additional instructions.
		If you are installing into an MRO environment, you may need to run this job multiple times depending on whether or not you are sharing the CSD file among the regions and whether or not you are using different group names in each region. If you do need to run the DEFRDO job multiple times, modify the CSD file name, group name, and/or JCL member names to meet your needs.
		If you are defining the Gentran:Structure CICS resources in an existing group, you must comment out or remove the <b>DELETE</b> step in the JCL. Otherwise, your existing group will be deleted.
		If you changed the CICS Group Name on the Pre-installation Worksheet in Chapter 2 from the default value <b>GENSTR</b> , substitute your group name in the <b>DELETE</b> step in the JCL.
		Change the data set names as required by your installation. Change only the first two index levels ( <b>GENTRAN.V6X4</b> ).
		Change data set names YOUR.CICS.SDFHLOAD and YOUR.CICS.DFHCSD as required by your installation.
		Add a Job Card.
	Check	the box next to each task as you complete it.
	Туріса	lly performed by: System Installer
	This sto	ep adds the customized tables from previous steps into your System Definition file
Step 12	Custon	nize JCL member <b>DEFRDO</b> .

### Renaming Gentran: Structure Programs and Mapsets

Step 13 Customize JCL member STRNAME. This job will copy and rename all Gentran: Structure online CICS programs and mapsets to reflect the program image.

**Note:** All online CICS programs and mapsets are supplied with a program image of **EDI**. If you have chosen **EDI** as your program image, you may skip this step.

Typically performed by: System Installer

Check the box next to each task as you complete it.

Add a job card.
Change <b>DISK</b> of <b>UNIT=DISK</b> as required by your installation.
Change the text string <b>XXXXXX</b> of <b>VOL=SER=</b> to an appropriate volume serial number used at your installation.
Change the data set names as required by your installation. Change only the first two index levels ( <b>GENTRAN.V6X4</b> ).
Globally change the value <b>PIM</b> to the three-character program image specified on the Pre-installation Worksheet in Chapter 2.

If Gentran:Realtime is installed, un-comment (remove //\* in columns 1-3) for the following Realtime programs and maps.

Program Name					
• EDIRCMPD	• EDID652				
• EDIR056B	• EDIR840				
• EDIR083	• EDIR841				
• EDIR094	• EDIR84G				
• EDIRNCPI	• EDIS840				
• EDIRNCPO	• EDIS841				
• EDID562	• EDIS84G				

Date	Time·				
Completed by:					
	Verify the job results. You should never receive a return code greater than <b>0</b> .				
	Submit the job.				
ш	Read the comments within the JCL and follow any additional instructions.				

# Updating CICS Startup JCL

Perform the following tasks for the appropriate JCL member for your CICS configuration, as determined in the previous section, "Determining Installation Requirements."

Step 14	Allocat	e Gentran:Structure resources to your CICS region.
	Typical	ly performed by: System Installer
	Check 1	the box next to each task as you complete it.
		Add the CICS Load Library created in <b>Step 13</b> to the DFHRPL list in your CICS JCL. The recommended sequence to specify the load libraries for the Gentran products is.
		Gentran:Viewpoint
		• Gentran:Basic
		• Gentran:Realtime
		• Gentran:Structure
		• Gentran:Plus
		• Gentran:Control
		If you elected to remove the <b>DSNAME</b> parameters from the file definitions in <b>Step 10</b> , you must add DD statements to define the files to CICS. JCL member <b>STRCICS</b> contains DD statements that you may use.
		Globally change the data set name high-level qualifier <b>GENTRAN.V6X4</b> to the value specified on the Pre-installation Worksheet in Chapter 2.
		Start or restart the CICS region.
	Compl	eted by:
	Date:	Time:

# Installing the Gentran: Structure CICS Group

Туріса	lly performed by: System Installer
Check	the box next to each task as you complete it.
	Log on to CICS as required within your environment to access the CEDA transaction. When you have finished, clear the screen.
	Type the following command to dynamically install the resources. If you changed the CICS Group Name on the Pre-installation Worksheet in Chapter 2 from the default value <b>GENBSTR</b> , substitute your group name for the value <b>GENSTR</b> in the command. Press <b>Enter</b> to invoke the command.
	CEDA INSTALL GROUP (GENSTR)
	Check for the Install Successful result from CEDA. When you have finished, press PF3 and then clear the screen.
	If you defined the Gentran: Structure CICS resources in an existing group that is already specified in a list of groups that CICS installs at startup, you may skip the remainder of this step.
	Type the following command to permanently add the group to a list of groups that CICS installs at startup. If you changed the CICS Group Name on the Pre-installation Worksheet in Chapter 2 from the default value <b>GENSTR</b> , substitute your group name for the value <b>GENSTR</b> in the command. Also substitute your list name for the value <b>LISTNAME</b> in the command. Press <b>Enter</b> to invoke the command.
	CEDA ADD GROUP (GENSTR) LIST (LISTNAME)
	Check for the <b>Add Successful</b> result from CEDA. When you have finished, press <b>PF3</b> and then clear the screen.
Comp	leted by:
Date:	Time:

#### Verifying the Gentran: Structure CICS Installation

Step 16 The following commands can be used to confirm successful installation. Use them to compare each table to the input tables in JCL members STRRDOF and STRRDOPM, as appropriate.

Typically performed by: System Installer

Check the box next to each task as you complete it.

Type the following command to display all the resources in the group. If you changed the CICS Group Name on the Pre-installation Worksheet in Chapter 2 from the default value **GENSTR**, substitute your group name for the value **GENSTR** in the command. Press **Enter** to invoke the command.

#### CEDA DISPLAY GROUP (GENSTR)

Review each entry displayed on the screen. When you have finished, press PF3, and then clear the screen.

Type the following commands to open and enable all files used by Gentran:Structure. Change the value **SIM** to the three-character system image specified on the Pre-installation Worksheet in Chapter 2.

```
CEMT SET FILE (SIMAP*) OPE ENA — Mapping Application

CEMT SET FILE (SIMTR*) OPE ENA — Mapping Transaction

CEMT SET FILE (SIMCD*) OPE ENA — Mapping Codes

CEMT SET FILE (SIMI*) OPE ENA — Databank Inbound EDI and Application

CEMT SET FILE (SIMO*) OPE ENA — Databank Inbound EDI and Application

CEMT SET FILE (SIMP*) OPE ENA — Partner

CEMT SET FILE (SIMS*) OPE ENA — Standards

CEMT SET FILE (SIMU*) OPE ENA — User envelope file
```

If Gentran:Realtime is installed, enable the Gentran:Realtime files using the following commands:

```
CEMT SET FILE (SIMAPPLF) OPE ENA
CEMT SET FILE (SSIMDATF) OPE ENA
```

**Note:** This is an important step in verification. If a file allocation problem occurs, check your CICS system log and file definitions. You must resolve any conflicts.

Type the following command to load all programs and mapsets. Replace **PIM** with the three-character program image specified on the Pre-installation Worksheet in Chapter 2.

#### CEMT SET PROGRAM(PIM\*) NEW

If a program fails to load, most likely an error occurred in the virtual system resources or library concatenation. All Gentran:Basic online programs and mapsets must be available to CICS before you can continue.

	Review each entry display on the screen. Your system defaults are now available
Comp	pleted by:
Date:	Time:
	apleted the initial installation of Gentran:Structure and are ready to begin the erification procedures in Chapter 4.

# Chapter

4

# Performing Installation Verification

# **Overview**

After you have completed the installation steps described in the previous chapter, you must verify your work. To do this, you run major Gentran:Structure components and review the resulting batch reports and online screens.

This chapter contains the following topics:

Торіс	Page
Introduction	4-2
Verification for Gentran:Basic for zSeries Users	4-3
Inbound Process	4-3
Outbound Process	4-7
Testing the Online Screens	4-9
Verification for Gentran:Realtime Users	4-19
Adding Test Options	4-19
Inbound Process	4-48
Outbound Process	4-55

#### Introduction

Data on sample screens and batch reports in this guide will not match exactly the data that you see in your reports and on your screens for various reasons: your run date and time will be different, and the install data may have changed since this release of this installation guide.

This chapter is designed to help you to:

- Verify correct flow from one screen to another.
- Verify that the correct fields and PF keys are set up on each screen.
- Verify that no superfluous text displays on the screen.
- Familiarize yourself with system components, such as how to update the system and how to navigate more easily through the system.
- Verify correct layout of each report, and make sure that no error messages exist.

#### Verification for Gentran:Basic for zSeries Users

**Note:** If your organization does not use Gentran:Basic for zSeries, skip this section and proceed to "Verification for Gentran:Realtime Users" on page 4-19.

#### **Inbound Process**

Perform the installation verification steps in this section to validate that the inbound process was installed properly.

#### **Step 1** Execute the inbound process.

Submitting the batch job STRINB in this step executes a complete flow of the following inbound programs:

- Inbound Fixed/Variable Split (EBDI094)
- Inbound Pre-Processor (EBDI083)
- Inbound Mapper (EBDI041)

The programs listed above use the test data, partner profiles and maps provided on the installation CD.

*Typically performed by*: System Installer

Check the box next to	o each task	as vou	compl	ete	ıt.
-----------------------	-------------	--------	-------	-----	-----

- Modify JCL member STRINB to meet your installation requirements and submit.
   If you are processing in Relationship (User/Partner) mode, uncomment the EDIPREL DD and comment out the SYS095 DD statements. Otherwise, skip this task.
   If you are using Concurrency processing, you need to make the following changes:
  - In **Step 4**, add a **STEPLIB DD** statement for the SDFHEXC1 load library.
  - In **Step 6**, add a **STEPLIB DD** statement for the SDFHEXC1 load library. Remove the **EDHAA**, **EDHAS**, and **EDHEL DD** statements.
- Verify that return codes are zeroes.

Note: The purchase order sample data and invoice sample data provided on the installation CD can be used to demonstrate the implementation scenarios. A 687 mapping error does occur when running the installation verification. The segments for the trailers have not yet been defined. A condition code of 4 occurs in inbound mapping. This code is normal. The mapping results are unaffected.

Compare your reports with the following sample reports (Figure 4.1 through Figure 4.6).

```
EBDI094 RUN 12/01/2005 TIME 12:00
                                  SUMMARY REPORT - FIXED/VARIABLE SPLIT PROGRAM
                                                                             PAGE
PROCESSING BEGAN ON
                                   12/01/2005 AT 12:00 PM.
INPUT RECORDS READ-----
                                                 17
COMPORD RECORDS WRITTEN-----
                                                  Ω
EDI VARIABLE RECORDS WRITTEN-----
                                                  0
GENCOD RECORDS WRITTEN-----
                                                  0
GM DATA RECORDS WRITTEN-----
                                                  0
OTHER FIXED DATA RECORDS WRITTEN-----
                                                 17
PROCESSING ENDED NORMALLY ON
                                   12/01/2005 AT 12:00 PM.
PROGRAM RETURN CODE-----
```

Figure 4.1 Sample SYS006 DD Output from EBDI094 (Inbound Fixed/Variable Split) (Step 2)




Figure 4.2 Sample SYS005 DD Output from EBDI083 (Step 4)

```
EBDT083
         RUN 12/01/2005
                        TIME 12:00
                                   PROCESSING OPTIONS - GENTRAN:STRUCTURE PRE-PROCESSOR
INPUT FILE ORGANIZATION IS-----FIXED
INPUT FILE RECORD LENGTH IS-----00080
TRADING PROFILE MODE IS-----PARTNER QUALIFIER
DATABANKING LEVEL IS-----DATABANK FULL
DETAIL REPORT SWITCH----ON
ENVELOPE LEVEL IS-----INTERCHANGE
DATA SEPARATION IS-----NOT DEFINED
                                        00078030000124
APPLICATION USER REFERENCE PARM----IRN
CONCURRENCY ENABLED-----N
EBDI083 RUN 12/01/2005 TIME 12:00
                                    SUMMARY REPORT - GENTRAN:STRUCTURE PRE-PROCESSOR
                                                                                  PAGE
PROCESSING BEGAN ON 12/01/2005 AT 12:00 PM.
INPUT RECORDS READ-----
INTERCHANGE ENVELOPES READ-----
GROUP ENVELOPES READ-----
                                               0
TRANSACTION ENVELOPES READ-----
                                               1
MAP RECORDS WRITTEN-----
OUTPUT RECORDS WRITTEN-----
DATABANK RUN NUMBER-----
                                        000000006
DIRECTORY RECORDS WRITTEN-----
MESSAGE STORE RECORDS WRITTEN-----
                                              17
RECORDS SUSPENDED-----
                                               0
PROCESSING ENDED ON 12/01/2005 AT 12:00 PM.
```

Figure 4.3 Sample SYS006 DD Output from EBDI083 (Step 4)

**Note:** For *relationship processing mode*, this report shows a Trading Profile Mode value of **Relationship**.

**Note:** If you are using *Concurrency Processing*, you will see four lines describing concurrent processing information:

CONCURRENCY ENABLED-----Y
CICS APPLID FOR CONCURRENCY----XXXXXXXX
SYSTEM IMAGE FOR CONCURRENCY----XXX
PROGRAM IMAGE FOR CONCURRENCY---XXX

```
EBDI041 RUN 12/01/2005 TIME 12:00 ERRORS ENCOUNTERED MAPPING INCOMING DATA
                                                                                    PAGE
ERROR
         **RECORD** FIELD SEG ELE
NBR ID SEO # ID SEO
                                       SEQ INFORMATION ERROR MESSAGE
NUMBR
                           SEQ # ID
                                                QUAL:
INTERCHANGE: LAWNVEND
                                                           CONTROL NO: 000000055
GROUP
           : LAWNVEND
                                                QUAL:
                                                           CONTROL NO:
TRANSACTION: 0926
                                                           CONTROL NO: 000000155
  687
             20
                                        TTR
                                                 SEGMENT RECEIVED NOT DEFINED TO TRANSACTION MAPPING.
  687
                                        PTR
                                                 SEGMENT RECEIVED NOT DEFINED TO TRANSACTION MAPPING.
PROCESSING ENDED WITH ERRORS - PROCESSING COUNTS BELOW
                            EDI RECORDS READ -----
                                                                  22
                            EDI RECORDS SUSPENDED -----
                            APPLICATION RECORDS WRITTEN ----
                             RETURN-CODE FOR MAPPING -----
```

Figure 4.4 Sample SYS005 DD Output from EBDI041 (Partner/Qualifier Mode) (Step 6)

```
RUN 12/01/2005
                              TIME 12:00
 EBDI041
                                              ERRORS ENCOUNTERED MAPPING INCOMING DATA
                                                                                                PAGE
                        FIELD SEG ELE
SEQ # ID SEQ INFORMATION ERROR MESSAGE
          **RECORD**
ERROR
           NBR ID
 INTERCHANGE: LAWNVEND
                           YOUR COMPANY
                                                          CONTROL NO: 000000055
GROUP
           : LAWNVEND
                           YOUR COMPANY
                                                          CONTROL NO:
                                                          CONTROL NO: 000000155
TRANSACTION: 0926
                                                    SEGMENT RECEIVED NOT DEFINED TO TRANSACTION MAPPING.
  687
              20
                                            TTR
              21
                                                      SEGMENT RECEIVED NOT DEFINED TO TRANSACTION MAPPING.
PROCESSING ENDED WITH ERRORS - PROCESSING COUNTS BELOW
                                                                 22
                            EDI RECORDS READ -----
                            EDI RECORDS SUSPENDED -----
                                                                  0
                            APPLICATION RECORDS WRITTEN ----
                                                                 14
                            RETURN-CODE FOR MAPPING -----
```

Figure 4.5 Sample SYS005 DD Output from EBDI041 (Relationship Mode) (Step 6)

EBDI041 RUN 12/01/2005 TIME 12:00 PROCESSING OPTIONS FOR MAPPING INCOMING DATA	PAGE	1
APPLICATION TO PROCESSINVFILEF		
ABEND PROGRAM ON SERIOUS ERRORN		
USER EXIT VERSION SUPPORTED1		
APPLICATION DECIMAL INDICATOR IS		
RIGHT JUSTIFY ALL APPLICATION REALSN		
HANDLE FLOATING NOTES WITHIN A SECTIONN		
DATABANK PROCESSING CONFIGURATIONNO DATABANK		
DATABANK PROCESSING LEVELNO DATABANK		
DIRECTORY POSTING OPTIONPOST SENDER ONLY		
PARTNER PROFILE MODEPARTNER/QUALIFIER MODE		
PRINT PARTNER NAMEN		
WRITE APPLICATION RECORDSY		
BUSINESS DOCUMENT TRACKINGN		
SUPPORT SINGLE QUOTEN		
VERIFY PARTNER SPECIFIC MAP VERSIONN		
CONCURRENCY ENABLEDN		
GENTRAN:STRUCTUREENABLED		
EBDI041 RUN 12/01/2005 TIME 12:00 SUMMARY CONTROL COUNTS MAPPING INCOMING DATA	PAGE	1
PROCESSING BEGAN ON 12/01/2005 AT 12:00 AM.		
INTERCHANGES READ 1		
GROUPS READ 0		
TRANSACTIONS READ 1		
SEGMENTS READ 15		
CHARACTERS READ 3,615		
DOCUMENTS STORED ON DATA BANK 0		
RECORDS STORED ON DATA BANK 0		
APPLICATION DOCUMENTS WRITTEN 1		
APPLICATION RECORDS WRITTEN 14		
APPLICATION CHARACTERS WRITTEN 1,120		
DOCUMENTS SUSPENDED 0		
RECORDS SUSPENDED 0		
CHARACTERS SUSPENDED 0		
NUMBER OF APPLICATIONS PROCESSED 1		
NUMBER OF MAP DEFINITIONS PROCESSED 1		
NUMBER OF TRADING PARTNERS PROCESSED 1		
PROCESSING ENDED ON 12/01/2005 AT 12:00 AM.		

# Figu

ure 4.6	Sample SYS006 DD Output from EBDI041 (Step 6)
Note:	For <i>relationship mode processing</i> , the Summary report will have some minor differences from the sample.
Note:	If you are using Concurrency Processing, you will see four lines describing concurrent processing information:  CONCURRENCY ENABLEDY  CICS APPLID FOR CONCURRENCYXXXXXXXX  SYSTEM IMAGE FOR CONCURRENCYXXX  PROGRAM IMAGE FOR CONCURRENCYXXX
Completed	l by:
Date:	Time:

#### **Outbound Process**

Perform the installation verification step in this section to ensure that the outbound process was installed properly.

**Step 2** Execute the outbound process.

Submitting the batch job **STROUT** or **STROUT**C (for concurrency processing) executes the Outbound Mapper program (EBDI042).

STROUT and STROUTC use the test data, partner profiles, and maps provided on the installation tape and create temporary databank files that are copied to the Gentran:Basic application databanks.

Typically performed by: System Installer

Check the box next to each task as you complete it.

- Modify JCL member **STROUT** or **STROUT**C to meet your installation requirements.
- If you are processing in Relationship (User/Partner) processing mode, uncomment the EDIPREL DD and comment out the SYS095 DD statements. Otherwise, skip this task.
- If you are using **STROUTC**, you need to make the following change to STROUTC:
  - In **Step 2**, change **YOUR.SDFHEXC1.LOAD** to reflect your library name.
- Verify that return codes are zeroes.
- Compare your reports with the following sample reports (Figure 4.7 and Figure 4.8).

```
EBDI042 RUN 12/01/2005 TIME 12:00
                                       ERRORS ENCOUNTERED MAPPING OUTGOING DATA
                                                                                   PAGE
ERROR **RECORD**
                        FIELD SEG ELE
                         SEQ # ID SEQ INFORMATION
NUMBR
        NBR ID
                                                     ERROR MESSAGE
NO ERRORS OCCURRED DURING PROCESSING
PROCESSING ENDED NORMALLY - PROCESSING COUNTS BELOW
                               APPLICATION RECORDS READ -----
                                                                   20
                               APPLICATION RECORDS SUSPENDED -
                                                                    0
                               TOTAL RECORDS WRITTEN -----
                                                                    0
                               FIXED DATA SEGMENTS WRITTEN ---
                                                                   16
                               RETURN CODE FOR MAPPING -----
                                                                    0
```

Figure 4.7 Sample SYS005 DD Output from EBDI042 (Step 4)

	OCESSING OPTIONS FOR MAPPING OUTGOING DATA	PAGE	1
APPLICATION TO PROCESS			
USER EXIT VERSION SUPPORTED			
APPLICATION DECIMAL INDICATOR IS			
DATABANK PROCESSING CONFIGURATION			
DATABANK PROCESSING LEVEL			
DATABANK RUN NUMBER			
PARTNER PROFILE MODE			
PARTNER PROCESSING SEQUENCE			
DIRECTORY POSTING OPTION			
USE MULTIPLE ENVELOPE ID			
USE INTERCHANGE PARTNER WITH VERSION			
USE GROUP PARTNER WITH VERSION			
USE TRANSACTION PARTNER WITH VERSION			
ENVELOPE GENERATION OPTION			
GENTRAN: STRUCTURE			
OUTPUT SEGMENT TYPE			
OUTPUT SEGMENT LENGTH			
STRUCTURE DATABANKING LEVEL			
STRUCTURE DATABANK RUN NUMBER			
GENERATE RETURN CODE			
CONCURRENCY ENABLED			
	PROCESSING OPTIONS FOR ENVELOPE GENERATION	PAGE	1
NO ENVELOPE PARAMETERS SPECIFIED			_
	SUMMARY CONTROL COUNTS MAPPING OUTGOING DATA	PAGE	1
PROCESSING BEGAN ON 12/01/2005 AT 12			
SEQUENTIAL INPUT DOCUMENTS READ			
SEQUENTIAL INPUT RECORDS READ			
SEQUENTIAL INPUT CHARACTERS READ	- 5,000		
DOCUMENTS STORED ON DATA BANK	- 1		
RECORDS STORED ON DATA BANK	- 20		
DOCUMENTS REPROCESSED	- 0		
RECORDS REPROCESSED			
CHARACTERS REPROCESSED			
DOCUMENTS SUSPENDED			
RECORDS SUSPENDED			
CHARACTERS SUSPENDED			
EDI DOCUMENTS GENERATED			
EDI PACKAGES GENERATED			
TOTAL RECORDS WRITTEN			
FIXED DATA DOCUMENTS GENERATED			
FIXED DATA SEGMENTS GENERATED			
FIXED DATA CHARACTERS GENERATED	,		
NUMBER OF APPLICATIONS PROCESSED			
NUMBER OF MAP DEFINITIONS PROCESSED			
NUMBER OF TRADING PARTNERS PROCESSED -	- 1		

# Figure 4.8 Sample SYS006 DD Output from EBDI042 (Step 4)

Note:	For <i>relationship processing mode</i> , the summary report will have some minor differences from the sample.
Note:	If you are using <i>Concurrency Processing</i> , you will see four lines describing concurrent processing information:  CONCURRENCY ENABLEDY
	CICS APPLID FOR CONCURRENCYXXXXXXXX
	SYSTEM IMAGE FOR CONCURRENCYXXX
	PROGRAM IMAGE FOR CONCURRENCYXXX
Completed	1 by:
Date:	Time:

#### **Testing the Online Screens**

By completing the steps in this section, you will test the online screens to ensure that the display indicates proper installation of Gentran:Structure.

#### Performing the Online Installation Verification Procedure

**Step 3** Access the Gentran Main Menu.

To access the Gentran subsystems by means of online screens, you first must log on to the Gentran system. After you log on, the Gentran Main Menu appears; you can access screens for all subsystems from this menu.

Typically performed by: System Installer

Check the box next to each task as you complete it.

	Bring up the appropriate screen for th	e CICS terminal and clear the screen.
--	--	---------------------------------------

At the insertion point, type the System Image ID and press **Enter** to display the Gentran:Basic logon screen.

The system displays the Gentran logon screen.

EDIM000			12/01/2005 12:00:00
SYSTEM IMAGE: PAUSE = EXIT PO		E: EDI DBK CON	FIG:FFFF FIG:STRUCTURE 6.4
	User ID:	Password: w Password:	
COMMERCE (MID provided under	***TRADE SECRE is the confidential and AMERICA), INC. and/or the terms of a license written permission. Res	trade secret pro the owner of the agreement. No duplica	software, and is
Enter	PF3=Exit		

**Note:** The four lines above the User ID and Password fields indicate which options are selected and which Gentran add-on products (such as Gentran:Structure) are installed on your system.

Type **ADMIN** in the User ID field and press **Tab**. Type **SECURITY** in the Password field and press **Enter**.

The system displays the Gentran Main Menu (EDIM001). You can access all subsystems from this menu.

EDIMO01 0.0_ EDI/EDI			GENTRAN MAIN MENU	XX	X	12/01/200 12:00:0
			umber of your selection below PF3 key to Exit.	and pre	ss ENTER	, or
		2. 3. 4.	Partner Maintenance Menu Standards Maintenance Menu Databank Maintenance Menu Administrative Maintenance Mapping Maintenance Menu			
		6. 7. 8. 9.	GENTRAN:Plus Main Menu GENTRAN:Control Main Menu GENTRAN:Realtime Main Menu GENTRAN:Viewpoint Main Menu	(N/A)		
Enter PF1=Hel	lp		PF3=Exit		PF15=L	ogoff

Completed by:		
- •		
Data	Time	

**Step 4** Verify the Partner subsystem installation online.


Typically performed by: System Installer

Check the box next to each task as you complete it.


Type 1 to select the Partner Maintenance Menu and press **Enter**.

The system displays the Partner Maintenance Menu. The following diagrams illustrate the screen for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode



#### Relationship (User/Partner) Mode



From the Partner Maintenance Menu, type 2 to select Partner Maintenance and press **Enter**.

The system displays the Partner Selection Menu. The following diagrams illustrate the screen for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode

EDIM007 1.2	PARTNER SELECTION MENU	XXX	12/01/2005
Part ID: Copy ID: Type the number or press the Pi	of your selection below a F3 key to Exit.  1. Header Information 2. Interchange Directory 3. Group Directory 4. Transaction Directory 5. Name and Address 6. User Defined 7. Data Separation 8. Error Rejection 9. Copy All Records	,	
Enter PF1=Help	PF3=Exit PF4=Dir	Job Name:	

#### Relationship (User/Partner) Mode

EDIM007 1.	2	PARTNER SELECTION MENU XXX	12/01/200 12:00:0
User: Copy User:		Partner: Partner: partner:	
		The PF3 key to Exit.  1. Header Information 2. Interchange Directory 3. Group Directory 4. Transaction Directory 5. Name and Address 6. User Defined 7. Data Separation 8. Error Rejection 9. Copy All Records	
Enter PF1=	Help PF7=Rpt	Job Name: PF3=Exit PF4=Dir PF5=Ref	

# ☐ (For Partner/Qualifier mode only)

Type **LAWNVEND** in the Part ID field and press **Enter**.

#### (For Relationship mode only)


Type YOUR COMPANY in the User field and LAWNVEND in the Partner field and press Enter.

The system displays the LAWN VENDOR FOR DEMONSTRATION partner name.

Type 1 to select Header Information and press Enter.

The system displays the Header Information screen (EDIM026). The following diagrams illustrate the screens for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode




#### Relationship (User/Partner) Mode

```
EDIM026 1.2.1____
                    HEADER INFORMATION
                                           XXX 12/01/2005
                                                 12:00:00
                                 LAWN VENDOR FOR DEMONSTRATION
      YOUR COMPANY
User...: YOUR COMPANY
                                 Partner: LAWNVEND
Description:
        LAWN_VENDOR_FOR_DEMONSTRATION_
Underscore Character :
Division . . . . : 000
Update Allowed . . . : Y (Y/N)
PF3=Exit
Enter PF1=Help
                                   PF5=TDir
                PF9=Add PF10=Updt PF11=Del
```

Press **PF5=IDir**.

The system displays the Interchange Directory screen (EDIM027). The following diagrams illustrate the screens for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode




#### Relationship (User/Partner) Mode

```
EDIM027 1.2.2____
                                                         XXX 12/01/2005
                         INTERCHANGE DIRECTORY
                                                                12:00:00
        YOUR COMPANY
                                           LAWN VENDOR FOR DEMONSTRATION
User:
       YOUR COMPANY
                                           Partner: LAWNVEND
  MULTIPLE HEADER
A ENV ID OPTION
                       VERSION
TO SELECT INTERCHANGE ENTER AN S BESIDE THE ID
Enter PF1=Help PF3=Exit PF4=Hdr
                                             PF5=Ctrl
     PF7=Bwd PF8=Fwd
```

Type an **s** in the A (Action Code) field next to the **GEN** Header Option and press **PF5=Ctrl**.

The system displays the Control Information screen (EDIM015). The following diagrams illustrate the screen for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode



#### Relationship Mode

```
EDIM015 1.2.2.1
                             CONTROL INFORMATION
                                                               XXX 12/01/2005
                                                                        12:00:00
         YOUR COMPANY
                                                LAWN VENDOR FOR DEMONSTRATION
User...: YOUR COMPANY
                                               Partner: LAWNVEND
Multiple Envelope Id:
                                                Version:
Interchange Header Option...: GEN (ISA ICS BG GS UNA UNB SCH STX GEN)
Last Incoming Sequence Number:
EDI Databank Inbound.....: (D/N) Outbound.....: (F/D/1 Expect a TA1, AC1, or UCI...: (Y/N) Network Tracking.: (Y/N) Acknowledge Interchange....: (Y/N/E) Errors.....: (Y/N)
                                                Outbound...... _ (F/D/N)
Last Incoming BG Password...:
                                                Syntax Version...: /
Mailbox/Remote ID (For Plus).:
Network ID.(For PLUS).....
Viewpoint - Exception.....: _ (Y/N)
                                                 Tracking..... (Y/N)
Reconciliation Delay (days)..:
                          PF3=Exit PF4=IDir PF5=Control PF6=Next Ctl
Enter PF1=Help
                         PF9=Add PF10=Updt PF11=Del PF14=Info
```

- Verify that the system displays a Control Information record for your partner, Lawnvend.
- ☐ Press **PF5=Control**.

The system displays the Control Information – Screen 2 (EDIM011). The following diagrams illustrate the screen for both Partner/Qualifier mode and Relationship (User/Partner) mode.

#### Partner/Qualifier Mode

EDIM011	CONTROL I	NFORMATION	XXX	12/01/2005
LAWN TAWNV	VENDOR FOR DEMONSTRAT			
Multiple Envelop		Qual:		
	e iu. e information for Gen	oria Intorobongo.		
Outboulid eliverop	e inionmation for Gen	eric interchange.		
Envelope ID:	PHD	Modifier:		
Sender ID:	LAWNCUST	_		
Receiver ID:	LAWNVEND			
Version ID:	JASS			
Transaction ID:				
Reference:	000000000000000001			
Gen Element 1.:	MOWING	Gen Element 2.:		
Gen Element 3.:		Gen Element 4.:		
Gen Element 5.:		Gen Element 6.:		
Gen Element 7.:		Gen Element 8.:		
Gen Element 9.:		Gen Element 10:		

#### Relationship (User/Partner) Mode

EDIM011	CONTROL I	NFORMATION	XXX	12/01/200
YOUR	COMPANY	LAWN VENDO	R FOR D	EMONSTRATIO
User: YOUR	COMPANY	Partner: Li	AWNVEND	
Multiple Envelop	e Id:			
Outbound envelop	e information for Gen	eric Interchange:		
Envelope ID:	PHD	Modifier:		
Sender ID:	LAWNCUST			
Receiver ID:	LAWNVEND			
Version ID:	JASS			
Transaction ID:				
Reference:	0000000000000000001			
Gen Element 1.:	MOWING	Gen Element 2.:		
Gen Element 3.:		Gen Element 4.:		
Gen Element 5.:		Gen Element 6.:		
Gen Element 7.:		Gen Element 8.:		
Gen Element 9.:		Gen Element 10:		
Enter PF1=Help	DF3-Fyi+ DF	4=Ctrl PF5=GDir		
		4=('tr  PE'5=(-1)1 r		

Completed by:		
Date	Time·	

jump to the Gentran Main Menu.

Press **Home** to navigate to the Jump Code field. Type **0.0** and press **Enter** to

**Step 5** Verify the Standards subsystem installation.

Typically performed by: System Installer

Check the box next to each task as you complete it.

On the Gentran: Main Menu, type 2 and press Enter.

The system displays the Standards Maintenance Menu (EDIM100).

```
EDIM100 2.0
                        STANDARDS MAINTENANCE MENU
                                                                 12/01/2005
                                                                  12:00:00
            Type the number of your selection below and press ENTER, or
            press the PF3 key to Exit.
                       1. Version Directory
                        2. Version
                        3. Version/Transaction Directory
                        4.
                            Transaction Directory
                        5.
                            Transaction
                        6. Segment
                        7. Segment Element
                        8. Segment Element Activity
                        9.
                            Data Element Definition
                        10. Standard Code Menu
                        11. Transaction in Use
                        12. User Envelope Specification
                       13. Standard Association
Enter PF1=Help
                        PF3=Exit
                                                            PF15=Logoff
```

Type 12 to select User Envelope Specification and press Enter.

The system displays the User Envelope Specification screen (EDIM190).

```
Add Delete Update Version/outbound-specification
EDIM190 2.12
                   USER ENVELOPE SPECIFICATION
                                                  XXX
                                                        12/01/2005
                                                         12:00:00
Starting Segment ID..: _
A ---Segment-- -Seg ID- -Env- -Usr ID- -Prt ID- -Associated- Ver Last Updt
       Mod Start Ln Lvl D Start Ln Start Ln Hdr/Trl Mod Spc Date User
   ID
 PHD
        __ _ __78 _3 BI B ____ _ 1 15 ___ _ Y 010698 XXX
       _____78 _3 BT B
                                              _____ Y 042897 XXX
                                              _____ Y 041796 XXX
       _____1 _3 BI B _____ 8 _9 99_
 20
                          _____99G_
                                              _____ N
                _1 _3 BG B
 20G
                                                        041796 XXX
         _____1 _3 BT B
                                                 __ _ N
 20T
                                          99T_
                                                        041796 XXX
                          _____ 20__
                                                ____ N
 99
                                                        041796 XXX
                                                 __ N 041796 XXX
                             ______20G
 99G
                _1 _3 EG B
                             __ N 041796 XXX
 99T_
             ____1 _3 ET B
END OF USER ENVELOPE RECORDS
Enter PF1=Help
                     PF3=Exit
    PF7=Bwd PF8=Fwd
```

	Verify that the system displays the sample/test data, then press <b>PF3=Exit</b> twice.
	The system displays the Gentran:Main Menu.
Comp	leted by:
Date:	Time:

#### **Verification for Gentran:Realtime Users**

**Note:** If your organization does not use Gentran:Realtime, then

skip the rest of this chapter.

#### **Adding Test Options**

In the following steps, use the Online System Maintenance screens to add three sets of Immediate Options and Path Options, which are required for the verification procedure.

Options 300, 301, and 302 are designated for your use in this installation verification procedure, but you may use any Options.


#### Adding Immediate Options and Path Options for Outbound Test

**Step 6** Add the Immediate Options and Path Options.

Typically performed by: System Installer

Check the box next to each task as you complete it.

Log on to Gentran. The Gentran Main Menu displays.



From the Gentran Main Menu, type 8 to select Gentran:Realtime Main Menu. The Gentran:Realtime Main Menu displays.

EDIM800 8.0 12/01/2005 GENTRAN: Realtime MAIN MENU XXX 12:00:00 Type the number of your selection below and press ENTER, or press the PF3 key to Exit. 1. System Maintenance Online Log Display Report Selection Exception Processing Facility 4. 5. GENTRAN: Realtime Activity Enter PF1=Help PF3=Exit PF15=Logoff

From the Gentran:Realtime Main Menu, type 1 to select System Maintenance. The System Maintenance screen displays.

EDIM801 8.1 SYSTEM MAINTENANCE XXX 12/01/2005 12:00:00 Type the number of your selection below and press ENTER, or press the PF3 key to Exit. 1. System Options 2. Immediate Directory 3. Immediate Options Queue Directory
 Queue Options 6. Schedule Directory 7. Schedule Options 8. Path Options Directory 9. Path Options Maintenance 10. Online Copy Maintenance 11. Databank Parameter Maintenance 12. Acknowledgment Parameter Maintenance Enter PF1=Help PF3=Exit PF15=Logoff

From the System Maintenance Menu, type 3 to select Immediate Options. The Immediate Options screen displays.

```
EDIM811 8.1.3
                      IMMEDIATE OPTIONS
                                            XXX 12/01/2005
                                               12:00:00
Immediate Number.....: 200 GENTRAN:REALTIME_(OUTBOUND_IVP_TEST)___
                      X12_TEST_DATA_
Path Option ID..... 200
Active Path..... E E = Enabled D = Disabled
Error User Exit Program.: ____
Error User Exit Data....:
                                    Last Update Date: 00/00/00
                                            Time: 00:00:00
                                            User: SCI
Enter PF1=Help PF3=Exit PF4=Dir
                                            PF6=Path Opt
    PF7=Bwd PF8=Fwd PF9=Add PF10=Updt PF11=Del
```

Fill in the required information as follows:

Field	Type this:
Immediate Number	300
(Description)	Immediate Option (Outbound Test) Structure – Fixed/Var Splitter
Immediate Status	Е
Immediate Trace	D
Path Options ID	300
Active Path	Е
Max Threads	2
Big Intchg Cutoff	1000

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

EDIM811 8.1.3	IMMEDIATE OPTIONS	XXX	12/01/2005 12:00:00
Immediate Number 300	IMMEDIATE_OPTION_(OUTBOUND_ STRUCTUREFIXED/VAR_SPLIT		
Immediate Status: E Immediate Trace D	E = Enabled $D = DisabledE = Enabled$ $D = Disabled$		
Path Option ID	E = Enabled $D = Disabled$		
Error User Exit Program.: Error User Exit Data:			e: 12/01/05 e: 12:00:00
IMMEDIATE RECORD ADDED Enter PF1=Help PF8=Fwd PF9=F		Use	r: XXX 6=Path Opt

Press **PF6=Path Opt** to exit to the General Shell Path Maintenance screen (EDIM831) for Option 300. The next few screens will be used to set up the Shell Path processing for the immediate option.

```
EDIM831 8.1.9____
                                                   XXX 12/01/2005
                GENERAL SHELL PATH MAINTENANCE
                                                         12:00:00
Path ID..... 300S
Process Indicator...: _ (I=Inbound/O=Outbound)
Step..... (M=Mapr/E=Editr/B=Both/X=eXtd/A=Appl)
Current Steps...
Destination of Translated data:
  User Pgm..... ____
  TSQ Name.....
  Queue File Nbr...: ___
Error Handling:
 Exception Pgm...:
Reporting:
 Description....:
  Suppress Rpts....: _
Storage Performance:
 MAP Store Sw....:
Last Update Date...: Time: User: NO PATH RECORD FOUND
                   PF3=Exit PF4=Dir PF5=Transfer
Enter PF1=Help
                  PF9=Add PF10=Updt PF11=Del
```

Fill in the required information as follows:

Field	Type this:
Path ID	(300S)
(Description)	Outbound Structure – Fixed Env Test
Process Indicator	0
Step	X
Destination User Pgm	PIMRTOUT Where PIM represents the three position program image as indicated in your Pre-installation Worksheet.
Reporting Description	FIXED – ENV GEN

**Note:** All other fields remain blank.

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

```
EDIM831 8.1.9 GENERAL SHELL PATH MAINTENANCE
                                                      XXX 12/01/2005
                                                            12:00:00
Path ID...... 300S OUTBOUND_STRUCTURE_-_FIXED_ENV_TEST_
Process Indicator...: 0 (I=Inbound/0=Outbound)
Step..... X (M=Mapr/E=Editr/B=Both/X=eXtd/A=Appl)
Current Steps...
Destination of Translated data:
 User Pgm....: EDIRTOUT
TSQ Name....:
Queue File Nbr..:
                                     * Transfer to: _ *
                                       * 1. Additional Shell Parms *
                                       * 2. Translation Steps *
                                       * 3. Mapper Parameters
                                       * 4. Editor Parameters
Error Handling:
 Exception Pgm...:
                                    * 5. CONNECT Parameters *
                                       * 6. Outbound EDI Extract *
Reporting:
 Description....: FIXED-ENV_GEN__
                                       * 7. Structure Steps
  Suppress Rpts....: _
Storage Performance:
 MAP Store Sw....: _
                                       ********
Last Update Date....: 12/01/05 Time: 12:00:00 User: XXX
PATH RECORD ADDED
                    PF3=Exit PF4=Dir PF5=Transfer
Enter PF1=Help
                    PF9=Add PF10=Updt PF11=Del
```

Type 2 in the **Transfer** to field to display the Shell Path-Translation Outbound (EDIM839) and press **PF5=Transfer**.

```
XXX 12/01/2005
EDIM839
                  SHELL PATH - TRANSLATION OUTBOUND
                                                             12:00:00
Path ID...... 300S OUTBOUND STRUCTURE - FIXED ENV TEST
Outbound Flow
                                         ********
Translation Steps: (1=Yes/0=No)
 Outbound Mapper....._
                                         * Transfer to: _
 Outbound Assoc Data Ins..: _
                                         * 1. Additional Steps
 Outbound Editor..(HIPAA).: _ / _
                                         * 2. Mapper Parameters
 Outbound Splitter.....
                                         * 3. Editor Parameters
 Outbound EDI Extract....:
                                         * 4. CONNECT Parameters
                                          * 5. Outbound EDI Extract *
                                             Last Update Date: 12/01/05
                                                        Time: 12:00:00
                                                        User: XXX
Enter PF1=Help
                       PF3=Exit PF4=Dir
                                            PF5=Transfer PF6=Shell
```

Fill in the required information as follows:

Field	Type this:
Path ID	(300S)
Outbound Mapper	1
Outbound Assoc Data Ins	0
Outbound Editor	0
Outbound Editor (HIPAA)	0
Outbound Splitter	0
Outbound EDI Extract	0

**Note:** All other fields will remain blank.


Press **PF10=Updt** to update the data.

Verify that the screen appears as follows:

```
SHELL PATH - TRANSLATION OUTBOUND
                                                             XXX 12/01/2005
                                                                   12:00:00
Path ID...... 300S OUTBOUND STRUCTURE - FIXED ENV TEST
Outbound Flow
Translation Steps: (1=Yes/0=No)
Outbound Mapper....... 1
Outbound Assoc Data Ins..: 0
                                              ********
                                              * Transfer to:
                                              * 1. Additional Steps
  Outbound Editor..(HIPAA).: 0 / 0
                                             * 2. Mapper Parameters
  Outbound Splitter....: 0
Outbound EDI Extract...: 0
                                              * 3. Editor Parameters
                                              * 4. CONNECT Parameters
                                              * 5. Outbound EDI Extract *
                                                   Last Update Date: 12/01/05
                                                              Time: 12:00:00
                                                              User: XXX
PATH RECORD UPDATED
                       PF3=Exit PF4=Dir
Enter PF1=Help
                                               PF5=Transfer PF6=Shell
                              PF10=Updt
```

Type 2 in the Transfer to field and press PF5=Transfer to display the Outbound Mapper-1 Path Maintenance screen (EDIM83D).

The next few screens will allow you to set up the mapping parameters needed for the verification process.



Fill in the required information as follows:

Field	Type this:
Path ID	(300M)
(Description)	Structure Outbound – Fixed GEN Test
Application Data ID	POFILEF
Databank Proc. Level	0

**Note:** All other fields will remain blank.

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

```
EDIM83D __
                               OUTBOUND MAPPER-1 PATH MAINTENANCE
                                                                                    XXX 12/01/2005
                                                                                            12:00:00
Path ID...... 300M STRUCTURE_OUTBOUND_-_FIXED_GENTEST__
Application Data ID.: POFILEF___ (Application Data File Or \#\#INSTREAM)
Application Data ID:: POFILEF (Application Data File Or ##INSTEDI Data Print SW...: (Y = Print First 80 Characters)

Startup Exit......: (User Program Executed at Start)

End Exit......: (User Program Executed at End)

Databank Proc Level.: 0 (0=No/1=Full/2=Dir/3=Partner)

Decimal Notation...: (//Blank)

Print Report Switch: N (Y/N)
                                                               *******
                                                                * Transfer to:
                                                                * 1. Mapper-2 Parameters
                                                                * 2. Mapper-3 Parameters
Last Update Date: 12/01/05
                                                               * 3. Mapper-4 Parameters
               Time: 12:00:00
                                                               * 4. Envelope Parameters
                                                                * 5. Editor Parameters
               User: XXX
PATH RECORD ADDED
                          PF3=Exit PF4=Dir
Enter PF1=Help
                                                           PF5=Transfer PF6=Shell
                    PF8=Map2 PF9=Add PF10=Updt PF11=Del
```

Type 1 in the Transfer to field and press PF5=Transfer to display the Outbound Mapper-2 Path Maintenance screen (EDIM84I).

```
EDIM84I
                     OUTBOUND MAPPER-2 PATH MAINTENANCE
                                                         XXX 12/01/2005
                                                               12:00:00
Path ID...... 300M STRUCTURE OUTBOUND - FIXED GENTEST
Document Tracking..... _
                               (1=Print Error Audit/2=Print Audit for all)
Support Quote Switch..... _
                               (Y/Blank)
Map blank Subfield....:
                              (Y/N)
CNTL Pass Thru ind.....
                             (Y/I/Blank)
Application Reference Load.: _
                               (0/1/Blank)
Envelope GEN Switch..... N
                               (Y=CNTLrecs/N=Env)
Interchange Version OFF....:
                               (Y/Blank)
Group Version OFF.....
                               (Y/Blank)
Trans Version OFF.....
                               (Y/Blank)
Multi Env enable Override..: _
                               (Y/Blank)
Multiple Envelope id.....
Default Interchange Ver...:
                                               Last Update Date: 12/01/05
                                                          Time: 12:00:00
                                                          User: XXX
Enter PF1=Help
                       PF3=Exit PF4=Dir
                                                           PF6=Shell
     PF7=Map1 PF8=Map3
                       PF10=Updt PF11=Del
```

Fill in the required information as follows:

Field	Type this:
Path ID	(300M)
Envelope Gen Switch	N

**Note:** All other fields will remain blank.

Press **PF10=Updt** to update the data.

#### Verify that the screen appears as follows:

```
EDIM84I
                        OUTBOUND MAPPER-2 PATH MAINTENANCE
                                                                   XXX 12/01/2005
                                                                         12:00:00
Path ID..... 300M STRUCTURE OUTBOUND - FIXED GENTEST
Document Tracking..... _
                                    (1=Print Error Audit/2=Print Audit for all)
Support Quote Switch....: (Y/Bl
Map blank Subfield...... (Y/N)
                                    (Y/Blank)
CNTL Pass Thru ind.....: _ (Y/I/Blank)
Application Reference Load: _ (0/1/Blank)
Envelope GEN Switch....: N (Y=CNTLrecs/N=Env)
Interchange Version OFF....:
                                    (Y/Blank)
Group Version OFF....._
                                    (Y/Blank)
Trans Version OFF.....
                                    (Y/Blank)
Multi Env enable Override..: _
                                    (Y/Blank)
Multiple Envelope id......
Default Interchange Ver...:
                                                       Last Update Date: 12/01/05
                                                                    Time: 12:00:00
                                                                    User: XXX
PATH RECORD UPDATED
PATH RECORD UPDATED

Enter PF1=Help PF3=Exit PF4=Dir
                                                                     PF6=Shell
      PF7=Map1 PF8=Map3
                                PF10=Updt PF11=Del
```

Press **PF8=Map3** twice to display the Outbound Mapper-4 Path Maintenance screen (EDIM84J).

```
XXX 12/01/2005
EDIM84J
                   OUTBOUND MAPPER-4 PATH MAINTENANCE
                                                        12:00:00
Path ID..... 300M STRUCTURE OUTBOUND - FIXED GENTEST
Structure:
   Standard Type..... [ (F/V/blank)
   {\tt Maximum \ Len....} {\tt 00000}
   Initialize Numerics...... _ (Y/Blank)
   DBK Level..... (0=No/1=Full/2=Dir)
   Always Generate New Group per Tran.: _ (Y/Blank)
Viewpoint:
   Exception Tracking..... N (Y=ON/N=OFF)
   Tracking Management..... N (Y=ON/N=OFF)
                                          Last Update Date: 12/01/05
                                                    Time: 12:00:00
                                                    User: XXX
Enter PF1=Help
                   PF3=Exit PF4=Dir
                                                     PF6=Shell
    PF7=Map3 PF8=Env PF10=Updt
```

Fill in the required information as follows:

Field	Type this:
Path ID	(300M)
Standard Type	F
Maximum Len	00080
DBK Level	1

**Note:** All other fields remain blank.

Press **PF10=Updt** to update the data.

Verify that the screen appears as follows:

```
EDIM84J
                 OUTBOUND MAPPER-4 PATH MAINTENANCE
                                                XXX 12/01/2005
                                                      12:00:00
Path ID...... 300M STRUCTURE OUTBOUND - FIXED GENTEST
Structure:
  Standard Type..... F (F/V/blank)
  Maximum Len....: 00080
  Initialize Numerics..... (Y/Blank)
  Always Generate New Group per Tran.: _ (Y/Blank)
Viewpoint:
  Exception Tracking..... N (Y=ON/N=OFF)
   Tracking Management..... N (Y=ON/N=OFF)
                                        Last Update Date: 12/01/05
                                                 Time: 12:00:00
                                                 User: XXX
PATH RECORD UPDATED
                   PF3=Exit PF4=Dir
                                                  PF6=Shell
Enter PF1=Help
    PF7=Map3 PF8=Env
                        PF10=Updt
```

EDIM801 8.1		SYSTEM MAINTENANCE	XXX	12/01/200 12:00:0
		r of your selection below and key to Exit.	press ENT	ER, or
	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	System Options Immediate Directory Immediate Options Queue Directory Queue Options Schedule Directory Schedule Options Path Options Directory Path Options Maintenance Online Copy Maintenance Databank Parameter Maintenan		
Enter PF1=Help	Р	F3=Exit	PF15	=Logoff

#### Adding Immediate Options and Path Options for Option 302

**Step 7** Add the Immediate Options and Path Options for Option 302.

Typically performed by: System Installer

Check the box next to each task as you complete it.

From the Systems Maintenance Menu, type 3 and press **Enter**. The Immediate Options screen displays.

```
EDIM811 8.1.3
                                                           XXX 12/01/2005
                            IMMEDIATE OPTIONS
                                                                12:00:00
Immediate Number.....: 200 GENTRAN:REALTIME_(OUTBOUND_IVP_TEST)__
                              X12_TEST_DATA____
Path Option ID..... 200
Active Path..... E E = Enabled D = Disabled
Max Threads...... 1 Numeric Range 1 - 9
Big Intchg Cutoff..... _____ Numeric Range 1000 - 9999
Error User Exit Program.: ___
Error User Exit Data...:
                                                Last Update Date: 00/00/00
                                                           Time: 00:00:00
                                                           User: SCI
Enter PF1=Help
                      PF3=Exit PF4=Dir
                                                            PF6=Path Opt
     PF7=Bwd PF8=Fwd PF9=Add PF10=Updt PF11=Del
```

Fill in the required information as follows:

Field	Type this:
Immediate Number	302
(Description)	Structure Inbound Test
Immediate Status	Е
Immediate Trace	D
Path Options ID	302
Active Path	Е
Max Threads	2
Big Intchg Cutoff	1000

**Note:** All other fields will remain blank.

Press **PF9=Add** to add the data. Verify that the screen appears as follows:

```
EDIM811 8.1.3
                              IMMEDIATE OPTIONS
                                                           XXX 12/01/2005
                                                                  12:00:00
Immediate Number.....: 302 STRUCTURE_INBOUND_TEST___
Path Option ID..... 302
Active Path.....: E E = Enabled D = Disabled Max Threads.....: 2 Numeric Range 1 - 9
Big Intchg Cutoff.....: 1000 Numeric Range 1000 - 9999
Error User Exit Program.:
Error User Exit Data....:
                                                 Last Update Date: 12/01/05
                                                             Time: 12:00:00
                                                              User: XXX
IMMEDIATE RECORD ADDED
Enter PF1=Help PF3=Exit PF4=Dir
                                                             PF6=Path Opt
     PF7=Bwd PF8=Fwd PF9=Add PF10=Updt PF11=Del
```

Press **PF6=Path Opt** to exit to the General Shell Path Maintenance screen (EDIM831).

The next few screens will be used to set up the Shell Path processing for the immediate option.

```
EDIM831 8.1.9 GENERAL SHELL PATH MAINTENANCE XXX 12/01/2005
                                            12:00:00
Path ID..... 302S
Process Indicator...: _ (I=Inbound/0=Outbound)
Current Steps...
Destination of Translated data:
User Pgm......
                             * Transfer to: _
 TSQ Name.....
 Queue File Nbr...: ____
Error Handling:
 Exception Pgm...:
Reporting:
 Description....:
  Suppress Rpts....:
Storage Performance:
 MAP Store Sw....: _
```

Fill in the required information as follows:

Field	Type this:
Path ID	(302S)
(Description)	Structure Inbound Test
Process Indicator	I
Step	X
Destination User Pgm	PIMRTOUT Where PIM represents the three position program image as indicated in your Pre-installation Worksheet.
Reporting Description	PRE-PROCESSOR

Note: All other fields will remain blank.

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

```
EDIM831 8.1.9 GENERAL SHELL PATH MAINTENANCE
                                                        XXX 12/01/2005
                                                               12:00:00
Path ID..... 302S STRUCTURE INBOUND TEST
Process Indicator...: I (I=Inbound/O=Outbound)
Step..... X (M=Mapr/E=Editr/B=Both/X=eXtd/A=Appl)
Step.....

Current Steps...

Destination of Translated data:

User Pgm.....: EDIRTOUT

* Transfer to: _ *

* 1. Additional Shell Parms *
  TSQ Name.....: _____
                                         * 2. Translation Steps *
                                          * 3. Mapper Parameters
                                          * 4. Editor Parameters
Error Handling:
  Exception Pgm....:
                                          * 5. CONNECT Parameters
                                      * 7. Acknowledgements * * 8 C+-----
Reporting:
  Description....: PRE-PROCESSOR__
  Suppress Rpts....:
                                         * 8. Structure Steps
Storage Performance:
                                          ******
  MAP Store Sw....: _
Last Update Date....: 12/01/05 Time: 12:00:00 User: XXX
Enter PF1=Help
                       PF3=Exit PF4=Dir
                                            PF5=Transfer
                      PF9=Add PF10=Updt PF11=Del
```

Type 2 in the **Transfer** to field and press **PF5=Transfer** to display the Shell Path-Translation Inbound Screen (EDIM844).

```
EDIM844
                                                   XXX 12/01/2005
                 SHELL PATH - TRANSLATION INBOUND
                                                        12:00:00
Path ID..... 302S STRUCTURE INBOUND TEST
Inbound Flow
                           (1=Yes/0=No) ****************
 Translation steps:
   Inbound Editor....(HIPAA)....: _ / _ * Transfer to: _ conlitter ..... * 1. Additional Steps
       Switch (0=Reject only)....: _
ound Mapper....
                                     * 2. Mapper Parameters
   * 3. Editor Parameters
 Acknowledgement steps:
                                      * 4. CONNECT Parameters
   Run Ack as Separate Process....:
                                      * 5. Inbound Appl Extract *
   Ack $$ADD Gen....
                                      * 6. Outbound ACK $$ADD Ge *
   * 7. ACK Connect API Parms *
      Editor Path..... ____
   Ack Connect API.....
   Ack User Pgm..... _
   Ack Queue File Nbr.....
    Ack Tsqname..... ___
                                        Last Update Date: 12/01/05
                                                   Time: 12:00:00
                                                    User: XXX
Enter PF1=Help
                    PF3=Exit PF4=Dir
                                        PF5=Transfer PF6=Shell
                      PF10=Updt
```

Fill in the required information as follows:

Field	Type this:
Path ID	(302S)
Inbound Mapper	1

**Note:** All other fields will remain blank.

Press **PF10=Updt** to update the data.

# Verify that the screen appears as follows:

***************  * Transfer to: _
* Transfer to: _ *  * 1. Additional Steps *  * 2. Mapper Parameters *  * 3. Editor Parameters *
* Transfer to: _ *  * 1. Additional Steps *  * 2. Mapper Parameters *  * 3. Editor Parameters *
* 1. Additional Steps *  * 2. Mapper Parameters *  * 3. Editor Parameters *
* 2. Mapper Parameters * * 3. Editor Parameters *
* 3. Editor Parameters *
* 4. CONNECT Parameters *
* 5. Inbound Appl Extract *
* 6. Outbound ACK \$\$ADD Ge *
* 7. ACK Connect API Parms *
*******
Last Update Date: 12/01/05
Time: 12:00:00
User: XXX
PF5=Transfer PF6=Shell

Type 1 in the Transfer to field and press PF5=Transfer to display the Additional Shell Steps Maintenance screen (EDIM84F).

```
ADDITIONAL SHELL STEPS MAINTENANCE
                                                 XXX 12/01/2005
                                                      12:00:00
Path ID..... 302S STRUCTURE INBOUND TEST
Inbound Flow
 Utilities:
                          (1=Yes/0=No)
   Inbound CONNECT API......
                                     *******
                                     * Transfer to: _
   Inbound Application Extract..... _
                                     * 1. Translation Steps
                                     * 2. Mapper Parameters *
                                     * 3. Editor Parameters *
 Structure:
   Fixed/Variable Splitter....._
                                     * 4. CONNECT Parameters *
   Format Specific Compliance Chkr..:
                                  * 5. Inbound Appl Extract *

* 6. Structure Pre-Proc *
   Advantage:
                                     *******
   Wire Post-Processor.....
     Wire Ack Option...(824w997)...:
      Wire Ack Option...(997 only)..:
                                      Last Update Date: 12/01/05
   Stats Post-Processor....._____
                                                 Time: 12:00:00
                                                 User: XXX
Enter PF1=Help
                  PF3=Exit PF4=Dir
                                     PF5=Transfer PF6=Shell
                        PF10=Updt
```

Fill in the required information as follows:

Field	Type this:
Path ID	(302S)
Pre Processor	1

**Note:** All other fields will remain blank.

Press **PF10=Updt** to update data. Verify that the screen appears as follows:

```
ADDITIONAL SHELL STEPS MAINTENANCE XXX 12/01/2005
                                                12:00:00
Path ID...... 302S STRUCTURE INBOUND TEST
Inbound Flow
 Utilities:
                         (1=Yes/0=No)
   * 1. Translation Steps *
                                     * 2. Mapper Parameters *
 Structure:
                                     * 3. Editor Parameters
   Fixed/Variable Splitter...... * 4. CONNECT Parameters *
Format Specific Compliance Chkr..: * 5. Inbound Appl Extract *
                                     * 6. Structure Pre-Proc *
   NCPDP Reformat....:
   Advantage:
   Wire Post-Processor.....
                                     *******
      Wire Ack Option...(824w997)...:
     Wire Ack Option...(997 only)..: Last Update Date: 12/01/05 ats Post-Processor............ Time: 12:00:00
   Stats Post-Processor..... _
                                                 User: XXX
                  PF3=Exit PF4=Dir
                                     PF5=Transfer PF6=Shell
Enter PF1=Help
                       PF10=Updt
```

Type 6 in the **Transfer** to field and press **PF5=Transfer** to display the Fixed Format Pre-Processor Path Maintenance screen (EDIM840).

The next screen will be used to set up the processing parameters for the Fixed Format Pre-Processor (EDIR083).

```
EDIM840
           FIXED FORMAT PRE-PROCESSOR PATH MAINTENANCE PRW 12/01/2005
Path ID..... 302P ____
                          0 = Fixed 1 = Variable
Record Format...._____
Record Length..... ____ Max of 32760
Partner ID / Qual.....
User ID / Qual.....______
Version ID..... ____
                           _____ Agency..: ___
Transaction ID....____
Application By....._
                            0 = None 1 = User 2 = Partner
User Reference Segment ID.....
Segment ID Starting Position....
Segment ID Length..... _ Dbk Proc. Level...: _ 0=No,1=Full
                                            2=Dir
User Reference Starting Position. ____
User Reference Length.....
                            Report Print Sw...: _ 0=No 1=Print
Detail Report...._
                             0=No 1=Yes
Data Envelope....______
                            0=No 1=Yes
Last Update Date:
                  Time:
NO PATH RECORD FOUND
Enter PF1=Help PF3=Exit PF4=DI1
PF9=Add PF10=Updt PF11=Del
                                             PF6=Shell
```

Fill in the required information as follows:

Field	Type this:
Path ID	(302P)
(Description)	Structure Inbound Pre-Processor
Record Format	0
Record Length	00080
Envelope Level	2
Application By	0
User Reference Segment ID	IRN
Segment ID Starting Position	00078
Segment ID Length	03
DBK Proc Level	1
User Reference Starting Position	00001
User Reference Length	23
Report Print SW	0

**Note:** All other fields will remain blank.

Press **PF9=Add** to add to the data.

Verify that the screen appears as follows:

```
__ FIXED FORMAT PRE-PROCESSOR PATH MAINTENANCE XXX 12/01/2005
                                               12:00:00
Path ID...... 302P STRUCTURE INBOUND PRE-PROCESSOR
Max of 32760
Partner ID / Qual.....____
User ID / Qual.....
Version ID.....____
                                  Agency..:
Transaction ID.....
0 = Trans 1 = Group 2 = Interchange
                            0 = None 1 = User 2 = Partner
Application By..... 0
User Reference Segment ID..... IRN
Segment ID Starting Position.... 00078
Dbk Proc. Level...: 1 0=No,1=Full
                                            2=Dir
User Reference Starting Position. 00001
User Reference Length..... 23
                            Report Print Sw...: 0 0=No 1=Print
Detail Report..... 0
                            0=No 1=Yes
Data Envelope.....
                            0=No 1=Yes
Last Update Date: 12/01/05 Time: 12:00:00 User: XXX
                                            PF6=Shell
Enter PF1=Help
                 PF3=Exit PF4=Dir
                PF9=Add PF10=Updt PF11=Del
```

Press **PF6=Shell** to display the General Shell Path Maintenance screen (EDIM831). Type **3** in the **Transfer** to field and press **PF5=Transfer** to display Inbound Mapper-1 Path Maintenance screen (EDIM832).

The next few screens will allow you to set up the mapping parameters needed for the verification process.

EDIM832	INBOUND	MAPPER-1 PATI	H MAINTENANCE	XXX 12/01 12:	/200 00:0
Path ID:	302М				
Application Data ID EDI Data Print SW Startup User Exit End User Exit Decimal Notation Databank Proc Level Alt. Appl. Real Switch Float NTE Ind Print Report Switch	.: .: .: .: .: .:	(Y = Pri (User Pri (User Pri (,=Comma (0=No/1=	ation Data File of the first 80 Charogram Executed coronal Executed as is decimal) = Full/2=Dir/3=Pa Ustify Real North	racters) at Start) at End) rtner)	
Write Application		(Y/N)	*******	*****	***
			* Transfer	to: _	*
Last Update Date:			* 1. Mapper	-2 Parameters	*
Time:			* 2. Mapper	-3 Parameters	*
User:			* 3. Editor		*
			******	******	***
NO PATH RECORD FOUND					
Enter PF1=Help	PF3=E	xit PF4=Dir	PF5=Trans	fer PF6=Shel	1

Fill in the required information as follows:

Field	Type this:
Path ID	(302M)
(Description)	Structure Inbound Test
Application Data ID	INVFILEF
Databank Proc. Level	1
Write Application	Y

**Note:** All other fields will remain blank.

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

```
EDIM832
                            INBOUND MAPPER-1 PATH MAINTENANCE XXX 12/01/2005
                                                                                   12:00:00
Path ID..... 302M STRUCTURE INBOUND TEST
Application Data ID....: INVFILEF__ (Application Data File Or ##INSTREAM)
EDI Data Print SW....: (Y = Print First 80 Characters)
Startup User Exit....: (User Program Executed at Start)
End User Exit.....:

Decimal Notation ....:

Databank Proc Level...: 1 (0=No/1=Full/2=Dir/3=Partner)

Alt. Appl. Real Switch:

Float NTE Ind......:

Print Report Switch...: N (Y=NTE Float)

Write Application...: Y (Y/N)

**Transfer to:
                                                         *******
                                                         * Transfer to:
Last Update Date: 12/01/05
Time: 12:00:00
                                                         * 1. Mapper-2 Parameters *
                                                         * 2. Mapper-3 Parameters *
              User: XXX
                                                          * 3. Editor Parameters
PATH RECORD ADDED
Enter PF1=Help PF3=Exit PF4=Dir
                                                          PF5=Transfer PF6=Shell
                  PF8=Map2 PF9=Add PF10=Updt PF11=Del
```

Type 2 in the Transfer to field and press PF5=Transfer to display the Inbound Mapper-3 Path Maintenance screen (EDIM837).

Fill in the required information as follows:

Field	Type this:
Path ID	(302M)
Standard Type	F
DBK Level	1

**Note:** All other fields will remain blank.

Press **PF10=Updt** to update the data.

Verify that the screen appears as follows:

```
EDIM837
                     INBOUND MAPPER-3 PATH MAINTENANCE
                                                         XXX 12/01/2005
                                                               12:00:00
Path ID..... 302M STRUCTURE INBOUND TEST
Structure:
     Standard Type.....: F (F=Fixed/V=Variable)
     DBK Level..... 1 (0=No/1=Full/2=Dir)
Viewpoint:
     User Tracking....: N
                            (Y/N)
     Exception Tracking.: N
                            (Y/N)
     Tracking Management: N (Y/N)
                                               Last Update Date: 12/01/05
                                                          Time: 12:00:00
                                                          User: XXX
PATH RECORD UPDATED
Enter PF1=Help
                       PF3=Exit PF4=Dir
                                                           PF6=Shell
     PF7=Map2 PF8=Map1
                            PF10=Updt
```

		SYSTEM MAINTENANCE	XXX	12/01/2005 12:00:00
		r of your selection below and key to Exit.	press ENTH	ER, or
	2. 3. 4. 5. 6. 7. 8. 9.	System Options Immediate Directory Immediate Options Queue Directory Queue Options Schedule Directory Schedule Options Path Options Directory Path Options Maintenance Online Copy Maintenance Databank Parameter Maintenan		
Enter PF1=Help	Pl	F3=Exit	PF15=	=Logoff

# Adding Immediate Options and Path Options for Inbound Splitter Test

**Step 8** Add the Immediate Options and Path Options for Option 301.

Typically performed by: System Installer

Check the box next to each task as you complete it.

From the System Maintenance Menu, type 3 to select Immediate Options. The Immediate Options screen displays.

```
EDIM811 8.1.3____
                                                     XXX 12/01/2005
                          IMMEDIATE OPTIONS
                                                          12:00:00
Immediate Number.....: 200 GENTRAN:REALTIME_(OUTBOUND_IVP_TEST)_
                           X12_TEST_DATA____
Path Option ID..... 200
Active Path.....: E E = Enabled D = Disabled Max Threads.....: 1 Numeric Range 1 - 9
Big Intchg Cutoff.....: ____ Numeric Range 1000 - 9999
Error User Exit Program.: ___
Error User Exit Data...:
                                           Last Update Date: 00/00/00
                                                     Time: 00:00:00
                                                      User: SCI
Enter PF1=Help PF3=Exit PF4=Dir
                                                       PF6=Path Opt
     PF7=Bwd PF8=Fwd PF9=Add PF10=Updt PF11=Del
```

Fill in the required information as follows:

Field	Type this:
Immediate Number	301
(Description)	Structure Inbound Fixed Var Splitter
Immediate Status	Е
Immediate Trace	D
Path Options ID	301
Active Path	Е
Max Threads	1

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

EDIM811 8.1.3	IMMEDIATE OPTIONS	XXX 12/01/200 12:00:0
Immediate Number 301	STRUCTURE_INBOUND_FIXED_VAR_S	SPLITTER
Immediate Status: E Immediate Trace D		
Path Option ID 301 Active Path E Max Threads		
Error User Exit Program.:Error User Exit Data:		te Date: 12/01/0 Time: 12:00:0
IMMEDIATE RECORD ADDED Enter PF1=Help PF3=Ex PF7=Bwd PF8=Fwd PF9=Add		User: XXX PF6=Path Opt

Press **PF6=Path Opt** to exit to the General Shell Path Maintenance screen. The next few screens will be used to set up the Shell Path processing for the Immediate Option.

EDIM831 8.1.9 GENERAL SHELL	PATH MAINTENANCE XXX 12/	01/200 2:00:0
Path ID 301S		
Process Indicator: _ (I=Inbound	/O=Outbound)	
Step (M=Mapr/E=	Editr/B=Both/X=eXtd/A=Appl)	
Current Steps		
Destination of Translated data:	***********	****
User Pgm:	* Transfer to: _	*
TSQ Name	*	*
Queue File Nbr:	*	*
<del></del>	*	*
Error Handling:	*	*
Exception Pgm:	*	*
Reporting:	*	*
Description:	*	*
Suppress Rpts:	*	*
Storage Performance:	*	*
MAP Store Sw:	************	****
Last Update Date: Time	: User:	
NO PATH RECORD FOUND		
Enter PF1=Help PF3=Exit P	F4=Dir PF5=Transfer	
PF9=Add PF10	=Updt PF11=Del	

Fill in the required information as follows:

Field	Type this:
Path ID	(301S)
(Description)	Structure Inbound Splitter Test
Process Indicator	I
Step	X
Destination User Pgm	<b>PIMRTOUT</b> Where <b>PIM</b> represents the three position program image as indicated in your Pre-installation Worksheet.
Reporting Description	STR SPLITTER

**Note:** All other fields will remain blank.

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

```
EDIM831 8.1.9
                                                   XXX 12/01/2005
               GENERAL SHELL PATH MAINTENANCE
                                                        12:00:00
Path ID..... 301S STRUCTURE_INBOUND_SPLITTER_TEST_
Process Indicator...: I (I=Inbound/O=Outbound)
Step..... X (M=Mapr/E=Editr/B=Both/X=eXtd/A=Appl)
Current Steps...
 User Pgm....: EDIRTOUT
TSQ Name....:
Queue File Nbr..:
Destination of Translated data:
                                   * Transfer to: *
                                   * 1. Additional Shell Parms *
                                    * 2. Translation Steps *
                                     * 3. Mapper Parameters
                                    * 4. Editor Parameters
Error Handling:
 Exception Pgm...:
                                    * 5. CONNECT Parameters *
Reporting:
                                     * 6. Inbound Appl Extract *
 Description....: STR_SPLITTER___ * 7. Acknowledgements
                                     * 8. Structure Steps
  Suppress Rpts....:
Storage Performance:
  MAP Store Sw....: _
PATH RECORD ADDED
                    PF3=Exit PF4=Dir PF5=Transfer
Enter PF1=Help
                   PF9=Add PF10=Updt PF11=Del
```

Type 8 in the Transfer to field and press PF5=Transfer to display the Additional Shell Steps Maintenance screen (EDIM84F).

EDIM84F	ADDITIONAL SHELL STEPS MA		01/200 2:00:0
Path ID:	301S STRUCTURE INBOUND	SPLITTER TEST	
Inbound Flow			
Utilities:	(1=Yes/0=No	)	
Inbound CONNECT	API	************	*****
Inbound Applicat	ion Extract:	* Transfer to:	*
	_	* 1. Translation Steps	*
		* 2. Mapper Parameters	*
Structure:		* 3. Editor Parameters	*
Fixed/Variable S	Splitter	* 4. CONNECT Parameter	`s *
Format Specific	Compliance Chkr:	* 5. Inbound Appl Extr	act *
NCPDP Reformat.		* 6. Structure Pre-Pro	C *
Pre-Processor		* 7. Structure Splitte	er *
Advantage:		*	*
	ssor .on(824w997):	***********	*****
-	on(997 only):	Last Update Date: 1	2/01/0
-	essor	Time: 1	
	_	User: X	XXX
Enter PF1=Help	PF3=Exit PF4=Dir PF10=Updt	PF5=Transfer PF6=Sh	ell

Fill in the required information as follows:

Field	Type this:
Path ID	(301S)
Fixed / Variable Splitter	1

**Note:** All other fields will remain blank.

Press **PF10=Updt** to update the data.

Verify that the screen appears as follows:

	DDITIONAL SHELL STEPS MAI	INTENANCE XXX 12/01/ 12:0	
Path ID:	301S STRUCTURE INBOUND	SPLITTER TEST	
Inbound Flow			
Utilities:	(1=Yes/0=No)	)	
Inbound CONNECT A	API:	*******	***
	ion Extract:	* Transfer to:	*
	_	* 1. Translation Steps	*
		* 2. Mapper Parameters	*
Structure:		* 3. Editor Parameters	*
Fixed/Variable Sm	olitter 1	* 4. CONNECT Parameters	*
-	Compliance Chkr:	* 5. Inbound Appl Extract	*
_		* 6. Structure Pre-Proc	*
		* 7. Structure Splitter	*
Advantage:	_	*	*
-	sor:	************	***
	on(824w997):		
-	on(997 only):	Last Update Date: 12/0	1/05
<del>-</del>	ssor	Time: 12:0	
50005 1050 11000	_	User: XXX	••••
PATH RECORD UPDATED		OSCI. MAM	
Enter PF1=Help	PF3=Exit PF4=Dir	PF5=Transfer PF6=Shell	
nicor iri-norp	PF10=Updt	110-11ansier iro-sheir	

Type 7 in the Transfer to field and press PF5=Transfer to display the Fixed/ Variable Splitter Path Maintenance screen (EDIM841). This screen will be used to set up processing parameters for the Fixed/Variable Splitter program (EDIR094).

EDIM841	FIXED/VARIABLE	SPLITTER	PATH	MAINTE	NAN	CE X	XX 1:	2/01/200 12:00:0
Path ID	3	01F						
Compord Dest		Imme	diate	Option	or	Queue	File	Number
EDI Variable Dest		Imme	diate	Option	or	Queue	File	Number
Fixed Gencod Dest		Imme	diate	Option	or	Queue	File	Number
Fixed GM Dest		Imme	diate	Option	or	Queue	File	Number
Other Fixed Dest		Imme	diate	Option	or	Queue	File	Number
Report Print Sw		0 =	No, 1	= Print	5			
Last Update Date	:							
Time	:							
User	:							
NO PATH RECORD FOUN	ID							
Enter PF1=Help	PF3=Exit	PF4=Dir					PF6=	Shell
-	PF9=Add PF	110-IInd+ D	r11−n	~ l				

Fill in the required information as follows:

Field	Type this:
Path ID	301F
(Description)	Structure Inbound Splitter
Compord Dest	000
EDI Variable Dest	000
Fixed Gencod Dest	000
Fixed GM Dest	000
Other Fixed Dest	302
Report Print SW	0

Press **PF9=Add** to add the data.

Verify that the screen appears as follows:

EDIM841	FIXED/VARIAB	LE SPL	ITTER PATH	MAINTEN	IAN	CE PI	RW 1	2/01/200 12:00:0
Path ID	:	301F	STRUCTURE_	_INBOUNI	_S1	PLITTE	R	
EDI Variable   Fixed Gencod   Fixed GM Dest Other Fixed De	Dest	000 000 000 000 302 0	Immediate Immediate Immediate Immediate Immediate O = No, 1	Option Option Option Option	or or or	Queue Queue Queue	File File File	Number Number Number
T	ate: ime: ser:	12:00:						
PATH RECORD A	p PF3=Ex		=Dir pdt PF11=De	el			PF6=	Shell

_	Piess	rrj-	EXIL	to exit	me system.	

Time:	
	Time:

#### **Inbound Process**

Perform the installation verification steps in this section to ensure that the inbound process was installed properly.

**Step 9** Execute the inbound process.

Initiating the CICS transactions in this step executes a complete flow of the following programs:

- Inbound Fixed/Variable Split (EDIR094)
- Inbound Pre-Processor (EDIR083)
- Inbound Mapper (EDIR041)

The programs listed above use the test data, partner profiles and maps provided on the installation tape.

Typically performed by: System Installer

Check the box next to each task as you complete it.

From a clear CICS screen, type the following to execute EDIR094: **SIM**TI 301F

Where **SIM** represents the three-character system image as indicated on your Pre-installation Worksheet.

Note: Upon completion of this task, CICS starts another task using Immediate Option 302. This task occurs because you designated option 302 in the Other Fixed Destination field on the Fixed/Variable Format Splitter Path Maintenance screen in "Adding Test Options" on page 4-19.

☐ Verify that return codes are zeroes.

On the Report Selection screen (EDIM310), select the report that has a Process Name of **SPLITR** and a Description of **STR SPLITTER**, and press **PF5=Action**.

# Compare your report with the following sample reports.

EDIM311	GENTRAN:Realtime	EDI REPORT	DISPLAY	XXX	12/01/2005 12:00:00
	5 Process Name: SPLITR	Line Increm	ment:	Job Name	e:
	N 12/01/2005 TIME COMPILED ON 12/01/05				FIXED/VARIA+
VARIABLE FORMA GENCOD FIXED FO GM FIXED FORMA	FORMAT  I EDI  DRMAT  I  RMAT	000 000	FION		
RTE PROCESSES OTHFIX IMMEDIA	TE OPTION STARTED	12/01/2	2005 AT 12:	00 PM.	
_	PF2=Sum PF3=Exit PF8=Fwd PF10=1				

EDIM311	GENTRAN: Realtime	EDI REPORT	DISPLAY	XXX 12/01/2 12:00	
Task ID: 0000515 Prod	ess Name: SPLITR				
Search.:		Line Incre	ment: Jo	ob Name:	
PROCESSING BEGAN ON		12/01/	2005 AT 12:00	PM.	
INPUT RECORDS READ			17		
COMPORD RECORDS WRIT	TEN		0		
EDI VARIABLE RECORDS	WRITTEN		0		
GENCOD RECORDS WRITT	'EN		0		
GM DATA RECORDS WRIT	TEN		0		
OTHER FIXED DATA REC	CORDS WRITTEN		17		
PROCESSING ENDED NOT	MALLY ON	12/01/	2005 AT 12:00	PM.	
PROGRAM RETURN CODE-			0		
END OF ONLINE REPORTS Enter PF1=Help PF2=Su			PF5=Print		

- ☐ Verify that return codes are zeroes.
- On the Report Selection screen (EDIM310), select the report that has a Process Name of **PREPRO** and a Description of Pre-Processor, and press **PF5=Action**.

Compare your reports with the following sample reports.

#### **Pre-Processor Report Part 1**

```
EDIM311
         GENTRAN: Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                       12:00:00
Task ID: 0000546 Process Name: PREPRO
             Line Increment: ____ Job Name: _
         RUN 12/01/2005 TIME 12:00 GENTRAN:STRUCTURE DATA PRE-PRO+
EDIR083
PROGRAM EDIR083 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
ERROR **RECORD**
NUMBR
      NBR ID
                        INFORMATION
                                              ERROR MESSAGE
NO ERRORS OCCURRED DURING PROCESSING
PROCESSING ENDED NORMALLY - PROCESSING COUNTS BELOW
                       INPUT RECORDS READ----- 17
                        INPUT RECORDS SUSPENDED-----
                                                       0
                        OUTPUT RECORDS WRITTEN-----
                                                       22
                        PROGRAM RETURN CODE----
                                                       Ω
EDIR083 RUN 12/01/2005 TIME 12:00 PROCESSING OPTIONS - GENTRAN:S+
INPUT FILE ORGANIZATION IS-----FIXED
INPUT FILE RECORD LENGTH IS-----00080
Enter PF1=Help PF2=Sum PF3=Exit PF5=Print
                                                   PF6=NxtEr
    PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
```

# **Pre-Processor Report Part 2**

```
EDIM311 ____ GENTRAN:Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                        12:00:00
Task ID: 0000546 Process Name: PREPRO
                          Line Increment: ____
INPUT FILE RECORD LENGTH IS-----00080
TRADING PROFILE MODE IS-----PARTNER QUALIFIER
 DATABANKING LEVEL IS-----DATABANK FULL
ENVELOPE LEVEL IS-----INTERCHANGE
DATA SEPARATION IS-----NOT DEFINED
APPLICATION USER REFERENCE PARM-----IRN 00078030000123
EDIR083 RUN 12/01/2005 TIME 12:00 SUMMARY REPORT - GENTRAN:STRUC+
PROCESSING BEGAN ON 12/01/05 AT 12:00 PM.
INPUT RECORDS READ-----
                                               17
INTERCHANGE ENVELOPES READ-----
                                                1
GROUP ENVELOPES READ-----
                                                Ω
TRANSACTION ENVELOPES READ-----
                                                1
MAP RECORDS WRITTEN-----
OUTPUT RECORDS WRITTEN-----
Enter PF1=Help PF2=Sum PF3=Exit PF5=Print PF6=Nx PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
                                                     PF6=NxtEr
```

**Note:** If you are processing in Relationship mode, the system displays the value **Relationship** in the Trading Profile Mode field of the report.

# **Pre-Processor Report Part 3**

```
GENTRAN:Realtime EDI REPORT DISPLAY XXX 12/01/2005
EDIM311
                                                                 12:00:00
 Task ID: 0000546 Process Name: PREPRO
 Search.:
                             ___ Line Increment: ____ Job Name: ___
  OUTPUT RECORDS WRITTEN-----
                                                         2.2
  DATABANK RUN NUMBER------
DIRECTORY RECORDS WRITTEN------
                                                 800000000
                                                         1
  MESSAGE STORE RECORDS WRITTEN-----
                                                         17
  RECORDS SUSPENDED-----
  PROCESSING ENDED ON 12/01/05 AT 12:00 PM.
 END OF ONLINE REPORTS
 Enter PF1=Help PF2=Sum PF3=Exit PF5=Print PF6=Nx PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
                                                             PF6=NxtEr
```

On the Report Selection screen (EDIM310), select the report that has a Process Name of **EDI41E** and a Description of Pre-Processor, and press **PF5=Action**.


# **Mapper Report Part 1**

```
GENTRAN: Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                                    12:00:00
Task ID: 0000546 Process Name: EDI41E
Search.: ___
          Line Increment: ___ Job Name: ____
RUN 12/01/2005 TIME 12:00 ERRORS ENCOUNTERED MAPPING I+
EDIR041
PROGRAM EDIRO41 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
ERROR **RECORD** FIELD SEG ELE

NUMBR NBR ID SEQ # ID SEQ INFORMATION ERROR MESSAGE
 **** APPLICATION DEFINITION - INVFILEF - LOADED *****
 ***** TRANSACTION DEFINITION - JASSIN - LOADED *****
                                               QUAL: CONTROL NO: 0000+
QUAL: CONTROL NO:
CONTROL NO: 0000+
INTERCHANGE: LAWNVEND
 GROUP : LAWNVEND
TRANSACTION: 0926
                                             TTR SEGMENT RECEIVED NOT+
  687
              20
                                                       SEGMENT RECEIVED NOT+
PROCESSING ENDED WITH ERRORS - PROCESSING COUNTS BELOW
                   EDI RECORDS READ-----22
Enter PF1=Help PF2=Sum PF3=Exit
                                                PF5=Print PF6=NxtEr
     PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
```

**Note:** If you are processing in Relationship mode, your report will look a slightly different than the one displayed here. Specifically, the value in the Interchange field will be "YOUR COMPANY" and the value in the Group field will be "YOUR COMPANY."

#### Mapper Report Part 2



On the Report Selection screen (EDIM310), select the report that has a Process Name of **EDI41s** and a Description of Pre-Processor, and press **PF5=Action**.

#### Report 3 Part 1

```
GENTRAN:Realtime EDI REPORT DISPLAY XXX
                                                            12/01/2005
EDIM311
                                                               12:00:00
Task ID: 0002330 Process Name: EDI41S
Search.: __
                                                    Job Name:
          Line Increment: ___ Job Name: ____

RUN 12/01/2005 TIME 12:00 PROCESSING OPTIONS FOR MAPPI+
                                 Line Increment:
PROGRAM EDIRO41 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDID452 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDIR043 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDIR044 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
APPLICATION TO PROCESS-----INVFILEF
USER EXIT VERSION SUPPORTED-----1
APPLICATION DECIMAL INDICATOR IS-----.
RIGHT JUSTIFY ALL APPLICATION REALS----N
HANDLE FLOATING NOTES WITHIN A SECTION--N
 DATABANK PROCESSING CONFIGURATION-----DIRECTORY AND MESSAGE STORE
DATABANK PROCESSING LEVEL-----DIRECTORY AND MESSAGE STORE
DATABANK RUN NUMBER-----00000011
 DIRECTORY POSTING OPTION------POST SENDER ONLY
Enter PF1=Help PF2=Sum PF3=Exit PF5=Print
                                                         PF6=NxtEr
     PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
```

# Report 3 Part 2

```
EDIM311 _____ GENTRAN:Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                       12:00:00
Task ID: 0002330 Process Name: EDI41S
                             Line Increment:
                                                _ Job Name: _
DIRECTORY POSTING OPTION------POST SENDER ONLY
PARTNER PROFILE MODE-----PARTNER/QUALIFIER MODE
PRINT PARTNER NAME -----N
WRITE APPLICATION RECORDS----Y
REALTIME PROCESSING OPTION-----302
REALTIME PROCESSING PATH-----302
REALTIME PRINT REPORT SWITCH----NO
BUSINESS DOCUMENT TRACKING----N
SUPPORT SINGLE QUOTE ----N
VERIFY PARTNER SPECIFIC MAP VERSION----N
GENTRAN:STRUCTURE----ENABLED
EDIR041 RUN 12/01/2005 TIME 12:00 SUMMARY CONTROL COUNTS MAPPI+
PROCESSING BEGAN ON 12/01/2005 AT 12:00 PM.
INTERCHANGES READ -----
                                                 1
Enter PF1=Help PF2=Sum PF3=Exit PF5=Print PF6=Nx PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
                                                    PF6=NxtEr
```

Note: If you are processing in Relationship mode, the value in the Directory Posting Option field is Post User/
Partner and the Partner Profile Mode field is
Relationship Mode.

#### Report 3 Part 3

EDIM311	GENTRAN: Realtime	EDI R	EPORT	DISPL	AY	XXX	12/01/200
Task ID: 0002330	Process Name: EDI41S						
Search.:		Line	Increm	ent:		Job Name:	
INTERCHANGES REAL	)					1	
GROUPS READ						0	
TRANSACTIONS REAL	)					1	
SEGMENTS READ					1	5	
CHARACTERS READ					3,61	5	
DOCUMENTS STORED	ON DATA BANK					1	
RECORDS STORED OF	N DATA BANK				1	4	
APPLICATION DOCUM	MENTS WRITTEN					1	
APPLICATION RECOR	RDS WRITTEN				1	4	
APPLICATION CHARA	ACTERS WRITTEN				1,12	0	
DOCUMENTS SUSPENI	DED					0	
RECORDS SUSPENDE	)					0	
CHARACTERS SUSPE	NDED					0	
NUMBER OF APPLICA	ATIONS PROCESSED					1	
Enter PF1=Help PF2	2=Sum PF3=Exit			PF5=	Print	PF6	=NxtEr
PF7=Bwd PF8	B=Fwd PF10=	Left P	F11=Rg	t PF1	2=Top	PF13=E	Bot

# Report 3 Part 4

EDIM311	GENTRAN:Realtime EDI	I REPORT DISPLAY	XXX	12/01/200
Task ID: 0002330 P:	cocess Name: EDI41S			
	Lir	ne Increment:	Job Name	:
	TIONS PROCESSED		1	
	INITIONS PROCESSED		1	
	PARTNERS PROCESSED	DM	1	
**** END OF SUMMAR	ON 12/01/2005 AT 12:00	PM.		
END OF SUMMAR	L REFURI """			
END OF ONLINE REPOR	RTS			
Enter PF1=Help PF2=	Sum PF3=Exit	PF5=Pr	int PE	6=NxtEr
PF7=Bwd PF8=	=Fwd PF10=Left	: PF11=Rgt PF12=	Top PF13=	Bot

Completed by:		
_		
Date:	Time:	

# **Outbound Process**

Perform the installation verification step in this section to ensure that the outbound process was installed properly.

# **Step 10** Execute the outbound process.

Initiating the CICS transaction in this step executes a complete flow of the Outbound Mapper program (EDIR042), which uses the test data, partner profiles and maps provided on the installation tape.

Typically performed by: Application Programmer

Check the box next to each task as you complete it.

From a clear CICS screen, type the following to execute EDIR042:

SIMTO 300F

Where **SIM** represents the three-character system image as indicated on your Pre-installation Worksheet.

- Verify that return codes are zeroes.
- On the Report Selection screen (EDIM310), select the report that has a Process Name of EDI42E and a Description of Fixed-Env Gen, and press PF5=Action.

Compare your report with sample report that follows.

```
EDIM311 ___
              GENTRAN:Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                                    12:00:00
Task ID: 0002392 Process Name: EDI42E
                                                       _ Job Name:
Search.: ___
EDIR042
           Line Increment: ___ Job Name: ____ Num 12/01/2005 TIME 12:00 ERRORS ENCOUNTERED MAPPING O
ERROR **RECORD** FIELD SEG ELE
NUMBR NBR ID SEQ # ID SEQ INFORMATION ERROR MESSAGE
 **** APPLICATION DEFINITION - POFILEF - LOADED ****
***** TRANSACTION DEFINITION - JASSPO - LOADED *****
NO ERRORS OCCURRED DURING PROCESSING
PROCESSING ENDED NORMALLY - PROCESSING COUNTS BELOW
                              APPLICATION RECORDS READ -----
                                                                   2.0
                              APPLICATION RECORDS SUSPENDED -
                              TOTAL RECORDS WRITTEN -----
                                                                   0
                              FIXED DATA SEGMENTS WRITTEN ---
                                                                   16
                              RETURN CODE FOR MAPPING -----
                                                                    0
END OF ONLINE REPORTS
                       PF3=Exit
Enter PF1=Help PF2=Sum
                                                PF5=Print
                                                                PF6=NxtEr
     PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
```

On the Report Selection screen (EDIM310), select the report that has a Process Name of EDI42s and a Description of Fixed-Env Gen, and press PF5=Action.

#### Mapper Summary Report Part 1

```
GENTRAN: Realtime EDI REPORT DISPLAY XXX
EDIM311
                                                           12/01/2005
                                                             12:00:00
Task ID: 0002392 Process Name: EDI42S
Search.: _____ Line Increment: ___ Job Name: ____
EDIR042 RUN 12/01/2005 TIME 12:00 PROCESSING OPTIONS FOR MAPPI+
PROGRAM EDIR042 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDID562 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDIR043 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
PROGRAM EDIR045 COMPILED ON 12/01/05 AT 12.00.00 VERSION 6.4
APPLICATION TO PROCESS-----POFILEF
USER EXIT VERSION SUPPORTED-----1
APPLICATION DECIMAL INDICATOR IS-----.
DATABANK PROCESSING CONFIGURATION------DIRECTORY AND MESSAGE STORE
DATABANK PROCESSING LEVEL-----NO DATABANK
 DATABANK RUN NUMBER-----00000000
PARTNER PROFILE MODE------PARTNER/OUALIFIER MODE
PARTNER PROCESSING SEQUENCE-----SEARCH PARTNER FILE
DIRECTORY POSTING OPTION-----POST RECEIVER ONLY
Enter PF1=Help PF2=Sum PF3=Exit
                                           PF5=Print
                                                         PF6=NxtEr
     PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
```

Note: If you are processing in Relationship mode, the value in the Partner Profile Mode field is Relationship Mode and Directory Posting Option field is Post User/Partner.

#### **Mapper Summary Report Part 2**

```
EDIM311 GENTRAN:Realtime EDI REPORT DISPLAY XXX 12/01/2005
                                                            12:00:00
Task ID: 0002392 Process Name: EDI42S
                                                   Job Name: __
Search.:
                            Line Increment:
DIRECTORY POSTING OPTION------POST RECEIVER ONLY
USE MULTIPLE ENVELOPE ID -----N
USE INTERCHANGE PARTNER WITH VERSION----N
USE GROUP PARTNER WITH VERSION----N
USE TRANSACTION PARTNER WITH VERSION----N
ENVELOPE GENERATION OPTION------MAPPER GENERATES ENVELOPES
GENTRAN:STRUCTURE-----ENABLED
  OUTPUT SEGMENT TYPE ----F
  OUTPUT SEGMENT LENGTH -----00080
  STRUCTURE DATABANKING LEVEL-----FULL
  STRUCTURE DATABANK RUN NUMBER-----00000008
EDIR042 RUN 12/01/2005 TIME 12:00 PROCESSING OPTIONS FOR ENVEL+
NO ENVELOPE PARAMETERS SPECIFIED -----
DATABANK RUN NUMBER-----00000000
Enter PF1=Help PF2=Sum PF3=Exit PF5=Print PF6=Nx PF7=Bwd PF8=Fwd PF10=Left PF11=Rgt PF12=Top PF13=Bot
                                                       PF6=NxtEr
```

# **Mapper Summary Report Part 3**

EDIM311	GENTRAN:Realtime	e EDI REPORT	DISPLAY	XXX	12/01/200 12:00:0
Search.:  DATABANK RUN N GENTRAN:REALTI REALTIME PROCE REALTIME PROCE	2 Process Name: EDI428  UMBER ME PARAMETERS SSING OPTION SSING PATH REPORT SWITCH	Line Incre0000000ENABLED300	0	Job Na	me:
PROCESSING BEG	N 12/01/2005 TIME AN ON 12/01/2005 AT 12	2:00 PM.	SUMMARY C		COUNTS MAPPI
SEQUENTIAL INF	UT DOCUMENTS READ			1	
SEQUENTIAL INF	UT RECORDS READ			20	
SEQUENTIAL INF	UT CHARACTERS READ		5,0	00	
DOCUMENTS STOP	ED ON DATA BANK			0	
RECORDS STORE	ON DATA BANK			0	
DOCUMENTS REPR	OCESSED			0	
RECORDS REPROC	ESSED			0	
Enter PF1=Help PF7=Bwd	PF2=Sum PF3=Exit		PF5=Prin	t	PF6=NxtEr

# **Mapper Summary Report Part 4**

EDIM311 GENTRAN:Realtime	e EDI	REPORT	DISPL	AY	XXX	12/01/200
Task ID: 0002392 Process Name: EDI429	3					
Search.:	Line	e Incre	ment:	J	ob Name	:
RECORDS REPROCESSED				0		
CHARACTERS REPROCESSED				0		
DOCUMENTS SUSPENDED				0		
RECORDS SUSPENDED				0		
CHARACTERS SUSPENDED				0		
EDI DOCUMENTS GENERATED				0		
EDI PACKAGES GENERATED				0		
TOTAL RECORDS WRITTEN				0		
FIXED DATA DOCUMENTS GENERATED				1		
FIXED DATA SEGMENTS GENERATED				16		
FIXED DATA CHARACTERS GENERATED				2,372		
NUMBER OF APPLICATIONS PROCESSED				1		
NUMBER OF MAP DEFINITIONS PROCESSED				1		
NUMBER OF TRADING PARTNERS PROCESSED	)			1		
Enter PF1=Help PF2=Sum PF3=Exit			PF5=	Print	PF	6=NxtEr
PF7=Bwd PF8=Fwd PF10=	-Left	PF11=R	gt PF1	2=Top	PF13=	Bot

# **Mapper Summary Report Part 5**

Tack ID: 0002	302 Process	Name: EDI42S			12:00:
Search.: NUMBER OF TR	ADING PARTN	JERS PROCESSED 01/2005 AT 12:		Job Name	e:
	p PF2=Sum	PF3=Exit PF10=I			

This concludes the system verification procedure. At the conclusion of system verification, you may delete the immediate options 300, 301, and 302.

# Chapter

5

# Converting to Gentran:Structure

# **Overview**

If you are a new Gentran:Structure customer, skip this chapter because the conversion procedure does not pertain to your system.

This chapter contains the following topics related to converting your Release 6.0, 6.1, 6.2, or 6.3 version of Gentran:Structure to Release 6.4.

Topic	Page
Before You Begin	5-2
Converting to Gentran:Structure Release 6.4	5-3
Conversion Procedure for Current 6.0 Users	5-3
Conversion Procedure for Current 6.1 Users	5-4
Conversion Procedure for Current 6.2 Users	5-5
Conversion Procedure for Current 6.3 Users	5-6

# **Before You Begin**

If you are a new Gentran:Structure customer, the conversion procedure does not pertain to your system; skip this chapter.

This chapter explains the steps involved in converting from Release 6.0, 6.1, 6.2, and 6.3 to Gentran: Structure for zSeries Release 6.4.

**Note:** Gentran: Structure Releases 6.0, 6.1, 6.2, and 6.3 upgrade directly to Release 6.4.

You must complete the installation verification procedure in Chapter 4 of this guide before you perform the conversion steps in this chapter.

**Caution:** Be sure to back up all of your files and close the

files before beginning the conversion steps.

All JCL members that are referenced in this chapter are located in **GENTRAN.V6X4.STR.JCL** (you may have modified this data set name in "Performing Initial Procedures" in Chapter 3 of this guide.

# **Converting to Gentran: Structure Release 6.4**

Most of the work required to ready your system for the Gentran:Structure conversion was completed during the Gentran:Basic/Realtime for zSeries Release 6.4 installation. All of the EDI standards files (including fixed-format standards), the Partner file (including generic interchange and group records), mapping files, databank files, the Error Message file, and the CICS Load Library needed for Gentran:Structure have been created.

During your installation of Gentran: Structure, you unloaded all of the Gentran: Structure information required to complete the conversion from Release 6.0, 6.1, 6.2, or 6.3 to Release 6.4.

# **Conversion Procedure for Current 6.0 Users**

The following procedure converts Gentran:Structure Release 6.0 to Gentran:Structure for zSeries Release 6.4

	Date:	Time:
	Complete	ed by:
		fter the job successfully completes, enable <b>SIMUENV</b> in the Release 6.4 CICS environment.
	□ V	erify that the job completed with a return code of zero.
	☐ St	ubmit JCL member UPD60.
		Where <b>SIM</b> is the 3-character system image you indicated on your Pre-installation Worksheet.
	<b>□</b> C	lose and disable <b>SIMUENV</b> in the Release 6.4 CICS environment.
	□ C	ustomize JCL member <b>UPD60</b> .
	Check the	box next to each task as you complete it.
	Typically [	performed by: Application Programmer
Step 1	Gentran:S	he Gentran:Structure User Envelope Specification file from Release 6.0 to structure for zSeries Release 6.4. This step copies and renames the current User Specification file.
		If you are converting from Release 6.3, proceed to "Conversion Procedure for Current 6.3 Users" on page 5-6.
		If you are converting from Release 6.2, proceed to "Conversion Procedure for Current 6.2 Users" on page 5-5.
	Note:	If you are converting from Release 6.1, proceed to "Conversion Procedure for Current 6.1 Users" on page 5-4.
Rele	ease 6.4.	

# **Conversion Procedure for Current 6.1 Users**

The following procedure converts Gentran: Structure Release 6.1 to Gentran: Structure for zSeries Release 6.4.

**Note:** If you already converted from Release 6.0, you are done.

Proceed to the next chapter.

If you are converting from Release 6.2, proceed to "Conversion Procedure for Current 6.2 Users" on page 5-5.

If you are converting from Release 6.3, proceed to "Conversion Procedure for Current 6.3 Users" on page 5-6.

Convert the Gentran: Structure User Envelope Specification file from Release 6.1 to Step 2 Gentran: Structure for zSeries Release 6.4. This step copies and renames the current User Envelope Specification file.

Typically performed by: Application Programmer Check the box next to each task as you complete it. Customize JCL member UPD61. Close and disable **SIMUENV** in the Release 6.4 CICS environment. Where **SIM** is the 3-character system image you indicated on your Pre-installation Worksheet. Submit JCL member UPD61. Verify that the job completed with a return code of zero. After the job successfully completes, enable **SIMUENV** in the Release 6.4 CICS environment.

Completed by:

# **Conversion Procedure for Current 6.2 Users**

The following procedure converts Gentran: Structure Release 6.2 to Gentran: Structure for zSeries Release 6.4.

> **Note:** If you already converted from Release 6.0 or from Release 6.1, you are done. Proceed to the next chapter.

> > If you are converting from Release 6.3, proceed to "Conversion Procedure for Current 6.3 Users" on

page 5-6.

Step 3	Convert the Gentran: Structure User Envelope Specification file from Release 6.2 to
	Gentran:Structure for zSeries Release 6.4. This step copies and renames the current User
	Envelope Specification file.

Typically performed by: Application Programmer

Check the box next to each task as you complete it.

	Customize JCL member UPD62.
	Close and disable <b>SIMUENV</b> in the Release 6.4 CICS environment.
	Where <b>SIM</b> is the 3-character system image you indicated on your Pre-installation Worksheet.
	Submit JCL member UPD62.
	Verify that the job completed with a return code of zero.
	After the job successfully completes, enable <b>SIMUENV</b> in the Release 6.4 CICS environment.
Compl	eted by:

Time:

# **Conversion Procedure for Current 6.3 Users**

The following procedure converts Gentran:Structure Release 6.3 to Gentran:Structure for zSeries Release 6.4.

Note: If you already converted from Release 6.0, 6.1, or 6.2, you are done. Proceed to the next chapter.

Step 4 Convert the Gentran: Structure User Envelope Specification file from Release 6.3 to Gentran: Structure for zSeries Release 6.4. This step copies and renames the current User Envelope Specification file. Typically performed by: Application Programmer Check the box next to each task as you complete it. Customize JCL member UPD63. Close and disable **SIMUENV** in the Release 6.4 CICS environment. Where **SIM** is the 3-character system image you indicated on your Pre-installation Worksheet. Submit JCL member UPD63. Verify that the job completed with a return code of zero. After the job successfully completes, enable **SIMUENV** in the Release 6.4 CICS environment. Completed by:

The conversion procedure for Gentran:Structure is now complete. Gentran:Structure is available online.

Date: Time:

# Chapter

6

# Implementing Gentran:Structure

# **Overview**

This chapter explains the final steps to implement Gentran:Structure.

This chapter contains the following topics:

Topic	Page
Deleting the Files	6-2
Concurrent Processing	6-3

# **Deleting the Files**

Following successful installation of Gentran:Structure, the files that you uploaded to your mainframe and the files that you used to build the permanent Gentran:Structure files are no longer needed. The instructions in this topic explain how to delete those files to free the disk space that they occupy.

Gentran: Structure performance. If you do not want to

**Note:** Leaving the files on your mainframe will not hinder

delete the files, you may skip this section. Step 1 Customize JCL member **DELFILES**. *Typically performed by*: System Installer Check the box next to each task as you complete it. Add a job card. Change the data set names as required by your installation. Change only the first two index levels (GENTRAN. V6X4). Read the comments within the JCL and follow any additional instructions. Submit the job. Verify the job results. You should never receive a return code greater than 0. Completed by: \_\_\_\_\_

Date: Time:

# **Concurrent Processing**

If you have configured your Gentran:Basic system for concurrent processing, you will need to make additional changes to your Gentran:Structure system.

**Note:** Review Chapter 8, "Concurrent Processing," in the Gentran: Basic for zSeries Release 6.4 Installation Guide for additional information.

Step 2 Update batch JCL.

*Typically performed by*: System Installer

Check the box next to each task as you complete it.

EDID553 Application Databank Inquiry

EXCI "client" programs require External CICS Interface modules to execute properly. These modules are located in a PDS library that is supplied with CICS. Add a STEPLIB DD statement for the SDFEXCI load library to the JCL that is used to execute each of the following applications that have been enabled to perform concurrent processing. Check with your system administrator for the exact name of this PDS in your operating environment.

	1 3
	EDBI083 Inbound Pre-processor for Structure
he dis	se CICS now owns and updates the databank files, we recommend that you review position specified for each of the following DD statements to ensure that SHR is ed. A disposition of OLD prevents concurrent processing.
	EDIIAA and EDIOAA statements in JCL that execute the Application Databank Inquiry EDID553
	EDIIAA, EDIIAS, and EDIIEL statements in JCL that execute the Inbound Preprocessor for Structure EDBI083
ensure	ust also review the JCL streams that execute each of the following applications to that they are able to run concurrently. This primarily focuses on checking data set of non-shared sequential data sets to ensure that they are unique for each execution
	EDID553 Application Databank Inquiry
	EDBI083 Inbound Pre-processor for Structure
Comp	leted by:
Doto:	Time

You have now completed the Gentran: Structure installation process.

# **Appendix**

# A

# **Library Descriptions**

# **Job Control (JCL) Library**

## **New System Installation**

DEFSTRUC Defines Gentran:Structure files and updates Gentran:Basic files.

DEFSTRRL Defines Gentran:Structure files and updates Gentran:Basic files for

Relationship mode.

DEFSTRTE Defines Gentran: Realtime files for verification.

DELFILES Deletes installation files.

\$INDEX Contains descriptions of all JCL members.

PCSTRFX1 Allocates the Gentran:Structure Fix Upload file on the mainframe.

PCSTRFX2 Creates Gentran:Structure fix files.

PCSTRPD1 Allocate: Gentran:Structure product upload file.

PCSTRPD2 Unloads Gentran:Structure from product upload files.

#### Conversion to 6.4

CHANGES Reference listing JCL modifications made for Gentran:Structure 6.4

UPD60 Converts the Gentran: Structure 6.0 User Envelope file to release 6.4.

UPD61 Converts the Gentran: Structure 6.1 User Envelope file to release 6.4.

UPD62 Converts the Gentran: Structure 6.2 User Envelope file to release 6.4.

UPD63 Converts the Gentran: Structure 6.3 User Envelope file to release 6.4.

#### Online CICS Environment Definition

DEFRDO Defines CICS resources for Gentran:Structure.

STRNAME Renames the CICS load modules with the program image.

STRCICS Contains the CICS startup JCL DD statements for Gentran:Structure.

STRRDOF Contains the CICS resource definitions for files.

STRRDOPM Contains the CICS resource definitions for programs and mapsets.

## **Program Execution**

STRINB Executes the inbound fixed-format processing flow.

STROUT Executes the outbound fixed-format processing flow.

STROUTC Executes the outbound fixed-format processing flow for concurrency

processing.

EXECCOD Executes the GENCOD Compliance Checker/Enveloper program.

EXECORD Executes the COMPORD Compliance Checker/Enveloper program.

EXECWRAP Executes the DATAWRAP program.

EXEC083 Executes the Inbound Pre-Processor program.

EXEC094 Executes the Inbound Fixed/Variable Format Split program.

EXEC553 Executes the Application Databank Inquiry program - Gentran:Basic

Databanks.

EXEC553R Executes the Application Databank Inquiry program - Gentran:Realtime

Databanks.

EXECPDPI Executes NCPDP51I, the Inbound File Reformatter program.

EXECPDPO Executes NCPDP51O, the Outbound File Reformatter program.

# **Batch Load Library**

#### **Translation Processing Programs**

COMPORD Compliance Checker/Enveloper for the COMPORD fixed-format

standard

DATAWRAP Wraps outbound EDI data

EBDI056B Generates control segments for fixed-format standards

EBDI056D Generates control segments for fixed-format standards – concurrency

EBDI083 Pre-processor for Inbound data

EBDI094 Inbound Fixed/Variable Format Split program

EDID512 Gentran:Structure outbound databank I/O program

EDID512C Gentran: Structure outbound databank I/O program – concurrency

EDID602 Gentran: Structure inbound databank I/O program

EDID602C Gentran:Structure inbound databank I/O program – concurrency

GENCOD Compliance Checker/Enveloper for the GENCOD fixed-format standard

NCPDP51I Inbound fixed record reformatter for NCPDP 5.1

NCPDP51O Outbound fixed record formatter for NCPDP 5.1

**Report Programs** 

EDID553 Inquiry Report for application data

## **Online Load Library**

## **Partner Maintenance Programs**

EDIX011 Control Information Generic

EDIX034 Group Information GEN/Generic header

EDIX044 Transaction Information GEN/Generic header

#### **Standard Maintenance Programs**

EDIX190 User Envelope Specification

EDIX191 Version/Outbound Specification

#### **Databank Maintenance Programs**

EDIX192 User Envelope Record Display

EDIX272 Databank Document Directory

EDIX273 Online Document Status

EDIX274 Inbound/Outbound Document Display

EDIX275 Inbound/Outbound Document Status Display

EDIX276 Inbound/Outbound Document Record Display

EDIX277 Inbound/Outbound Document Field Display

## **Mapping Integration Programs**

EDIX516 Transaction Maintenance – Fixed Format (Gentran:Structure)

#### **Change Audit Programs**

EDIX184 Change Audit Status – Structure Standard

EDIX185 Change Audit Detail – Structure Standard

#### **Change Audit Screens**

EDIZ184 Change Audit Status – Structure Standard

EDIZ185 Change Audit Detail – Structure Standard

#### **Partner Maintenance Screens**

EDIZ011 Control Information Generic

EDIZ034 Group Information Generic

EDIZ044 Transaction Information Generic

#### **Standards Maintenance Screens**

EDIZ190 User Envelope Specification

EDIZ191 Version/Outbound Specification

#### **Databank Maintenance Screens**

EDIZ192 User Envelope Record Specification

EDIZ272 Databank Document Directory

EDIZ273 Online Document Status

EDIZ274 Inbound/Outbound Document Display

EDIZ275 Inbound/Outbound Document Status Display

EDIZ276 Inbound/Outbound Document Record Display

EDIZ277 Inbound/Outbound Document Field Display

## **Mapping Integration Screens**

EDIZ516 Transaction Maintenance Fixed Format (Gentran:Structure)

#### Gentran:Realtime

EDID562 Gentran:Structure Outbound Application Databank Interface Subroutine

EDID652 Gentran: Structure Inbound Application Databank Interface Subroutine

EDIRCMPD Gentran:Realtime COMPORD Compliance Checker and Enveloper

EDIRNCPI Gentran: Realtime Inbound NCPDP Reformat Program

EDIRNCPO Gentran: Realtime Outbound NCPDP Reformat Program

EDIR056B Gentran: Structure Mapper Subroutine

EDIR083 Gentran:Realtime Inbound Pre-Process

EDIR094 Gentran: Realtime Inbound Fixed/Variable Split Program

EDIR84G Gentran: Realtime NCPDP Outbound Parms Maintenance

EDIR840 Gentran: Realtime Fixed Format Pre-Processor Path Maintenance

EDIR841 Gentran: Realtime Fixed/Variable Format Splitter Path Maintenance

EDIS84G Gentran:Realtime NCPDP Outbound Parms Maintenance Screen

EDIS840 Gentran: Realtime Fixed Format Pre-Processor Path Maintenance Screen

EDIS841 Gentran: Realtime Fixed/Variable Format Splitter Path Maintenance

Screen

# Appendix

B

# System and Program Image Features

This chapter contains the following topics:

Торіс	Page
Alternative System Image and Program Image Feature	B-2
Replicating the System Image	B-3
Replicating the Program Image	B-4

# **Alternative System Image and Program Image Feature**

You may need to run multiple copies of Gentran simultaneously within a specific CICS region.

#### **Examples**

- You need separate environments because you have set up your organization with multiple divisions that use the same application but process different sets of files.
- You are installing a new version of Gentran and need to keep a production version of your application active to perform daily business transactions.

The system image and program image features enable you to keep your current Gentran online application active when situations such as these examples arise. This appendix provides guidelines for using these features.

# **Replicating the System Image**

Each copy, or image, of the application executes the same programs, but has a unique set of transaction identifiers and its own set of files to process. Each image is differentiated by the first three characters of the transaction ID used by a terminal operator for signing on to the application (for example, EDI or MKT).

When you use the System Image feature, you must first consider the *system image name*. The system image name is determined by the first three characters of the transaction ID that starts the Gentran:Basic/Realtime system (such as EDI).

Step 1	Set up your system image.				
	Typically performed by: System Installer				
	Check	Check the box next to each task as you complete it.			
		Refer to your Pre-installation Worksheet in Chapter 2 of this guide for your system image name.			
	No	Make your Gentran:Structure system image identical to your Gentran:Basic/Realtime system image.			
		Gentran:Basic/Realtime was installed using a transaction ID associated with the main program <b>EDIX000</b> . This ID becomes the first three characters of the file names used in the FCT and DD names for CICS JCL. This transaction name was specified in the System Configuration file.			
		Example If your system image is EDI, then SIM becomes EDI.			
		See Chapter 6 of the <i>Gentran:Basic for zSeries Release 6.4 Installation Guide</i> or Chapter 7 of the <i>Gentran:Realtime for zSeries Release 6.4 Installation Guide</i> for information about the System Configuration file.			
		Add resource definitions for the CICS files to be used with the system image.			
	No	We have built sample definitions for you to use. See "Establishing the Online Environment" in Chapter 3 of this guide.			
		Recycle the CICS region.			
	Completed by:				
	Date:	Time:			

# **Replicating the Program Image**

The Program Image feature, when used in conjunction with the System Image feature, enables different versions of the Gentran online software to co-exist within one CICS region. This feature is useful in environments with limited CICS resources in which multiple versions of the Gentran software are run.

D	ate:	Time:		
C	Completed by:			
	☐ Re	ecycle the CICS region.		
	Note:	We have built sample definitions for you to use. See "Establishing the Online Environment" in Chapter 3 of this guide for information.		
	<b>a</b> Ac	dd the new program and mapset definitions to be used with the program image.		
	Copy the renamed load modules into the Gentran:Structure load library that accessed by CICS.			
	Se	te member GENTRAN.V6X4.STR.JCL (STRNAME) for sample IEBCOPY JCL.		
	PI W	Example IMX000 There PIM is the program image name. Perform this procedure for all load odules in the library.		
		ename all Gentran:Structure load modules in the temporary load library. Change e first three characters of each module from <b>PIM</b> to the program image name.		
	$G\epsilon$	the Gentran: Basic for zSeries Release 6.4 Installation Guide or the entran: Realtime for zSeries Release 6.4 Installation Guide for information on liting the Configuration file.		
_		nage name in the type 0 record.		
_	_	rowse the Gentran:Basic/Realtime Configuration file for the correct program		
Γ	<b>]</b> Co	opy all Gentran:Structure CICS load modules into a temporary load library.		
	Note:	Although making the system image and program image identical is recommended, it is not mandatory.		
		inplement the System Image feature first ("Replicating the System Image" on age B-3).		
	Note:	Make your Gentran:Structure program image identical to your Gentran:Basic/Realtime program image.		
C	Check the box next to each task as you complete it.			
T	Typically performed by: System Installer			
Step 2 S	Set up your program image.			

# Appendix

C

# **Gentran:Structure Files**

# **Data Set Naming Conventions**

The following table describes data set naming conventions.

Data Set	Format	
Permanent VSAM files	GENTRAN.V6X4.VSAM.?????????  Where: ????? = subsystem-specific	
Initial loading sequential files	GENTRAN.V6X4.SEQ.?????????  Where: ?????? = subsystem-specific	
	Note: Most of these files can be deleted after installation and conversion are complete.	
Program output sequential files	GENTRAN.V6X4.PGMxxx.?????  Where:  xxx = program number  ????? = function-specific; describes the content	
Batch executable load modules	GENTRAN.V6X4.STR.BATCH.LOAD	
CICS executable load modules	GENTRAN.V6X4.STR.CICS.LOAD	

# **Production Data Set Names for Gentran: Structure Release 6.4**

# **Base System Files**

User Envelope file GENTRAN.V6X4.VSAM.STD.EDIUENV

**Gentran:Realtime Test Files** 

Application Data GENTRAN.V6X4.RTE.VSAM.FIXAPPL

EDI Data GENTRAN.V6X4.RTE.VSAM.FIXDAT

# Index

Symbols	CICS
	FCT and PPT tables 3-18 JCL 3-23
\$INDEX A-1	load library 3-23
	online environment, establishing 3-18
Numerics	online programs, copy and rename 3-22 region with multiple Gentran versions B-4
	run-time modules 3-4
687 mapping error 4-3	software environment requirements 3-4
	system log 3-25
•	tables 2-1 tables using RDO 3-18
A	translation server 3-4
	version 1.7 3-18
ACF2 2-3	COBOL 3-4
Additional Shell Steps Maintenance screen	COMPORD A-3
(EDIM84F) 4-35, 4-45	Configuration file 3-15
allocate target product file 3-7	Control Information - Screen 2 (EDIM011) 4-16
alternative program image B-2	Control Information screen (EDIM015) 4-15
alternative system image B-2	conversion 1-5
Application Databank 1-3 Application Databank facility 1-4	from release prior to 6.0 1-1
application definition 1-3	procedure 5-1 cumulative fixes 1-2
Application file 3-15	Cumulative fixes 1-2
ASC X12 1-3	
Assembler language 3-4	D
audit 1-3	
	data
В	control and monitoring 1-4
В	transfer mode, BINARY 3-8
1 . 1 1 . 117	data set names
batch load library A-3	high-level qualifiers 2-2 permanent files 3-9
batch processing 1-3	production C-2
batch reports 4-1	data sets
sample 4-2 BINARY data transfer mode 3-8	Gentran:Basic 2-2
BINART data transfer mode 5-6	loading the system 2-2
	naming conventions C-1
C	permanent 2-2
	data type
CEDA master transaction 3-18	alphanumeric 1-3
CHANGES A-1	date format 1-3
CITTIOLD II-I	EDI 'N' type 1-3

#### Index

EDI 'R' type 1-3	EDIS84G A-5
packed decimal 1-3	EDIX011 A-4
zoned decimal 1-3	EDIX034 A-4
databank	EDIX044 A-4
fixed-format standards 1-4	EDIX184 A-4
maintenance programs A-4	EDIX185 A-4
maintenance screens A-5	EDIX190 A-4
DATAWRAP A-3	EDIX190 A-4 EDIX191 A-4
DEFRDO 3-21, A-1	EDIX191 A-4 EDIX192 A-4
DEFSTRRL 3-15, A-1	
DEFSTRTE 3-17, A-1	EDIX272 A-4
DEFSTRUC 3-15, A-1	EDIX273 A-4
deleting installation files 6-2	EDIX274 A-4
DELFILES 6-2, A-1	EDIX275 A-4
delimited standards 1-3	EDIX276 A-4
DFHCSD 3-18	EDIX277 A-4
DFHCSDUP 3-18	EDIX516 A-4
DFHRPL list 3-23	EDIZ011 A-4
	EDIZ034 A-4
disk space	EDIZ044 A-4
requirements 3-3 temporary 3-3	EDIZ184 A-4
1 ,	EDIZ185 A-4
disk storage, temporary 3-3	EDIZ190 A-5
	EDIZ191 A-5
E	EDIZ192 A-5
	EDIZ272 A-5
EBDI056B A-3	EDIZ273 A-5
EBDI056B A-3 EBDI056D A-3	EDIZ273 A-5 EDIZ274 A-5
EBDI056D A-3 EBDI083 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR083 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR094 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR083 A-5 EDIR094 A-5 EDIR840 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2 EXECPDPO A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIR0652 A-5 EDIR084 A-5 EDIR084 A-5 EDIR084 A-5 EDIR0840 A-5 EDIR840 A-5 EDIR841 A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIR0652 A-5 EDIR084 A-5 EDIR084 A-5 EDIR084 A-5 EDIR840 A-5 EDIR840 A-5 EDIR84G A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2 EXECPDPO A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR083 A-5 EDIR094 A-5 EDIR840 A-5 EDIR840 A-5 EDIR84G A-5 EDIRCMPD A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2 EXECPDPO A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR083 A-5 EDIR094 A-5 EDIR840 A-5 EDIR840 A-5 EDIR84G A-5 EDIRNCPI A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2 EXECPDPO A-2
EBDI056D A-3 EBDI083 A-3 EBDI094 A-3 EDI requirements 2-1 EDID512 A-3 EDID512C A-3 EDID553 A-3 EDID562 A-5 EDID602 A-3 EDID602C A-3 EDID652 A-5 EDIPREL 4-3 EDIR042 4-55 EDIR056B A-5 EDIR083 A-5 EDIR094 A-5 EDIR840 A-5 EDIR840 A-5 EDIR84G A-5 EDIRCMPD A-5	EDIZ273 A-5 EDIZ274 A-5 EDIZ275 A-5 EDIZ276 A-5 EDIZ277 A-5 EDIZ516 A-5 element 1-3 data types 1-3 separator 1-3 enveloping 1-4 environment, multiple B-2 EXEC083 A-2 EXEC094 A-2 EXEC553 A-2 EXEC553R A-2 EXECCOD A-2 EXECORD A-2 EXECPDPI A-2 EXECPDPO A-2

#### F Н FCT 3-18 hardware requirements 3-3 fields, data types 1-3 Header Information screen (EDIM026) 4-13 file installation, deleting 6-2 Fixed Format Pre-Processor (EDIR083) 4-36 Fixed Format Pre-Processor Path Maintenance screen (EDIM840) 4-36 image, multiple B-3 Fixed/Variable Splitter Path Maintenance screen Immediate Option 302 4-48 (EDIM841) 4-46 immediate options 4-19, 4-31, 4-42 Fixed/Variable Splitter program (EDIR094) 4-46 deleting 4-58 fixed-format standards 1-1, 1-3 Immediate Options screen (EDIM811) 4-21 databanking 1-4 Inbound Fixed/Variable Split program processing 1-1 (EBDI094) 4-3 FTP capability 3-3 Inbound Fixed/Variable Split program (EDIR094) 4-48 Inbound Mapper (EBDI041) program 4-3 G Inbound Mapper (EDIR041) program 4-48 Inbound Mapper-1 Path Maintenance screen GENCOD A-3 (EDIM832) 4-38 General Shell Path Maintenance screen inbound mapping, condition code 4 (four) 4-3 (EDIM831) 4-22, 4-32 Inbound Pre-Processor (EBDI083) program 4-3 generic envelope 1-4 Inbound Pre-Processor (EDIR083) program 4-48 Gentran logon screen 4-9 inbound process Gentran Main Menu (EDIM001) 4-10 verification 4-3, 4-48 Gentran Software Product Support Center 1-2 Inbound Splitter, test 4-42 Gentran:Basic 1-2 information sharing 1-4 defining system files 3-15 installation verification for users 4-3 files, deleting 6-2 Gentran:Realtime 1-2 requirements 1-2, 2-1 defining system files 3-15 steps 3-1 enable files 3-25 verification 1-5, 4-1 programs and maps 3-22 inbound process 4-48 screens A-5 outbound process 4-7, 4-55 test files C-2 Interchange Directory screen (EDIM027) 4-14 verification 4-19 Gentran:Realtime Main Menu 4-20 Gentran:Structure advantages 1-3 defining the subsystem 3-14 JCL 2-1, A-1 different versions in one region B-4 comments within members 3-14 documentation 1-6 naming conventions 2-2 executive overview 1-3 JCL file files C-1 upload 3-6 build on mainframe 3-9 Job Control Library (JCL) A-1 library descriptions A-1 multiple image B-3

# L

Language Environment Run-time support 3-4 library descriptions A-1 load library, CICS 3-23 load modules

batch executable C-1
CICS executable C-1

# M

mapping 1-3
error 687 4-3
features 1-3
Mapping Integration facility 1-3
mapping integration programs A-4
mapping integration screens A-5
maps, sharing 1-3
mapsets 3-20

# N

NCPDP51I A-3 NCPDP51O A-3 non-delimited standards 1-3

# 0

online load library A-4
online screens 4-1
testing 4-9
operating system 3-3
Option 302 4-31
Outbound Mapper program (EBDI042) 4-7
Outbound Mapper program (EDIR042) 4-55
Outbound Mapper-1 Path Maintenance screen
(EDIM83D) 4-25
Outbound Mapper-2 Path Maintenance screen
(EDIM84I) 4-27
Outbound Mapper-4 Path Maintenance screen
(EDIM84J) 4-28
outbound process, verification 4-7

## P

Partner file 3-15 Partner Maintenance Menu 4-11 partner maintenance programs A-4 partner maintenance screens A-4 Partner Selection Menu 4-12 Path Options 4-19, 4-31, 4-42 PCSTRFX1 A-1 PCSTRFX2 A-1 PCSTRPD1 A-1 PCSTRPD1.TXT 3-5, 3-6 PCSTRPD2 3-12, A-1 PCSTRPD2.TXT 3-5, 3-6 PCSTRPRD 3-5, 3-8 PIMRTOUT 4-23, 4-33 PPT 3-18 Pre-Installation Worksheet 2-2 processing batch 1-3 control 1-3 fixed-format standards 1-1 real-time 1-3 product CD 3-2 uploading 3-5 product file, allocate 3-7 program image 2-2, B-2, B-4 alternative B-2 setup procedure B-4

# R

RACF 2-3 RDO 3-18 real-time processing 1-3 records, variable-length 1-3 region, with multiple Gentran versions B-4 Relationship processing mode 4-3 report programs A-3 Report Selection screen (EDIM310) 4-48, 4-51, 4-52, 4-55 reporting 1-4 requirements CICS software environment 3-4 software 3-3 requirements, installation 3-3 Resource Definition Online 3-18 resource definitions 3-18

S	STR.SEQ.REL.PARTREL 3-12
<u> </u>	STR.SEQ.STD.CODE1 3-11
caraona cample 4.2	STR.SEQ.STD.DICT 3-11
screens, sample 4-2	STR.SEQ.STD.EDIUENV 3-11
security system parameters 2-3 segment 1-3	STR.SEQ.STD.ELEDESC 3-11
terminator 1-3	STR.SEQ.STD.ELEMENT 3-11
segments	STR.SEQ.STD.SEGDESC 3-11
data characters 1-3	STR.SEQ.STD.SEGMENT 3-11
element data types 1-3	STR.SEQ.STD.TRANS 3-10
fixed-length 1-3	STR.SEQ.STD.VERSION 3-10
variable-length 1-3	STR.SEQ.TRANS.HEADER 3-10
sequential files	STR.SEQ.TRANS.SEGMENT 3-10
initial loading C-1	STRCICS A-1
program output C-1	STRINB 4-3, A-2
Shell Path-Translation Inbound Screen	STRNAME A-1
(EDIM844) 4-34	STROUT 4-7, A-2
Shell Path-Translation Outbound screen	STROUTC 4-7, A-2
(EDIM839) 4-24	STRRDOF 3-19, A-1
software requirements 3-3	STRRDOPM 3-20, A-1
standard maintenance programs A-4	SYS095 4-3
standards	System Definition file, add groups 3-21
ACSX12 1-3	system files
databanking fixed-format 1-4	defining Gentran:Basic 3-15
definitions 1-3	defining Gentran:Realtime 3-15
fixed-format 1-1	defining Gentran:Structure 3-14
non-delimited 1-3	system image 2-2, B-2
proprietary, defining 1-3	alternative B-2
variable 1-3	name B-3
Standards file 3-15	setup procedure B-3
Standards Maintenance facility 1-3	system requirements 3-3
Standards Maintenance Menu (EDIM100) 4-17	
standards maintenance screens A-5	<b>T</b>
Standards subsystem, verification 4-17	T
STR. SEQ.TRANS.ELEMENT 3-10	
STR.BATCH.LOAD 3-9	temporary storage space 3-3
STR.CICS.LOAD 3-9	track 1-3
STR.JCL 3-9	trading partner profiles 1-3
STR.MAPIN.TESTDATA 3-11	transaction definition 1-3
STR.MAPOUT.TESTDATA 3-11	Transaction file 3-15
STR.SEQ.APPL.FIELD 3-10	transaction ID, for system image B-3
STR.SEQ.APPL.HEADER 3-10	translation processing programs A-3
STR.SEQ.APPL.LINK 3-10	
STR.SEQ.APPL.RECORD 3-10	
STR.SEQ.CONTROL.INBOUND 3-9	U
STR.SEQ.CONTROL.OUTBOUND 3-9	•
STR.SEQ.EDI.EDICFG 3-11	UPD60 A-1
STR.SEQ.PARTNER 3-9	UPD61 A-1
STR.SEQ.REL.CNTL.INBOUND 3-12	UPD62 A-1
STR.SEQ.REL.CNTL.OUTBOUND 3-12	UPD63 A-1
STR.SEQ.REL.PARTNER 3-12	upgrade instructions 5-2

#### **Index**

```
User Envelope file C-2
User Envelope Specification file 3-15
User Envelope Specification screen (EDIM190)
4-17
user-defined envelope 1-4
```

# V

variable standards 1-3
verification
outbound process 4-7, 4-55
procedures 4-1
VSAM 2-1
permanent files C-1
space requirements 3-3
support 3-4