White Paper

IBM Sterling Gentran Server for iSeries
How to Use Jump Code to access Commands, Menu Options Quickly

Date revised: May 2016

Licensed Materials - Property of IBM IBM® Sterling Gentran:Server for iSeries® © Copyright IBM Corp. 1990, 2013. All Rights Reserved. US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

TABLE OF CONTENTS

Purpose - The Jump Code Feature is a quick access method for Navigating to online programs, menus, and commands.

You can use either the J command or the JUMP command with a quick name value.

Use the predefined quick names or the three-digit number representing an online program with the prefix 'EDIX'.

For example, if you wish to access the Work with Partners panel (EDIX005-FMT01), type one of the following commands on the command line and press the ENTER key.

J PAR J 005 JUMP PAR

JUMII I AK

| Jump Code | To get to | Jump Code | To get to |
|-----------|---|-----------|-------------------------------|
| M | Gentran Main Menu | ENV | Work with Environment Control |
| PAR | Work with Partners | AUD | Audit Menu |
| PG | Work with Partner Groups | SA | Search Audit Utility |
| PT | Work with Partner Transactions | AI | Work with Audit Interchange |
| PU | Work with Partner User Defined Records | AG | Work with Audit Group |
| PS | Work with Partner Split/Data Separation Records | AT | Work with Audit Transaction |

| PE | Work with Partner Error Rejection Records | MSG | Message Center Menu |
|-----|---|-----|--|
| APP | Work with Application Definition | MC | Work with Message Center |
| MAP | Work with Transaction Mapping | PRC | Processing Menu |
| MP | Mapping Menu | IN | Process Transaction Inbound |
| EM | Work with Extended Mapping | OUT | Process Transaction Outbound |
| TBL | Work with Tables | SPL | Split File Inquiry |
| SUB | Work with Sub-Split Definition | ADD | Add Data to the Comm Queues |
| COM | Communications Menu | EXT | Extract Data from the Comm Queues |
| CM | Work with Communications | SYS | System Administration |
| OQ | Work with Outbound Queue | GLB | Global Parameters |
| IQ | Work with Inbound Queue | SCH | Work with Job Scheduler |
| СН | Work with Comm History Log | SCE | Work with Scheduled Entries |
| CS | Work with Comm Scripts | MON | Work with EDI Monitor |
| CJ | Work with Communication Jobs | INS | Work with Network Command Interface |
| MQ | Work with MQ Links | ERR | Work with Batch Error Messages |
| LIN | Gentran Line Pools | CFG | System Configuration Menu |
| SSN | Start Communication Session | VPT | Gentran:Viewpoint Menu |
| MQR | Receive File from MQ Queue | VP | Work with Viewpoint Documents |
| MQS | Send File to MQ Queue | VPQ | Work with Viewpoint Queries |
| STD | Work with Standards | MS | Gentran Main Menu with Ext for SAP R/3 |
| ST | Standards Transactions | SAP | SAP Extension Menu |
| SS | Standards Segments | SIN | SAPIN command for SAP |
| SE | Standards Segment Elements | AN | Work with Automatic Notification |
| SD | Standards Data Dictionary Definition | EML | Work with Auto Notification E-mail |
| SC | Standards Codes | PAG | Work with Auto Notification Paging |
| SAC | Standards Activity | USR | Work with Auto Notification User Exit |
| | | | |