

IBM Sterling Connect:Direct for z/OS

Quick Reference

Version 5.1



This edition applies to the 5.1 Version of IBM® Sterling Connect:Direct® for z/OS® and to all subsequent releases and modifications until otherwise indicated in new editions.

Before using this information and the product it supports, read the information in *Notices* on page 31.

Licensed Materials - Property of IBM

IBM® Sterling Connect:Direct® for z/OS®

© Copyright IBM Corp. 1999, 2011. All Rights Reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule

Contract with IBM Corp.

Contents

Introduction	5
Notational Conventions	5
Sterling Connect:Direct Process Statements	6
Process Statement	6
Intrinsic Variables	7
COPY Statement	8
RUN JOB Statement	10
RUN TASK Statement	10
Run Task Utility Programs and Parameters	11
SUBMIT Statement	11
SYMBOL Statement	12
Modal Statements	12
Sterling Connect:Direct Commands	13
Modify Command	13
Network Map Commands	14
Process Commands	15
Signon, Signoff, Stop, and Swap Commands	17
Task Commands	17
Type Commands	18
User Commands	19
Inquire Commands	20
Statistics Commands	21
Submit Command	21
Network Map Parameters	23

Initialization Parameters	24
Status Codes	29
Sterling Connect:Direct Trace Types	30
Notices	31
Trademarks	33

Introduction

The *IBM Sterling Connect:Direct for z/OS Quick Reference* provides a condensed listing of the commands, statements, and parameters for IBM® Sterling Connect:Direct® for z/OS®.

The contents of this manual are extracted from the following sources:

- ◆ Sterling Connect:Direct Processes Web site
- ◆ *IBM Sterling Connect:Direct for z/OS User's Guide*
- ◆ *IBM Sterling Connect:Direct for z/OS Installation Guide*
- ◆ *IBM Sterling Connect:Direct for z/OS Administration Guide*

Consult these books for detailed descriptions of the commands, statements, and parameters.

Notational Conventions

Syntax or Symbol	Description
Bold letters	Boldface letters indicate required statements, labels, commands, or parameters.
Lowercase letters	Words in lowercase letters require substitution by the user.
UPPERCASE and lowercase letters	Uppercase letters in a statement, command, or parameter indicate an alternative to typing the entire command.
Underlined letters	Underlined letters indicate default values for parameters and subparameters.
	A vertical bar symbolizes “or.”
[]	Brackets indicate optional information.
,	Commas separate items within a list or set off the order of values specified as positional parameters. A comma must be used to indicate omission of a positional parameter.
=	Characters to the left of equal signs are keywords; characters to the right of equal signs are parameters.
()	Parentheses enclose lists and associate a group of values.
*	Asterisks indicate a generic specification of parameters. With generics, users can request information by specifying an asterisk (*) or a character string plus an asterisk (<i>nnn*</i>).
' '	Single quotation marks enclose special characters.
“ ”	Double quotation marks enclose symbolics within a quoted string.
\ \	Bracketing backslashes indicate special processing of a character string. They are used to continue a string containing special characters across multiple records or to ensure that quotation marks within the string are maintained.
	A double bar is used to concatenate character strings. A blank space is required before and after the double bar.
-	A hyphen is used to continue a statement across multiple records. A blank space is required before and after the hyphen.

Sterling Connect:Direct Process Statements

Process Statement

Label	Statement	Parameters
Process name (required)	PROcess	SNODE= secondary node name SNODE=TCPNAME=tcpname;port SNODE=UDT33NAM = udtvalue;port PNODE = primary node name %PNODE PNODEID = (id [,pswd] [,newpswd]) SNODEID = (id [,pswd] [,newpswd]) PACCT = 'pnode accounting data' SACCT = 'snode accounting data' CLASS = n CRC = (OFF ON) DEBUG = trace bits HOLD = Yes <u>No</u> Call MAXDELAY = [<u>Unlimited</u> Queued hh:mm:ss 0] NOTIFY = %USER userid PLEXCLASS = (pnode class, snode class) PRTY = n REQUEUE = Yes <u>No</u> RETAIN = Yes <u>No</u> Initial SECURE=OFF STS SSL TLS or SECURE=ENCRYPT.DATA=Y N or SECURE = (OFF SSL TLS STS , ENCRYPT.DATA=Y N) or SECURE = (OFF SSL TLS STS,<cipher_suite> (cipher_suite_list),ENCRYPT.DATA=Y N) STARTT = ([date day][,hh:mm:ssxm]) &symbolicName 1 = variable string 1 &symbolicName 2 = variable string 2 . . . &symbolicNamen = variable string n

Note: If a variable contains blanks, you must enclose the string in quotation marks.

Intrinsic Variables

You can use the following intrinsic symbolic variables in a Process statement to substitute user-defined values when the Process is executed. This flexibility lets you use the same Process for multiple applications when these values change.

Value	Description
%DD2DSN	Specifies an allocated DD statement, which references a DSN to be passed to a Process being submitted. The format is %DD2DSN(ddname), where ddname refers to an allocated DD in the address space of the JCL submitting the Process. The DSN, including the member if specified, is substituted for this variable. The ddname may contain 1-8 characters.
%JDATE	Specifies the date the Process was submitted in Julian format. The variable is resolved as the submission date of the Process in the format yyyyddd. Among other uses, the value returned is suitable for constructing a file name on the node receiving the file. The value of the variable is resolved at Process submit time. The value will correspond to the date on which the Process was submitted, regardless of when or how many times the Process is actually executed.
%JOBID	Specifies the job number.
%JOBNM	Specifies the job name.
%JUSER	Specifies a variable that resolves to the USERID of the submitted job.
%NUM1	Specifies the submission time of the Process in minutes, seconds, and fraction of seconds in the format mmssth.
%NUM2	Specifies the submitted time of a Process as the low order 4 bits of the milliseconds of the time expressed as 1 hex digit (a value from 0 through 15 expressed as 0 through F).
%PNODE	Specifies the PNODE name where the submit occurs.
%PRAND	Use this parameter to generate a pseudo-random number (6 hex digits) that can be used to construct a unique data set name.
%SUBDATE	Specifies the date the Process was submitted in Gregorian format. The variable is resolved as the submission date of the Process in the format cyymmdd where c is the century indicator and is set to 0 for year 19yy or 1 for year 20yy. The value returned can be used to create a file name on the node receiving the file.
%SUBDATE1	Use this parameter to substitute the submitted date in the yyyyymmdd date format.
%SUBDATE2	Use this parameter to substitute the submitted date in the yyyyddmm date format.
%SUBDATE3	Use this parameter to substitute the submitted date in the mmddyyyy date format.
%SUBDATE4	Use this parameter to substitute the submitted date in the ddmmyyyy date format.
%SUBTIME	Specifies the time the process was submitted. The variable is resolved as the submission time of the process in the format hhmmss. The return value can be used to create a file name on the node receiving the file. The value of the variable is resolved at Process submit time. The value will correspond to the time at which the Process was submitted, regardless of when or how many times the Process is actually executed
%USER	Specifies a variable that resolves to the user submitting the Process.

COPY Statement

Label	Statement	Parameters
[optional]	COPY	FROM (DSN = data set name/password FILE = file name
		<u>P</u>NODE SNODE
		DCB = ([model file name] [,BLKSIZE = number of bytes] [,DEN = 0 <u>1</u> 2 3 4] [,NCP = 0-255] [,DSORG = DA PO PS VSAM] [,KEYLEN = number of bytes] [,LIMCT = number of blocks or tracks] [,LRECL = number of bytes] [,OPTCD = W Q Z] [,RECFM = record format] [,RKP = first-byte-of-rcd-key] [,TRTCH = C E T ET COMP NOCOMP])
		DISP = ([OLD <u>S</u> HR], [KEEP DELETE], [KEEP DELETE])
		RESGDG = <u>S</u> ub Run
		LABEL = ([file sequence number] [, <u>S</u> L AL BLP LTM NL] [,PASSWORD NOPWREAD] [,IN OUT] [,RETPD = nnnn EXPDT = [yyddd yyyy/ddd]])
		MSVGP = MS group name
		UNIT = ([unit address device-type group name],[unit-count P])
		VOL = ([PRIVATE],[RETAIN] [,volume-sequence-no] [,volume-count] [,SER = (serial-no[,serial-no,...])] ([SER = (serial-no[,serial-no,...]) REF = dsn]
		ALIAS = <u>Y</u> N
		EXCLUDE = (generic member (startrange/stoprange) list)
		PDS.DIRECTory = <u>Y</u> N
		<u>R</u>EPLACE NOREPLACE
		SELECT=(member generic (*) (member, [new-name],[NR R]) (generic,, [NR R]) (start-range/stop-range,, [NR R]) list)
		BUFND=number
		IOEXIT=exit-name (exit-name [,parameter,...])
		DATAEXIT=exit-name (exit-name [,parameter,...])
		SYSOPTS = "DBCS = (tablename, so, si, PAD PAD = pc,LOGIC=A B)" "codepage =(from code set, to Unicode code set)" "parameter1 [parameter2,...]" "datatype = <u>t</u> ext binary" "xlate = <u>n</u> o yes" "strip.blanks = yes <u>n</u> o" "precomp = yes <u>n</u> o" DATATYPE = text binary XLATE = <u>n</u> o yes STRIP.BLANKS = <u>n</u> o yes

† HFS File Only

Label	Statement	Parameters
)	
	TO (DSN = data set name/password FILE = file name	
		PNODE <u>S</u> NODE
		TYPE = typekey
		DCB = ([model file name] [,BLKSIZE = number of bytes] [,DEN = 0 1 2 3 4] [,NCP = 0-255] [,DSORG = DA PO PS VSAM] [,KEYLEN = number of bytes] [,LIMCT = number of blocks or tracks] [,LRECL = number of bytes] [,OPTCD = [W Q Z] [,RECFM = record format] [,RKP = first-byte-of-record-key] [,TRTCH = C E T ET COMP NOCOMP])
		DISP = ([<u>N</u> EW OLD MOD RPL SHR] [,KEEP <u>C</u> ATLG] [,KEEP <u>C</u> ATLG DELETE])
		AVGREC = U K M
		DATACLAS = data-class-name
		DSNTYPE = PDS LIBRARY BASIC LARGE EXTPREF EXTREQ
		KEYLEN = bytes
		KEYOFF = offset-to-key
		LIKE = model-data-set-name
		LRECL = bytes
		MGMTCLAS = management-class-name
		RECORG = KS ES RR LS
		SECMODEL = (profile-name [,GENERIC])
		STORCLAS = storage-class-name
		LABEL = ([file sequence number] [, <u>S</u> L AL BLP LTM NL] [,PASSWORD NOPWREAD] [,IN OUT] [,RETPD = nnnn EXPDT = [yyddd yyyy/ddd]])
		MSVGP = MS group name
		SPACE = (CYL TRK <u>b</u> lk, (prim, [sec], [dir]) [RLSE], [CONTIG],[ROUND]) (avg-rec-len,(primary-rcds, [secondary-rcds] , [dir]))
		UNIT = [(unit address device-type group name],[unit-count P])
		VOL = ([PRIVATE], [RETAIN], [volume-sequence-no], [volume-count] [,SER = (serial-no [,serial-no,...])]) ([SER = (serial-no [,serial-no,...])] [,REF = dsn])
		BUFND = number
		IOEXIT = exit-name (exit-name [,parameter,...])
		DATAEXIT = exit-name (exit-name [,parameter,...])

† HFS File Only

Label	Statement	Parameters
		SYSOPTS = "UNIQUE=YES" "DBCS = (tablename, so, si, PAD PAD = pc, LOGIC=A B)" "codepage =(from code set, to Unicode code set)" "parameter1 [parameter2,...]" † "datatype = <u>text</u> binary" † "xlate = <u>no</u> yes" † "strip.blanks = yes <u>no</u> " † "permiss = nnn" DATATYPE = text binary XLATE = <u>no</u> yes STRIP.BLANKS = <u>no</u> yes PERMISS = nnn)
		CKPT = nK nM
		COMPRESS [[PRIMEchar = X'40' X'xx' C'c'] EXTended]
		SECURE = (ENCRYPT.DATA=Y N algorithm name,SIGNATURE=Y) or SECURE = (ENC=Y N algorithm name,SIG=Y N) (in an STS environment) SECURE = ENCRYPT.DATA=Y N or SECURE = ENC=Y N (in an SSL or TLS environment)

† HFS File Only

RUN JOB Statement

Label	Statement	Parameters
[optional]	RUN JOB	(DSN = dsn[(member)]) PNODE SNODE

RUN TASK Statement

Label	Statement	Parameters
[optional]	RUN TASK	(PGM = program name, PARM = (parameter, [,parameter, ...])) SYSOPTS = "parameter [,parameter, ...]" PNODE SNODE

Run Task Utility Programs and Parameters

Program	Parameters
DGADTIFY	CL4'GOOD' CL4'FAIL' file name
DGADTFY2	CL4'GOOD' CL4'FAIL' file name user ID user ID list
DGADTDYN	ALLOC UNALLOC CONCAT DECONCAT LOCATE
DGADTAMS	sysprint output parameters control statement parameters
DGADTSUB	JCL source subsequent parameters
DGADGSUB	%SRCDSN %DSTDSN %PROCNAME %PROCNUM

SUBMIT Statement

Label	Statement	Parameters
[optional]	SUBmit	DSN = dsn [(member)]
		CASE = Yes <u>No</u>
		CLASS = n
		DEBUG = trace bits
		HOLD = Yes <u>No</u> Call
		NEWNAME = newname
		NOTIFY = %USER userid
		PACCT = 'pnode accounting data'
		PLEXCLASS = (pnode class, snode class)
		PNODEID = (id[,pswd][,newpswd])
		PRTY = n
		REQUEUE = Yes <u>No</u>
		RETAIN = Yes <u>No</u> Initial
		SACCT = 'snode accounting data'
		SNODE = secondary node SNODE=TCPNAME = tcpvalue;port
		SNODEID = (id [,pswd] [,newpswd])
		STARTT = ([date day] [,hh:mm:ssxm])
		SUBNODE = <u>PNODE</u> SNODE

Note: If a variable string contains blanks, you must enclose the string in quotation marks.

SYMBOL Statement

Label	Statement	Parameter
[optional]	SYMBOL	&symbolic_name = variable-string

Modal Statements

Label	Statement	Parameters
[optional]	IF	(label condition nn)
	THEN	(process steps)
[no label]	ELSE	(alternative process steps)
[no label]	EIF	[none]
[optional]	GOTO	statement label
[no label]	EXIT	[none]

Sterling Connect:Direct Commands

Modify Command

Label	Command	Parameters
[optional]	MODIFY †	BITS.OFF = X'nnnnnnnn'
	†	BITS.ON = X'nnnnnnnn'
		CLOSE = ddname
		DDNAME = (ddname,nn)
	†	DEBUG = trace bits
		DYN ='dynamic allocation string'
		INITPARMS
		MODDIR.TRACE = YES
		NODE.TRACE.BITSOFF=(node name, X'nnnnnnnn')
		NODE.TRACE.BITSON=(node name, X'nnnnnnnn')
	†	NODE.TRACE.ON = (node name, debug bits)
	†	NODE.TRACE.OFF = node name
		SESSIONS = Quiesce Resume (WHERE(NODE=node name))
		WHERE(SERVER = server name)

† The BITS.ON, BITS.OFF, DEBUG, and NODE.TRACE parameters affect debug traces. See *Sterling Connect:Direct Trace Types* on page 30 for a list of trace bits.

Network Map Commands

Command	Parameters
\$\$INSERT	
ADJACENT.NODE =	((nodename, - communications name channel-range-start-addr, - remote library name IP address or Alias addr-count, - session type - security node type, - data direction restriction) - PARSESS = (max,default) - COMPRESS.EXT=ALLOW DISALLOW FORCE - COMPRESS.STD=ALLOW DISALLOW FORCE - COMPRESS.STD.PRIMECHAR=C'x' X'xx' - SOURCEIP=IP address - SESS.SNODE.MAX = (1- <u>255</u>) - LDNS=hostname - ENVIRONMENT=operating environment - LOGMODE=logmode entry name - APPLIDS=(vtam applid1 [,vtam applid2,...]) - or - BATCHAPPLIDS=(batch.applid1 [,batch.applid2,...]) - TSO.APPLIDS=(tso.applid1 [,tso.applid2,...]) - INTERACTIVE.APPLIDS=(interactive.applid1 [,interactive.applid2,...]) - CICS.APPLIDS=(cics.applid1 [,cics.applid2,...]) - NETID=networkid CTCA server name - PNODE.LUS=(luname1 [,luname2,...]) - SNODE.LUS=(luname1 [,luname2,...]) - USE.SERVER.NODE = NO YES - TCPAPI= (port number, IP address) - CRC = (OFF ON DEFAULT) - PLEXCLASS= (* plexclass, * plexclass) - BUFFER.SIZE= (3072-262144 3K-256K) - (ALTerminate.COMMinfo = (ALTerminate.RESTART= <u>No</u> Yes, - ALTerminate.DIRection= <u>BALANCE</u> TOP, - (ALTerminate.ADDRess= ALTerminate.NODEDEF=, ALTerminate.PORT=, - SOURCEIP=outbound IP address - ALTerminate.TYPE=SNA TCP UDT33 LU62, - ALTerminate.LOGmode entry name=, - ALTerminate.USE.OUTbound= <u>Yes</u> No)) - CDFTP.PLUGIN="name or location of the plugin" - CDFTP.TEMPFILE="fully qualified file path and name" - CONTACT.NAME="name" - CONTACT.PHONE="phone information" - DESCRIPTION="description information" -)
\$\$UPDATE	
ADJACENT.NODE =	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$REPLACE	
ADJACENT.NODE =	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$DELETE	
ADJACENT.NODE =	Same parameters as \$\$INSERT ADJACENT.NODE

Command	Parameters
\$\$BLKDELETE ADJACENT.NODE = . .	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$ENDDELETE	
\$\$BLKINSERT ADJACENT.NODE = . .	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$ENDINSERT	
\$\$BLKUPDATE ADJACENT.NODE = . .	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$ENDUPDATE	
\$\$SYNTAX ADJACENT.NODE = . .	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$ENDSYNTAX	
\$\$VERIFY ADJACENT.NODE = . .	Same parameters as \$\$INSERT ADJACENT.NODE
\$\$ENDVERIFY	

Label	Command	Parameters
[optional]	SElect NETMAP	WHERE (NODE = (node generic (list))) PRINT TABLE <u>Display</u>
[optional]	SElect TCPXLAT	WHERE (TRTCPNAM = (tcpip.host.name (list))TRTCPADR = (tcp.net.adr (list))) PRINT <u>Display</u>

Process Commands

Label	Command	Parameters
[optional]	CHange PROCess	WHERE (NODE = nodename (list) PNAME = name (list) PNUMber = number (list) SUBmitter = (nodename,userid) (list)) CASE = Yes <u>No</u> CLASS = n DEBUG = trace bits DEST= destination node HOLD = YES <u>NO</u> CALL NETMAP.REFRESH

Label	Command	Parameters
		PLEXCLASS = (pnode plexclass snode plexclass)
		PRTY = 0 to 15
		RELEASE
		RESTART = [NO FIRST = vol.seq.number FIRST = SER = vol.ser.number LAST = vol.seq.number LAST = SER = vol.ser.number VOLCNT = n]
		RETAIN = YES <u>NO</u> INITIAL
		STARTT = ([date day][,hh:mm:ssXM])
[optional]	DELeTe PROCess	WHERE (PNAME = name (list) PNUMBER = number (list) SUBmitter = (nodename,userid) (list)) CASE = Yes <u>No</u>
[optional]	FLUSH PROCess	WHERE (PNAME = name (list) PNUMBER = number (list) SUBmitter = (nodename,userid) (list)) FORCE CASE = Yes <u>No</u>
[optional]	SELeCt PROCess	WHERE (DEST = node (list) PNAME = name (list) PNUMBER = number (list) QUEUE = <u>All</u> queue name SERVER=server name STATUS = process status (list) SUBmitter = (nodename,userid) (list)) CASE = Yes <u>No</u> FILE PPrint <u>TABLE</u>
[optional]	SUSpend PROCess	WHERE (DEST = node (list) PNAME = name (list) PNUMBER = number (list) QUEUE = <u>All</u> Exec Hold Timer Wait STATUS = process status (list) SUBmitter = (nodename,userid) (list)) CASE = Yes <u>No</u>
[optional]	View PROCess	WHERE (DEST = node (list) PNAME = name (list) PNUMBER = number (list) QUEUE = <u>All</u> queue name SERVER=server name STATUS = process status (list) SUBmitter = (nodename,userid) (list)) CASE = Yes No FILE PPrint <u>TABLE</u>

Signon, Signoff, Stop, and Swap Commands

Label	Command	Parameters
[optional]	SIGNON	NETMAP = network map data set name CASE = Yes <u>No</u> COMADDR = (port number, IP address alias name) ESF = <u>Yes</u> No FOLD = Yes <u>No</u> NODE = nodename PACCT = 'pnode accounting data' PRINT = destination of printed spool output RECONNECT SACCT = 'snode accounting data' SPACE = (<u>CYL</u> TRK blk,([prim],[sec])) TMPDD = preallocated data set dd name TMPDSN = preallocated data set name TRANSPORT = SNA TCP <u>NETMAP</u> UNIT = temporary dsn unit type USERID = (id,pswd,newpswd) VOLSER = volume serial
[optional]	SIGNOFF	
[none]	STOP CD	[FORCE IMMEDIATE <u>QUIESCE</u> STEP] CDPLEX WHERE(SERVER = server name) RECOVER
[optional]	SWAP NODE	nodename

Task Commands

Label	Command	Parameters
[optional]	FLUSH TASK	WHERE (TASK = taskno (list) , SERVER = server name) FORCE
[optional]	SELEct TASK	PRInt Operator table DISPlay WHERE (SERVER = server name)

Type Commands

Label	Command	Parameters
[optional]	INSert TYPE	TYPEKEY = typekey DCB = ([BLKSIZE = number of bytes ,DSORG =[DA PS PO VSAM] ,LRECL = number of bytes ,RECFM = record format]) DISP = ([NEW OLD MOD RPL SHR] [,KEEP ,CATLG ,DELETE] [,KEEP ,CATLG ,DELETE]) DSNTYPE = PDS LIBRARY BASIC LARGE EXTPREF EXTREQ AVGREC = (U K M) DATACLAS = data class name KEYLEN = bytes KEYOFF = offset to key LIKE = model data set name LRECL = bytes MGMTCLAS = management class name RECORG = (KS ES RR LS) SECMODEL = (profile name [, GENERIC]) STORCLAS = storage class name SPACE = (CYL TRK blk, (prim, sec, (dir)) (,RLSE , (CONTIG ,) (ROUND))) (ave_rec_len, (primary_rcds, secondary_rcds)) UNIT = unit type VOL=SER = volume serial number IOEXIT = exitname (exitname{,parm,...})
[optional]	UPDate TYPE	Same parameters as INSert TYPE
[optional]	DELeTe TYPE	WHERE (TYPEKEY = typekey generic (list)) PRint <u>TABLE</u>
[optional]	SELEct TYPE	WHERE (TYPEKEY = typekey generic (list)) PRint <u>TABLE</u>

User Commands

Label	Command	Parameters
[optional]	INSert User	USERID = (nodename,userid)
		NAME = 'user name'
		ADD TYPE = Y <u>N</u>
		ALTER TYPE= Y <u>N</u>
		READ TYPE = Y <u>N</u>
		REMOVE TYPE = Y <u>N</u>
		ADD USER = Y <u>N</u>
		ALTER USER = Y <u>N</u>
		READ USER = Y <u>N</u>
		REMOVE USER = Y <u>N</u>
		CASE = YES <u>NO</u>
		CHANGE = Y <u>N</u>
		COPY = Y <u>N</u>
		DELPR = Y <u>N</u>
		FLUSH = Y <u>N</u>
	†	GEN.CHG.PROCESS = Y <u>N</u>
	†	GEN.DEL.PROCESS = Y <u>N</u>
	†	GEN.FLS.PROCESS = Y <u>N</u>
	†	GEN.SEL.PROCESS = Y <u>N</u>
	†	GEN.SEL.STATISTICS = Y <u>N</u>
	†	CDEL = Y <u>N</u>
	†	CDELOFF = Y <u>N</u>
		MAXSA = max. signon attempts
		MODALS = Y <u>N</u>
		MODIFY = Y <u>N</u>
		NSUBMIT = Y <u>N</u>
		OVCRC = Y <u>N</u>
		PASSword = initial password
		PHone = 'phone number'
		PTICDATA = (APPL profile name, secured signon key)
		RESETSA
		RUNJOB = Y <u>N</u>
		RUNTASK = Y <u>N</u>
		SECURITY = (security id, security pswd)
		SECUREWR = Y <u>N</u>
		SELNET = Y <u>N</u>
		SELPR = Y <u>N</u>
		SELSTAT = Y <u>N</u>
		STATCMD = Y <u>N</u>

† Valid in the Sterling Connect:Direct IUI only.

‡ Valid in the batch interface only.

Label	Command	Parameters
		STOP CD = Y <u>N</u>
		SUBMIT = Y <u>N</u>
	‡	SUBMITTER.CMDS = (Y <u>N</u> Y <u>N</u> Y <u>N</u> Y <u>N</u> Y <u>N</u>)
		UPDNET = Y <u>N</u>
		VIEWPROCESS = Y <u>N</u>
[optional]	DELeTe USER	WHERE (USERID = (nodename,userid) (list)) CASE = Yes <u>No</u>
[optional]	SELeCt USER	WHERE (USERID = (nodename,userid) (generic (list)) EXCLUDE = (AUTH)) PRint <u>TABLE</u> CASE = Yes <u>No</u>

† Valid in the Sterling Connect:Direct GUI only.

‡ Valid in the batch interface only.

Inquire Commands

Label	Command	Parameters
[optional]	INQuire CDPLEX	
[optional]	INQuire DEBUG	WHERE (SERVER = server name)
[optional]	INQuire INITparm	WHERE (SERVER = server name)
[optional]	INQuire SNMP	
[optional]	INQuire STATDIR	STARTT = ([date day] [,hh:mm:ssXM])
[optional]	INQuire STATistics	
[optional]	INQuire TCP	

Statistics Commands

Label	Command	Parameters
[optional]	STATistics SWITCH	
[optional]	STATistics ON OFF	TYPE = (record type list)
[optional]	STATistics ARCHived	file pair number
[optional]	SElect STATistics	WHERE (CCODE= (condition, completion code) EXCLUDE = (MEMBer MCR) (WTO) (NOTWTO) (list) MSGID = ID (list) PNAME = name (list) PNUMBER = number (list) SERVER = server name STARTT = ([date day] [,hh:mm:ssXM]) STOPT = ([date day] [,hh:mm:ssXM]) USER = name (list) SNODE = name (list) TYPE = ID (list) FNAME = dsname (list) * CASE = YES NO ARCHDSN = dsname (list)) FILE PRint <u>TABLE</u> SUMmary
[optional]	SElect MeSsaGe	WHERE (IDMSGID=message ID) [Short Long](

Submit Command

Label	Command	Parameters
[optional]	SUBmit	PROC = member or DSN = dsn dsn(member) CASE = YES <u>NO</u> CLASS = n DEBUG = trace bits HOLD = YES <u>NO</u> CALL MAXDELAY = <u>Unlimited</u> Queued hh:mm:ss 0 NEWNAME = newname NOTIFY = %USER userid PACCT = 'Pnode accounting data' PLEXCLASS = (pnode class, snode class) PNODE = primary node name PNODEID = (id,pswd,newpswd) PRTY = 0 – 15 REQUEUE = YES <u>NO</u>

Label	Command	Parameters
		RETAIN = YES <u>NO</u> INITIAL
		SACCT = 'snode accounting data'
		SNODE = secondary node name SNODE=TCPNAME UDT33NAM = tcpvalue;port
		SNODEID = (id,pswd,newpswd)
		STARTT = ([date day] [,hh:mm:ssXM])
		SUBNODE = PNODE SNODE
		&symbolic name 1 = variable string1
		&symbolic name 2 = variable string2
		...
		&symbolic name n = variable string n

Note: If a variable string contains blanks, you must enclose the string in quotation marks.

Network Map Parameters

Node Type	Parameters
LOCAL.NODE =	((nodename, communications name, , superuserpassword) TCQ = (tcxdsn,tcqdsn))
ADJACENT.NODE =	((nodename, - communications name channel-range-start-addr, - remote library name IP address or Alias addr-count, - session type - security node type, - data direction restriction) - PARSESS = (max,default) - COMPRESS.EXT=ALLOW DISALLOW FORCE - COMPRESS.STD=ALLOW DISALLOW FORCE - COMPRESS.STD.PRIMECHAR=C'x' X'xx' - SOURCEIP=IP address - SESS.SNODE.MAX = (1-255) - LDNS=hostname - ENVIRONMENT=operating environment - LOGMODE=logmode entry name - APPLIDS=(vtam applid1 [,vtam applid2,...]) - NETID=networkid CTCA server name - PNODE.LUS=(luname1 [,luname2,...]) - SNODE.LUS=(luname1 [,luname2,...]) - USE.SERVER.NODE = NO YES - TCPAPI= (port number, IP address) - CRC = (OFF ON DEFAULT) - PLEXCLASS= (* plexclass, * plexclass) - BUFFER.SIZE= (3072-262144 3K-256K) - (ALternate.COMMinfo = (ALternate.RESTART= <u>No</u> Yes, - ALternate.DIRection= <u>BALANCE</u> TOP, - (ALternate.ADDRess= ALternate.NODEDEF=, ALternate.PORT=, - SOURCEIP=outbound IP address - ALternate.TYPE=SNA TCP LU62 UDT33, - ALternate.LOGmode entry name=, - ALternate.USE.OUTbound= <u>Yes</u> No)) - CDFTP.PLUGIN="name or location of the plugin" - CDFTP.TEMPFILE="fully qualified file path and name" - CONTACT.NAME="name" - CONTACT.PHONE="phone information" - DESCRIPTION="description information" -)

Initialization Parameters

Global Initialization Parameters	Default Values
ABEND.CODES.NODUMP=(abend code list)	no abend codes
ABEND.RUNTASK=(DUMP ABEND.CODES.NODUMP)	DUMP
ALLOC.CODES = (allocation errors)	(020C 0210 0218 0220 0234 0068 0069 006A)
ALLOC.MSG.LEVEL = INFO WARN SEVERE	INFO
ALLOC.RETRIES = no. retries	20
ALLOC.WAIT = hh:mm:ss	00:03:00
ALLOCATION.EXIT = modname	No allocation exit
CDPLEX = <u>NO</u> YES	NO
CDPLEX.TIMER = <u>5</u> nnnnn	5
CDPLEX.WLM.GOAL = (<u>NO</u> YES, exitname)	NO
CHECK.CERT.EXPIRE = <u>NO</u> YES	NO
CHECK.CERT.EXPIRE.TIME = <u>00:00:00</u> HH:MM:SS	<u>00:00:00</u> (midnight)
CHECK.CERT.EXPIRE.WARN.DAYS = <u>30</u> nnn	30 days
CKPT = nK nM	none
CKPT.DAYS = number of days	4
CKPT.MODE = (<u>RECORD</u> BLOCK <u>BLOCK</u> RECORD <u>PDS</u> NOPDS <u>NOPDS</u> PDS <u>VSAM</u> NOVSAM <u>VSAM</u> NOVSAM)	RECORD BLOCK PDS NOPDS VSAM VSAM
COMPRESS.EXT= <u>ALLOW</u> DISALLOW	ALLOW
COMPRESS.NEGO.FAIL= <u>STEP</u> PROCESS	STEP
COMPRESS.NETMAP.OVERRIDE= <u>ALLOW</u> DISALLOW	ALLOW
COMPRESS.STD= <u>ALLOW</u> DISALLOW	ALLOW
CONFIRM.COLD.START = YES <u>NO</u>	NO
CRC = (<u>OFF</u> ON, <u>Yes</u> No)	OFF, Yes
CTCA = YES <u>NO</u>	NO
CTCA.TIMER = number of seconds to wait when establishing a CTCA connection	180
DATEFORM = (<u>MDY</u> DMY YMD YDM)	MDY
DEBUG = nnnnnnnn	00000000
DESC.CRIT = (descriptor code)	2
DESC.NORM = (n, n, ...)	none
DESC.TAPE = (n, n, ...)	2

Global Initialization Parameters	Default Values
DSNTYPE = YES <u>NO</u>	NO
ECZ.COMPRESSION.LEVEL = <u>1</u> 2 3 4 5 6 7 8 9	1
ECZ.MEMORY.LEVEL = 1 2 3 <u>4</u> 5 6 7 8 9	4
ECZ.WINDOWSIZE = 8 9 10 11 12 <u>13</u> 14 15	13
ESF.WAIT = hh:mm:ss	00:03:00
EXPDT = TT DD TD DT ALL <u>NONE</u> (TT,DD,TD,DT)	NONE
EXTENDED.RECOVERY = <u>NO</u> YES	NO
GDGALLOC = GENERATION <u>DSNAME</u>	DSNAME
GDGENQ = YES <u>NO</u>	NO
IMMEDIATE.SHUTDOWN = <u>I</u> R	I
INITPARM.BACKUP = member	none
INVOKE.ALLOC.EXIT = SEND <u>RECV</u> BOTH	RECV
INVOKE.ALLOC.EXIT.ON.RESTART = <u>NO</u> YES	NO
INVOKE.SPOE.ON.SNODEID = <u>NO</u> YES	NO
MAX.AGE = (number of days the entries are left in TCQ, ALL <u>HE</u> HO HP HS PR RA RH)	number of days = 0, HE
MAX.AGE.TOD = time	midnight and initialization
MAXBATCH = number of users	MAXUSERS value
MAXPRIMARY = number of primary sessions	6
MAXPROCESS = number of executing PNODE plus SNODE Processes	MAX-PRIMARY plus MAX-SECONDARY
MAXRETRIES = number of retries	7
MAXSECONDARY = number of secondary sessions	6
MAXSTGIO = max. storage in bytes for nontape sequential data set transfers	61440
MAX.TAPE = number of tape Processes NONE	10
MAXUSERS = number of users	6
MCS.CLIST = Operator interface CLIST library name	none
MCS.SIGNON = [SIGNON USERID = (userid, password) NETMAP = network map]	none
MULTI.COPY.STAT.RCD=not set CT MC M2	not set
NETMAP.CHECK = NO (<u>ALL</u> TCP, <u>ALL</u> BOTH NODENAME, <u>FAIL</u> WARN PASS)	ALL ALL FAIL
NETMAP.CHECK.ON.CALL= YES <u>NO</u>	NO
NODE QUIESCE.OFF = NODENAME	none
NODE QUIESCE.ON = NODENAME	none
NODE.TRACE.OFF = NODENAME	none
NODE.TRACE.ON = NODENAME	none
NON.SWAPABLE = YES NO	none
PDSE.SHARING = YES <u>NO</u>	NO
PDSENQ = YES <u>NO</u>	NO
PROCESS.RETENTION = YES <u>NO</u>	NO
PRTYDEF = Process default priority	10
QUIESCE = YES <u>NO</u>	NO
QUIESCE.NODE = nodename	none

Global Initialization Parameters	Default Values
REMOTE.DUMMY.PASSWORD [<u>YES</u> INTERNAL]	YES
REQUEUE = YES <u>NO</u>	NO
RESET.ORIGIN.ON.SUBMIT = YES <u>NO</u>	NO
REUSE.SESIONS = <u>YES</u> NO	YES
ROUTCDE.CRIT = (route code)	(8,11)
ROUTCDE.NORM = (route code)	11
ROUTCDE.TAPE = (route code)	(5, 11)
RUN.JOB.EXIT = modname	none
RUNJOBID = <u>USER</u> CD	USER
RUN.TASK.EXIT = modname	none
RUNTASK.RESTART = YES <u>NO</u>	NO
S+CMD.ENFORCE.SECURE.CONNECTION = <u>YES</u> NO	YES
SECURE.DSN = filename	none
SECURE.SSL.PATH.PREFIX = prefix	none
SECURITY.EXIT = (modname, DATASET ALL, PSTKT) OFF SECURITY = (modname, DATASET ALL, PSTKT) OFF	C:D Authorization Facility
SECURITY.NOTIFY = YES <u>NO</u> HOLD	NO
SNA = <u>YES</u> NO	YES
SNMP = YES <u>NO</u>	NO
SNMP.DSN = data set name data set name (member)	none
SNMP.MANAGER.ADDR = hostname IP address	IP address or hostname
SNMP.MANAGER.PORTNUM = port-number	162
STAT.ARCH.CONFIRM = YES <u>NO</u>	NO
STAT.BUFFER.ESDSDATA = number of ESDS data buffers STAT.BUFFER.KSDSDATA = number of KSDS data buffers STAT.BUFFER.KSDSINDX = number of KSDS index buffers	6
STAT.ERROR = <u>ABEND</u> DISABLE	ABEND
STAT.EXCLUDE = (record type list)	none
STAT.INIT = <u>WARM</u> COLD	WARM
STAT.QUEUE.ELEMENTS = statistics record queue size	100
STAT.SNODEID = (NO YES,NO YES)	(NO,YES)
STAT.SWITCH.SUBMIT = dsn [member]	none
STAT.SWITCH.TIME = (hh:mm:ss, ...)	none
STAT.TPREC = (start_time, end_time, snaps_per_hour)	none
STAT.USER = (userid, [password])	Security ID of DTF region
STATISTICS.EXIT = module name (modname[, <u>MANAGER</u>] [,SERVER] [,BOTH])	none
STRNO.MSG = number <u>5</u>	5
SUBMIT.EXIT = modulename	none
SYSOUT = class	none
TAPE.PREMOUNT = YES <u>NO</u> LIST	NO
TAPEIO = <u>EXCP</u> BSAM	EXCP
TAPEMOUNT.EXIT = modname	none
TCP = OES <u>NO</u>	NO

Global Initialization Parameters	Default Values
TCP.API.LISTEN = ((addr1 , port1) , (addrn , portn))	If the parameter is specified with an address only, the port can default. The default port is 1363.
TCP.API.TIMER = <u>00:00:00</u> hh:mm:ss	00:00:00 meaning that no timer is used.
TCP.CONNECT.TIMEOUT=ss	Default equals the setting for TCP.FMH.TIMER if that init parm is set or to 0 if it is not.
TCP.FMH.TIMER=hh:mm:ss	0
TCP.LISTEN = ((addr1 , port1) , (addrn , portn))	If the parameter is specified with an address only, the port can default. The default port is 1364.
TCP.RUNTASK.TIMER =hh:mm:ss	0
TCP.SRC.PORTS = (ip.address,port-ranges),(ip.address2,port1,port2), - (ip.address3,port-ranges) TCP.SRC.PORTS = (ip.address/submask,port-ranges), ... TCP.SRC.PORTS = (ip.address/0xFFFFFFFFFFFFFFFF,ports,ranges)	none
TCP.SRC.PORTS.LIST.ITERATIONS = number of scans	none
TCP.TIMER = wait time	0
TCQ = <u>WARM</u> COLD	WARM
TCQ.THRESHOLD = <u>NO</u> YES nn	NO
THIRD.DISP.DELETE = <u>YES</u> NO	YES
TRACE.BUFFER = nnn <u>2</u>	2 MB
TRANS.SUBPAS = <u>YES</u> NO	YES
UDP.SRC.PORTS = (ip.address,port-ranges),(ip.address2,port1,port2), - (ip.address3,port-ranges)	none
UDP.SRC.PORTS.LIST.ITERATIONS = number of scans	none
UDT = YES <u>NO</u>	NO
UDT.MAXPROCESS = <u>2</u> number of executing UDT Processes	2
UDT33.LISTEN = ((ipaddr,port)[,(ipaddr,port)...])	The default port is 1366.
UPPER.CASE = YES <u>NO</u>	NO
V2.BUFSIZE = (maximum transmission buffer size, TCP/IP send/receive buffer size)	4KB, double the first parameter
WTMESSAGE = <u>NO</u> YES (YES, nnn)	NO
WTRETRIES = hh:mm:ss <u>00:3:00</u>	00:03:00
XCF.NAME = XCF group name	none

System File Initialization Parameters	Default Values
AUTHDSN = dsn	none
CKPTDSN = dsn	none
MSGDSN = dsn	none
NETDSN = dsn	none
STAT.ARCH.DIR = archive directory dsn	none
STAT.DSN.BASE = dsn base STAT.FILE.PAIRS = number	none
TYPEDSN = dsn	none

Local Initialization Parameters	Default Values
CDPLEX.INITPARM.BACKUP = member	none
CDPLEX.MANAGER = <u>NO</u> YES	NO
CDPLEX.MSGID = <u>NONE</u> xx	NONE
CDPLEX.PLEXCLASSES = (*,plexclass, ..., plexclass)	*
CDPLEX.REDIRECT = ((INT_IPv4,EXT_IPv4),(INT_IPv6,EXT_IPv6), (INT_UDT_IPv4,EXT_UDT_IPv4),(INT_UDT_IPv6,EXT_UDT_IPv6))	Defaults to the first IPV4 or IPV6 address for the server.
CDPLEX.REDIRECT.EXCEPTION = ((Mgr-IP, Svr-IP, Svr-port, Exception-IP, Exception-port),...)	none
CDPLEX.SERVER = Sterling Connect:Direct/Server name	none
CDPLEX.SERVER.JOBDSN = data set name	none
CDPLEX.SERVER.JOBMEM = ((member name, server name), ...)	none
CDPLEX.SERVER.NODE = nodename	none
CDPLEX.TIMER = <u>5</u> nn	5
CDPLEX.VTAM = (VTAM-APPL, P/S-Node-APPL)	none
CTCA = YES <u>NO</u>	NO
CTCA.TIMER = number of seconds to wait when establishing a CTCA connection	180
DEBUG = nnnnnnnn	00000000
MAXBATCH = number of users	MAXUSERS value
MAXPRIMARY = number of primary sessions	6
MAXPROCESS = number of executing PNODE plus SNODE Processes	MAX-PRIMARY plus MAXSECONDARY
MAXSECONDARY = number of secondary sessions	6
MAX.TAPE = number of tape Processes	10
QUIESCE = YES <u>NO</u>	NO
SECURITY.EXIT = (modname,DATASET ALL,PSTKT) OFF SECURITY = (modname,DATASET ALL,PSTKT) OFF	C:D Authorization Facility
SNA = <u>YES</u> NO	YES
STAT.INIT = <u>WARM</u> COLD	WARM
STATISTICS.EXIT = modulename (modname[, <u>MANAGER</u>] [,SERVER] [,BOTH])	none
TCP = OES <u>NO</u>	NO
TCP.API.LISTEN = ((addr1 , port1) , (addrn , portn))	If the parameter is specified with an address only, the port can default to 1363.
TCP.LISTEN = ((addr1 , port1) , (addrn , portn))	If the parameter is specified with an address only, the port can default. The default port is 1364.
TCP.TIMER = wait time	0
TCQ = <u>WARM</u> COLD	WARM
TRACE.BUFFER = nnn <u>2</u>	2
UDT = YES <u>NO</u>	NO
UDT.MAXPROCESS = <u>2</u> number of executing UDT Processes	2
UDT33.LISTEN = ((ipaddr,port)[,(ipaddr,port)...])	The default port is 1366.
UPPER.CASE = YES <u>NO</u>	NO
V2.BUFSIZE = maximum buffer size for this transmission, TCP/IP send/receive buffer size)	4096, double the first parameter size)

Status Codes

Code	Description
EX	Process executing
HC	Held for call
HE	Held in error
HI	Held initially
HO	Held by operator
HP	Held due to Process error
HR	Submitted with RETAIN=YES or held for process retry (intelligent retry)
HS	Held for suspension
PR	Process being retained
RA	Held for restart due to allocation error
RH	Held for restart
RS	Restarting
SS	Session with other node is being started.
WA	Waiting acknowledgement
WC	Waiting connection
WR	Waiting restart
WS	Waiting designated start time
WT	Waiting transport protocol
WX	Waiting eligible Sterling Connect:Direct/Server

Sterling Connect:Direct Trace Types

DEBUG Setting†	Trace Type	DDNAME Where Output is Directed
80000000	COPY Routine and RUN TASK trace	RADBDD01
10000000	Full TPCB/SYMBOLICS from DMCBSUBM	DMCBSUBM
08000000	Session manager trace	RADBDD05
04000000	Separate trace per task (Example: "R0000005" to trace TASK 5)	Rnnnnnnn
02000000	API session trace	RADBDD07
01000000	DGADBSUB trace	RADBDD08
00400000	TCQSH from DGADCPYR	DMCOPYRT
00200000	Make each SVC dump unique	N/A
00100000	SECURITY Trace Control	SECURITY
00040000	GETMAIN/FREEMAIN trace	RADBDD16
00080000	I/O buffer trace	RADBDD21
00040000	WTO all dynamic allocation parameters	RADBDD22
00002000	Sterling Connect:Direct/Plex traces	
	ACTION queue manager trace	CDPLXACT
	CKPT queue manager trace	CDPLXCKP
	TCQ queue manager trace	CDPLXTCQ
	STATS queue manager trace	CDPLXSTA
	First REQUEST queue manager trace	CDPLXREQ
	Second and subsequent REQUEST queue manager trace (Example: "CDPLXR03" to trace third queue manager)	CDPLXRnn
	JOIN queue manager trace	CDPLXJOI
00001000	Workload balancing trace	CDPLXWLB
00000100	In-storage tracing only Note: The size of this in-storage table is controlled by TRACE.BUFFER	N/A
00000080	RPL trace – long	RPLOUT
00000040	RPL trace – short	RPLOUT
00000020	Version 2 session trace	RADBDD33
00000008	Logon exit trace	RADBDD35
00000004	Logon processor trace	RADBDD36
00000002	SCIP exit trace	RADBDD37
00000001	SNMP Trap trace	SCTRAPDD

† The DEBUG=X'nnnnnnnn' initialization parameter turns on a specific trace option or any combination of options, where *nnnnnnnn* represents the debug setting in hexadecimal.

The Modify command requests the same output as the DEBUG initialization parameter.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing

IBM Corporation

North Castle Drive

Armonk, NY 10504-1785

U.S.A.

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing

Legal and Intellectual Property Law

IBM Japan Ltd.

1623-14, Shimotsuruma, Yamato-shi

Kanagawa 242-8502 Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licenses of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation

J46A/G4

555 Bailey Avenue

San Jose, CA 95141-1003

U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information is for planning purposes only. The information herein is subject to change before the products described become available. This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these

programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© IBM 2011. Portions of this code are derived from IBM Corp. Sample Programs.

© Copyright IBM Corp. 2011.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

The following terms are trademarks of the International Business Machines Corporation in the United States, other countries, or both: <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Linear Tape-Open, LTO, the LTO Logo, Ultrium and the Ultrium Logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Connect Control Center®, Connect:Direct®, Connect:Enterprise, Gentran®, Gentran:Basic®, Gentran:Control®, Gentran:Director®, Gentran:Plus®, Gentran:Realtime®, Gentran:Server®, Gentran:Viewpoint®, Sterling Commerce™, Sterling Information Broker®, and Sterling Integrator® are trademarks or registered trademarks of Sterling Commerce, Inc., an IBM Company.

Other company, product, and service names may be trademarks or service marks of others.

