

---

## EDI Enveloping Service

The EDI Enveloping service translates messages, determines which business processes need to run to apply EDI envelopes, and starts those business processes. The EDI Enveloping service has two methods of translating and enveloping messages:

- ◆ In Deferred mode, the EDI Enveloping service runs at a scheduled time and it translates and envelopes messages into interchanges in batches.
- ◆ In Immediate mode, the EDI Enveloping service translates and envelopes messages immediately after the EDI Encoder service processes the messages.

Before the application runs the EDI Enveloping service, you must have the EDI Encoder service process EDI messages that need to be translated and enveloped. The EDI Encoder service tags messages so that the EDI Enveloping service can properly translate and envelope them.

**Note:** If the input message character encoding is specified, it overrides the encoding specified in the map. The output message content type and character encoding are set based on the information contained in the map.

The following table provides an overview of the EDI Enveloping service:

---

System name	EDIEnvelopeType
Graphical Process Modeler (GPM) categories	<ul style="list-style-type: none"><li>◆ All Services</li><li>◆ EDI &gt; X12</li><li>◆ EDI &gt; EDIFACT</li><li>◆ EDI &gt; CII</li><li>◆ EDI &gt; VDA</li><li>◆ EDI &gt; SWIFT</li><li>◆ EDI &gt; RND</li></ul>

---

Description	<p>Responsible for translating and enveloping a message. It can be configured to run in either of two modes: Deferred or Immediate.</p> <ul style="list-style-type: none"> <li>◆ In Deferred mode, the service queries the application to identify messages that require translation and enveloping. The query can incorporate an optional filter that allows the business process developer to restrict messages by any or all of Sender ID, Receiver ID, and Envelope ID. The service then divides the messages according to the envelopes they require and initiates the appropriate enveloping business processes. In deferred mode, the applications translates and envelopes messages in batches at specified intervals.</li> </ul> <p><b>Note:</b> The EDI Enveloping service should be excluded from the business process when the EDI Encoding service is used; instead, the deferred EDI Enveloping service must be used in a different business process and should be triggered periodically.</p> <ul style="list-style-type: none"> <li>◆ In Immediate mode, the service translates and envelopes the current message as soon as the EDI Encoder service is finished with the message. It operates on the primary message it receives and initiates the appropriate enveloping business process.</li> </ul>
Preconfigured?	<p>A configuration of this service is created when the product is installed. However, before using a service configuration in a business process, you must specify values for the following parameters:</p> <ul style="list-style-type: none"> <li>◆ MODE (required)</li> <li>◆ SENDER_ID (optional)</li> <li>◆ RECEIVER_ID (optional)</li> <li>◆ ENVELOPE_ID (optional)</li> </ul>
Requires third party files?	No
Platform availability	All supported application platforms
Related services	EDI Encoder service
Application requirements	No
Initiates business processes?	None
Invocation	Runs as part of a predefined business process.
Returned status values	<ul style="list-style-type: none"> <li>◆ Success – The messages were successfully submitted for enveloping.</li> <li>◆ Error – Errors were encountered and the messages were not submitted for enveloping.</li> </ul>
Restrictions	No

## Implementing the EDI Enveloping Service

To implement the EDI Enveloping service, complete the following tasks:

1. Call the EDI Encoder service.
2. Create an EDI Enveloping service configuration. See *Creating a Service Configuration*.

3. Configure the EDI Enveloping service. For information, see *Configuring the EDI Enveloping Service* on page 10.
4. Use the EDI Enveloping service in a business process.

## Configuring the EDI Enveloping Service


To create a EDI Enveloping service configuration, you must specify field settings in the application and in the Graphical Process Modeler (GPM).

### Application Configuration

The following table describes the fields used to configure the EDI Enveloping service in the application:

**Note:** The field names in parentheses represent the corresponding field names in the GPM. This information is provided for your reference.

Field	Description
Name	Unique and meaningful name for the service configuration. Required.
Description	Meaningful description for the service configuration, for reference purposes. Required.
Select a Group	<p>Select one of the options:</p> <ul style="list-style-type: none"> <li>◆ None – You do not want to include this configuration in a group at this time.</li> <li>◆ Create New Group – You can enter a name for a new group in this field, which will then be created along with this configuration.</li> <li>◆ Select Group – If you have already created one or more groups for this service type, they are displayed in the list. Select a group from the list.</li> </ul> <p><b>Note:</b> See <i>Using Service Groups</i>.</p>
Enveloping Mode (MODE)	<p>Instructs the application when to translate and envelope messages:</p> <ul style="list-style-type: none"> <li>◆ Deferred – Translate and envelope messages in batches at specified intervals.</li> </ul> <p><b>Note:</b> When using deferred mode, the EDI Enveloping service should be excluded from the business process when the EDI Encoding service is used; instead, the deferred EDI Enveloping service must be used in a different business process and should be triggered periodically.</p> <ul style="list-style-type: none"> <li>◆ Immediate – Translate and envelope the current message as soon as the EDI Encoder service is finished with the message.</li> </ul>
Halt on Translation Error	<p>Whether to stop processing transactions when a translation error occurs. Valid values are:</p> <ul style="list-style-type: none"> <li>◆ Yes – Stop processing transactions when a translation error occurs. This is the default in Immediate mode.</li> <li>◆ No – Continue processing transactions if a translation error occurs. This is the default in Deferred mode.</li> </ul>

Field	Description
Output Report to Process Data	Whether to output the Translation report to process data. Valid values are Yes (Send report to process data) and No.
<b>Note:</b> The following fields are displayed only if Deferred mode was selected.	
Sender ID	Enter a Sender ID to be used as a filter for selecting messages from the database for enveloping. Optional.
Receiver ID	Enter a Receiver ID to be used as a filter for selecting messages from the database for enveloping. Optional.
Envelope	Enter an envelope definition to be used as a filter for selecting messages from the database for enveloping. Optional.
Run as User	<p>The Run As User field only displays as an option if Deferred mode was selected.</p> <p>Type the user ID to associate with the schedule, or click the  icon and select a user ID from the list.</p> <p>Valid value is any valid application user ID.</p> <p><b>Note:</b> This parameter allows someone who does not have rights to a specific business process to run it. If you select <i>Admin</i> as the user ID, you will inherit Administrative rights (for this run of the business process only), and enable the scheduled run.</p>
Use 24 Hour Clock Display	If selected, the adapter will use the 24-hour clock instead of the default 12-hour clock.
Schedule	<p>Information about scheduling the service configuration to run in deferred mode.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>◆ Do not use schedule If this field is selected, this service does not start a business process and does not run on a schedule.</li> <li>◆ Run based on timer Valid values are the hour and minutes at which to run the service. Indicate whether you want the service to run at startup.</li> <li>◆ Run daily Valid values are the hour and minutes at which to run the service, daily. You can also specify a time interval. Indicate whether you want the service to run at startup.</li> <li>◆ Run based on day(s) of the week Valid values are the day of the week, the hour, and the minutes at which to run the service. You can also specify a time interval. Indicate whether you want the service to run at startup.</li> <li>◆ Run based on day(s) of the month Valid values are the day of the month (including the last day of the month (LDOM)), hour, and the minutes at which to run the service. You can also specify a time interval. Indicate whether you want the service to run at startup.</li> </ul>

## GPM Configuration

The following table describes the fields used to configure the EDI Enveloping service in the GPM. You set the default global settings for these parameters in the `enveloping.properties` file. However, these global settings can be overridden in the EDI Enveloping service by using the following parameters in the GPM. Use these parameters when it is necessary to adjust the lock times and lock wait times for specific business processes.

Field	Description
Config	Name of the service configuration. Required.
EDIENVELOPE_MAX_LOCK_TIME	<p>Maximum amount of time that the EDI Enveloping service will hold a lock on an enveloping process. This parameter enables you to fine tune your EDI processing. You can set this parameter in <code>envelope.properties.in</code>, and then use the same parameter here to override the properties file setting where necessary. The default value is 86400 seconds.</p> <p>This parameter is used in Deferred mode to avoid situations where enveloping service releases the lock before it is done processing a message—possibly due to slow response from the database. If there are concurrent EDI enveloping business processes running, an EDI Enveloping service in another business process could possibly retrieve the same message from the database and process it, which would result in duplicate outbound messages.</p>
EDIENVELOPE_LOCK_WAIT_TIME	<p>Maximum amount of time that the EDI Enveloping service will wait for a lock before returning an error and reporting failure to obtain the lock. The service would use this parameter value when another EDI Enveloping business process has the lock, which causes this EDI Enveloping service instance to have to wait for the lock. The default value is 86400 seconds. This parameter is used in Deferred mode only.</p>

## Correlation Data

The EDI Enveloping service and EDI Deenveloping service automatically collect the following correlation information from EDI messages:

Category	Data Collected
Sender ID	<ul style="list-style-type: none"><li>◆ InterchangeSenderID</li><li>◆ GroupSenderID</li><li>◆ TransactionSenderID</li></ul>
Receiver ID	<ul style="list-style-type: none"><li>◆ InterchangeReceiverID</li><li>◆ GroupReceiverID</li><li>◆ TransactionReceiverID</li></ul>

<b>Category</b>	<b>Data Collected</b>
Control Numbers	<ul style="list-style-type: none"> <li>◆ InterchangeControlNumber</li> <li>◆ GroupControlNumber</li> <li>◆ TransactionControlNumber</li> </ul>
Acknowledgement Requested	<ul style="list-style-type: none"> <li>◆ InterchangeAckRequested</li> <li>◆ GroupAckRequested</li> </ul>
Acknowledgement Status	<ul style="list-style-type: none"> <li>◆ InterchangeAckStatus</li> <li>◆ GroupAckStatus</li> </ul>
Standard	Standard – values are CII, EDIFACT, VDA, RND, SWIFT, and X12
ID	<ul style="list-style-type: none"> <li>◆ FunctionalID</li> <li>◆ TransactionSetID</li> </ul>
Versions	<ul style="list-style-type: none"> <li>◆ InterchangeVersion</li> <li>◆ GroupVersion</li> <li>◆ TransactionVersion</li> </ul>
Date and Time	<ul style="list-style-type: none"> <li>◆ InterchangeDateTime</li> <li>◆ GroupDateTime</li> </ul>
Overdue Time	<ul style="list-style-type: none"> <li>◆ InterchangeOverdueTime</li> <li>◆ GroupOverdueTime</li> </ul>
Level	Level – values are Interchange, Group, and Transaction
Direction	Direction – values are Inbound and Outbound
Envelope Type	<ul style="list-style-type: none"> <li>◆ InterchangeEnvelopeType</li> <li>◆ GroupEnvelopeType</li> <li>◆ TransactionEnvelopeType</li> </ul>
Envelope Name	<ul style="list-style-type: none"> <li>◆ InterchangeEnvelopeName</li> <li>◆ GroupEnvelopeName</li> <li>◆ TransactionEnvelopeName</li> </ul>
Envelope Version	<ul style="list-style-type: none"> <li>◆ InterchangeEnvelopeVersion</li> <li>◆ GroupEnvelopeVersion</li> <li>◆ TransactionEnvelopeVersion</li> </ul>

Category	Data Collected
Compliance Status	<ul style="list-style-type: none"> <li>◆ InterchangeComplianceStatus</li> <li>◆ GroupComplianceStatus</li> <li>◆ TransactionComplianceStatus</li> </ul> Values are OK and NOT OK
Test Mode	TestMode – values are Production, Test Data and Information
Counts	<ul style="list-style-type: none"> <li>◆ TransactionCount</li> <li>◆ GroupCount</li> </ul>
Container Doc ID	ContainerDocID

The information for these correlations is automatically collected at each enveloping and deenveloping stage for a message, which facilitates tracking individual messages as they move through the application.

There is no setup required for using the correlation information collected by the EDI Enveloping and EDI Deenveloping services. After you use one of these services in a business process, the information is available through the Correlation Search option.

## Using Wildcards in Enveloping

As a way to help reduce the number of envelopes you need to create and use, the EDI Enveloping and EDI Deenvelope services support use of an asterisk (\*) as a wildcard character in mandatory envelope fields for X12 and EDIFACT only. By using wildcards, you can set up one set of envelopes that can be used for multiple trading partners. If certain trading partners have specific requirements, you can still have envelopes that pertain just to them, and the EDI Enveloping service chooses the envelope that is the best match. In other words, the envelope that has the most matches to specific fields in the data (for example Receiver ID, Receiver ID Qualifier), is the one selected.