

Sterling Standards Library

Using SWIFTNet

Version 7.0

Sterling Commerce
An IBM Company

Licensed Materials - Property of Sterling Commerce

© Copyright Sterling Commerce, an IBM Company 2000, 2010 All Rights Reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by contract with Sterling Commerce

Additional copyright information is located on the Sterling Integrator 5.1 Documentation
<http://www.sterlingcommerce.com/Documentation/SI51/CopyrightPage.htm>

Contents

SWIFT and SWIFTNet with the Application	7
Overview	7
Prerequisite Knowledge	15
Using SWIFTNet	16
Using InterAct	16
Using FileAct	16
Downloading and Installing the SWIFT Standards Data Dictionary	17
SWIFT Envelopes	18
Overview	18
Enabling and Disabling Address Verification	21
Configuring Inbound Address Verification	22
Configuring Outbound Address Verification	22
Maintaining the External Code Lists	22
Disabling Automatic BICPlusIBAN Validation for the SWIFT_BICPlusIBAN Code List	23
syntax.BICPlusIBAN=YES	24
Creating Envelopes	24
Using Base Envelopes	24
Importing and Exporting Envelopes	25
Inbound SWIFT envelope	25
Outbound SWIFT envelope	45
Configuring the EDI Encoder Service for SWIFT Outbound Messages	68
Correlation Names to Override SWIFT Envelope Values	69
FIN Envelopes	69
XML Format 2 Envelopes	70
SWIFT and SWIFTNet Business Processes	73
Overview	73
Writing a Business Process for a StandardsTranslation Operation	74
SWIFTDeenvelope Business Process	75
Before Using the SWIFTDeenvelope Business Process	77
SWIFTEnvelope Business Process	78
Before Using the SWIFTEnvelope Business Process	80
SWIFTNetClient Business Process	80
Before Using the SWIFTNetClient Business Process	83
SWIFTNetClientFA Business Process	83
Before Using the SWIFTNetClientFA Business Process	85
handleSWIFTNetServerRequest Business Process	85
Before Using the handleSWIFTNetServerRequest Business Process	90
handleSWIFTNetServerSnFRequest Business Process	91
Before Using the handleSWIFTNetServerSnFRequest Business Process	96

handleSWIFTNetServerFARequest Business Process	96
Before Using the handleSWIFTNetServerFARequest Business Process	100
handleSWIFTNetServerFASnFRequest Business Process	100
Before Using the handleSWIFTNetServerFASnFRequest Business Process	107
handleSWIFTNetServerFAEvent Business Process	107
Before Using the handleSWIFTNetServerFAEvent Business Process	112
SWIFTMessageEntryOutbound	112
Before Using the SWIFTMessageEntryOutbound Business Process	115
Creating SWIFT Maps	116
Overview	116
How SWIFT Terminology Correlates with the Map Editor	117
SWIFT Components in the Map Editor	117
Downloading and Installing the SWIFT Standards Database	119
Creating a File Layout from an MT or Market Practice	120
Creating a Custom Market Practice or Fund Message	121
Creating a SWIFTSolutions (MX) Map	123
Converting Your Map to Another SWIFT Standards Version	125
SWIFTNet Syntax Validation	126
SWIFT MX Validation	126
Error Codes for MX Validation	127
Creating Extended Rules for SWIFT Maps	128
Extended Rules Used with SWIFT Maps	128
Using Autolink and Link	128
Using Extended Rule Libraries with SWIFT	129
Calling a Rule from an Extended Rule Library in a Map	133
Truncating Number Fields When Converting Strings to Numbers	133
Using BigDecimal	133
SWIFTNet Correlations	184
Searching for SWIFT Messages Using Correlations	184
Migrating Correlation Details to Version 5.3	187
Overview of SWIFTNet Transport	188
InterAct and FileAct Protocol	188
Additional FileAct Protocol Options	189
Secure Sockets Layer (SSL)	189
CHIPS Message Transport Using SWIFTNet	189
SWIFTNet MEFG Server	190
Overview	190
Supported Platforms	192
Client Application	193
Synchronous Message Exchange	193
Asynchronous Message Exchange	193
Configuring the Client Application	193
Server Application	193
Configuring the Server Application	193
The Application Acting as Third Party	194
SWIFTNet MEFG Server Installation	197
Prerequisites	198
Configuring SAG/SNL	198
Installing the SWIFTNet Remote API (RA)	200
Configuring SSL Between the Application and the SWIFTNet MEFG Server	201
Preparing the SSL Certificates for the SWIFTNet MEFG Server	202

Preparing the SSL Certificates for the Application	202
Configuring the SWIFTNet Server Adapter for SSL	203
Configuring the SWIFTNet HTTP Server Adapter for SSL	203
Configuring the SWIFTNet Client Service or Business Process for SSL	203
Configuring the SSL Setup on the SWIFTNet MEFG Server	204
Installing the SWIFTNet MEFG Server	205
Configuring Fail-over Processing Using the SWIFTNet MEFG Server	207
Starting the Command Line Adapter 2 Client	208
Monitoring the Status of the SWIFTNet MEFG Server	208
Starting and Stopping the SWIFTNet MEFG Server	208
Monitoring the SWIFTNet MEFG Server Queues	209
SWIFTNet Input Channel	210
How the Application Supports the Use of Input Channel	210
Support for Local Processing	211
Automatic Process to Resend a Message	211
Automatic Process to Resolve a Sequence Gap	211
Input Channel Status	212
Monitoring the Input Channels	213
Configuring the Application Components to Use the Input Channel	213
Configuring the SWIFTNet Server Adapter and Resend Scheduler	214
Configuring the SWIFTNet Client Service	222
Creating a New Input Channel	227
Deleting an Existing Input Channel	228
Opening an Input Channel	229
Automatically Opening an Input Channel	229
Manually Opening an Input Channel	230
Closing the Input Channel	232
Automatically Closing the Input Channel	232
Manually Closing the Input Channel	232
Sending an InterAct Message Using the Input Channel	233
Document Tracking for SWIFTNet Transport	235
Overview	235
Monitoring the SWIFTNet Data Flow	235
Monitoring the SWIFTNet Communication Session Records	237
SWIFT Editor	239
Editor Tasks	240
Editing SWIFT Messages	240
Reviewer Tasks	243
Searching for SWIFT Messages	243
Setting Default Configuration Options	245
SWIFT Message Entry Workstation	247
SWIFT Message Entry Workstation Display and Usability Features	248
Installing Available Message Types	248
Installing Older MT Versions	248
SWIFT Message Creation Process	249
Creating a SWIFT Message	250
Searching for a SWIFT Message	251
Search Parameters	251
Search Results Parameters	253
Verifying SWIFT Messages	253
Tracking SWIFT Messages	255

Deleting a Message	255
Copying a Message	256
SWIFT Error Codes	258
Overview	258
Text Validation Error Codes	258
Specific Error Codes for MUG-textval Rules	271
Special Error Codes for Value-Added Service Messages	273
Message Syntax and Semantic Rule Codes	273
Rules 000-099	273
Rules 100-199	292
Rules 200-299	310
Knn: Code Word Validation in Generic Fields	340
Header Validation Error Codes	344
Error Codes for SWIFT MX Messages	347
SWIFTNet Routing Rule	377
Creating a SWIFTNet Routing Rule and Associating it with a Business Process	377
Searching for a SWIFTNet Routing Rule	379
Searching for a Routing Rule by Name	379
Searching for a Routing Rule from a List	379
Deleting a Routing Rule	380
Exporting and Importing a SWIFTNet Routing Rule	380
SWIFTNet Service Profile	381
Creating a SWIFTNet Service Profile	381
Searching for a SWIFTNet Request Type	382
Searching for a Request Type by Name	382
Searching for a Request Type from a List	382
Exporting and Importing a SWIFTNet Service Profile	382
SWIFTNet Copy Service Profile	383
Creating a SWIFTNet Copy Service Profile	383
Searching for a SWIFTNet Copy Service Profile	383
Searching for a Copy Service Profile by Name	383
Searching for a Routing Rule from a List	384
Configuring the WebSphere MQ Adapter/Suite to Communicate with SWIFT	385
Configuring the Application to Retrieve Messages	385
Configuring the Application to Send Messages	386
Configuring the UMID and Block S Options	387

SWIFT and SWIFTNet with the Application

Overview

The application supports the use of Society for Worldwide Interbank Financial Telecommunications (SWIFT), a standard for the financial industry from SWIFT™ that uses the SWIFTNet transport protocol to enable real-time store-and-forward financial messaging through the InterAct and FileAct file protocols.

The SWIFT standards data dictionary is optionally installed from the **Deployment > Standards** page. It supports all SWIFT Standards Release messages loaded in the standards database. The SWIFT standards data dictionary also contains the special exception and code word validations, and the codes words and qualifiers necessary for the validation of the ISO 15022 messages (500 series). This information is used to automatically generate the `translator_swift.properties.in` file, which is used by the translator to perform the validations.

Note: You can create a map for all SWIFT Standards Release messages through the Map Editor. All messages are validated by the application for syntax (that is, field types, field lengths, and so forth). All SWIFT message are validated for syntax *and* semantics.

The following messages are supported with both inbound and outbound syntax validation and semantic validation (that is, validating the message rules) of the messages between the application and SWIFT:

- ◆ All SWIFTNet 2005 message types
- ◆ All SWIFTNet 2006 message types
- ◆ All SWIFTNet 2007 message types
- ◆ All SWIFTNet 2008 message types
- ◆ All SWIFTNet 2009 message types
- ◆ All SWIFTNet 2010 message types
- ◆ SWIFTNet Funds (version 1.0, 3.0, and 4.0) and Funds Rulebook Version 4.0
- ◆ SWIFTNet Alternative Funds version 4.1 and Alternative Funds Rulebook Version 4.1
- ◆ SWIFTNet Fund Processing Passport 2009 version 4.2 and Funds Rulebook Version 4.2
- ◆ SWIFTNet Cash Reporting (version 3.0, 3.1, 3.2, 4.0, and 5.0) and the Cash Reporting Rulebook (versions 3.1, 4.0, and 5.0)
- ◆ SWIFTNet Cash Management version 4.0
- ◆ SWIFTNet Transaction Reporting version 1.0
- ◆ FpML version 1.0
- ◆ SWIFTNet Exceptions & Investigations (version 1.0, 1.1, and 1.2)
- ◆ SWIFTNet Trade Services Utility (version 1.0 and 2.0)
- ◆ SWIFTNet Bulk Payment version 2.0
- ◆ SWIFT SCORE versions 2.0, 2.3, and 2.4
- ◆ SWIFT Proxy Voting versions 1.0, 1.1, and 1.2
- ◆ SWIFTNet eMandate version 1.0

Additionally, the application allows you to create maps to support the translation of market practices, and provides the following two Market Practices:

- ◆ Germany: MT515: Trade Confirmation (Broker to Asset Manager)
- ◆ United States: MT536: ISITC-IOA: Statement of Transactions

For Market Practices, the SWIFT standard validations are performed unless the Market Practice has customized a particular validation (for example, restricting a code word validation list). Market Practice code word and qualifier validations are maintained in property files separate from the SWIFT standard property files. By keeping the Market Practices you create separate, we can deliver updates to the SWIFT standard without overwriting your custom-implemented Market Practices. Similarly, semantic validation rules for Market Practices are stored in an extended rule library separate from the library that implements the SWIFT standard semantic validation rules. Please note that the standard property files and semantic validation rules are used when the implemented Market Practice does not override them.

The application also supports SWIFT System Messages (MT category 0; for example, MT096 FIN Copy to Central Institution) which relate to the sending or receiving of messages used to customize your FIN operating environment, SWIFT user-to-user messages (MT categories 1-9), User-to-SWIFT messages (for example, Delivery Notifications, Retrievals, and so forth), and SWIFT-to-user messages (for example, Retrieved Messages, Non-Delivery Warnings, and so forth).

In addition, support for SWIFT requires you to create inbound and outbound SWIFT envelopes. You must also create a business process or processes to order the flow of the application activities so you can accomplish your business objectives with SWIFT.

For more information on the SWIFT standard, access this web site:

<http://www.swift.com>

This table describes how the application supports SWIFT:

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
SWIFT standards data dictionary	<ul style="list-style-type: none"> ◆ Provides all validation for field tags and structures for SWIFT messages. ◆ References a SWIFT extended rule library that is automatically checked in so you can use it with your maps. ◆ SWIFT_FINMessageTypes code list, supplied as part of the install, which contains a list of valid SWIFT message types. ◆ If you purchase a Financial Services license, you have access to XML standards once you download them. 	<ul style="list-style-type: none"> ◆ Populate the external codes lists: SWIFT_Addresses, SWIFT_BaseAddresses (only needs to be populated when address verification is enabled), SWIFT_Currencies, SWIFT_Countries, IBAN_Formats, SWIFT_BICPlusIBAN, and SEPARouting. ◆ If you want to use BIC+ Validation, you must also populate the BICPlusIBAN code list. <p>See <i>SWIFT Envelopes</i> on page 18.</p> <ul style="list-style-type: none"> ◆ Install the SWIFT standards data dictionary. <p>Note: The data dictionary is optionally installed from the Deployment > Standards page. The SWIFT rule libraries for 2008 and forward are installed by installing the SWIFT Standards InstallShield package.</p>
SWIFT Market Practices	<p>The following two market practices are available in the application:</p> <ul style="list-style-type: none"> ◆ Germany: MT515: Trade Confirmation (Broker to Asset Manager) ◆ United States: MT536: ISITC-IOA: Statement of Transactions <p>You can create a new message type by customizing a standard SWIFT message type map according to the specifications of the Market Practice. The customized map can be imported into the SWIFT Market Practices data dictionary through the SWIFTRuleImporter utility.</p>	<ul style="list-style-type: none"> ◆ Install the SWIFT standards data dictionary. <p>The data dictionary is optionally installed from the Deployment > Standards page. The SWIFT rule libraries for 2008 and forward are installed by installing the SWIFT Standards InstallShield package.</p> <ul style="list-style-type: none"> ◆ You can create a new message type by implementing the additional restrictions related to the desired Market Practice.

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
Services	<ul style="list-style-type: none"> ◆ Generic Envelope service envelopes SWIFT messages. Note: The Generic envelope service assumes that SWIFT expects a starting CRLF (carriage return/line feed) but not an ending CRLF. ◆ Generic Develope service deenvelopes SWIFT messages. Note: The Generic Develope service assumes that SWIFT expects a starting CRLF (carriage return/line feed) but not an ending CRLF. ◆ EDI Develope service accepts SWIFT messages. ◆ SWIFTNet Server Adapter. ◆ SWIFTNet Client Service. ◆ SWIFTNet Reconciliation Service. ◆ SWIFTNet HTTP Server Adapter. ◆ An application, SWIFTNet MEFG Server, supports FileAct and InterAct processing, as well as failover processing. 	<ul style="list-style-type: none"> ◆ Install the SWIFTNet MEFG Server on a machine running either the Sun Solaris 5.10, Windows Server 2003 (Standard or Enterprise Edition), or AIX 5.3 operating system. ◆ Configure the SWIFTNet Client Service. ◆ Configure the SWIFTNet Server adapter.
Envelopes	<ul style="list-style-type: none"> ◆ Inbound SWIFT envelope wizard to implement inbound SWIFT messages. ◆ Outbound SWIFT envelope wizard to implement outbound SWIFT messages. ◆ The SWIFT_FINMessageTypes code list is automatically installed with the application. This code list contains a list of valid message types. ◆ Develope functionality supports SWIFT system messages and user-to-user messages. 	<ul style="list-style-type: none"> ◆ Create the appropriate SWIFT envelopes for each message type you are sending and receiving. ◆ You need to populate four code lists to use in conjunction with the SWIFT_FINMessageTypes code list to perform SWIFT validations. ◆ Configure the EDI Encoder service for use with the outbound SWIFT messages.

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
Predefined business processes	<ul style="list-style-type: none"> ◆ SWIFTDevelope business process ◆ SWIFTEnvelope business process ◆ SWIFTNetClient business process ◆ SWIFTNetClientFA business process ◆ handleSWIFTNetServerSnFRequest ◆ handleSWIFTNetInboundCorrelation ◆ handleSWIFTNetOutboundCorrelation ◆ handleSWIFTNetServerFADelNotif ◆ handleSWIFTNetServerFAEvent ◆ handleSWIFTNetServerFARequest ◆ handleSWIFTNetServerFASnFDelNotif ◆ handleSWIFTNetServerFASnFRequest ◆ handleSWIFTNetServerRequest ◆ handleSWIFTNetServerSnFDelNotif ◆ handleSWIFTNetServerFASnFEvent ◆ handleSWIFTNetSnFInboundCorrelation ◆ handleSWIFTNetSnFOutboundCorrelation ◆ SWIFTMessageEntryOutbound ◆ handleSWIFTNetOpenInputChannel ◆ SWIFTNetOpenInputChannel ◆ SWIFTMessageEntryOutbound ◆ SWIFTNet3rdPartyClientForceRefusal ◆ SWIFTNet3rdPartyClientNotification ◆ SWIFTNetClientRenewSecContext ◆ SWIFTNetClientResend ◆ SWIFTNetCloseInputChannel ◆ SWIFTNetCreateInputChannel ◆ SWIFTNetDeleteInputChannel 	<p>The business processes that are related to the SWIFTNet workflow must have the Document Tracking option enabled when you check in or edit the business process. Additionally, you need to configure other parameters in the SWIFTNetClient business process to support SWIFTNet.</p>

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
Map Editor	<ul style="list-style-type: none"> ◆ Map Editor wizard enables you to generate a file layout using the MT or MX message that you select. Included in the SWIFT map are groups, records, composites, and fields that are defined by SWIFT. ◆ Properties dialog boxes that enable you to define and modify SWIFT map components. ◆ Autolink function automatically creates links between input and output fields that have the same name or business name. This function can be used with any data format. ◆ Extended Rules Library function (used with SWIFT and any other data format) contains a list of rules in a separate file outside of the Map Editor source. Map Editor stores the name of the library in its source file, so when you load a map the library is also loaded and compiled. This enables you to create a library of extended rules and then add it to any other map, so you do not have to recreate those extended rules after the first time. ◆ Extended rules are used to validate SWIFT messages. ◆ SWIFT MX validations are performed and generated maps define the parameters used to look up validations that are defined in a properties file. 	<ul style="list-style-type: none"> ◆ Download Map Editor. ◆ Create a map or maps to translate your SWIFT messages. ◆ Place custom extended rule code inside a validation block.

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
Extended Rule Libraries	<p>The extended rule libraries that are loaded automatically when you download SWIFT and SWIFTNet Financial Services XML standards are:</p> <ul style="list-style-type: none"> ♦ SWIFT_2002.erl ♦ SWIFT_2005.erl ♦ SWIFT_2006.erl ♦ SWIFT_2007.erl ♦ SWIFT_2008.erl ♦ SWIFT_2009.erl ♦ SWIFT_2010.erl ♦ SWIFTMX_v1-0.erl ♦ SWIFTMX_BulkPayments_v2-0.erl ♦ SWIFTMX_CashManagement_v4-0.erl ♦ SWIFTMX_CashReporting_v1-0.erl ♦ SWIFTMX_CashReporting_v3-0.erl ♦ SWIFTMX_CashReporting_v3-1.erl ♦ SWIFTMX_CashReporting_v3-2.erl ♦ SWIFTMX_CashReporting_v4-0.erl ♦ SWIFTMX_CashReporting_v5-0.erl ♦ SWIFTMX_EI_v1-0.erl ♦ SWIFTMX_EI_v1-1.erl ♦ SWIFTMX_EI_v1-2.erl ♦ SWIFTMX_e-Mandate_v1-0.erl ♦ SWIFTMX_FpML_v1-0.erl ♦ SWIFTMX_Funds_v2-0.erl ♦ SWIFTMX_Funds_v2-1.erl ♦ SWIFTMX_Funds_v2-2.erl ♦ SWIFTMX_Funds_v3-0.erl ♦ SWIFTMX_Funds_v3-1.erl ♦ SWIFTMX_Funds_v4-0.erl ♦ SWIFTMX_Funds_v4-1.erl ♦ SWIFTMX_Funds_v4-2.erl ♦ SWIFTMX_ProxyVoting_v1-0.erl 	None

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
Extended Rule Libraries (continued)	<ul style="list-style-type: none"> ◆ SWIFTMX_ProxyVoting_v1-1.erl ◆ SWIFTMX_ProxyVoting_v1-2.erl ◆ SWIFTMX_SCORE_v2-0.erl ◆ SWIFTMX_TradeServices_v1-0.erl ◆ SWIFTMX_TradeServices_v2-0.erl ◆ SWIFTMX_TransactionReporting_v1-0.erl 	None
SWIFTNet Correlations	<ul style="list-style-type: none"> ◆ Enables you to search for SWIFTNet messages using specific criteria. 	<ul style="list-style-type: none"> ◆ Run inbound and outbound data and then use the search interface to search for messages. ◆ If you are upgrading from a previous version to the Sterling Standards Library Version 5.3, you must run the SwnetCorrMigrate.cmd script to migrate correlation detail records to new database tables.
Document Tracking	<ul style="list-style-type: none"> ◆ Support for monitoring SWIFTNet data flows. ◆ Support for tracking SWIFTNet messages within the application. The tracking and correlation functionality automatically tracks the SWIFTNet messages the same manner as the other standards are tracked. ◆ Support for document repair and resend. 	<ul style="list-style-type: none"> ◆ Use the data flow interface to track inbound and outbound SWIFTNet processes. ◆ All the business processes that are related to the SWIFTNet workflow (SWIFTNetClient, handleSWIFTNetServerRequest, and handleSWIFTNetServerSnfRequest) must have the Document Tracking option enabled when you check in or edit the business processes. ◆ Access messages with Ready To Edit status, repair, and resend them.
SWIFTNet Routing Rule	<ul style="list-style-type: none"> ◆ Interface to support creation, modification, and deletion of SWIFTNet routing rules. ◆ The criteria specified in the SWIFTNet Routing Rule enables a user to set a specific business process to process the incoming request from SWIFTNet. ◆ You can also use wildcards in the SWIFTNet routing rule. 	<ul style="list-style-type: none"> ◆ Create a business process or modify the SWIFTNetClient business process. ◆ Create a SWIFTNet routing rule that is linked to the business process you created.

Functionality	Enhancements	Action You Need to Take to Implement SWIFTNet
SWIFTNet Service Profile	Enables you to associate SWIFTNet Request Type with a Schema for Header Validation.	<ul style="list-style-type: none"> ◆ Create a new SWIFTNet Service Profile.
SWIFTNet Copy Service Profile	Enables you, as a third party, to specify the relationship between a Service Name and Copy Mode (T or Y Copy).	<ul style="list-style-type: none"> ◆ Create a SWIFTNet Copy Service Profile if you are using T or Y Copy.
SWIFT Message Editor	<ul style="list-style-type: none"> ◆ Interface to enable a user to correct a SWIFT MT or MX message that was returned due to an error either in transmission or translation. ◆ Support for validating messages. 	<ul style="list-style-type: none"> ◆ Assign permissions for two different roles: the Editor and the Reviewer and give appropriate permission sets to each role. ◆ Correct appropriate messages and notify the appropriate user that activity is required. ◆ Review change history for messages.
SWIFT Message Entry Workstation	Interface to enable manual message entry using a structured message editor.	<ul style="list-style-type: none"> ◆ Assign permissions for the three different roles (Creator, Verifier, Tracker). ◆ Create, verify, view (read-only), and track new SWIFT messages created through this interface.
Input Channel	The SWIFTNet 6.1 release introduces the concept of an input channel. Currently, the application only supports the use of input channel for InterAct messages in store-and-forward (SnF) mode. An input channel can be used by the messaging interface to establish an input session with SWIFT. The input session starts when the messaging interface opens the input channel and ends when the messaging interface closes the input channel. The input channel also supports sender-to-receiver first-in-first-out (FIFO), which means that each message is delivered only one time and minimizes the number of possible duplicates.	<p>You must configure the following three application components to use the input channel:</p> <ul style="list-style-type: none"> ◆ SWIFTNet Server Adapter ◆ Resend Scheduler ◆ SWIFTNet Client Service (including configuring a predefined business process to create a new input channel)
SWIFTNet Monitor	Displays the status of the SWIFTNet queues and channels, including the input channel.	View the SWIFTNet Monitor.

Prerequisite Knowledge

The audience using this software should be familiar with the application, the SWIFTNet standard, and using InterAct and/or FileAct.

Note: This documentation is not intended to explain the SWIFTNet standard.

Using SWIFTNet

To use SWIFTNet with the application, you must complete the following tasks:

1. Download the SWIFT standards data dictionary. See *Downloading and Installing the SWIFT Standards Data Dictionary* on page 17.
2. Create inbound and outbound SWIFT envelopes. See *SWIFT Envelopes* on page 18.
3. Create the necessary code lists and maintain them as needed. See *Maintaining the External Code Lists* on page 22.
4. Enable the document tracking option for all the business processes that are related to the SWIFTNet workflow. See *Document Tracking for SWIFTNet Transport* on page 235 and *SWIFT and SWIFTNet Business Processes* on page 73.
5. Configure the EDI Encoder service for use with outbound SWIFTNet messages. See *Configuring the EDI Encoder Service for SWIFT Outbound Messages* on page 68.
6. Create the appropriate SWIFT maps. See *Creating SWIFT Maps* on page 116.
7. Configure the SWIFTNet routing rule. See *Creating a SWIFTNet Routing Rule and Associating it with a Business Process* on page 377.
8. Create a SWIFTNet Service Profile.
9. Create a SWIFTNet Copy Service Profile.
10. Use SWIFT Alliance Access (SAA) for SWIFT support.
11. Use the WebSphere MQ adapter to communicate with SAA.

Using InterAct

To use InterAct with the application, you must complete the following tasks:

1. Configure the appropriate service parameters, including failover processing configuration. See *SWIFTNet Server Adapter* and *SWIFTNet Client Service*.
2. Configure the SWIFTNet MEFG Server for InterAct processing. See *SWIFTNet MEFG Server* on page 190.

Using FileAct

To use FileAct with the application, you must complete the following tasks:

1. Configure the appropriate service parameters. See *SWIFTNet Server Adapter* and *SWIFTNet Client Service*.
2. Configure the SWIFTNet MEFG Server for FileAct processing. See *SWIFTNet MEFG Server* on page 190.

Downloading and Installing the SWIFT Standards Data Dictionary

Before you install the SWIFT standards data dictionary (standards database) on your desktop, consider these guidelines:

- ◆ Download the Map Editor.
- ◆ For the most current version of the SWIFT standards, contact Sterling Commerce Customer Support.
- ◆ Be sure your desktop meets the Windows Client requirements listed in the application *System Requirements*.

To download and install the standards database:

1. From the application **Deployment** menu, select **Standards**.
2. In the Download and Install section next to Download SWIFT Standards, click **Go!**
3. In the **File Download** dialog box, select a download option, then click **OK**.
 - ◆ If you choose to run the file click **Run** and the operating system downloads the files immediately.
 - ◆ If you choose to save the file, the operating system prompts you to save the file. Browse to the location where you want to download the file and click **OK**. If you want to continue installing, run the file you just saved from the location you specified.
4. In the Security Warning page, select **Always trust content from Sterling Commerce (Mid America), Inc.** if you do not want to see similar security messages in the future when you download software from Sterling Commerce. Click **Yes**.
5. In the Welcome window, click **Next**.
6. In the Choose Destination Location window, select where you want to install the standards database:
 - ◆ If you accept the default location, click **Next**.
 - ◆ If you want to specify a different location, click **Browse**, specify the path to the folder, click **OK**, and click **Next**.

If you specify a folder name that does not exist, the application displays a message asking if you want to create that folder.
7. In the Select Components window, verify that **SWIFTStandardDatabase** is selected (if you want to use the preloaded SWIFT market practices, also ensure that **SWIFTMarketPractice** is selected) and click **Next**.

The download wizard installs the standards database.

8. In the Setup Complete window, click **Finish**.

SWIFT Envelopes

Overview

A *document envelope* consists of control information that enables organizations to effectively exchange messages. This information is added in headers and trailers to messages. Document envelopes are specific to the message protocol used. Creating document envelopes is necessary to use SWIFTNet with your trading partners.

SWIFTNet has only one level of envelope, which you must modify appropriately to reflect your information and your trading partner's information. Envelopes specify whether the message is inbound or outbound:

- ◆ The **Inbound SWIFT envelope** identifies messages that are received by Gentran Integration Suite so they can be properly routed. Inbound envelopes also give you the option to translate messages when you choose to check messages for compliance. By choosing to translate messages from within the envelope, you can reduce message processing time because you do not need to specify a separate Translation service step in the business process. You need to create an Inbound SWIFT envelope to configure deenveloping information for MT or MX messages. See *Inbound SWIFT envelope* on page 25.
- ◆ The **Outbound SWIFT envelope** identifies messages so they can be sent to and received by trading partners. You need to configure an Outbound SWIFT envelope to configure enveloping information for MT or MX messages. See *Outbound SWIFT envelope* on page 45.

When you envelope an outbound SWIFTNet message, the SWIFTNet header and trailer are created. For an inbound message, the envelope contains the header information (the trailer information is a summary appended to the SWIFTNet data). The header types are MX or MT messages.

MT and MX messages are included within the Body element. MT messages are base-64 encoded and MX messages are XML.

The application also enables you to use SWIFT XML Format 2, the envelope supported by SWIFT Alliance Access 6.

As part of SWIFTNet enveloping, the application uses code lists to validate the data. The application uses code pairs in code lists to identify items in transactions between two or more trading partners. A trading partner code list consists of one or many pairs of code values containing a sender code and a receiver code. Each code pair has one description and up to four additional codes relating to the pair. Code lists are dynamic and are stored in a database.

The SWIFT_FINMessageTypes code list is automatically installed with the application. This code list contains a list of valid SWIFT message types. The three-digit message number is entered for sender code and receiver code, and the description is set to **SWIFT Message Type**. However, you need to populate four additional code lists to perform SWIFTNet validations:

- ◆ **SWIFT_Addresses**—used to check the sender and receiver IDs within the message. This code list is shared with message authentication. The code list used is the same code list that is used for message validations. You will type the address in the Sender Code, Receiver Code, and Description parameters, and use the Text1 parameter to indicate the subtype of the address. The SWIFT_Addresses and SWIFT_BaseAddresses code lists are used to differentiate between bad base addresses and bad branch codes when necessary. The SWIFT_Addresses code list is also used for verification of those addresses

that are contained within the body of a message. BIC and BEI addresses are validated against entries in the SWIFT_Addresses code list

- ◆ **SWIFT_BaseAddresses**—this is a list of the 8-character address (the BIC minus the branch code) that are valid as part of a sender address when generating a message. You will type the eight-digit code in the Sender Code, Receiver Code, and Description parameters. The SWIFT_Addresses and SWIFT_BaseAddresses code lists are used to differentiate between bad base addresses and bad branch codes when necessary.

Note: You only need to populate the SWIFT_BaseAddresses code list when you have enabled address verification. See *Enabling and Disabling Address Verification* on page 21.

- ◆ **SWIFT_Currencies**—this is a list of the valid currencies that can be used in a SWIFT message. You will use the Text1 parameter to indicate the maximum number of digits after the decimal point that the currency supports. Amount and Currency values are validated against ISO entries in the SWIFT_Currencies code list.
- ◆ **SWIFT_Countries**—this is a list of the valid countries that can be used as part of the address when generating a SWIFT message. IBAN values and Country codes are validated against entries in the SWIFT_Countries code list.
- ◆ **SWIFT_IBANFormat**—this is a list of specific IBAN formats that countries may use. This code list is used with BICPlusIBAN validation.

The details of this code list are as follows:

Note: A plus sign indicates those fields are concatenated together. Underscore and semi-colon characters act as delimiters and are added to the code list data.

Parameter	Field Name (refers to the name defined in the SWIFT data files)
SenderID	IBAN Country Code 3
ReceiverID	IBAN Country Code 3
Description	IBAN Country Code 3
Text1	IBAN Country Code Position 4; IBAN Country Code Length 5
Text2	IBAN Check Digits Position 6; IBAN Check Digits Length 7
Text3	Bank Identifier Position 8;bank Identifier Length 9
Text4	Branch Identifier Position 10;branch Identifier Length 11
Text5	IBAN National ID Length 12;
Text6	Account Number Position 13;account Number Length 14
Text7	IBAN Total Length 15

- ◆ **SWIFT_BICPlusIBAN and BICPlusIBAN**—these are lists of the clearing codes used for validating BICPlusIBAN combinations and clearing codes. These lists replace the older BIC+ database (and in the application, the SWIFT_ClearingCodes code list). Depending on which application you are using, you will use one of these lists. Financial institutions can look up any missing BICs linked to the IBANs for every financial institution in the 31 SEPA countries. They can also validate the IBANs and BICs, including their relationship.

Note: The BICPlusIBAN directory is a *replacement* for the BIC+ database.

The details of this code list are as follows:

Note: A plus sign indicates those fields are concatenated together. Underscore and semi-colon characters act as delimiters and are added to the code list data.

Parameter	Field Name (refers to the name defined in the SWIFT data files)
SenderID	IBAN Country Code 19 + Unique IBAN National ID, or Clearing Code 21
ReceiverID	BIC Code 7 + Branch Code 8
Description	Institution Name 4
Text1	Parent Bank Code 15
Text2	IBAN BIC Code 11
Text3	IBAN Branch Code 12
Text4	Routing BIC Code 13
Text5	Routing Branch Code 14
Text6	Subtype Indicator 15
Text7	Service Codes 26
Text8	CHIPS UID 24

- ◆ **SWIFT_SEPARouting**—this contains the SEPA Routing Directory. With the SEPA Routing Directory, banks sending SEPA payments can verify whether the operational BICs of their correspondent are SEPA-adherent and operationally ready for SEPA, and can verify the channel through which they can be reached for routing payments. Therefore, the SEPA Routing Directory provides the operational information necessary to exchange SEPA payments with the institutions listed in the EPC Register of Participants. As recommended by the EPC, the directory only contains data related to adherent institutions whose reference BIC is published in the EPC Register of Participants. The directory contains information on receiving banks that are SEPA compliant and shows the supported channels for each, across Clearing and Settlement Mechanisms (CSMs), Automated Clearing Houses (ACHs), and intermediary banks. The details of this code list are as follows:

Note: A plus sign indicates those fields are concatenated together. Underscore and semi-colon characters act as delimiters and are added to the code list data.

Parameter	Description
SenderID	BIC Code 4 + Branch Code 5 _ Service Level 9 _ Scheme Instrument 10
ReceiverID	BIC Code 4 + Branch Code 5 _ Service Level 9 _ Scheme Instrument 10
Description	Institution Name 6
Text1	Branch Code 5
Text2	Service Level 9
Text3	Scheme Instrument 10

Parameter	Description
Text4	Country Code 8
Text5	Operational Readiness Date 12
Text6	Valid From; Valid To 18
Text7	Adherent Institution Flag 11
Text8	Intermediary Institution BIC 16
Text9	[Payment Channel Id 13 : Reachability Type 15: Preferred Channel Flag 14]0-n

◆ **NISOLanguage**—Language codes are validated against ISO entries in the NISOLanguage code list.

See *Maintaining the External Code Lists* on page 22.

SWIFT codes list validations are applied to both SWIFT MT and MX messages for currencies, country codes, BIC/BEI addresses, and International Bank Account Number checksum validation (IBAN). The application allows you to define codes lists for currencies, countries, and BIC or BEI addresses (which are validated against the SWIFT_Addresses code list). IBAN data contains a country code that is validated against the SWIFT_Countries code list in the application, and additional IBAN validation is handled internally by the translator.

The validation of the SWIFT special functions <CUR>, <SWIFTBIC>, <NON-SWIFTBIC>, <CC>, and <IBAN> use these code lists. You must update and maintain these codes lists, as necessary.

For outbound SWIFTNet messages, you also need to configure the EDI Encoder service to include the proper values for the following parameters:

- ◆ AcceptorLookupAlias
- ◆ ReceiverID
- ◆ SenderID
- ◆ ReceiverIDQual
- ◆ SenderIDQual

See *Configuring the EDI Encoder Service for SWIFT Outbound Messages* on page 68.

Note: When editing a SWIFT envelope, if you skip wizard pages by clicking **Save** or clicking on a later step, the final confirmation page will display unexpected values. Also, if you skip page in the envelope wizard and then use the **Back** button, incorrect pages may be displayed. If you experience this issue, save from the confirmation screen without using the **Back** button and the envelope is saved correctly. However, if you use the **Back** button, an unexpected page may be displayed (that is, a page that would not normally be displayed based on the envelope values), and the page may hang or cause you to enter an improper value. If this occurs, cancel out of the envelope wizard, and start editing the SWIFT envelope again.

Enabling and Disabling Address Verification

The application allows you to enable or disable address verification. Address verification is performed using the SWIFT_Addresses and SWIFT_BaseAddresses code lists. See *Maintaining the External Code Lists* on page 22 for more information on creating these code lists.

Configuring Inbound Address Verification

The **enveloping.verify_addresses_while_deenveloping.SWIFT_FIN_INBOUND** property enables and disables inbound address verification.

To enable *inbound* address verification, complete these steps:

1. Access the *install_dir/properties/enveloping.properties.in* file, and change the line **enveloping.verify_addresses_while_deenveloping.SWIFT_FIN_INBOUND** to **TRUE**, as noted below:

```
enveloping.verify_addresses_while_deenveloping.SWIFT_FIN_INBOUND=True
```

Note: If you want to then disable inbound address verification, you can do so by accessing the *install_dir/properties/envelope.properties.in* file, and change the line **enveloping.verify_addresses_while_deenveloping.SWIFT_FIN_INBOUND=FALSE**.

2. Save and close the **enveloping.properties.in** file.
3. Stop the application.
4. Run the setupfiles script using one of the following steps:
 - ◆ (UNIX or Linux) - From the *install_dir/bin* directory, run the **setupfiles.sh** command.
 - ◆ (Windows) - From the *install_dir\bin* directory, run the **setupfiles.cmd** command.
5. Start the application.

Configuring Outbound Address Verification

To enable or disable *outbound* address verification, use the Outbound SWIFT envelope parameter **Validate Sender and Receiver**. This parameter allows you to enable (by choosing **Yes**) or disable (by choosing **No**) address verification. The default is **No** (sender and receiver verification is disabled). See *Outbound SWIFT envelope* on page 45 for more information.

Maintaining the External Code Lists

All necessary code lists are automatically installed but except for the Message Type code lists, they are not automatically populated with codes. Therefore, you need to populate the following five external code lists for use in conjunction with the *SWIFT_MessageTypes* code list (all code lists are automatically installed with the application—the *SWIFT_MessageTypes* code list already contains a list of valid message types) to perform SWIFTNet validations.

The external code lists for which you need to populate SenderID, ReceiverID, Description, and occasionally Text1 are:

- ◆ *SWIFT_Addresses*
- ◆ *SWIFT_BaseAddresses*
- ◆ *SWIFT_Currencies*
- ◆ *SWIFT_Countries*
- ◆ *SWIFT_BICPlusIBAN*
- ◆ *SWIFT_IBANFormats*

◆ SWIFT_SEPARouting

You populate these code lists automatically by using the HIPAA codelist conversion map for countries to populate it. However, prior to using the HIPAA codelist conversion map, you need to modify the import file created using the conversion map (the import file is used to populate the codelist). To modify the import file you need to change the codelist name from xxx to SWIFT_xxx (for example, change BICPlusIBAN to **SWIFT_BICPlusIBAN**).

To populate the each code list automatically:

1. From a command line, go to the **tp_import** directory.
2. Type the following command to start the conversion and import process, where <map name> is the name of the map to use during translation (without the file extension) and <code list path and filename> is the fully qualified name of the code list to translate, including filename extension, if any:
 - ◆ If you are using Windows, **hipaaconvert.cmd [-import] <map name> <code list path and filename>**
 - ◆ If you are using UNIX, **hipaaconvert.sh [-import] <map name> <code list path and filename>**

Do not specify the file extension for the map name when importing a code list—just indicate the base name of the map.

The [-import] parameter is optional. You can convert the code list file without importing it. If you do not use the [-import] parameter during conversion, you can import the resulting XML file into the application using the import utility.

The input files and maps for each code list are as follows:

Code List	Map	Input File and Directory
SWIFT_Addresses	SWIFTFIFileToSWIFT_Addresses	FI file from BIC directory
SWIFT_BaseAddresses	SWIFTFIFileToSWIFT_BaseAddresses	FI file from BIC directory
SWIFT_BICPlusIBAN	SWIFTBIFileToSWIFT_BICPlusIBAN	BI file from BICPlusIBAN directory
SWIFT_IBANFormats	SWIFTISFileToSWIFT_IBANFormats	IS file from BICPlusIBAN directory
SWIFT_Countries	SWIFTCTFileToSWIFT_Countries	CT file from BIC directory
SWIFT_Currencies	SWIFTCUFileToSWIFT_Currencies	CU file from BIC directory

3. Once the utility completes, a translation report (hipaaconvert.rpt) and an input file (hipaaconvert.xml) are created. If no translation errors are reported, the code list was successfully generated (and imported if you used the [-import] parameter). A code list will not be imported if there are translation errors.
4. To modify the import file, change the codelist name from xxx to **SWIFT_xxx** so it can be used for SWIFT messages.

Disabling Automatic BICPlusIBAN Validation for the SWIFT_BICPlusIBAN Code List

The SWIFT_BICPlusIBAN code list is the only code list that uses BICPlusIBAN validation. If you want to disable the automatic BICPlusIBAN validation, access the **translator_swift_2009.properties** or **translator_swift_2010.properties** file and change this property to NO to turn off the validation:

`syntax.BICPlusIBAN=YES`

Creating Envelopes

Inbound envelopes define expected header and trailer information for inbound messages. This information helps Gentrans Integration Suite route and process the messages. Outbound envelopes specify information about messages that enables them to be sent to and received by trading partners, and they gather and provide the appropriate data used to create the header.

To create an envelope:

1. From the Admin Console, select **Trading Partner > Document Envelopes > Envelopes**.
2. Under Create, next to New Envelope, click **Go!**
3. On the Envelope Standards page, select **SWIFT** and click **Next**.
4. Select the level of envelope you want to create, inbound or outbound, and click **Next**.
5. On the Base Envelope page, do you want this envelope to inherit properties from a base envelope (if available)?
 - ◆ If Yes, select a base envelope and click **Next**.
 - ◆ If No (you want to create a new envelope), select **Not Applicable** and click **Next**.
6. On the Name page, type a unique name for the envelope, and a description or comments, then click **Next**.
7. Complete the properties for the envelope as necessary and click **Next** after each page until you reach the confirm page. Required fields are highlighted in blue. See *Inbound SWIFT envelope* on page 25 or *Outbound SWIFT envelope* on page 45.
8. Click **Finish** to add the envelope.

Using Base Envelopes

A *base envelope* is a regular envelope that you use as a starting point to create a new envelope. The base envelope maintains a link to the envelope that inherited its properties. If you modify the base envelope, all related envelopes (those that inherited the base envelope properties) are also changed.

When you create an envelope using a base envelope, everything in the new envelope is the same as in the base envelope, except the envelope name, description, and parameters such as unique identification numbers. If you plan to create many envelopes using base envelopes, do not use the base envelopes in production. You should also be sure to note the envelopes that are related to the base envelopes.

To use a base envelope:

1. Create the base envelope, using *Creating Envelopes* on page 24.
2. Specify the name and description of a new envelope.
3. Identify the base envelope that the new envelope uses.

Importing and Exporting Envelopes

The Import/Export feature enables you to save time and increase the accuracy of duplicating resources on different systems. This feature enables you to move resources and data between application environments of the same version. The Import/Export feature enables you to:

- ◆ Move from a test application environment to a production application environment.
- ◆ Move resources from one application system to another.

The ability to import and export envelopes means that you can configure resources on one system and then move or copy them to a different system, thereby avoiding having to recreate the resources on each system. Even if you have resources that are going to be slightly different from one system to another, you can export the resources from one system and import them to a different system, and then make the necessary changes to the resource on the second system.

The Import/Export feature supports several different resource types, including envelopes.

Note: Importing an export file of envelopes always requires a passphrase, even if a passphrase was not required during the export. The passphrase is now required because of the addition of encrypted passwords that apply to some envelopes. When you are prompted for a passphrase for envelopes during the import of envelopes (when you did not use a passphrase when the envelopes were exported), you can supply any value for the passphrase.

Inbound SWIFT envelope

You only need to create an Inbound SWIFT envelope if you are receiving inbound SWIFT messages. However, if you are receiving inbound SWIFT messages, you need to create a separate Inbound SWIFT envelope for each SWIFT message type you will be receiving. Additionally, if you are receiving SWIFT system messages, you may need to create an Inbound SWIFT envelope using a wildcard in the Message Type parameter, to ensure that all valid SWIFT messages are routed to a process whether the message has an envelope that is supported or is of a supported message type.

Note: An (*) asterisk indicates that a wildcard value can be used with that parameter (for mandatory fields, the wildcard value is an (*) asterisk and for optional fields, the wildcard value is leaving the field blank). For Inbound envelopes, a wildcard value in the envelope matches any value in the input

document, while an empty value in the envelope matches only an empty value in the input document. For Outbound envelopes, a wildcard value is equivalent to an empty value in the envelope.

Field or Check Box	Description
* Sender ID	<p>Coded identifier of the supplier number or data sender. Valid value is eight standard characters for BIC 8. Optional.</p> <p>Note: This parameter enables you to type in a new ID or pick an ID that has already been used. When you start typing an ID, the application returns all matching IDs existing in the system and provides a combo-box from which you can select an ID by double-clicking it. There must be Sender ID Codes in the system for autocomplete to find matches and display a selection list.</p> <p>Note: It is possible to leave the Sender ID parameter blank under some circumstances. If you leave this parameter blank, it will cause errors during the enveloping process. You must type a valid value in the Sender ID parameter.</p>
Sender ID Type	<p>Type of sender identifier. Valid values are * (wildcard), BIC8 (default), Nickname, Distinguished Name. Required.</p> <p>Note: The full address for BIC8 is a BIC12, which includes the one-character logical terminal (which is specified for the sender and is always "X" for receiver), and the 3-character branch code. These are combined to form the BIC12.</p>
* Receiver ID	<p>Coded identifier of the customer number or data source number. Valid value is eight standard characters for BIC 8. Optional.</p> <p>Note: This parameter enables you to type in a new ID or pick an ID that has already been used. When you start typing an ID, the application returns all matching IDs existing in the system and provides a combo-box from which you can select an ID by double-clicking it. There must be Receiver ID Codes in the system for autocomplete to find matches and display a selection list.</p> <p>Note: It is possible to leave the Receiver ID parameter blank under some circumstances. If you leave this parameter blank, it will cause errors during the enveloping process. You must type a valid value in the Receiver ID parameter.</p>
Receiver ID Type	<p>Type of receiver identifier. Valid values are * (wildcard), BIC8 (default), Nickname, Distinguished Name. Required.</p> <p>Note: The full address for BIC8 is a BIC12, which includes the one-character logical terminal (which is specified for the sender and is always "X" for receiver), and the 3-character branch code. These are combined to form the BIC12.</p>
Envelope Format	<p>The format of the envelope. Valid values are * (wildcard), FIN (default), and SAA XML Format 2. Required.</p>

Field or Check Box	Description
Message Category	<p>The category of the message. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ ACK/NAK (FIN only) ◆ Delivery Notification (XML Format 2) ◆ Delivery Report (XML Format 2) ◆ History Report (XML Format 2) ◆ Message (FIN or XML Format 2) (this is the default) ◆ Message Status (XML Format 2) ◆ Session Status (XML Format 2) ◆ Transmission Report (XML Format 2)
Enforce Message Size Limit	<p>Specifies that the application will check the size of the message, and error out if the message exceeds it. If you select this check box, the application gives you the option to set the Maximum Message Size (which defaults to 10,000, the standard limit for SWIFT messages). Valid values are Yes (specify maximum size) - which is the default, Yes (use SWIFT-specified maximum size for message type) - which uses 2000 or 10000 as the limit, as specified in the SWIFT documentation, and No. Required.</p>
* Sender Branch Code	<p>Three-character code that further refines the Sender ID. For example, if the SenderID is ROMANSFL, the branch code might be WAS to indicate the Washington branch. This parameter acts as the Sender ID qualifier for envelope matching. Required.</p> <p>Note: Only displayed if Sender ID Type is set to BIC8. Sender Branch Code is not used for SAA XML v2.0 and does not apply when Distinguished Name and Nickname are used.</p>
* Receiver Branch Code	<p>Three-character code that further refines the Receiver ID. For example, if the ReceiverID is ROMANSFL, the branch code might be WAS to indicate the Washington branch. This parameter acts as the Receiver ID qualifier for envelope matching. Required.</p> <p>Note: Only displayed if Receiver ID Type is set to BIC8. Receiver Branch Code is not used for SAA XML v2.0 and does not apply when Distinguished Name and Nickname are used.</p>
Validate DataPDU Signature	<p>Whether to validate the protocol data unit (PDU) for a signature. Optional. Valid values are Yes or No (default).</p> <p>Note: Only displayed if Envelope Format is set to either wildcard or SAA XML Format 2 is selected. The signature is optional.</p>
Key Part 1	<p>First part of the validation signature. Each part of the key must contain at least one uppercase character, one lowercase character, and one digit. A character cannot be repeated more than seven times (across both parts of the key). Required only if you select Yes for Validate DataPDU Signature.</p>
Key Part 2	<p>Second part of the validation signature. Each part of the key must contain at least one uppercase character, one lowercase character, and one digit. A character cannot be repeated more than seven times (across both parts of the key). Required only if you select Yes for Validate DataPDU Signature.</p>

Field or Check Box	Description
Maximum Message Size	The maximum size of message that is allowed. The default is 10,000. This parameter only accepts numeric input. Only displayed if you selected Yes for the Enforce Message Size Limit parameter. Required.
Message Format	The format of the message. You must select a Message Format of wildcard (*), MT, MX, or Any XML. If you select a wildcard, the Message Type parameter is not displayed because it is assumed to be wildcard as well (since there is no reason to wildcard the format and then select a specific message). If you select MT as the Message Format, you will be given a list of MT messages for this Message Type parameter. If you choose MX, you receive a list of the "categories" (SWIFTNet Funds, SWIFTNet Alternative Funds, SWIFTNet Trade Services Utility, SWIFTNet Exceptions and Investigations, SWIFTNet Cash Reporting) for this Message Type parameter. Once you select the subtype, you are presented with a list of the message types for that category, in the format camt.003.001.02 (Get Account).

Field or Check Box	Description
MX Message Area	<p>Transaction message type as determined by the information type in the header of the message group, which includes the message, or determined by the information type in the transaction message. Required.</p> <p>Valid selections are:</p> <ul style="list-style-type: none"> ◆ * (wildcard) ◆ Bulk Payments ◆ Cash Management ◆ Cash Reporting ◆ Exceptions and Investigations ◆ Funds ◆ Proxy Voting ◆ SCORE ◆ Trade Services ◆ Transaction Reporting ◆ Alternative Funds ◆ e-Mandate ◆ Funds Processing Passport <p>Note: The message area for MX messages.</p> <p>The lists of Message Types are generated from two property files. The first property file (ui_swift_message_types.properties) will contain the base lists of the types provided with the application. The second property file (ui_swift_message_types_customer.properties) is user-modifiable, and can also contain additional messages that you want to add. If you add Message Types to the ui_swift_message_types_customer.properties property file, modify it in the customer_overrides.properties file. You are not required to restart the application when you edit the ui_swift_message_types_customer.properties file.</p> <p>You can also select the default, which is * (wildcard).</p>

Field or Check Box	Description
Message Type	<p>Transaction message type as determined by the information type in the header of the message group, which includes the message, or determined by the information type in the transaction message. This list includes SWIFT system messages. Required.</p> <p>Note: If you are receiving SWIFT system messages, you either need to create an Inbound SWIFT envelope using a wildcard in the Message Type parameter or create a separate Inbound SWIFT envelope for each SWIFTNet system message type you will receive, to ensure that all valid SWIFT messages are routed to a process whether the message has an envelope that is supported or is of a supported message type.</p> <p>Note: The message type for MX messages are the full 4-component string (for example, camt.003.001.02). You are first allowed to select a Message Format of wildcard, MT, and MX. If you select a wildcard, this Message Type parameter is not displayed because it is assumed to be wildcard as well (since there is no reason to wildcard the format and then select a specific message). If you select MT as the Message Format, you will be given a list of MT messages for this Message Type parameter. If you choose MX, you receive a list of the “categories” (SWIFTNet Funds, SWIFTNet Alternative Funds, SWIFTNet Trade Services, SWIFTNet Exceptions and Investigations, SWIFTNet Cash Reporting) for this Message Type parameter. Once you select the subtype, you are presented with a list of the message types for that category, in the format camt.003.001.02 – Get Account Information. The envelope UI code will be modified to allow us to do this while still saving the value under a single envelope parameter.</p> <p>The lists of Message Types are generated from two property files. The first property file (ui_swift_message_types.properties) will contain the base lists of the types provided with the application. The second property file (ui_swift_message_types_customer.properties) is user-modifiable, and can also contain additional messages that you want to add. If you add Message Types to the ui_swift_message_types_customer.properties property file, modify it in the customer_overrides.properties file. You are not required to restart the application when you edit the ui_swift_message_types_customer.properties file.</p> <p>You can also select the default, which is * (wildcard).</p>
Scheme Instrument	<p>Set the scheme instrument. Valid values are SCT (SEPA Credit Transfer), SDD (SEPA Direct Debit), or None. This parameter is only used for MX messages in the Bulk Payments and SCORE SWIFT Solutions.</p>
Validation Flag (tag 119)	<p>Specifies how to validate the message. Required. Default is * (wildcard).</p> <p>Note: Be sure to configure your SWIFT envelopes appropriately for the version of SWIFT that you are using.</p>
Reconcile Message Reference against a control number	<p>Whether to reconcile the Message User Reference (MUR) against a control number. Valid values are Yes (default) and No.</p> <p>The MUR is a message identifier separate from the one SWIFT assigns. Required.</p>

Field or Check Box	Description
Use global control number	<p>Whether to use a global control number. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Yes (default) ◆ Yes (and generate name from data) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p> <ul style="list-style-type: none"> ◆ No <p>Note: Only displayed if you selected Yes for Reconcile message User Reference (MUR) against a control number.</p>
Perform Duplicate Control Number (MUR) Checking	<p>Determine control number/MUR duplications. Required. Valid values:</p> <ul style="list-style-type: none"> ◆ Yes ◆ No (default) <p>Note: Only displayed if you selected Yes for Reconcile message User Reference (MUR) against a control number.</p>
Maximum age of Control Number History Records in days	<p>Maximum days that Gentran Integration Suite should retain a history of control numbers to use for duplication determinations. Valid value is nine numerics. Optional.</p> <p>Note: Only displayed if you selected Yes for Reconcile message User Reference (MUR) against a control number.</p>
Assign control number	<p>Select a control number with this envelope. Optional.</p> <p>Displayed only if Use Global Control Number is set to Yes</p>
Local control number	<p>Select a local control number to associate with this envelope. Default is 1. Required.</p> <p>Displayed only if Use Global Control Number is set to No.</p>

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating a name for a primary global control number and finding the correct number to assign based on that name. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a global control number. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a global control number. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.
Compliance check message	Check the message body for compliance. Required. Valid values are Yes (default) and No.
Validate Output	Whether to validate the output. Valid values are Yes (default) and No.
MX Business Area	<p>The MX business area. Valid values are * (wildcard), Funds, Trade Services Utility, Exceptions and Investigations, Cash Reporting, Bulk Payments, Cash Management, Proxy Voting, SCORE, Transaction Reporting, Alternative Funds, e-Mandate, and Funds Processing Passport. Required.</p> <p>Note: Only displayed if you set Message Format to MX.</p>
Message Format	The format of the message. Valid values are * (wildcard), MT (default), MX, and Any XML. Required.
APC/FIN	<p>For an MT message using XML Format 2, this indicates whether it is a system (APC) message or a user message (FIN). Required.</p> <p>Valid values are * (wildcard—this is the default), APC, and FIN.</p>

Field or Check Box	Description
Scheme Instrument	Set the scheme instrument. Valid values are SCT (SEPA Credit Transfer), SDD (SEPA Direct Debit), or None. This parameter is only used for MX messages in the Bulk Payments and SCORE SWIFT Solutions.
Closed User Group	A specific set of trading partners defined within the SWIFT network. Optional.
Keep translated document after compliance check	Whether to keep the translated document after the compliance check. Valid values are Yes and No (default). Required. Note: If you select Yes, the translated document replaces the primary document.
Map Name Mode	How to determine which map to use to perform a compliance check. Required. Valid values are: <ul style="list-style-type: none"> ◆ Specify (default) ◆ Generate from data (this is useful if you want to share across envelopes) Note: If you select this option, you must select at least one parameter for Primary Name Format.
Treat message as a FileAct message for validation purposes (e.g. for rule 163)	Whether to treat the message as a FileAct message for validation purposes (for example, for rule 163). Valid values are Yes (default) and No. Required.
Map Name	Which map to use to perform a compliance check (if Compliance Check message set to Yes and Map Name Mode set to Yes). The map must already be checked in to the application. Optional.

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the map. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the map named SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a map name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the map named SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a map name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the map named SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Generate an error if no matching map is found	<p>Specifies whether to generate an error if the Map Name selected is not found. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if Map Name Mode is set to Generate from data.</p>
Determine Error Business Process Name By	<p>How to determine the business process name to use if there were errors in the compliance check. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Specifying a Business Process name (default) ◆ Generating a Business Process name from the data (this is useful if you want to share across envelopes) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p>

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the error business process name. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (Determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating an error business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (Determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating an error business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (Determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Generate an error if no generated business process name exists in the system	<p>Specify whether to generate an error if there is no match to the generated business process name in the system. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if Determine the Error Business Process By is set to Generating the business process name from the data.</p>
Business Process List	<p>Select a previously created business process to associate with this envelope. Optional.</p> <p>Displayed only if Determine Error Business Process Name By is set to Specifying the business process.</p>
Determine the Business Process By	<p>How to determine the business process name to use if there were no errors in the compliance check. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Specifying a business process ◆ Generating the business process name from the data <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p>

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the business process. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine the Business Process By is set to Generating the business process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the first Backup Name. ◆ Third, it tries to generate and match the second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Inbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Generate an error if no generated business process name exists in the system	<p>Specify whether to generate an error if there is no match to the generated business process name in the system. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if Determine the Business Process By is set to Generating the business process name from the data.</p>
Business Process List	<p>Select a previously created business process to associate with this envelope. Optional.</p> <p>Displayed only if Determine the Business Process Name is set to Specifying the business process.</p>
Extraction Options	<p>Business process data extraction. Required.</p> <p>Valid values:</p> <ul style="list-style-type: none"> ◆ Determined by business process (default) ◆ Extract to a file system directory ◆ Extract to a mailbox

Field or Check Box	Description
Data Extraction Directory	Directory for data extraction. Displayed only if Extraction Options set to Extract to a file system directory . Optional
Data Extraction Filename	Filename for data extraction. Displayed only if Extraction Options set to Extract to a file system directory . Optional.
Data Extraction Mailbox	Mailbox for data extraction. Displayed only if Extraction Options set to Extract to a mailbox . Optional.
Data Extraction Mailbox Message Name	Mailbox message name for data extraction. Displayed only if Extraction Options set to Extract to a mailbox . Optional.

Outbound SWIFT envelope

You only need to create an Outbound SWIFT envelope if you are sending outbound SWIFT messages. However, if you are sending outbound SWIFT messages, you need to create a separate Outbound SWIFT envelope for *each* SWIFT message type you will be sending. The following table describes Outbound SWIFT envelope properties:

Note: An (*) asterisk indicates that a wildcard value can be used with that parameter. For Inbound envelopes, a wildcard value in the envelope matches any value in the input document, while an empty value in the envelope matches only an empty value in the input document. For Outbound envelopes, a wildcard value is equivalent to an empty value in the envelope.

Field or Check Box	Description
Envelope Format	The format of the envelope. Required. Valid values are FIN (default) and SAA XML Format 2.
* Sender ID	<p>Coded identifier of the supplier number or data sender. Valid value is eight standard characters for BIC 8. Required.</p> <p>Note: This parameter enables you to type in a new ID or pick an ID that has already been used. When you start typing an ID, the application returns all matching IDs existing in the system and provides a combo-box from which you can select an ID by double-clicking it. There must be Sender ID Codes in the system for autocomplete to find matches and display a selection list.</p> <p>Note: It is possible to leave the Sender ID parameter blank under some circumstances. If you leave this parameter blank, it will cause errors during the enveloping process. You must type a valid value in the Sender ID parameter.</p>
Sender ID Type	<p>Type of sender identifier. Valid values are * (wildcard), BIC8 (default), and Distinguished Name. Required.</p> <p>Note: The full address for BIC8 is a BIC12, which includes the one-character logical terminal (which is specified for the sender and is always "X" for receiver), and the 3-character branch code. These are combined to form the BIC12.</p>

Field or Check Box	Description
* Receiver ID	<p>Coded identifier of the customer number or data source number. Valid value is eight standard characters for BIC 8. Required.</p> <p>Note: This parameter enables you to type in a new ID or pick an ID that has already been used. When you start typing an ID, the application returns all matching IDs existing in the system and provides a combo-box from which you can select an ID by double-clicking it. There must be Receiver ID Codes in the system for autocomplete to find matches and display a selection list.</p> <p>Note: It is possible to leave the Receiver ID parameter blank under some circumstances. If you leave this parameter blank, it will cause errors during the enveloping process. You must type a valid value in the Receiver ID parameter.</p>
Receiver ID Type	<p>Type of receiver identifier. Valid values are * (wildcard), BIC8 (default), and Distinguished Name. Required.</p> <p>Note: The full address for BIC8 is a BIC12, which includes the one-character logical terminal (which is specified for the sender and is always "X" for receiver), and the 3-character branch code. These are combined to form the BIC12.</p>
Acceptor Lookup Alias	<p>Identifying string used with the Sender ID and the Receiver ID to look up this envelope with the EDI Encoder service. This alias associates a message with the service it requires. Valid value must be at least one limited standard character. Required. Default is FIN.</p>
Use Correlation Overrides	<p>When to use correlation overrides (when a SWIFT Reviewer chooses not to validate a message on resend). Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Always - If a correlation override value is provided, always use that value instead of the value in the envelope (except for the Sender ID, Receiver ID, and Sender/Receiver Qualifier fields, which must have a * in the envelope definition to use the correlation override value). ◆ Only when the envelope field has a wildcard value (*) - Only use correlation override values for fields in the envelope definition that are specified with a wildcard (*). This is the default. ◆ Never - Never use correlation overrides. ◆ Use the default specified in enveloping.properties - The enveloping.properties file defines when to use correlation overrides if this choice is selected. The properties file will either define Always, Never, or Only when the envelope field has a wildcard (*) value. The applicable properties file property is enveloping.correl_override_default.[standard]. Allowed values are No (which means never), WildcardOnly, or All (which means always, except for the Sender ID, Receiver ID, and Sender/Receiver Qualifier fields, which must have a * in the envelope definition to use the correlation override value).

Field or Check Box	Description
Batching Options	<p>When the EDI Encoder is used to prepare multiple messages for enveloping, you can either choose to process each message individually or concatenate them into a single file, with the messages separated by a '\$'. Required.</p> <p>Valid values are:</p> <ul style="list-style-type: none"> ◆ Use FileAct batching ("\$" between messages) (default) ◆ Do not batch messages
Enforce Message Size Limit	<p>Specifies that the application will check the size of the message, and error out if the message exceeds it. If you select this check box, gives you the option to set the Maximum Message Size (which defaults to 10,000, the standard limit for SWIFT messages). Valid values are Yes (default) and No. Required.</p>
User Reference (MT Message User Reference/MX Message Reference)	<p>Indicates how to process the message user reference. The message user reference block is an optional section in the SWIFT envelope that the SWIFT network tracks for acknowledgement purposes. Valid values are:</p> <ul style="list-style-type: none"> ◆ Don't include a message user reference (default) ◆ Use control number ◆ Use value from process data <p>Note: You should only select Use value from process data if you are using immediate enveloping. With deferred enveloping, the process data values from the encoding step are not passed on to the enveloping step, so using a process data element will not work with deferred enveloping.</p>
Revision Field	<p>The revision field. Values are 2.0.0. (default) and 2.0.1.</p> <p>Note: This parameter is displayed on the SAA XML Format 2 Options screen when you select Envelope Format as SAA XML Format 2 when creating an outbound envelope.</p>
Message Format	<p>The format of the message. Valid values are MT (default), MX, and Any XML. Required.</p>
Validate Sender and Receiver	<p>Specify whether to validate the sender and receiver. Required. Valid values are Yes and No (default).</p> <p>Note: This parameter allows you to enable (Yes) or disable (No, which is the default) address verification. Address verification is performed using the SWIFT_Addresses and SWIFT_BaseAddresses code lists. See <i>Maintaining the External Code Lists</i> on page 22 for more information on creating these code lists.</p>
MX Business Area	<p>The MX business area. Valid values are * (wildcard), Funds, Trade Services Utility, Exceptions and Investigations, Cash Reporting, Bulk Payments, Cash Management, Proxy Voting, SCORE, Transaction Reporting, Alternative Funds, e-Mandate, and Funds Processing Passport. Required.</p> <p>Note: Only displayed if you set Message Format to MX.</p>
FIN/APC	<p>For an MT message using XML Format 2, this indicates whether it is a system (APC) message or a user message (FIN). Required.</p> <p>Valid values are * (wildcard—this is the default), APC, and FIN.</p>

Field or Check Box	Description
MX Message Area	<p>Transaction message type as determined by the information type in the header of the message group, which includes the message, or determined by the information type in the transaction message. Required.</p> <p>Valid selections are:</p> <ul style="list-style-type: none"> ◆ * (wildcard) ◆ Bulk Payments ◆ Cash Management ◆ Cash Reporting ◆ Exceptions and Investigations ◆ Funds ◆ Proxy Voting ◆ SCORE ◆ Trade Services ◆ Transaction Reporting ◆ Alternative Funds ◆ e-Mandate ◆ Funds Processing Passport <p>Note: The message area for MX messages.</p> <p>The lists of Message Types are generated from two property files. The first property file (ui_swift_message_types.properties) will contain the base lists of the types provided with the application. The second property file (ui_swift_message_types_customer.properties) is user-modifiable, and can also contain additional messages that you want to add. If you add Message Types to the ui_swift_message_types_customer.properties property file, modify it in the customer_overrides.properties file. You are not required to restart the application when you edit the ui_swift_message_types_customer.properties file.</p> <p>You can also select the default, which is * (wildcard).</p>

Field or Check Box	Description
Message Type	<p>Transaction message type as determined by the information type in the header of the message group, which includes the message, or determined by the information type in the transaction message. Required for both MT and MX messages.</p> <p>Note: The message type for MX messages are the full 4-component string (for example, camt.003.001.02). You are first allowed to select a Message Format of wildcard, MT, and MX. If you select a wildcard, this Message Type parameter is not displayed because it is assumed to be wildcard as well (since there is no reason to wildcard the format and then select a specific message). If you select MT as the Message Format, you will be given a list of MT messages for this Message Type parameter. If you choose MX, you receive a list of the “categories” (SWIFT Funds, SWIFT Trade Services, SWIFT Exceptions and Investigations, SWIFT Cash Reporting) for this Message Type parameter. Once you select the subtype, you are presented with a list of the message types for that category, in the format camt.003.001.02 – Get Account Information.</p> <p>The lists of Message Types are generated from two property files. The first property file (ui_swift_message_types.properties) will contain the base lists of the types provided with the application. The second property file (ui_swift_message_types_customer.properties) is user-modifiable, and can also contain additional messages that you want to add. If you add Message Types to the ui_swift_message_types_customer.properties property file, modify it in the customer_overrides.properties file. You are not required to restart the application when you edit the ui_swift_message_types_customer.properties file.</p>
Service Identifier	A two-character numeric field indicating the type of data. The default is 01 for all the application and user-to-user messages, 21 for acknowledgements, and 03 for SELECT commands. Required.
FIN/APC	<p>For an MT message using XML Format 2, this indicates whether it is a system (APC) message or a user message (FIN). Required.</p> <p>Valid values are * (wildcard—this is the default), APC, and FIN.</p>
Closed User Group	A specific set of trading partners defined within the SWIFT network. Optional.
Include sender full name	Whether to include the full name of the sender. Valid values are Yes and No (default). Required.
X1 (Institution BIC11)	<p>The name of the sending institution. Optional.</p> <p>Note: Only displayed for SAA XML Format 2.</p>
X2 (Department or Application Name)	<p>The name of the sending department or application name. Optional.</p> <p>Note: Only displayed for SAA XML Format 2.</p>
X3 (Routing Information/Last Name)	<p>The routing information or last name of the sender. Optional.</p> <p>Note: Only displayed for SAA XML Format 2.</p>
X4 (First Name)	<p>The first name of the sender. Optional.</p> <p>Note: Only displayed for SAA XML Format 2.</p>

Field or Check Box	Description
Financial Institution	The financial institution for the sender. Optional. Note: Only displayed for SAA XML Format 2.
Branch Information	The branch information for the sender. Optional. Note: Only displayed for SAA XML Format 2.
City Name	The name of the city for the sender. Optional. Note: Only displayed for SAA XML Format 2.
Location	The location code for the sender. Optional. Note: Only displayed for SAA XML Format 2.
Country Code	The country code for the sender. Optional. Note: Only displayed for SAA XML Format 2.
Include receiver full name	Whether to include the full name of the receiver. Valid values are Yes and No (default). Required.
X1 (Institution BIC11)	The name of the receiving institution. Optional. Note: Only displayed for SAA XML Format 2.
X2 (Department or Application Name)	The name of the receiving department or application name. Optional. Note: Only displayed for SAA XML Format 2.
X3 (Routing Information/Last Name)	The routing information or last name of the receiver. Optional. Note: Only displayed for SAA XML Format 2.
X4 (First Name)	The first name of the receiver. Optional. Note: Only displayed for SAA XML Format 2.
Financial Institution	The financial institution for the receiver. Optional. Note: Only displayed for SAA XML Format 2.
Branch Information	The branch information for the receiver. Optional. Note: Only displayed for SAA XML Format 2.
City Name	The name of the city for the receiver. Optional. Note: Only displayed for SAA XML Format 2.
Location	The location code for the receiver. Optional. Note: Only displayed for SAA XML Format 2.
Country Code	The country code for the receiver. Optional. Note: Only displayed for SAA XML Format 2.
Routing Code	The routing code. Optional. Note: Only displayed for SAA XML Format 2.
Validation level	The level of validation. Required. Valid values are None (use SAA default), Minimum, Intermediate, Maximum. Note: Only displayed for SAA XML Format 2.

Field or Check Box	Description
Allow modification in SAA	Whether to allow modification in SAA. Required. Valid values are SAA Default (this is the default), Yes, and No. Note: Only displayed for SAA XML Format 2.
Include routing instructions	Whether to include routing instructions. Required. Valid values are Yes and No (default). Note: Only displayed for SAA XML Format 2.
Routing Function	The routing function. Required. Valid values are Route (default), DisposeToRoutingPoint, and DisposeToRoutingStep. Note: Only displayed for SAA XML Format 2, if Include routing instructions is set to Yes.
Routing Point	The routing point. Optional. Note: Only displayed for SAA XML Format 2, if Include routing instructions is set to Yes.
Routing Step	The routing step. Optional. Valid values are None (default), Verify, Authorize, Modify, and ReadyToSend. Note: Only displayed for SAA XML Format 2, if Include routing instructions is set to Yes.
Network Priority	The network priority. Optional. Valid values are None (default), Normal, System, and Urgent. Note: Only displayed for SAA XML Format 2.
Is Possible Duplicate	Whether the trailer is a possible duplicate. Required. Valid values are Don't Include (default), False, and True. Only displayed for SAA XML Format 2.
Request Notification	Whether delivery notification is requested. Required. Valid values are Don't Include (default), False, and True. Note: Only displayed for SAA XML Format 2. Note: The application does not mark a message as accepted until the delivery notification or report has been received. Therefore, the Delivery Notification information is stored until the Transmission Report associating the SenderReference with the appropriate Reconciliation information is received.
Service	The network service used. Optional. Note: Only displayed for SAA XML Format 2.
User Priority (FIN only; header field 113)	The user priority. Optional. Note: Only displayed for SAA XML Format 2.
Value Added Service ID (FIN only)	The value-added network service used. Optional. Note: Only displayed for SAA XML Format 2.
Standard Year (Version)	The SWIFT version (year of release). Optional.
Validation Identifier (FIN only; header field 119)	The validation identifier. Optional. Note: Only displayed for SAA XML Format 2.

Field or Check Box	Description
IsSigningRequested flag (ignored for FIN)	Whether or not a signature is requested as a security option. Optional. Valid values are None (use SAA emission profile configuration—this is the default), True, and False. Note: Only displayed for SAA XML Format 2.
Request non-repudiation (SWIFTNet only)	Whether or not non-repudiation is requested as a security option. Optional. Valid values are None (use SAA emission profile configuration—this is the default), True, and False. Note: Only displayed for SAA XML Format 2.
PAC Value	??? Optional Note: Only displayed for SAA XML Format 2.
Sign the DataPDU	Whether to sign the protocol data unit (PDU) for a signature. Optional. Valid values are Yes or No (default). Note: Only displayed if Envelope Format is set to either wildcard or SAA XML Format 2 is selected. The signature is optional.
Key Part 1	First part of the validation signature.
Key Part 2	Second part of the validation signature.
Message Priority	Specify the priority of the message delivery. Optional. Valid values are: <ul style="list-style-type: none"> ◆ Normal (default) ◆ Urgent ◆ System
Delivery Monitoring	One digit that indicates how monitoring will be performed by the SWIFT network. Optional. Valid values are: <ul style="list-style-type: none"> ◆ No Delivery Monitoring (default) ◆ 1 (Warning Message) indicates that a warning message will be given if the message is not delivered within a reasonable period ◆ 2 (Delivery Notification) indicates notification when the message is delivered ◆ 3 (Non-Delivery Warning and Delivery Notification) indicates that both the non-delivery warning and delivery notification will be given Note: The allowable options are tied to the Message Priority : priority Urgent requires that the user select 1 or 3, priority Normal enables the user to select 2 or No Delivery Monitoring.
Obsolescence Period	Indicates the time after which a Delayed Message trailer will be added to the message by the SWIFT network if it has not yet been delivered. This is also the period after which a non-delivery warning will be generated by the SWIFT network, if the appropriate choice for the Delivery Monitoring parameter. Optional. Note: This parameter must be three numerics. Each unit represents five minutes (so, for example, 003 equates to 15 minutes). SWIFT requires leading zeros, so the if the number of minutes is less than 3 digits, you must include leading zeroes.

Field or Check Box	Description
FIN Copy Service Code (tag 103):	<p>A typical configuration requires that the FIN Copy Service Code tag be included in the envelope (usually set to COP). Optional.</p> <p>The SWIFT network support the FIN Copy mode, in which a message is sent to an intermediary for approval before it goes to its final destination (or is just copied to the intermediary without requiring approval).</p>
Banking Priority (tag 113):	<p>A four-character optional tag indicating the banking priority. The allowed values are agreed on by you and your trading partner or partners. Optional.</p>
Validation Flag (tag 119):	<p>Specifies the validation flag. Required.</p> <p>This is an optional part of the header that can contain a code word to indicate that certain types of validations should be performed on the enveloped message.</p> <p>The valid values for this tag vary depending on the message type.</p> <p>Note: Be sure to configure your SWIFT envelopes appropriately for the version of SWIFT that you are using.</p>
Payment Release Information (tag 115):	<p>Specifies the payment release information. Optional.</p> <p>This is an envelope component used in FIN Copy that contains information from the central institution to the receiver of the payment message. The information from this parameter will be placed by the SWIFT network into the MT 097 FIN Copy Message Authorization/Refusal Notification in Y-copy mode.</p>
Include Possible Duplicate Emission (PDE) Trailer	<p>Indicates whether to include a trailer specifying that this message may be a duplicate. Required.</p> <p>This is an optional component of the envelope that indicates that this message may already have been sent. For example, if the system crashes during the delivery of a message, another copy of the message could be sent, with this trailer included to indicate that it may be a duplicate.</p> <p>Valid values are Yes and No (default).</p>
Include Training (TNG) Trailer	<p>Specifies whether to include a training (TNG) trailer. Required.</p> <p>This is an optional component of the envelope that indicates the message contained is being sent for system testing purposes.</p> <p>Valid values are Yes and No (default).</p>
Sender Logical Terminal	<p>Specifies the logical terminal for outbound FIN. This is a single alphanumeric character Required.</p> <p>Note: This parameter is necessary to send messages through the WebSphere MQ adapter using the FileAct protocol.</p>
* Sender Branch Code	<p>Three-character code that further refines the Sender ID. For example, if the SenderID is ROMANSFL, the branch code might be WAS to indicate the Washington branch. This parameter acts as the Sender ID qualifier for envelope matching. Required.</p>
* Receiver Branch Code	<p>Three-character code that further refines the Receiver ID. For example, if the ReceiverID is ROMANSFL, the branch code might be WAS to indicate the Washington branch. This parameter acts as the Receiver ID qualifier for envelope matching. Required.</p>

Field or Check Box	Description
Maximum Message Size	<p>The maximum size of message that is allowed. The default is 10,000. This parameter only accepts numeric input.</p> <p>Only displayed if you selected Yes for the Enforce Message Size Limit parameter. Required.</p>
Expect an acknowledgement for messages sent using this envelope	Whether to expect an acknowledgement for messages that are sent using this envelope. Valid values are Yes and No (default). Required.
Acknowledgement overdue after (hours)	Amount of time, in hours, within which you must receive an acknowledgement. Valid value is four numeric characters. Optional.
Acknowledgement overdue after (minutes)	Amount of time, in minutes, within which you must receive an acknowledgement. Valid value is four numeric characters. Optional.
Use global control number	<p>Whether to use a global control number. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Yes (default) ◆ Yes (and generate from data) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p> <ul style="list-style-type: none"> ◆ No <p>Displayed only if Message User Reference is set to Use Control Number.</p>

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating a name for a primary global control number and finding the correct number to assign based on that name. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a global control number. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a global control number. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated global control number (Use global control number is set to Yes (and generate name from data)), the application tries to generate and match the following control numbers:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the control number in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing control number that matches the names generated in steps 1-3, a control number with the name assigned in the first step is created.
Global Message User Reference (MUR) Control Number	<p>Select the control number with which to start generating control numbers. Optional.</p> <p>Displayed only if Message User Reference is set to Use Control Number.</p>
Process Data element from which to set the Message User Reference	<p>Specify the process data element from which the MUR will be set. Displayed only if Message User Reference is set to Use value from process data. Required.</p>
Local Message User Reference (MUR)	<p>The message user reference block is an optional section in the SWIFT envelope that the SWIFT network tracks for acknowledgement purposes. If you choose to use a local control number as the user reference, type the starting value of that control number in this parameter.</p>
Translate documents prior to enveloping	<p>Whether to translate the documents prior to enveloping them. Valid values are Yes or No (default). Required.</p>

Field or Check Box	Description
Map Name Mode	<p>How to determine which map to use to translate the message. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Specify (default) ◆ Generate from data (this is useful if you want to share across envelopes) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format. This parameter is displayed only if Translate document prior to enveloping set to Yes.</p>
Treat message as a FileAct message for validation purposes (e.g. for rule 163)	<p>Whether to treat the message as a FileAct message for validation purposes (for example, for rule 163). Valid values are Yes (default) and No. Required.</p>
Map Name	<p>Which map to use to perform a compliance check (if Translate document prior to enveloping set to Yes and Map Name Mode set to Yes). The map must already be checked in to the application. Optional.</p>
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the map. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Use first backup name format	<p>Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).</p>

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a map name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a map name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated map name (Map Name Mode is set to Generate from data), the application tries to generate and match the following maps:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the map in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the control number SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing map that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no matching map is found is set to Yes.</p>
Generate an error if no matching map is found	<p>Specifies whether to generate an error if the Map Name selected is not found. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if Map Name Mode is set to Generate from data.</p>

Field or Check Box	Description
On a translation error, determine the Business Process by	<p>How to determine the business process name to use if there were errors in the translation process. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Specifying a Business Process name (default) ◆ Generating a Business Process name from the data (this is useful if you want to share across envelopes) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p> <p>Note: If you select a translation error business process, when a document with compliance errors is encountered an instance of the error business process is generated, using the non-compliant document as the primary document. The processing of that document within the enveloper is halted at that point, and the next document starts processing. If you do not specify a translation error business process, the enveloper continues to process the non-compliant document. In either case, the status report containing the translation errors is created.</p> <p>If HALT_ON_TRANS_ERROR is set to Yes or True in ProcessData, no more documents are processed after a non-compliant document is encountered. If HALT_ON_TRANS_ERROR is set to No or False in ProcessData, the rest of the documents will be processed after a non-compliant document is encountered. If HALT_ON_TRANS_ERROR is not defined, the behavior depends on the enveloping mode; IMMEDIATE mode behaves as if HALT_ON_TRANS_ERROR is set to True, and DEFERRED mode behaves as if HALT_ON_TRANS_ERROR is set to False.</p>

Field or Check Box	Description
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the error business process name. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (On a translation error, determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating an error business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (On a translation error, determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use second backup name format	<p>Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).</p>

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating an error business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated error business process name (On a translation error, determine Error Business Process Name By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Generate an error if no generated business process name exists in the system	<p>Specify whether to generate an error if there is no match to the generated business process name in the system. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if On a translation error, determine the Error Business Process By is set to Generating the business process name from the data.</p>
Business Process List	<p>Select a previously created business process to associate with this envelope. Displayed only if On a translation error, determine the Business Process by is set to Specifying a business process names. Optional.</p>

Field or Check Box	Description
Determine the Business Process By	<p>How to determine the business process name to use if there were no errors in the compliance check. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ Specify a Business Process (default) ◆ Generate Business Process Name (from the data) <p>Note: If you select this option, you must select at least one parameter for Primary Name Format.</p>
Primary Name Format	<p>Check boxes to instruct what information to include when generating and matching a name for the business process. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine the Business Process By is set to Generating the business process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use first backup name format	Whether to use the first backup name format if the primary format does not generate a match. Default is selected (use first backup name format).

Field or Check Box	Description
First Backup Name Format	<p>The first backup name format to use when generating a business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine the Business Process By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Use second backup name format	Whether to use the second backup name format if the primary format does not generate a match. Default is selected (use second backup name format).

Field or Check Box	Description
Second Backup Name Format	<p>The second backup name format to use when generating a business process name. The system allows for two alternatives if the Primary Name Format is not found—checking for the First Backup Name Format and then, if that is not found, checking for the Second Backup Name Format. Optional.</p> <p>Select from:</p> <ul style="list-style-type: none"> ◆ Sender ID ◆ Sender Branch Code ◆ Receiver ID ◆ Receiver Branch Code ◆ Message Format (MT/MX/Any XML) ◆ Message Type ◆ Validation Flag (MT only) ◆ Envelope Format (FIN/XML2) <p>Note: If you are using a generated business process name (Determine the Business Process By is set to Generating a Business Process name from the data), the application tries to generate and match the following business process:</p> <ul style="list-style-type: none"> ◆ First, it tries to generate and match the business process in the primary name format (replacing the values that are selected for the corresponding value in the message). For example, if only message type is selected, and the message type is 100, the application checks for the business process SWIFT_100_Outbound_FIN. ◆ Second, it tries to generate and match the First Backup Name. ◆ Third, it tries to generate and match the Second Backup Name. ◆ Fourth, if there is not an existing business process that matches the names generated in steps 1-3, an error is generated. <p>Note: Only occurs if Generate an error if no generated business process name exists in the system is set to Yes.</p>
Generate an error if no generated business process name exists in the system	<p>Specify whether to generate an error if there is no match to the generated business process name in the system. Required. Valid values are Yes (default) and No.</p> <p>Note: Only displayed if Determine the Business Process By is set to Generate Business Process Name.</p>
Business Process List	<p>Select a previously created business process to associate with this envelope. Optional.</p> <p>Displayed only if Determine the Business Process Name is set to Specify Business Process.</p>

Field or Check Box	Description
Extraction Options	Business process data extraction. Required. Valid values: <ul style="list-style-type: none"> ◆ Determined by business process (default) ◆ Extract to a file system directory ◆ Extract to a mailbox
Data Extraction Directory	Directory for data extraction. Displayed only if Extraction Options set to Extract to a file system directory. Optional.
Data Extraction Filename	Filename for data extraction. Displayed only if Extraction Options set to Extract to a file system directory. Optional.
Data Extraction Mailbox	Mailbox for data extraction. Displayed only if Extraction Options set to Extract to a mailbox. Optional.
Data Extraction Mailbox Message Name	Mailbox message name for data extraction. Displayed only if Extraction Options set to Extract to a mailbox. Optional.

Configuring the EDI Encoder Service for SWIFT Outbound Messages

The EDI Encoder service determines which envelope will be used on the document. If translations are specified in an envelope, the service determines which map to use. For SWIFT outbound messages you need to configure five parameters to allow the outbound message to be sent correctly. See *EDI Encoder Service* for more information.

To configure the EDI Encoder service, you must specify settings for the following fields in the GPM that match the values you configured in the outbound envelope:

- ◆ AcceptorLookupAlias
- ◆ ReceiverID
- ◆ SenderID
- ◆ ReceiverIDQual
- ◆ SenderIDQual

You need to set the sender and receiver variables based on the desired source and destination for the outbound message. These variables also match the corresponding values in the envelope, except that the envelope allows wildcards (which will match documents encoded with any value for that variable), whereas the value used in the EDI encoder must always be the full eight-character identifier and three-character branch code of the desired source and destination.

Or, if you are editing the EDI Encoder BPML, you need to include these parameters and values, where for xxx you substitute the values set up in the outbound envelope:

```
<operation name="EDI Encode">
  <participant name="EDIEncoder"/>
  <output message="EDIEnc_In">
    <assign to="AcceptorLookupAlias">xxx</assign>
    <assign to="ReceiverID">xxx</assign>
    <assign to="SenderID">xxx</assign>
  </output message>
</operation>
```

```

    <assign to="ReceiverIDQual">xxx</assign>
    <assign to="SenderIDQual">xxx</assign>
    <assign to="." from="*" />
  </output>
  <input message="EDIEnc_Out">
    <assign to="." from="*" />
  </input>
</operation>

```

Correlation Names to Override SWIFT Envelope Values

Overrides are used (typically in conjunction with wildcard values in envelopes) to reduce the number of envelopes that you need to create. For example, if you send several types of messages to the same receiver, you can set up a single envelope for this receiver and use an override for the message type, rather than creating a different envelope for each message type you wish to send.

To use an override, you need to set the appropriate correlation on the document prior to running it through the EDI Encoder service. For example, you can set the correlation **Out_MessageType** to **999** if you want to override the message type.

For Inbound envelopes, a wildcard value in the envelope matches any value in the input document, while an empty value in the envelope matches only an empty value in the input document. For Outbound envelopes, a wildcard value is equivalent to an empty value in the envelope. You can override wildcards with specific EDI values in outbound processing. You must supply the EDI data to the business process and the data must be in the correct format (that is, name/value pairs).

When setting up your outbound processing, consider the following:

- ◆ If an envelope field contains a wildcard, you must supply a correlation value for it or the service halts with an error.
- ◆ You can override wildcard values in an envelope by using the Correlation service to pass name/value pairs from the primary document to the EDI Encoder service.
- ◆ If an envelope contains specific values in the Sender ID, Sender ID Qualifier, Receiver ID, or Receiver ID Qualifier fields (that is, values other than a wildcard), the values passed from the Correlation service to the EDI Encoder service do not overwrite the values in the fields.
- ◆ If you are using the same envelope for inbound processing and acknowledgements, supply the Sender ID, Receiver ID, and Qualifiers in the envelope so that they are not overwritten by the correlation values.

FIN Envelopes

This section contains the override values for FIN envelopes. The values are organized by the envelope section in which they are located.

The basic header block overrides are as follows:

- ◆ Out_ServiceIdentifier
- ◆ Out_SenderID

Note: This is the BIC8 of the sender.

- ◆ Out_SenderLogicalTerminal

- ◆ Out_SenderIDQual

Note: This is the branch code of the sender.

- ◆ Out_SessionNumber
- ◆ Out_SequenceNumber

The application header overrides are as follows:

- ◆ Out_MessageType
- ◆ Out_ReceiverID

Note: This is the BIC8 of the receiver.

- ◆ Out_ReceiverIDQual

Note: This is the branch code of the receiver.

- ◆ Out_MessagePriority
- ◆ Out_DeliveryMonitoring
- ◆ Out_ObsolesencePeriod

The user header overrides are as follows:

- ◆ Out_ServiceCode: Block 103
- ◆ Out_BankingPriority: Block 113
- ◆ Out_ControlNumber: Block 108

Note: This is the message user reference.

- ◆ Out_ValidationFlag: Block 119
- ◆ Out_PaymentReleaseInfo: Block 115

The TNG trailer override is as follows:

- ◆ Out_IncludeTNG

Note: Set this to Yes to include the TNG trailer.

The PDE trailer overrides are as follows:

- ◆ Out_SWIFTPDEMessageInputTime
- ◆ Out_SWIFTPDEMessageInputDate
- ◆ Out_SWIFTPDEInputAddress
- ◆ Out_SWIFTPDEInputSessionNumber
- ◆ Out_SWIFTPDEInputSequenceNumber

XML Format 2 Envelopes

This section contains the override values for XML Format 2 envelopes. The values are organized by the envelope section in which they are located.

Out_MessageFormat: Value for the Format element within the Message element

The Sender element overrides are as follows:

- ◆ Out_SenderID

Note: The BIC8 of the sender (for BIC12 senders), or the DN or Nickname for the sender.

- ◆ Out_SenderLogicalTerminal

Note: This is the logical terminal (for BIC12 senders).

- ◆ Out_SenderIDQual

Note: This is the branch code of the sender (for BIC12 senders).

- ◆ Out_SenderX1

- ◆ Out_SenderX2

- ◆ Out_SenderX3

- ◆ Out_SenderX4

- ◆ Out_SenderFinancialInstitution

- ◆ Out_SenderBranchInformation

- ◆ Out_SenderCityName

- ◆ Out_SenderLocation

- ◆ Out_SenderCountryCode

The Receiver element overrides are as follows:

- ◆ Out_ReceiverID

- ◆ This is the BIC8 of the receiver (for BIC12 receivers), or the DN or Nickname for the receiver.

- ◆ Out_ReceiverIDQual

Note: This is the branch code of the receiver (for BIC12 receivers).

- ◆ Out_ReceiverX1

- ◆ Out_ReceiverX2

- ◆ Out_ReceiverX3

- ◆ Out_ReceiverX4

- ◆ Out_ReceiverFinancialInstitution

- ◆ Out_ReceiverBranchInformation

- ◆ Out_ReceiverCityName

- ◆ Out_ReceiverLocation

- ◆ Out_ReceiverCountryCode

The InterfaceInfo overrides are as follows:

- ◆ Out_ControlNumber

- ◆ Out_XML2RoutingCode

- ◆ Out_XML2ValidationLevel

- ◆ Out_XML2AllowModification

- ◆ Out_XML2RoutingFunction

- ◆ Out_XML2RoutingPoint

- ◆ Out_XML2RoutingStep

The NetworkInfo overrides are as follows:

- ◆ Out_XML2Priority
- ◆ Out_XML2IsPossibleDuplicate
- ◆ Out_XML2IsNotificationRequested
- ◆ Out_XML2Service
- ◆ Out_XML2UserPriority
- ◆ Out_XML2CopyService
- ◆ Out_ValidationFlag
- ◆ Out_XML2IsSigningRequested
- ◆ Out_XML2PACValue
- ◆ Out_XML2IsNRRequested

The Application Header (AppHdr) overrides are as follows:

- ◆ Out_AppHdrFromType
- ◆ Out_AppHdrFromID
- ◆ Out_AppHdrToType
- ◆ Out_AppHdrToID
- ◆ Out_AppHdrSvcName
- ◆ Out_AppHdrMsgName
- ◆ Out_AppHdrDupRef
- ◆ Out_AppHdrDupInfo

SWIFT and SWIFTNet Business Processes

Overview

To help you accomplish your business goals, the application provides two predefined enveloping business processes, which are used by the application to implement SWIFT and SWIFTNet processing: SWIFTEnvelope and SWIFTDevelope. These predefined business processes are initiated by other processes/services during SWIFT processing and do not require you to modify them.

The application also provides predefined business processes, which are used by the application to implement SWIFT transport, including the SWIFTNetClient business process (using for InterAct transport), and the SWIFTNet ClientFA (used for FileAct transport) business process. These predefined business processes are initiated by other processes/services during SWIFT processing but do require you to modify them.

The following table lists business goals for some of the predefined SWIFT business processes:

Business Process	Business Goals
SWIFTDevelope	Extracts SWIFT message types from a message and translates and processes them, according to the content of the envelopes.
SWIFTEnvelope	Applies a SWIFT envelope to one or more SWIFT message types and then uses the envelope data to translate and process them.
SWIFTNetClient	Used for InterAct processing. Contains the necessary parameters so the SWIFTNet Client service can prepare the request and send it (outbound) to the SWIFTNet MEFG Server. The client application on the SWIFTNet MEFG Server processes this request, performs the necessary communication exchange with the SWIFTNet SAG/SNL instance, and sends the request to the SWIFTNet Network.
SWIFTNetClientFA	Used for FileAct processing. Contains the necessary parameters so the SWIFTNet Client service can prepare the request and send it (outbound) to the SWIFTNet MEFG Server. The client application on the SWIFTNet MEFG Server processes this request, performs the necessary communication exchange with the SWIFTNet SAG/SNL instance, and sends the request to the SWIFTNet Network.
handleSWIFTNetServerRequest	Used for InterAct processing. Enables the application to receive SWIFTNet messages. This is the bootstrap business process used by the inbound SWIFTNet request through the SWIFTNet MEFG Server. It is a system business process used by the SWIFTNet Server Adapter, which pre-processes the incoming request, searches the SWIFTNet Routing Rule table, and routes the request payload to the business process for processing.

Business Process	Business Goals
handleSWIFTNetServerSnFRequest	Used for InterAct processing. Enables the application to receive SWIFTNet store-and-forward messages. This is a bootstrap business process used by the inbound SWIFTNet request that includes a store-and-forward option. For the store-and-forward option, an incoming request is not processed immediately, but instead is stored in the responder mailbox in the application to be responded to later. The application then sends an acknowledgement that the request has been successfully stored to the requestor through the SWIFTNet MEFG Server.
handleSWIFTNetServerFARequest	Used for FileAct processing. Enables the application to receive SWIFTNet messages. This is the bootstrap business process used by the inbound SWIFTNet request through the SWIFTNet MEFG Server. It is a system business process used by the SWIFTNet Server Adapter, which pre-processes the incoming request, searches the SWIFTNet Routing Rule table, and routes the request payload to the business process for processing.
handleSWIFTNetServerFASnF Request	Used for FileAct processing. Enables the application to receive SWIFTNet store-and-forward messages. This is a bootstrap business process used by the inbound SWIFTNet request that includes a store-and-forward option. For the store-and-forward option, an incoming request is not processed immediately, but instead is stored in the responder mailbox in the application to be responded to later. The application then sends an acknowledgement that the request has been successfully stored to the requestor through the SWIFTNet MEFG Server.
handleSWIFTNetServerFAEvent	The handleSWIFTNetServerFAEvent business process is used by the SWIFTNet MEFG Server. It is a system business process called by the SWIFTNet Server adapter that preprocesses the incoming FileAct Event with a COMPLETED status, searches the SWIFTNet routing rule table and bootstraps the business process for processing
SWIFTMessageEntryOutbound	This is the default business process used to look up the correct envelope, based on information provided by the user while configuring the Send information in the SWIFT Message Entry Workstation. This business process uses the EDI Encoder service, Envelope service, and then invokes the business process specified in the SWIFT Outbound Envelope.

Writing a Business Process for a StandardsTranslation Operation

Assigning the SWIFT_ValidationFlag as a parameter to the StandardsTranslation operation within a business process does not perform the expected validation, and the validation is not performed by the translator because the workflow context returns the parameter as a string object instead of a NodeList. To define the SWIFT_ValidationFlag parameter, the assign statement should be made in process data outside of the StandardsTranslation operation. For example:

```
<process name="TEST_2008_574IRSLST">
  <sequence>
    <assign to="SWIFT_ValidationFlag">IRSLST</assign>
    <operation name="StandardsTranslation">
      <participant name="StandardsTranslation"/>
      <output message="Xout">
        <assign to="." from="*"></assign>
        <assign to="map_name">SWIFT_2008_574_IRSLST</assign>
      </output>
    </operation>
  </sequence>
</process>
```

```

    <input message="Xin">
      <assign to="." from="*"></assign>
    </input>
  </operation>
</sequence>
</process>

```

SWIFTDeenvelope Business Process

The SWIFTDeenvelope business process is used to deenvelope SWIFT data. A typical scenario is one in which SWIFT data must be received from a trading partner. The data must be deenveloped to extract identifying batch and interchange data, and the SWIFTDeenvelope business process helps to provide the deenveloping services.

The SWIFTDeenvelope business process is initiated as part of the following inbound process flow:

1. You create a business process that calls the EDI Deenveloping service.
2. The EDI Deenveloping service parses the whole document and extracts messages from it so it can be further processed by the application.
3. Passes the SWIFT messages to the SWIFTDeenvelope business process. The Generic Deenvelope service runs as a subprocess.
4. The SWIFTDeenvelope business process looks up the envelope, based on the data found in the header.
5. The envelope specifies what to do with the deenveloped messages.
6. Starts the Invoke Business Process service or a subprocess service to initiate the appropriate business process to handle each deenveloped message.

If exceptions occur when running an EDI Deenveloping business process, the application generates an EDI Compliance Report.

This table lists the configuration parameters for the SWIFTDeenvelope business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.

Parameter	Default	Description
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the SWIFTDevelope business process:

```
<process name="SWIFTDevelope">
  <rule name="contract">
    <condition>CONTRACT_FOUND = &quot;YES&quot;</condition>
  </rule>
  <sequence>
    <assign to="RunInValidationMode">FALSE</assign>
    <sequence>
      <operation>
```

```

    <participant name="DeenvelopeGeneric"/>
    <output message="Xout">
<assign to="break_processor">SWIFT</assign>
<assign to="." from="*"></assign>
    </output>
    <input message="Xin">
<assign to="." from="*"></assign>
    </input>
</operation>
    <onFault code="Interchange-Non-Compliant">
    <!-- Just catch the error, so that the BP will continue. -->
    <!-- Dummy assign, since we need something here. -->
    <assign to="BREAK">YES</assign>
    </onFault>
    <onFault code="Transaction-Non-Compliant">
    <!-- Just catch the error, so that the BP will continue. -->
    <!-- Dummy assign, since we need something here. -->
    <assign to="BREAK">YES</assign>
    </onFault>
    <onFault>
    <operation>
    <participant name="BPEExceptionHandlerService"/>
    <output message="Xout" >
    <assign to="exceptionCode" from="Prev_NotSuccess_Adv_Status/text()" />
    </output>
    <input message="Xin"/>
    </operation>
    </onFault>
</sequence>
<choice>
    <select>
    <case ref="contract" activity="invoke_contract_workflow"/>
    </select>
    <sequence name="invoke_contract_workflow">
    <operation>
    <participant name="InvokeBusinessProcessService"/>
    <output message="Xout">
    <assign to="INVOKE_MODE">ASYNC</assign>
    <assign to="." from="*"></assign>
    </output>
    <input message="Xin">
    <assign to="." from="*"></assign>
    </input>
    </operation>
    </sequence>
    </choice>
</sequence>
</process>

```

Before Using the SWIFTDeenvelope Business Process

Before you use the SWIFTDeenvelope business process, you must complete the following task:

1. Create a SWIFT inbound envelope for each SWIFT message type that you are receiving. See *Inbound SWIFT envelope* on page 25.

SWIFTEnvelope Business Process

The SWIFTEnvelope business process is initiated when it is called by another business process. The SWIFTEnvelope business process envelopes the SWIFT messages contained in the business process context with outbound SWIFT envelopes that you have preconfigured. You must have created one outbound SWIFT envelope for each SWIFT message type that you are sending.

A typical scenario is one in which SWIFT data must be sent to a trading partner. To prepare for this, the data must be enveloped to provide identifying batch and interchange data. The SWIFTEnvelope business process helps to provide these enveloping services.

The SWIFTEnvelope business process is initiated as part of the following outbound process flow:

1. You create a business process that calls the EDI Encoder service or Document Extraction service.
2. The EDI Encoder service or Document Extraction service looks up the envelope to apply and prepares the document to be enveloped.
3. Either the business process calls the EDI Enveloping service or the Document Extraction service is configured to perform enveloping.
4. The EDI Enveloping service or Document Extraction service starts the SWIFTEnvelope business process (which runs the Generic Envelope service as a subprocess to extract the name of the business process).
5. The SWIFTEnvelope business process searches the envelope definition to retrieve information to envelope each message.

Note: The Sender ID, Receiver ID, and Lookup Alias in your Outbound Envelope definition must match the parameters that you define for this outbound business process.

This table lists the configuration parameters for the SWIFTEnvelope business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates that previously allocated queue level that you want for this business process model for processing.

Parameter	Default	Description
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the SWIFT Envelope business process:

```
<process name="SWIFTEnvelope">
  <rule name="contract">
    <condition>CONTRACT_FOUND = &quot;YES&quot;</condition>
  </rule>
  <sequence>
    <operation>
      <participant name="EnvelopeGeneric" />
      <output message="Xout" >
        <assign to="." from="*"></assign>
      </output>
      <input message="Xin" >
        <assign to="." from="*"></assign>
      </input>
    </operation>
  </sequence>
</process>
```

```

    </input>
  </operation>

  <choice>
    <select>
      <case ref="contract" activity="invoke_contract_workflow" />
    </select>
    <sequence name="invoke_contract_workflow">
      <operation>
        <participant name="InvokeBusinessProcessService" />
        <output message="Xout">
          <assign to="INVOKE_MODE">ASYNC</assign>
          <assign to="." from="*"></assign>
        </output>
        <input message="Xin" >
          <assign to="." from="*"></assign>
        </input>
      </operation>
    </sequence>
  </choice>

</sequence>
</process>

```

Before Using the SWIFTEnvelope Business Process

Before you use the SWIFTEnvelope business process, you must complete the following task:

1. Create a SWIFT outbound envelope for each SWIFT message type that you are sending. See *Outbound SWIFT envelope* on page 45.

SWIFTNetClient Business Process

The SWIFTNet Client service enables you to use Secure Sockets Layers (SSL), but to do so you must also upgrade the SWIFTNetClient business process if you have not already done so. The upgrade BPML differs based on whether you are using InterAct or FileAct. See the *SWIFTNet Client Service* documentation for more information on how to upgrade the SWIFTNetClient business process if you are using SSL.

Note: If you previously installed an earlier version of the Standards Library, you do not need to upgrade the SWIFTNetClient business process again. However, you will need to reinstall the SWIFTNet MEFG Server (see *SWIFTNet MEFG Server* on page 190 for more information).

The SWIFTNetClient business process contains the necessary parameters so the SWIFTNet Client service can prepare the request and send it to the SWIFTNet MEFG Server. The client application on the SWIFTNet MEFG Server processes this request, performs the necessary communication exchange with the SWIFTNet SAG/SNL instance, and sends the request to the SWIFTNet Network.

Note: This business process is used for InterAct processing only. It takes the default parameters configured in the SWIFTNet Client service. If a parameter defined in the SWIFTNet Client Service is specified in this business process, the value in the business process overrides the parameter in the SWIFTNet Client service.

The SWIFTNetClient business process is initiated as part of the following outbound process flow:

1. The SWIFTNetClient business process invokes the SWIFTNet Client service and passes it all the necessary parameters to send a request.
2. The client application on the SWIFTNet MEFG Server processes the request.

This table lists the configuration parameters for the SWIFTNetClient business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard for application processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.

Parameter	Default	Description
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the SWIFTNetClient business process:

Note: The **bold** lines indicate information that you need to modify to match your installation.

```
<process name="SWIFTNetClient">
  <sequence name="SWIFTNetClientService">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <!-- build SWIFTNET request -->
    <operation>
      <participant name="SWIFTNetClientService"/>
      <output message="handleClientRequest">
        <assign to="." from="*" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
  </sequence>
</process>
```

Before Using the SWIFTNetClient Business Process

Before you use the SWIFTNetClient business process, you must complete the following tasks:

1. Configure the SWIFTNet Client service (or create a new instance of it) to reflect your installation. See *SWIFTNet Client Service*.
2. Enable Document Tracking in the Business Process Manager.

Then you can execute the SWIFTNetClient business process as part of your SWIFTNet processing.

SWIFTNetClientFA Business Process

This is a client business process to send requests to SWIFTNet using FileAct.

Note: This business process is used with FileAct processing only. It takes the default parameters configured in the SWIFTNet Client service. If a parameter defined in the SWIFTNet Client Service is specified in this business process, the value in the business process overrides the parameter in the SWIFTNet Client service.

The SWIFTNetClientFA business process is initiated as part of the following outbound process flow:

1. The SWIFTNetClientFA business process invokes the SWIFTNet Client service and passes it all the necessary parameters to send a request.
2. The client application on the SWIFTNet MEFG Server processes the request.

This table lists the configuration parameters for the SWIFTNetClientFA business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.

Parameter	Default	Description
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the SWIFTNetClientFA business process:

Note: The **bold** lines indicate information that you need to modify to match your installation.

```

<process name="SWIFTNetClientFA">
  <sequence name="SWIFTNetClientService">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <!-- build SWIFTNET request -->
    <operation>
      <participant name="SWIFTNetClientService"/>
      <output message="handleClientRequest">
        <assign to="." from="*" />
        <assign to="physicalFilename" from="'" />
        <assign to="logicalFilename" from="'" />
        <assign to="transferInfo" from="'" />
        <assign to="transferDesc" from="'" />
        <assign to="fileInfo" from="'" />
        <assign to="fileDesc" from="'" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
  </sequence>
</process>

```

Before Using the SWIFTNetClientFA Business Process

Before you use the SWIFTNetClientFA business process, you must complete the following tasks:

1. Configure the SWIFTNet Client service (or create a new instance of it) to reflect your installation. See *SWIFTNet Client Service*.
2. Enable Document Tracking in the Business Process Manager.

Then you can execute the SWIFTNetClientFA business process as part of your SWIFTNet processing.

handleSWIFTNetServerRequest Business Process

The handleSWIFTNetServerRequest business process enables the application to receive SWIFTNet messages. This is the bootstrap business process used by the inbound SWIFTNet request through the SWIFTNet MFG Server. It is a system business process used by the SWIFTNet Server adapter, which pre-processes the incoming request, search the SWIFTNet Routing Rule table, and route the request payload to the business process for processing.

Note: This business process is used with InterAct processing only.

The handleSWIFTNetServerRequest business process is initiated as part of the following inbound process flow:

1. The SWIFTNet Server adapter invokes the handleSWIFTNetServerRequest business process and passes it all the necessary parameters to send a request.
2. The handleSWIFTNetServerRequest business process invokes the SOAP Inbound service.
3. The SOAP Inbound service:
 - ◆ Pre-processes the incoming request.
 - ◆ Searches the SWIFTNet Routing Rule table.
 - ◆ Routes the request payload to the business process for processing.
4. Then the SOAP Outbound service invokes the HTTP Response service.
5. The HTTP Response service sends a response to the request.

This table lists the configuration parameters for the handleSWIFTNetServerRequest business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.

Parameter	Default	Description
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the handleSWIFTNetServerRequest business process:

```
<process name="handleSWIFTNetServerRequest">
  <sequence>
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapIn">
      <participant name="SOAPInbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="bootstrap">>false</assign>
        <assign to="SOAP_INTERMEDIATE_NODE">>false</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerRequest">
        <assign to="." from="*" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
    <!-- internal processing by invoking a subprocess -->
    <!-- business-specific processing that will return a response for InterAct -->
  </sequence>
</process>
```



```

<operation>
  <participant name="InvokeSubProcessService"/>
  <output message="Xout">
    <assign to="INVOKE_MODE">SYNC</assign>
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>
<!-- this is to construct the server response message back to GIS Server
application -->
<operation>
  <participant name="SWIFTNetServerAdapter"/>
  <output message="handleServerResponse">
    <assign to="." from="*" />
    <assign to="interface" from="SwiftServerRequest/interface/text()" />
    <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
    <assign to="Status">Accepted</assign>
    <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
    <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<operation name="SoapOut">
  <participant name="SOAPOutbound"/>
  <output message="output">
    <assign to="." from="*" />
    <assign to="SOAP_MODE">respond</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<assign to="doc-has-headers">>true</assign>
<operation name="HttpResponse">
  <participant name="HttpRespond"/>
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>
<onFault>
  <!-- On Fault, we will clear PrimDoc, construct Rejected response and
soap-envelope it -->
  <sequence>
    <operation name="ReleasePrimDoc">
      <participant name="ReleaseService"/>
      <output message="outmsg">
        <assign to="TARGET">/ProcessData/PrimaryDocument</assign>
        <assign to="." from="*" />
      </output>
    </operation>
  </sequence>

```

```

        </output>
        <input message="inmsg"/>
    </operation>
    <operation>
        <participant name="SWIFTNetServerAdapter"/>
        <output message="handleServerResponse">
            <assign to="." from="*" />
            <assign to="interface"
from="SwiftServerRequest/interface/text()" />
            <assign to="messageID"
from="SwiftServerRequest/messageID/text()" />
            <assign to="Status">Rejected</assign>
            <assign to="Description">Unable to get the Server
Response</assign>
            <assign to="Info">Failure in getting the Server Response</assign>
            <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
            <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
        </output>
        <input message="testing">
            <assign to="." from="*" />
        </input>
    </operation>
    <operation name="SoapOut">
        <participant name="SOAPOutbound"/>
        <output message="output">
            <assign to="." from="*" />
            <assign to="SOAP_MODE">respond</assign>
        </output>
        <input message="input">
            <assign to="." from="*" />
        </input>
    </operation>
    <assign to="doc-has-headers">>true</assign>
    <operation name="HttpResponse">
        <participant name="HttpRespond"/>
        <output message="Xout">
            <assign to="." from="*" />
        </output>
        <input message="Xin">
            <assign to="." from="*" />
        </input>
    </operation>
</sequence>
</onFault>
</sequence>
</process>

```

Before Using the handleSWIFTNetServerRequest Business Process

Before you use the handleSWIFTNetServerRequest business process, you must complete the following tasks:

1. Configure the SWIFTNet Server adapter to reflect your installation. See *SWIFTNet Server Adapter*.

2. Enable Document Tracking in the Business Process Manager for the handleSWIFTNetServerRequest business process.

handleSWIFTNetServerSnFRequest Business Process

The handleSWIFTNetServerSnFRequest business process enables the application to receive SWIFTNet store-and-forward messages. This is a bootstrap business process used by the inbound SWIFTNet request that includes a store-and-forward option. For the store-and-forward option, an incoming request is not processed immediately, but instead is stored in the responder mailbox in the application to be responded to later. The application then sends an acknowledgement that the request has been successfully stored to the requestor through the SWIFTNet MEFG Server.

Note: This business process is used with InterAct processing only.

The handleSWIFTNetServerSnFRequest business process is initiated as part of the following inbound process flow:

1. The SWIFTNet Server adapter invokes the handleSWIFTNetServerSnFRequest business process and passes it all the necessary parameters to send a request.
2. The handleSWIFTNetServerSnFRequest business process invokes the SOAP Inbound service.
3. The SOAP Inbound service:
 - ◆ Pre-processes the incoming request.
 - ◆ Searches the SWIFTNet Routing Rule table.
4. The Mailbox Add service Routes the request payload to the responder mailbox to be responded to later.
5. Then the SOAP Outbound service invokes the HTTP Response service.
6. The HTTP Response service sends an acknowledgement to the requestor that the request has been successfully stored.

This table lists the configuration parameters for the handleSWIFTNetServerSnFRequest business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.

Parameter	Default	Description
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the handleSWIFTNetServerSnFRequest business process:

```
<process name="handleSWIFTNetServerSnFRequest">
  <rule name="IsAuthNotification">
    <condition>SwiftServerRequest/AuthResponse = 'TRUE'</condition>
  </rule>
  <sequence>
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapIn">
      <participant name="SOAPInbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="bootstrap">>false</assign>
        <assign to="SOAP_INTERMEDIATE_NODE">>false</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerRequest">
        <assign to="." from="*" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
  </sequence>
</process>
```

```

</operation>
<choice name="AddToMailbox">
  <select>
    <case ref="IsAuthNotification" negative="true" activity="Mailbox Add
Service"/>
  </select>
  <!-- internal processing for SnF is to put into a Mailbox so that it can
bootstrap internal business process later-->
  <!-- Mailbox path is based on SwiftServerRequest/responderDN/requestorDN/for
InterAct -->
  <operation name="Mailbox Add Service">
    <participant name="MailboxAdd"/>
    <output message="AddRequest">
      <assign to="." from="*" />
      <assign to="MailboxPath" from="concat('/',
SwiftServerRequest/responderDN/text(), '/', SwiftServerRequest/requestorDN/text())" />
      <assign to="ContentType">ascii</assign>
    </output>
    <input message="inmsg">
      <assign to="AddResults" from="*" />
    </input>
  </operation>
</choice>
<operation>
  <participant name="SWIFTNetServerAdapter"/>
  <output message="handleServerResponse">
    <assign to="." from="*" />
    <assign to="interfaceMode" from="SwiftServerRequest/interfaceMode/text()" />
    <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
    <assign to="Status">Accepted</assign>
    <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
    <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<operation name="SoapOut">
  <participant name="SOAPOutbound"/>
  <output message="output">
    <assign to="." from="*" />
    <assign to="SOAP_MODE">respond</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<assign to="doc-has-headers">true</assign>
<operation name="HttpResponse">
  <participant name="HttpRespond"/>
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>

```

```

</input>
</operation>
<onFault>
  <sequence>
    <operation name="ReleasePrimDoc">
      <participant name="ReleaseService"/>
      <output message="outmsg">
        <assign to="TARGET">/ProcessData/PrimaryDocument</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg" />
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerResponse">
        <assign to="." from="*" />
        <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
        <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
        <assign to="Status">Rejected</assign>
        <assign to="Description">Unable to get the Server Response</assign>
        <assign to="Info">Failure in getting the Server Response</assign>
        <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
        <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapOut">
      <participant name="SOAPOutbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="SOAP_MODE">respond</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <assign to="doc-has-headers">true</assign>
    <operation name="HttpResponse">
      <participant name="HttpRespond"/>
      <output message="Xout">
        <assign to="." from="*" />
      </output>
      <input message="Xin">
        <assign to="." from="*" />
      </input>
    </operation>
  </sequence>
</onFault>
</sequence>
</process>

```

Before Using the handleSWIFTNetServerSnFRequest Business Process

Before you use the handleSWIFTNetServerSnFRequest business process, you must complete the following tasks:

1. Configure the SWIFTNet Server adapter to reflect your installation. See *SWIFTNet Server Adapter*.
2. Enable Document Tracking in the Business Process Manager for the handleSWIFTNetServerSnFRequest business process.
3. Create a Responder Mailbox (/Responder DN) and Requestor Mailbox (/Responder DN/Requestor DN) where the request payload can be saved.

handleSWIFTNetServerFARequest Business Process

The handleSWIFTNetServerFARequest business process enables the application to receive SWIFTNet messages. This is the bootstrap business process used by the inbound SWIFTNet request through the SWIFTNet MEF Server. It is a system business process used by the SWIFTNet Server adapter, which pre-processes the incoming request, search the SWIFTNet Routing Rule table, and route the request payload to the business process for processing.

Note: This business process is used with InterAct processing only.

The handleSWIFTNetServerFARequest business process is initiated as part of the following inbound process flow:

1. The SWIFTNet Server adapter invokes the handleSWIFTNetServerFARequest business process and passes it all the necessary parameters to send a request.
2. The handleSWIFTNetServerRequest business process invokes the SOAP Inbound service.
3. The SOAP Inbound service:
 - ◆ Pre-processes the incoming request.
 - ◆ Searches the SWIFTNet Routing Rule table.
 - ◆ Routes the request payload to the business process for processing.
4. Then the SOAP Outbound service invokes the HTTP Response service.
5. The HTTP Response service sends a response to the request.

This table lists the configuration parameters for the handleSWIFTNetServerFARequest business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.

Parameter	Default	Description
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the handleSWIFTNetServerFARequest business process:

```
<process name="handleSWIFTNetServerFARequest">
  <sequence>
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapIn">
      <participant name="SOAPInbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="bootstrap">>false</assign>
        <assign to="SOAP_INTERMEDIATE_NODE">>false</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerRequest">
        <assign to="." from="*" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
    <!-- this is to construct the server response message back to GIS Server
application -->
```

```

<operation>
  <participant name="SWIFTNetServerAdapter" />
  <output message="handleServerResponse">
    <assign to="." from="*" />
    <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
    <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
    <assign to="Status">Accepted</assign>
    <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
    <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<operation name="SoapOut">
  <participant name="SOAPOutbound" />
  <output message="output">
    <assign to="." from="*" />
    <assign to="SOAP_MODE">respond</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<assign to="doc-has-headers">>true</assign>
<operation name="HttpResponse">
  <participant name="HttpRespond" />
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>
<onFault>
  <!-- On Fault, we will clear PrimDoc, construct Rejected response and
soap-envelope it -->
  <sequence>
    <operation name="ReleasePrimDoc">
      <participant name="ReleaseService" />
      <output message="outmsg">
        <assign to="TARGET">/ProcessData/PrimaryDocument</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg" />
    </operation>
  </sequence>
  <operation>
    <participant name="SWIFTNetServerAdapter" />
    <output message="handleServerResponse">
      <assign to="." from="*" />
      <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
      <assign to="messageID"
from="SwiftServerRequest/messageID/text()" />
    </output>
  </operation>

```

```

        <assign to="Status">Rejected</assign>
        <assign to="Description">Unable to get the Server
Response</assign>
        <assign to="Info">Failure in getting the Server Response</assign>
        <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
        <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
    </output>
    <input message="testing">
        <assign to="." from="*" />
    </input>
</operation>
<operation name="SoapOut">
    <participant name="SOAPOutbound" />
    <output message="output">
        <assign to="." from="*" />
        <assign to="SOAP_MODE">respond</assign>
    </output>
    <input message="input">
        <assign to="." from="*" />
    </input>
</operation>
<assign to="doc-has-headers">>true</assign>
<operation name="HttpResponse">
    <participant name="HttpRespond" />
    <output message="Xout">
        <assign to="." from="*" />
    </output>
    <input message="Xin">
        <assign to="." from="*" />
    </input>
</operation>
</sequence>
</onFault>
</sequence>
</process>

```

Before Using the handleSWIFTNetServerFARequest Business Process

Before you use the handleSWIFTNetServerFARequest business process, you must complete the following tasks:

1. Configure the SWIFTNet Server adapter to reflect your installation. See *SWIFTNet Server Adapter*.
2. Enable Document Tracking in the Business Process Manager for the handleSWIFTNetServerFARequest business process.

handleSWIFTNetServerFASnFRequest Business Process

The handleSWIFTNetServerFASnFRequest business process enables the application to receive SWIFTNet store-and-forward messages. This is a bootstrap business process used by the inbound SWIFTNet request that includes a store-and-forward option. For the store-and-forward option, an incoming request is not processed immediately, but instead is stored in the responder mailbox in the application to be responded to

later. The application then sends an acknowledgement that the request has been successfully stored to the requestor through the SWIFTNet MEFG Server.

Note: This business process is used for FileAct processing only.

The handleSWIFTNetServerFASnFRequest business process is initiated as part of the following inbound process flow:

1. The SWIFTNet Server adapter invokes the handleSWIFTNetServerFASnFRequest business process and passes it all the necessary parameters to send a request.
2. The handleSWIFTNetServerFASnFRequest business process invokes the SOAP Inbound service.
3. The SOAP Inbound service:
 - ◆ Pre-processes the incoming request.
 - ◆ Searches the SWIFTNet Routing Rule table.
4. The Mailbox Add service Routes the request payload to the responder mailbox to be responded to later.
5. Then the SOAP Outbound service invokes the HTTP Response service.
6. The HTTP Response service sends an acknowledgement to the requestor that the request has been successfully stored.

This table lists the configuration parameters for the handleSWIFTNetServerFASnFRequest business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.

Parameter	Default	Description
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the handleSWIFTNetServerFASnFRequest business process:

```
<process name="handleSWIFTNetServerFASnFRequest">
  <rule name="UndefinedCopyOrForceReject">
    <condition>SwiftServerRequest/AuthRequest = 'N' or
SwiftServerRequest/FileInfoForceMode = 'Rejected'</condition>
  </rule>
  <rule name="AuthorizationNeeded">
    <condition>SwiftServerRequest/AuthRequest = 'Y' and
SwiftServerRequest/FileInfoForceMode != 'Refused'</condition>
  </rule>
  <rule name="ForceRefusal">
    <condition>SwiftServerRequest/FileInfoForceMode = 'Refused'</condition>
  </rule>
  <sequence>
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*">
      </output>
      <input message="inmsg">
        <assign to="." from="*">
      </input>
    </operation>
    <operation name="SoapIn">
      <participant name="SOAPInbound"/>
      <output message="output">
```

```

    <assign to="." from="*" />
    <assign to="bootstrap">false</assign>
    <assign to="SOAP_INTERMEDIATE_NODE">false</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<operation>
  <participant name="SWIFTNetServerAdapter" />
  <output message="handleServerRequest">
    <assign to="." from="*" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<choice name="NeedAuthorization">
  <select>
    <case ref="AuthorizationNeeded" activity="Mailbox Add Service" />
  </select>
  <!-- Put into a Mailbox so that it can bootstrap internal authorization business
process later -->
  <!-- Mailbox path is based on SwiftServerRequest/recipientDN/requestorDN/ -->
  <operation name="Mailbox Add Service">
    <participant name="MailboxAdd" />
    <output message="AddRequest">
      <assign to="." from="*" />
      <assign to="PrimaryDocument" from="HeaderInfo/@SCIObjectID" />
      <assign to="MessageName" from="concat('ThirdParty_',
SwiftServerRequest/copySnFReference/text())" />
      <assign to="MailboxPath" from="concat('/',
SwiftServerRequest/recipientDN/text(), '/', SwiftServerRequest/requestorDN/text())" />
      <assign to="ExtractableCount">1</assign>
      <assign to="ContentType">ascii</assign>
    </output>
    <input message="inmsg">
      <assign to="AddResults" from="*" />
    </input>
  </operation>
</choice>
<choice name="IsUndefinedCopyOrForceReject">
  <select>
    <case ref="UndefinedCopyOrForceReject" negative="true"
activity="AcceptRequest" />
    <case ref="UndefinedCopyOrForceReject" activity="RejectRequest" />
  </select>
  <operation name="AcceptRequest">
    <participant name="SWIFTNetServerAdapter" />
    <output message="handleServerResponse">
      <assign to="." from="*" />
      <assign to="interfaceMode" from="SwiftServerRequest/interfaceMode/text()" />
      <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
      <assign to="Status">Accepted</assign>
      <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />

```



```

    <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<sequence name="RejectRequest">
  <operation name="ReleasePrimDoc">
    <participant name="ReleaseService" />
    <output message="outmsg">
      <assign to="TARGET">/ProcessData/PrimaryDocument</assign>
      <assign to="." from="*" />
    </output>
    <input message="inmsg" />
  </operation>
  <operation name="Form Reject Response">
    <participant name="SWIFTNetServerAdapter" />
    <output message="handleServerResponse">
      <assign to="." from="*" />
      <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
      <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
      <assign to="Status">Rejected</assign>
      <assign to="Description">Copy Profile is undefined or Responder forced to
reject</assign>
      <assign to="Info">Unable to determine copy mode or FileInfo force
responder's rejection</assign>
      <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
      <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
    </output>
    <input message="testing">
      <assign to="." from="*" />
    </input>
  </operation>
</sequence>
</choice>
<operation name="SoapOut">
  <participant name="SOAPOutbound" />
  <output message="output">
    <assign to="." from="*" />
    <assign to="SOAP_MODE">respond</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<assign to="doc-has-headers">>true</assign>
<operation name="HttpResponse">
  <participant name="HttpRespond" />
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>

```

```

</operation>
<choice name="IsThirdPartyForceRefusal">
  <select>
    <case ref="ForceRefusal" activity="InvokeForceRefusalProcess"/>
  </select>
  <operation name="InvokeForceRefusalProcess">
    <participant name="InvokeBusinessProcessService"/>
    <output message="Invoke_In">
      <assign to="." from="*" />
      <assign to="INVOKE_MODE">ASYNC</assign>
      <assign to="WFD_NAME">SWIFTNet3rdPartyClientForceRefusal</assign>
    </output>
    <input message="Invoke_Out">
      <assign to="." from="*" />
    </input>
  </operation>
</choice>
<onFault>
  <sequence>
    <operation name="ReleasePrimDoc">
      <participant name="ReleaseService"/>
      <output message="outmsg">
        <assign to="TARGET">/ProcessData/PrimaryDocument</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg"/>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerResponse">
        <assign to="." from="*" />
        <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
        <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
        <assign to="Status">Rejected</assign>
        <assign to="Description">Unable to get the Server Response</assign>
        <assign to="Info">Failure in getting the Server Response</assign>
        <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
        <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapOut">
      <participant name="SOAPOutbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="SOAP_MODE">respond</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <assign to="doc-has-headers">true</assign>
  </sequence>
</onFault>

```

```

<operation name="HttpResponse">
  <participant name="HttpRespond"/>
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>
</sequence>
</onFault>
</sequence>
</process>

```

Before Using the handleSWIFTNetServerFASnFRequest Business Process

Before you use the handleSWIFTNetServerFASnFRequest business process, you must complete the following tasks:

1. Configure the SWIFTNet Server adapter to reflect your installation. See *SWIFTNet Server Adapter*.
2. Enable Document Tracking in the Business Process Manager for the handleSWIFTNetServerFASnFRequest business process.

handleSWIFTNetServerFAEvent Business Process

The handleSWIFTNetServerFAEvent business process is used by the SWIFTNet MEFG Server. It is a system business process called by the SWIFTNet Server adapter that preprocesses the incoming FileAct Event with a COMPLETED status, searches the SWIFTNet routing rule table and bootstraps the business process for processing.

Note: This business process is used for FileAct processing only.

The handleSWIFTNetServerFAEvent business process is initiated as part of the following inbound process flow:

1. The SWIFTNet Server adapter invokes the handleSWIFTNetServerFAEvent business process and passes it all the necessary parameters to send a request.
2. The handleSWIFTNetServerFAEvent business process preprocesses the incoming FileAct event.
3. The handleSWIFTNetServerFAEvent business process searches the SWIFTNet Routing Rule table.
4. Then the business process bootstraps the appropriate business process for processing.

This table lists the configuration parameters for the handleSWIFTNetServerFAEvent business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.

Parameter	Default	Description
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the handleSWIFTNetServerFAEvent business process:

```
<process name="handleSWIFTNetServerFAEvent">
  <rule name="Backend_Workflow">
    <condition>DoFABackendProcess= 'workflow'</condition>
  </rule>
  <rule name="Backend_MailBox">
    <condition>DoFABackendProcess= 'mailbox'</condition>
  </rule>
  <sequence>
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="SoapIn">
      <participant name="SOAPInbound"/>
      <output message="output">
        <assign to="." from="*" />
        <assign to="bootstrap">>false</assign>
        <assign to="SOAP_INTERMEDIATE_NODE">>false</assign>
      </output>
      <input message="input">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerRequest">
        <assign to="." from="*" />
      </output>
    </operation>
  </sequence>
</process>
```

```

    <input message="testing">
      <assign to="." from="*" />
    </input>
  </operation>
  <!-- Process Completed FA Event with incoming, put or get request-->
  <!-- non SnF - bootstrap Workflow -->
  <!-- SnF - put in MailBox -->
  <choice>
    <select>
      <case ref="Backend_Workflow" activity="processBackend_Workflow" />
      <case ref="Backend_MailBox" activity="processBackend_MailBox" />
    </select>
    <sequence name="processBackend_Workflow">
      <operation>
        <participant name="InvokeSubProcessService" />
        <output message="Xout">
          <assign to="INVOKE_MODE">SYNC</assign>
          <assign to="." from="*" />
        </output>
        <input message="Xin">
          <assign to="." from="*" />
        </input>
      </operation>
    </sequence>
    <sequence name="processBackend_MailBox">
      <operation name="Mailbox Add Service">
        <participant name="MailboxAdd" />
        <output message="AddRequest">
          <assign to="." from="*" />
          <assign to="MailboxPath" from="concat('/',
SwiftServerRequest/responderDN/text(),'/',SwiftServerRequest/requestorDN/text())" />
          <assign to="ContentType">ascii</assign>
        </output>
        <input message="inmsg">
          <assign to="AddResults" from="*" />
        </input>
      </operation>
    </sequence>
  </choice>
  <!-- this is to construct the server response message back to GIS Server
application -->
  <operation>
    <participant name="SWIFTNetServerAdapter" />
    <output message="handleServerResponse">
      <assign to="." from="*" />
      <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
      <assign to="messageID" from="SwiftServerRequest/messageID/text()" />
      <assign to="Status">Accepted</assign>
      <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
      <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
    </output>
    <input message="testing">
      <assign to="." from="*" />
    </input>
  </operation>

```

```

</operation>
<operation name="SoapOut">
  <participant name="SOAPOutbound"/>
  <output message="output">
    <assign to="." from="*" />
    <assign to="SOAP_MODE">respond</assign>
  </output>
  <input message="input">
    <assign to="." from="*" />
  </input>
</operation>
<assign to="doc-has-headers">true</assign>
<operation name="HttpResponse">
  <participant name="HttpRespond"/>
  <output message="Xout">
    <assign to="." from="*" />
  </output>
  <input message="Xin">
    <assign to="." from="*" />
  </input>
</operation>
<onFault>
  <!-- On Fault, we will clear PrimDoc, construct Rejected response and
soap-envelope it -->
  <sequence>
    <operation name="ReleasePrimDoc">
      <participant name="ReleaseService"/>
      <output message="outmsg">
        <assign to="TARGET"/>/ProcessData/PrimaryDocument</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg"/>
    </operation>
    <operation>
      <participant name="SWIFTNetServerAdapter"/>
      <output message="handleServerResponse">
        <assign to="." from="*" />
        <assign to="interfaceMode"
from="SwiftServerRequest/interfaceMode/text()" />
        <assign to="messageID"
from="SwiftServerRequest/messageID/text()" />
        <assign to="Status">Rejected</assign>
        <assign to="Description">Fail in Backend Process and unable to
get the Server Response</assign>
        <assign to="Info">Failure in Backend Process and getting the
Server Response</assign>
        <assign to="deliveryNotification"
from="SwiftServerRequest/deliveryNotification/text()" />
        <assign to="SnF" from="SwiftServerRequest/SnF/text()" />
      </output>
      <input message="testing">
        <assign to="." from="*" />
      </input>
    </operation>
  </sequence>
</onFault>
<operation name="SoapOut">
  <participant name="SOAPOutbound"/>

```

```

        <output message="output">
            <assign to="." from="*" />
            <assign to="SOAP_MODE">respond</assign>
        </output>
        <input message="input">
            <assign to="." from="*" />
        </input>
    </operation>
    <assign to="doc-has-headers">true</assign>
    <operation name="HttpResponse">
        <participant name="HttpRespond" />
        <output message="Xout">
            <assign to="." from="*" />
        </output>
        <input message="Xin">
            <assign to="." from="*" />
        </input>
    </operation>
</sequence>
</onFault>
</sequence>
</process>

```

Before Using the handleSWIFTNetServerFAEvent Business Process

Before you use the handleSWIFTNetServerFAEvent business process, you must complete the following tasks:

1. Configure the SWIFTNet Server adapter to reflect your installation. See *SWIFTNet Server Adapter*.
2. Enable Document Tracking in the Business Process Manager for the handleSWIFTNetServerFAEvent business process.

SWIFTMessageEntryOutbound

The SWIFTMessageEntryOutbound business process is the default business process used to look up the correct envelope, based on the information provided by the user while configuring the Send information in the SWIFT Message Entry Workstation.

The SWIFTMessageEntryOutbound business process is initiated as part of the following outbound process flow:

1. Create a SWIFT message using the SWIFT Message Entry Workstation.
2. Validate the message and mark it **Ready to Send**.
3. Do not change the default business process and send the SWIFT message you created.
4. The SWIFTMessageEntryOutbound business process invokes the EDI Encoder service.
5. The EDI Encoder service includes the Generic Envelope service.
6. The Generic Envelope service invokes the business process configured in the SWIFT Outbound Envelope to send the SWIFT message.

This table lists the configuration parameters for the SWIFTMessageEntryOutbound business process:

Parameter	Default	Description
Document Tracking	False	When document tracking is enabled for a business process, tracking information is carried with the message throughout the process, and the tracking information is persisted about the message regardless of the persistence level you configured globally for the application.
Set onfault processing	False	Onfault processing allows the process to immediately execute the on-fault activity specified in the process, even if the process has not yet reached that step in the process. For example, if a process fails at step 3, but the on-fault activity is specified in step 7, if onfault processing is enabled, the process proceeds to the step 7 on-fault rather than halting at step 3.
Start mode	async	Asynchronous initiation is selected by default. Starting business processes asynchronously is recommended. Asynchronous mode is standard processing, wherein the business process is placed in queue and processed.
Transaction	False	This option instructs the application to treat the entire process as a single transaction so that either all of the steps complete, or, in the event of an error, none of them do. When an error occurs, no data is committed; data returns to its pre-process state. By default, this transaction mode is not enabled.
Queue	4	The application enables you to set performance optimizations by queue, defining queue levels to allocate resources. This number indicates the previously allocated queue level that you want for this business process model for processing.
Persistence Level	System Default	The level of data to retain for generating a status report that describes each step that the business process completes. System default indicates that, for the data, configuration is already defined in the application to retain data.
Recovery Level	Manual	The level of recovery for this business process if the business process should halt during execution. Manual requires you to resume or restart the business process manually.
Document Storage Type	System Default	The level of document storage for messages that process when the business process runs. System Default specifies to store messages in the file system or database, according to how you configured archiving and purging in the application.
Life Span	Life Span Days — 2 Life Span Hours — 0 Life Span Type — System Level Removal Method — Archive	The length of time, in days and hours, to retain the data in the application, along with the life span type and removal method.

Parameter	Default	Description
Complete by Deadline	None Available Note: To set a deadline you must change it in the business process.	Complete by – The deadline time, in hours and minutes, by which the business process must complete process once it starts. <ul style="list-style-type: none"> ◆ First Notification: Hours and Minutes – Whether to receive notification before a business process deadline. ◆ Second Notification: Hours and Minutes – Whether to receive another notification before a business process deadline.
Event Reporting Level	Full	The level of event reporting that is retrieved for this business process when it runs. Full specifies to generate events for the business process, including the business process start and end time, start and end times for all services or services running as a result of this business processes, and any resulting errors and exceptions.

The following BPML code makes up the SWIFTMessageEntryOutbound business process:

```
<process name="SWIFTMessageEntryOutbound">
  <sequence>
    <assign to="PrimaryDocument"
from="//ProcessData/DOC/DOC-1/@SCIOBJECTID"></assign>

    <operation name="EDI Encoder">
      <participant name="EDIEncoder"/>
      <output message="EDIEncoderTypeInputMessage">
        <assign to="AcceptorLookupAlias" from
="//ProcessData/AcceptorLookupAlias/text()" />
        <assign to="EDIStandard">SWIFT</assign>
        <assign to="ReceiverID" from="//ProcessData/ReceiverID/text()" />
        <assign to="SenderID" from="//ProcessData/SenderID/text()" />
        <assign to="MODE">IMMEDIATE</assign>
        <assign to="." from="*"></assign>
      </output>
      <input message="inmsg">
        <assign to="." from="*"></assign>
      </input>
    </operation>

    <operation name="EDI Envelope">
      <participant name="EDIEnvelope"/>
      <output message="EDIEnvelopeTypeInputMessage">
        <assign to="MODE">IMMEDIATE</assign>
        <assign to="." from="*"></assign>
      </output>
      <input message="inmsg">
        <assign to="." from="*"></assign>
      </input>
    </operation>

    <operation name="Invoke Business Process Service">
      <participant name="InvokeBusinessProcessService"/>
```

```
<output message="Xout">
  <assign to="INVOKE_MODE">SYNC</assign>
  <assign to="." from="*"></assign>
</output>
<input message="Xin">
  <assign to="." from="*"></assign>
</input>
</operation>

</sequence>
</process>
```

Before Using the SWIFTMessageEntryOutbound Business Process

Before you use the SWIFTMessageEntryOutbound business process, you must enable Document Tracking in the Business Process Manager for the SWIFTMessageEntryOutbound business process.

Creating SWIFT Maps

Overview

The Map Editor enables you to map SWIFT documents. The Map Editor generates a file layout for you using the components and message types that you select. The Map Editor-generated SWIFT map consists of groups, records, composites, and fields that are comparable to parameters that are defined by SWIFT. See *How SWIFT Terminology Correlates with the Map Editor* on page 117.

Note: You need to download the Map Editor component from the application to use it.

Map Editor allows you to modify the map components by using the Deactivate, Promote, Split, Copy, Cut, and Paste functions.

You can create a map for all SWIFT Standards Release messages loaded into the standards database through the Map Editor. All messages are validated by the application for syntax (for example, field types, field lengths, and so forth). See *Overview* on page 7 for information on which messages are validated by the application for syntax *and* semantics. If you create a map for a message that is not currently validated by the application, when the Map Editor is capable of updating your existing map with message validation rules in a future release, any extended rules you have created will exist outside the validation block (and thus will always run regardless of whether validation is enabled).

When you create a map, for both the input and output sides, you choose whether you want to use a preloaded standard, an existing file format, or want to create a new file format for that side of the map (including selecting from standards that you have previously downloaded to the standards database. The preloaded standards are automatically loaded when you download the Map Editor to your machine. You must install the SWIFT Financial Services XML Standards to be able to select SWIFTNet Bulk Payments, SWIFTNet Transaction Reporting, SWIFTNet Funds, SWIFTNet Trade Services Utility, SWIFTNet Exceptions and Investigations, SWIFTNet Proxy Voting, SWIFTNet SCORE, SWIFTNet FpML, SWIFTNet Cash Management, or SWIFTNet Cash Reporting.

However, if you want to use a specialized version of a message that is not available in the application SWIFT data dictionary, it may be appropriate for you to define the SWIFT map yourself. Alternatively, you could use an MT or MX that is similar to what is required and customize it yourself.

The application also performs SWIFT MX validations. Validations are defined in the **translator_swift_mx.properties** property file and generated maps define the parameters used to look up validates in this property file. Changes to validations are also applied to SWIFT MX messages for currencies, BICPlusIBAN, BIC/BEI addresses, and International Bank Account Number checksum validation (IBAN). You can define code lists for currencies, countries, BIC or BEI addresses (that are validated against the SWIFT_Addresses code list) BICPlusIBAN, and SEPARouting. IBAN data contains

a country code that is validated against the SWIFT_Countries code list in the application, and additional IBAN validation is handled internally by the translator.

The application supplies you with the following statements to be used with SWIFT maps and any other data format:

- ◆ cerror
- ◆ exist
- ◆ occurrencetotal
- ◆ resetoccurrencetotal
- ◆ sum
- ◆ sumtotal

See *Alphabetic Language Reference* for all the available extended rules.

To ensure that extended rules for SWIFT maps are only run when validation is enabled, place your custom extended rule code in a validation block. See *Creating Extended Rules for SWIFT Maps* on page 128.





How SWIFT Terminology Correlates with the Map Editor


The terminology used by SWIFT differs from that used in the Map Editor. This table lists the SWIFT terms and how they correspond to map components in the Map Editor:

SWIFT Terminology	Corresponding Map Editor Terminology
MT or MX (File)	SWIFT file format (the top map component on the input and output sides of a map)
Sequence or an implicit group of repeating field tags	Group
Field tag	SWIFT Record
Subfield that is an "OR" option or a group of related subfields that occur in a sequence, and they are also groups of related subfields that occur in a sequence (for example, each SWIFTBIC address is defined as a "composite" consisting of a number of subfields such as branch code, location, and so forth)	Composite
Subfield	Field
Component or a group of SWIFT components that define a SWIFT subfield	Field

SWIFT Components in the Map Editor

The following table lists the components that make up the SWIFT layout in the Map Editor, the icons that represent the components, and descriptions of the components. For information about adding a map component to a layout, see *Map Editor Basics*.

Component	Icon	Description
SWIFT root element		The <i>SWIFT root element</i> represents the MT or MX that the application is mapping. At the SWIFT file root element, you define the message type and encoding. It is a group and can contain groups and SWIFT records.
Group		<p>A <i>group</i> is a looping structure that contains a sequence or an implicit group of repeating field tags (in Map Editor a group is related records and groups that repeat in sequence until either the group data ends, or the maximum number of times that the loop is permitted to repeat is exhausted).</p> <p>A group that is subordinate to another group is a subgroup (and corresponds to a nested looping structure, a loop within a loop).</p> <p>When a group contains an extended rule or a standard rule, an asterisk appears to the right of the group icon.</p>
SWIFT Record		<p>A <i>SWIFT record</i> contains a field tag (in Map Editor a SWIFT record is a group of related fields or composite data elements that combine to communicate useful data). A SWIFT record can occur once or can repeat multiple times.</p> <p>Note: If a SWIFT record occurs more than once in a map, it is identified by its name <ID>. The second and subsequent occurrences are identified by <ID>:n, where n is the number of the occurrence in the map.</p>
Composite		<p>A <i>composite</i> is a subfield that is an “OR” option or a group of related subfields that occur in a sequence (in Map Editor a composite is a data element that contains two or more component data elements or subelements). They are also groups of related subfields that occur in a sequence. For example, each SWIFTBIC address is defined as a “composite” consisting of a number of subfields (e.g. branch code, location).</p> <p>A composite can occur once or repeat multiple times.</p> <p>For example, each SWIFTBIC address is defined in the Map Editor as a composite that consists of a number of fields (SWIFT subfields) such as branch code, location, and so forth.</p> <p>Note: If a composite occurs more than once in a map, it is identified by its name <ID>. The second and subsequent occurrences are identified by <ID>:n, where n is the number of the occurrence in the map.</p> <p>A <i>repeating composite</i> is a related group of fields that have the ability to loop as a whole (occur more than once) within a particular SWIFT record. To enable a composite to repeat multiple times within a SWIFT record, each occurrence of the composite must be separated by a start and end delimiter.</p> <p>Note: SWIFT does not use the repeating option, although it is available to you.</p>

Component	Icon	Description
Field		<p>A <i>field</i> is a subfield or a group of SWIFT components (the smallest piece of information defined by the SWIFT standard) that define a SWIFT subfield. A field can have different meanings depending on the context. In other data formats in the Map Editor, a field is not considered to have useful meaning except in the larger context of the record that contains it. However, fields used in the Map Editor to represent SWIFT subfields and components contain useful and discrete information.</p> <p>Note: If a field occurs more than once in a map it is identified by its name <ID>. The second and subsequent occurrences are identified by <ID>:n, where n is the number of the occurrence in the map.</p> <p>A <i>repeating field</i> is a field with the ability to loop (occur more than once) within a particular SWIFT record. To enable a single field to repeat multiple times within a SWIFT record, each occurrence of the field must be separated by a start and end delimiter. The use of start and end delimiters help the translator determine where subfields and components are defined within a field tag.</p> <p>When a field has a link performed against it, a red check mark appears over the field icon. When a field contains an extended rule or a standard rule, an asterisk appears to the right of the field icon.</p>

Downloading and Installing the SWIFT Standards Database

Before you install the SWIFT standards database on your desktop, consider these guidelines:

- ◆ Download the Map Editor.
- ◆ For the most current version of the SWIFT standard, contact Sterling Commerce Customer Support.
- ◆ Be sure your desktop meets the Windows Client requirements listed in the *System Requirements*.

To download and install the standards database:

1. From the application **Deployment** menu, select **Standards**.

Note: You must download and install both the Map Editor and the desired SWIFT Standards Database from the *same* application release.

2. In the Download and Install section next to Download SWIFT Standards, click **Go!**
3. In the **File Download** dialog box, select a download option, then click **OK**.
 - ◆ If you choose to run the file click **Run** and the operating system downloads the files immediately.
 - ◆ If you choose to save the file, the operating system prompts you to save the file. Browse to the location where you want to download the file and click **OK**. If you want to continue installing, run the file you just saved from the location you specified.
4. In the Security Warning page, select **Always trust content from Sterling Commerce (Mid America), Inc.** if you do not want to see similar security messages in the future when you download software from Sterling Commerce. Click **Yes**.
5. In the Welcome window, click **Next**.
6. In the Choose Destination Location window, select where you want to install the standards database:
 - ◆ If you accept the default location, click **Next**.

- ◆ If you want to specify a different location, click **Browse**, specify the path to the folder, click **OK**, and click **Next**.

If you specify a folder name that does not exist, the application displays a message asking if you want to create that folder.

7. In the Select Components window, verify that **SWIFTStandardDatabase** is selected and click **Next**.
The download wizard installs the standards database.
8. In the Setup Complete window, click **Finish**.

Creating a File Layout from an MT or Market Practice

When you create a new map, you typically use the map wizard that creates a layout for you based on an MT or Market Practice from the standards database. The wizard saves you the time and effort to create the SWIFT side of the map yourself, and minimizes the risk of having an invalid standard format for a message.

When you create a map, for both the input and output sides, you choose whether you want to use a preloaded standard, an existing file format, or wants to create a new file format for that side of the map (including selecting from standards that you have previously downloaded to the standards database).

Note: You can create a map for all SWIFT messages through the Map Editor, and all messages are validated by the application for syntax (that is, field types, field lengths, and so forth).

To create a file layout from an MT, MX, or Market Practice:

1. From the Map Editor **File** menu, select **New**.
2. In the **New Map Wizard**, complete the questions in the first window and click **Next**.

Note: Be sure that **Sterling Integrator** is selected in the **What type of map are you creating** list.

3. If you are translating from SWIFT, in the Input Format window, Create a new data format using this standards, select **SWIFT (Society for Worldwide Interbank Financial Telecommunications)** and click **Messages**.

Note: The **Create a new data format using this** selection allows you to use a preloaded standard (that is, you do not have to download the standard to the application database) or use the standards that were downloaded through the standards database.

4. Click **Next**.
5. Select the type of message to auto-generate:
 - ◆ Standard SWIFT Message Type
 - ◆ Market Practice or Fund message
 - ◆ Custom Market Practice or Fund message

Note: If you select Custom Market Practice or Fund message, you must have already created a custom Market Practice or Fund message to have it listed as an available option.

6. If you are translating an MT, select the **GIS SWIFT Standard** ODBC data source (which contains the SWIFT standards database) and click **Next**.

7. If you are translating a Market Practice, select the **GIS SWIFTMP Customer** ODBC data source (which contains the SWIFT preloaded market practices) and click **Next**.
8. If you are translating from an MT, select the MT that you want to use and select the version, and click **Next**.
9. If you are translating from a preloaded Market Practice or fund message, select the MT you want to modify and click **Next**.
10. If you are translating from SWIFT, click **Finish** to load the MT you selected.
11. Click **Next**.
12. If you are translating to SWIFT, in the Output Format window, select **SWIFT (Society for Worldwide Interbank Financial Telecommunications)** and click **Customize**. If you are translating from another format, select that format and continue to the next screen.
13. Click **Next**.
14. If you are translating to SWIFT, select the **GIS SWIFT Standard** ODBC data source (which contains the SWIFT standards database) and click **Next**.
15. If you are translating to SWIFT, select the MT that you want to use and select the version, and click **Next**.
16. If you are translating to SWIFT, click **Finish** to load the MT you selected.
17. Click **Next**.
18. If you are translating to SWIFT, click **Finish**. The Map Editor displays the new map in the Map Editor window.
19. Use Autolink to link your fields prior to using the Link function or creating standard or extended rules.
20. Use the Rule Library Manager to add a reusable extended rule library that can then be added to any map so you do not have to redefine extended rules for each map you create.

Note: The SWIFT extended rules libraries that are installed with the application, contain all the extended rules necessary to carry out the business logic for SWIFT messages. Extended Rule Libraries from 2008 and forward are delivered in the SWIFT Standards Install.

Creating a Custom Market Practice or Fund Message

You have the capability to create a custom market practice or fund message by using the Map Editor to create a message of the same message type you want, modifying it accordingly, and using the SWIFT Rule Importer to import the map into the application.

To create a custom Market Practice or Fund message:

1. From the Map Editor **File** menu, select **New**.
2. In the **New Map Wizard**, complete the questions in the first window and click **Next**.

Note: Be sure that **Sterling Integrator** is selected in the **What type of map are you creating** list.

3. In the Input Format window, Create a new data format using this standards, select **SWIFT (Society for Worldwide Interbank Financial Telecommunications)** and click **Messages**.
4. Click **Next**.

5. Select **Standard SWIFT Message Type** as the type of message to auto-generate.
 6. Select the **GIS SWIFT Standard** ODBC data source (which contains the SWIFT standards database) and click **Next**.
 7. Select the MT that you want to use and select the version, and click **Next**.
 8. If you are translating from SWIFT and have selected a common group MT, select the MT for copy fields and click **Next**.
 9. If you are translating from SWIFT, click **Finish** to load the MT you selected.
 10. Click **Next**.
 11. In the Output Format window, select **SWIFT (Society for Worldwide Interbank Financial Telecommunications)** and click **Customize**. If you are translating from another format, select that format and continue to the next screen.
 12. Click **Next**.
 13. Select the **GIS SWIFT Standard** ODBC data source (which contains the SWIFT standards database) and click **Next**.
 14. Select the *same MT that you selected for the Input Format* and select the version, and click **Next**.
- Note:** By selecting the same MT on both the input and output sides of the map, you are creating a “passthrough” map.
15. If you are translating to SWIFT and have selected a common group MT, select the MT for copy fields and click **Next**.
 16. Click **Finish** to load the MT you selected.
 17. Click **Next**.
 18. Click **Finish**. The Map Editor displays the new map in the Map Editor window.
 19. On the Output side of the map, right-click the SWIFT Properties icon and select **Properties**.
 20. Select the **Message Type** tab.
 21. In **Market Practice ID**, type the unique identifier for the market practice. This identifier distinguishes the map from the standard SWIFT message type.
- Note:** This identifier must be 6 upper-case alphanumeric characters with no spaces. You create the unique Market Practice ID.
22. Use the **Save As** function to save the modified map under a new name.
 23. Open a command window and change to the directory where you installed the SWIFT Standards Database.
 24. Then, from the Map Editor **File** menu, select **New** so you can use the customer Market Practice or Fund message to create a new map.
 25. In the **New Map Wizard**, complete the questions in the first window and click **Next**.
- Note:** Be sure that **Sterling Integrator** is selected in the **What type of map are you creating** list.
26. In the Input Format window, Create a new data format using this standards, select **SWIFT (Society for Worldwide Interbank Financial Telecommunications)** and click **Messages**.
 27. Click **Next**.

28. Select **Custom Market Practice or Fund Template** as the type of message to auto-generate.
29. Select the **GIS SWIFT Standard** ODBC data source (which contains the SWIFT standards database) and click **Next**.
30. Select the custom Market Practice or Fund message and click **Next**.
31. Follow the prompts to complete the map selection.
32. Click **Finish**. The Map Editor displays the new map in the Map Editor window.
33. Use Autolink to link your fields prior to using the Link function or creating standard or extended rules.
34. Modify the map to implement the additional restrictions related to the desired Market Practice or Fund message.
35. Use the Rule Library Manager to add a reusable extended rule library that can then be added to any map so you do not have to redefine extended rules for each map you create.

Note: The SWIFT extended rule libraries that are installed with the application contain all the extended rules necessary to carry out the business logic for SWIFT messages. Extended Rule Libraries from 2008 and forward are delivered in the SWIFT Standards Install.

36. For the SWIFT Rule Importer command script, set the Java_home variable.
37. Run the SWIFT Rule Importer from the command prompt using the following syntax:

```
SWIFTRuleImporter MapName.mxl
```

38. Save your map using the following naming convention:

```
SWIFT_<version>_<messageType>[_<messageExtension>]_<marketPracticeID>.mxl
```

Note: In this syntax, version is synonymous with year. For Market Practices, you do not need a messageExtension since all market practice maps are in the 5xx series. The map must be saved in MXL format.

39. Compile the map.
40. If necessary, update your property files with code word and qualifier validations that are specific to the Market Practice.

Note: The properties file to update is **translator_swift_mp_customer_year.properties**, located in the **<install_dir>/properties** directory.

Creating a SWIFTSolutions (MX) Map

When you create a SWIFTSolutions (MX) map, for both the input and output sides, you choose whether you want to use a preloaded standard, an existing file format, or wants to create a new file format for that side of the map (including selecting from standards that you have previously downloaded to the standards database. The preloaded standards are downloaded when you download the Map Editor to your machine and include SWIFTNet Funds, SWIFT eMandate, SWIFTNet Funds Passport, SWIFTNet Trade Services Utility, SWIFTNet Exceptions and Investigations, SWIFTNet Cash Reporting, Bulk Payments, Cash Management, Cash Reporting Proxy Voting, FpML, SCORE, and Transaction Reporting.

For a complete list of the preloaded standards consult the Map Editor New Map Wizard.

Note: If the map you are creating contains greater than 20,000 objects, you will receive a message noting that this map contains a very large number of objects. For best performance, it is recommended that

you consider whether any unnecessary objects in the map can be removed, do not expand the entire object tree—expand only the section of the tree you are currently mapping, consider using the “Show links to or from the currently selected element” option instead of the “Show links to or from all visible elements” option, and save the map using the .MAP file format (using the Save As function).

Note: For the ContractCreated and ContractNovated SWIFTNet FpML messages, all conditional elements are disabled by default but a tree list is displayed to allow you to select the elements that you want to be generated.

To create a map using a preloaded SWIFTNet Fund message:

1. From the Map Editor **File** menu, select **New**.
2. In the **New Map Wizard**, complete the questions on the first screen.

Note: To use XML schemas, the map type must be Sterling Integrator.

3. If you are translating from a SWIFTNet Fund message, from the **Create a new format using this standard** list, select **SWIFTNet Funds** (or SWIFTNet Bulk Payments, SWIFTNet Trade Services Utility, SWIFTNet Exceptions and Investigations, SWIFTNet Funds Passport, SWIFTNet Transaction Reporting, SWIFT eMandate, SWIFTNet Proxy Voting, SWIFTNet SCORE, SWIFTNet FpML, SWIFTNet Cash Management, or SWIFTNet Cash Reporting) and click **Messages**. If you are translating from another format, select that format and continue to the next screen.
4. Complete the Map Wizard by selecting the version of the standard, the desired message, the maximum length of the data elements, and whether to build codelists for enumerated attributes, and click **Next**.

Note: The default for the **Build code lists for enumerations** check box is cleared because using code lists may be redundant and thus your map is smaller and more efficient without them.

5. Click **Next**.
6. If you chose to import an XML schema, do not modify any of the subelements selected in the display. *This list is included for your information only.* Click **Next**.

If you are using an XML schema and the XML parser detects any errors, the messages are displayed in an error window.

7. Click **Finish**.
8. If you are translating to a SWIFTNet Fund message, on the Output screen (from the **Create a new format using this standard** list), select **SWIFTNet Funds** (or SWIFTNet Bulk Payments, SWIFTNet Trade Services Utility, SWIFTNet Funds Passport, SWIFTNet Transaction Reporting, SWIFT eMandate, SWIFTNet Exceptions and Investigations, SWIFTNet Proxy Voting, SWIFTNet SCORE, SWIFTNet FpML, SWIFTNet Cash Management, or SWIFTNet Cash Reporting) and click **Messages**. If you are translating from another format, select that format and continue to the next screen.
9. Complete the Map Wizard by selecting the version of the standard, the desired message, the maximum length of the data elements, and whether to build codelists for enumerated attributes, and click **Next**.

Note: The default for the **Build code lists for enumerations** check box is cleared because using code lists may be redundant and thus your map is smaller and more efficient without them.

10. Click **Next**.

11. If you chose to import an XML schema, do not modify any of the subelements selected in the display. *This list is included for your information only.* Click **Next**.

If you are using an XML schema and the XML parser detects any errors, the messages are displayed in an error window.

12. Click **Finish**.

The **XML Load Warnings** dialog box opens if there are any errors. If the Map Editor made changes to the DTD to make it compliant with the application, it indicates the changes. Click **OK**.

13. Continue with the **New Map Wizard** as directed. When you click **Finish**, the Map Editor displays the new map in the Map Editor window.

Converting Your Map to Another SWIFT Standards Version

The Update SWIFT Version features enable you to convert the SWIFT MT format side of your map to the most recent standards version from the standards database, and to save it to a new map.

Note: In some previous versions of the Map Editor, SWIFT numeric fields were generated with a maximum of nine decimal places (R9 format). However, SWIFT special functions allow for greater precision. For example, AMOUNT<15> can have a maximum of 13 decimal positions, and with this version the Map Editor supports numeric formats greater than R9. Therefore, the numeric fields have been upgraded for SWIFT and any previously generated map that is updated through the SWIFT Update feature will have the numeric fields updated to support the greater precision. These changes will be reported as “standard fixes” in the report.

The Update Version feature:

- ◆ Migrates the old map to the new SWIFT standard version.
- ◆ Identifies the differences between the required (mandatory) map components in the old version as compared with the new version and reports the following changes:
 - ◆ **STANDARD Change:** A change from the old map that was made by the new SWIFT standard.
 - ◆ **STANDARD Fix:** A change from the old map that was made by a fix to the Map Editor.
 - ◆ **CUSTOM Change:** A change from the old map that was made by you (the customer).
 - ◆ **CONFLICT Change:** A change from the old map that was made by you (the customer), but the change conflicts with a change made by the new SWIFT Standard.
- ◆ Inserts the new required map components into the newly created version of the map.
- ◆ Ignores any “temporary” map components you have created to use as work areas for calculations and so forth. You can use temporary records and fields when you cannot use a simple link or if you must extract only specific occurrences of a record from your data file. A simple link enables you to join data from the Input and Output sides of the map in either a one-to-one relationship (map components that both do not repeat) or a many-to-many relationship (map components that repeat the same number of times). See the *Map Editor Guide* for more information.
- ◆ Provides you with a report that denotes the differences between the two standard versions and lists the segments and elements that are added as part of new standard version and were not in the old map. It will also list custom changes carried forward to the new version of the map.

Note: If a field and record is no longer used in the new standard, it is deleted from the map and a note of the deletion is included in the report. If a link is broken as a result of a deletion, that is also noted in the report.

To upgrade to a newer SWIFT standards version:

1. In Map Editor, open the map.
2. Select a map component on the side of the map you want to upgrade.
3. Select **Functions > Update > SWIFT Version**.
4. Select the ODBC data source that contains the SWIFT standards database or the ODBC data source that contains the customer Market Practices. Click **Next**.
5. Type the name of the new map or accept the default, and click **Next**.
6. Click **Finish** to start the standard version upgrade process and create the new map.

The upgrade process reads in the new version of the SWIFT standard and the old version of the standard specified by the map. The upgrade procedure consists of a three-way comparison between the new SWIFT standard, the customer map, and the old SWIFT standard (that is, the version defined by your map).

SWIFTNet Syntax Validation

SWIFT field tag syntax validation is defined in the Map Editor and stored in the `translator_swift_2008.properties` file, the `translator_swift_2009.properties`, and the `translator_swift_2010.properties` file. This properties file contains the validation syntax for the field tags, as defined by the SWIFT standards (for example, field 73 is `35x['CRLF'35x]0-5`), and may not be edited. The validation syntax for any given record is displayed in the Field Syntax parameter on the SWIFT Record Properties dialog box (SWIFT Validation tab). This parameter is automatically populated when you create a map using the SWIFTNet standards data dictionary. The convention of the syntax conforms exactly to the SWIFT documentation.

SWIFT also uses special validation functions such as `<CUR>`, `<SWIFTBIC>`, and `<NON-SWIFTBIC>`, which are components of a field tag. Each of these special functions has an expanded syntax that is validated by the translator. When these special validation functions are used, the special function syntax is displayed in the **Field Syntax** text box on the **SWIFT Record Properties** dialog box. The currency (`<CUR>`) and sender/receiver addresses (`<SWIFTBIC>`, `<NON-SWIFTBIC>`) must also be validated against legal code word lists. These code lists are defined in the SWIFT standards data dictionary and used by the application.

Note: You will need to maintain these code lists in the application (not in the Map Editor). See *Creating and Using Code Lists* for more information.

SWIFT MX Validation

The application performs SWIFT MX validations. Validations are defined in the `translator_swift_mx.properties` property file and generated maps define the parameters used to lookup validates in this property file.

The following is an example entry from the `translator_swift_mx.properties` property file for Currency validation. In this example, currency validation is performed on the XML element **Amt**, attribute **Ccy**.

```
swiftMX.tsmt.009.001.02.Amt.Ccy=CUR
```

Note: There are also currency validation functions: CURACTIVE (active currency) and CURACTHIST (active or historic currency).

The following is an example entry from the **translator_swift_mx.properties** property file for Country validation. In this example, country validation is performed on the XML element **PdctOrgn**.

```
swiftMX.tsmt.009.001.02.PdctOrgn=CC
```

The following is an example entry from the **translator_swift_mx.properties** property file for IBAN validation. In this example, IBAN validation is performed on the XML element **IBAN**.

```
swiftMX.tsmt.009.001.02.IBAN=IBAN
```

The following is an example entry from the **translator_swift_mx.properties** property file for BIC validation. In this example, BIC validation is performed on the XML element **BIC**.

```
swiftMX.tsmt.009.001.02.BIC=BIC
```

When you create a SWIFT MX map, the parameters used to look up validations in the property file are defined on the Map Details dialog box. This table describes the Map Details parameters and their function in MX validation:

Map Details Parameter	Description of MX Validation Function
Agency (description field)	SWIFT-MX identifies the map as requiring SWIFT MX validation.
Version	The version of the SWIFT solution (for example, 1-0).
Transaction (description field)	The schema name is used as a unique key to lookup validation entries. For example, tsmt.009.001.02 is a unique key for a Trade Services Baseline Amendment Request in which: <ul style="list-style-type: none"> ◆ tsmt is the SWIFT solution (for example, Trading Services) ◆ 009.001.02 is the schema name

Error Codes for MX Validation

The following error codes are logged when MX validation errors occur. These errors are logged in the translator report and in the SWIFT Message Editor when you are using the Document Repair function:

Error Code	Description
Sw.Stds.D00001	Invalid BIC code
Sw.Stds.D00002	Invalid BEI code
Sw.Stds.D00003	Invalid IBAN code
Sw.Stds.D00004	Invalid country code
Sw.Stds.D00005	Invalid active currency code
Sw.Stds.D00006	Invalid active or historic currency code
Sw.Stds.D00007	Invalid currency code or too many decimal digits

Error Code	Description
Sw.Stds.D00008	Invalid BIC or BEI code

Creating Extended Rules for SWIFT Maps

In the next release of SWIFT there will be support to update existing maps to include or add any message rule validation changes. This future update feature will impact you only if you want custom code in the extended rules (in existing maps) included in the validation block that only runs when validation is enabled. The update feature places custom extended rule code outside of the validation block. Thus, if you want to create custom rules used only during validation, then you need to follow the example below when you write extended rules for SWIFT maps to ensure they are only run when validation is enabled:

```

if validation = 1 then
begin
  {type your custom validation extended rule code}
end

```

Extended Rules Used with SWIFT Maps

The following new extended rules are used with SWIFT maps, though they can also be used with any other data format:

- ◆ error
- ◆ occurrencetotal
- ◆ resetoccurrencetotal
- ◆ sum
- ◆ sumtotal

See *Alphabetic Language Reference* for information on all the available extended rules.

Using Autolink and Link

The Autolink function automatically creates links between input and output fields that have the same name or which contain logically equivalent business data. This functionality can be used regardless of which format you have selected for the input and output sides of your map. See *Using Autolink with the Map Editor* for more information on using this function. You can choose to link by either Field Name or Business Name.

Note: To increase the likelihood that the links in your maps are valid, in the Preferences dialog box Confirmations tab, select the link objects at different levels and link objects with different maximum usages confirmations. See *Using Autolink with the Map Editor* for more information on using this function.

Just like with the Link function, the link between two map components is represented visually with a connecting line. See *Creating Simple Links* for more information on the Link function.

Note: An erroneous message is displayed when you deactivate a group that contains linked fields in the Map Editor. The message displayed is: “The object is part of one or more links. Deleting the object will remove the links. Do you want to continue?” This message should read “The object is part of one or more links. Deactivating the object will remove the links...” If you receive this message when deactivating a linked map component, be assured that the group object is not deleted, and you should ignore the erroneous message.

Using Extended Rule Libraries with SWIFT

This section describes how to use the extended rule library and the properties of the dialog boxes that comprise its functionality. A rules library (used with SWIFT and any other data format) contains a list of rules in a separate file outside of the Map Editor source. Map Editor stores the name of the library in its source file, so when you open a map the library is also loaded. When you compile a map, the library rules that are referenced in the map are also compiled. This enables you to create a library of extended rules and then add it to any other map, so you do not have to recreate those extended rules after the first time. You can use this functionality with any data format.

Note: The SWIFT extended rules libraries from 2008 and forward are delivered in the SWIFT Standards install. These contain all the extended rules necessary to carry out the business logic for SWIFT messages.

Note: Please note that for all application versions 4.3 and higher, changes have been made to the extended rule library for SWIFT_2007 to report field errors more accurately in the Message Entry Workstation. For this reason, many SWIFT_2007.erl methods were modified and are no longer compatible with maps that were created prior to this change. If you encounter this issue, you can recreate your map using the latest version of the standard. Alternatively, you can install the 4.2 version of the SWIFT_2007.erl file (this is installed when the Map Editor from application version 4.2 is installed), save that .ERL file in a different location, and then reinstall the latest version of the Map Editor. Once the latest Map Editor is installed, replace the existing SWIFT_2007.erl with the one you obtained from 4.2 and then compile using that library with the latest Map Editor.

Semantic validation rules for Market Practices are stored in an extended rule library separate from the library that implements the SWIFT standard semantic validation rule

Only the extended rule libraries referenced by a map are compiled into the TXO translation object.

This functionality minimizes the impact to users when, for example, SWIFT updates their messages—without the rule library you would need to update the extended rules for each updated map (correlating to the updated messages), but using the extended rule library you just update the library and then use the library with all the applicable maps.

When you view the checked in libraries through the Extended Rule Library check in interface, you are also able to obtain a list of all the maps that use each library.

The extended rules library can contain many rules. An extended rule consists of a declarations section followed by a statements section. The *declarations* section is required only if you use additional variables. The declarations section is where you declare the names and types of any variables you use either in the extended rule. The *statements* section is where you define the actions that you want the extended rule to run.

When calling a rule library function, you can pass parameters.

You must declare any variables that are not already defined as part of the input or output specification of the map before you use those variables in an extended rule. For the extended rule libraries, you typically use global variables that are passed as parameters.

Rule libraries are versioned resources. When you create a new rule library you need to check it in to the application just like you need to check in maps. This also enables you to check out, version, and delete extended rule libraries. Furthermore, when you view the checked in libraries through the Extended Rule Library check in interface, you can also see all the maps that use each library. This is very important because it enables you to easily view a list of the maps that will need to be recompiled if you change an extended rule in a library (you would recompile all the maps that use that particular library).

Additionally, you can import and export extended rule libraries into the application using the Resource Manager.

You can call an extended rule from a library in any extended rule in a map.

See *Extended Rule Libraries* for more information on this functionality.

The extended rule libraries that are preloaded for use with SWIFT are as follows:

Library	ERL File Name	Description
SWIFT_2002	SWIFT_2002.erl	Contains rules to validate SWIFT 2002 MT and MX messages
SWIFT_2005	SWIFT_2005.erl	Contains rules to validate SWIFT 2005 MT and MX messages
SWIFT_2006	SWIFT_2006.erl	Contains rules to validate SWIFT 2006 MT and MX messages.
SWIFT_2007	SWIFT_2007.erl	Contains rules to validate SWIFT 2007 MT and MX messages.
SWIFT_2008	SWIFT_2008.erl	Contains rules to validate SWIFT 2008 MT and MX messages.
SWIFT_2009	SWIFT_2009.erl	Contains rules to validate SWIFT 2009 MT and MX messages.
SWIFT_2010	SWIFT_2010.erl	Contains rules to validate SWIFT 2010 MT and MX messages.
SWIFT_IOA001_2005	SWIFT_IOA001_2005.erl	Contains rules to validate 2005 Market Practice U.S. MT536
SWIFT_IOA001_2006	SWIFT_IOA001_2006.erl	Contains rules to validate 2006 Market Practice U.S. MT536
SWIFT_IOA001_2007	SWIFT_IOA001_2007.erl	Contains rules to validate 2007 Market Practice U.S. MT536
SWIFT_IOA001_2008	SWIFT_IOA001_2008.erl	Contains rules to validate 2008 Market Practice U.S. MT536
SWIFT_DeenvelopeLib_2008	SWIFT_DeenvelopeLib_2008.erl	Contains rules to deenvelope 2008 SWIFT messages.

Library	ERL File Name	Description
SWIFTMX	SWIFTMX_v1-0.erl (generic rule library for MX)	Contains rules to validate MX messages.
SWIFTMX_BulkPayments_v2-0	SWIFTMX_BulkPayments_v2-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_CashManagement_v4-0	SWIFTMX_CashManagement_v4-0.erl	Contains rules to validate SWIFT Cash Management 4.0 messages.
SWIFTMX_CashReporting_v1-0	SWIFTMX_CashReporting_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_CashReporting_v3-0	SWIFTMX_CashReporting_v3-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_CashReporting_v3-1	SWIFTMX_CashReporting_v3-1.erl	Contains rules to validate SWIFT Cash Reporting 3.1 messages.
SWIFTMX_CashReporting_v3-2	SWIFTMX_CashReporting_v3-2.erl	Contains rules to validate SWIFT Cash Reporting 3.2 messages.
SWIFTMX_CashReporting_v4-0	SWIFTMX_CashReporting_v4-0.erl	Contains rules to validate SWIFT Cash Reporting 4.0 messages.
SWIFTMX_CashReporting_v5-0	SWIFTMX_CashReporting_v5-0.erl	Contains rules to validate SWIFT Cash Reporting 5.0 messages.
SWIFTMX_EI_v1-0	SWIFTMX_EI_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_EI_v1-1	SWIFTMX_EI_v1-1.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_EI_v1-2	SWIFTMX_EI_v1-2.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_e-Mandate_v1-0	SWIFTMX_e-Mandate_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_FpML_v1-0	SWIFTMX_FpML_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.

Library	ERL File Name	Description
SWIFTMX_Funds_v2-0	SWIFTMX_Funds_v2-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_Funds_v2-1	SWIFTMX_Funds_v2-1.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_Funds_v2-2	SWIFTMX_Funds_v2-2.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_Funds_v3-0	SWIFTMX_Funds_v3-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_Funds_v3-1	SWIFTMX_Funds_v3-1.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_Funds_v4-0	SWIFTMX_Funds_v4-0.erl	Contains rules to validate SWIFT Funds 4.0 messages.
SWIFTMX_Funds_v4-1	SWIFTMX_Funds_v4-1.erl	Contains rules to validate SWIFT Funds 4.1 messages.
SWIFTMX_Funds_v4-2	SWIFTMX_Funds_v4-2.erl	Contains rules to validate SWIFTNet Alternative Funds 4.2 messages.
SWIFTMX_ProxyVoting_v1-0	SWIFTMX_ProxyVoting_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_ProxyVoting_v1-1	SWIFTMX_ProxyVoting_v1-1.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_ProxyVoting_v1-2	SWIFTMX_ProxyVoting_v1-2.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_TradeServices_v1-0	SWIFTMX_TradeServices_v1-0.erl	This rule library contains no rules, but you can implement and store rules for the SWIFTSolution indicated in the library.
SWIFTMX_TransactionReporting_v1-0	SWIFTMX_TransactionReporting_v1-0.erl	Contains rules to validate SWIFT Transaction Report 1.0 messages.

Calling a Rule from an Extended Rule Library in a Map

You can call a rule from any extended rule library (that is currently checked in to the application) in any extended rule in your map. The syntax you use to call a rule from a library is:

```
call library_name.rule_name(parameter1, parameter2, parameter3)
```

In this syntax, **library_name** is the name of the extended rule library. For example, if the library is SWIFT_2006.erl, the library_name is **SWIFT**. The **rule_name** is the name of the rule that you defined in the Library Rule dialog box. There is no limit on the number of parameters you can use.

Note: You can have multiple rule libraries with the same name and different version numbers, but you can only use one rule library of the same name in a map (the last version of that rule library that was checked in to the system).

The syntax you use to call a rule with a return value set is:

```
integer i;
i = call library_name.rule_name parameter1
```

In this syntax, **i** is the return value set.

Truncating Number Fields When Converting Strings to Numbers

By default, the translator trims all trailing zeros from output values. For example, 80000.0100 will be output as 8000.01. This behavior is not desirable for financial standards such as SWIFT, for which trailing zeros represent a specific amount for a particular currency.

Therefore, the **storage.keepTrailingZeros** property in the **translator.properties** file enables you to specify whether or not trailing zeros are kept on any numeric field on the output side of the map (numeric fields that have been converted to strings).

By default trailing zeros are trimmed (**storage.keepTrailingZeros=false**). If you set this property to True, this will preserve trailing zeroes. Therefore, by default the value 3.142000 is truncated to 3.142, but if you set the **storage.keepTrailingZeros** property to True, the resulting string value is 3.142000.

To set the **storage.keepTrailingZeros** property to True:

1. In the *install_dir*/properties directory, locate (or create, if necessary) the **customer_overrides.properties** file.
2. Open the **customer_overrides.properties** file in a text editor.
3. Add the property that you want to override, using the following format:

```
translator.storage.keepTrailingZeros=True
```
4. Save and close the **customer_overrides.properties** file.
5. Restart the application to use the new values.

Using BigDecimal

The application allows you to use either Java double primitive or BigDecimal data types for real numbers. BigDecimal can be used regardless of the standard you are using, but if you are using a financial standard like SWIFT we highly recommend that you use BigDecimal. See *BigDecimal Support for Real Numbers* for

more information on using this functionality. When processing SWIFT messages with BigDecimal mode turned off, real values (such as amounts) may be rounded when those messages are processed through the SWIFT Message Editor. When rounding occurs, the changed values are not reported.

If you are using BigDecimal mode on a per map basis for the SWIFT standard, you also need to enable BigDecimal (turn it on) for any validation pass-through maps you are using. It is also possible to use double primitive mode by default, but to enable BigDecimal mode on a per-map basis. Validation pass-through maps should have BigDecimal mode enabled (turned on).

The validation pass-through maps used with Application are as follows:

MT Maps

- ◆ SWIFT_2002_100.xml
- ◆ SWIFT_2005_097.xml
- ◆ SWIFT_2005_101.xml
- ◆ SWIFT_2005_102.xml
- ◆ SWIFT_2005_102_STP.xml
- ◆ SWIFT_2005_103.xml
- ◆ SWIFT_2005_103_STP.xml
- ◆ SWIFT_2005_104.xml
- ◆ SWIFT_2005_105.xml
- ◆ SWIFT_2005_106.xml
- ◆ SWIFT_2005_107.xml
- ◆ SWIFT_2005_110.xml
- ◆ SWIFT_2005_111.xml
- ◆ SWIFT_2005_112.xml
- ◆ SWIFT_2005_190.xml
- ◆ SWIFT_2005_191.xml
- ◆ SWIFT_2005_192.xml
- ◆ SWIFT_2005_195.xml
- ◆ SWIFT_2005_196.xml
- ◆ SWIFT_2005_198.xml
- ◆ SWIFT_2005_199.xml
- ◆ SWIFT_2005_200.xml
- ◆ SWIFT_2005_201.xml
- ◆ SWIFT_2005_202.xml
- ◆ SWIFT_2005_203.xml
- ◆ SWIFT_2005_204.xml
- ◆ SWIFT_2005_205.xml
- ◆ SWIFT_2005_206.xml

- ◆ SWIFT_2005_207.mxl
- ◆ SWIFT_2005_210.mxl
- ◆ SWIFT_2005_256.mxl
- ◆ SWIFT_2005_290.mxl
- ◆ SWIFT_2005_291.mxl
- ◆ SWIFT_2005_292.mxl
- ◆ SWIFT_2005_295.mxl
- ◆ SWIFT_2005_296.mxl
- ◆ SWIFT_2005_298.mxl
- ◆ SWIFT_2005_299.mxl
- ◆ SWIFT_2005_300.mxl
- ◆ SWIFT_2005_303.mxl
- ◆ SWIFT_2005_304.mxl
- ◆ SWIFT_2005_305.mxl
- ◆ SWIFT_2005_306.mxl
- ◆ SWIFT_2005_307.mxl
- ◆ SWIFT_2005_308.mxl
- ◆ SWIFT_2005_320.mxl
- ◆ SWIFT_2005_321.mxl
- ◆ SWIFT_2005_330.mxl
- ◆ SWIFT_2005_340.mxl
- ◆ SWIFT_2005_341.mxl
- ◆ SWIFT_2005_350.mxl
- ◆ SWIFT_2005_360.mxl
- ◆ SWIFT_2005_361.mxl
- ◆ SWIFT_2005_362.mxl
- ◆ SWIFT_2005_364.mxl
- ◆ SWIFT_2005_365.mxl
- ◆ SWIFT_2005_380.mxl
- ◆ SWIFT_2005_381.mxl
- ◆ SWIFT_2005_390.mxl
- ◆ SWIFT_2005_391.mxl
- ◆ SWIFT_2005_392.mxl
- ◆ SWIFT_2005_395.mxl
- ◆ SWIFT_2005_396.mxl
- ◆ SWIFT_2005_398.mxl

- ◆ SWIFT_2005_399.mxl
- ◆ SWIFT_2005_400.mxl
- ◆ SWIFT_2005_405.mxl
- ◆ SWIFT_2005_410.mxl
- ◆ SWIFT_2005_412.mxl
- ◆ SWIFT_2005_416.mxl
- ◆ SWIFT_2005_420.mxl
- ◆ SWIFT_2005_422.mxl
- ◆ SWIFT_2005_430.mxl
- ◆ SWIFT_2005_450.mxl
- ◆ SWIFT_2005_455.mxl
- ◆ SWIFT_2005_456.mxl
- ◆ SWIFT_2005_490.mxl
- ◆ SWIFT_2005_491.mxl
- ◆ SWIFT_2005_492.mxl
- ◆ SWIFT_2005_495.mxl
- ◆ SWIFT_2005_496.mxl
- ◆ SWIFT_2005_498.mxl
- ◆ SWIFT_2005_499.mxl
- ◆ SWIFT_2005_500.mxl
- ◆ SWIFT_2005_501.mxl
- ◆ SWIFT_2005_502.mxl
- ◆ SWIFT_2005_503.mxl
- ◆ SWIFT_2005_504.mxl
- ◆ SWIFT_2005_505.mxl
- ◆ SWIFT_2005_506.mxl
- ◆ SWIFT_2005_507.mxl
- ◆ SWIFT_2005_508.mxl
- ◆ SWIFT_2005_509.mxl
- ◆ SWIFT_2005_510.mxl
- ◆ SWIFT_2005_513.mxl
- ◆ SWIFT_2005_514.mxl
- ◆ SWIFT_2005_515.mxl
- ◆ SWIFT_2005_515_SMPG02.mxl
- ◆ SWIFT_2005_516.mxl
- ◆ SWIFT_2005_517.mxl

- ◆ SWIFT_2005_518.mxl
- ◆ SWIFT_2005_519.mxl
- ◆ SWIFT_2005_524.mxl
- ◆ SWIFT_2005_526.mxl
- ◆ SWIFT_2005_527.mxl
- ◆ SWIFT_2005_528.mxl
- ◆ SWIFT_2005_529.mxl
- ◆ SWIFT_2005_535.mxl
- ◆ SWIFT_2005_536_IOA001.mxl
- ◆ SWIFT_2005_536.mxl
- ◆ SWIFT_2005_537.mxl
- ◆ SWIFT_2005_538.mxl
- ◆ SWIFT_2005_540.mxl
- ◆ SWIFT_2005_541.mxl
- ◆ SWIFT_2005_542.mxl
- ◆ SWIFT_2005_543.mxl
- ◆ SWIFT_2005_544.mxl
- ◆ SWIFT_2005_545.mxl
- ◆ SWIFT_2005_546.mxl
- ◆ SWIFT_2005_547.mxl
- ◆ SWIFT_2005_548.mxl
- ◆ SWIFT_2005_549.mxl
- ◆ SWIFT_2005_558.mxl
- ◆ SWIFT_2005_559.mxl
- ◆ SWIFT_2005_564.mxl
- ◆ SWIFT_2005_565.mxl
- ◆ SWIFT_2005_566.mxl
- ◆ SWIFT_2005_567.mxl
- ◆ SWIFT_2005_568.mxl
- ◆ SWIFT_2005_569.mxl
- ◆ SWIFT_2005_574_IRSLST.mxl
- ◆ SWIFT_2005_574.mxl
- ◆ SWIFT_2005_574_W8BENO.mxl
- ◆ SWIFT_2005_575.mxl
- ◆ SWIFT_2005_576.mxl
- ◆ SWIFT_2005_577.mxl

- ◆ SWIFT_2005_578.mxl
- ◆ SWIFT_2005_579.mxl
- ◆ SWIFT_2005_581.mxl
- ◆ SWIFT_2005_582.mxl
- ◆ SWIFT_2005_584.mxl
- ◆ SWIFT_2005_586.mxl
- ◆ SWIFT_2005_587.mxl
- ◆ SWIFT_2005_588.mxl
- ◆ SWIFT_2005_589.mxl
- ◆ SWIFT_2005_590.mxl
- ◆ SWIFT_2005_591.mxl
- ◆ SWIFT_2005_592.mxl
- ◆ SWIFT_2005_595.mxl
- ◆ SWIFT_2005_596.mxl
- ◆ SWIFT_2005_598.mxl
- ◆ SWIFT_2005_599.mxl
- ◆ SWIFT_2005_600.mxl
- ◆ SWIFT_2005_601.mxl
- ◆ SWIFT_2005_604.mxl
- ◆ SWIFT_2005_605.mxl
- ◆ SWIFT_2005_606.mxl
- ◆ SWIFT_2005_607.mxl
- ◆ SWIFT_2005_608.mxl
- ◆ SWIFT_2005_609.mxl
- ◆ SWIFT_2005_643.mxl
- ◆ SWIFT_2005_644.mxl
- ◆ SWIFT_2005_645.mxl
- ◆ SWIFT_2005_646.mxl
- ◆ SWIFT_2005_649.mxl
- ◆ SWIFT_2005_690.mxl
- ◆ SWIFT_2005_691.mxl
- ◆ SWIFT_2005_692.mxl
- ◆ SWIFT_2005_695.mxl
- ◆ SWIFT_2005_696.mxl
- ◆ SWIFT_2005_698.mxl
- ◆ SWIFT_2005_699.mxl

- ◆ SWIFT_2005_700.mxl
- ◆ SWIFT_2005_701.mxl
- ◆ SWIFT_2005_705.mxl
- ◆ SWIFT_2005_707.mxl
- ◆ SWIFT_2005_710.mxl
- ◆ SWIFT_2005_711.mxl
- ◆ SWIFT_2005_720.mxl
- ◆ SWIFT_2005_721.mxl
- ◆ SWIFT_2005_730.mxl
- ◆ SWIFT_2005_732.mxl
- ◆ SWIFT_2005_734.mxl
- ◆ SWIFT_2005_740.mxl
- ◆ SWIFT_2005_742.mxl
- ◆ SWIFT_2005_747.mxl
- ◆ SWIFT_2005_750.mxl
- ◆ SWIFT_2005_752.mxl
- ◆ SWIFT_2005_754.mxl
- ◆ SWIFT_2005_756.mxl
- ◆ SWIFT_2005_760.mxl
- ◆ SWIFT_2005_767.mxl
- ◆ SWIFT_2005_768.mxl
- ◆ SWIFT_2005_769.mxl
- ◆ SWIFT_2005_790.mxl
- ◆ SWIFT_2005_791.mxl
- ◆ SWIFT_2005_792.mxl
- ◆ SWIFT_2005_795.mxl
- ◆ SWIFT_2005_796.mxl
- ◆ SWIFT_2005_798.mxl
- ◆ SWIFT_2005_799.mxl
- ◆ SWIFT_2005_800.mxl
- ◆ SWIFT_2005_801.mxl
- ◆ SWIFT_2005_802.mxl
- ◆ SWIFT_2005_810.mxl
- ◆ SWIFT_2005_812.mxl
- ◆ SWIFT_2005_813.mxl
- ◆ SWIFT_2005_820.mxl

- ◆ SWIFT_2005_821.mxl
- ◆ SWIFT_2005_822.mxl
- ◆ SWIFT_2005_823.mxl
- ◆ SWIFT_2005_824.mxl
- ◆ SWIFT_2005_890.mxl
- ◆ SWIFT_2005_891.mxl
- ◆ SWIFT_2005_892.mxl
- ◆ SWIFT_2005_895.mxl
- ◆ SWIFT_2005_896.mxl
- ◆ SWIFT_2005_898.mxl
- ◆ SWIFT_2005_899.mxl
- ◆ SWIFT_2005_900.mxl
- ◆ SWIFT_2005_910.mxl
- ◆ SWIFT_2005_920.mxl
- ◆ SWIFT_2005_935.mxl
- ◆ SWIFT_2005_940.mxl
- ◆ SWIFT_2005_941.mxl
- ◆ SWIFT_2005_942.mxl
- ◆ SWIFT_2005_950.mxl
- ◆ SWIFT_2005_960.mxl
- ◆ SWIFT_2005_961.mxl
- ◆ SWIFT_2005_962.mxl
- ◆ SWIFT_2005_963.mxl
- ◆ SWIFT_2005_964.mxl
- ◆ SWIFT_2005_965.mxl
- ◆ SWIFT_2005_966.mxl
- ◆ SWIFT_2005_967.mxl
- ◆ SWIFT_2005_970.mxl
- ◆ SWIFT_2005_971.mxl
- ◆ SWIFT_2005_972.mxl
- ◆ SWIFT_2005_973.mxl
- ◆ SWIFT_2005_985.mxl
- ◆ SWIFT_2005_986.mxl
- ◆ SWIFT_2005_990.mxl
- ◆ SWIFT_2005_991.mxl
- ◆ SWIFT_2005_992.mxl

- ◆ SWIFT_2005_995.mxl
- ◆ SWIFT_2005_996.mxl
- ◆ SWIFT_2005_998.mxl
- ◆ SWIFT_2005_999.mxl
- ◆ SWIFT_2006_097.mxl
- ◆ SWIFT_2006_101.mxl
- ◆ SWIFT_2006_102.mxl
- ◆ SWIFT_2006_102_STP.mxl
- ◆ SWIFT_2006_103.mxl
- ◆ SWIFT_2006_103_STP.mxl
- ◆ SWIFT_2006_104.mxl
- ◆ SWIFT_2006_105.mxl
- ◆ SWIFT_2006_106.mxl
- ◆ SWIFT_2006_107.mxl
- ◆ SWIFT_2006_110.mxl
- ◆ SWIFT_2006_111.mxl
- ◆ SWIFT_2006_112.mxl
- ◆ SWIFT_2006_190.mxl
- ◆ SWIFT_2006_191.mxl
- ◆ SWIFT_2006_192.mxl
- ◆ SWIFT_2006_195.mxl
- ◆ SWIFT_2006_196.mxl
- ◆ SWIFT_2006_198.mxl
- ◆ SWIFT_2006_199.mxl
- ◆ SWIFT_2006_200.mxl
- ◆ SWIFT_2006_201.mxl
- ◆ SWIFT_2006_202.mxl
- ◆ SWIFT_2006_203.mxl
- ◆ SWIFT_2006_204.mxl
- ◆ SWIFT_2006_205.mxl
- ◆ SWIFT_2006_206.mxl
- ◆ SWIFT_2006_207.mxl
- ◆ SWIFT_2006_210.mxl
- ◆ SWIFT_2006_256.mxl
- ◆ SWIFT_2006_290.mxl
- ◆ SWIFT_2006_291.mxl

- ◆ SWIFT_2006_292.mxl
- ◆ SWIFT_2006_295.mxl
- ◆ SWIFT_2006_296.mxl
- ◆ SWIFT_2006_298.mxl
- ◆ SWIFT_2006_299.mxl
- ◆ SWIFT_2006_300.mxl
- ◆ SWIFT_2006_303.mxl
- ◆ SWIFT_2006_304.mxl
- ◆ SWIFT_2006_305.mxl
- ◆ SWIFT_2006_306.mxl
- ◆ SWIFT_2006_307.mxl
- ◆ SWIFT_2006_308.mxl
- ◆ SWIFT_2006_320.mxl
- ◆ SWIFT_2006_321.mxl
- ◆ SWIFT_2006_330.mxl
- ◆ SWIFT_2006_340.mxl
- ◆ SWIFT_2006_341.mxl
- ◆ SWIFT_2006_350.mxl
- ◆ SWIFT_2006_360.mxl
- ◆ SWIFT_2006_361.mxl
- ◆ SWIFT_2006_362.mxl
- ◆ SWIFT_2006_364.mxl
- ◆ SWIFT_2006_365.mxl
- ◆ SWIFT_2006_380.mxl
- ◆ SWIFT_2006_381.mxl
- ◆ SWIFT_2006_390.mxl
- ◆ SWIFT_2006_391.mxl
- ◆ SWIFT_2006_392.mxl
- ◆ SWIFT_2006_395.mxl
- ◆ SWIFT_2006_396.mxl
- ◆ SWIFT_2006_398.mxl
- ◆ SWIFT_2006_399.mxl
- ◆ SWIFT_2006_400.mxl
- ◆ SWIFT_2006_405.mxl
- ◆ SWIFT_2006_410.mxl
- ◆ SWIFT_2006_412.mxl

- ◆ SWIFT_2006_416.mxl
- ◆ SWIFT_2006_420.mxl
- ◆ SWIFT_2006_422.mxl
- ◆ SWIFT_2006_430.mxl
- ◆ SWIFT_2006_450.mxl
- ◆ SWIFT_2006_455.mxl
- ◆ SWIFT_2006_456.mxl
- ◆ SWIFT_2006_490.mxl
- ◆ SWIFT_2006_491.mxl
- ◆ SWIFT_2006_492.mxl
- ◆ SWIFT_2006_495.mxl
- ◆ SWIFT_2006_496.mxl
- ◆ SWIFT_2006_498.mxl
- ◆ SWIFT_2006_499.mxl
- ◆ SWIFT_2006_500.mxl
- ◆ SWIFT_2006_501.mxl
- ◆ SWIFT_2006_502.mxl
- ◆ SWIFT_2006_503.mxl
- ◆ SWIFT_2006_504.mxl
- ◆ SWIFT_2006_505.mxl
- ◆ SWIFT_2006_506.mxl
- ◆ SWIFT_2006_507.mxl
- ◆ SWIFT_2006_508.mxl
- ◆ SWIFT_2006_509.mxl
- ◆ SWIFT_2006_510.mxl
- ◆ SWIFT_2006_513.mxl
- ◆ SWIFT_2006_514.mxl
- ◆ SWIFT_2006_515.mxl
- ◆ SWIFT_2006_515_SMPG02.mxl
- ◆ SWIFT_2006_516.mxl
- ◆ SWIFT_2006_517.mxl
- ◆ SWIFT_2006_518.mxl
- ◆ SWIFT_2006_519.mxl
- ◆ SWIFT_2006_524.mxl
- ◆ SWIFT_2006_526.mxl
- ◆ SWIFT_2006_527.mxl

- ◆ SWIFT_2006_528.mxl
- ◆ SWIFT_2006_529.mxl
- ◆ SWIFT_2006_535.mxl
- ◆ SWIFT_2006_536_IOA001.mxl
- ◆ SWIFT_2006_536.mxl
- ◆ SWIFT_2006_537.mxl
- ◆ SWIFT_2006_538.mxl
- ◆ SWIFT_2006_540.mxl
- ◆ SWIFT_2006_541.mxl
- ◆ SWIFT_2006_542.mxl
- ◆ SWIFT_2006_543.mxl
- ◆ SWIFT_2006_544.mxl
- ◆ SWIFT_2006_545.mxl
- ◆ SWIFT_2006_546.mxl
- ◆ SWIFT_2006_547.mxl
- ◆ SWIFT_2006_548.mxl
- ◆ SWIFT_2006_549.mxl
- ◆ SWIFT_2006_558.mxl
- ◆ SWIFT_2006_559.mxl
- ◆ SWIFT_2006_564.mxl
- ◆ SWIFT_2006_565.mxl
- ◆ SWIFT_2006_566.mxl
- ◆ SWIFT_2006_567.mxl
- ◆ SWIFT_2006_568.mxl
- ◆ SWIFT_2006_569.mxl
- ◆ SWIFT_2006_574_IRSLST.mxl
- ◆ SWIFT_2006_574.mxl
- ◆ SWIFT_2006_574_W8BENO.mxl
- ◆ SWIFT_2006_575.mxl
- ◆ SWIFT_2006_576.mxl
- ◆ SWIFT_2006_577.mxl
- ◆ SWIFT_2006_578.mxl
- ◆ SWIFT_2006_579.mxl
- ◆ SWIFT_2006_581.mxl
- ◆ SWIFT_2006_582.mxl
- ◆ SWIFT_2006_584.mxl

- ◆ SWIFT_2006_586.mxl
- ◆ SWIFT_2006_587.mxl
- ◆ SWIFT_2006_588.mxl
- ◆ SWIFT_2006_589.mxl
- ◆ SWIFT_2006_590.mxl
- ◆ SWIFT_2006_591.mxl
- ◆ SWIFT_2006_592.mxl
- ◆ SWIFT_2006_595.mxl
- ◆ SWIFT_2006_596.mxl
- ◆ SWIFT_2006_598.mxl
- ◆ SWIFT_2006_599.mxl
- ◆ SWIFT_2006_600.mxl
- ◆ SWIFT_2006_601.mxl
- ◆ SWIFT_2006_604.mxl
- ◆ SWIFT_2006_605.mxl
- ◆ SWIFT_2006_606.mxl
- ◆ SWIFT_2006_607.mxl
- ◆ SWIFT_2006_608.mxl
- ◆ SWIFT_2006_609.mxl
- ◆ SWIFT_2006_643.mxl
- ◆ SWIFT_2006_644.mxl
- ◆ SWIFT_2006_645.mxl
- ◆ SWIFT_2006_646.mxl
- ◆ SWIFT_2006_649.mxl
- ◆ SWIFT_2006_690.mxl
- ◆ SWIFT_2006_691.mxl
- ◆ SWIFT_2006_692.mxl
- ◆ SWIFT_2006_695.mxl
- ◆ SWIFT_2006_696.mxl
- ◆ SWIFT_2006_698.mxl
- ◆ SWIFT_2006_699.mxl
- ◆ SWIFT_2006_700.mxl
- ◆ SWIFT_2006_701.mxl
- ◆ SWIFT_2006_705.mxl
- ◆ SWIFT_2006_707.mxl
- ◆ SWIFT_2006_710.mxl

- ◆ SWIFT_2006_711.mxl
- ◆ SWIFT_2006_720.mxl
- ◆ SWIFT_2006_721.mxl
- ◆ SWIFT_2006_730.mxl
- ◆ SWIFT_2006_732.mxl
- ◆ SWIFT_2006_734.mxl
- ◆ SWIFT_2006_740.mxl
- ◆ SWIFT_2006_742.mxl
- ◆ SWIFT_2006_747.mxl
- ◆ SWIFT_2006_750.mxl
- ◆ SWIFT_2006_752.mxl
- ◆ SWIFT_2006_754.mxl
- ◆ SWIFT_2006_756.mxl
- ◆ SWIFT_2006_760.mxl
- ◆ SWIFT_2006_767.mxl
- ◆ SWIFT_2006_768.mxl
- ◆ SWIFT_2006_769.mxl
- ◆ SWIFT_2006_790.mxl
- ◆ SWIFT_2006_791.mxl
- ◆ SWIFT_2006_792.mxl
- ◆ SWIFT_2006_795.mxl
- ◆ SWIFT_2006_796.mxl
- ◆ SWIFT_2006_798.mxl
- ◆ SWIFT_2006_799.mxl
- ◆ SWIFT_2006_800.mxl
- ◆ SWIFT_2006_801.mxl
- ◆ SWIFT_2006_802.mxl
- ◆ SWIFT_2006_810.mxl
- ◆ SWIFT_2006_812.mxl
- ◆ SWIFT_2006_813.mxl
- ◆ SWIFT_2006_820.mxl
- ◆ SWIFT_2006_821.mxl
- ◆ SWIFT_2006_822.mxl
- ◆ SWIFT_2006_823.mxl
- ◆ SWIFT_2006_824.mxl
- ◆ SWIFT_2006_890.mxl

- ◆ SWIFT_2006_891.mxl
- ◆ SWIFT_2006_892.mxl
- ◆ SWIFT_2006_895.mxl
- ◆ SWIFT_2006_896.mxl
- ◆ SWIFT_2006_898.mxl
- ◆ SWIFT_2006_899.mxl
- ◆ SWIFT_2006_900.mxl
- ◆ SWIFT_2006_910.mxl
- ◆ SWIFT_2006_920.mxl
- ◆ SWIFT_2006_935.mxl
- ◆ SWIFT_2006_940.mxl
- ◆ SWIFT_2006_941.mxl
- ◆ SWIFT_2006_942.mxl
- ◆ SWIFT_2006_950.mxl
- ◆ SWIFT_2006_960.mxl
- ◆ SWIFT_2006_961.mxl
- ◆ SWIFT_2006_962.mxl
- ◆ SWIFT_2006_963.mxl
- ◆ SWIFT_2006_964.mxl
- ◆ SWIFT_2006_965.mxl
- ◆ SWIFT_2006_966.mxl
- ◆ SWIFT_2006_967.mxl
- ◆ SWIFT_2006_970.mxl
- ◆ SWIFT_2006_971.mxl
- ◆ SWIFT_2006_972.mxl
- ◆ SWIFT_2006_973.mxl
- ◆ SWIFT_2006_985.mxl
- ◆ SWIFT_2006_986.mxl
- ◆ SWIFT_2006_990.mxl
- ◆ SWIFT_2006_991.mxl
- ◆ SWIFT_2006_992.mxl
- ◆ SWIFT_2006_995.mxl
- ◆ SWIFT_2006_996.mxl
- ◆ SWIFT_2006_998.mxl
- ◆ SWIFT_2006_999.mxl
- ◆ SWIFT_2007_097.mxl

- ◆ SWIFT_2007_101.mxl
- ◆ SWIFT_2007_102.mxl
- ◆ SWIFT_2007_102_STP.mxl
- ◆ SWIFT_2007_103.mxl
- ◆ SWIFT_2007_103_STP.mxl
- ◆ SWIFT_2007_104.mxl
- ◆ SWIFT_2007_105.mxl
- ◆ SWIFT_2007_106.mxl
- ◆ SWIFT_2007_107.mxl
- ◆ SWIFT_2007_110.mxl
- ◆ SWIFT_2007_111.mxl
- ◆ SWIFT_2007_112.mxl
- ◆ SWIFT_2007_190.mxl
- ◆ SWIFT_2007_191.mxl
- ◆ SWIFT_2007_192.mxl
- ◆ SWIFT_2007_195.mxl
- ◆ SWIFT_2007_196.mxl
- ◆ SWIFT_2007_198.mxl
- ◆ SWIFT_2007_199.mxl
- ◆ SWIFT_2007_200.mxl
- ◆ SWIFT_2007_201.mxl
- ◆ SWIFT_2007_202.mxl
- ◆ SWIFT_2007_203.mxl
- ◆ SWIFT_2007_204.mxl
- ◆ SWIFT_2007_205.mxl
- ◆ SWIFT_2007_206.mxl
- ◆ SWIFT_2007_207.mxl
- ◆ SWIFT_2007_210.mxl
- ◆ SWIFT_2007_256.mxl
- ◆ SWIFT_2007_290.mxl
- ◆ SWIFT_2007_291.mxl
- ◆ SWIFT_2007_292.mxl
- ◆ SWIFT_2007_295.mxl
- ◆ SWIFT_2007_296.mxl
- ◆ SWIFT_2007_298.mxl
- ◆ SWIFT_2007_299.mxl

- ◆ SWIFT_2007_300.mxl
- ◆ SWIFT_2007_303.mxl
- ◆ SWIFT_2007_304.mxl
- ◆ SWIFT_2007_305.mxl
- ◆ SWIFT_2007_306.mxl
- ◆ SWIFT_2007_307.mxl
- ◆ SWIFT_2007_308.mxl
- ◆ SWIFT_2007_320.mxl
- ◆ SWIFT_2007_321.mxl
- ◆ SWIFT_2007_330.mxl
- ◆ SWIFT_2007_340.mxl
- ◆ SWIFT_2007_341.mxl
- ◆ SWIFT_2007_350.mxl
- ◆ SWIFT_2007_360.mxl
- ◆ SWIFT_2007_361.mxl
- ◆ SWIFT_2007_362.mxl
- ◆ SWIFT_2007_364.mxl
- ◆ SWIFT_2007_365.mxl
- ◆ SWIFT_2007_380.mxl
- ◆ SWIFT_2007_381.mxl
- ◆ SWIFT_2007_390.mxl
- ◆ SWIFT_2007_391.mxl
- ◆ SWIFT_2007_392.mxl
- ◆ SWIFT_2007_395.mxl
- ◆ SWIFT_2007_396.mxl
- ◆ SWIFT_2007_398.mxl
- ◆ SWIFT_2007_399.mxl
- ◆ SWIFT_2007_400.mxl
- ◆ SWIFT_2007_405.mxl
- ◆ SWIFT_2007_410.mxl
- ◆ SWIFT_2007_412.mxl
- ◆ SWIFT_2007_416.mxl
- ◆ SWIFT_2007_420.mxl
- ◆ SWIFT_2007_422.mxl
- ◆ SWIFT_2007_430.mxl
- ◆ SWIFT_2007_450.mxl

- ◆ SWIFT_2007_455.mxl
- ◆ SWIFT_2007_456.mxl
- ◆ SWIFT_2007_490.mxl
- ◆ SWIFT_2007_491.mxl
- ◆ SWIFT_2007_492.mxl
- ◆ SWIFT_2007_495.mxl
- ◆ SWIFT_2007_496.mxl
- ◆ SWIFT_2007_498.mxl
- ◆ SWIFT_2007_499.mxl
- ◆ SWIFT_2007_500.mxl
- ◆ SWIFT_2007_501.mxl
- ◆ SWIFT_2007_502.mxl
- ◆ SWIFT_2007_503.mxl
- ◆ SWIFT_2007_504.mxl
- ◆ SWIFT_2007_505.mxl
- ◆ SWIFT_2007_506.mxl
- ◆ SWIFT_2007_507.mxl
- ◆ SWIFT_2007_508.mxl
- ◆ SWIFT_2007_509.mxl
- ◆ SWIFT_2007_510.mxl
- ◆ SWIFT_2007_513.mxl
- ◆ SWIFT_2007_514.mxl
- ◆ SWIFT_2007_515.mxl
- ◆ SWIFT_2007_515_SMPG02.mxl
- ◆ SWIFT_2007_516.mxl
- ◆ SWIFT_2007_517.mxl
- ◆ SWIFT_2007_518.mxl
- ◆ SWIFT_2007_519.mxl
- ◆ SWIFT_2007_524.mxl
- ◆ SWIFT_2007_526.mxl
- ◆ SWIFT_2007_527.mxl
- ◆ SWIFT_2007_528.mxl
- ◆ SWIFT_2007_529.mxl
- ◆ SWIFT_2007_530.mxl
- ◆ SWIFT_2007_535.mxl
- ◆ SWIFT_2007_536_IOA001.mxl

- ◆ SWIFT_2007_536.mxl
- ◆ SWIFT_2007_537.mxl
- ◆ SWIFT_2007_538.mxl
- ◆ SWIFT_2007_540.mxl
- ◆ SWIFT_2007_541.mxl
- ◆ SWIFT_2007_542.mxl
- ◆ SWIFT_2007_543.mxl
- ◆ SWIFT_2007_544.mxl
- ◆ SWIFT_2007_545.mxl
- ◆ SWIFT_2007_546.mxl
- ◆ SWIFT_2007_547.mxl
- ◆ SWIFT_2007_548.mxl
- ◆ SWIFT_2007_549.mxl
- ◆ SWIFT_2007_558.mxl
- ◆ SWIFT_2007_559.mxl
- ◆ SWIFT_2007_564.mxl
- ◆ SWIFT_2007_565.mxl
- ◆ SWIFT_2007_566.mxl
- ◆ SWIFT_2007_567.mxl
- ◆ SWIFT_2007_568.mxl
- ◆ SWIFT_2007_569.mxl
- ◆ SWIFT_2007_574_IRSLST.mxl
- ◆ SWIFT_2007_574.mxl
- ◆ SWIFT_2007_574_W8BENO.mxl
- ◆ SWIFT_2007_575.mxl
- ◆ SWIFT_2007_576.mxl
- ◆ SWIFT_2007_577.mxl
- ◆ SWIFT_2007_578.mxl
- ◆ SWIFT_2007_579.mxl
- ◆ SWIFT_2007_581.mxl
- ◆ SWIFT_2007_582.mxl
- ◆ SWIFT_2007_584.mxl
- ◆ SWIFT_2007_586.mxl
- ◆ SWIFT_2007_587.mxl
- ◆ SWIFT_2007_588.mxl
- ◆ SWIFT_2007_589.mxl

- ◆ SWIFT_2007_590.mxl
- ◆ SWIFT_2007_591.mxl
- ◆ SWIFT_2007_592.mxl
- ◆ SWIFT_2007_595.mxl
- ◆ SWIFT_2007_596.mxl
- ◆ SWIFT_2007_598.mxl
- ◆ SWIFT_2007_599.mxl
- ◆ SWIFT_2007_600.mxl
- ◆ SWIFT_2007_601.mxl
- ◆ SWIFT_2007_604.mxl
- ◆ SWIFT_2007_605.mxl
- ◆ SWIFT_2007_606.mxl
- ◆ SWIFT_2007_607.mxl
- ◆ SWIFT_2007_608.mxl
- ◆ SWIFT_2007_609.mxl
- ◆ SWIFT_2007_643.mxl
- ◆ SWIFT_2007_644.mxl
- ◆ SWIFT_2007_645.mxl
- ◆ SWIFT_2007_646.mxl
- ◆ SWIFT_2007_649.mxl
- ◆ SWIFT_2007_690.mxl
- ◆ SWIFT_2007_691.mxl
- ◆ SWIFT_2007_692.mxl
- ◆ SWIFT_2007_695.mxl
- ◆ SWIFT_2007_696.mxl
- ◆ SWIFT_2007_698.mxl
- ◆ SWIFT_2007_699.mxl
- ◆ SWIFT_2007_700.mxl
- ◆ SWIFT_2007_701.mxl
- ◆ SWIFT_2007_705.mxl
- ◆ SWIFT_2007_707.mxl
- ◆ SWIFT_2007_710.mxl
- ◆ SWIFT_2007_711.mxl
- ◆ SWIFT_2007_720.mxl
- ◆ SWIFT_2007_721.mxl
- ◆ SWIFT_2007_730.mxl

- ◆ SWIFT_2007_732.mxl
- ◆ SWIFT_2007_734.mxl
- ◆ SWIFT_2007_740.mxl
- ◆ SWIFT_2007_742.mxl
- ◆ SWIFT_2007_747.mxl
- ◆ SWIFT_2007_750.mxl
- ◆ SWIFT_2007_752.mxl
- ◆ SWIFT_2007_754.mxl
- ◆ SWIFT_2007_756.mxl
- ◆ SWIFT_2007_760.mxl
- ◆ SWIFT_2007_767.mxl
- ◆ SWIFT_2007_768.mxl
- ◆ SWIFT_2007_769.mxl
- ◆ SWIFT_2007_790.mxl
- ◆ SWIFT_2007_791.mxl
- ◆ SWIFT_2007_792.mxl
- ◆ SWIFT_2007_795.mxl
- ◆ SWIFT_2007_796.mxl
- ◆ SWIFT_2007_798.mxl
- ◆ SWIFT_2007_799.mxl
- ◆ SWIFT_2007_800.mxl
- ◆ SWIFT_2007_801.mxl
- ◆ SWIFT_2007_802.mxl
- ◆ SWIFT_2007_810.mxl
- ◆ SWIFT_2007_812.mxl
- ◆ SWIFT_2007_813.mxl
- ◆ SWIFT_2007_820.mxl
- ◆ SWIFT_2007_821.mxl
- ◆ SWIFT_2007_822.mxl
- ◆ SWIFT_2007_823.mxl
- ◆ SWIFT_2007_824.mxl
- ◆ SWIFT_2007_890.mxl
- ◆ SWIFT_2007_891.mxl
- ◆ SWIFT_2007_892.mxl
- ◆ SWIFT_2007_895.mxl
- ◆ SWIFT_2007_896.mxl

- ◆ SWIFT_2007_898.mxl
- ◆ SWIFT_2007_899.mxl
- ◆ SWIFT_2007_900.mxl
- ◆ SWIFT_2007_910.mxl
- ◆ SWIFT_2007_920.mxl
- ◆ SWIFT_2007_935.mxl
- ◆ SWIFT_2007_940.mxl
- ◆ SWIFT_2007_941.mxl
- ◆ SWIFT_2007_942.mxl
- ◆ SWIFT_2007_950.mxl
- ◆ SWIFT_2007_960.mxl
- ◆ SWIFT_2007_961.mxl
- ◆ SWIFT_2007_962.mxl
- ◆ SWIFT_2007_963.mxl
- ◆ SWIFT_2007_964.mxl
- ◆ SWIFT_2007_965.mxl
- ◆ SWIFT_2007_966.mxl
- ◆ SWIFT_2007_967.mxl
- ◆ SWIFT_2007_970.mxl
- ◆ SWIFT_2007_971.mxl
- ◆ SWIFT_2007_972.mxl
- ◆ SWIFT_2007_973.mxl
- ◆ SWIFT_2007_985.mxl
- ◆ SWIFT_2007_986.mxl
- ◆ SWIFT_2007_990.mxl
- ◆ SWIFT_2007_991.mxl
- ◆ SWIFT_2007_992.mxl
- ◆ SWIFT_2007_995.mxl
- ◆ SWIFT_2007_996.mxl
- ◆ SWIFT_2007_998.mxl
- ◆ SWIFT_2007_999.mxl
- ◆ SWIFT_2008_097.mxl
- ◆ SWIFT_2008_101.mxl
- ◆ SWIFT_2008_102.mxl
- ◆ SWIFT_2008_102_STP.mxl
- ◆ SWIFT_2008_103.mxl

- ◆ SWIFT_2008_103_STP.xml
- ◆ SWIFT_2008_104.xml
- ◆ SWIFT_2008_105.xml
- ◆ SWIFT_2008_106.xml
- ◆ SWIFT_2008_107.xml
- ◆ SWIFT_2008_110.xml
- ◆ SWIFT_2008_111.xml
- ◆ SWIFT_2008_112.xml
- ◆ SWIFT_2008_190.xml
- ◆ SWIFT_2008_191.xml
- ◆ SWIFT_2008_192.xml
- ◆ SWIFT_2008_195.xml
- ◆ SWIFT_2008_196.xml
- ◆ SWIFT_2008_198.xml
- ◆ SWIFT_2008_199.xml
- ◆ SWIFT_2008_200.xml
- ◆ SWIFT_2008_201.xml
- ◆ SWIFT_2008_202.xml
- ◆ SWIFT_2008_203.xml
- ◆ SWIFT_2008_204.xml
- ◆ SWIFT_2008_205.xml
- ◆ SWIFT_2008_206.xml
- ◆ SWIFT_2008_207.xml
- ◆ SWIFT_2008_210.xml
- ◆ SWIFT_2008_256.xml
- ◆ SWIFT_2008_290.xml
- ◆ SWIFT_2008_291.xml
- ◆ SWIFT_2008_292.xml
- ◆ SWIFT_2008_295.xml
- ◆ SWIFT_2008_296.xml
- ◆ SWIFT_2008_298.xml
- ◆ SWIFT_2008_299.xml
- ◆ SWIFT_2008_300.xml
- ◆ SWIFT_2008_303.xml
- ◆ SWIFT_2008_304.xml
- ◆ SWIFT_2008_305.xml

- ◆ SWIFT_2008_306.mxl
- ◆ SWIFT_2008_307.mxl
- ◆ SWIFT_2008_308.mxl
- ◆ SWIFT_2008_320.mxl
- ◆ SWIFT_2008_321.mxl
- ◆ SWIFT_2008_330.mxl
- ◆ SWIFT_2008_340.mxl
- ◆ SWIFT_2008_341.mxl
- ◆ SWIFT_2008_350.mxl
- ◆ SWIFT_2008_360.mxl
- ◆ SWIFT_2008_361.mxl
- ◆ SWIFT_2008_362.mxl
- ◆ SWIFT_2008_364.mxl
- ◆ SWIFT_2008_365.mxl
- ◆ SWIFT_2008_380.mxl
- ◆ SWIFT_2008_381.mxl
- ◆ SWIFT_2008_390.mxl
- ◆ SWIFT_2008_391.mxl
- ◆ SWIFT_2008_392.mxl
- ◆ SWIFT_2008_395.mxl
- ◆ SWIFT_2008_396.mxl
- ◆ SWIFT_2008_398.mxl
- ◆ SWIFT_2008_399.mxl
- ◆ SWIFT_2008_400.mxl
- ◆ SWIFT_2008_405.mxl
- ◆ SWIFT_2008_410.mxl
- ◆ SWIFT_2008_412.mxl
- ◆ SWIFT_2008_416.mxl
- ◆ SWIFT_2008_420.mxl
- ◆ SWIFT_2008_422.mxl
- ◆ SWIFT_2008_430.mxl
- ◆ SWIFT_2008_450.mxl
- ◆ SWIFT_2008_455.mxl
- ◆ SWIFT_2008_456.mxl
- ◆ SWIFT_2008_490.mxl
- ◆ SWIFT_2008_491.mxl

- ◆ SWIFT_2008_492.mxl
- ◆ SWIFT_2008_495.mxl
- ◆ SWIFT_2008_496.mxl
- ◆ SWIFT_2008_498.mxl
- ◆ SWIFT_2008_499.mxl
- ◆ SWIFT_2008_500.mxl
- ◆ SWIFT_2008_501.mxl
- ◆ SWIFT_2008_502.mxl
- ◆ SWIFT_2008_503.mxl
- ◆ SWIFT_2008_504.mxl
- ◆ SWIFT_2008_505.mxl
- ◆ SWIFT_2008_506.mxl
- ◆ SWIFT_2008_507.mxl
- ◆ SWIFT_2008_508.mxl
- ◆ SWIFT_2008_509.mxl
- ◆ SWIFT_2008_510.mxl
- ◆ SWIFT_2008_513.mxl
- ◆ SWIFT_2008_514.mxl
- ◆ SWIFT_2008_515.mxl
- ◆ SWIFT_2008_515_SMPG02.mxl
- ◆ SWIFT_2008_516.mxl
- ◆ SWIFT_2008_517.mxl
- ◆ SWIFT_2008_518.mxl
- ◆ SWIFT_2008_519.mxl
- ◆ SWIFT_2008_524.mxl
- ◆ SWIFT_2008_526.mxl
- ◆ SWIFT_2008_527.mxl
- ◆ SWIFT_2008_528.mxl
- ◆ SWIFT_2008_529.mxl
- ◆ SWIFT_2008_530.mxl
- ◆ SWIFT_2008_535.mxl
- ◆ SWIFT_2008_536_IOA001.mxl
- ◆ SWIFT_2008_536.mxl
- ◆ SWIFT_2008_537.mxl
- ◆ SWIFT_2008_538.mxl
- ◆ SWIFT_2008_540.mxl

- ◆ SWIFT_2008_541.mxl
- ◆ SWIFT_2008_542.mxl
- ◆ SWIFT_2008_543.mxl
- ◆ SWIFT_2008_544.mxl
- ◆ SWIFT_2008_545.mxl
- ◆ SWIFT_2008_546.mxl
- ◆ SWIFT_2008_547.mxl
- ◆ SWIFT_2008_548.mxl
- ◆ SWIFT_2008_549.mxl
- ◆ SWIFT_2008_558.mxl
- ◆ SWIFT_2008_559.mxl
- ◆ SWIFT_2008_564.mxl
- ◆ SWIFT_2008_565.mxl
- ◆ SWIFT_2008_566.mxl
- ◆ SWIFT_2008_567.mxl
- ◆ SWIFT_2008_568.mxl
- ◆ SWIFT_2008_569.mxl
- ◆ SWIFT_2008_574_IRSLST.mxl
- ◆ SWIFT_2008_574_W8BENO.mxl
- ◆ SWIFT_2008_575.mxl
- ◆ SWIFT_2008_576.mxl
- ◆ SWIFT_2008_577.mxl
- ◆ SWIFT_2008_578.mxl
- ◆ SWIFT_2008_579.mxl
- ◆ SWIFT_2008_581.mxl
- ◆ SWIFT_2008_582.mxl
- ◆ SWIFT_2008_584.mxl
- ◆ SWIFT_2008_586.mxl
- ◆ SWIFT_2008_587.mxl
- ◆ SWIFT_2008_588.mxl
- ◆ SWIFT_2008_589.mxl
- ◆ SWIFT_2008_590.mxl
- ◆ SWIFT_2008_591.mxl
- ◆ SWIFT_2008_592.mxl
- ◆ SWIFT_2008_595.mxl
- ◆ SWIFT_2008_596.mxl

- ◆ SWIFT_2008_598.mxl
- ◆ SWIFT_2008_599.mxl
- ◆ SWIFT_2008_600.mxl
- ◆ SWIFT_2008_601.mxl
- ◆ SWIFT_2008_604.mxl
- ◆ SWIFT_2008_605.mxl
- ◆ SWIFT_2008_606.mxl
- ◆ SWIFT_2008_607.mxl
- ◆ SWIFT_2008_608.mxl
- ◆ SWIFT_2008_609.mxl
- ◆ SWIFT_2008_620.mxl
- ◆ SWIFT_2008_643.mxl
- ◆ SWIFT_2008_644.mxl
- ◆ SWIFT_2008_645.mxl
- ◆ SWIFT_2008_646.mxl
- ◆ SWIFT_2008_649.mxl
- ◆ SWIFT_2008_690.mxl
- ◆ SWIFT_2008_691.mxl
- ◆ SWIFT_2008_692.mxl
- ◆ SWIFT_2008_695.mxl
- ◆ SWIFT_2008_696.mxl
- ◆ SWIFT_2008_698.mxl
- ◆ SWIFT_2008_699.mxl
- ◆ SWIFT_2008_700.mxl
- ◆ SWIFT_2008_701.mxl
- ◆ SWIFT_2008_705.mxl
- ◆ SWIFT_2008_707.mxl
- ◆ SWIFT_2008_710.mxl
- ◆ SWIFT_2008_711.mxl
- ◆ SWIFT_2008_720.mxl
- ◆ SWIFT_2008_721.mxl
- ◆ SWIFT_2008_730.mxl
- ◆ SWIFT_2008_732.mxl
- ◆ SWIFT_2008_734.mxl
- ◆ SWIFT_2008_740.mxl
- ◆ SWIFT_2008_742.mxl

- ◆ SWIFT_2008_747.mxl
- ◆ SWIFT_2008_750.mxl
- ◆ SWIFT_2008_752.mxl
- ◆ SWIFT_2008_754.mxl
- ◆ SWIFT_2008_756.mxl
- ◆ SWIFT_2008_760.mxl
- ◆ SWIFT_2008_767.mxl
- ◆ SWIFT_2008_768.mxl
- ◆ SWIFT_2008_769.mxl
- ◆ SWIFT_2008_790.mxl
- ◆ SWIFT_2008_791.mxl
- ◆ SWIFT_2008_792.mxl
- ◆ SWIFT_2008_795.mxl
- ◆ SWIFT_2008_796.mxl
- ◆ SWIFT_2008_798.mxl
- ◆ SWIFT_2008_799.mxl
- ◆ SWIFT_2008_800.mxl
- ◆ SWIFT_2008_801.mxl
- ◆ SWIFT_2008_802.mxl
- ◆ SWIFT_2008_810.mxl
- ◆ SWIFT_2008_812.mxl
- ◆ SWIFT_2008_813.mxl
- ◆ SWIFT_2008_820.mxl
- ◆ SWIFT_2008_821.mxl
- ◆ SWIFT_2008_822.mxl
- ◆ SWIFT_2008_823.mxl
- ◆ SWIFT_2008_824.mxl
- ◆ SWIFT_2008_890.mxl
- ◆ SWIFT_2008_891.mxl
- ◆ SWIFT_2008_892.mxl
- ◆ SWIFT_2008_895.mxl
- ◆ SWIFT_2008_896.mxl
- ◆ SWIFT_2008_898.mxl
- ◆ SWIFT_2008_899.mxl
- ◆ SWIFT_2008_900.mxl
- ◆ SWIFT_2008_910.mxl

- ◆ SWIFT_2008_920.mxl
- ◆ SWIFT_2008_935.mxl
- ◆ SWIFT_2008_940.mxl
- ◆ SWIFT_2008_941.mxl
- ◆ SWIFT_2008_942.mxl
- ◆ SWIFT_2008_950.mxl
- ◆ SWIFT_2008_960.mxl
- ◆ SWIFT_2008_961.mxl
- ◆ SWIFT_2008_962.mxl
- ◆ SWIFT_2008_963.mxl
- ◆ SWIFT_2008_964.mxl
- ◆ SWIFT_2008_965.mxl
- ◆ SWIFT_2008_966.mxl
- ◆ SWIFT_2008_967.mxl
- ◆ SWIFT_2008_970.mxl
- ◆ SWIFT_2008_971.mxl
- ◆ SWIFT_2008_972.mxl
- ◆ SWIFT_2008_973.mxl
- ◆ SWIFT_2008_985.mxl
- ◆ SWIFT_2008_986.mxl
- ◆ SWIFT_2008_990.mxl
- ◆ SWIFT_2008_991.mxl
- ◆ SWIFT_2008_992.mxl
- ◆ SWIFT_2008_995.mxl
- ◆ SWIFT_2008_996.mxl
- ◆ SWIFT_2008_998.mxl
- ◆ SWIFT_2008_999.mxl
- ◆ SWIFT_2009_097.mxl
- ◆ SWIFT_2009_101.mxl
- ◆ SWIFT_2009_102.mxl
- ◆ SWIFT_2009_102_STP.mxl
- ◆ SWIFT_2009_103.mxl
- ◆ SWIFT_2009_103_STP.mxl
- ◆ SWIFT_2009_104.mxl
- ◆ SWIFT_2009_105.mxl
- ◆ SWIFT_2009_107.mxl

- ◆ SWIFT_2009_110.mxl
- ◆ SWIFT_2009_111.mxl
- ◆ SWIFT_2009_112.mxl
- ◆ SWIFT_2009_190.mxl
- ◆ SWIFT_2009_191.mxl
- ◆ SWIFT_2009_192.mxl
- ◆ SWIFT_2009_195.mxl
- ◆ SWIFT_2009_196.mxl
- ◆ SWIFT_2009_198.mxl
- ◆ SWIFT_2009_199.mxl
- ◆ SWIFT_2009_200.mxl
- ◆ SWIFT_2009_201.mxl
- ◆ SWIFT_2009_202.mxl
- ◆ SWIFT_2009_203.mxl
- ◆ SWIFT_2009_204.mxl
- ◆ SWIFT_2009_205.mxl
- ◆ SWIFT_2009_207.mxl
- ◆ SWIFT_2009_210.mxl
- ◆ SWIFT_2009_256.mxl
- ◆ SWIFT_2009_290.mxl
- ◆ SWIFT_2009_291.mxl
- ◆ SWIFT_2009_292.mxl
- ◆ SWIFT_2009_295.mxl
- ◆ SWIFT_2009_296.mxl
- ◆ SWIFT_2009_298.mxl
- ◆ SWIFT_2009_299.mxl
- ◆ SWIFT_2009_300.mxl
- ◆ SWIFT_2009_303.mxl
- ◆ SWIFT_2009_304.mxl
- ◆ SWIFT_2009_305.mxl
- ◆ SWIFT_2009_306.mxl
- ◆ SWIFT_2009_307.mxl
- ◆ SWIFT_2009_308.mxl
- ◆ SWIFT_2009_320.mxl
- ◆ SWIFT_2009_321.mxl
- ◆ SWIFT_2009_330.mxl

- ◆ SWIFT_2009_340.mxl
- ◆ SWIFT_2009_341.mxl
- ◆ SWIFT_2009_350.mxl
- ◆ SWIFT_2009_360.mxl
- ◆ SWIFT_2009_361.mxl
- ◆ SWIFT_2009_362.mxl
- ◆ SWIFT_2009_364.mxl
- ◆ SWIFT_2009_365.mxl
- ◆ SWIFT_2009_380.mxl
- ◆ SWIFT_2009_381.mxl
- ◆ SWIFT_2009_390.mxl
- ◆ SWIFT_2009_391.mxl
- ◆ SWIFT_2009_392.mxl
- ◆ SWIFT_2009_395.mxl
- ◆ SWIFT_2009_396.mxl
- ◆ SWIFT_2009_398.mxl
- ◆ SWIFT_2009_399.mxl
- ◆ SWIFT_2009_400.mxl
- ◆ SWIFT_2009_405.mxl
- ◆ SWIFT_2009_410.mxl
- ◆ SWIFT_2009_412.mxl
- ◆ SWIFT_2009_416.mxl
- ◆ SWIFT_2009_420.mxl
- ◆ SWIFT_2009_422.mxl
- ◆ SWIFT_2009_430.mxl
- ◆ SWIFT_2009_450.mxl
- ◆ SWIFT_2009_455.mxl
- ◆ SWIFT_2009_456.mxl
- ◆ SWIFT_2009_490.mxl
- ◆ SWIFT_2009_491.mxl
- ◆ SWIFT_2009_492.mxl
- ◆ SWIFT_2009_495.mxl
- ◆ SWIFT_2009_496.mxl
- ◆ SWIFT_2009_498.mxl
- ◆ SWIFT_2009_499.mxl
- ◆ SWIFT_2009_500.mxl

- ◆ SWIFT_2009_501.xml
- ◆ SWIFT_2009_502.xml
- ◆ SWIFT_2009_503.xml
- ◆ SWIFT_2009_504.xml
- ◆ SWIFT_2009_505.xml
- ◆ SWIFT_2009_506.xml
- ◆ SWIFT_2009_507.xml
- ◆ SWIFT_2009_508.xml
- ◆ SWIFT_2009_509.xml
- ◆ SWIFT_2009_510.xml
- ◆ SWIFT_2009_513.xml
- ◆ SWIFT_2009_514.xml
- ◆ SWIFT_2009_515.xml
- ◆ SWIFT_2009_515_SMPG02.xml
- ◆ SWIFT_2009_516.xml
- ◆ SWIFT_2009_517.xml
- ◆ SWIFT_2009_518.xml
- ◆ SWIFT_2009_519.xml
- ◆ SWIFT_2009_524.xml
- ◆ SWIFT_2009_526.xml
- ◆ SWIFT_2009_527.xml
- ◆ SWIFT_2009_528.xml
- ◆ SWIFT_2009_529.xml
- ◆ SWIFT_2009_530.xml
- ◆ SWIFT_2009_535.xml
- ◆ SWIFT_2009_536_IOA001.xml
- ◆ SWIFT_2009_536.xml
- ◆ SWIFT_2009_537.xml
- ◆ SWIFT_2009_538.xml
- ◆ SWIFT_2009_540.xml
- ◆ SWIFT_2009_541.xml
- ◆ SWIFT_2009_542.xml
- ◆ SWIFT_2009_543.xml
- ◆ SWIFT_2009_544.xml
- ◆ SWIFT_2009_545.xml
- ◆ SWIFT_2009_546.xml

- ◆ SWIFT_2009_547.mxl
- ◆ SWIFT_2009_548.mxl
- ◆ SWIFT_2009_549.mxl
- ◆ SWIFT_2009_558.mxl
- ◆ SWIFT_2009_559.mxl
- ◆ SWIFT_2009_564.mxl
- ◆ SWIFT_2009_565.mxl
- ◆ SWIFT_2009_566.mxl
- ◆ SWIFT_2009_567.mxl
- ◆ SWIFT_2009_568.mxl
- ◆ SWIFT_2009_569.mxl
- ◆ SWIFT_2009_574_IRSLST.mxl
- ◆ SWIFT_2009_574_W8BENO.mxl
- ◆ SWIFT_2009_575.mxl
- ◆ SWIFT_2009_576.mxl
- ◆ SWIFT_2009_577.mxl
- ◆ SWIFT_2009_578.mxl
- ◆ SWIFT_2009_579.mxl
- ◆ SWIFT_2009_581.mxl
- ◆ SWIFT_2009_582.mxl
- ◆ SWIFT_2009_584.mxl
- ◆ SWIFT_2009_586.mxl
- ◆ SWIFT_2009_587.mxl
- ◆ SWIFT_2009_588.mxl
- ◆ SWIFT_2009_589.mxl
- ◆ SWIFT_2009_590.mxl
- ◆ SWIFT_2009_591.mxl
- ◆ SWIFT_2009_592.mxl
- ◆ SWIFT_2009_595.mxl
- ◆ SWIFT_2009_596.mxl
- ◆ SWIFT_2009_598.mxl
- ◆ SWIFT_2009_599.mxl
- ◆ SWIFT_2009_600.mxl
- ◆ SWIFT_2009_601.mxl
- ◆ SWIFT_2009_604.mxl
- ◆ SWIFT_2009_605.mxl

- ◆ SWIFT_2009_606.mxl
- ◆ SWIFT_2009_607.mxl
- ◆ SWIFT_2009_608.mxl
- ◆ SWIFT_2009_609.mxl
- ◆ SWIFT_2009_620.mxl
- ◆ SWIFT_2009_643.mxl
- ◆ SWIFT_2009_644.mxl
- ◆ SWIFT_2009_645.mxl
- ◆ SWIFT_2009_646.mxl
- ◆ SWIFT_2009_649.mxl
- ◆ SWIFT_2009_690.mxl
- ◆ SWIFT_2009_691.mxl
- ◆ SWIFT_2009_692.mxl
- ◆ SWIFT_2009_695.mxl
- ◆ SWIFT_2009_696.mxl
- ◆ SWIFT_2009_698.mxl
- ◆ SWIFT_2009_699.mxl
- ◆ SWIFT_2009_700.mxl
- ◆ SWIFT_2009_701.mxl
- ◆ SWIFT_2009_705.mxl
- ◆ SWIFT_2009_707.mxl
- ◆ SWIFT_2009_710.mxl
- ◆ SWIFT_2009_711.mxl
- ◆ SWIFT_2009_720.mxl
- ◆ SWIFT_2009_721.mxl
- ◆ SWIFT_2009_730.mxl
- ◆ SWIFT_2009_732.mxl
- ◆ SWIFT_2009_734.mxl
- ◆ SWIFT_2009_740.mxl
- ◆ SWIFT_2009_742.mxl
- ◆ SWIFT_2009_747.mxl
- ◆ SWIFT_2009_750.mxl
- ◆ SWIFT_2009_752.mxl
- ◆ SWIFT_2009_754.mxl
- ◆ SWIFT_2009_756.mxl
- ◆ SWIFT_2009_760.mxl

- ◆ SWIFT_2009_767.mxl
- ◆ SWIFT_2009_768.mxl
- ◆ SWIFT_2009_769.mxl
- ◆ SWIFT_2009_790.mxl
- ◆ SWIFT_2009_791.mxl
- ◆ SWIFT_2009_792.mxl
- ◆ SWIFT_2009_795.mxl
- ◆ SWIFT_2009_796.mxl
- ◆ SWIFT_2009_798.mxl
- ◆ SWIFT_2009_799.mxl
- ◆ SWIFT_2009_800.mxl
- ◆ SWIFT_2009_801.mxl
- ◆ SWIFT_2009_802.mxl
- ◆ SWIFT_2009_810.mxl
- ◆ SWIFT_2009_812.mxl
- ◆ SWIFT_2009_813.mxl
- ◆ SWIFT_2009_820.mxl
- ◆ SWIFT_2009_821.mxl
- ◆ SWIFT_2009_822.mxl
- ◆ SWIFT_2009_823.mxl
- ◆ SWIFT_2009_824.mxl
- ◆ SWIFT_2009_890.mxl
- ◆ SWIFT_2009_891.mxl
- ◆ SWIFT_2009_892.mxl
- ◆ SWIFT_2009_895.mxl
- ◆ SWIFT_2009_896.mxl
- ◆ SWIFT_2009_898.mxl
- ◆ SWIFT_2009_899.mxl
- ◆ SWIFT_2009_900.mxl
- ◆ SWIFT_2009_910.mxl
- ◆ SWIFT_2009_920.mxl
- ◆ SWIFT_2009_935.mxl
- ◆ SWIFT_2009_940.mxl
- ◆ SWIFT_2009_941.mxl
- ◆ SWIFT_2009_942.mxl
- ◆ SWIFT_2009_950.mxl

- ◆ SWIFT_2009_970.mxl
- ◆ SWIFT_2009_971.mxl
- ◆ SWIFT_2009_972.mxl
- ◆ SWIFT_2009_973.mxl
- ◆ SWIFT_2009_985.mxl
- ◆ SWIFT_2009_986.mxl
- ◆ SWIFT_2009_990.mxl
- ◆ SWIFT_2009_991.mxl
- ◆ SWIFT_2009_992.mxl
- ◆ SWIFT_2009_995.mxl
- ◆ SWIFT_2009_996.mxl
- ◆ SWIFT_2009_998.mxl
- ◆ SWIFT_2009_999.mxl
- ◆ SWIFT_2009_202_COV.mxl
- ◆ SWIFT_2009_205_COV.mxl
- ◆ SWIFT_2010_097.mxl
- ◆ SWIFT_2010_101.mxl
- ◆ SWIFT_2010_102.mxl
- ◆ SWIFT_2010_102_STP.mxl
- ◆ SWIFT_2010_103.mxl
- ◆ SWIFT_2010_103_STP.mxl
- ◆ SWIFT_2010_104.mxl
- ◆ SWIFT_2010_105.mxl
- ◆ SWIFT_2010_107.mxl
- ◆ SWIFT_2010_110.mxl
- ◆ SWIFT_2010_111.mxl
- ◆ SWIFT_2010_112.mxl
- ◆ SWIFT_2010_190.mxl
- ◆ SWIFT_2010_191.mxl
- ◆ SWIFT_2010_192.mxl
- ◆ SWIFT_2010_195.mxl
- ◆ SWIFT_2010_196.mxl
- ◆ SWIFT_2010_198.mxl
- ◆ SWIFT_2010_199.mxl
- ◆ SWIFT_2010_200.mxl
- ◆ SWIFT_2010_201.mxl

- ◆ SWIFT_2010_202.mxl
- ◆ SWIFT_2010_202_COV.mxl
- ◆ SWIFT_2010_203.mxl
- ◆ SWIFT_2010_204.mxl
- ◆ SWIFT_2010_205.mxl
- ◆ SWIFT_2010_205_COV.mxl
- ◆ SWIFT_2010_207.mxl
- ◆ SWIFT_2010_210.mxl
- ◆ SWIFT_2010_256.mxl
- ◆ SWIFT_2010_290.mxl
- ◆ SWIFT_2010_291.mxl
- ◆ SWIFT_2010_292.mxl
- ◆ SWIFT_2010_295.mxl
- ◆ SWIFT_2010_296.mxl
- ◆ SWIFT_2010_298.mxl
- ◆ SWIFT_2010_299.mxl
- ◆ SWIFT_2010_300.mxl
- ◆ SWIFT_2010_303.mxl
- ◆ SWIFT_2010_304.mxl
- ◆ SWIFT_2010_305.mxl
- ◆ SWIFT_2010_306.mxl
- ◆ SWIFT_2010_307.mxl
- ◆ SWIFT_2010_320.mxl
- ◆ SWIFT_2010_321.mxl
- ◆ SWIFT_2010_330.mxl
- ◆ SWIFT_2010_340.mxl
- ◆ SWIFT_2010_341.mxl
- ◆ SWIFT_2010_350.mxl
- ◆ SWIFT_2010_360.mxl
- ◆ SWIFT_2010_361.mxl
- ◆ SWIFT_2010_362.mxl
- ◆ SWIFT_2010_364.mxl
- ◆ SWIFT_2010_365.mxl
- ◆ SWIFT_2010_380.mxl
- ◆ SWIFT_2010_381.mxl
- ◆ SWIFT_2010_390.mxl

- ◆ SWIFT_2010_391.mxl
- ◆ SWIFT_2010_392.mxl
- ◆ SWIFT_2010_395.mxl
- ◆ SWIFT_2010_396.mxl
- ◆ SWIFT_2010_398.mxl
- ◆ SWIFT_2010_399.mxl
- ◆ SWIFT_2010_400.mxl
- ◆ SWIFT_2010_405.mxl
- ◆ SWIFT_2010_410.mxl
- ◆ SWIFT_2010_412.mxl
- ◆ SWIFT_2010_416.mxl
- ◆ SWIFT_2010_420.mxl
- ◆ SWIFT_2010_422.mxl
- ◆ SWIFT_2010_430.mxl
- ◆ SWIFT_2010_450.mxl
- ◆ SWIFT_2010_455.mxl
- ◆ SWIFT_2010_456.mxl
- ◆ SWIFT_2010_490.mxl
- ◆ SWIFT_2010_491.mxl
- ◆ SWIFT_2010_492.mxl
- ◆ SWIFT_2010_495.mxl
- ◆ SWIFT_2010_496.mxl
- ◆ SWIFT_2010_498.mxl
- ◆ SWIFT_2010_499.mxl
- ◆ SWIFT_2010_500.mxl
- ◆ SWIFT_2010_501.mxl
- ◆ SWIFT_2010_502.mxl
- ◆ SWIFT_2010_503.mxl
- ◆ SWIFT_2010_504.mxl
- ◆ SWIFT_2010_505.mxl
- ◆ SWIFT_2010_506.mxl
- ◆ SWIFT_2010_507.mxl
- ◆ SWIFT_2010_508.mxl
- ◆ SWIFT_2010_509.mxl
- ◆ SWIFT_2010_510.mxl
- ◆ SWIFT_2010_513.mxl

- ◆ SWIFT_2010_514.mxl
- ◆ SWIFT_2010_515.mxl
- ◆ SWIFT_2010_515_SMPG02.mxl
- ◆ SWIFT_2010_516.mxl
- ◆ SWIFT_2010_517.mxl
- ◆ SWIFT_2010_518.mxl
- ◆ SWIFT_2010_519.mxl
- ◆ SWIFT_2010_524.mxl
- ◆ SWIFT_2010_526.mxl
- ◆ SWIFT_2010_527.mxl
- ◆ SWIFT_2010_528.mxl
- ◆ SWIFT_2010_529.mxl
- ◆ SWIFT_2010_530.mxl
- ◆ SWIFT_2010_535.mxl
- ◆ SWIFT_2010_536_IOA001.mxl
- ◆ SWIFT_2010_536.mxl
- ◆ SWIFT_2010_537.mxl
- ◆ SWIFT_2010_538.mxl
- ◆ SWIFT_2010_540.mxl
- ◆ SWIFT_2010_541.mxl
- ◆ SWIFT_2010_542.mxl
- ◆ SWIFT_2010_543.mxl
- ◆ SWIFT_2010_544.mxl
- ◆ SWIFT_2010_545.mxl
- ◆ SWIFT_2010_546.mxl
- ◆ SWIFT_2010_547.mxl
- ◆ SWIFT_2010_548.mxl
- ◆ SWIFT_2010_549.mxl
- ◆ SWIFT_2010_558.mxl
- ◆ SWIFT_2010_559.mxl
- ◆ SWIFT_2010_564.mxl
- ◆ SWIFT_2010_565.mxl
- ◆ SWIFT_2010_566.mxl
- ◆ SWIFT_2010_567.mxl
- ◆ SWIFT_2010_568.mxl
- ◆ SWIFT_2010_569.mxl

- ◆ SWIFT_2010_574_IRSLST.mxl
- ◆ SWIFT_2010_574_W8BENO.mxl
- ◆ SWIFT_2010_575.mxl
- ◆ SWIFT_2010_576.mxl
- ◆ SWIFT_2010_577.mxl
- ◆ SWIFT_2010_578.mxl
- ◆ SWIFT_2010_579.mxl
- ◆ SWIFT_2010_581.mxl
- ◆ SWIFT_2010_582.mxl
- ◆ SWIFT_2010_584.mxl
- ◆ SWIFT_2010_586.mxl
- ◆ SWIFT_2010_587.mxl
- ◆ SWIFT_2010_588.mxl
- ◆ SWIFT_2010_589.mxl
- ◆ SWIFT_2010_590.mxl
- ◆ SWIFT_2010_591.mxl
- ◆ SWIFT_2010_592.mxl
- ◆ SWIFT_2010_595.mxl
- ◆ SWIFT_2010_596.mxl
- ◆ SWIFT_2010_598.mxl
- ◆ SWIFT_2010_599.mxl
- ◆ SWIFT_2010_600.mxl
- ◆ SWIFT_2010_601.mxl
- ◆ SWIFT_2010_604.mxl
- ◆ SWIFT_2010_605.mxl
- ◆ SWIFT_2010_606.mxl
- ◆ SWIFT_2010_607.mxl
- ◆ SWIFT_2010_608.mxl
- ◆ SWIFT_2010_609.mxl
- ◆ SWIFT_2010_620.mxl
- ◆ SWIFT_2010_643.mxl
- ◆ SWIFT_2010_644.mxl
- ◆ SWIFT_2010_646.mxl
- ◆ SWIFT_2010_649.mxl
- ◆ SWIFT_2010_690.mxl
- ◆ SWIFT_2010_691.mxl

- ◆ SWIFT_2010_692.mxl
- ◆ SWIFT_2010_695.mxl
- ◆ SWIFT_2010_696.mxl
- ◆ SWIFT_2010_698.mxl
- ◆ SWIFT_2010_699.mxl
- ◆ SWIFT_2010_700.mxl
- ◆ SWIFT_2010_701.mxl
- ◆ SWIFT_2010_705.mxl
- ◆ SWIFT_2010_707.mxl
- ◆ SWIFT_2010_710.mxl
- ◆ SWIFT_2010_711.mxl
- ◆ SWIFT_2010_720.mxl
- ◆ SWIFT_2010_721.mxl
- ◆ SWIFT_2010_730.mxl
- ◆ SWIFT_2010_732.mxl
- ◆ SWIFT_2010_734.mxl
- ◆ SWIFT_2010_740.mxl
- ◆ SWIFT_2010_742.mxl
- ◆ SWIFT_2010_747.mxl
- ◆ SWIFT_2010_750.mxl
- ◆ SWIFT_2010_752.mxl
- ◆ SWIFT_2010_754.mxl
- ◆ SWIFT_2010_756.mxl
- ◆ SWIFT_2010_760.mxl
- ◆ SWIFT_2010_767.mxl
- ◆ SWIFT_2010_768.mxl
- ◆ SWIFT_2010_769.mxl
- ◆ SWIFT_2010_790.mxl
- ◆ SWIFT_2010_791.mxl
- ◆ SWIFT_2010_792.mxl
- ◆ SWIFT_2010_795.mxl
- ◆ SWIFT_2010_796.mxl
- ◆ SWIFT_2010_798.mxl
- ◆ SWIFT_2010_799.mxl
- ◆ SWIFT_2010_800.mxl
- ◆ SWIFT_2010_801.mxl

- ◆ SWIFT_2010_802.mxl
- ◆ SWIFT_2010_824.mxl
- ◆ SWIFT_2010_890.mxl
- ◆ SWIFT_2010_891.mxl
- ◆ SWIFT_2010_892.mxl
- ◆ SWIFT_2010_895.mxl
- ◆ SWIFT_2010_896.mxl
- ◆ SWIFT_2010_898.mxl
- ◆ SWIFT_2010_899.mxl
- ◆ SWIFT_2010_900.mxl
- ◆ SWIFT_2010_910.mxl
- ◆ SWIFT_2010_920.mxl
- ◆ SWIFT_2010_935.mxl
- ◆ SWIFT_2010_940.mxl
- ◆ SWIFT_2010_941.mxl
- ◆ SWIFT_2010_942.mxl
- ◆ SWIFT_2010_950.mxl
- ◆ SWIFT_2010_970.mxl
- ◆ SWIFT_2010_971.mxl
- ◆ SWIFT_2010_972.mxl
- ◆ SWIFT_2010_973.mxl
- ◆ SWIFT_2010_985.mxl
- ◆ SWIFT_2010_986.mxl
- ◆ SWIFT_2010_990.mxl
- ◆ SWIFT_2010_991.mxl
- ◆ SWIFT_2010_992.mxl
- ◆ SWIFT_2010_995.mxl
- ◆ SWIFT_2010_996.mxl
- ◆ SWIFT_2010_998.mxl
- ◆ SWIFT_2010_999.mxl

MX Maps

- ◆ swiftMX.1-0.camt.003.001.02.mxl
- ◆ swiftMX.1-0.camt.004.001.02.mxl
- ◆ swiftMX.1-0.camt.005.001.02.mxl
- ◆ swiftMX.1-0.camt.006.001.02.mxl
- ◆ swiftMX.1-0.camt.007.002.01.mxl

- ◆ swiftMX.1-0.camt.008.002.01.xml
- ◆ swiftMX.1-0.camt.026.001.01.xml
- ◆ swiftMX.1-0.camt.027.001.01.xml
- ◆ swiftMX.1-0.camt.028.001.01.xml
- ◆ swiftMX.1-0.camt.029.001.01.xml
- ◆ swiftMX.1-0.camt.030.001.01.xml
- ◆ swiftMX.1-0.camt.031.001.01.xml
- ◆ swiftMX.1-0.camt.032.001.01.xml
- ◆ swiftMX.1-0.camt.033.001.01.xml
- ◆ swiftMX.1-0.camt.034.001.01.xml
- ◆ swiftMX.1-0.camt.035.001.01.xml
- ◆ swiftMX.1-0.camt.036.001.01.xml
- ◆ swiftMX.1-0.camt.037.001.01.xml
- ◆ swiftMX.1-0.camt.038.001.01.xml
- ◆ swiftMX.1-0.camt.039.001.01.xml
- ◆ swiftMX.2-0.camt.052.001.02.xml
- ◆ swiftMX.1-0.seev.001.001.02.xml
- ◆ swiftMX.1-0.seev.002.001.02.xml
- ◆ swiftMX.1-0.seev.003.001.02.xml
- ◆ swiftMX.1-0.seev.004.001.02.xml
- ◆ swiftMX.1-0.seev.005.001.02.xml
- ◆ swiftMX.1-0.seev.006.001.02.xml
- ◆ swiftMX.1-0.seev.007.001.02.xml
- ◆ swiftMX.1-0.seev.008.001.02.xml
- ◆ swiftMX.1-0.semt.008.001.02.xml
- ◆ swiftMX.1-0.semt.009.001.02.xml
- ◆ swiftMX.1-0.semt.010.001.01.xml
- ◆ swiftMX.1-1.seev.001.001.03.xml
- ◆ swiftMX.1-1.seev.002.001.03.xml
- ◆ swiftMX.1-1.seev.003.001.03.xml
- ◆ swiftMX.1-1.seev.004.001.03.xml
- ◆ swiftMX.1-1.seev.005.001.03.xml
- ◆ swiftMX.1-1.seev.006.001.03.xml
- ◆ swiftMX.1-1.seev.007.001.03.xml
- ◆ swiftMX.1-1.seev.008.001.03.xml
- ◆ swiftMX.1-0.semt.011.001.01.xml

- ◆ swiftMX.1-0.tsm.001.001.02.xml
- ◆ swiftMX.1-0.tsm.002.001.02.xml
- ◆ swiftMX.1-0.tsm.003.001.02.xml
- ◆ swiftMX.1-0.tsm.004.001.01.xml
- ◆ swiftMX.1-0.tsm.005.001.01.xml
- ◆ swiftMX.1-0.tsm.006.001.02.xml
- ◆ swiftMX.1-0.tsm.007.001.01.xml
- ◆ swiftMX.1-0.tsm.008.001.02.xml
- ◆ swiftMX.1-0.tsm.009.001.02.xml
- ◆ swiftMX.1-0.tsm.010.001.02.xml
- ◆ swiftMX.1-0.tsm.011.001.02.xml
- ◆ swiftMX.1-0.tsm.012.001.02.xml
- ◆ swiftMX.1-0.tsm.013.001.02.xml
- ◆ swiftMX.1-0.tsm.014.001.02.xml
- ◆ swiftMX.1-0.tsm.015.001.02.xml
- ◆ swiftMX.1-0.tsm.016.001.02.xml
- ◆ swiftMX.1-0.tsm.017.001.02.xml
- ◆ swiftMX.1-0.tsm.018.001.02.xml
- ◆ swiftMX.1-0.tsm.019.001.02.xml
- ◆ swiftMX.1-0.tsm.020.001.01.xml
- ◆ swiftMX.1-0.tsm.021.001.02.xml
- ◆ swiftMX.1-0.tsm.022.001.01.xml
- ◆ swiftMX.1-0.tsm.023.001.02.xml
- ◆ swiftMX.1-0.tsm.024.001.02.xml
- ◆ swiftMX.1-0.tsm.025.001.02.xml
- ◆ swiftMX.1-0.tsm.026.001.01.xml
- ◆ swiftMX.1-0.tsm.027.001.01.xml
- ◆ swiftMX.1-0.tsm.028.001.02.xml
- ◆ swiftMX.1-0.tsm.029.001.01.xml
- ◆ swiftMX.1-0.tsm.030.001.02.xml
- ◆ swiftMX.1-0.tsm.031.001.02.xml
- ◆ swiftMX.1-0.tsm.032.001.02.xml
- ◆ swiftMX.1-0.tsm.033.001.02.xml
- ◆ swiftMX.1-0.tsm.034.001.02.xml
- ◆ swiftMX.1-0.tsm.035.001.02.xml
- ◆ swiftMX.1-0.tsm.036.001.02.xml

- ◆ swiftMX.1-0.tsm.037.001.02.xml
- ◆ swiftMX.1-0.tsm.038.001.02.xml
- ◆ swiftMX.1-0.tsm.039.001.02.xml
- ◆ swiftMX.1-0.tsm.040.001.02.xml
- ◆ swiftMX.1-0.tsm.041.001.02.xml
- ◆ swiftMX.1-0.tsm.042.001.02.xml
- ◆ swiftMX.1-1.cam.007.002.02.xml
- ◆ swiftMX.1-1.cam.008.002.02.xml
- ◆ swiftMX.1-1.cam.026.001.02.xml
- ◆ swiftMX.1-1.cam.027.001.02.xml
- ◆ swiftMX.1-1.cam.028.001.02.xml
- ◆ swiftMX.1-1.cam.029.001.02.xml
- ◆ swiftMX.1-1.cam.030.001.02.xml
- ◆ swiftMX.1-1.cam.031.001.02.xml
- ◆ swiftMX.1-1.cam.032.001.01.xml
- ◆ swiftMX.1-1.cam.033.001.02.xml
- ◆ swiftMX.1-1.cam.034.001.02.xml
- ◆ swiftMX.1-1.cam.035.001.01.xml
- ◆ swiftMX.1-1.cam.036.001.01.xml
- ◆ swiftMX.1-1.cam.037.001.02.xml
- ◆ swiftMX.1-1.cam.038.001.01.xml
- ◆ swiftMX.1-1.cam.039.001.02.xml
- ◆ swiftMX.1-2.cam.007.002.02.xml
- ◆ swiftMX.1-2.cam.008.002.02.xml
- ◆ swiftMX.1-2.cam.026.001.02.xml
- ◆ swiftMX.1-2.cam.027.001.02.xml
- ◆ swiftMX.1-2.cam.028.001.02.xml
- ◆ swiftMX.1-2.cam.029.001.02.xml
- ◆ swiftMX.1-2.cam.030.001.02.xml
- ◆ swiftMX.1-2.cam.031.001.02.xml
- ◆ swiftMX.1-2.cam.032.001.01.xml
- ◆ swiftMX.1-2.cam.033.001.02.xml
- ◆ swiftMX.1-2.cam.034.001.02.xml
- ◆ swiftMX.1-2.cam.035.001.01.xml
- ◆ swiftMX.1-2.cam.036.001.01.xml
- ◆ swiftMX.1-2.cam.037.001.02.xml

- ◆ swiftMX.1-2.camt.038.001.01.xml
- ◆ swiftMX.1-2.camt.039.001.02.xml
- ◆ swiftMX.2-0.camt.052.001.01.xml
- ◆ swiftMX.2-0.camt.053.001.01.xml
- ◆ swiftMX.2-0.camt.054.001.01.xml
- ◆ swiftMX.2-0.pacs.002.001.02.xml
- ◆ swiftMX.2-0.pacs.003.001.01.xml
- ◆ swiftMX.2-0.pacs.004.001.01.xml
- ◆ swiftMX.2-0.pacs.006.001.01.xml
- ◆ swiftMX.2-0.pacs.007.001.01.xml
- ◆ swiftMX.2-0.pacs.008.001.01.xml
- ◆ swiftMX.2-0.pacs.009.001.01.xml
- ◆ swiftMX.2-0.pain.001.001.02.xml
- ◆ swiftMX.2-0.pain.002.001.02.xml
- ◆ swiftMX.2-0.semt.001.001.01.xml
- ◆ swiftMX.2-0.semt.002.001.01.xml
- ◆ swiftMX.2-0.semt.003.001.01.xml
- ◆ swiftMX.2-0.semt.004.001.01.xml
- ◆ swiftMX.2-0.semt.005.001.01.xml
- ◆ swiftMX.2-0.semt.006.001.01.xml
- ◆ swiftMX.2-0.semt.007.001.01.xml
- ◆ swiftMX.2-0.sese.001.001.01.xml
- ◆ swiftMX.2-0.sese.002.001.01.xml
- ◆ swiftMX.2-0.sese.003.001.01.xml
- ◆ swiftMX.2-0.sese.004.001.01.xml
- ◆ swiftMX.2-0.sese.005.001.01.xml
- ◆ swiftMX.2-0.sese.006.001.01.xml
- ◆ swiftMX.2-0.sese.007.001.01.xml
- ◆ swiftMX.2-0.sese.008.001.01.xml
- ◆ swiftMX.2-0.sese.009.001.01.xml
- ◆ swiftMX.2-0.sese.010.001.01.xml
- ◆ swiftMX.2-0.sese.011.001.01.xml
- ◆ swiftMX.2-1.camt.040.001.02.xml
- ◆ swiftMX.2-1.camt.041.001.02.xml
- ◆ swiftMX.2-1.camt.042.001.02.xml
- ◆ swiftMX.2-1.camt.043.001.02.xml

- ◆ swiftMX.2-1.camt.044.001.01.xml
- ◆ swiftMX.2-1.camt.045.001.01.xml
- ◆ swiftMX.2-1.reda.001.001.02.xml
- ◆ swiftMX.2-1.reda.002.001.02.xml
- ◆ swiftMX.2-1.reda.003.001.02.xml
- ◆ swiftMX.2-1.setr.001.001.02.xml
- ◆ swiftMX.2-1.setr.002.001.02.xml
- ◆ swiftMX.2-1.setr.003.001.02.xml
- ◆ swiftMX.2-1.setr.004.001.02.xml
- ◆ swiftMX.2-1.setr.005.001.02.xml
- ◆ swiftMX.2-1.setr.006.001.02.xml
- ◆ swiftMX.2-1.setr.007.001.02.xml
- ◆ swiftMX.2-1.setr.008.001.02.xml
- ◆ swiftMX.2-1.setr.009.001.02.xml
- ◆ swiftMX.2-1.setr.010.001.02.xml
- ◆ swiftMX.2-1.setr.011.001.02.xml
- ◆ swiftMX.2-1.setr.012.001.02.xml
- ◆ swiftMX.2-1.setr.013.001.02.xml
- ◆ swiftMX.2-1.setr.014.001.02.xml
- ◆ swiftMX.2-1.setr.015.001.02.xml
- ◆ swiftMX.2-1.setr.016.001.02.xml
- ◆ swiftMX.2-1.setr.017.001.02.xml
- ◆ swiftMX.2-1.setr.018.001.02.xml
- ◆ swiftMX.2-2.sese.012.001.01.xml
- ◆ swiftMX.2-2.sese.013.001.01.xml
- ◆ swiftMX.2-2.sese.014.001.01.xml
- ◆ swiftMX.3-0.acmt.001.001.01.xml
- ◆ swiftMX.3-0.acmt.002.001.01.xml
- ◆ swiftMX.3-0.acmt.003.001.01.xml
- ◆ swiftMX.3-0.acmt.004.001.01.xml
- ◆ swiftMX.3-0.acmt.005.001.01.xml
- ◆ swiftMX.3-0.acmt.006.001.01.xml
- ◆ swiftMX.3-0.camt.003.001.03.xml
- ◆ swiftMX.3-0.camt.004.001.03.xml
- ◆ swiftMX.3-0.camt.005.001.03.xml
- ◆ swiftMX.3-0.camt.006.001.03.xml

- ◆ swiftMX.3-1.camt.003.001.03.xml
- ◆ swiftMX.3-1.camt.004.001.03.xml
- ◆ swiftMX.3-1.camt.005.001.03.xml
- ◆ swiftMX.3-1.camt.006.001.03.xml
- ◆ swiftMX.3-1.sese.015.001.01.xml
- ◆ swiftMX.3-1.sese.016.001.01.xml
- ◆ swiftMX.3-1.sese.017.001.01.xml
- ◆ swiftMX.3-2.camt.003.001.03.xml
- ◆ swiftMX.3-2.camt.004.001.03.xml
- ◆ swiftMX.3-2.camt.005.001.03.xml
- ◆ swiftMX.3-2.camt.006.001.03.xml
- ◆ swiftMX.4-0.acmt.001.001.02.xml
- ◆ swiftMX.4-0.acmt.002.001.02.xml
- ◆ swiftMX.4-0.acmt.003.001.02.xml
- ◆ swiftMX.4-0.acmt.004.001.02.xml
- ◆ swiftMX.4-0.acmt.005.001.02.xml
- ◆ swiftMX.4-0.acmt.006.001.02.xml
- ◆ swiftMX.4-0.camt.003.001.04.xml
- ◆ swiftMX.4-0.camt.004.001.04.xml
- ◆ swiftMX.4-0.camt.005.001.04.xml
- ◆ swiftMX.4-0.camt.006.001.04.xml
- ◆ swiftMX.4-0.camt.007.001.04.xml
- ◆ swiftMX.4-0.camt.008.001.04.xml
- ◆ swiftMX.4-0.camt.009.001.04.xml
- ◆ swiftMX.4-0.camt.010.001.04.xml
- ◆ swiftMX.4-0.camt.011.001.04.xml
- ◆ swiftMX.4-0.camt.012.001.04.xml
- ◆ swiftMX.4-0.camt.013.001.02.xml
- ◆ swiftMX.4-0.camt.014.001.02.xml
- ◆ swiftMX.4-0.camt.015.001.02.xml
- ◆ swiftMX.4-0.camt.016.001.02.xml
- ◆ swiftMX.4-0.camt.017.001.02.xml
- ◆ swiftMX.4-0.camt.018.001.02.xml
- ◆ swiftMX.4-0.camt.019.001.03.xml
- ◆ swiftMX.4-0.camt.020.001.02.xml
- ◆ swiftMX.4-0.camt.021.001.02.xml

- ◆ swiftMX.4-0.camt.023.001.03.xml
- ◆ swiftMX.4-0.camt.024.001.03.xml
- ◆ swiftMX.4-0.camt.025.001.02.xml
- ◆ swiftMX.4-0.camt.040.001.03.xml
- ◆ swiftMX.4-0.camt.041.001.03.xml
- ◆ swiftMX.4-0.camt.042.001.03.xml
- ◆ swiftMX.4-0.camt.043.001.03.xml
- ◆ swiftMX.4-0.camt.044.001.02.xml
- ◆ swiftMX.4-0.camt.045.001.02.xml
- ◆ swiftMX.4-0.camt.046.001.02.xml
- ◆ swiftMX.4-0.camt.047.001.02.xml
- ◆ swiftMX.4-0.camt.048.001.02.xml
- ◆ swiftMX.4-0.camt.049.001.02.xml
- ◆ swiftMX.4-0.camt.050.001.02.xml
- ◆ swiftMX.4-0.camt.051.001.02.xml
- ◆ swiftMX.4-0.camt.052.001.01.xml
- ◆ swiftMX.4-0.camt.998.001.02.xml
- ◆ swiftMX.4-0.reda.001.001.03.xml
- ◆ swiftMX.4-0.reda.002.001.03.xml
- ◆ swiftMX.4-0.reda.003.001.03.xml
- ◆ swiftMX.4-0.semt.001.001.02.xml
- ◆ swiftMX.4-0.semt.002.001.02.xml
- ◆ swiftMX.4-0.semt.003.001.02.xml
- ◆ swiftMX.4-0.semt.004.001.02.xml
- ◆ swiftMX.4-0.semt.005.001.02.xml
- ◆ swiftMX.4-0.semt.006.001.02.xml
- ◆ swiftMX.4-0.semt.007.001.02.xml
- ◆ swiftMX.4-0.sese.001.001.02.xml
- ◆ swiftMX.4-0.sese.002.001.02.xml
- ◆ swiftMX.4-0.sese.003.001.02.xml
- ◆ swiftMX.4-0.sese.004.001.02.xml
- ◆ swiftMX.4-0.sese.005.001.02.xml
- ◆ swiftMX.4-0.sese.006.001.02.xml
- ◆ swiftMX.4-0.sese.007.001.02.xml
- ◆ swiftMX.4-0.sese.008.001.02.xml
- ◆ swiftMX.4-0.sese.009.001.02.xml

- ◆ swiftMX.4-0.sese.010.001.02.mxl
- ◆ swiftMX.4-0.sese.011.001.02.mxl
- ◆ swiftMX.4-0.sese.012.001.02.mxl
- ◆ swiftMX.4-0.sese.013.001.02.mxl
- ◆ swiftMX.4-0.sese.014.001.02.mxl
- ◆ swiftMX.4-0.sese.018.001.01.mxl
- ◆ swiftMX.4-0.sese.019.001.01.mxl
- ◆ swiftMX.4-0.setr.001.001.03.mxl
- ◆ swiftMX.4-0.setr.002.001.03.mxl
- ◆ swiftMX.4-0.setr.003.001.03.mxl
- ◆ swiftMX.4-0.setr.004.001.03.mxl
- ◆ swiftMX.4-0.setr.005.001.03.mxl
- ◆ swiftMX.4-0.setr.006.001.03.mxl
- ◆ swiftMX.4-0.setr.007.001.03.mxl
- ◆ swiftMX.4-0.setr.008.001.03.mxl
- ◆ swiftMX.4-0.setr.009.001.03.mxl
- ◆ swiftMX.4-0.setr.010.001.03.mxl
- ◆ swiftMX.4-0.setr.011.001.03.mxl
- ◆ swiftMX.4-0.setr.012.001.03.mxl
- ◆ swiftMX.4-0.setr.013.001.03.mxl
- ◆ swiftMX.4-0.setr.014.001.03.mxl
- ◆ swiftMX.4-0.setr.015.001.03.mxl
- ◆ swiftMX.4-0.setr.016.001.03.mxl
- ◆ swiftMX.4-0.setr.017.001.03.mxl
- ◆ swiftMX.4-0.setr.018.001.03.mxl
- ◆ swiftMX.4-0.setr.047.001.01.mxl
- ◆ swiftMX.4-0.setr.048.001.01.mxl
- ◆ swiftMX.4-0.setr.049.001.01.mxl
- ◆ swiftMX.4-0.setr.050.001.01.mxl
- ◆ swiftMX.4-0.setr.051.001.01.mxl
- ◆ swiftMX.4-0.setr.052.001.01.mxl
- ◆ swiftMX.4-0.setr.053.001.01.mxl
- ◆ swiftMX.4-0.setr.054.001.01.mxl
- ◆ swiftMX.4-0.setr.055.001.01.mxl
- ◆ swiftMX.4-0.setr.056.001.01.mxl
- ◆ swiftMX.4-0.setr.057.001.01.mxl

- ◆ swiftMX.4-0.setr.058.001.01.mxl
- ◆ swiftMX.1-0.pain.009.001.01.mxl
- ◆ swiftMX.1-0.pain.010.001.01.mxl
- ◆ swiftMX.1-0.pain.011.001.01.mxl
- ◆ swiftMX.1-0.pain.012.001.01.mxl
- ◆ swiftMX.1-2.seev.001.001.04.mxl
- ◆ swiftMX.1-2.seev.002.001.04.mxl
- ◆ swiftMX.1-2.seev.003.001.04.mxl
- ◆ swiftMX.1-2.seev.004.001.04.mxl
- ◆ swiftMX.1-2.seev.005.001.04.mxl
- ◆ swiftMX.1-2.seev.006.001.04.mxl
- ◆ swiftMX.1-2.seev.007.001.04.mxl
- ◆ swiftMX.1-2.seev.008.001.04.mxl

SWIFTNet Correlations

Note: If you upgrade to the Sterling Standards Library Version 5.3, you must run the **SwnetCorrMigrate.cmd** migration script because the SWIFTNet Correlations details are now stored in the SWNET_MSG_INFO and SWNET_MSG database tables instead of the CORRELATION_SET table. See *Migrating Correlation Details to Version 5.3* on page 187 for more information.

Correlation data, often called *correlations*, is defined as specific pieces of data that you may need to review in the process of monitoring, tracking, and troubleshooting your activities. These data items are defined by type and value. These type-value pairs are known as *name-value pairs*, and are a powerful tool you can use to record and search for business process- and document-specific data. The name-value pair records are stored in the correlation table in the application.

Defining correlations can be part of configuring your business process models and maps. Taking the time to determine the name-value pairs for monitoring and troubleshooting, and configuring them in maps and business process models, can save you time later.

Correlations can be predefined (provided in certain services), defined by you, and configured at the map level:

- ◆ You can assign name-value pairs to a service in a process model using the Service Editor in the GPM.
- ◆ You can create unique name-value pairs for a service using the Service Editor in the GPM.
- ◆ You can define name-value pairs and include the service in a business process model. This enables you to search for the data items you need using advanced search options in the application interface.
- ◆ You can configure correlation data using standard rules in a map, to specify that data is extracted from a document when it is translated. The Update standard rule *correlation data* function enables you to record document-specific correlation parameters during translation. These correlation parameters are attached to the translated document. You can then use the Correlation Search user interface to locate the translated document using the criteria you specified in the map through the Update standard rule. This function may save you effort, because you would otherwise need to locate the translated document by reviewing the results from a Central Search query.

The Correlation Search page provides details about each SWIFTNet transport transaction. Each transaction is a tracking point for any workflow IDs and documents involved in the transaction. The SWIFTNet Correlation search feature offers the following additional benefits:

- ◆ You can receive the results of search queries more quickly.
- ◆ You can further refine correlation searches by specifying a start and end date/time range.
- ◆ You can further refine SWIFT correlation searches by specifying SWIFT-specific criteria.

Searching for SWIFT Messages Using Correlations

To perform an advanced search for documents:

1. From the **Administration** menu, select **Business Process > Monitor > Advanced Search > SWIFTNet Correlation**.

2. In the **Search SWIFTNet Correlation** section, specify any combination of the following search criteria, as appropriate:

Field	Description	Action
Location	The location of the tables you wish to search.	Select Live Tables or Restore Tables.
Requestor DN	Distinguished name of the requestor.	Type the name of the requestor. Note: This DN must be registered with the SAG instance using SWIFTNet Alliance Webstation.
Responder DN	Distinguished name of the responder.	Note: This DN must be registered with the SAG instance using SWIFTNet Alliance Webstation.
Service Name	Name of the service to which both SWIFT correspondents have subscribed.	Type the service name. Note: This must be a SWIFTNet service to which you are subscribed.
Request Type	Request type supported by the message exchange.	Type the request type.
Interface	SWIFTNet message type.	Select either InterAct or FileAct.
Operation	The SWIFTNet operation to send an InterAct or FileAct message.	Select from the following: <ul style="list-style-type: none"> ◆ get (FileAct) ◆ put (FileAct) ◆ sync (Interact) ◆ async (Interact)
SnF	Indicates if the file transfer is done using the store-and-forward method.	Select either True (use Store-and-Forward) or False (do not use Store-and-Forward).
Direction	Indicates the direction of the messages.	Select either Inbound or Outbound.
Status	The status of the messages.	Select one of the following formats: <ul style="list-style-type: none"> ◆ Success ◆ Failed ◆ In Process
Activity From	Documents in progress or completed after the specified start date and time.	Using the following formats, type a starting date and time range and select AM or PM : <ul style="list-style-type: none"> ◆ Date – MM/DD/YY ◆ Time – HH:MM
Activity To	Documents in progress or completed before the specified end date and time.	Using the following formats, type an end date and time range and select AM or PM .: <ul style="list-style-type: none"> ◆ Date – MM/DD/YY ◆ Time – HH:MM

Field	Description	Action
File Name (FileAct Only)	Search for SWIFTNet records that are associated with a specific file.	Type the name of the file for which you want to search the associated records. Note: This search is valid for FileAct messages only.
File Size From (FileAct Only)	Search for SWIFTNet records that are associated to files with a specified size range.	Type the beginning size range of the files.
File Size To (FileAct Only)	Search for SWIFTNet records that are associated to files with a specified size range.	Type the endpoint of the range for the file size.
File Size (FileAct Only)	Measurement of file size	Select from the following: <ul style="list-style-type: none"> ◆ bytes ◆ KB ◆ MB
Results per page	Number of documents you want to display on the results page.	Select the value to indicate the number of documents to display. Valid values are: <ul style="list-style-type: none"> ◆ 5 ◆ 10 ◆ 15

3. Click **Go!** and the Search Results page opens, listing the SWIFTNet Transaction and SWIFTNet Message details that match your search criteria.

Field	Description
Status	Whether the transaction was a success or failure.
Requestor DN - Responder DN	The Requestor/Responder pair for the transaction.
Interface/Operation	The transport mode for the transaction.
Service Name	The service name for the transaction.
Type	The request type for the transaction.
Ref	The reference for the transaction.
File Name (byte size)	The size of the Request/Response payload for InterAct transactions or the Transfer file name with size for FileAct transactions.
Msg Type	The type of message. Valid values are Request/Response, Delivery Notification, and File Transfer.
Status	The status of the message. Valid values are Accepted, Failed, and In Progress.
WF ID	A link to the initiating workflow identifier of the transaction.

Field	Description
Start Time	The start time for the transaction.
Document	A link to the document corresponding to the transaction.
Signature List	A link to the signature list of the document for the transaction (for FileAct transactions only).

Migrating Correlation Details to Version 5.3

If you upgrade to the Sterling Standards Library Version 5.3, you must run the **SwnetCorrMigrate.cmd** migration script because the SWIFTNet Correlations details are now stored in the SWNET_MSG_INFO and SWNET_MSG database tables instead of the CORRELATION_SET table.

The Migration script transfers the SWIFTNet Correlation data from the CORRELATION_SET table to the SWNET_MSG table (where TYPE = SWIFTNET MESSAGE) and the SWNET_MSG_INFO table (where TYPE = SWIFTNET TRANSACTION).

The Migration script is available for both Live and Restore records, and you run the SwnetCorrMigrate.cmd script with the argument either live or restore, depending on which type of records you want to migrate. If you do not specify an argument, the live records are migrated.

Overview of SWIFTNet Transport

The application enables you to send messages to SWIFTNet using either the InterAct or FileAct protocol. The application enables you to connect to SWIFTNet through the InterAct protocol for real-time messaging, store-and-forward messaging and real-time query and response. It supports delivery notification, non-repudiation, and message priority.

InterAct and FileAct Protocol

When you use the InterAct or FileAct protocol to transport messages to and from SWIFTNet, the SWIFTNet MEFG Server serves requests and receives messages to and from SWIFTNet, through a client application and a server application that communicate with the SWIFTNet network through the InterAct protocol. The SWIFTNet MEFG Server operates independently from the application.

The SWIFTNet Server adapter is responsible for receiving request messages from SWIFTNet through the SWIFTNet MEFG Server and sending responses back. The SWIFTNet Server adapter is comprised of two parts: the service part and the adapter part. The service part is used in a BPML that does not require configuration except for enabling it for document tracking. The adapter part is configured through the Admin Console or the GPM, and this adapter is responsible for starting and stopping the SWIFTNet MEFG Server from the application using the Command Line Adapter 2 (CLA2), which is built into the SWIFTNet Server adapter. A Command Line 2 client operates in remote installations (with the SWIFTNet MEFG Server) to enable the application to run a program from a command line in a business process.

The SWIFTNet Client service is responsible for sending SWIFTNet InterAct and FileAct messages (both requests and responses) to SWIFTNet, which are initiated by the application. The SWIFTNet Client service enables you to use InterAct and FileAct messaging with a store-and-forward option. The benefits of using store-and-forward include:

- ◆ The sender and receiver do not need to be online at the same time, as is necessary for real-time messaging.
- ◆ The sender is notified if a message cannot be delivered (and can optionally be notified when messages are delivered).

The SWIFTNet Client service enables you to use either synchronous or asynchronous messaging using InterAct and Put or Get mode in FileAct.

The SWIFTNet Routing Rule is used by the SWIFTNet Client service to route incoming request to a business process for processing. It uses four parameters:

- ◆ RequesterDN
- ◆ ResponderDN
- ◆ Service name
- ◆ Request type

These parameters are used to map an incoming request to a business process. The SWIFTNet Routing Rule page enables you to assign any business process to a set of routing parameters. You need to create a SWIFTNet routing rule and associate it with an appropriate business process to process incoming SWIFTNet requests.

Additional FileAct Protocol Options

To send and receive SWIFTNet messages through the FileAct protocol, you will either use the SWIFTNet MEFG Server or use one of the following two methods to connect the application to SWIFT:

- ◆ **WebSphere MQ Adapter or WebSphere MQ Suite** (see *Configuring the WebSphere MQ Adapter/Suite to Communicate with SWIFT* on page 385)—enables you to configure the application to send and receive InterAct and FileAct files to/from SWIFTNet through the WebSphere MQ Interface for SWIFTAlliance Access (MQSA). Also enables you to send and receive messages to/from SWIFTNet through SWIFTNet Alliance Access (SAA) and the SWIFTNet Remote API Host Adapter (RAHA).
- ◆ **Connect:Direct for SWIFTNet**—enables you to send and receive FileAct files to/from SWIFTNet through the SWIFTNet Remote API (SWIFTNet RA) and the SWIFTNet Remote API Host Adapter (RAHA).

Secure Sockets Layer (SSL)

Secure Sockets Layer (SSL) is a cryptographic protocol that provides secure communications on the Internet for activities such as web browsing, e-mail, Internet faxing, instant messaging, and other data transfers.

SSL provides endpoint authentication and communications privacy over the Internet using cryptography. When you use SSL, usually only the server is authenticated (the client is not authenticated). The authentication of the server ensures that the end user (which may be a person or an application such as a web browser) knows exactly with whom he or she is communicating. Once the server is authenticated, all the data communicated is encrypted and secured between the client and server only.

The application provides you with the ability to set up SSL in a loopback between the SWIFTNet HTTP Server and the SWIFTNet MEFG Server, so both ends of the communication are secure. You can also initiate or receive an InterAct or FileAct request using SSL (another form of loopback).

CHIPS Message Transport Using SWIFTNet

The application enables you to send CHIPS messages to CHIPS, using either the SWIFTNet network (optionally using IBM Websphere MQ) or The Clearing House Frame Relay Network (a proprietary network that uses IBM Websphere MQ). Acknowledgements are sent to CHIPS using the SWIFTNet Server adapter. Using the SWIFTNet transport available in the application, you can also receive all response messages from CHIPS, including heartbeat messages, and send supervisory STATUS messages to CHIPS to test the connection.

The CHIPS adapter works with the SWIFTNet Server adapter, SWIFTNet HTTP Server adapter, and the SWIFTNet MEFG Server to communicate with CHIPS. When the CHIPS adapter is used with the SWIFTNet network, it receives acknowledgement messages from CHIPS in the SWIFTNet Response within sixty seconds, and any incoming messages (for example, heartbeat message, resolver notification, and so forth) are received by SWIFTNet Server adapter. The return acknowledgement of the incoming messages is performed by the Receive Handler and Acknowledgement Handler within the CHIPS adapter (the business process is bootstrapped using the SWIFTNet Routing Rule).

SWIFTNet MEFG Server

Overview

The SWIFTNet MEFG Server serves requests and receives messages to and from SWIFTNet, through a client application and a server application that communicate with the SWIFTNet network through the InterAct or FileAct protocol. The SWIFTNet MEFG Server operates independently from the application and includes all the APIs necessary to communicate with the SWIFTNet network.

The application enables you to use either InterAct or FileAct messaging with a store-and-forward option. The benefits of using store-and-forward include:

- ◆ The sender and receiver do not need to be online at the same time, as is required for real-time messaging.
- ◆ The sender is notified in the event delivery fails (and can optionally be notified upon delivery of the message).

The application also has a feature that provides you with failover support from real-time messages to store-and-forward (if there is a failure in real-time messaging, you can configure the application to automatically switch to store-and-forward messaging to increase your messaging success).


Note: This feature requires subscription to both real-time and store-and-forward services.

The SWIFTNet client application sends requests to the SWIFTNet network through the SWIFTNet Alliance Gateway/SWIFTNet Net Link (SAG/SNL) instance. The client application listens for requests from the SWIFTNet Client service, and interacts with SWIFTNet to obtain responses.

The SWIFTNet MEFG Server application receives requests from SWIFTNet. The server application listens for requests from SWIFTNet and interacts with the application to obtain responses. A request from the server application to the application calls the SWIFTNet Server adapter to process the request.

The SWIFTNet MEFG Server server application is started by enabling (and stopped by disabling) the SWIFTNet Server adapter. The starting and stopping of the server application is handled through the Command Line Adapter 2, which is built into the SWIFTNet Server adapter.

This diagram illustrates the process flow between the application and the SWIFTNet network through the SWIFTNet MEFG Server:




The administration of the SWIFTNet MEFG Server is through SWIFTNet Server adapter, including enabling and disabling the SWIFTNet MEFG Server.

If you use the SWIFTNet HTTP Server adapter in conjunction with the SWIFTNet Server adapter to use Secure Sockets Layer (SSL), the SWIFTNet HTTP Server adapter accepts the forwarded request from the SWIFTNet MEFG Server and provides secure authentication.

The SWIFTNet Client service (in conjunction with the SWIFTNet HTTP Server adapter) enables you to use Secure Sockets Layer (SSL) to provide secure authentication, using the SWIFTNet HTTP Server adapter to accept the forwarded request from the SWIFTNet MEFG Server. When you use SSL with the application, two channels are secured: an Outbound channel (the application acting as the Requestor) and an Inbound channel (the application acting as the Responder).

This diagram illustrates the process flow between the application and the SWIFTNet network through the SWIFTNet MEFG Server, including the Outbound and Inbound channels (using the SWIFTNet HTTP Server adapter for SSL):



You will need 2 pairs of certificates. The first pair belongs to the SWIFTNet MEFG Server (A and B in the diagram above) and is used to secure the outbound channel. The second pair of certificates belongs to the application (C and D in the diagram above) and is used to secure the inbound channel. In the above diagram, the callouts signify the following:

- ◆ A — A public key certificate file belongs to the SWIFTNet MEFG Server that is configured on the SWIFTNet Client service (the certificate is specified for the CA Certificate parameter).
- ◆ B — A private key certificate file that is stored on the SWIFTNet MEFG Server as a key file (which you configure through the SSL Configuration utility named `sslUtil.jar` in the SWIFTNet MEFG Server installation bin sub-directory).
- ◆ C — A private key certificate file that is configured on the SWIFTNet HTTP Server adapter (the certificate is specified for the System Cert parameter).
- ◆ D — A public key file that belongs to the application and is stored for the SWIFTNet MEFG Server as a CA Cert file or trusted list (that you configure through the SSL Configuration utility named `sslUtil.jar` in the SWIFTNet MEFG Server installation bin sub-directory).

Supported Platforms

The following platforms are supported for the SWIFTNet MEFG Server:

- ◆ Windows Server 2003 (Standard or Enterprise Edition) with Service Pack 1
- ◆ AIX 5.3 ML02

◆ SunOS 5.10

Client Application

The client application can exchange messages in synchronous or asynchronous mode for InterAct processing or can exchange messages in Put or Get mode for FileAct processing.

Synchronous Message Exchange

When the client application is communicating in synchronous mode messaging, the SWIFTNet Client service prepares the request and sends it to the SWIFTNet MEFG Server. Then, the client application on the SWIFTNet MEFG Server processes the request, performs the necessary communication exchange with the SWIFTNet SAG/SNL instance, and sends the request to the SWIFTNet network.

In synchronous mode, the client application is blocked until a response is received from the responder through the SAG/SNL instance. Once a response is received, it is sent to the application by the client application, and the response is placed in the primary document.

Asynchronous Message Exchange

In asynchronous mode, the SWIFTNet Client service prepares the request and sends it to the SWIFTNet MEFG Server. The client application on the SWIFTNet MEFG Server processes the request, performs the necessary communication exchange with the SWIFTNet SAG/SNL instance, and sends the request to the SWIFTNet network.

In asynchronous mode, the client application receives a response handle from the SAG/SNL instance. Using this response handle, the client application periodically checks with the SWIFTNet network to determine if a response is available. Once a response is received by the application, it is placed in the primary document.

Configuring the Client Application

You must appropriately configure the SWIFTNet Client service to use the client application. See *SWIFTNet Client Service*.

Server Application

When a request from the SWIFTNet network arrives, the SWIFTNet SAG/SNL sends it to the SWIFTNet MEFG Server server application. The server application processes the request and forwards the request to the application. When the application receives the request, it invokes the SWIFTNet Server adapter to process the request. If store-and-forward messaging is in use, the message payload is placed in a mailbox.

Configuring the Server Application

You must appropriately configure the SWIFTNet Server adapter to use the server application. See *SWIFTNet Server Adapter*.

The Application Acting as Third Party

In SWIFT 6.1, the application can act as a Third Party either in T-Copy mode or Y-Copy mode. As a Third Party, SWIFT forwards the copied request messages to the application. When the copied request is received, based on the Service Name specified in the message, the application searches the SWIFTNet Copy Service Profile to find out whether the application must act in T-Copy or Y-Copy mode.

If the application must act in Y-Copy mode, Enhanced Header Information is extracted from the copied request, and is inserted into the application mailbox. The message name for the mailbox is in the following format:

```
ThirdParty_[CopySnFRef]
```

You can create a mailbox routing rule to evaluate this mailbox and bootstrap a custom business process to make the decision whether to Third Party Authorised or Refuse the copied request based on the Enhanced Header Information.

By default, the application supplies a predefined business process for this notification process named **SWIFTNet3rdPartyClientNotification**. This predefined business process is based on Transaction Count Enhanced Header Info. In this business process, the third party authorizes if the Transaction Count is less than five, and refuses if the Transaction Count is greater than or equal to five. The decision is then made by the translator using the **SWIFTNet3rdPartyClientTxsntr** map. This is the predefined business process:

Note: The notification message is a system message, and it should be sent using Service Name **swift.snf.system**. To test this business process, the service name that you should use is **swift.snf.system!x**. You must change this name in the business process depending on whether you are testing it.

```
<process name="SWIFTNet3rdPartyClientNotification">
  <rule name="NoMoreMessage">
    <condition>number(msgCount/text()) > number(msgTotal/text())</condition>
  </rule>
  <sequence name="NotificationFlow">
    <assign to="msgCount">1</assign>
    <assign to="msgTotal" from="count(RoutingRequest/RoutingRequest/MessageId)"/>
    <choice name="ForEachMessage">
      <select>
        <case ref="NoMoreMessage" negative="true" activity="DoNotification"/>
      </select>
      <sequence name="DoNotification">
        <assign to="msgId"
from="RoutingRequest/RoutingRequest/MessageId[number(//ProcessData/msgCount/text())
/text()]/>
        <operation name="Extract HeaderInfo from Mailbox">
          <participant name="MailboxExtractBegin"/>
          <output message="MailboxExtractBegin_In">
            <assign to="CommitNow">YES</assign>
            <assign to="MessageId" from="msgId/text()"/>
            <assign to="." from="*"/>
          </output>
          <input message="MailboxExtractBegin_Out">
            <assign to="." from="*"/>
          </input>
        </operation>
      </sequence>
    </choice>
  </sequence>
</process>
```

```

</operation>
<operation name="Using Map">
  <participant name="Translation"/>
  <output message="Xlate_In">
    <assign to="map_name">SWIFTNet3rdPartyClientTxnCtr</assign>
    <assign to="validate_input">NO</assign>
    <assign to="validate_output">NO</assign>
    <assign to="output_to_process_data">YES</assign>
    <assign to="." from="*" />
  </output>
  <input message="Xlate_Out">
    <assign to="." from="OUTPUT/node()" />
  </input>
</operation>
<operation name="set user token">
  <participant name="SetUserToken"/>
  <output message="SetUserTokenMessage">
    <assign to="USER_TOKEN">admin</assign>
    <assign to="." from="*" />
  </output>
  <input message="inmsg">
    <assign to="." from="*" />
  </input>
</operation>
<operation name="SendNotification">
  <participant name="SWIFTNetClientService"/>
  <output message="handleClientRequest">
    <assign to="." from="*" />
    <assign to="serviceName">swift.snf.system!x</assign>
    <assign to="thirdPartyAuth">TRUE</assign>
    <assign to="MessageName" from="/ProcessData/MessageName/text()" />
  </output>
  <input message="testing">
    <assign to="." from="*" />
  </input>
</operation>
<onFault>
  <sequence name="SWIFTClientOnFault">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <operation name="RefuseDueToTechnicalIssue">
      <participant name="SWIFTNetClientService"/>
      <output message="handleClientRequest">
        <assign to="." from="*" />
        <assign to="serviceName">swift.snf.system!x</assign>
        <assign to="thirdPartyAuth">TRUE</assign>
        <assign to="AuthDecision">Refused</assign>
      </output>
    </operation>
  </sequence>
</onFault>

```

```

        <assign to="RefuseReason">Error sending original
notification.</assign>
        <assign to="MessageName" from="/ProcessData/MessageName/text()"/>
    </output>
    <input message="testing">
        <assign to="." from="*" />
    </input>
</operation>
</sequence>
</onFault>
<onFault code="Mailbox Message Is Not Extractable">
    <sequence name="MoveOnToNextMessage">
        <assign to="msgCount" from="msgCount+1"/>
        <repeat ref="ForEachMessage"/>
    </sequence>
</onFault>
<assign to="msgCount" from="msgCount+1"/>
<repeat ref="ForEachMessage"/>
</sequence>
</choice>
</sequence>
</process>

```

When you send the notification message, the third party must also use the SWIFTNet Client service and must specify at least three parameters as follows:

- ◆ **thirdPartyAuth** must be set to TRUE to send notification message
- ◆ **AuthDecision** must contain a valid value (either Authorised or Refused)
- ◆ **MessageName** is the message name for the mailbox

Note: When you call the Mailbox Extract service to extract the message, this name should be available in ProcessData. If the extraction of the message from mailbox and sending the notification are configured by the same business process (as was done in this predefined business process), you do not need to include the MessageName. However, if you use a more complex business process that invokes other Business Process, you must be careful not to lose the original MessageName.

When you send the notification message, the third party may also specify three optional parameters as follows:

- ◆ **ToSndrInfo** - When the decision is Authorised, this parameter contains the information that the third party wants to convey to the original sender of the request.
- ◆ **ToRcvrInfo** - When the decision is Authorised, this parameter contains the information that the third party wants to convey to the original receiver of the request.
- ◆ **RefuseReason** - When the decision is Refused, this parameter contains the refusal reason that the third party wants to convey to the original sender of the request.

SWIFTNet MEFG Server Installation

The SWIFTNet MEFG Server installation consists of a sequence of related tasks. This table outlines the process flow you must follow to install the SWIFTNet MEFG Server:

Task Number	Description	For more information
1	Configure SAG/SNL.	<i>Configuring SAG/SNL</i> on page 198
2	Install and configure the SWIFTNet remote API.	<i>Installing the SWIFTNet Remote API (RA)</i> on page 200
3	<p>Install OpenSSL software on the SWIFTNet MEFG Server host.</p> <p>Note: Optional—this is only required if you wish to enable SSL support between the application and SWIFTNet MEFG Server.</p>	<p>Obtain the OpenSSL installation software (Win32 OpenSSL v0.9.8e Light version) from: http://www.slproweb.com/products/Win32OpenSSL.html.</p> <p>On Solaris 10 and AIX 5.3 machines, the OpenSSL libraries should be included with your operating system, although they may be optionally installed. Please check the appropriate documentation for your operating system to ensure the OpenSSL software is installed.</p>
4	Install the SWIFTNet MEFG Server.	<i>Installing the SWIFTNet MEFG Server</i> on page 205
5	<p>Configure SSL between the application and the SWIFTNet MEFG Server.</p> <p>Note: Optional—this is only required if you wish to enable SSL support between the application and SWIFTNet MEFG Server.</p>	<i>Configuring SSL Between the Application and the SWIFTNet MEFG Server</i> on page 201
6	Install the Command Line Adapter 2 Client,	<i>Starting the Command Line Adapter 2 Client</i> on page 208
7	<p>Configure and enable the SWIFTNet Server Adapter and start the SWIFTNet MEFG Server.</p> <p>Note: To monitor the status of the SWIFTNet MEFG Server, you need to select Show Advanced Status when you configure the SWIFTNet Server adapter.</p>	<i>SWIFTNet Server Adapter</i>
8	Configure and enable the SWIFTNet Client Service.	<i>SWIFTNet Client Service</i>
9	Configure the SWIFTNet routing rule.	<i>SWIFTNet Routing Rule</i>
10	Configure Mailboxes (only if you are executing store-and-forward).	<i>Using Mailboxes</i>
11	Configure the SWIFTNetClient business process.	<i>SWIFTNetClient Business Process</i>

Prerequisites

The following prerequisites must be met for the SWIFTNet MEFG Server to operate:

- ◆ The Command Line Adapter 2 client (CLA2Client) must be running to receive commands from the application to start and stop the SWIFTNet MEFG Server.
- ◆ The Command Line Adapter 2 client (CLA2Client) must be deployed on the same machine as the SWIFTNet MEFG Server.
- ◆ SWIFTNet Remote API (RA) must be installed on the same machine as the SWIFTNet MEFG Server.
- ◆ The SAG/SNL installed and configured with appropriate message partners and endpoints. See *Configuring SAG/SNL* on page 198.
- ◆ You must have a SWIFTNet Subscription for the InterAct and/or FileAct protocols.
- ◆ You use the same account to install the SWIFTNet MEFG Server as you used for the SAG/SNL installation.
- ◆ You have Java JDK 1.5 installed.
- ◆ You must install the SWIFTNet MEFG Server on either the Sun Solaris 5.10 operating system, Windows Server 2003 (Standard or Enterprise Edition) operating system, or AIX 5.3 operating system.

Configuring SAG/SNL

Complete the following steps to configure SAG/SNL for use with the SWIFTNet MEFG Server:

1. Log in as an administrator to the SWIFTAlliance Workstation.
2. Go to **Gateway Admin - Application Interface** and create the client and server message partners.
Note: The client (type = Client) and server (type = Server) message partner names must match the names in the SWIFTNet MEFG Server configuration (<**SagMessagePartnerClientName**> and <**SagMessagePartnerServerName**>).
3. In the Application Interface module, for the server message partner, configure the parameters as follows:

Parameter	Configuration
Name	Name from the SWIFTNet MEFG Server configuration (< SagMessagePartnerServerName >).
Type	Server
Status	Enabled
Unit	None
Host Adapter	Remote API Host Adapter
Supported Message Formats	Select Strict SNL Format .
Additional Processing	Select Remote API Host Adapter .

4. In the Application Interface module, for the client message partner, configure the parameters as follows:

Note: The Application Interface must be started.

Parameter	Configuration
Name	Name from the SWIFTNet MEFG Server configuration (<SagMessagePartnerClientName>).
Type	Client
Status	Enabled
Unit	None
Default Message Format for Emission (from Message Partner)	Strict SNL Format Note: Strict SNL Format is required by the API.
Supported Message Formats	Select Strict SNL Format . Note: Strict SNL Format is required by the API.
Additional Processing	Note: Do not select any additional processing options.

5. In the Endpoints module, for the server message partner, configure the endpoint parameters as follows to define where to route the messages:

Parameter	Configuration
Name	Name from the SWIFTNet MEFG Server configuration.
Destination	Application Interface:<Name from the SWIFTNet MEFG Server configuration>
Status	Enabled

6. In the Endpoints module, for the server message partner, configure the routing detail criteria appropriately for your installation:

Parameter	Configuration
From	SWIFTNet Interface
Sequence	Note: This is the sequence number.
Name	Name for this Endpoint configuration.
Status	Enabled
SNL Endpoint	None
Service Name	None
Request Type	None
Requestor DN	None

Parameter	Configuration
Responder DN	None
Traffic Type	None
Delivery Mode	None
Priority	None

7. In the Endpoints module, for the server message partner, configure the destination detail parameters as follows:

Parameter	Configuration
Interface	Application Interface
Application	Name of the Server Message Partner specified in SWIFTNet Server configuration.
Mode	Strict

Installing the SWIFTNet Remote API (RA)

You need to install the SWIFTNet Remote API on the machine on which the SWIFTNet MEFG Server will be installed. This is the software distributed by SWIFT, the API that the SWIFTNet MEFG Server uses to connect to the SWIFTNet SAG/SNL instance to link into a SAG. Remote API is software supplied by SWIFT that establishes a communication link with the RA Host adapter component of the SWIFTAlliance Gateway (SAG), either from a SWIFTNet application existing on a remote machine or from a SWIFTNet application existing on the machine where SAG is installed. RA offers two sets of APIs: SWIFTNet Link-specific APIs and SWIFTAlliance Gateway-specific APIs.

Before you install the SWIFTNet Remote API (RA), verify that you have performed the following:

- ◆ The SWIFTAlliance Gateway software is installed on the machine you wish to connect with, with the RAHA option checked in the licensing screen. Otherwise you will only be able to install the RA locally on the SAG system.
- ◆ You know the host name or IP address of the machine on which the SWIFTAlliance Gateway software is installed.
- ◆ You know the port number used by SAG to communicate with its remote applications. This is the port number specified during the SAG installation, and its default value is 48002.
- ◆ You have 300MB of free disk space as working space is available on the machine where you will install the RA software.
- ◆ The patch level requirements in the Release Letter from SWIFT are respected. The same patch requirements apply for both the machines on which RA and/or SAG are installed. This is particularly important for Java patches.

The following requirements apply to UNIX systems only:

- ◆ The Remote API installer is graphical and should be run using a dedicated UNIX X display terminal. If this is not possible or desirable, run the installer using a PC based X server such as Exceed, PC-Xware, XManager or Reflection-X. It is important that the PC X server is configured to run in single window mode and uses XDM to start a UNIX desktop session such as CDE. Failure to comply with these

requirements may cause the installer not to display correctly. The method used to configure it in single window depends on your product. If you are using Exceed software, select Window Mode in the Xconfig module and toggle the mode from Multiple to Single.

- ◆ The home directory must have at least 60 MB of free space.
- ◆ On AIX and Solaris operating systems, if the disk space requirements for the temporary files for the install program cannot be satisfied, the installer option **-is:tempdir <TMPDIR>** can be used to specify an alternate temporary directory.

Complete the following steps to install the RA:

Note: See the *SWIFT Remote Developers Toolkit Installation Guide* for complete installation instructions.

1. Install the remote API on the machine where you will install SWIFTNet MEFG Server.
2. Configure the RA to point to the SAG instance you will be accessing, or if the RA is already configured, verify that it points to the correct SAG instance.
3. If you are installing on the Windows operating system, add **SYSTEM** to the Security settings, allow **SYSTEM Full Control** and select **Allow inheritable permissions from parent to propagate to this object**. See the documentation for the SWIFTNet Remote API for more information.
 - a. Right-click and select **Properties** on <SWIFT RA API installdir>.
 - b. Select the **Security** tab.
 - c. Click **Add** to and select **SYSTEM**.
 - d. Allow **Full Control** to **SYSTEM**.
 - e. Select the **Allow inheritable permissions from parent to propagate this object** option.
 - f. To confirm, navigate to the <applicationinstalldir\SWIFTAlliance\RA\lib> directory, and right-click and select **Properties**.
 - g. Select the **Security** tab.
 - h. Verify that SYSTEM has Full Control permissions for the <applicationinstalldir\SWIFTAlliance\RA\lib> directory.
4. If you are installing on a Windows operating system, following the SWIFT RA installation, you will need to set the PATH system environment variables:

```
PATH : append <Swift RA API installdir>\bin;<Swift RA API installdir>\lib
SWNET_HOME : <Swift RA API installdir>
SWNET_CFG_PATH : <Swift RA API installdir>\Ra1\cfg;
```

Configuring SSL Between the Application and the SWIFTNet MEFG Server

Note: Optional—this is only required if you wish to enable SSL support between the application and SWIFTNet MEFG Server.

To configure SSL for the SWIFTNet MEFG Server, you must complete the following tasks:

Task Number	Description
1	Prepare the SSL certificates for the SWIFTNet MEFG Server.
2	Prepare the SSL certificates for the application.
3	Configure the SWIFTNet Server adapter.
4	Configure the SWIFTNet HTTP Server adapter.
5	Configure the SWIFTNetClient business process.
6	Configuring the SSL Setup on the SWIFTNet MEFG Server

Preparing the SSL Certificates for the SWIFTNet MEFG Server

To prepare the SSL certificates for use with the SWIFTNet MEFG Server, complete the following:

1. Create the keyfile that contains the private key for MEFGCommServer.

You can use OpenSSL to generate the keyfile and certificate request file. Then, you can use this certificate request to ask the CA to generate the certificate and sign it for you.

Note: Note: When you use OpenSSL to generate the keyfile, you will be prompted to type in the password to protect the keyfile.

Note: Please take note of this password for later use. (step 8 of *Configuring the SSL Setup on the SWIFTNet MEFG Server*).

2. Import the signed certificates into the application CA repository.
3. Note the CA Certificate ID and CA Certificate Name because you will need to use them in the SWIFTNetClient business process.
4. Create the CA Certificate that contains the cert (public key) for the application side of this configuration.

Note: You can only do this after you have completed step 3 of *Preparing the SSL Certificates for the application*.

Preparing the SSL Certificates for the Application

To prepare the SSL certificates for use with the application, complete the following:

1. Create a self-signed certificate on the application for the System certificate, including the following:
 - ◆ Select **Set Certificate Signing Bit**.
 - ◆ The name of this certificate must be the name of your server/domain so that Open SSL can properly validate the certificate.

Note: Alternatively, you can generate a certificate signing request using the Certificate Wizard, and ask a CA to sign your certificate. If you choose this option, include the following:

- ◆ Ensure your common name for the certificate matches the correct server name/domain name.

- ◆ Check in the key and the certificate (after the certificate is signed and returned by CA) to System Certificate.
2. When you create and check in the certificate, note the certificate name. This name will be used when you configure the SWIFTNet HTTP Server adapter (step 4 below).
 3. Export the public key of the certificate you generated above. This public key will be used by the SWIFTNet MEFG Server (that you created in *Preparing the SSL Certificates for the SWIFTNet MEFG Server* on page 202) as CA certificate file (trusted list).
 4. Configure the SWIFTNet HTTP Server adapter to use SSL and choose the System certificate you generated in step 1 of this procedure.

Note: Note the port number of the SWIFTNet HTTP Server adapter because this number must match the port you configure for the SWIFTNet Server adapter (below).

Configuring the SWIFTNet Server Adapter for SSL

To configure the SWIFTNet Server adapter for SSL, complete the following:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet Server adapter or select it from the list and click **Go!**.
3. Click **Edit**.
4. For **GIS HTTP Server Adapter Port**, use the SSL port configured for the SWIFTNet HTTP Server adapter (above).
5. For **GIS Server IP**, type your exact server name/domain name. This must match with the server/domain name and also match the system certificate name you created in *Preparing the SSL Certificates for the Application* on page 202.
6. Ensure that **Use SSL** is set to **True**.

Configuring the SWIFTNet HTTP Server Adapter for SSL

To configure the SWIFTNet HTTP Server adapter for SSL, complete the following:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet HTTP Server adapter or select it from the list and click **Go!**.
3. Click **Edit**.
4. Ensure that **Use SSL** is set to **Must**.
5. For **System Certificate**, select the appropriate system certificate.

Configuring the SWIFTNet Client Service or Business Process for SSL

You must either configure the SWIFT Client service through the application user interface or through the business process you create for the service.

To configure the SWIFTNet Client service for SSL, complete the following:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet Client service or select it from the list and click **Go!**.

3. Click **Edit**.
4. Ensure that **Use SSL** is set to **Must**.
5. For **CA Certificate**, select the appropriate CA certificate. This is the certificate you imported in step 2 of *Preparing the SSL Certificates for the SWIFTNet MEFG Server* on page 202.

Alternatively, to configure the SWIFTNetClient business process, add the following to the BPML to ensure the SSL configuration for the SWIFTNet HTTP Client adapter is included:

Note: The **bold** lines indicate information that you need to modify to match your installation.

```
<<operation>
  <participant name="SWIFTNetClientService"/>
  <output message="handleClientRequest">
    <assign to="." from="*"></assign>
    <assign to="interfaceMode">interact</assign>
    <assign to="swiftOp">sync</assign>
    <assign to="requestorDN">o=ptscfrnn,o=swift</assign>
    <assign to="responderDN">o=ptscfrnn,o=swift</assign>
    <assign to="serviceName">swift.generic.ia!x</assign>
    <assign to="SnF">FALSE</assign>
    <assign to="nonRepudiation">FALSE</assign>
    <assign to="possibleDuplicate">FALSE</assign>
    <assign to="deliveryNotification">FALSE</assign>
    <assign to="UseSSL">TRUE</assign>
    <assign to="CipherStrength">All</assign>
  <assign to="CACertId">000.00.000.00:00000:10f3202f455:4337</assign>
  </output>
  <input message="testing">
    <assign to="." from="*"></assign>
  </input>
</operation>
```

Note: The **CACertId** must match the CA Cert ID you configured for the SWIFTNet MEFG Server (step 2 of *Preparing the SSL Certificates for the SWIFTNet MEFG Server* on page 202).

Configuring the SSL Setup on the SWIFTNet MEFG Server

Prior to completing the next steps, ensure that you have completed the tasks in *Configuring SSL Between the Application and the SWIFTNet MEFG Server* on page 201.

1. Type the following command to change to the directory where the SWIFTNet MEFG Server SSL Utilityjar is located:

```
cd <SWIFTNet MEFG Server installdir>/bin
```

2. Type the following command to invoke the configuration script:

```
dir *.jar
```

You will see the sslUtil.jar file.

3. Type the following command:

```
java -jar sslUtil.jar
```

4. Type the full path for the SWIFTNet MEFG Server home directory (the directory in which you just installed the SWIFTNet MEFG Server) and press **Enter**. You are prompted to confirm the directory.

5. Type **Yes** and press **Enter** to confirm. The configuration script verifies the structure of the directory to ensure that it is the valid installation directory for the SWIFTNet MEFG Server. If the directory is not valid (for example, the bin directory is missing from the path), you are prompted to retype the valid directory. Once a valid directory is entered, you proceed with the SSL configuration.
6. Type the full path to the private key location and press **Enter**. This key file belongs to the SWIFTNet MEFG Server and will be used during the SSL “handshake.”

Note: The key file contains your private key.

7. Type **Yes** and press **Enter** to confirm the path.
8. Type the correct password to access the key file and press **Enter**.
9. Type the password again to confirm it and press **Enter**.
10. Type the full path to the CA Certificate location and press **Enter**. This CA Certificate file contains the trusted certificates that are used during the SSL “handshake.”
11. Type **Yes** and press **Enter** to confirm the path. The configuration completes and displays a message that the SSL configuration process has finished.

Installing the SWIFTNet MEFG Server

Complete the following steps to install the SWIFTNet MEFG Server:

Note: The installation script and the binary install are located on the application installation DVD.

1. After installing the application, log on to your UNIX or Windows system using the same account as the one you used to install and configure SWIFTNet RA.
2. If you are installing on UNIX system with X-Windows, please ensure that you configure the X-Windows so the installation user interface can be displayed correctly. If X-Windows environment is not available, the installation reverts to the command line interface.
3. Download the SCIIInstallWizard_swiftnet.jar and swiftnet_[version].jar files from the installation DVD to the server where the SWIFTNet MEFG Server will be installed.

Note: Replace [version] in the command above with the value from the list that matches the patch you are installing.

4. Type the following command to invoke the installation script:

```
java -jar SCIIInstallWizard_swiftnet.jar
```

5. Press **Enter**.
6. On the SWIFTNet MEFG Server Installer page, click **Next**.
7. Type the jdk directory which you want to use or click **Select Folder** to choose the jdk directory.
8. Type the destination directory where you want to install the SWIFTNet MEFG Server or click **Select Folder** to choose the installation directory.
9. If you are installing on a Windows operating system, select the **Install on Windows** check box.
10. Click **Next**. If the directory does not exist, you are prompted to click **Yes** to create it.
11. If you are installing on the Windows operating system, you are required to enter the account user name in the format **DomainName\Username**. If it is a local user, type **.\Administrator**.

12. On the Install Jar page, click **Select Files** to specify the path to the swiftnet_[version].jar installation jar.
 13. If you want to install SSL, select the **Install SSL** check box.
 14. Click **Next**.
 15. If you chose to install SSL, the SSL configuration page is displayed. Complete the necessary parameters and click **Next**.
- Note:** The key file contains the private key to be used during the SSL handshake.
16. On the Install MCFG SWIFTNet Adapter Components page, you can view a summary of the installation steps that will be performed.
 17. Click **Next**.

The installation script copies files from the installation jar to the destination directory and verifies that the correct number of files and blocks are copied. If the destination directory does not have enough free disk space, the script suggests you delete enough files to provide the necessary disk space and then exits the installation. During the installation process, you can click **Show Details** to view detailed information about the progress of the install.

You are notified that the installation is complete with the following message: Installation Finished.

On a Windows system, this installs the following service instances (you can verify this by checking **Control Panel > Administrative tools > Services**):

- ◆ MCFGCommServerService1
- ◆ MCFGSwiftnetServerService1_Instance1
- ◆ MCFGSwiftnetServerService1_Instance2
- ◆ MCFGCommSSLServerService1
- ◆ MCFGSwiftnetSSLServerService1_Instance1
- ◆ MCFGSwiftnetSSLServerService1_Instance2
- ◆ MCFGMonServerService1

Note: If you have already installed any of these services, you will be notified through an error message containing Error Code 1073 that the service or services are already installed. If this occurs, you can unregister the services as follows and then re-install the SWIFTNet MEFG Server again:

- a. Go to <MEFG Server directory>\bin.
- b. Double-click **unregister_svcs.cmd** to unregister all the related services. Or, alternatively, you can unregister each of the services manually by typing the following and pressing **Enter** after each line:

To uninstall the MEFG Comm Server Service, type `MEFGCommServer.exe -u`

To uninstall the MEFG SWIFTNet Server Service Instance 1, type `MEFGSwiftnetServer.exe -u s1`

To uninstall the MEFG SWIFTNet Server Service Instance 2, type `MEFGSwiftnetServer.exe -u s2`

To uninstall the MEFG Comm SSL Server Service, type `MEFGCommSSLServer.exe -u`

To uninstall the MEFG SWIFTNet SSL Server Service Instance 1, type `MEFGSWIFTNetSSLServer.exe -u s1`

To uninstall the MEFG SWIFTNet SSL Server Service Instance 2, type `MEFGSWIFTNetSSLServer.exe -u s2`

18. If you are installing on a Windows operating system, you must add the following under the System variables (add the <MEFG installdir>\bin directory to the PATH environment variable just before the <SWIFT RA API installdir>\bin entry):

- ◆ PATH : append <MEFG installdir>\bin;

Caution: Insert this PATH variable *before* the SWIFT RA API installdir entries you added in step 4 of *Installing the SWIFTNet Remote API (RA)* on page 200 (the PATH variable must appear ahead of the library references in the System variable list).

- ◆ Allow the defined user to start MEFGSwiftnetServer and MEFGCommServer through the following steps:
 - a. Select **Control Panel > Administrative Tools > Local Security Settings**.
 - b. Select **Local Policies > User Rights Assignment**.
 - c. Double-click **Log on as a service** and assign the account user (that you entered during the installation process) to this setting.

Configuring Fail-over Processing Using the SWIFTNet MEFG Server

To set up the SWIFTNet MEFG Server in a dual-active SAG configuration for fail-over processing, specify the following application interface definitions for the SWIFTNet Server adapter:

- ◆ active-active Configuration
- ◆ RA1 definitions for primary SAG (s1)
- ◆ RA2 definitions for alternate SAG (s2)

Note: Certificates and profiles must be available on the SAG where they are used. For fail-over processing, Puts and Gets try to connect to the first SAG specified for s1 and s2. If the connection fails, the Put

and Get try to connect to the next SAG. If this connection also fails, the cycle is repeated if retry has been enabled.

Starting the Command Line Adapter 2 Client

The Command Line Adapter 2 client (CLA2Client) must be installed and run on a remote server. Complete the following steps to start the remote adapter implementation version of the Command Line Adapter 2:

1. Locate the client jar (CLA2Client.jar) in your application installation that contains the necessary classes.
2. Move the client jar to the machine that will be running the remote Command Line Adapter 2 client.

Note: This is the machine on which the SWIFTNet MEFG Server is installed.

3. Start the remote adapter implementation using the following command:

```
[path to java bin]/java -jar [path to CLA2 Client jar file]/CLA2Client.jar
<port> [debug]
```

Note: The port (above) will be used when you configure the SWIFTNet Server adapter.

This is an example of the command to start the remote adapter implementation:

```
jdk1.5.0_11/bin/java -jar CLA2Client.jar 15699 debug
```

Note: The [debug] option is not required, but you may find it helpful. When you upgrade the application, you will also need to obtain the corresponding new CLA2Client.jar file to avoid receiving a ClassConflict error.

Monitoring the Status of the SWIFTNet MEFG Server

To monitor the status of the SWIFTNet MEFG Server, you need to select **Show Advanced Status** when you configure the SWIFTNet Server adapter:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet Server adapter or select it from the list and click **Go!**.

Note: When you select the SWIFTNet Server adapter, make sure you also select the **Show Advanced Status** check box prior to clicking **Go!**. This enables you to view the Advanced Status column on the Services Configuration page to see whether the SWIFTNet MEFG Server is stopped or started.
3. Click **Edit**.
4. Specify field settings in the Admin Console. See *SWIFTNet Server Adapter*.
5. On the Confirm page, verify that the **Enable Service for Business Processes** check box is selected. This enables the adapter instance.

Starting and Stopping the SWIFTNet MEFG Server

To start and stop the SWIFTNet MEFG Server:

1. Select **Deployment > Services > Configuration**.

2. Search for SWIFTNet Server adapter or select it from the list and click **Go!**.

Note: When you select the SWIFTNet Server adapter, make sure you also select the **Show Advanced Status** check box prior to clicking **Go!**. This enables you to view the Advanced Status column on the Services Configuration page to see whether the SWIFTNet MEFG Server is stopped or started.

3. Once the SWIFTNet Client adapter is configured and saved, click the **Enabled** check box on the Services Configuration page. This starts the SWIFTNet MEFG Server.

Note: To stop the SWIFTNet MEFG Server, clear the **Enabled** check box on the Services Configuration page

Monitoring the SWIFTNet MEFG Server Queues

To monitor the status of the SWIFTNet MEFG Server:

1. Select **Operations > SWIFTNet Monitor**.
2. To automatically refresh the display, select the **Automatically refresh every 15 seconds** option.
3. View the status of the SWIFTNet MEFG Server queues.

Note: The status is only populated after you configure the SWIFTNet Server Adapter and start it.

SWIFTNet Input Channel

The SWIFTNet 6.1 release introduces the concept of an input channel. Currently, the application only supports the use of input channel for InterAct messages in store-and-forward (SnF) mode. An input channel can be used by the messaging interface to establish an input session with SWIFT. The input session starts when the messaging interface opens the input channel and ends when the messaging interface closes the input channel. The input channel also supports sender-to-receiver first-in-first-out (FIFO), which means that each message is delivered only one time and minimizes the number of possible duplicates.

During such an input session, each message that is sent using this input channel is assigned a sequence number. This numbering is used by SWIFT to detect messages that are out of sequence, gaps in a sequence, and duplicate messages.

So messages are delivered in the same sequence that they are sent, SWIFT only delivers messages when all messages with a lower sequence number have been acknowledged by SWIFT. When the acknowledgement on a message is lost, the messaging interface must resend the message with the original sequence number. This allows duplicate messages to be more easily identified and avoided by SWIFT.

SWIFT automatically provides a default input channel for each user (BIC8) who is subscribed to at least one service working in store-and-forward mode. You can optionally create additional input channels when you have two or more messaging interfaces that operate independently at the same time, because the input channel can only be used by one messaging interface at a time.

How the Application Supports the Use of Input Channel

To support the use of input channel, the application includes the following functionality:

- ◆ Ability to create a new input channel
- ◆ Ability to delete an existing input channel
- ◆ Ability to open an input channel
- ◆ Ability to close an input channel
- ◆ **Ability to monitor input channel status.** The input channel status resides in an application database table (SWNET_CHANNEL) to allow the message traffic to be synchronized with SWIFT. Each operation related to the input channel checks this status before proceeding to the next step.
- ◆ **Support for local processing.** If a message was sent when the input channel is closed or down, the message is stored locally in a database. When the input channel is open again, it is resent to SWIFT. This local processing support is only available when the message is sent using the input channel.
- ◆ **An automatic process to resend messages.** The application provides a predefined scheduler business process to automate the resend process. This business process checks both unsent messages (stored in local processing) as well as unacknowledged messages to be resent when the input channel is available again.
- ◆ **An automatic process to resolve sequence gaps.** SWIFT only acknowledges messages when all messages that have a lower sequence number have been acknowledged by SWIFT. However, when there is a persistent error, it creates a gap because there is not an acknowledgement for a subsequent message number, and this error will eventually become a bottleneck. The only way to resolve this gap is by sending a Resolve Gap request to SWIFT. So, when the application resend attempts exceed the

maximum resend attempts setting that you have configured, the application automatically sends the Resolve Gap request to SWIFT to resolve the gap so SWIFT will then continue processing with the subsequent sequence number.

- ◆ **Ability to automatic open the input channel when the SWIFTNet Server adapter is started and closing the input channel when the SWIFTNet Server adapter is stopped.** When the SWIFTNet MEFG Server is started, it triggers a callback to the application that bootstraps a predefined business process to open the input channel (if you have configured it to use input channel). During the shutdown process, the SWIFTNet MEFG Server is not stopped immediately. The request to shut down is delayed to ensure that there is no gap in the input channel and all requests has been acknowledged. Once all gaps are resolved, the application automatically triggers a predefined business process to close the input channel and then automatically disables the SWIFTNet Server adapter and shuts down the SWIFTNet MEFG Server.
- ◆ **Automatic synchronization after the input channel is opened (in force mode) and before the input channel is closed, to ensure all gaps are resolved and each sequence number is acknowledged.** This also ensures that the messaging interface assigns the correct sequence number for new messages each time a new input session begins.
- ◆ **Automatic traffic throttling, which is used in conjunction with the input channel status monitoring to provide an automatic switch to local processing mode when the message traffic has exceeded SWIFT capacity.** The resend scheduler business process handles the resend operation of the unsent messages when the capacity resume to normal.

Support for Local Processing

If a message is sent when the input channel is closed, down, or during synchronization, the message is temporarily stored locally in the application database. When the input channel is open, the message is resent to SWIFT.

Note: This local processing support is only available when the message is sent using the input channel. Input processing is not supported in a clustered environment.

The SWIFTNet Client service indicates if a message is stored locally in the Advance Status column when you view the service instance.

Automatic Process to Resend a Message

The resend scheduler automatically handles the resend process for both unacknowledged messages and unsent messages (from local processing) when the input channel status allows it. The resend scheduler invokes the predefined SWIFTNetClientResend business process to perform the resend of the message.

You do not need to supply any parameters to the predefined SWIFTNetClientResend business process because all necessary information is passed dynamically by the resend scheduler. Therefore, all resend processes are handled automatically.

Automatic Process to Resolve a Sequence Gap

SWIFT only acknowledges messages when all messages with a lower sequence number have already been accounted for (acknowledged) by SWIFT. However, when there is a persistent error, this creates a gap (no acknowledgement for the subsequent message number) and may eventually become a bottleneck. The only way to resolve this gap is to send a Resolve Gap request to SWIFT.

When this occurs, the resend scheduler automatically sends a Resolve Gap request when the retry count has exceeded the maximum retry attempts configured in the SWIFTNet Server adapter. The resend scheduler invokes the predefined SWIFTNetClientResend business process to send the Resolve Gap request to SWIFT.

You can track the Resolve Gap request in the SWIFTNet Correlation Search Interface if you wish.

Input Channel Status

Input channel operation relies heavily on the input channel status. Certain statuses trigger automatic operation while other statuses may prevent an operation from occurring. The statuses maintain message traffic and synchronize with the SWIFT queue mailbox. The input channel status is stored in the application database table (SNET_CHANNEL) and most input channel functions (all functions except the create and delete operations) check the current value for input channel status before proceeding. You can use the SWIFTNet Monitor to view the status of the input channels. The following are the possible input channel status values and their description:

Input Channel Status	Description
OPENING	This status occurs when the SWIFTNet Client service attempts to open the input channel. When this status appears, no other opening requests (for the same input channel name) are allowed. If the client is attempting to send the message, the message is saved locally. If there is a gap, the status will be updated to OPEN_SYNC. If there is no gap but there are any local messages that have not been sent, the status is updated to LOCAL and the Resend Message function is disabled. When all gaps are resolved, the status is updated to OPEN.
OPEN_SYNC	This status occurs when SWIFT indicates that there is a gap that must be resolved by resending previously unacknowledged messages. Only the Resend Message function is allowed to operate at this time. If the client is trying to send the message, the message is saved locally during this time. After all gaps are resolved, if there are local messages, the status will be updated to LOCAL. If there are no local messages, the status is updated to OPEN.
OPEN	This status occurs when the input channel is open and all gaps have been resolved. This status also occurs when there are no local messages that have not been sent. Both the Send Message and Resend Message functions are allowed to send messages within the allocated window size. If the window size has reached zero, the status is updated to SYNC.
SYNC	This status occurs when the window size has reached zero and it is time for synchronization to occur. At this point, the resend handler resends any previous messages that have not been acknowledged and holds all new messages locally. Only the Resend Message function is allowed to operate at this time. If the client is trying to send a new message, the message is saved locally. After all gaps are resolved, if there are local messages, the status will be updated to LOCAL. If there are no local messages, the status is updated to OPEN.

Input Channel Status	Description
LOCAL	This status occurs when after the gaps are all resolved (after the OPEN_SYNC or SYNC statuses have occurred), but there are new messages in local processing that have not sent. Only the Resend Message function is allowed to operate at this time. If the client is trying to send a new message, the message is saved locally. Then, if there are no other local messages, the status is changed to OPEN. However, if the window size reaches zero during this time, the status is first changed to SYNC.
CLOSE_SYNC	This status occurs when the SWIFTNet Client service is attempting to close the input channel (using a manual close) but there are gaps (messages that have not been acknowledged) in the Input Channel. Therefore, the status is updated to CLOSE_SYNC to resolve the gaps before closing. Only the Resend Message function is allowed to operate at this time. If the client is trying to send the message, the message is saved locally. When all gaps are resolved, the SWIFTNet Client service sends a Close Input Channel Request and the status is updated to CLOSING. When the CLOSING completes successfully, the status is updated to CLOSED.
CLOSE_DOWN	This status occurs when the user is attempting to disable the SWIFTNet Server adapter. If there is a gap in the Input Channel, that gap is resolved before the SWIFTNet Server adapter is disabled. Only the Resend Message function is allowed to operate at this time. If the client is trying to send the message, the message is saved locally. When all gaps are resolved, the SWIFTNet Client service sends a Close Input Channel Request (and the status is updated to CLOSING). When the CLOSING completes successfully, the status is updated to CLOSED and the SWIFTNet Server adapter is disabled.
CLOSING	This status occurs when the SWIFTNet Client service is attempting to close the input channel. When this status appears, no other closing requests (for the same input channel name) are allowed. If the client is trying to send the message, the message is saved locally and the Resend Message function is disabled. When all gaps are resolved, the status is updated to CLOSED.
CLOSED	This status occurs when the input channel is closed. If the client is trying to send the message, the message is saved locally and the Resend Message function is disabled.
LOCKED	This status occurs when there is an error during the opening or closing of the input channel, or an error during a message send because the SWIFTNET MCFG Server or SAG is down.

Monitoring the Input Channels

To monitor the status of the input channels:

1. Select **Operations > SWIFTNet Monitor**.
2. To automatically refresh the display, select the **Automatically refresh every 15 seconds** option.
3. Click the Monitor Input Channel link to display the status of the input channels.

Note: The status is only populated after you configure the SWIFTNet Server Adapter and start it.

Configuring the Application Components to Use the Input Channel

You must configure the following three application components to use the input channel:

- ◆ SWIFTNet Server Adapter
- ◆ Resend Scheduler

- ◆ SWIFTNet Client Service (including configuring a predefined business process to create a new input channel)

Although the Resend Scheduler configuration is part of configuring the SWIFTNet Server adapter, we discuss it separately here to show its importance during the input channel operation.

Configuring the SWIFTNet Server Adapter and Resend Scheduler

To configure the SWIFTNet Server adapter to use the input channel:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet Server adapter or select it from the list and click **Go!**.
3. Click **Edit**.
4. Specify field settings in the Admin Console.

Note: Specify failover processing to ensure that failover is supported if a SAG connection fails by configuring **Active-Active Configuration**. The business entities (accessible through the Business Entities wizard as part of the SWIFTNet Client adapter configuration) are shared by both RA1 and RA2. The Business Entities wizard enables you to add multiple entities.

Field	Description
Name	Unique and meaningful name for the service configuration. Required.
Description	Meaningful description for the service configuration, for reference purposes. Required.
Select a Group	<p>Select one of the options:</p> <ul style="list-style-type: none"> ◆ None – Do not include the configuration in a service group at this time. ◆ Create New Group – Enter a unique name for a new group, which will be created with this configuration. (You can then add other services to the group as well.) ◆ Select Group – If service groups already exist for this service type, they are displayed in the list. Select a group from the list. <p>Note: Only select group if this adapter is clustered in a group. See <i>Managing Services and Services</i>.</p>
GIS Server IP	<p>The callback IP of the application for the SWIFTNet MEFN Server. Required.</p> <p>Note: The default value is the IP address of the machine where the application is installed.</p>

Field	Description
GIS HTTP Server Adapter Port	<p>This is the listening port for the SWIFTNet HTTP Server Adapter. Required. The default populated value is the instance port number of the application instance plus 53. For example, if the application instance port is 34600, the listening port populated by default is 34653.</p> <p>Note: The HTTP Server adapter functions between the SWIFTNet Client adapter and the SWIFTNet MEFG Server. For an SSL connection, this value should be server name because the certificate is made with the server name.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
MEFG SWIFTNet IP	The IP address of the SWIFTNet MEFG Server. Required.
MEFG SWIFTNet Port	The port of the SWIFTNet MEFG Server. Required.
CLA2Client Listening Port	<p>The listening port used by the client command adapter (CLA2Client) running along the SWIFTNet MEFG Server. Required.</p> <p>Note: This port listens for requests to start and stop the SWIFTNet MEFG Server.</p>
MEFG SWIFTNet Home	The home directory of the SWIFTNet MEFG Server. Required.
Use SSL	<p>Whether to enable Secure Socket Layer (SSL) over HTTP communication between the application and the SWIFTNet MEFG Server. Valid values are False (default) and True. Select True to use SSL with an Input Channel.</p> <p>Note: When you select True, the SSL Details page is displayed. This page allows you to configure the SSL configuration for the Resend Scheduler and you must configure the parameters on this page. This is the client component and it requires client configuration, so you must configure SSL for the SWIFTNet Server adapter exactly the same as you configure for the SWIFTNet Client service. The duplicate configuration is necessary because the Resend Scheduler must be linked to a specific instance of the SWIFTNet Server adapter.</p>
Cipher Strength	<p>Specifies the strength of the algorithms (cipher suites) used to encrypt data. Valid values are:</p> <ul style="list-style-type: none"> ◆ STRONG - Required if Use SSL is Must ◆ ALL - All cipher strengths are supported ◆ WEAK - Often required for international trade, because government regulations prohibit STRONG encryption from being exported <p>Default is ALL. Required if SSL is checked.</p>
CA Certificate	Move one or more CA Certificates to the use column. These are the digital security certificates that the SSL server will use to authenticate the client. Required if SSL is selected.

Field	Description
Message Partner Client Name	<p>The client message partner name that the SNL server application recognizes for the SWIFTNet MEFG Server client application.</p> <p>Note: The Message Partner Client Name must correspond to the Application Interface Message Partner that is defined on the SAG as the client interface for the SWIFTNet MEFG Server.</p>
Message Partner Server Name	<p>The server message partner name that the SNL server application recognizes for the SWIFTNet MEFG Server server application.</p> <p>Note: The Message Partner Server Name must correspond to the Application Interface Message Partner that is defined on the SAG as the client interface for the SWIFTNet MEFG Server.</p>
Delivery Notification	<p>Determines whether the server requests a delivery notification when a business partner is downloading. Possible values are True and False (default). Required.</p>
Delivery Notification Request Type	<p>The request type of the delivery notification is the value GIS SWIFTNet Server uses in the response after getting a request from a remote client. Required.</p>
Active-Active Configuration	<p>Enables you to set up active-active configuration using two separate instances of the Remote API (RA), RA1 and RA2. Each RA should be configured to point to a different SAG to support failover processing. Possible values are True and False (default). Required.</p> <p>Note: This parameter specifies whether to support failover if one SAG fails. When this parameter is set to True, you are presented with parameters for both an RA1 Profile and an RA2 Profile.</p> <p>When you are operating in an environment with multiple SAGs configured in active-active mode, setting this parameter enables you to define an alternate RA connection to a secondary SAG for failover support.</p>
SNL Endpoint (for Store and Forward only)	<p>The SNL endpoint used to receive data from SnF queues (for example, <code>snl_sft</code>). Optional—complete only if using store and forward processing.</p> <p>Note: You must define endpoints on the SAG to route the InterAct messages to the correct application interface. If you are using store-and-forward, an extra endpoint is required to route messages coming from the store-and-forward queue (you can use the default endpoint for store-and-forward, <code>snl_sft</code>).</p>
SnF Monitoring Interval (in seconds)	<p>The store and forward monitoring interval (in seconds). Optional.</p> <p>Note: This parameter enables you to indicate the interval that you want the SWIFTNet MEFG Server to check on the queue status. The SWIFTNet MEFG Server sets a timer to send the <code>GetSnFStatusRequest</code> message based on the value you enter.</p> <p>Note: This feature is not supported in VMWare due to the manner in which VMWare delivers timer interrupts. You will need to disable this feature if you notice a slow down/delay in your system.</p>
Return Signature List	<p>Whether you want your own signature returned. Valid values are False (default, which indicates that normal Crypto is used) and True. Optional for T-Copy and Y-Copy implementation.</p>

Field	Description
Use Input Channel (for InterAct Store and Forward only)	<p>Whether to use the input channel with this adapter. Valid values are False (default) and True. You do not have to select True if you just want to create a new input channel. Required.</p> <p>Note: Used for InterAct store-and-forward only. If you configure this parameter, the SWIFTNet MEFG Server opens the Input Channel automatically during the startup (when the SWIFTNet Server Adapter is enabled). This Input Channel remains open until the SWIFTNet MEFG Server is shut down (or the SWIFTNet Server Adapter is disabled). During this time, you still have an option to send message using the input channel or without the input channel. All you need to do is to indicate this by using this parameter in SWIFTNet Client service.</p>
SWIFTNet RA	<p>The absolute path of the RA1 installation directory for RA1 SWIFTNet. Required. For example, <code>/SWIFTAlliance/RA</code>.</p> <p>Note: This parameter specifies where to pick up the remote API and execute to SAG.</p>
Config	<p>The relative path of the RA1 instance configuration directory (relative to the RA installation directory). Required. For example, <code>RA1/cfg</code>.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Bin	<p>This is added to the PATH environment variable to contain the SWIFTNet MEFG Server binaries. Possible value is bin. Required.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Lib	<p>This is added to the library path environment variable. Possible value is lib. Required.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>

Field	Description
Category	<p>This is the category of RA . Possible values are:</p> <ul style="list-style-type: none"> ◆ RA (SNL facade library to access an SAG) ◆ SNL (a native SNL interface) ◆ DEFAULT (default set for the RA1 instance) <p>Required.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Delivery Responder DN	<p>The distinguished name of the responder to which delivery notifications requested by the sender are sent. Optional.</p> <p>Note: If left blank, Delivery Notifications requested by the server are sent to the responder indicated in the message; otherwise, it is sent to this responder</p>
Delivery Notification	<p>Determines whether the RA1 server is handling a delivery notification. Possible values are True and False (default). Optional. This is used for a FileAct get.</p>
Delivery Notification DN	<p>Distinguished name of the responder of the delivery notification. Optional.</p>
Request Type of Del. Notifn	<p>Request type of the delivery notification. This is used for a FileAct Get. Required.</p>
Send Del. Notifn before Backend Processing	<p>Indicates if the server will send a delivery notification before the internal process is executed. Required.</p>
Event Status Tracking	<p>Indicates if the server requires all the FileAct Event statuses to be returned. Valid values are:</p> <ul style="list-style-type: none"> ◆ Minimal (only Completed, Rejected, Duplicated statuses will be returned) ◆ Full (all statuses are returned) <p>Required.</p>
SWIFTNet RA	<p>The absolute path of the RA2 installation directory for RA2 SWIFTNet. Required (based on Active-Active configuration). For example, /SWIFTAlliance/RA.</p> <p>Note: This parameter is only displayed if Active-Active Configuration is set to True.</p>
Config	<p>The relative path of the RA2 instance configuration directory (relative to the RA2 installation directory). Required (based on Active-Active configuration). For example, /RA2/cfg.</p> <p>Note: This parameter is only displayed if Active-Active Configuration is set to True.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>

Field	Description
Bin	<p>This is added to the PATH environment variable to contain the SWIFTNet MCFG Server binaries. Required (based on Active-Active configuration).</p> <p>Note: This parameter is only displayed if Active-Active Configuration is set to True.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Lib	<p>This is added to the library path environment variable. Required (based on Active-Active configuration).</p> <p>Note: This parameter is only displayed if Active-Active Configuration is set to True.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Category	<p>This is the category of RA2. Possible values are:</p> <ul style="list-style-type: none"> ◆ RA (SNL facade library to access an SAG) ◆ SNL (a native SNL interface) ◆ DEFAULT (default set for the RA1 instance) <p>Required (based on Active-Active configuration).</p> <p>Note: This parameter is only displayed if Active-Active Configuration is set to True.</p> <p>Note: If you are using the SWIFTNet Server adapter in your current installation, prior to installing a new version of the Standards Library, you need to note the value you have configured for this parameter. This parameter may be overwritten during the upgrade process (replaced with the default value). If this parameter is overwritten, you need to restore it to the original value after the upgrade process is complete.</p>
Delivery Responder DN	<p>The responder to which delivery notifications requested by the sender are sent. Required (based on activeActive configuration).</p> <p>Note: If left blank, Delivery Notifications requested by the server are sent to the responder indicated in the message; otherwise, it is sent to this responder</p> <p>Note: This parameter is only displayed if activeActive Configuration is set to True.</p>
Delivery Notification	<p>Determines whether the RA2 server is handling a delivery notification. Possible values are True and False (default). Optional. This is used for a FileAct get.</p>
Delivery Notification DN	<p>Distinguished name of the responder of the delivery notification. Optional.</p>
Request Type of Del. Notifn	<p>Request type of the delivery notification. This is used for a FileAct Get. Required.</p>
Send Del. Notifn before Backend Processing	<p>Indicates if the server will send a delivery notification before the internal process is executed. Required.</p>

Field	Description
Event Status Tracking	<p>Indicates if the server requires all the FileAct Event statuses to be returned. Valid values are:</p> <ul style="list-style-type: none"> ◆ Minimal (only Completed, Rejected, Duplicated statuses will be returned) ◆ Full (all statuses are returned) <p>Required.</p>
Input Channel Name	The name of the input channel. Required only if you specified True for Use Input Channel .
Authoriser DN	The authorized distinguished name that will be used to open the input channel. Required only if you specified True for Use Input Channel .
Force Open the Input Channel	Whether to force open the input channel or use normal mode. Valid values are False (use normal mode, which is the default) and True (force the input channel). Required only if you specified True for Use Input Channel .
Max. Resend Attempts	The maximum number of resend attempts allowed before the application automatically sends a Resolve Gap request to SWIFT. The default is 3. Required only if you specified True for Use Input Channel .
Run As User	<p>Identify a user who has permission to run the scheduled activity. You can type the user ID, click the button to select the user ID from the list, and click Save.</p> <p>Note: You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.</p>
Use 24 Hour Clock Display	<p>By default, the scheduling wizard displays times using a 12-hour clock (which designates the time in hours as a.m. or p.m.). Use this option to display times using a 24-hour clock.</p> <p>Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.</p>
Do not use schedule	<p>Removes all references to a schedule from the service. If you select this option, you cannot enable the schedule in the future. You must recreate the schedule instead. Use this option only when you do not need a schedule for the service. This is the default option.</p> <p>Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.</p>
Run based on timer	<p>Run the service at a certain time or time interval, such as every 2 hours.</p> <p>Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.</p>
Select Time	<p>Type the time at which you want the Resend Scheduler to run.</p> <p>Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.</p>

Field	Description
Run daily	Run the service one or more times every day. Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.
Run based on days of the week	Run the service on certain days of the week, such as every Monday. Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.
Run based on days of the month	Run the service on certain days of the month, such as the 1st or 15th of every month. Note: We recommend that you set the Resend Scheduler to Run based on timer and set it for one minute under normal usage (that is, every one minute). You must configure the parameters on the Schedule Type page for the Resend Scheduler to work correctly.
Schedule Exclusions	Allows you to add any schedule anomalies (when the Resend Scheduler should not run). Note: We recommend you leave this parameter blank (that is, do not create any schedule exclusions).
Date Exclusions	Allows you to add any date anomalies (any date on which the Resend Scheduler should not run). Note: We recommend you leave this parameter blank (that is, do not create any date exclusions).
New Business Entity	Click add to create a new business entity or click edit to modify an existing entity. Note: You must have at least one business entity created to proceed.
Entity	Identifies the security context to be used. For the client, the business entity is the requester. For the server, the business entity is the responder. Required for each configured entity to access a proprietary SWIFTNet PKI certificate to set up a valid security context. Note: This is the distinguished name created by SWIFT. This parameter is only displayed if you edit an existing Business Entity or add a new Business Entity. The business entities are shared by both the RA1 and RA2 profiles.
Userld	The user identifier for this business entity (to log in to SWIFTNet). Required for each configured entity. Note: The UserName is created in SAG (in the Users Module) and must also have a certificate created for it in the SAG. This parameter is only displayed if you edit an existing Business Entity or add a new Business Entity.
Password	The user password for this business entity (to log in to SWIFTNet). Required for each configured entity. Note: This password is automatically encrypted. This parameter is only displayed if you edit an existing Business Entity or add a new Business Entity.
Delivery Notification	Overrides the global delivery notification parameter. Required for each configured RA (RA1 or RA2). This parameter is not necessary unless there are multiple security contexts. Valid values are True and False (default). Required.

Field	Description
Delivery Notification Request Type	Overrides the global delivery notification parameter. Required for each configured RA (RA1 or RA2). This parameter is not necessary unless there are multiple security contexts. Optional.
Message Queue	The name of the store and forward queue from which to receive messages. Required in Store and Forward mode.
Notification Queue	The Name of the store-and-forward queue to retrieve delivery notifications (optional; if empty, same as Message Queue). Required in Store and Forward mode.
Acquire queue by force	Whether to acquire the queue by force. Valid values are False (default) and True. Required.
Use Default Delivery Notification	Indicates whether to use the default delivery notification configuration on the RA1 page. Required.
Delivery Notification (Del. Notifn)	Indicates whether the sender asked the receiver to send a delivery notification. Optional. Valid values are True (default) or False. Note: This parameter is only available when Use Default Delivery Notification is not selected.
Request Type of Del. Notifn	If Delivery Notification (Del. Notifn) is set to True, the value of this parameter is used to request a specific delivery notification message from the remote receiving server application when it returns the delivery notification. Optional. Note: This parameter is only available when Use Default Delivery Notification is not selected.
Reception Directory	The full directory path where the file is received and stored during FileAct Put mode. Required for FileAct. Optional.
Download Directory	The full directory path where the file is picked up and sent to the requestor during FileAct Get mode. Required for FileAct. Optional.
Success Directory	The full directory path that must be specified when using the FileAct #OLDEST_FILE feature. Required for FileAct. Optional.

5. After configuring the SWIFTNet Server adapter in the Admin Console, click the **Enable Service for Business Process** check box on the Confirm page to enable the instance.
6. Once the SWIFTNet Server adapter is configured and saved, click the **Enabled** check box on the Services Configuration page. This starts the SWIFTNet MEFG Server. You should wait to ensure that the SWIFTNet MEFG Server starts.
7. On the Confirm page, verify that the **Enable Service for Business Processes** check box is selected to enable the adapter instance.

Configuring the SWIFTNet Client Service

To configure the SWIFTNet Client service to be used in conjunction with an input channel:

1. Select **Deployment > Services > Configuration**.
2. Search for SWIFTNet Client service or select it from the list and click **Go!**
3. Click **Edit**.

4. Specify field settings in the Admin Console.

Note: Each instance of the SWIFTNet Client service is configured for a pair of requestor/responder DNs and the SWIFTNet Client service name.

Field	Description
Name	Unique and meaningful name for the service configuration. Required.
Description	Meaningful description for the service configuration, for reference purposes. Required.
Select a Group	Select one of the options: <ul style="list-style-type: none"> ◆ None – Do not include the configuration in a service group at this time. ◆ Create New Group – Enter a unique name for a new group, which will be created with this configuration. (You can then add other services to the group as well.) ◆ Select Group – If service groups already exist for this service type, they are displayed in the list. Select a group from the list. <p>Note: See <i>Managing Services and Services</i>.</p>
SWIFTNet Interface	SWIFTNet message type. Valid values are InterAct or FileAct . Required.
Store and Forward	Indicates if the file transfer is done using the store-and-forward method. Valid values are True (use Store-and-Forward) and False (default—do not use Store-and-Forward). Required. BPML element value is SnF .
SWIFTNet Operation	The SWIFTNet operation to send an InterAct or FileAct message. Possible values are: <ul style="list-style-type: none"> ◆ Synchronous (default)—InterAct ◆ Asynchronous—InterAct ◆ Put—FileAct (default) ◆ Get—FileAct <p>Required. BPML element value is sync (default) or async for InterAct, or Put or Get for FileAct.</p>
Requestor DN	Distinguished name of the requestor. Required. BPML element value is requestorDN . Note: This DN must be registered with the SAG instance using SWIFTNet Alliance Webstation.
Responder DN	Distinguished name of the responder. Required. BPML element value is responderDN . Note: This DN must be registered with the SAG instance using SWIFTNet Alliance Webstation.
Service Name	Name of the service to which both SWIFT correspondents have subscribed. Required. BPML element value is serviceName . Note: This must be a SWIFTNet service to which you are subscribed.
Authoriser DN	The distinguished name of the authorizing party. Optional.

Field	Description
This service allows Third Party Copy	<p>Whether this service uses T-Copy or Y-Copy (check your service agreement with SWIFT). Only available for FileAct store-and-forward. BPML element value is thirdPartyCopy. Valid values are TRUE or FALSE.</p> <p>This parameter is displayed only if you selected File Act and True for Store and Forward on SWIFTNet Client Service Interface page.</p> <p>Note: If the Copy Mode is Y-Copy, the application sends an authorization message, which is like sending an Interact store-and-forward request. The SWIFTNet Client service is used, but you must set the This service allows Third Party Copy parameter to TRUE, and provide the authorization decision (either Authorised or Refused) for the AuthDecision parameter.</p>
Request for Third Party Copy	<p>Whether you are requesting third party copy. When the Copy feature is defined as Optional in the service agreement, you can choose whether you want the Third Party Copy to occur. BPML element value is copyIndicator. Valid values are TRUE or FALSE. Displayed only if you select True for This service allows Third Party Copy.</p> <p>Note: This parameter is displayed only if you selected True for This service allows Third Party Copy.</p>
Request for Notification from Third Party	<p>In T-Copy mode, this setting is not applicable, the value should always be set to FALSE.</p> <p>In Y-Copy mode, when the Authorisation Notification Indicator feature is available and defined as Optional in the service agreement, you can choose whether you want to receive the Authorisation Notification messages. BPML element value is authNotifIndicator. Valid values are TRUE or FALSE. Displayed only if you selected True for This service allows Third Party Copy.</p> <p>Note: This parameter is displayed only if you selected True for This service allows Third Party Copy.</p>
Request Type	<p>Request type supported by the message exchange. Optional for InterAct and required for FileAct in SWIFTNet 6.0. BPML element value is requestType.</p> <p>Note: In SWIFTNet 6.0 FileAct the format convention is as follows:</p> <pre><business_area>.<type_of_syntax>.<detailed_syntax_and_format></pre> <p>This format starts with a four-character business area code, followed by a period (dot), followed by a three-character code that designates the type of syntax (which can be <nnn> , FIN, or xxx), followed by another period (dot), and then followed by a more detailed indication of syntax and format.</p>
Request Reference	<p>User reference of the request. Optional. BPML element value is requestReference.</p>
Non Repudiation Required	<p>Indicates whether non-repudiation is required. Possible values are True (when enabled this means that trading partners cannot deny that they sent a request) or False (default—when enabled this indicates that non-repudiation is not required). Optional. BPML element value is nonRepudiation.</p>
Switch to SnF mode when real-time transmission failed	<p>Indicates whether you want to switch to store-and-forward mode if a real-time transmission (InterAct or a FileAct Put) has failed. Possible values are True or False (default). Required. BPML element value is switchToSnF.</p>
Store and Forward Service Name	<p>The name of the store-and-forward service. Required when Switch to SnF mode when real-time transmission failed is set to True. BPML element value is SnFServiceName.</p>

Field	Description
End-to-End Signature Required	<p>Whether an end-to-end signature is required. Valid values are False (default) and True. Optional.</p> <p>Note: You can use an end-to-end signature regardless of whether you are using non-repudiation (for example, for SWIFT SCORE messages).</p>
Number of Retries	<p>Number of retries to connect to SAG. Default value is 3. Optional. BPML element value is numOfRetries.</p>
Retry Delay (in seconds)	<p>Number of delays before the next retry. Default value is 60 (seconds). Optional. BPML element value is secInRetryDelay.</p>
Trace	<p>Trace for logging purposes in the SWIFTNet MEFG Server. Valid values are True and False (default). Required. BPML element value is trace.</p>
Use Signature List	<p>Whether to use a signature list. This enables you to select your own signatures. If you do not use a signature list then normal Crypto is used. Valid values are False and True. Required.</p> <p>Note: This parameter is displayed only if you selected True for End-to-End Signature Required.</p>
Return Signature List	<p>Whether to return a signature list. Valid values are False and True. Required.</p> <p>If you want a signature list returned, the SWIFTNet MEFG Server receives the requestor's own signature in the response message. This returned signature will be extracted and saved as a separate message. This message is stored in the database and is made available for Correlation search.</p> <p>Note: This parameter is displayed only if you selected True for End-to-End Signature Required.</p>
Use RND	<p>Whether to use RND (digest reference values that terminate on "and RND"). Valid values are False (default) and True. Required.</p> <p>Note: This parameter is displayed only if you selected True for End-to-End Signature Required.</p>
Delivery Notification (Del. Notifn)	<p>Indicates that the sender asked the receiver to send a delivery notification. Possible values are True or False (default). Optional. BPML element value is deliveryNotification.</p> <p>Note: This parameter is only displayed when you select True for Store and Forward or are performing a FileAct Put. If you are performing a Put operation, you can request the responder to send you a delivery notification and specify a different Delivery Notification DN and Request Type of Delivery Notification, if desired. If you are performing a Get operation, the responder can request Delivery Notification from the requestor after receiving the file. That setting for delivery notification is configured through the SWIFTNet Server adapter.</p>
Request Type of Delivery Notification	<p>Used to request a specific delivery notification message from the remote receiving server application when it returns the delivery notification (when Delivery Notification is set to True). Optional. BPML element value is requestTypeDelNotifn.</p> <p>Note: This parameter is only displayed when you select True for Store and Forward or a FileAct Put.</p>

Field	Description
Message Priority	Indicates priority handling in the queue for store-and-forward only. Valid values are Normal (default) and Urgent. Optional. BPML element value is messagePriority . Note: This value is used as a selection criterion when delivering messages from a queue, and in SWIFTNet FileAct to influence the pace of the FileAct flow.
Use Input Channel	Whether to use the input channel. Valid values are False (default) and True. Required. This parameter is displayed only if you selected True for Store and Forward and InterAct for SWIFTNet interface . Note: Used for InterAct store-and-forward only. Select True if you are using an input channel. If you configure this parameter, the SWIFTNet MEFG Server opens the Input Channel automatically during the startup (when the SWIFTNet Server Adapter is enabled). This Input Channel remains open until the SWIFTNet MEFG Server is shut down (or the SWIFTNet Server Adapter is disabled). During this time, you still have an option to send message using the input channel or without the input channel. All you need to do is to indicate this by using this parameter in SWIFTNet Client service.
MEFG SWIFTNet IP	The IP address for the SWIFTNet MEFG Server. Required.
MEFG SWIFTNet Port	The port for the SWIFTNet MEFG Server. Default is 80. Optional.
Response Timeout	The timeout interval (in seconds) in which a response must be received or the message operation fails. Optional. Default is 60 seconds.
Use SSL	Whether to enable Secure Socket Layer (SSL) over HTTP communication between the application and the SWIFTNet MEFG Server. Valid values are None and Must. Note: Regardless of the value you select for Use SSL , you must also update the business processes associated with the SWIFTNet Client service.
Cipher Strength	Indicates the strength of the cipher. Possible values are ALL (default), WEAK, and STRONG. Optional.
CA Certificate	The CA certificate of the SWIFTNet MEFG Server. Note: This is the public key certificate that must be configured to set up the outbound SSL channel. This page is only displayed if you set Use SSL to Must . Note: The SWIFTNet Client service Configuration page allows you to select the same CA Certificate for SSL processing a second time, and continues to allow additional selections of the same certificate in subsequent edits. If you have already selected a CA Certificate once for a configuration of the SWIFTNet Client service, do not select the same CA Certificate again, as this will result in an error when you execute the relevant business process.
Switch to SnF mode when real-time transmission failed	Whether to switch to store-and-forward mode when real-time transmission fails. Select True if you want to switch to Store and Forward mode when the real-time transmission (InterAct and FileAct Put) has failed. Valid values are True and False.
Physical Filename	Physical name of the file to send. Required if put or get is selected for the SWIFTNet Operation. BPML element value is physicalFilename .
Logical Filename	Logical name of the file to send. This name is communicated to the application SWIFTNet Server. By default, this name is the Physical Filename without the path. Optional. BPML element value is logicalFilename .
File Information	User information about the file transfer. Optional. BPML element value is fileInfo .

Field	Description
File Description	User description about the file transfer. Optional. BPML element value is fileDesc .

- On the Confirm page, verify that the **Enable Service for Business Processes** check box is selected.

Creating a New Input Channel

Each BIC8 that is subscribed to at least one service working in store-and-forward mode has a default/generic input channel that is automatically created by SWIFT. The number of input channels should be limited and most users only use the generic input channel because, for most users, the messaging interface uses the same input channel for all traffic for the different services and applications.

However, if you want to create an additional input channel, a sample business process is provided with the application.

Note: Any additional input channel may be subject to SWIFT charges, so please contact SWIFT to avoid any unexpected charges.

To create a new input channel, only need to enable the SWIFTNet Server adapter to start the SWIFTNet MCFG Server so it can forward the create request to SWIFT. You do not need to configure the SWIFTNet Server adapter to use the input channel.

This is the sample business process you can use to create a new input channel:

```
<process name="SWIFTNetCreateInputChannel">
  <sequence name="SWIFTNetCreateInputChannel">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*"></assign>
      </output>
      <input message="inmsg">
        <assign to="." from="*"></assign>
      </input>
    </operation>
    <!-- build Create request -->
    <operation>
      <participant name="SWIFTNetClientService"/>
      <output message="createInputChannelRequest">
        <assign to="." from="*"></assign>
        <assign to="authoriserDN">Put a value here</assign>
        <assign to="inputChannelName">Put a value here</assign>
      </output>
      <input message="inmsg">
        <assign to="." from="*"></assign>
      </input>
    </operation>
  </sequence>
</process>
```

To create an input channel:

1. Edit the sample business process, `SWIFTNetCreateInputChannel`, and supply the following parameters:
 - ◆ **authoriserDN**, which must have at least one RBAC role for store-and-forward.
 - ◆ **inputChannelName**, which must be composed of the following:


```
inputChannelName = domain "_" component ["!" environment]
```

The domain identifies the institution, (that is, the BIC-8 in lowercase text). The component allows identification of different input channels for a specified BIC-8, and you can choose this part of the name. The environment identifies whether the queue is used on ITB, Pilot, or Live, and uses the same naming conventions as the service name.

Input channel names are always in lowercase text (for example, `bankus33_system2!x`).
2. After you have finished editing, save the business process.
3. Configure the SWIFTNet Client service and the SWIFTNet Server adapter. You do not have to configure the SWIFTNet Server adapter to use the input channel; instead, you can select **False** for **Use Input Channel**.
4. Enable the SWIFTNet Server adapter, which starts the SWIFTNet MEFG Server. Wait to ensure that the SWIFTNet MEFG Server is started.
5. Execute the `SWIFTNetCreateInputChannel` business process to send the Create Input Channel request.
6. Monitor the execution of the business process. If it is successful, you have successfully created your new input channel. To start using your new input channel, you must configure the SWIFTNet Server adapter to use the new input channel name you just created and you must restart the SWIFTNet Server adapter for the change to occur.

Deleting an Existing Input Channel

Once you delete an input channel, you cannot use it. Therefore, you must be careful when you want to delete an input channel because all the message history for the input channel must have already expired. We recommend that you carefully assess whether an input channels might still be in use before deleting it.

Note: The default/generic input channel cannot be deleted.

To delete a new input channel, you do not need to configure the SWIFTNet Server adapter to use the input channel. You just need to enable the SWIFTNet Server adapter to start the SWIFTNet MEFG Server so it can forward the delete request to SWIFT.

This is the sample business process to delete an existing input channel:

```
<process name="SWIFTNetDeleteInputChannel">
  <sequence name="SWIFTNetDeleteInputChannel">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*"></assign>
      </output>
      <input message="inmsg">
        <assign to="." from="*"></assign>
      </input>
    </operation>
  </sequence>
</process>
```

```

</operation>
<!-- build Delete request -->
<!-- WARNING NOTE -->
<!-- Once deleted, the input channel cannot be re-created or used anymore -->
<operation>
  <participant name="SWIFTNetClientService"/>
  <output message="deleteInputChannelRequest">
    <assign to="." from="*"></assign>
    <assign to="authoriserDN">Put a value here</assign>
    <assign to="inputChannelName">Put a value here</assign>
  </output>
  <input message="inmsg">
    <assign to="." from="*"></assign>
  </input>
</operation>
</sequence>
</process>

```

To delete an input channel:

1. Edit the sample business process, SWIFTNetDeleteInputChannel, and supply the following parameters:
 - ◆ **authoriserDN**, which must have at least one RBAC role for store-and-forward.
 - ◆ **inputChannelName**, which must be the existing input channel name.
2. After you have finished editing, save the business process.
3. Configure the SWIFTNet Client service and the SWIFTNet Server adapter. You do not have to configure the SWIFTNet Server adapter to use the input channel; instead, you can select **False** for **Use Input Channel**.
4. Enable the SWIFTNet Server adapter, which starts the SWIFTNet MEFG Server. Wait to ensure that the SWIFTNet MEFG Server is started.
5. Execute the SWIFTNetDeleteInputChannel business process to send the Delete Input Channel request.
6. Monitor the execution of the business process. If it is successful, you have successfully deleted the new input channel.

Opening an Input Channel

You can either open an input channel automatically or manually.

Automatically Opening an Input Channel

The SWIFTNet Server adapter allows you to configure an input channel to be opened when the adapter is enabled.

To open an input channel automatically:

1. Configure the SWIFTNet Server adapter to use the input channel. See *Configuring the SWIFTNet Server Adapter and Resend Scheduler* on page 214 for more information.
2. Enable the SWIFTNet Server adapter.

3. Access the Current Process page from the **Administration** menu by selecting **Business Processes > Current Processes** so you can monitor the business process execution. The SWIFTNet MEFG Server triggers a callback to the application which eventually bootstraps the predefined SWIFTNetOpenInputChannel business process to open the input channel. When both the SWIFTNetOpenInputChannel business process and the handleSWIFTNetOpenInputChannel business process have completed successfully, the input channel has been successfully opened. If an error occurs, you should check the input channel configuration in the SWIFTNet Server adapter.

Once the input channel is open, you can send message using this input channel. The resend scheduler works automatically in the background until the SWIFTNet Server adapter is disabled.

Manually Opening an Input Channel

You can open the input channel manually if you create and invoke a business process similar to the SWIFTNetOpenInputChannel business process.

Caution: Do not modify the SWIFTNetOpenInputChannel business process because that may affect your ability to automatically open an input channel.

The business process you will need to create must rely on the input channel configuration in the SWIFTNet Server adapter and you must have already configured this adapter with the appropriate input channel settings.

Note: This manual operation will not function if the SWIFTNet Server adapter is not configured with the correct input channel settings or the adapter is not enabled.

You may want to manually open an input channel in these circumstances:

- ◆ When automatically opening the input channel fails because there is a gap in the channel (that is, the channel was not closed properly) and the SWIFTNet Server adapter was configured to open in Normal mode, which will cause the open request to fail because it will need to be opened in Force mode. To resolve this issue, you can manually invoke the SWIFTNetManualOpenInputChannel business process (see example below) with the Force mode equal to TRUE.
- ◆ When the SWIFTNet Client service encounters an error when sending a message using the input channel, and this sets the status to LOCKED. To resolve this issue, you can manually invoke the SWIFTNetManualOpenInputChannel business process (see example below) with the Force mode equal to TRUE.
- ◆ When you close the input channel manually and need to open the input channel again. In this situation you can manually invoke the SWIFTNetManualOpenInputChannel business process (see example below) with the Force mode equal to FALSE.

This is the sample SWIFTNetManualOpenInputChannel business process to open an input channel manually:

```
<process name="SWIFTNetManualOpenInputChannel">
  <sequence name="SWIFTNetManualOpenInputChannel">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
    <input message="inmsg">
      <assign to="." from="*" />
    </input>
  </sequence>
</process>
```

```

        </input>
    </operation>
    <!-- build Open request -->
    <operation name="Service">
        <participant name="SWIFTNetClientService"/>
        <output message="openInputChannelRequest">
            <assign to="." from="*" />
            <assign to="forceOpen">TRUE</assign>
            <assign to="serverAdapterName">SWIFTNetServerAdapter</assign>
        </output>
        <input message="inmsg">
            <assign to="." from="*" />
        </input>
    </operation>
</sequence>
</process>

```

You can supply values for the `forceOpen` parameter (this is an optional parameter and the default value is `FALSE`) and the `serverAdapterName` parameter (this is an optional parameter and the default value is `SWIFTNetServerAdapter`) in the business process above. The `forceOpen` parameter indicates whether to open in Force mode (if set to `TRUE`) and the `serverAdapterName` parameter indicates where to get the input channel configuration from (from which instance of the SWIFTNet Server adapter). If you are using the default SWIFTNet Server adapter, you do not need to specify this parameter.

Note: The adapter must be enabled when you execute this business process.

To open an input channel manually:

1. Configure and enable the SWIFTNet Server adapter.
2. Create a new business process based on the example above and name it `SWIFTNetManualOpenInputChannel`.
3. Supply the following parameters in the business process:
 - ♦ **forceOpen**, which indicates whether to open in Force mode (if set to `TRUE`). This is an optional parameter and the default value is `FALSE`.
 - ♦ **serverAdapterName**, which indicates where to get the input channel configuration from (from which instance of the SWIFTNet Server adapter). If you are using the default SWIFTNet Server adapter, you do not need to specify this parameter. This is an optional parameter and the default value is `SWIFTNetServerAdapter`.
4. After you have finished editing, save the business process.
5. Execute the business process you created, `SWIFTNetManualOpenInputChannel`, to send the Open Input Channel request.
6. If the business process successfully completes, the input channel has been opened successfully. If an error occurs, you should check the input channel configuration in the SWIFTNet Server adapter.

Once the input channel is open, you can send messages using this input channel. The resend scheduler should work automatically in the background until the SWIFTNet Server adapter is disabled.

Closing the Input Channel

You can either close the input channel automatically or manually.

Automatically Closing the Input Channel

The SWIFTNet Server adapter allows the input channel to be closed when the adapter is disabled.

To close an input channel automatically:

1. Disable the SWIFTNet Server adapter and check the message shown on the Service Configuration page. The message will depend on the current input channel status. For example, if the message indicates that the status is OPEN and will be disabled automatically after any gaps are resolved, this means the adapter delayed the shutdown process to ensure that any gaps in the input channel are resolved and all current messages receive their acknowledgements. The resend scheduler automatically handles the synchronization during this closing process. Once all gaps are resolved, the resend handler invokes the predefined SWIFTNetCloseInputChannel business process to close the channel.
2. You can monitor the Current Process page if you wish. Access the Current Process page from the **Administration** menu by selecting **Business Processes > Current Processes** so you can monitor the business process execution.

When the business process completes successfully, the input channel is closed successfully, as well. If you see an error, you may need to check the error details and try to close the input channel manually.

Manually Closing the Input Channel

You can also close the input channel manually (that is, without shutting down the SWIFTNet Server adapter) by creating and invoking a business process similar to the SWIFTNetCloseInputChannel business process.

Caution: Do not modify the SWIFTNetCloseInputChannel business process because this may affect the automatic opening of the input channel.

The business process you create must rely on the input channel configuration in the SWIFTNet Server adapter and the adapter must be enabled with the appropriate input channel settings.

This is a sample business process to close an input channel manually:

```
<process name="SWIFTNetManualCloseInputChannel">
  <sequence name="SWIFTNetManualCloseInputChannel">
    <operation name="set user token">
      <participant name="SetUserToken"/>
      <output message="SetUserTokenMessage">
        <assign to="USER_TOKEN">admin</assign>
        <assign to="." from="*" />
      </output>
      <input message="inmsg">
        <assign to="." from="*" />
      </input>
    </operation>
    <!-- build Close request -->
    <operation name="Service">
      <participant name="SWIFTNetClientService"/>
    </operation>
  </sequence>
</process>
```



```

    <output message="closeInputChannelRequest">
      <assign to="." from="*" />
      <assign to="serverAdapterName">SWIFTNetServerAdapter</assign>
    </output>
    <input message="inmsg">
      <assign to="." from="*" />
    </input>
  </operation>
</sequence>
</process>

```

To close the input channel manually:

1. Configure (with the appropriate input channel settings) and enable the SWIFTNet Server adapter.
2. Create a new business process based on the example above and name it SWIFTNetManualCloseInputChannel.
3. Supply the following parameter in the business process: **serverAdapterName**, which indicates where to get the input channel configuration from (from which instance of the SWIFTNet Server adapter). If you are using the default SWIFTNet Server adapter, you do not need to specify this parameter. This is an optional parameter and the default value is SWIFTNetServerAdapter. This instance of the adapter must be enabled when you execute the business process.
4. After you have finished editing, save the business process.
5. Execute the business process you created, SWIFTNetManualCloseInputChannel, to send the Close Input Channel request.
6. If the business process successfully completes, the input channel has been closed successfully. If an error occurs, it may indicate that your request to close the input channel is pending until any gaps are resolved. If this occurs, the resend scheduler attempts to resolve any gaps and the input channel will be closed automatically once all gaps resolved. If you try to send message(s) while the resend scheduler is processing, the messages are stored on local processing. Once the channel is closed, if you need to open it again, see *Manually Opening an Input Channel* on page 230 for more information.

Sending an InterAct Message Using the Input Channel

Once the input channel is open, you can use the SWIFTNet Client service to send messages using the input channel.

Note: You can only use the input channel to send InterAct messages in store-and-forward mode.

To send an InterAct message using the input channel:

1. Configure the SWIFTNet Client Service (please refer to *Configuring the Application Components to Use the Input Channel* on page 213) to use the input channel. You must also be sure that the interface used is InterAct and store-and-forward mode.

Alternatively, you can pass the necessary parameter through the BPML. The following is a sample business process that you can use to send messages using the input channel:

```

<process name="SWIFTNet-IA-Sync-SnF-InputChannel">
  <sequence name="SWIFTNetClientService">
    <operation name="set user token">
      <participant name="SetUserToken" />
    </operation>
  </sequence>
</process>

```

```

    <output message="SetUserTokenMessage">
      <assign to="USER_TOKEN">admin</assign>
      <assign to="." from="*"></assign>
    </output>
    <input message="inmsg">
      <assign to="." from="*"></assign>
    </input>
  </operation>

  <operation>
    <participant name="SWIFTNetClientService"/>
    <output message="handleClientRequest">
      <assign to="." from="*"></assign>
      <assign to="interfaceMode">interact</assign>
      <assign to="swiftOp">sync</assign>
      <assign to="requestorDN">o=test,o=swift</assign>
      <assign to="responderDN">o=test,o=swift</assign>
      <assign to="serviceName">swift.generic.iast!x</assign>
      <assign to="SnF">TRUE</assign>
      <assign to="nonRepudiation">FALSE</assign>
      <assign to="deliveryNotification">TRUE</assign>
      <assign to="useInputChannel">TRUE</assign>
      <assign to="serverAdapterName">SWIFTNetServerAdapter</assign>
    </output>
    <input message="testing">
      <assign to="." from="*"></assign>
    </input>
  </operation>

</sequence>
</process>

```

The parameters used in the BPML are very similar to the parameters used to send messages in InterAct store-and-forward mode without using the input channel.

However, you need to assign a new parameter, **useInputChannel**, to **TRUE** if you want to use the input channel. You also can supply the `serverAdapterName` parameter (the parameter is optional and the default value is `SWIFTNetServerAdapter`). The `serverAdapterName` indicates from which instance of the SWIFTNet Server adapter the input channel configuration should be taken. If you are using the default SWIFTNet Server Adapter, you do not need to specify this parameter.

2. Configure the SWIFTNet Server Adapter (please refer to *Configuring the Application Components to Use the Input Channel* on page 213) to use the input channel.
3. Enable the SWIFTNet Server Adapter and monitor the Current Process page to verify that the input channel is successfully opened.
4. Execute the sample business process above (with the appropriate payload) to send the message using the input channel.

If an error occurs, the resend scheduler automatically resends the message. If the retry count has exceeded the maximum retry attempts setting in the SWIFTNet Server adapter, the resend scheduler automatically sends a Resolve Gap request to notify SWIFT to skip this sequence number and proceed with the subsequent number.

Document Tracking for SWIFTNet Transport

Overview

The document tracking support within the SWIFTNet Client service and SWIFTNet Server adapter provides you with a document-centric view of the whole process of SWIFTNet messaging. This gives you the ability to monitor the workflow not only from business process point of view, but also from the actual document point of view. In a single view, you can see how the document is transformed/translated from one form to another within the application, and how the request and response document correlate with each other.

To enable this feature, all the business processes that are related to the SWIFTNet workflow must have the Document Tracking option enabled when you check in or edit the business processes. To do so and enable the framework to track, select the **Document Tracking** check box on the Process Levels page. Set the following options as needed and leave the rest of the business process parameters as the defaults:

- ◆ On the **Deadline Settings** page, set the deadline and notification options, if necessary.
- ◆ On the **Life Span** page, set the life span, if necessary.

Monitoring the SWIFTNet Data Flow

The Data Flow Monitoring feature now enables you to view inbound and outbound SWIFTNet data flows. For both inbound and outbound, you can correlate and view the transformation of the selected document, and you can also see the SWIFTNet Message ID that is related to the document.

Note: Message ID is a unique identifier in SWIFTNet that is required to enable the user to discern duplicate documents—you can tell if a document is a duplicate of another document if the Message IDs of both documents are the same. The Message ID is extremely useful in enabling you to reconcile documents.

To perform an advanced search for SWIFTNet business process data flows:

1. From the **Business Process** menu, select **Monitor > Advanced Search > Data Flows**.

2. In the Business Process Monitor Data Flows page, specify any combination of the following search criteria, as appropriate:

Field	Description
Search	
Endpoint	The remote endpoint of the data flows to search for. Host name or IP address. Optional.
Direction	Direction of the data flows to search for. Optional. Valid values are: <ul style="list-style-type: none"> ◆ Inbound ◆ Outbound
Protocol	Protocol for the data flows to search for. Optional. Valid values are: <ul style="list-style-type: none"> ◆ AS2 ◆ HTTP ◆ FTP ◆ SFTP ◆ MBI ◆ Connect:Direct ◆ WebDAV ◆ SWIFTNet
Status	Current or final status of a data flow. Optional. Select one of the following options: <ul style="list-style-type: none"> ◆ Normal ◆ Error
Document Name	For data flows associated with a specific document, enter the document name. Optional.
Data Size	Range of size of the data transferred to search for. From/To in bytes, KB, MB, or GB. Optional.
DateRange	From – The beginning date and time for data flows to search for To – The end date and time for data flows to search for Note: Select the calendar icon to the right of the date to access calendar information. Optional.
Save search results values by using tag	Enter a string for use in repeating the search in another session. Required.

Field	Description
Results per page	Select how many results to display per page. Required. Valid values are: <ul style="list-style-type: none"> ◆ 10 ◆ 25 ◆ 50 ◆ 100 ◆ 200 ◆ 250 ◆ 400 ◆ 500 Default is 10.
List Directly	
By Data Flow ID	Type the data flow ID for which you want to search.

3. Click **Go!** The Monitor page opens, listing the business process data flows that match your search criteria.
4. Click the Root Document Name corresponding to the data flow you want to view. There are two different types of data flows:
 - ◆ If the Root Document Name is **SWIFTNetRequest**, it corresponds to an outbound data flow in which the application is acting as the client making a SWIFTNet request to the SWIFTNet Alliance Gateway (SAG).
 - ◆ If the Root Document Name is **PsHttpDocument_node_***, it corresponds to an inbound data flow in which the application is acting as the server processing the request from the client.

Monitoring the SWIFTNet Communication Session Records

The application creates communication session records for any associated authentication, authorization, file transfer, or non-file transfer records, even if a document is not transferred and no data flow record is created. For example, session data can include a user connecting to a mailbox using FTP, receiving messages, and then quitting the FTP session.

To view SWIFTNet communications sessions records:

1. From the **Administration** menu, select **Business Processes > Monitor > Advanced Search > Communication Sessions**.

Complete the fields using the following descriptions:

Field	Description
Endpoint	The remote endpoint of the communication sessions to search for. Host name or IP address. Optional.

Field	Description
Protocol	<p>Protocol for the communication sessions to search for. Optional. Valid values are:</p> <ul style="list-style-type: none"> ◆ AS2 ◆ HTTP ◆ FTP ◆ SFTP ◆ MBI ◆ Connect:Direct ◆ WebDAV ◆ SWIFTNet
Date Range	<p>From - The beginning date and time to search for communication sessions To - The end date and time to search for communication sessions Note: Select the calendar icon to the right of the date to access calendar information. Optional.</p>
Principal	Search for communication sessions associated with a Principal participant. Optional.
Secure Mode	<p>Search for communication sessions in a secure mode. Optional. Valid values are:</p> <ul style="list-style-type: none"> ◆ SSL ◆ CCC
Save search results values by using tag	Enter a string for use in repeating the search in another session. Required.
Results per page	<p>Select how many results to display per page. Required. Valid values are:</p> <ul style="list-style-type: none"> ◆ 10 ◆ 25 ◆ 50 ◆ 100 ◆ 200 ◆ 250 ◆ 400 ◆ 500 <p>Default is 10.</p>
List Directly	By Communication Session ID

SWIFT Editor

The application provides you with an online editing interface, the SWIFT Editor, which enables you to correct a SWIFT message (MT and MX) that was returned due to an error in translation (a validation check failed) or transmission (including a process failure such as a negative acknowledgement (NAK)). The application maintains a link between every SWIFT message that is returned for reprocessing and its historical predecessor, so there is a record of every rejected message all the way back to the initial submission, including references to each person that modified the message and the return code (error status and reason).

The SWIFT Editor contains a sidebar on the left side that provides useful information about the document history and error reports that includes the reasons for an error that occurred.

The SWIFT Editor also enables you to search through the applicable code lists quickly and easily through the Tools section in the SWIFT Editor, including the following:

- ◆ SWIFT_Addresses List
- ◆ SWIFT_BaseAddresses List
- ◆ SWIFT_IBANFormats Code List
- ◆ SWIFT_Currencies Code List
- ◆ SWIFT_Countries Code List
- ◆ SWIFT_BICPlusIBAN and BICPlusIBAN Code Lists
- ◆ SWIFT_SEPARouting Code List
- ◆ NISOLanguage Code List

The editing process requires two different roles (performed by two separate people), per the SWIFT guidelines. Your system administrator will add the appropriate permission (listed in the table below) to the user accounts for both roles to enable each role to perform properly.

Role	Description	Permission Assigned
Editor	This is the person who edits a SWIFT message.	SWIFT Message Edit
Reviewer	This is the person who submits modified messages to be resent.	SWIFT Message Resend

The combination of both roles provides the “four eyes” validation required by SWIFT.

The editing process is as follows:

1. An e-mail alert is sent to the configured address when an outbound translation has errors during FIN enveloping or when a NAK is received.
2. The Editor searches for the returned message through the EDI Correlations search (searching for messages with ReadyForEdit status), and displays the message in the SWIFT Editor.

3. After the Editor repairs the message (or verifies that it does not need repair) and saves it, a separate e-mail alert is sent to the address configured for the Reviewer (the person responsible for auditing the repair and resending the message).
4. The Reviewer receives the e-mail alert and audits the message (looking for messages with ReadyForResend status). The Reviewer accesses the SWIFT Editor in read-only mode. The error report specifies the original errors and the modified and/or added fields as links to their position in the document.
5. After reviewing a repair message, the Reviewer determines how to handle it. The Reviewer can:
 - ◆ Reject changes and mark the message for further edit.
 - ◆ Abort the repair process entirely.
 - ◆ Resend the message using the specified business process.

Editor Tasks

The Editor repairs and saves SWIFT messages that are returned or rejected because of translation or transmission errors.

The following caveats apply:

- ◆ The error report displayed in the SWIFT Editor when a Reviewer accesses a repaired document shows all errors and links them to their position in the SWIFT Editor.
- ◆ All groups and records can be collapsed and expanded as needed to focus viewing.
- ◆ Highlighting an error icon in the SWIFT Editor displays the error message for reference.
- ◆ The SWIFT Editor allows users to modify field values and add or delete instances of repeating groups and records.

Editing SWIFT Messages

To find messages in Ready to Edit status (Editor role task) so you can edit them:

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Monitor > Advanced Search > EDI Correlation**.
2. In the Search Options area, specify the following search criteria, as appropriate:

Field	Description	Action
All Level Options		
Location	EDI correlations maintained in a specific location.	Select Live Tables – Display live (active) EDI correlations.
Search Level Type	EDI processing level.	Select Transaction – For the search query, display results from the transaction level.

Field	Description	Action
Test Mode	Mode of the application system where documents that contain the EDI correlations were created.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ Test ◆ Production ◆ Information ◆ Interchange is a test ◆ Syntax only test ◆ Echo request ◆ Echo response Optional.
Direction	Flow of the documents that contain the EDI correlations.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ Inbound ◆ Outbound Optional.
Sender ID	ID for the organization that is sending documents.	Type the identifier of the sender. Optional.
Receiver ID	ID for the receiving organization.	Type the identifier of the receiver. Optional.
Sender ID Qualifier	Qualifier used with the Sender ID to define the organization that is sending documents.	Type the qualifier of the sender. Optional.
Receiver ID Qualifier	Qualifier used with the Receiver ID for the receiving organization.	Type the qualifier of the receiver. Optional.
Start Date	Documents in progress or completed after the specified start date and time.	Using the following formats, type a starting date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours. Optional.
End Date	Documents in progress or completed before the specified end date and time.	Using the following formats, type an end date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours. Optional.
Transaction Level Options		

Field	Description	Action
Transaction Set ID	ID of the transaction set indicated in the document.	If desired, type the ID of the transaction set. Optional.
Compliance Status	Status of compliance checking at the transaction set level.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ OK ◆ NOT OK Optional.
Message Repair Status	Status of message repair (for SWIFT documents only).	Select ReadyForEdit status.

3. Click **Go!** to display the EDI correlation records that match your search criteria.
 4. For SWIFT documents, on the EDI Correlation Transaction Results page, click **info** in the Detail column for the document you want to edit or click the **View** icon to display the message in read-only mode. The Read Only dialog displays the business names and their associated components of data, as opposed to viewing the document to display the raw data of the SWIFT message. Click **Close** to exit the Read Only dialog.
 5. Next to Document Repair Status, select the **ReadyForEdit** link to access that message in the SWIFT Editor.
- Note:** The Document Repair Status is ReadyForEdit and is a link only if you have the necessary permission to access and edit the document in the SWIFT Editor. If you correct a failed document and save it, the status is changed to ReadyforResend and an e-mail is sent to the address specified in the enveloping.properties property file.
6. Review the errors in the Error Report (left side of the window), select each error link, and repair the error as necessary. This may include changing the content of the field, or adding or deleting fields.
- Note:** To add an occurrence of a repeating field or group, select **Add** at the appropriate point in the message structure. To delete an occurrence of a field or group, select **Delete** where appropriate.
7. Click **View Text** if you want to access a plain text display of the message.
 8. When you are finished editing the message, click **Validate** to validate the message for SWIFT compliance. If the message contains validation errors, the SWIFT editor retains the message so you can correct the errors and perform further edits.
 9. Once validation is successful, click **Save**.
 10. Review the changes on the Confirm page, and click **Finish**. This sends an e-mail to the Reviewer, notifying that the message has been repaired.
 11. In the EDI Correlation Transaction Detail Results page, you can view data details such as message format (MX or MT). If desired, in the EDI Correlation Transaction Detail Results page, click **info** to the right of Document Correlations to get more details about the message.
 12. In the Document Correlation Details page, view details about the message you selected, and to see the correlation between the message and corresponding EDI document or data. The details available include:

- ◆ time stamp
- ◆ scope
- ◆ process ID
- ◆ document name
- ◆ data value

Note: When you access the returned SWIFT message through the Document Correlation Details page, a tree-view is displayed on the left to allow you to link directly to the previous version(s) of the message. The right pane of the tree view displays the correlation details of the SWIFT message.

13. If you want to view the SWIFT message as text, select the document link at the top right of the page.

Reviewer Tasks

The Reviewer repairs and saves SWIFT messages that are returned or rejected because of translation or transmission errors.

The following caveats apply:

- ◆ The error report displayed in the SWIFT Editor when a Reviewer accesses a repaired document shows all errors and links to the position of the error in the SWIFT Editor.
- ◆ All groups and records in the message can be collapsed and expanded (as needed) to focus your viewing.
- ◆ Highlighting an error icon in the SWIFT Editor Change Report (displayed on the left side of the window) displays the error message for reference.

Searching for SWIFT Messages

To search for messages in Ready to Resend status (Reviewer role task):

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Monitor > Advanced Search > EDI Correlation**.
2. In the Search Options area, specify the following search criteria, as appropriate:

Field	Description	Action
All Level Options		
Location	EDI correlations maintained in a specific location.	Select Live Tables – Display live (active) EDI correlations.
Search Level Type	EDI processing level.	Select Transaction – For the search query, display results from the transaction level.

Field	Description	Action
Test Mode	Mode of the application system where documents that contain the EDI correlations were created.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ Test ◆ Production ◆ Information ◆ Interchange is a test ◆ Syntax only test ◆ Echo request ◆ Echo response Optional.
Direction	Flow of the documents that contain the EDI correlations.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ Inbound ◆ Outbound Optional.
Sender ID	ID for the organization that is sending documents.	Type the identifier of the sender. Optional.
Receiver ID	ID for the receiving organization.	Type the identifier of the receiver. Optional.
Sender ID Qualifier	Qualifier used with the Sender ID to define the organization that is sending documents.	Type the qualifier of the sender. Optional.
Receiver ID Qualifier	Qualifier used with the Receiver ID for the receiving organization.	Type the qualifier of the receiver. Optional.
Start Date	Documents in progress or completed after the specified start date and time.	Using the following formats, type a starting date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours. Optional.
End Date	Documents in progress or completed before the specified end date and time.	Using the following formats, type an end date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours. Optional.
Transaction Level Options		

Field	Description	Action
Transaction Set ID	ID of the transaction set indicated in the document.	If desired, type the ID of the transaction set. Optional.
Compliance Status	Status of compliance checking at the transaction set level.	If desired, select one of the following options: <ul style="list-style-type: none"> ◆ Any (default) ◆ OK ◆ NOT OK Optional.
Message Repair Status	Status of message repair (for SWIFT documents only).	Select ReadyForResend status.

3. Click **Go!** to display the EDI correlation records that match your search criteria.
 4. For SWIFT documents, on the EDI Correlation Transaction Results page, click **info** in the Detail column for the document you want to audit or click the **View** icon to display the message in read-only mode. The Read Only dialog displays the business names and associated data components. Click **Close** to exit the Read Only dialog.
 5. Next to Document Repair Status, select the **ReadyForResend** link to display the SWIFT Editor.
- Note:** The Document Repair Status is ReadyForResend and is a link only if you have the necessary permission to audit the document in the SWIFT Message Editor.
6. Review the changes made in the Change Report (left side of the window), select each link, and review the change as necessary.
 7. When you are finished auditing the entire message, click **Next**.
 8. Specify how you want to handle this message by performing one of the following:
 - ◆ Mark this document for further edit (sends the message back to the Editor for further editing).
 - ◆ Resend this document (sends the document using the business process you select).
 - ◆ Abort (terminates the audit process).
 9. If you are resending the message, select the appropriate business process from the **Execute Business Process** list. By default it is the SWIFTEnvelope business process.
 10. If you want to disable validation prior to resending the message, select **Turn Off Validation**.
- Note:** Select this option if you want to send a message that does not conform to SWIFT validation rules.
11. Review the Confirm page, and click **Finish**.

Setting Default Configuration Options

To set the default configuration options for the SWIFT Message Entry Workstation and SWIFT Editor (Creator Role Task), perform the following:

1. From the **Administration** menu, select **Business Process > Message Entry Workstation**.
2. Under **Configure**, next to **Edit Configuration**, click **Go!**.

Note: The Edit Configuration option is displayed only if you have the Message Entry Configure permission added to your user account.

3. In the **View Configuration** page, review the configuration settings. If you need to edit the settings, click Go!.
4. In the **Edit Configuration** page, specify the following details, as required, and click **Next**:

Field	Description
Show - Default send BP	Enables you to display a default business process in the user interface for sending messages. Selecting the check box enables this feature. Optional.
Show - Turn off validation	Enables you to allow the user to have the option to disable validation when sending or resending messages. Selecting the check box enables this feature; clearing the check box indicates that users cannot turn validation off. Optional.
Default Sender ID	Type the default Sender ID BIC so the Sender ID field is automatically populated with this value when you create a message. The Sender ID BIC is usually the same for every message. Optional.
Acceptor Lookup Alias	<p>Enables you to specify that the Acceptor Lookup Alias option is not displayed in the user interface but is instead defaulted to the message format/message type or just the message type. Select one of the following options:</p> <ul style="list-style-type: none"> ◆ Always provide value (this is the default and indicates that the user will be prompted to provide the Acceptor Lookup Alias value) ◆ Use format: MessageFormat_MessageType ◆ Use format: MessageType <p>Note: If you select either of the “Use format” options, the Acceptor Lookup Alias defaults to the format you specify and the user does not have the ability to override that format.</p> <p>Optional.</p>

5. Click **Next**.
6. On the Confirm Configuration page, click **Finish**.

SWIFT Message Entry Workstation

The application provides you with the SWIFT Message Entry Workstation functionality that enables you to create, edit, review, copy, delete, and track a SWIFT message.

The SWIFT Message Entry Workstation enables you to create a new SWIFT message (MT or MX), and to enter the message data based on the message structure. Additionally, the SWIFT Message Entry Workstation provides validation functionality that flags syntactical errors that may need to be fixed before sending the message. The SWIFT Message Entry Workstation also allows you to repair errors in the message.

The extent of functionality that is available to each user of the SWIFT Message Entry Workstation is determined by the security permissions that your system administrator assigns to your user account, based on your role. In the application, each user account has permissions assigned to it, so that the user can perform necessary functions (for SWIFT Message Entry Workstation, this means that you have the required permissions to perform necessary actions for SWIFT messages, depending on your role). The message creation process requires three different roles (performed by three separate people as described in the table below):

Role	Description	Permissions that Must be Assigned to the User Account
Creator	This is the person who creates a message. The Creator can also validate a message or edit default configuration specifications.	<ul style="list-style-type: none">◆ Message Entry Create◆ Message Entry Edit◆ Message Entry Delete◆ Message Entry Copy◆ Message Entry Configuration
Verifier	This is the person who can submit the created or edited messages to be sent. The Verifier can also validate the messages.	Message Entry Review
Tracker	This is the person who tracks the history of the messages.	Message Entry Track

Note: Each time a user adds, modifies, or deletes a message through the SWIFT Message Entry Workstation, the action is logged to create an audit trail based on the user who performed the event.

Each SWIFT message created through the SWIFT Message Entry Workstation evolves in stages. The possible statuses of a SWIFT message during this evolution are as follows:

- ◆ Draft (this is the initial stage and subsequent edits)
- ◆ Ready to send
- ◆ Sent
- ◆ Rejected

SWIFT Message Entry Workstation Display and Usability Features

The SWIFT Message Entry Workstation uses visual cues to indicate whether a component (group, field, and so forth) is mandatory or optional, to clearly identify each:

Component Description	Displayed With
Mandatory Group	Dark Blue Background
Mandatory Choice Blocks	Highlighted in Dark Blue
Mandatory Subfield Labels	Dark Blue Text
Mandatory Fields and subfield text boxes	Dark Blue Label with Yellow Background
Optional Fields and subfield text boxes	Grey Label with White Background
Mandatory Subfield of an Optional Parent Block	Blue Label with White Background

Also, you can easily access the SWIFT code lists provided with the application, by using the following:

Note: The country codes, currency codes, and code words are available as lists from which you can choose values. These lists are always available in the Tools section of the SWIFT Editor.

- ◆ List of the Currencies codes (with description), including Active and Historic currency support for MX messages.
- ◆ List of the Countries codes (with description).
- ◆ Lists for Code Words

Note: Qualifier fields that have a data source name present are treated differently; they have a lookup associated with code word subfields.

The application provides default values for qualifiers subfields and a default “Start of block” and “End of block” for fields. Additionally, for date fields you are prompted with a **date choice icon** (various date formats defined by MT and MX messages are supported, as well as ISO-8601 Date Time format, which is used in MX messages). Date validations are also supported, and for Time-only formats the Time format is displayed next to the text box for the field.

Installing Available Message Types

The application automatically includes the newest versions of SWIFT Message Types, but older versions of the MT files are available in jar files that are located in the <install_dir>/container/Applications directory. If you want to create a document using an older version of an MT, you need to first install the jar file that contains the appropriate MT.

Note: The 2002 version MT messages are available by installing the SWIFT_2005_MEW.jar file.

Installing Older MT Versions

Complete the following steps to install a jar file containing an older version of an MT:

Note: The jar files are located in the <install_dir>/container/Applications directory.

1. Locate the jar file for the version of MT you want to create.
2. Navigate to the <install_dir>/bin directory and type the following command to invoke installation script:

```
./InstallService.sh [version].jar
```

Note: Replace [version] in the command above with the name of the jar file containing the appropriate version of the MT. The jar file are named in the format **SWIFT_<year>_MEW.jar**.

3. Press **Enter**.

You are notified that the installation is complete.

SWIFT Message Creation Process

The message creation process is as follows:

Task	Process
1	The Creator logs in to the application and the user permissions assigned to the Creator are loaded.
2	Using the SWIFT Message Entry Workstation, the Creator creates a new SWIFT message or searches for a SWIFT message which is in Draft state for further editing. Note: When you create a new message, your Sender ID value is populated by default with the value specified on the Configuration page. Note: The application automatically includes the newest versions of SWIFT Message Types, but older versions of the MT files are available in jar files. See <i>Installing Available Message Types</i> on page 248 for information on how to install older MT versions if you need to create messages using those versions.
3	After the Creator creates the message, he or she can validate the message to check for SWIFT compliance and mark the message as MARK AS READY TO SEND .
4	The Verifier reviews the message and can also perform the following tasks: <ul style="list-style-type: none"> ◆ Reject the message and mark the message for further edit, including the reasons for rejection (if desired). ◆ Send the message, which invokes the business process (SWIFTMessageEntryOutbound is the default). Once the business process is invoked, the scope of Message Entry Workstation ends. Note: If you want to disable validation prior to sending the message, select Turn Off Validation .
5	If the message is rejected by the Verifier, the Creator can edit the changes using the SWIFT Editor and then mark the message as Ready for Resend , and the Verifier can again mark it as Reject or Send .
6	The Tracker can track the history of the message and review the modifications that were made to the message, including the user who made each change (along with any remarks noted about why a change was made). Also the tracker can view the raw data for the message, regardless of the message status.

Creating a SWIFT Message

To create new messages in the SWIFT Message Entry Workstation (Creator Role Task):

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Message Entry Workstation**.
2. Under Create, next to New Message, click **Go!**.

Note: The New Message option is displayed only if you have the Message Entry Create permission added to your user account.

3. In the **Select New Message** page, enter the following details, as required, and click **Next**:

Field	Description
Message name	The name of the SWIFT message. Required.
Sender ID	Identifier for the organization that is sending this SWIFT message. Optional. Note: The Sender ID value is required for some SWIFT messages since this value is used to perform validation against your data. Note: When you create a new message, your Sender ID value is populated by default with the value specified on the Configuration page.
Receiver ID	Identifier for the organization receiving this SWIFT message. Optional. Note: The Receiver ID value is required for some SWIFT messages since this value is used to perform validation against your data.

4. In the **Select Message Information** page, enter the following details (as required), and click **Next**.

Field	Description
Standard	The standard required to create the SWIFT message.
Standard Version	The version of the standard required to create the message.
Message Type	The type of message being created.

5. In the Confirm page, click **Finish**. This launches the **SWIFT Editor** to enable you to type the values in the required parameters to create the new SWIFT message.

Note: Any data typed for the **Optional Repetitive Group** is displayed under the **Added Groups** section in the Confirmation page. To add an occurrence of a repeating field or group, click **Add** at the appropriate point in the message structure. To delete an occurrence of a field or group, click **Delete** where appropriate.

6. In the SWIFT Editor page, click **View Text** if you want to access a plain text display of the message.
7. In the SWIFT Editor page, the **Validate** function enables you to validate the message for SWIFT compliance so that you can avoid translation errors during enveloping.

8. If any errors occur during validation, review the errors in the Validation Report (left side of the window), select each error link, and repair the error as necessary (repairing may include changing the content of the field, or adding or deleting fields).

Note: If a SWIFT pass-through map generates the maximum number of translation errors on the input side of the map, it is possible that the output side of the map contains translation errors that are not reported since error processing stops once the maximum number of errors is reached. In this scenario, an error report is not displayed when the output message data is edited through the Message Entry Workstation and EDI Correlation Search, but the message has not been sent due to translation errors and no errors are displayed in the report for the Message Entry Workstation. So, to see validation errors for the output message data, click **Validate** once the message is loaded in the Message Entry Workstation. Then, you can make any necessary fixes and resend the message.

9. You can either save the message for further edits by selecting the SAVE option or submit the message for review by selecting the MARK AS READY TO SEND option. When the action is completed successfully, you are prompted with the following message: “The system update completed successfully.” Once a message status is **Ready to Send**, the message can be reviewed by the Verifier.
10. An e-mail alert is sent to the Verifier when the status of the message is changed from DRAFT to MARK AS READY TO SEND. The e-mail address of the Verifier is specified in the **messageentryworkstation.properties.in** property file. Any changes to this e-mail address can be done by editing the customer_overrides.properties file in the following format:
messageentry.SWIFT.READY_TO_SEND.<username> = e-mail address of the verifier, where **username** is the user who marks the messages as MARK AS READY TO SEND.

Note: If there is no e-mail address specified in the entry **messageentry.SWIFT.READY_TO_SEND.<username>** the system searches for the e-mail address specified in the entry **messageentry.SWIFT.READY_TO_SEND.default**. All ReadyToSend messages will be directed to this e-mail address. By default this is the e-mail address of the system administrator.

11. In the Confirm page, after you have selected the status of the message, click **Finish**.

Note: In the Confirm page, you can also click **View Text** to access an XML display of the message.

Searching for a SWIFT Message

SWIFT Message Entry Workstation enables you to easily search for messages as follow:

1. From the **Administration** menu, select **Business Processes > Message Entry Workstation**.

The parameters described in the Search Parameters table are displayed.

Search Parameters

The following table describes the search parameters displayed on the Message Entry Workstation page.

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

Field	Description	Action
Message Name	The name used for the SWIFT message.	Type the name of the SWIFT message for which you are searching.
Standard	The standard used for the SWIFT message.	Select the SWIFT standard used for creating the message.
Standard Version	The version used for creating the SWIFT message.	Select the standard version used for the SWIFT message.
Message Type	The type of message being created.	Select the type of message that was used to create the message.
Sender ID	Identifier for the organization that is sending the SWIFT message.	Type the identifier of the sender.
Receiver ID	Identifier for organization receiving the SWIFT message.	Type the identifier of the receiver.
Author	The user who created the message.	Type the name of the person who created the message.
Message Status	Status of the message.	Select the status of the message from the following options: <ul style="list-style-type: none"> ◆ DRAFT ◆ READY TO SEND ◆ SENT ◆ REJECTED
Start Date	Documents in progress or completed after the specified start date and time.	Using the following formats, type a starting date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours.
End Date	Documents in progress or completed before the specified end date and time.	Using the following formats, type an end date and time range and select A.M. or P.M.: <ul style="list-style-type: none"> ◆ Date – MM/DD/YYYY ◆ Time – HR:MN:SC Note: Defaults to a range of the last 24 hours.

2. Depending on the search criteria, the Search Result page displays various parameters as follows:

Search Results Parameters

Field	Description
Select	Enables the Creator to copy, edit, delete, or get information of a message.
Name	Displays the name of the message.
Standard	Displays the SWIFT message standard.
Version	Displays the version of the SWIFT standard.
Type	Displays the type of SWIFT message.
Sender ID	Identifier for the organization that is sending the SWIFT message.
Receiver ID	Identifier for the organization receiving the SWIFT message.
Created On	Displays the date and time when the message was created.
Status	Displays the status of the message.

Note: If there are no messages found using the search criteria you specify, the message “No Messages match your search criteria” is displayed.

- Depending on the results displayed for the message for which you searched, you can click **copy**, **edit**, **delete**, or **info** from the Select Field for that SWIFT message.
- If you click **info**, you can select **View** to display the message, including the business names and associated data components. Click **Close** to exit the Read Only dialog.
- Click **Return** to return to the main page of the SWIFT Message Entry Workstation.

Verifying SWIFT Messages

The Verifier may not create messages using the SWIFT Message Entry Workstation, but may only verify and validate existing messages.

The following caveats apply to the Verifier role:

- ◆ The Verifier uses the SWIFT Editor in read-only mode.
- ◆ All groups and records in the message can be collapsed and expanded (as needed) so you can focus your viewing of specific parts of the message.
- ◆ Clicking **info** in the Change Report (displayed on the left side of the SWIFT Editor page) displays the details of the changes made for reference.

Note: When you view a change report in the Message Entry Workstation, if you select the error code link it may not direct you to the field with the error. If this occurs, select the field link instead of the error code link.

To search a message, the verifier performs the following actions:

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Message Entry Workstation**.
2. The Verifier searches for a SWIFT message based on the search criteria described in *Search Parameters* on page 251.
3. After searching for a SWIFT message (using the procedure for searching a message as described in the section *Searching for a SWIFT Message* on page 251), select it and click **Send**. The SWIFT Editor is displayed in read-only mode.
4. When you are finished auditing the entire message, click **Next**.
5. In the Confirm page, specify how you want to handle this message by performing one of the following options:
 - ◆ Select the action **Send** to invoke a business process. The default business process is `SWIFTMessageEntryOutbound`). This business process looks up the envelope that is used to send the message.

Note: If during the message creation process, the Sender ID and Receiver ID were specified for the message, the values for those parameters are automatically populated to these fields and you are unable to modify the values.

- ◆ Select the action **Reject** (optionally, you can provide reason for rejection). The **Reject** action updates the message to Rejected status. For each Rejected message, the Creator must make the necessary edits prior to marking the document **Ready for Resend**.

Note: By default, the business process used for Execute Business Process is `SWIFTMessageEntryOutbound`, which is specified in the `messageentryworkstation.properties.in` property file. If you want to specify a different business process, you must add the name of that business process to the `customer_overrides.properties` file in the following format: `envelope.messageentry=NameOfBusinessProcess` (where `NameOfBusinessProcess` is the name of the business process).

6. Review the Confirm page and click **Finish**.

Note: The Verifier can only access documents with Ready to Send status. The Verifier is not able to take any action on a message with any other status.

7. An e-mail alert is sent when the status of the message is changed from READY TO SEND to REJECTED. The e-mail alert is sent to the user who last modified the message (not necessarily the user who created it). An e-mail address is specified for each user when the system administrator creates the user accounts.

Note: If no e-mail address is specified for the user who last modified the message, the system checks for the e-mail address specified in the `messageentryworkstation.properties.in` property file. If neither e-mail address is specified, the system searches for the e-mail address specified in the entry `messageentry.SWIFT.REJECT.default` which is available in the `messageentryworkstation.properties.in` property file. By default, this is the e-mail address of the system administrator. You can change this e-mail address by editing the `customer_overrides.properties` file in the following format: `messageentry.SWIFT.<username>.mailid = e-mail address` of the Creator or the person who last edited the message, where `username` is the user who marks the message as REJECTED.

Tracking SWIFT Messages

A Tracker can track the history of a message and view the changes made by each user. The Tracker can also view the raw data for the different message statuses.

In order to track a message, the Tracker must perform the following actions:

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Message Entry Workstation**.
2. The Tracker searches for a message based on the search criteria as described in the *Search Parameters* on page 251.

Depending on the search criteria you specify, the Search Result page displays various parameters as described in *Search Results Parameters* on page 253.

3. In the Message page, click **info** next to the appropriate message to display the following details:

Field	Description
Document	Click info to view the raw data for the message.
Modified on	The date the message was modified.
Modified by	The user who modified the message.
Status	The status of the message after modification.
Remarks	Remarks made by a user or by the system, if any.
View	Click the View icon to display the message in read-only mode. The Read Only dialog displays the business names and associated data components. Click Close to exit the Read Only dialog.

Deleting a Message

The SWIFT Message Entry Workstation allows you to delete a message if you have the appropriate permission assigned to your user account. Both the Creator and the Verifier are able to delete messages.

To delete a message, you must perform the following actions:

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

1. From the **Administration** menu, select **Business Process > Message Entry Workstation**.
2. Search for a message based on the search criteria described in *Search Parameters* on page 251.

Depending on the search criteria you specify, the Search Result displays various parameters as described in *Search Results Parameters* on page 253.

Note: You must select the **Delete** function from the Select menu in the same row as the message that you want to delete. You are prompted with a delete confirmation window.

- Click **OK** to delete the message.
- In the Delete Resources page, review the following message details to ensure you are deleting the right message and click **Next**:

Field	Description
Message Name	Displays the name of the SWIFT message that you want to delete.
Standard	Displays the SWIFT message standard.
Standard Version	Displays the version of the SWIFT standard.
Message Type	Displays the type of SWIFT message.
Created On	Displays the date and time when the message was created.
Created By	Displays the name of the user who created the message.
Current Status	Displays the current status of the SWIFT message.

- In the Confirm page, click **Delete**. When the deletion is complete, the message “the system update completed successfully” is displayed.
- Click **Return** to return to the main page of the SWIFT Message Entry Workstation.

Copying a Message

The SWIFT Message Entry Workstation allows you to copy a message if you have the Message Entry Copy permission assigned to your user account.

To copy a message, you must perform the following actions:

Note: If you click **Cancel** in the SWIFT Document Editor, you will be asked for a confirmation. Click **Yes** on the Confirmation dialog box and a Cancel screen with a status bar is displayed. Once the status of the cancellation is complete, click **Return** to return to the main page

- From the **Administration** menu, select **Business Process > Message Entry Workstation**.
- Search for a message based on the search criteria described in *Search Parameters* on page 251. Depending on the search criteria you specify, the Search Result displays various parameters as described in *Search Results Parameters* on page 253.

Note: You must select the **Copy** function from the Select menu in the same row as the message that you want to copy.

- Click **Copy** to display the **Copy Message** page. Enter the following details, as required, and click **Next**:

Field	Description
Message Name	The name of the copy of the SWIFT message. Required.

Field	Description
Sender ID	Identifier for the organization that is sending the SWIFT message. Optional. Note: The Sender ID value is required for some SWIFT messages since this value is used to perform validation against your data.
Receiver ID	Identifier for the organization receiving the SWIFT message. Optional. Note: The Receiver ID value is required for some SWIFT messages since this value is used to perform validation against your data.

Note: The status of a copied message is independent from the status of the source message. For example, if the source message was in Draft status when a copy of the message was made, the copied message continues to show the status as Draft even if the status of the source message has since changed to Sent or Rejected.

You are prompted with a Copy Message confirmation window with the following details:

Field	Description
Message Name	Displays the name of the copied SWIFT message.
Copy of Message	Displays the original SWIFT message name from which the copy was created.
Standard	Displays the SWIFT message standard.
Standard Version	Displays the version of the SWIFT standard.
Message Type	Displays the type of SWIFT message.
Sender ID	Identifier for the organization that is sending the SWIFT message. Note: If a Sender ID was not specified when you created the copy, this parameter contains the indicator Not Provided.
Receiver ID	Identifier for the organization receiving the SWIFT message. Note: If a Receiver ID was not specified when you created the copy, this parameter contains the indicator Not Provided.

- Click **Finish** to create a copy of the SWIFT message. Once the copy is successfully created, the message “The system update completed successfully” is displayed.
- Click **Return** to return to the main Message Entry Workstation page.

SWIFT Error Codes

Overview

The Translation service produces a Translation Status report. The report contains information about the translation of the document and any compliance errors. Errors from the input side of the map are listed under the Input tab. Errors from the output side of the map are listed under the Output tab.

Compliance errors can also be specified with the extended rule *error*.

This section describes translation status errors and error codes that may be generated when using SWIFT.

Note: Please refer to the specific sections of the SWIFT documentation (parts II and III) to view the details of how field tag and code word validation is performed for all field tags.

Text Validation Error Codes

The following table contains the error codes for SWIFT text validation:

SWIFT Error Code	Translator Report Error Number	Error Description
M50	901	Message length exceeded
M60	902	Non-SWIFT character encountered (a character not included in the <X>, <Y>, <Z> character sets. Also see error code T32.)
T01	904	Code word error. This check applies to: <ul style="list-style-type: none">◆ Field 39B in MT700,705,707,710,720,740,747.◆ Field :22H:COAL subfield 3 in MT503,504.
T02	905	Unable to determine the reason for NAK. Please contact your CSC immediately for advice.
T03	906	Code word error. This check applies to: <ul style="list-style-type: none">◆ Field 26C, subfield 3, in MT600,601,604,605,606,607,608,609.◆ Field 38B, subfield 1, in MT405.◆ Field :22H:COLA subfield 3 in MT503,504,505,506,507.
T04	907	Code word error. This check applies to: <ul style="list-style-type: none">◆ Field 26C, subfield 4, in MT600,601,604,605,606,607,608,609.◆ Field 38B, subfield 2, in MT405.◆ Field :22H:COLA subfield 3 in MT503,504,505,506,507.◆ Field :22H:REDE subfield 3 in MT528,529,536,537,548,575,578,584,586.

SWIFT Error Code	Translator Report Error Number	Error Description
T05	908	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 68B, subfield 4, in MT609. ◆ Field 38B, subfield 3, in MT405. ◆ Field :22H:DEPO subfield 3 in MT503,504,505,506.
T06	909	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Subfield 1, field 32F ◆ Subfield 5, field 68B,68C ◆ Subfield 3, field 60F,60M,62F,62M,64,65 in MT608 or in any message appended in common groups n92,n95,n96.
T07	910	Code word error. This check applies to: Subfield 3, field 33G. Field :22H:INOUE subfield 3 in MT503,505,527,558.
T08	911	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 23, in MT102_STP,609. ◆ Field 26G, in MT550, or in any message appended in common groups n92,n95,n96. ◆ Field 71A in MT100,101,102,103_not_STP,103_STP,104,107,405,740, or in any message appended in common groups n92,n95,n96. ◆ Field :22H:REPR subfield 3 in MT527,558,569.
T09	912	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Subfield 3, field 23 in MT305,601. ◆ Subfield 3, field 68C in MT609, or in any message appended in common groups n92,n95,n96. ◆ Field :25D:COLL subfield 3 in MT507 when Data Source Scheme (DSS) is not present.
T10	913	The repetitive sequence occurred more than the maximum number of times permitted.
T11	914	The repetitive sequence occurred less than the minimum number of times required.
T12	915	Field, line, subfield, or component content error. Or, the format Reject/Return is not allowed for field 72 in this MT. Or, when "ISIN" is used at the beginning of line one in field 35B it must never be composed of lower-case letters, nor a mix of upper and lower-case letters. Or, in the ISITC MT521 or MT523 in field 35B the second line is mandatory and must not begin with any of the code words defined for the third and subsequent lines.

SWIFT Error Code	Translator Report Error Number	Error Description
T13	916	<p>The field tag is not expected at this location in this MT. Either a mandatory field is missing, the sequence of fields is not correct, the specified field is not allowed at this point in the MT, or the specified field is not a defined SWIFT field (for example, the field tag is invalid), an end-of-text sequence (CRLF-) was encountered when it was not expected, or more than one end-of-text sequence occurs in this message.</p> <p>Or in a common group message (i.e. n92,n95,n96) within the list of "Copy of any field(s) of the original message", there are generic fields and non-generic fields that are not allowed to be mixed in the same message.</p> <p>Or in one of the following ISO15022 messages: MT502, 503, 504, 505, 506, 507, 508, 509, 513, 514, 515, 518, 524, 527, 528, 529, 530, 535, 536, 537, 538, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 558, 564, 565, 566, 567, 568, 569, 575, 576, 578, 584, 586, 587, 588, 589, an optional sequence of fields was used, however a field or field qualifier which is required within that sequence is missing, or field 16R is present but its related code word is inappropriate.</p> <p>Or in a qualifier table, for a particular generic field, in a "repeatable" order, there is a list of "OR" qualifiers but more than one qualifier has been used in the repetitions of the generic field in this sequence.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
T14	917	<p>Subfield[N] (negative indicator) must not be used when the amount, number, or number count component is equal to zero. This check applies to:</p> <ul style="list-style-type: none"> ◆ Field 19A in MT502,513-515,518,527-529,535-537,540-548,558,564,566-567,569,575,578,584,586-588. ◆ Field 32H in MT306, 320,330,340, 362,571. ◆ Field 32N in MT646. ◆ Field 33N in MT646, ◆ Field 34E in MT320,330,341,571. ◆ Field 34N in MT646 ◆ Field 35H in MT571,581. ◆ Field 37G in MT320,330,362,644. ◆ Field 37M in MT340,341,362,644. ◆ Field 37R in MT341,360,361,362,644. ◆ Fields 60A,62A,62B in MT572. ◆ Field 60B in MT571,572. ◆ Field 92A in MT502,506,513-515,518,527-529,540-547,558,564-566,568-569,576,578,584,586-588. ◆ Field 92E in MT564,566. ◆ Field 93B in MT535,536,564-566,568. ◆ Field 93C in MT535,564-566,568. ◆ Field 93D in MT575. ◆ Field 98D in MTs 564, 566. ◆ Field 98E in MTs 513-515, 518, 528, 529, 540-548 578, 586. ◆ Field 99A in MT506,513-515,518,528-529,535-536,540-547,569,575,578,586. ◆ Any of the above fields in common groups n92,n95,n96.
T15	918	Sign is not valid. <SIGN> must be either '+' or '-'.
T16	919	Time offset is not valid. <OFFSET> has the same format as time <HHMM>.
T17	920	Field, line, subfield, or component consists of blanks, <CRLF>, or it is missing a mandatory line, subfield, or component.

SWIFT Error Code	Translator Report Error Number	Error Description
T18	921	<p>Component is not in the format 3!n and/or it is not within the range 100-999. This check applies to:</p> <ul style="list-style-type: none"> ◆ Field 11R,11S: the first component must have the format 3!n and must be within the range 100-999. ◆ Field 12, and MT105,106: this component must have the format 3!n and must be within the range 100-999. ◆ Field 12, and MT NOT=(M105,106): this component must have the format 3!n. ◆ Refer to T88 for additional special exception checking. ◆ Field 61: if the first character of subfield 6 is 'S' then the next three characters must have the format 3!n and must be within the range 100-999.
T19	922	<p>Code word error. This check applies to:</p> <ul style="list-style-type: none"> ◆ Subfield 1 of field 87E,87F. ◆ Field :25D:4!c//<Status> subfield 3 (Status) in MT507 when Data Source Scheme (DSS) is not present. ◆ Field :22H:4!c//<Indicator> subfield 3 (Indicator) in MT 307,321.
T20	923	Code word error in subfield 1, component 3, of field 32K or 33K.
T21	924	(Available).
T22	925	<p>A common reference mismatch exists between field 22, subfield 2, component 2 and one of the following:</p> <ul style="list-style-type: none"> ◆ Field 36 in MT305. ◆ Field 33G subfield 2 in MT600. ◆ Field 32B subfield 2 in MT601. <p>Or, a common reference mismatch exists between field 22C, component 2, and one of the following:</p> <ul style="list-style-type: none"> ◆ Field 30P, YYMM of YYYYMMDD in MT360-362,364-365. ◆ Field 36 sequence B in MT300. ◆ Field 36 sequence B in MT303. ◆ Field 36A sequence C in MT303. ◆ Field 36 sequence D or field 37U sequence G in MT306. ◆ Field 37G sequence B in MT320,330. ◆ Field 37M sequence B in MT340,341. ◆ Field 37J sequence B in MT350.
T23	926	Subfield 8 in field 61, subfield 5 in field 66A, or subfield 6 in field 26C is too long or contains only '/', or subfield 2 in fields 26A or 26B is too long or contains only '/'.

SWIFT Error Code	Translator Report Error Number	Error Description
T24	927	Subfield 7 in field 61, subfield 4 in field 66A, subfield 5 in field 26C, subfield 1 in fields 26A or 26B is missing or is too long.
T25	928	Subfields 7 or 8 in field 61, subfield 4 or 5 in field 66A, subfield 5 or 6 in field 26C, subfield 1 or 2 in fields 26A or 26B has improper content.
T26	929	Subfield 7 or 8 in field 61, subfield 4 or 5 in field 66A, subfield 5 or 6 in field 26C, subfield 1 or 2 in fields 26A or 26B has improper content. This check applies to: ◆ fields 20,20C,21,21A,21F,21G,21P,21R.
T27	930	BIC incorrectly formatted or invalid.
T28	931	SWIFT BIC is not a valid destination.
T29	932	SWIFT BIC contains an invalid branch code.
T30	933	Excessive lines, subfields, or components were found in this field.
T31	934	The line, subfield, or component separator or delimiter is missing or incorrect.
T32	935	An expected subfield, component, or component separator was not found.
T33	936	The length of the field, line, subfield, or component contents is too long, or, the component consists of one or more hidden characters, or, the component consists of one or more imbedded characters which are inconsistent with the defined field format, or the characters do not belong to the correct character set.
T34	937	The length of the field, line, subfield, or component contents is too short.
T35	938	Code word error in subfield 1, field 26C.

SWIFT Error Code	Translator Report Error Number	Error Description
T36	939	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 14A in MT360,361. ◆ Field 14D in MT320,330,340,350,360,361. ◆ Field 14J in MT360,361. ◆ Field 17A in MT206,300,303,306,360,361,405. ◆ Field 17B in MT500-505,513-515,518-519,527-529,535-538,540,547,558,564, 569,574W8BENO,574IRSLST,575-578,584,586-588. ◆ Field 17F in MT304,306,340,360,361,405. ◆ Field 17G,17N,17O in MT304. ◆ Field 17T,17U in MT300. ◆ Field 22A in MT293,300,303,304,306,320,330,340,341,350,360,361,362,364,365. ◆ Field 23B in MT 103_not_STP,103_STP,303. ◆ Field 94A in MT 300, 303, 304, 305, 306, 320, 330, 340, 341, 350, 360, 361, 362, 364, 365, 600, 601.
T37	940	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Subfield 2, field 35H when used with MT581 and with any message appended in common groups n92,n95,n96. ◆ Subfield 2, field 35T when used with MT552 and with any message appended in common groups n92,n95,n96.
T38	941	Illogical time specified.
T39	942	Time of UTC Indicator (HH[MM]) is not in the valid range (00<=HH<=23, 00<=MM<=59). This check applies to: <ul style="list-style-type: none"> ◆ Field 98E in MTs 500-510, 513-515, 517, 518, 519, 524, 527, -530, 535-538, 540- 548, 558, 569, 574-IRSLST, 574-W8BENO, 575, 576, 578, 584, 586-589. ◆ Field 98F in MTs 564.
T40	943	Missing amount/number or incorrect amount/number first character.
T41	944	Code word error in subfield 3, field 66A.
T42	945	Code word error in subfield 3, field 35U.
T43	946	The decimal separator in the amount/number subfield or component is missing, is not a valid character, or more than one separator is present.
T44	947	The SWIFT BIC exists but it is not enabled for FIN, or the BIC is active but it is not published in the current BIC directory, or it is not cutover.
T45	948	Invalid non-SWIFT BIC.

SWIFT Error Code	Translator Report Error Number	Error Description
T46	949	A Test-and-Training destination must not be used in a LIVE message.
T47	950	<p>In an ERI field the data part of a code word /OCMT/ or /CHGS/ was being validated but the ending separator (such as, the third '/') is missing. This error is also a code word error that applies to:</p> <ul style="list-style-type: none"> ◆ Field 14G, subfield 1, in MT360-361. ◆ Field 22, subfield 1, in MT305. ◆ Field 23A, subfield 1, in MT360-362,364-365. ◆ Field 23E, subfield 1, in MT101,103_not_STP,104,107,206,207,256,405,416. ◆ Field 35B, in ISITC MT521,523: invalid or duplicated code word in line 3 or following. ◆ Field 39P, subfield 1, in MT303. ◆ Field 57D, line 1, in ISITC MT521,523. ◆ Field 61, subfield 9, duplicated code words: /OCMT/ or /CHGS/. ◆ Field 72 (narrative), duplicated code words: /OCMT/ or /CHGS/. ◆ Field 72 (structured), duplicated code words: /OCMT/, /CHGS/, or /INS/. ◆ Field 77A, duplicated code words: /OCMT/ or /CHGS/. ◆ Field 72, in ISITC MT521,523: invalid or duplicated code word, or in ISITC MT523 mandatory code word is missing. ◆ Field 77D, line 1, sequence C in MT303. ◆ Field 77D, lines 1-6, in ISITC MT521,523: invalid or duplicated code word. ◆ Field 77H, subfield 1, in MT306,340,360,361, 600, 601. ◆ Field 79, duplicated code words: /OCMT/ or /CHGS/. ◆ Field 85D, line 1, in ISITC MT521. ◆ Field 86, duplicated code words: /OCMT/ or /CHGS/. ◆ Field 87D, line 1, in ISITC MT521,523. ◆ Field 88D, line 1, in ISITC MT521,523.

SWIFT Error Code	Translator Report Error Number	Error Description
T48	951	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 14G, subfield 2, in MT360-361. ◆ Field 22K, subfield 1, in MT306. ◆ Field 23A, subfield 2, in MT360-362,364-365. ◆ Field 23D, in MT340-341. ◆ Field 23E, subfield 1, in MT103_STP. ◆ Field 31P, subfield 2, in ISITC MT521,523. ◆ Field 35B, in ISITC MT521,523: invalid code word in line 1. ◆ Field 38E, subfield 2, MT360-361. ◆ Field 38G, subfield 2 or 4, MT340,360-361. ◆ Field 38H, subfield 2 or 4, MT360-361.
T49	952	(Available).
T50	953	Date error. Either Invalid Date subfield (this check applies to all MTs with a Date subfield) OR Invalid year <YY> in a Value Date subfield of the MTs that are candidate for the Value Date Ordering process. The valid range for <YY> is: 00-60 for the years 2000-2060 80-99 for the years 1980-1999 This check applies to: <ul style="list-style-type: none"> ◆ Field 30, in MTs: 101, 104, 107, 110, 111, 112, 201, 203, 204, 207, 210, ◆ 256 ◆ Field 32A, in MTs: 102, 103, 110, 111, 112, 200, 202, 205, 256, 910.
T51	954	Code word 'C','D','RC','RD','EC','ED' error.
T52	955	Invalid currency code or price code 'PCT','REN', or 'YLD'.
T53	956	Code word error in subfield 6, component 1 of field 61.
T54	957	The format of the first line of Field 50F (Party Identifier) is invalid. This check applies to: <ul style="list-style-type: none"> ◆ Field 50F in MTs 101, 102, 102_STP, 103, 103_STP, 210, 910. ◆ This check applies to all MTs containing field 50F, when appended to Common Group MTs n92, n95, n96.
T55	958	Code word error. This check applies to Subfield 1, component 1: <ul style="list-style-type: none"> ◆ Field 50F in MTs 101, 102, 102_STP, 103, 103_STP, 210, 910. ◆ This check applies to all MTs containing field 50F, when appended to Common Group MTs n92, n95, n96.

SWIFT Error Code	Translator Report Error Number	Error Description
T56	959	Code word error. This check applies to Subfield 2, component 1: <ul style="list-style-type: none"> ◆ Field 50F in MTs 101, 102, 102_STP, 103, 103_STP, 210, 910. ◆ This check applies to all MTs containing field 50F, when appended to Common Group MTs n92, n95, n96.
T57	960	Code word error in subfield 2 of fields 31H, 31J, or 31X.
T58	961	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Subfield 1 of field 35A,35N,35P,35S. ◆ Subfield 2 of field 35H,35T. ◆ Subfield 1 in the 2nd occurrence of field 35A in MT550.
T59	962	(Available).
T60	963	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 26F in MT306. ◆ Field 40A in MT700,705.
T61	964	Code word 'D' or 'M' error. This check applies to: <ul style="list-style-type: none"> ◆ Field 32K, subfield 1, in MT400,405,410,416,420,422,430. ◆ Field 33k, subfield 1, in MT430. ◆ Field 37(A-F), subfield 2, in MT516,644,646. ◆ Field 38J, subfield 1, in MT320,330.
T62	965	Either the first subfield <DATE2>[<HHMM>] or the second subfield 7!a but not both must be present. If optional subfield 1 is used, component 1 <DATE2> of this subfield must be present. This check applies to: Fields 31H,31J,31X.
T63	966	Error in component 2 of field 22C or subfield 2, component 2, of field 22. When the last character of this component is zero '0' and the preceding character is not one '1' then the entire component must consist of zeros.
T64	967	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 12F in MT306. ◆ Field 40B, line 1, in MT710,720.
T65	968	(Available).
T66	969	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 12E in MT306. ◆ Field 40B, line 2, in MT710,720.

SWIFT Error Code	Translator Report Error Number	Error Description
T67	970	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 17R in MT320,330. ◆ Field 17V in MT306. ◆ Field 49 in MT700,710,720.
T68	971	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 24D, subfield 1, in MT300,306,320,330,240,360,361. ◆ Field 41A, subfield 2, in MT700,705,710,720,740. ◆ Field 41D, subfield 2, in MT700,705,710,720,740.
T69	972	(Available).
T70	973	Either the Account number, the Place, or both must be present.
T71	974	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 22D in MT360,361,364,365,405. ◆ Field 22E in MT405. ◆ Field 22G in MT306.
T72	975	Code word error. This check applies to: Field 22J in MT306. Field 23C, subfield 1, in MT405. Field 23F, subfield 1, in MT405.
T73	976	Invalid country code. Please refer to the BIC Directory General Information -Country Codes-.
T74	977	The currency code must be the same for each indicated subfield in the field.
T75	978	In MTs 405, n92, n95, n96: Field 38B. When subfields 1 and 2 contain "MONT/OTHR" then subfield 3 is mandatory, otherwise subfield 3 is not allowed.
T76	979	The first character in the first line of this field must be a '/', and there must be at least another line, but not more than 5 lines. This check applies to field 50H.
T77	980	If the first character of the first line of this component or sub-component is a '/', then there must be at least another line, but not more than 5 lines. Otherwise, no more than 4 lines are allowed. This check applies to: Fields 42D,50K,(50-58)D,59,(82-88)D, and subfield 2 of field 87F.

SWIFT Error Code	Translator Report Error Number	Error Description
T78	981	<p>Invalid or duplicated code word, or a mandatory code word is missing.</p> <p>This check applies to:</p> <ul style="list-style-type: none"> ◆ Field 53J, subfield 1 of each line, in MTs 300, 303 and 304, 306, 320, 330, 340, 341, 350. ◆ Field 56J, subfield 1 of each line, in MTs 300, 303 and 304, 306, 320, 330, 340, 341, 350. ◆ Field 57J, subfield 1 of each line, in MTs 300, 303 and 304, 306, 320, 330, 340, 341, 350. ◆ Field 58J, subfield 1 of each line, in MTs 300, 303 and 304, 306, 320, 330, 340, 341, 350. ◆ Field 82J, subfield 1 of each line, in MTs 300, 303 and 304, 305, 306, 320, 330, 350, 600, 601. ◆ Field 83J, subfield 1 of each line, in MTs 300, 303 and 304, 305, 306, 320, 330, 350, 600, 601. ◆ Field 84J, subfield 1 of each line, in MTs 300, 306, 320, 330. ◆ Field 85J, subfield 1 of each line, in MTs 300, 320, 330. ◆ Field 86J, subfield 1 of each line, in MTs 306, 320, 330, 340, 341, 350. ◆ Field 87J, subfield 1 of each line, in MTs 300, 303 and 304, 305, 306, 320, 330, 350, 600, 601. ◆ Field 88J, subfield 1 of each line, in MTs 300, 320.
T79	982	(Available).
T80	983	<Field 72 Reject/Return> or <Field 79 Reject Return> code word error, or mandatory code word missing, or code word not in proper sequence.
T81	984	<p>Format of <Field 72 Reject/Return> is not allowed in this message. This check applies to:</p> <p>Field 72, MT102_STP,103_STP.</p>
T82	985	ERI format is not allowed in this message. This check applies to: Field 72, MT102_STP,103_STP.
T83	986	(Available).
T84	987	(Available).
T85	988	Code word error. This check applies to Field 23G, subfield 2, in MTs 307, 321, 380, 381, 500-510, 513-515, 517-519, 524, 527-529, 530, 535-538, 540-549, 558, 564-569, 574IRSLST, 574W8BENO, 575, 576, 578, 584, 586-589, or in any message appended in common groups n92, n95 or n96.

SWIFT Error Code	Translator Report Error Number	Error Description
T86	989	Code word error. This check applies to: Field 23G, subfield 1, in MTs 307, 321, 380, 381, 500-510, 513-515, 517-519, 524, 527-529, 530, 535-538, 540-549, 558, 564-569, 574IRSLST, 574W8BENO, 575, 576, 578, 584, 586-589, or in any message appended in common groups n92, n95 or n96.
T87	990	In a generic field the colon ':' delimiter is not present at the expected position.
T88	991	Field 12 in MT570 may only consist of 571,572,573,577. Field 12 in MT920 may only consist of 940,941,942,950. Field 12 in MT973 may only consist of 971,972,998. Field 13A in MT507 may only consist of 503,504,505. Field 13A in MT549 may only consist of 509,535-538,548,567,575-577,584, 586,589.
T89	992	In a generic field either the qualifier is invalid, the qualifier is duplicated, a mandatory qualifier is missing, or the qualifier format is not valid.
T90	993	In a generic field either the issuer code format is invalid, the mandatory issuer code is missing, or the generic field format is invalid.
T91	994	In a generic field the slash '/' delimiter is not present at the expected position.
T92	995	Code word error. This check applies to: <ul style="list-style-type: none"> ◆ Field 16R in ISO15022. ◆ Field 16S in ISO15022.
T93	996	Code word error. This check applies to: Field 22B in MT320,330,364,365.
T94	997	In field 22, subfield 2, or in field 22C, the components 1 and 3, the values '0' and '1' are not permitted in <LC1> and <LC2>. However, the value '0' is allowed in the second (rightmost) position if the sender or receiver is a test and training user.
T95	998	In field 22, subfield 2, or in field 22C, the components 1 and 3 do not contain the bank code and location code of the message sender, and/or the bank code and location code of the message receiver.
T96	999	In field 22, subfield 2, or in field 22C, the components 1 and 3 are not in alphabetical sequence.
T97	1000	Code word error. This check applies to: Field 28E, subfield 2, in MT206,506,535-538,569,574WBENO,574IRSLST,575, 576,584,586.
T98	1001	(Available).

SWIFT Error Code	Translator Report Error Number	Error Description
T99	1002	A special function has been declared in the validation syntax that is not recognized. Note: If you receive this error, it indicates that a special function was declared in a syntax that was not recognized by the translator.

Specific Error Codes for MUG-textval Rules

The following table contains the specific error codes for SWIFT MUG-textval rules:

Note: If the Translator Report Error Number column is blank, this indicates that there is not currently a translator code equivalent for the SWIFT Error Code. The translator report codes are used to generate errors from within extended rules using the `cerror()` function. If you want to validate the conditions corresponding to G18 through G24 in an extended rule, we recommend that you use the translator report code for a similar error (G01 (1003) through G17 (1019)).

SWIFT Error Code	Translator Report Error Number	Error Description
G01	1003	AU/PDS: in MT100,103,202, the letter option of the selected field is not A or D.
G02	1004	AU/PDS: in MT100,103,202, the format of the selected field option A is not valid.
G03	1005	AU/PDS: in MT100,103,202, the format of the selected field option D is not valid.
G04	1006	AU/PDS: the selected field is missing. At least one of the following fields must be present: MT100,103: fields 56a, 57a.
G05	1007	LVTS: if 2 LVTS members and the first 6 characters of their destination ID are different, exchange a SWIFT message type 100,103,205, and if the currency code used in tag 32A is CAD then the tag 103 must be present in the User Header and it must contain the code CAD.
G06	1008	REMIT: in a SWIFT message MT103, the field 77T and the tag 119 with the code word REMIT (in the User Header) must either both be present or absent.
G07	1009	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, any field 53 present in sequence B must be used with the letter option 'A'.
G08	1010	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, both fields 57 in sequences B1 and B2 (index 20,24) must be used with the letter option 'A', field 57a: of subsequence B1 must contain the CLSB BIC bank code.
G09	1011	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, if the tag 17U is used it must contain the value N.

SWIFT Error Code	Translator Report Error Number	Error Description
G10	1012	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, any field 56 present in sequence B must be used with the letter option 'A'.
G11	1013	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, if field 82 is present in sequence A it must be used with letter option 'A'.
G12	1014	CLS: in an MT300 eligible for the FIN-Copy service CLS or CLT, if field 87 is present in sequence A it must be used with letter option 'A'.
G13	1015	CLS: in an MT304 sent to the CLSB server, field 94A must contain the code ASET.
G14	1016	CLS: in an MT304 sent to the CLSB server, field 82 in sequence A must be used with letter option 'A'.
G15	1017	CLS: in an MT304 sent to the CLSB server, field 87 in sequence A must be used with letter option 'A'.
G16	1018	CLS: in an MT304 sent to the CLSB server, any field 53 present in sequence B must be used with the letter option 'A'.
G17	1019	CLS: in an MT304 sent to the CLSB server, both fields 57 in sequence B must be used with letter option 'A' and must contain the CLSB BIC bank code. Note: Field 57A, index 19, is mandatory.
G18	1751	AU/PDS: in MT103 the format of the "selected field letter option C" is invalid.
G19	1752	In MT 305 eligible for the FIN-Copy service CLS or CLT, field 53a must be used with option A.
G20	1753	In MT 305 eligible for the FIN-Copy service CLS or CLT, field 56a must be used with option A.
G21	1754	In MT 305 eligible for the FIN-Copy service CLS or CLT, field 57A must be present.
G22	1755	In MT 305 eligible for the FIN-Copy service CLS (or CLT,) when the emitter and receiver are both CLS (or CLT) members, then field 57A must contain CLSB.
G23	1756	In MT 305 eligible for the FIN-Copy service CLS (or CLT), when the emitter is CLS (or CLT) member and receiver is not, and field 34R is present, then field 57A must contain CLSB. When the emitter is CLS (or CLT) member and receiver is not, and field 34P is present, then field 56A must contain CLSB.
G24	1757	In MT 305 eligible for the FIN-Copy service CLS (or CLT), both fields 56A and 57A must not contain the CLSB BIC bank code at the same time.

Special Error Codes for Value-Added Service Messages

The following table contains the special error codes for SWIFT value-added service messages:

SWIFT Error Code	Translator Report Error Number	Error Description
B01	1020	PAC Trailer used for non-Premium service message. Message has PAC trailer but sender or receiver, or both, are not members of Premium service.
B02	1021	(Available)
B03	1022	103:LCH present in the message, but sender, receiver, or both are not members of LCH, or the message type is not allowed for LCH, or, '103:TPS' present in the message, but sender, receiver, or both are not members of TPS, or the message type is not allowed for TPS.
B04	1023	(Available)
B05	1024	A system error has occurred. The user should contact their local Customer Service Center for further information.

Message Syntax and Semantic Rule Codes

The following section contains the error codes for SWIFT message syntax and semantic rules.

The C, D, and E error code ranges refer to rule numbers (these represent the message validation rules), are documented as follows:

- ◆ Rules 000-099 as C00-C99
- ◆ Rules 100-199 as D00-D99
- ◆ Rules 200-299 as E00-E99

Rules 000-099

SWIFT Error Code	Translator Report Error Number	Error Description
C00	1025	Not Used.

SWIFT Error Code	Translator Report Error Number	Error Description
C01	1026	<p>For MT 102_not_STP, 104, 10, if field 19 is present in sequence C, then it must equal the sum of the amounts in all occurrences of field 32B in sequence B.</p> <p>For MT 201, 203, 204, 559 if the amount in field 19 must equal the sum of the amounts in all occurrences of field 32B or 34A.</p> <p>For MT 256 if field 19 is present in sequence C, then it must equal the sum of the amounts in all occurrences of field 32J in sequence B.</p> <p>For MT 820, 821, 823, 824, if Field 19 at the completion of each outer repetitive sequence must equal the sum of the products of subfields 1 and 3 in all occurrences of field 68A from its respective inner repetitive sequence(s).</p>
C02	1027	<p>The currency code must be the same for all occurrences of indicated fields in the entire message. See the SWIFT Standards Category volumes for the indicated fields in each message.</p> <p>Special Cases:</p> <p>The following MTs apply Error Code C02 in an exceptional manner (for example, either based on the presence of another field OR individually to separate groups of fields within the MT):</p> <p>MT 103_not_STP, 103_STP:</p> <p>If field 71G is present, the currency code in the fields 71G and 32A must be the same.</p> <p>MT 104, 107:</p> <p>The currency code in fields 32B and 71 G in sequences B and C must be the same for all occurrences of these fields in the message.</p> <p>The currency code in field 71F in sequences B and C must be the same for all occurrences of this field in the message.</p> <p>MT 207:</p> <p>The currency code in field 32B must be the same for all occurrences of this field in the message.</p> <p>MT 321:</p> <p>The currency code in the amount fields (fields 19A in Seq. B) must be the same for all occurrences of this field in the message.</p> <p>MT 320, 620:</p> <p>The currency codes in the amount fields 32B, 32H, and 34E in sequence B, and field 71F in sequence H, must be the same for all occurrences of these fields in the entire message.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C03	1028	The number of decimal digits in the amount component is checked against the maximum allowed for the corresponding currency. This check is mostly applied to fields containing both the amount and the currency code components.
C04	1029	MT 503, 504, 506: In sequence B, if field :19B::TEXA is not present, then field :19B::TCRL is mandatory; otherwise field :19B::TCRL is optional.
C05	1030	The BIC must not be a BEI. That is, it must not be of subtype BEID, TRCO, MCCO, or SMDP. This error code applies to all types of BICs referenced in a FIN message, including SWIFT BICs, Non-SWIFT BICs, Masters, Synonyms, Live destinations and Test and Training destinations.
C06	1031	MT 210: Either field 50a or field 52a, but not both, must be present in a repetitive sequence. MT 710,720: Either field 52a \Issuing Bank\ or field 50B \Non-Bank Issuer\, but not both, must be present. MT 910: Either field 50a or field 52a, but not both, must be present.
C07	1032	MT 516: Either field 35A or 35N must be present.
C08	1033	Available.
C09	1034	MT 430: In each occurrence of sequence A, if field 33a is present, then field 32a must be present.
C10	1035	MT 422: At least one of the fields 72, 75 or 76 must be present.
C11	1036	MT400: If field 57a is present, fields 53a and 54a must be present.
C12	1037	MT 707, 747: When field 32B or 33B is present, field 34B must be present. Conversely, when field 34B is present, either field 32B or field 33B must be present.
C13	1038	MT 750: If any of fields 33B, 71B or 73 is present, field 34B must be present.

SWIFT Error Code	Translator Report Error Number	Error Description
C14	1039	MT 559, 582, 754: Either field 53a or 57a, but not both, may be present.
C15	1040	MT 747: At least one of the fields 31E, 32B, 33B, 34B, 39A, 39B, 39C, 72 or 77A must be present.
C16	1041	MT 707: If field 23 is present, field 52a must be present.
C17	1042	MT 734: If field 73 is present, field 33a must be present.
C18	1043	MT 752: If fields 32B and 71B are present, field 33a must be present.
C19	1044	MT 754: Either field 72 or field 77A, but not both, may be present.
C20	1045	MT 601: Field 53a may be present only if field 34P is present.
C21	1046	MT506: If sequence C is not present, then sequence D is mandatory. If one or more occurrence of sequence C is/are present, then sequence D is optional. (Error code(s): C21).
C22	1047	MT 920: If field 12 contains 942, field 34F must be present in the same repetitive sequence.
C23	1048	MT 940, 942: When only one field 34F is present, subfield 2 must not be used. When both fields 34F are present, subfield 2 of the first 34F must contain D, and subfield 2 of the second 34F must contain C.
C24	1049	MT 940: If field 86 is present in any occurrence of the repetitive sequence, it must be preceded by a field 61.
C25	1050	MT n92: Field 79 or a copy of at least any fields (*) of the original message or both must be present.

SWIFT Error Code	Translator Report Error Number	Error Description
C26	1051	MT 430: At least one of the optional fields 32a or 74 must be present.
C27	1052	MT 940, 941, 942, 950, 970, 972: The first two characters of the three-character currency code in fields 60F, 60M, 62F, 62M, 64, 65, 90C and 90D, in MTs 940, 941, 942, 950, 970 and 972, and field 34F in MT 942 must be the same for all occurrences of these fields.
C28	1053	MT 544, 545, 546, 547: A value date should only be provided with an effective settlement amount, that is, in any occurrence of subsequence E3, if value date field :98a::VALU is present, then settled amount field :19A::ESTT must be present in the same subsequence.
C29	1054	MT 645: Either field 71B in sequence A or field 71C in sequence C must be present, if sequence B is not present.
C30	1055	MT 707: At least one of the fields 31E, 32B, 33B, 34B, 39A, 39B, 39C, 44A, 44B, 44C, 44D, 44E, 44F, 79 or 72 must be present.
C31	1056	MT n95, n96: Either field 79 or a copy of any field(s) of the original message to which this message relates, but not both, may be present.
C32	1057	MT 300, 303, 304, 306, 320, 330, 340, 350, 360, 361, 362, 363, 364, 365, 405, 582, 600, 643, 645, 813: An optional sequence of fields was used. However, a field that is required (that is, indicated by an \OR\) or a field that is mandatory (that is, indicated by \Mandatory in...\) within this sequence is missing.
C33	1058	MT 768, 769: If field 71B is present, field 32a must be present.
C34	1059	MT 308: In each occurrence of Seq. B, either sequence B3 or sequence B4 must be present, but not both.
C35	1060	MT 643, 644, 645, 646, 649: Either field 21 or 29B must be present.

SWIFT Error Code	Translator Report Error Number	Error Description
C36	1061	MT 643, 646: Subfield 2 (<DATE2>) of field 31F must be present in each occurrence of sequence B.
C37	1062	MT 577: Subfield 2 (<DATE2>) of field 67A must not be present.
C38	1063	MT 645: Subfield 3 (that is, 35x) of field 31F must not be present.
C39	1064	MT 813: Either sequence A or B must be present.
C40	1065	MT 920: The currency code must be the same for each occurrence of the indicated fields within each repetitive sequence.
C41	1066	MT 813: If field 34B or field 73 is present, field 32A must be present.
C42	1067	MT 820, 821, 823, 824: The currency code in each of the fields 68A of a sequence of fields 68A preceding a field 19 must be the same.
C43	1068	MT 646: Either field 32N or 33N must be present.
C44	1069	MT 646: If fields 32N and 33N are present in sequence C, field 34a must be present in sequence C.
C45	1070	MT 646: If field 23 contains REPRINC or PREPRINC, field 32N must be present in sequence C.
C46	1071	MT 646: If field 23 contains INT, field 33N must be present in sequence C.
C47	1072	MT 643: If field 23 contains LOAN/DRAWDOWN or FINARR/DRAWDOWN, sequence B must not be present.
C48	1073	MT 643: If field 23 contains LOAN/RENEWAL or FINARR/RENEWAL, sequence B must be present.

SWIFT Error Code	Translator Report Error Number	Error Description
C49	1074	MT 456: If field 71B is present, the values in fields 32a and 33D must be different.
C50	1075	MT 540, 541, 541, 543: If field :36B::PAIR is present in a minimum of one occurrence of sequence A1, then the type of settlement transaction must be a pair-off (that is, sequence E field :22F::SETR//PAIR must be present and DSS must be absent). In sequence A1, if field :36B::PAIR is present then in sequence E, field :22F::SETR//4!c must be PAIR.
C51	1076	MT 643: If field 23 contains LOAN/DRAWDOWN or LOAN/RENEWAL, field 31R must be present.
C52	1077	Available.
C53	1078	MT 643: If field 71C is present in any sequence B, field 34a must be present in the same sequence.
C54	1079	MT 644: Either field 36 or field 37(A-F) must be present in any sequence B.
C55	1080	MT 644: In any sequence B, the currency code in fields 33B and 34a must be the same.
C56	1081	Available.
C57	1082	MT 646: If field 34N is present in any sequence B, field 31F in the same sequence B and field 33N in sequence C must be present.

SWIFT Error Code	Translator Report Error Number	Error Description
C58	1083	<p>MT 300:</p> <p>In sequence A, if field 77D is present and if the first six(6) characters of the first line are equal to /VALD/ then the next eight(8) characters must contain a date expressed as YYYYMMDD and followed by the \end_of_line\ code (that is, \CRLF\).</p> <p>MT 304:</p> <p>In sequence C, if field 72 is present and if the first six (6) characters of the first line are equal to /VALD/ then the next eight (8) characters must contain a date expressed as YYYYMMDD and followed by the \end_of_line\ code(that is, \CrLf).</p> <p>MT 646:</p> <p>If field 34N is present in any sequence B, the total amount given in field 33N must equal the total amount of all occurrences of field 34N amounts in sequence B.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C59	1084	<p>MT 300:</p> <p>In sequence A, if field 77D is present and if the first six (6) characters of the first line are equal to /VALD/, then the second line must be present and contain VSETC^<CUR>\CrLf.</p> <p>Conversely, in sequence A, if field 77D is present, and the second line is present, and the first six (6) characters of the second line are equal to /SETC/, then the first six (6) characters of the first line must be equal to VVALD^.</p> <p>MT 304:</p> <p>In sequence C, if field 72 is present and if the first six (6) characters of the first line are equal to /VALD/, then the second line must be present and contain VSETC^<CUR>\CrLf.</p> <p>Conversely, in sequence C, if field 72 is present, and the second line is present, and the first six (6) characters of the second line are equal to /SETC/, then the first six (6) characters of the first line must be equal to VVALD^.</p> <p>MT 321:</p> <p>In sequence B, the presence of field 19A and of the Next Interest Due Date (field :98A::INTR) depends on the Type of Loan/Deposit Event (field :22H::TLDE) in sequence A as follows:</p> <p>If :22H::TLDE is CONF, then :98A::INTR is mandatory, 19A::SETT is not allowed, :19A::RODI is not allowed, :19A::CINT is not allowed, and :19A::NINT is mandatory.</p> <p>If :22H::TLDE is MATU, then :98A::INTR is mandatory, 19A::SETT is mandatory, :19A::RODI is optional, :19A::CINT is optional, and :19A::NINT is mandatory.</p> <p>If :22H::TLDE is ROLL, then :98A::INTR is not allowed, 19A::SETT is mandatory, :19A::RODI is not allowed, :19A::CINT is optional, and :19A::NINT is not allowed.</p> <p>MT 800:</p> <p>The amounts in fields 34B and 32A must be the same.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C60	1085	<p>MT 307:</p> <p>In sequence A, the presence of field :22H::APER and the presence of field :22H::NEGR depend on the field :22H::CRTR as follows:</p> <p>If :22H::CRTR is ASET, then :22H::APER is not allowed, and :22H::NEGR is optional.</p> <p>If :22H::CRTR is AFWD, then :22H::APER is mandatory, and :22H::NEGR is mandatory.</p> <p>MT 321:</p> <p>In sequence A, the presence of the Number Count (field :99B::) depends on the presence of the Block Trade Indicator (field :22H::BLOC) as follows:</p> <p>If :22H::BLOC is present then :99B:: is mandatory.</p> <p>If :22H::BLOC is not present then :99B:: is not allowed.</p> <p>MT 643:</p> <p>In each sequence B, the currency code in fields 32P, 33a and 34a must be the same.</p>
C61	1086	<p>MT 307:</p> <p>In sequence A, the presence of field :22H::PAFI depends on field :22H::APER as follows:</p> <p>If :22H::APER is OPEF then :22H::PAFI is not allowed.</p> <p>If :22H::APER is NOPE then :22H::PAFI is mandatory.</p> <p>If :22H::APER is not present then :22H::PAFI is not allowed.</p> <p>MT 321:</p> <p>In sequence B, the presence of field :98A::LDFP depends on the value of field :22H::TLDE as follows:</p> <p>If sequence A, :22H::TLDE is MATU then Sequence B :98A::LDFP is not allowed.</p> <p>If sequence A, :22H::TLDE is not MATU then Sequence B :98A::LDFP is optional.</p> <p>MT 643:</p> <p>In each sequence C, the currency code in fields 32B and 33B must be the same.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C62	1087	<p>MT 307:</p> <p>The presence of sequence C depends on field :22H::APER as follows:</p> <p>If Sequence A, :22H::APER is OPEF, then Sequence C is not allowed.</p> <p>If Sequence A, :22H::APER is NOPE, then Sequence C is mandatory.</p> <p>If Sequence A, :22H::APER is not present, then Sequence C is not allowed.</p> <p>MT 321:</p> <p>In sequence B, the presence of field :99B::DAAC depends on the presence of field :98A::LDFP as follows:</p> <p>If :98A::LDFP is present, then :99B::DAAC is mandatory.</p> <p>If :98A::LDFP is not present, then :99B::DAAC is not allowed.</p> <p>MT 813:</p> <p>If field 21 contains NONREF, field 59 must be present.</p>
C63	1088	<p>In sequence A, the presence of the qualifier UNKN in field :22H::NEGR//UNKN depends on the content of field :22H::CRTR, of field :22H::APER and of field :22H::PAFI as follows:</p> <p>MT 307:</p> <p>If field :22H:: is CRTR//ASET, then field :22H::NEGR//UNKN is not allowed.</p> <p>If field :22H:: is CRTR//AFWD and APER//OPEF, then field :22H::NEGR//UNKN is optional.</p> <p>If field :22H:: is CRTR//AFWD and APER//NOPE and PAFI//PAIN, then field :22H::NEGR//UNKN is optional.</p> <p>If field :22H:: is CRTR//AFWD and APER//NOPE and PAFI//FINA, then field :22H::NEGR//UNKN is not allowed.</p> <p>MT 321:</p> <p>In sequence A, if field 99B is present, then all qualifiers must be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C64	1089	<p>The presence of sequence D depends on the value of field 22H as follows:</p> <p>If Sequence A, field :22H::CRTR is ASET and :22H::NEGR is NETC, then Sequence D is optional.</p> <p>If Sequence A, field :22H::CRTR is ASET and :22H::NEGR is GRSC, then Sequence D is not allowed.</p> <p>If Sequence A, field :22H::CRTR is ASET and :22H::NEGR is not present, then Sequence D is not allowed.</p> <p>If Sequence A, field :22H::CRTR is AFWD, field :22H::APER is OPEF, and :22H::NEGR is NETC, GRSC, or UNKN, then Sequence D is not allowed.</p> <p>If Sequence A, field :22H::CRTR is AFWD, field :22H::APER is NOPE, field :22H::PAFI is PAIN, and :22H::NEGR is NETC, GRSC, or UNKN, then Sequence D is not allowed.</p> <p>If Sequence A, field :22H::CRTR is AFWD, field :22H::APER is NOPE, field :22H::PAFI is FINA, and :22H::NEGR is NETC, then Sequence D is mandatory.</p> <p>If Sequence A, field :22H::CRTR is AFWD, field :22H::APER is NOPE, field :22H::PAFI is FINA, and :22H::NEGR is GRSC, then Sequence D is not allowed.</p>
C65	1090	<p>MT 567:</p> <p>In Sequence A, if field :23G:01 is CAST, then in every occurrence of sequence A2 the field :25D must be CPRC. If field :23G:01 is INST, then in every occurrence of sequence A2 the field :25D must be IPRC or ESTA. If field :23G:01 is EVST, then in every occurrence of sequence A2 the field :25D must be EPRC or ESTA.</p>
C66	1091	<p>MT 643:</p> <p>The number of occurrences of sequence C must be equal to or greater than the number of occurrences of sequence B.</p>
C67	1092	<p>MT 516:</p> <p>In sequence A, either field 83C or 87a, but not both, may be present.</p>
C68	1093	<p>MT 202_COV, 205_COV:</p> <p>In sequence B, if field 56a is present, then field 57a must also be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C69	1094	MT 507: In each occurrence of sequence B, the presence of sub-sequences B1a and B1b depend upon the value with sequence B field :22H::COLL//Status. (See the <i>SWIFT User Handbook</i> for more details.)
C70	1095	MT 507: In each occurrence of sequence B, the presence of sub-sequence B1 depends upon the values of fields :25D::COLL//<Status> and :22H::COLL//<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.)

SWIFT Error Code	Translator Report Error Number	Error Description
C71	1096	<p>MT 528, 529:</p> <p>In sequence. B, field 36B::SETT cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 535:</p> <p>In each occurrence of sub-sequence B1, field 93B::AGGR cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR and DSS must be absent.</p> <p>MT 536:</p> <p>In each occurrence of sub-sequence B1a2, field 36B::PSTA cannot appear more than twice (maximum of 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>If field :36B::PSTA is repeated, then one occurrence of :36B::PSTA must be :36B::PSTA//FAMT and the other occurrence of :36B::PSTA must be :36B::PSTA//AMOR.</p> <p>MT 537:</p> <p>In each occurrence of sub-sequence B2b, field 36B::PSTA cannot appear more than twice (maximum of 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>If field :36B::PSTA is repeated, then one occurrence of :36B::PSTA must be :36B::PSTA//FAMT and the other occurrence of :36B::PSTA must be :36B::PSTA//AMOR.</p> <p>MT 540, 541, 542, 543:</p> <p>In each occurrence of sequence. C, field 36B::SETT cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C71 (continued)	1096	<p>MT 544, 545, 546, 547:</p> <p>In each occurrence of sequence. C, field 36B::ESTT cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 548:</p> <p>In sequence. B, field 36B::SETT cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 564:</p> <p>In each occurrence of Subsequence. B2, field 93B::ELIG cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR and DSS must not be present.</p> <p>MT 565:</p> <p>In Subsequence. B2, field 93B::ELIG cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR (Error code(s): C71).</p> <p>MT 566:</p> <p>In Sequence. B, field 93B::ELIG cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR and DSS must not be present.</p> <p>MT 567:</p> <p>In sequence. B, field 36B::STAQ OR QREC cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 568:</p> <p>In Sequence. B, field 93B::ELIG cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR and DSS must not be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C71 (continued)	1096	<p>MT 584:</p> <p>In each occurrence of sub-sequence. B2b, field 36B::TRAD cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p>
C72	1097	<p>MT 537:</p> <p>In each occurrence of sub-sequence C2, field 36B::PSTA cannot appear more than twice (maximum of 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>If field :36B::PSTA is repeated, then one occurrence of :36B::PSTA must be :36B::PSTA//FAMT and the other occurrence of :36B::PSTA must be :36B::PSTA//AMOR.</p> <p>MT 564:</p> <p>In each occurrence of Subsequence. E1, field 36B::ENTL cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 565:</p> <p>In sequence. D, field 36B::QINS or QREC cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR. When used with format option C, the qualifiers QINS and QREC cannot be repeated.</p> <p>MT 566:</p> <p>In each occurrence of sub-sequence. D1, field 36B::PSTA cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p> <p>MT 584:</p> <p>In each occurrence of sub-sequence. C1c, field 36B::TRAD cannot appear more than twice (maximum 2 occurrences). When repeated, one occurrence must have Quantity Type Code FAMT and the other occurrence must have Quantity Type Code AMOR.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C73	1098	<p>MT 536: A reference to the previously received message must be specified for each transaction reported (that is, in each occurrence of sub-sequence B1a Transaction, field 20C::RELA must be present in one and only one occurrence of sub-sequence B1a1 Linkages. Field 20C::RELA is not allowed in all other occurrences of sub-sequence B1a1).</p> <p>MT 537: A reference to the previously received message must be specified for each transaction reported (that is, in each occurrence of sub-sequence B2 Transaction, field 20C::RELA must be present in one and only one occurrence of sub-sequence B2a Linkages. Field 20C::RELA is not allowed in all other occurrences of sub-sequence B2a).</p> <p>MT 544, 545, 546, 547, 548: A reference to the previously received message must be specified (that is, field 20C::RELA must be present in one and only one occurrence of sub-sequence A1 Linkages. Field 20C::RELA is not allowed in all other occurrences of sub-sequence A1).</p>
C74	1099	<p>MT 537: A reference to the previously received message must be specified for each transaction reported (that is, in each occurrence of sequence C Transaction, field 20C::RELA must be present in one and only one occurrence of sub-sequence C1 Linkages. Field 20C::RELA is not allowed in all other occurrences of sub-sequence C1).</p>
C75	1100	<p>MT 104: The presence of field 23E in sequence B depends upon on the presence and content of field 23E in sequence A. (See the <i>SWIFT User Handbook</i> for more details.</p>
C76	1101	<p>MT 104: Field 50a (option A or K) must be present either in sequence A or in each occurrence of sequence B, but must never be present in both sequences.</p>
C77	1102	<p>MT 730, 768, 769: Either field 25 or field 57a, but not both, may be present.</p>
C78	1103	<p>MT 730, 768, 769: Either field 32D or field 57a, but not both, may be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
C79	1104	MT 305, 601: Field 31C may be present only if subfield 3 or field 23 contains A.
C80	1105	MT 608: The metal code must be the same for all occurrences of the indicated fields in the entire message.
C81	1106	MT 103_not_STP, 103_STP, 202, 202_COV (Sequence A), 203, 205, 205_COV (Sequence A), and 582: If field 56a is present, then field 57a must also be present.
C82	1107	MT 104, 107: In sequence A, if field 23E is present and contains RTND, then field 72 must be present. In all other cases, field 72 is not allowed.
C83	1108	MT 935: Either field 23 or field 25, but not both, must be present in any repetitive sequence.
C84	1109	MT 303: In sequence A, if field 22A is AMNA, AMND, or CANC, then field 21 is mandatory. If field 22A is DUPL or NEWT, then field 21 is optional.
C85	1110	MT 609: Field 68B must be present when the immediately preceding field 23 contains SPOTS or FORWARDS.
C86	1111	MT 609: Field 68C must be present when the immediately preceding field 23 contains OPTIONS.
C87	1112	MT 601, 605, 606, 607, 608, 609: Subfield 1 of field 26C must not be present.
C88	1113	MT 305: The currency code in subfield 4 of field 23 must be the same as the currency code in field 32B.
C89	1114	MT 600, 601, 604, 605, 606, 607, 608, 609: A maximum of 6 decimal digits is permitted in the following: field 32F in MTs 600, 601, 604, 605, 606 and 607; fields 60F, 60M, 61, 62F, 62M, 64 and 65 in MT 608; and subfield 6 of fields 68B and 68C in MT 609.

SWIFT Error Code	Translator Report Error Number	Error Description
C90	1115	MT 700, 710, 720, 740: If field 42a is used, the only combinations that are allowed are field 42M (on its own) or field 42P (on its own) or both fields 42C and 42(A or D).
C91	1116	MT 608: Subfield 4 of field 61 must not be present.
C92	1117	MT 303: Sequences B and C are mutually exclusive. If Sequence A field 94A is FORX then sequence B is mandatory and sequence C is not permitted. If Sequence A field 94A is FXOP, then sequence C is mandatory and sequence B is not allowed.
C93	1118	MT 600: Either sequence B or C, but not both, must be present.
C94	1119	MT 104: If field 23E in sequence A is present and contains RFDD, then field 119 of the User Header must be present and contain RFDD. If field 23E in sequence A is not present or does not contain RFDD, then field 119 of the User Header must not be present. MT 503, 504, 505, 506, 507: The User Header is mandatory and must contain a field 119 with a valid code that is identical to that contained in subfield 2 of field :22a::COLA//4!c in sequence A.
C95	1120	MT 303: In sequence C, if field 23B is CLAM or PTAM then field 30X is mandatory. If field 23B is CLEU or PTEU, then field 30X is not allowed.
C96	1121	MT 104: The presence and contents of sequence B and C depend on the values within sequence A. (See the <i>SWIFT User Handbook</i> for more details.)

SWIFT Error Code	Translator Report Error Number	Error Description
C97	1122	<p>MT 303: If sequence A, field 22A is AMNA, AMND, DUPL, or NEWT, then sequence D is mandatory. If sequence A, field 22A is CANC, then sequence D is optional.</p> <p>MT 504: The presence of sequence D is mandatory when in any occurrence of sequence C, sub-sequence C1 is present and sub-sequence C1a is not present.</p> <p>MT 505: The presence of sequence C is mandatory when in any occurrence of sequence B, sub-sequence B1 is present and sub-sequence B1a is not present.</p>
C98	1123	<p>MT306: In sequence I, field 15I may not be the only field; if field 15I is present then at least one other field in sequence I must be present.</p> <p>MT 320, 330, 620: In sequence H, field 15H may not be the only field; if field 15H is present then at least one other field in sequence H must be present.</p> <p>MT 340: In sequence E, field 15E may not be the only field; if field 15E is present then at least one other field in sequence E must be present.</p>
C99	1124	<p>MT 303: If sequence A field 94A is FORX then sub-sequence D3 is not allowed. If sequence A field 94A is FXOP, then sub-sequence D3 is mandatory.</p> <p>MT 504: Sequence E is mandatory when in any occurrence of sequence C the sub-sequence C2 is present and the sub-sequence C2a is not present.</p> <p>MT 505: Sequence D is mandatory when in any occurrence of sequence B the sub-sequence B2 is present and the sub-sequence B2a is not present.</p>

Rules 100-199

SWIFT Error Code	Translator Report Error Number	Error Description
D00	1125	Not used.

SWIFT Error Code	Translator Report Error Number	Error Description
D01	1126	<p>MT 303:</p> <p>If subfield 1 of field 39P contains CURR, the number of decimal digits in subfield 3 is checked against the maximum allowed for the corresponding currency in subfield 2.</p>
D02	1127	<p>MT 304, 306, 340, 341, 360, 361, 364, 365:</p> <p>In sequence A, the presence of field 21 depends on the value of field 22A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 350:</p> <p>In sequence A, if field 22A contains ADVC then field 21 is optional, otherwise field 21 is mandatory.</p>
D03	1128	<p>MT 304:</p> <p>In sequence A, if field 94A is ASET, then fields 17O is and 17N are not allowed. If field 94A is AFWD, the fields 17O and 17N are mandatory.</p> <p>MT 535:</p> <p>If field :94a:: is present in Sequence B, then fields :93B::AGGR and :94a::SAFE are not allowed in any occurrence of Subsequence B1b.</p>
D04	1129	<p>MT 304:</p> <p>In sequence A, if field 17O is Y or not present, then field 17F is not allowed. If field 17O is N, then field 17F is mandatory.</p> <p>MT 535:</p> <p>In sub-sequence B1b, if field :93B::AGGR is present, then field :94a::SAFE is mandatory. If field :93B::AGGR is not present, the field :94a::SAFE is optional.</p>
D05	1130	<p>MT 535:</p> <p>In each occurrence of Subsequence B1b, if field :93B::AVAL or/and :93B::NAVL is/are present, then :field :93B::AGGR must be present in the same occurrence of Subsequence B1b.</p> <p>MT 700, 705, 707, 710, 720, 740, 747:</p> <p>Either field 39A or field 39B, but not both, may be present.</p>
D06	1131	<p>Either field 44C or 44D, but not both, may be present.</p>
D07	1132	<p>MT 601:</p> <p>If subfield 1 of field 77H contains \ISDA\, then (Date) and (Version) are mandatory.</p>
D08	1133	Available.
D09	1134	Available.

SWIFT Error Code	Translator Report Error Number	Error Description
D10	1135	Available.
D11	1136	Available.
D12	1137	Available.
D13	1138	MT 503, 504, 506: In sub-sequence B1, fields 16R and 16S may not be the only fields present. If both fields 16R and 16S are present, then at least one other field of the same sub-sequence must be present.
D14	1139	Available.
D15	1140	Available.
D16	1141	MT 306: The presence of subsequence B1 and of sequence C depends on the values of Type of Event (subfield 1 of field 22K) in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)
D17	1142	MT 102_not_STP, 102_STP: Field 50a must be present either in sequence A or in each occurrence of sequence B, but it must never be present in both sequences, nor be absent from both sequences.
D18	1143	MT 102_not_STP: If a field 52a, 26T or 77B is present in sequence A, then that field must not be present in any occurrence of sequence B. When a field 52a, 26T or 77B is present in any occurrence of sequence B, that field must not be present in sequence A. MT 102_STP: If a field 52a, 26T or 77B is present in sequence A, then that field must not be present in any occurrence of sequence B. When a field 52a, 26T or 77B is present in any occurrence of sequence B, that field must not be present in sequence A.
D19	1144	MT 102_STP, 103_STP: The presence and contents of fields in sequence B depend upon the presence of the country code of the sender's and receiver's BICs within D19_CC. (See the <i>SWIFT User Handbook</i> for more details.)
D20	1145	MT 102_not_STP, 102_STP. Field 71A must be present either in sequence A or in each occurrence of sequence B, but it must never be present in both sequences, nor be absent from both sequences.

SWIFT Error Code	Translator Report Error Number	Error Description
D21	1146	MT 104, 107: In each occurrence of sequence B, if field 33B is present, then the currency code or the amount, or both, must be different between fields 33B and 32B.
D22	1147	MT 102_not_STP, 102_STP: Field 36 (sequence A or sequence B) must be present in the message if there is any sequence B which contains a field 33B with a currency code different from the currency code in field 32B; in all other cases field 36 is not allowed in the message. When a field 36 (sequence A or sequence B) is required, EITHER field 36 must be present in sequence A and not in any sequence B, OR it must be present in every sequence B which contains fields 32B and 33B with different currency codes and must not be present in sequence A or any other sequence B.
D23	1148	MT 304: If sequence A field 17O is Y or not present, then sequence D is not allowed. If sequence A field 17O is N, then sequence D is mandatory.
D24	1149	MT 306: In sequence A, if field 12F contains VANI, then at least field 17A or field 17F must contain Y. Both fields may contain Y.
D25	1150	MT 306: In sequence B, the presence of field 84a, depends on the value of fields 12F, 17A and 17F in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)
D26	1151	MT 306: In sequence A, the values allowed for field 12E depend on the value of field 12F. (See the <i>SWIFT User Handbook</i> for more details.)
D27	1152	MT 306: In sequence A, the allowed values for subfield 1 of field 22K depend on fields 12F and 17A. (See the <i>SWIFT User Handbook</i> for more details.)
D28	1153	MT 306: In sequence A, if subfield 1 of field 22K is CONF or CLST, then fields 30U and 29H are not allowed. If it is any other value, field 30U is mandatory and 29H is Optional.

SWIFT Error Code	Translator Report Error Number	Error Description
D29	1154	<p>304:</p> <p>The present of sequence E depends of field 17F and 17N. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 507:</p> <p>The presence of sequence B depends on the value of field :25D::4!c/<Status> in sequence A and the value of field :13A::Link/<Number Id> in sub-sequence A2. See the <i>SWIFT User Handbook</i> for more details.</p> <p>MT 567:</p> <p>If the message is an instruction status or a cancellation request status (:23G:INST or CAST), and sequence B is present, and an instruction has been received (:25D::IPRC//NOIN is not present in the message), then sequence B should contain a CA option number and code (:13A::CAON and :22a::CAOP are mandatory). See the <i>SWIFT User Handbook</i> for more details.</p>
D30	1155	<p>MT 306:</p> <p>If sequence A field 12F is VANI, then sequence D is mandatory and sequence G is not allowed. If field 12F is not VANI, then sequence D is not allowed and sequence G is mandatory.</p>
D31	1156	<p>MT 306:</p> <p>If sequence D is present, that is if field 12F in sequence A contains VANI (see Error Code D30), then the presence of fields 30P and 30Q depends on the value of field 12E in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D32	1157	<p>MT 306:</p> <p>The presence of sequence E depends on the values of field 12F and subfield 1 of field 22K in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D33	1158	<p>MT 306:</p> <p>If sequence A field 12F is VANI and field 17F is Y, then sequence D field 26F must be NETCASH. If sequence A field 12F VANI and field 17F is N, the sequence D field 26F must be NETCASH or PRINCIPAL</p>
D34	1159	<p>MT 306:</p> <p>In sequence E, if present, the presence of field 30H depends on the value of Type of Event (subfield 1 of field 22K) and on the Expiration Style (field 12E) in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D35	1160	MT 360, 361: In sequence A, if field 14A contains OTHER, field 77D must be present.
D36	1161	MT 306, 360, 361: In sequence A, if subfield 1 of field 77H is OTHER, then field 77D is mandatory. Otherwise, field 77D is optional. MT 601: If subfield 1 of field 77H contains OTHER, then field 77D must be present. MT 340: If sequence B field 14F is OTHER, then sequence E is mandatory and sequence E field 72 is mandatory. Otherwise, sequence E and sequence E field 72 are optional.
D37	1162	MT 340: If sub-sequence B2 field 14D is OTHER, then sequence E is mandatory and sequence E field 72 is mandatory. Otherwise sequence E and sequence E field 72 are optional. MT 360, 361: In sequence B, C, E, and F, if field 14D consists of the code word 'OTHER', field 37N must be present in the respective sequence.
D38	1163	MT 360, 361: In sequences C and F, if field 14F contains OTHER, field 37N must be present in the respective sequence.
D39	1164	MT 360, 361: In sequences C and F, if field 14J contains OTHER, field 37N must be present in the respective sequence.
D40	1165	MT 360, 361: In sequences C and F, if subfield 1 of field 14G contains O, field 37N must be present in the respective sequence.
D41	1166	MT 360, 361: In sequences C and F, if subfield 2 of field 38E contains O, field 37N must be present in the respective sequence.

SWIFT Error Code	Translator Report Error Number	Error Description
D42	1167	MT 340: If the second subcomponent of subfield 1 in sub-sequence B2 field 38G is O, then sequence E and sequence E field 72 are mandatory. Otherwise, they are optional.
D43	1168	MT 306: If sequence A field 17A is Y then sequence F is mandatory. If field 17A is N then sequence F is not allowed.
D44	1169	MT 306: In sequence F, if field 22G is SKIN or SKOT then field 37L is not allowed. If field 22G is DKIN or DKOT, then field 37L is mandatory.
D45	1170	MT 360, 361: If sub-sequence B1 is present, the presence of fields 32M, 17F, and 14D depends on field 37U in sequence B. (See the <i>SWIFT User Handbook</i> for more details.)
D46	1171	MT 306: In sequence G, if field 22J is Sitr then field 37P is not allowed. If field 22J is DBTR, then field 37P is mandatory.
D47	1172	MT 306: If sequence A, field 17F is Y, then sequence H is mandatory. If field 17F is N, then sequence H is not allowed.
D48	1173	MT 360, 361: If in sequence L or M, field 57a if present, then in the same sequence, fields 53a and 56a are optional. If field 57a is not present, then fields 53a and 56a are not allowed.

SWIFT Error Code	Translator Report Error Number	Error Description
D49	1174	<p>MT 102_not_STP, 102_STP:</p> <p>If the country codes of both the Sender's and the Receiver's BIC belong to the D49_CC list, then field 33B is mandatory in each occurrence of sequence B, otherwise field 33B is optional. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 103_not_STP, 103_STP:</p> <p>If the country codes of both the Sender's and the Receiver's BIC belong to the D49_CC list, then field 33B is mandatory, otherwise field 33B is optional. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 504:</p> <p>Sequence D is not allowed when for all occurrences of sequence C, either sub-sequence C1 is not present or C1a is present in all occurrences of C1.</p> <p>MT 505:</p> <p>Sequence C is not allowed when for all occurrences of sequence B, either sub-sequence B1 is not present or B1a is present in all occurrences of B1.</p>
D50	1175	<p>MT 102_not_STP, 102_STP:</p> <p>If field 71A in sequence A contains SHA, then fields 71F are optional and field 71G is not allowed in any occurrence of sequence B. If field 71A in sequence B contains SHA, then fields 71F are optional and field 71G is not allowed in the same occurrence of sequence B.</p> <p>MT 103_not_STP, 103_STP:</p> <p>If field 71A contains SHA, then field(s) 71F is (are) optional and field 71G is not allowed.</p> <p>MT 504:</p> <p>Sequence E is not allowed when, for all occurrences of C, either sub-sequence C2 is not present, or C2a is present in all occurrences of C2.</p> <p>MT 505:</p> <p>Sequence D is not allowed when for all occurrences of sequence B, either sub-sequence B2 is not present or sub-sequence B2a is present in all occurrences of B2.</p>
D51	1176	<p>MT 102_not_STP, 102_STP:</p> <p>If either field 71F (at least one occurrence) or field 71G is present in an occurrence of sequence B, then field 33B is mandatory in the same occurrence of sequence B.</p> <p>MT 103_not_STP, 103_STP:</p> <p>If either field 71F (at least one occurrence) or field 71G is present, then field 33B is mandatory; otherwise field 33B is optional.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D52	1177	MT 507: Field :13a::LINK must be present in one and only one occurrence of sub-sequence A2.
D53	1178	MT 507: Field :20C::RELA must be present in the same occurrence of sub-sequence A2 where field :13a::LINK is present.
D54	1179	MT 101: If field 36 is present, then field 21F must be present.
D55	1180	MT 360, 361: In sequences B, C, E and F, if field 14A contains OTHER, field 37N must be present in the respective sequence.
D56	1181	MT 320: The presence of fields 32H and 30X in sequence B depends on the value of field 22B in sequence A. (See the <i>SWIFT User Handbook</i> for more details.) MT 330: The presence of fields 32B, 32H and 30X in sequence B depends on the value of field 22B in sequence A (See the <i>SWIFT User Handbook</i> for more details.) MT 620: The presence of fields 32H, 32R and 30X in sequence B depends on the value of field 22B in sequence A (See the <i>SWIFT User Handbook</i> for more details.)

SWIFT Error Code	Translator Report Error Number	Error Description
D57	1182	<p>MT 102_not_STP, 102_STP, 104, 107: In sequence C, in field 71G, Amount must not equal '\0'.</p> <p>MT 103_not_STP, 103_STP: In field 71G, Amount must not equal '\0'.</p> <p>MT 320. The values allowed for field 32H in sequence B depend on the values of fields 22B in sequence A and 17R in sequence B. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 330: The values allowed for field 32H in sequence B depend on the values of fields 22B in sequence A and 17R in sequence B. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 620: In sequence B, the values allowed for field 32a (index 18, field32H, R) depend on the values of fields 22B in sequence A and 17R in sequence B.</p>
D58	1183	<p>MT 360: Depending on the contents of subfield 1 of field 23A in sequence A, only certain combinations of optional sequences B, C, E, and F are allowed. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D59	1184	<p>MT 360, 361: If sub-sequence E1 is present, the presence of fields 32M (in each occurrence of the internal loop), 17F and 14D, depends on field 37U in sequence E. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D60	1185	<p>MT 101: In each occurrence of Sequence B, if field 33B is present and '\amount\' in field 32B is not equal to zero, then field 36 must be present, otherwise field 36 is not allowed.</p> <p>MT 320, 330, 620: In sequence B, if field 30F is present, then field 38J in sequence B is mandatory; otherwise field 38J is not allowed.</p> <p>MT 341: In sequence B, if field 30V is present then field 38D in sequence B is mandatory; otherwise field 38D is not allowed.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D61	1186	<p>MT 101:</p> <p>If there is only one debit account, the ordering customer must be identified in field 50a (option F, G or H) in sequence A. Conversely, if multiple debit accounts are used, they must be identified for every transaction in field 50a (option F, G or H) of sequence B. Consequently, field 50a (option F, G or H) must be present in either sequence A or in each occurrence of sequence B, but must never be present in both sequences, nor be absent from both sequences.</p>
D62	1187	<p>MT 101:</p> <p>Field 50a (option C or L) may be present in either sequence A or each occurrence of sequence B, but must not be present in both sequences A and B.</p>
D63	1188	<p>MT 101, 102_not_STP, 103_not_STP, 104, 107, 405, 416:</p> <p>Field 51A is only valid in FileAct. This special error code is required to indicate to FileAct users that they have included a field in a FIN message that is reserved for FileAct.</p>
D64	1189	<p>MT 101, 206:</p> <p>Field 52a must not be present in both sequences A and B.</p>
D65	1190	<p>MT 101, 207:</p> <p>In each occurrence of sequence B, if field 56a is present then field 57a must be present.</p>
D66	1191	<p>MT 101:</p> <p>Subfield 2 of field 23E is allowed only when subfield 1 of this field consists of CMTO, PHON, OTHR or REPA.</p> <p>MT 207:</p> <p>Subfield 2 of field 23E is only allowed when subfield 1 of this field consists of CMTO, PHON or OTHR.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D67	1192	<p>MT 101: In each occurrence of sequence B, when field 23E is used more than once, certain combinations are not allowed. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 103_STP: When field 23E is used more than once, the following combination is not allowed: REPA with CORT.</p> <p>MT 207: Certain field combinations are not allowed. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D68	1193	<p>MT 101: For each occurrence of sequence B, if field 33B is present in sequence B, its currency code must be different from the currency code in field 32B of the same occurrence of sequence B.</p>
D69	1194	<p>MT 320, 620: If field 22B in sequence A contains MATU, then field 30F in sequence B is not allowed; otherwise field 30F is optional.</p> <p>MT 330: If field 22B contains SETT in sequence A, then field 30F in sequence B is not allowed; otherwise field 30F is optional.</p> <p>MT 340: If at least one occurrence of field 22B in sub-sequence B2 contains OTHR, then sequence E and field 72 in sequence E are mandatory; otherwise (that is no occurrence of field 22B contains OTHR), field 72 in sequence E is optional.</p>
D70	1195	<p>MT 300: In sequence A, the presence of field 21 depends on the value of field 22A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 320, 330,620: In sequence A, the presence of field 21 depends on the values of fields 22B and 22A. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D71	1196	<p>MT 502, 514, 518: If field :22F::DBNM//VEND is present in sequence C, then it is mandatory to specify a vendor: that is, one occurrence of sequence D Other Parties must contain a party field :95a::VEND.</p> <p>MT 513, 515: If field :22F::DBNM//VEND is present in sequence D, then it is mandatory to specify a vendor: that is, one occurrence of sequence E Other Parties must contain a party field :95a::VEND.</p> <p>MT 528, 529: If field :22F::DBNM//VEND is present in sequence C, then it is mandatory to specify a vendor: that is, one occurrence of sequence D Other Parties must contain a party field :95a::VEND:.</p> <p>MT 540, 541, 542, 543: If field :22F::DBNM//VEND is present in sequence E, then it is mandatory to specify a vendor: that is, one occurrence of sequence F Other Parties must contain a party field :95a::VEND:.</p>
D72	1197	<p>MT 320, 620: In sequence A, if field 94A is present and contains AGNT, then field 21N in sequence A is mandatory; otherwise it is optional.</p> <p>MT 330, 350: In sequence A, if field 94A is present and contains AGNT, then field 21N in sequence A is mandatory; otherwise it is optional.</p>
D73	1198	<p>MT 104, 107: When present in sequence A, fields 21E, 26T, 77B, 71A, 52a and 50a (option C or L) must, independently of each other, not be present in any occurrence of sequence B. When present in one or more occurrences of sequence B, fields 21E, 26T, 77B, 71A, 52a and 50a (option C or L) must not be present in sequence A.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D74	1199	<p>MT 300: The presence of sequence C and fields 88a and 71F depends on field 94A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 306: The presence of sequence I and fields 88a and 71F in sequence I depends on the value of field 94A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 320, 620: The presence of sequence H and fields 88a and 71F in sequence H depends on the value of field 94A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 340: The presence of sequence E and fields 88a and 71F in sequence E depends on the value of field 94A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 360, 361: The presence of fields 88a and 71F in sequence N and, therefore, the presence of sequence N itself, depend on field 94A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D75	1200	<p>MT 103_not_STP, 103_STP: If field 33B is present and the currency code is different from that of field 32A, then field 36 must be present; otherwise field 36 is not allowed.</p> <p>MT 104, 107: In any occurrence of sequence B, if field 33B is present and the currency codes in fields 32B and 33B are different, then field 36 must be present. Otherwise, field 36 must not be present.</p>
D76	1201	<p>MT 300: If sequence A field 17U is N or Not present, then sequence D is not allowed. If field 17U is Y, then sequence D is mandatory.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D77	1202	<p>MT 104:</p> <p>If field 21E is present in sequence A, then field 50a (option A or K) must also be present in sequence A. In each occurrence of sequence B, if field 21E is present, then field 50a (option A or K) must also be present in the same occurrence.</p> <p>MT 107:</p> <p>If field 21E is present in sequence A, then field 50a (option A or K) must also be present in sequence A. In each occurrence of sequence B, if field 21E is present, then field 50a (option A or K) must also be present in the same occurrence.</p>
D78	1203	<p>MT 416:</p> <p>Field 23E must be present either in sequence A or in each occurrence of sequence B but not in both.</p>
D79	1204	<p>MT 102_not_STP, 102_STP:</p> <p>If field 71G is present in one or more occurrences of sequence B, then field 71G is mandatory in sequence C.</p> <p>MT 104, 107:</p> <p>If field 71F is present in one or more occurrences of sequence B, then it must also be present in sequence C, and vice-versa. If field 71G is present in one or more occurrences of sequence B, then it must also be present in sequence C, and vice-versa.</p>
D80	1205	<p>MT 104:</p> <p>If sequence C is present and if the amount in field 32B of sequence C is equal to the sum of amounts of fields 32B of sequence B, then field 19 must not be present; otherwise, field 19 must be present.</p> <p>MT 107:</p> <p>If the amount in field 32B of sequence C is equal to the sum of amounts of the fields 32B of sequence B, then field 19 must not be present; otherwise field 19 must be present.</p> <p>MT 256:</p> <p>If the amount in field 32A of sequence C is equal to the sum of the amounts of the fields 32J of sequence B, then field 19 must not be present; otherwise (that is the amount in field 32A of sequence C is not equal to the sum of the amounts of fields 32J of sequence B), field 19 must be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D81	1206	<p>MT 104, 107, 206, 256, 416: Subfield 2 of field 23E is allowed only when subfield 1 of this field consists of \OTHR\.</p> <p>MT 306: Subfield 2 of field 22K, that is \^35x, is mandatory when subfield 1 of this field C consists of \OTHR\; otherwise subfield 2 is not allowed.</p> <p>MT 405: Subfield 2 of field 23C is allowed only when subfield 1 of this field consists of \OTHR\.</p> <p>Subfield 2 of field 23E is allowed only when subfield 1 of this field consists of \OTHR\.</p> <p>Subfield 2 of field 23F is allowed only when subfield 1 of this field consists of \OTHR\.</p> <p>MT 700, 710, 720: Subfield 2 of field 40E (that is, \^35x) is only allowed when subfield 1 of this field consists of \OTHR\.</p> <p>MT 760: Subfield 2 of field 40C is only allowed when subfield 1 of this field consists of \OTHR\.</p>
D82	1207	<p>MT 104, 107, 207: The first component in line 1 of field 72 must consist either /RETN/ or /REJT/.</p>
D83	1208	<p>MT 416: When present in sequence A, fields 71F and 77A must, independently of each other, not be present in any occurrence of sequence B. Conversely, when not present in sequence A, fields 71F and 77A are, independently of each other, optional in any occurrence of sequence B.</p>
D84	1209	<p>MT 740: Either field 58a or 59, but not both, may be present.</p>
D85	1210	<p>MT 330: In sequence B, if field 30X is present, then field 34E is mandatory; otherwise field 34E is not allowed.</p>
D86	1211	<p>MT 107: Fields 23E and 50a (option A or K) must, independently of each other, be present either in sequence A or in each occurrence of sequence B but not in both.</p> <p>MT 405: Fields 23E and 50D must, independently of each other, be present either in sequence A or in each occurrence of sequence B, but not both.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D87	1212	<p>MT 405:</p> <p>When present in sequence A, fields 26T, 77B, 71A, 50L and 52a must, independently of each other, not be present in any occurrence of sequence B.</p> <p>Conversely, when not present in sequence A, fields 26T, 77B, 71A, 50L and 52a are, independently of each other, optional in any occurrence of sequence B.</p>
D88	1213	<p>MT 405:</p> <p>Independently of each other, if fields 71F and 71G are present in one or more occurrence of sequence B, then they must also be present in sequence C.</p> <p>Conversely, if fields 71F and 71G are not present in any occurrence of sequence B, then they must not be present in sequence C.</p>
D89	1214	<p>MT 405:</p> <p>If sequence C is present and the sum of the fields 32a in sequence B equals the amount indicated in field 32a in sequence C, then field 19 must not be present in sequence C. If sequence C is present and the sum of the fields 32a in sequence B does not equal the amount indicated in field 32a in sequence C, then field 19 must be present in sequence C and must equal the sum of all the fields 32a in sequences B.</p>
D90	1215	<p>MT 405:</p> <p>The presence of sub-sequences A1 and B1 is dependent on the presence and the content of subfield 1 of field 23E in the same sequence A and B respectively. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D91	1216	<p>MT 405:</p> <p>If field 71A contains either SHA or BEN, field 17A must be used. If field 71A contains OUR, field 17A must not be used. If field 71A is not present, field 17A is optional.</p>
D92	1217	<p>MT 530:</p> <p>In each occurrence of Sequence B, all Orders of field 20C are Optional, but at least one Order (any one) must be present.</p> <p>MT 568:</p> <p>All Orders of field 70a are Optional, but at least one Order (any one) must be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D93	1218	<p>MT 102_not_STP: If field 23 contains CHQB, then subfield 1 must not be present in field 59a. In all other cases, it is mandatory.</p> <p>MT 530: In each occurrence of Sequence B, all Orders of field 22F are Optional, but at least one Order (any one) must be present.</p>
D94	1219	<p>MT 405: The presence of fields 22D and 22E is dependent on the presence and the content of subfield 1 of field 23E. (See the <i>SWIFT User Handbook</i> for more details.)</p>
D95	1220	<p>MT 405: In sequences A and B, depending on the content of field 23E, only certain code word combinations may be used in fields 22D and 22E.</p>
D96	1221	<p>MT 300: If sequence D is present, field 16A must equal the number of internal repetitions in sequence D (that is block of fields: 17A - 58a).</p> <p>MT 306, 320, 340, 360, 361, 362: Field 18A must equal the number of repetitions that immediately follows.</p>
D97	1222	<p>MT 103_not_STP: Subfield 2 of field 23E is allowed only when subfield 1 consists of PHON, PHOB, PHOI, TELE, TELB, TELI, HOLD, or REPA.</p> <p>MT 103_STP: Subfield 2 of field 23E is only allowed when subfield 1 consists of REPA.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
D98	1223	<p>MT 101:</p> <p>If field 21R is present in sequence A, then in each occurrence of sequence B, the currency code in fields 32B must be the same.</p> <p>MT 103_not_STP:</p> <p>If field 23E is repeated, the codes must appear in the following order: SDVA, INTC, REPA, CORT, HOLD, CHQB, PHOB, TELB, PHON, TELE, PHOI, TELI. Note: The first code does not need to be SDVA. There may be gaps.</p> <p>MT 103_STP:</p> <p>If field 23E is repeated, the codes must appear in the following order: SDVA, INTC, REPA, CORT. Note: The first code does not need to be SDVA. There may be gaps.</p>
D99	1224	<p>MT 564:</p> <p>If field :70E::NAME is used in sequence D, then field :22F::CAEV//CHAN must be present in sequence A, and field :22F::CHAN//NAME must be present in sequence D.</p> <p>MT 566:</p> <p>If field :70E::NAME is used in sequence C, then field :22F::CAEV//CHAN must be present in sequence A, and field :22F::CHAN//NAME must be present in sequence C.</p>

Rules 200-299

SWIFT Error Code	Translator Report Error Number	Error Description
E00	1225	Not used.
E01	1226	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, field 23E can contain only SDVA, TELB, PHOB, or INTC.</p> <p>MT 103_STP:</p> <p>If field 23B contains SPRI, field 23E can contain only SDVA and INTC.</p> <p>MT 564:</p> <p>In sequence A, if field :22F::CAEV//RHDI is present, then sequence C is not allowed. In sequence A, if field :22F::CAEV//RHTS is present, then sequence C is mandatory.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E02	1227	<p>MT 103_not_STP, 103_STP:</p> <p>If field 23B contains SSTD or SPAY, field 23E must not be used.</p> <p>MT 564:</p> <p>In sequence A, if field :23G:REPE is present, then when sequence C is present, field :36a::QINT is mandatory.</p>
E03	1228	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY, field 53a must not be used with option D.</p> <p>MT 564:</p> <p>In sequence A, if field :22F::CAEV//OTHR is present, then a minimum of one occurrence of sequence D or F must be present, and a minimum of one occurrence of field :70E::ADTX must be present in the message (that is, in sequence D, F, or both).</p>
E04	1229	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY and field 53a is present with option B, subfield 1, Party Identifier ([\^<DC>][\^34x] \CRLF\') must be present in field 53B.</p> <p>MT 103_STP:</p> <p>If field 53a is present with option B, subfield 1, Party Identifier ([\^<DC>][\^34x] \CRLF\') must be present in field 53B.</p>
E05	1230	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY, field 54a can be used with option A only.</p>
E06	1231	<p>MT 103_not_STP:</p> <p>If field 55a is present, then both fields 53a and 54a must also be present.</p> <p>MT 103_STP:</p> <p>If field 55A is present, then both fields 53A and 54A must also be present.</p> <p>MT 564:</p> <p>If field :22F::CAEV//RHDI is present in sequence A, then field :22F::RHDI must be present in sequence D or in at least one occurrence of sequence E, but not in both D and E.</p> <p>MT 566:</p> <p>If field :22F::CAEV//RHDI is present in sequence A, then sequence C is mandatory and field :22F::RHDI must be present in sequence C.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E07	1232	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY, field 55a can be used with option A only.</p>
E08	1233	<p>MT 381:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then sub-sequence A1 Linkages must be present at least once, and a reference to the previous message must be specified in the Linkage section (that is, field :20C::PREV must be present at least once in that message).</p> <p>MT 500, 513, 514, 518, 519, 528, 529, 535, 536, 537, 538, 549, 565, 575, 576, 584, 586, 587:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then sub-sequence A1 Linkages must be present at least once, and only in one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 502:</p> <p>If the message is a cancellation or replacement (that is, the Function of the Message, field 23G, is CANC or REPL), then sub-sequence A1 Linkages must be present at least once in the message, and in only one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 503, 504, 505, 506, 569:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then sub-sequence A2 Linkages must be present at least once in the message, and in only one occurrence of A2, field :20C::PREV must be present. Consequently, in all other occurrences of A2, field :20C::PREV is not allowed.</p> <p>MT 508, 524:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then sub-sequence A1 Linkages must be present in the message, and field :20C::PREV must be present in A1.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E08 (continued)	1233	<p>MT 501, 515, 517:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then field :20C::PREV must be present in only one occurrence of A1. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 527:</p> <p>If subfield 1 of field 23G contains REPL in sequence A, then sequence B is not allowed; otherwise sequence B is mandatory.</p> <p>MT 540, 541, 542, 543:</p> <p>If the message is a cancellation (that is, the Function of the Message, field 23G, is CANC), then sub-sequence A1 Linkages must be present at least once in the message, and in only one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 544, 545, 546, 547:</p> <p>If the message is a cancellation or a reversal (that is, the Function of the Message, field 23G, is CANC or RVSL), then field :20C::PREV must be present in only once occurrence of sub-sequence A1. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 558:</p> <p>In sequence A, the presence of subsequence A2 depends on the value of subfield 1 of field 23G. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 564, 568:</p> <p>If the message is a cancellation, a replacement, an eligible balance notification, a withdrawal, or a reminder (that is, the Function of the Message, field 23G, is CANC, REPL, REPE, WITH, or RMDR), then sub-sequence A1 Linkages must be present at least once in the message, and in only one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p> <p>MT 566 and 588:</p> <p>If the message is a reversal (that is, the Function of the Message, field 23G, is REVR), then sub-sequence A1 Linkages must be present at least once in the message, and in only one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E08 (continued)	1233	<p>MT 578:</p> <p>If the message is a cancellation or a removal (that is, the Function of the Message, field 23G, is CANC or REMO), then sub-sequence A1 Linkages must be present at least once in the message, and in only one occurrence of A1, field :20C::PREV must be present. Consequently, in all other occurrences of A1, field :20C::PREV is not allowed.</p>
E09	1234	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY, field 57a can be used with option A, option C or option D. In addition, in option D, subfield 1, Party Identifier, ([\^'<DC>][\^'34x] \CRLF\') must be present.</p> <p>MT 564:</p> <p>If the field 23G::01 contains REPL or REPE, then the codeword ENTL is not allowed in the field 25D::PROC.</p>
E10	1235	<p>MT 103_not_STP:</p> <p>If field 23B contains SPRI, SSTD or SPAY, subfield 1, Account, in field 59a is mandatory.</p> <p>MT 102_STP, 103_STP, 104, 107:</p> <p>Subfield 1, Account, of field 59a is mandatory.</p>
E11	1236	<p>MT 564:</p> <p>If the message is an additional business process (:23G::ADDB) then sequence D Corporate Action Details is mandatory, and in sequence D, field :22F::ADDB is Mandatory, only one occurrence is allowed, and it must contain the code word CLAI (Claim or Compensation), TAXR (Tax Refund) or REVR (Notification or Reversal).</p>
E12	1237	<p>MT 103_not_STP:</p> <p>Either field 70 or 77T, but not both, may be present.</p>
E13	1238	<p>MT 102_not_STP, 102_STP:</p> <p>If field 71A in sequence A contains OUR, then field 71F is not allowed and field 71G is optional in any occurrence of sequence B. If field 71A in sequence B contains OUR, then field 71F is not allowed and field 71G is optional in the same occurrence of sequence B.</p> <p>MT 103_not_STP, 103_STP:</p> <p>If field 71A contains OUR, then field 71F is not allowed and field 71G is optional.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E14	1239	<p>MT 528, 529:</p> <p>If field :22F::FXCX//FXNO or FXYE is present in sequence C, then the message must be a cancellation, that is, Function of the Message in sequence A (field 23G) is CANC. If field :22F::FXCX//SINO is present in sequence C, then the message must be new, that is, Function of the Message in sequence A (field 23G) is NEWM.</p> <p>MT 540, 541, 542, 543:</p> <p>If field :22F::FXCX//FXNO or FXYE is present in sequence E, then the message must be a cancellation, that is, Function of the Message in sequence A (field 23G) is CANC. If field :22F::FXCX//SINO is present in sequence E, then the message must be new, that is, Function of the Message in sequence A (field 23G) is NEWM</p>
E15	1240	<p>MT 102_not_STP, 102_STP:</p> <p>If field 71A in sequence A contains BEN, then at least one occurrence of field 71F is mandatory in each occurrence of sequence B and field 71G is not allowed.</p> <p>If field 71A in sequence B contains BEN, then at least one occurrence of field 71F is mandatory in the same occurrence of sequence B and field 71G is not allowed.</p> <p>MT 103_not_STP, 103_STP:</p> <p>If field 71A contains BEN, then at least one occurrence of field 71F is mandatory and field 71G is not allowed.</p>
E16	1241	<p>MT 103_not_STP, 103_STP:</p> <p>If field 23B contains SPRI, field 56a must not be used.</p>
E17	1242	<p>MT 103_not_STP:</p> <p>If field 23B contains SSTD or SPAY, field 56a can be used with either option A or option C. If option C is used, it must contain a clearing code.</p>
E18	1243	<p>MT 103_not_STP:</p> <p>If any field 23E contains CHQB, subfield 1, Account, in field 59a is not allowed.</p>
E19	1244	Available.
E20	1245	Available.
E21	1246	Available.
E22	1247	Available.
E23	1248	Available.

SWIFT Error Code	Translator Report Error Number	Error Description
E24	1249	Available.
E25	1250	MT 256: If field 37J is present, then field 71G must also be present.
E26	1251	MT 256: If field 71L is present in sequence C, then the amount specified in field 71L must be equal to the sum of all occurrences of field 71F in sequence B.
E27	1252	MT 256: If field 71J is present in sequence C, then the amount specified in field 71J must be equal to the sum of all occurrences of field 71G in sequence B.
E28	1253	MT 256: Field 21 must be present either in sequence A or in each occurrence of sequence B but not in both.
E29	1254	MT 256: If field 71F is present in any occurrence of sequence B, then field 71L must be present in sequence C, and vice versa if field 71F is absent from all occurrences of sequence B, then field 71L is not allowed in sequence C.
E30	1255	MT 256: If field 71G is present in any occurrence of sequence B, then field 71J must be present in sequence C, and vice versa if field 71G is absent from all occurrences of sequence B, then field 71J is not allowed in sequence C.
E31	1256	MT 256: If field 71H is present in any occurrence of sequence B, then field 71K must be present in sequence C, and vice versa if field 71H is absent from all occurrences of sequence B, then field 71K is not allowed in sequence C.
E32	1257	MT 256: If field 71K is present in sequence C, then the amount specified in field 71K must be equal to the sum of all occurrences of field 71H in sequence B.

SWIFT Error Code	Translator Report Error Number	Error Description
E33	1258	<p>MT 364: The presence of sequences B and E depends on subfield 1 of field 23A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 365: The presence of sequences B and E depends on subfield 1 of field 23A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E34	1259	<p>MT 364: In sequence A, the presence of fields 32G and 22D and, in sequences B and E, the presence of field 37P depend on field 22B in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 365: In sequence A, the presence of fields 32G, 33E and 22D and, in sequences B and E, the presence of field 37P, depend on field 22B in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E35	1260	<p>MT 306: In sequences C, E and J, if field 56a is not present, then field 86a in the same sequence C, E or J is not allowed; otherwise field 86a is optional.</p> <p>MT 320: In sequences C, D, E, F and I, if field 56a is not present, then field 86a in the same sequence is not allowed; otherwise field 86a is optional.</p> <p>MT 330, 620: In sequences C, D, E and F, if field 56a is not present, then field 86a in the same sequence is not allowed; otherwise field 86a is optional.</p> <p>MT 340: In sequences C, D and F, if field 56a is not present, then field 86a in the same sequence is not allowed; otherwise field 86a is optional.</p> <p>MT 341, 350: In sequence C, if field 56a is not present, then field 86a is not allowed; otherwise field 86a is optional.</p> <p>MT 360, 361, 362, 364, 365: Within a specific sequence, or within an internal loop, the presence of field 86a depends on field 56a. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E36	1261	<p>MT 364, 365: In sequence A, if field 22D contains OTHR, field 37N must be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E37	1262	<p>MT 509: Within each occurrence of subsequence A2a, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of its surrounding subsequence A2. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 537: Within each occurrence of subsequence B1, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of its surrounding sequence B. (See the <i>SWIFT User Handbook</i> for more details.) Within each occurrence of subsequence C3a, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of its surrounding sequence C3 Status. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 548: Within each occurrence of subsequence A2a, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of its surrounding subsequence A2. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 549: Within each occurrence of sequence B, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of the same occurrence of sequence B. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 567: Within each occurrence of sub-sequence A2a, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of its surrounding sub-sequence A2 Status.</p> <p>MT 584: Within each occurrence of subsequence B2, the qualifier in field 24B must be the same as the code word (Status Code) used with the appropriate qualifier in field 25D of the same occurrence of subsequence B2. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E38	1263	MT 362: The currency code of the fields 33F and 32H in sequence B must be the same. The currency codes of the fields 33F and 32H in sequence D must be the same.
E39	1264	MT 362: In sequences B and D, the presence of fields 37J and 37L depends on subfield 1 of field 23A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)
E40	1265	MT 340: In sequence A, the presence of field 14C depends on the value of subfield 1 of field 77H. (See the <i>SWIFT User Handbook</i> for more details.) MT 361: The content of field 77H, in sequence A, determines the presence of fields 14G and 37R in the sub-sequences C1 and F1, and sub-sequences C2 and F2. (See the <i>SWIFT User Handbook</i> for more details.)
E41	1266	MT 340: In sequence B, the presence of sub-sequence B1 depends on the value of subfield 1 of field 77H in sequence A. (See the <i>SWIFT User Handbook</i> for more details.) MT 360, 361: The presence of field 37U in sequences B and E and the presence of sub-sequences B1, C1, C2, C3, E1, F1, F2 and F3 depend on the content of subfield 1 of field 77H and on the content of field 14F. (See the <i>SWIFT User Handbook</i> for more details.)
E42	1267	MT 360: In sequences C and F, the presence of fields 37J and 37L depends on subfield 1 of field 23A in sequence A. (See the <i>SWIFT User Handbook</i> for more details.)
E43	1268	MT 361: Depending on the value in subfield 1 of field 23A in sequence A, only the certain combinations of the optional sequences B, C, E and F are allowed. (See the <i>SWIFT User Handbook</i> for more details.)
E44	1269	MT 103_not_STP: If field 56a is not present, no field 23E may contain TELI or PHOI.

SWIFT Error Code	Translator Report Error Number	Error Description
E45	1270	<p>MT 103_not_STP: If field 57a is not present, no field 23E may contain TELE or PHON.</p>
E46	1271	<p>MT 101, 207: In each occurrence of sequence B, if field 23E is repeated, it must not contain the same code more than once, with the exception of OTHR. OTHR may be repeated.</p> <p>MT 103_not_STP, 103_STP: If field 23E is repeated, it must not contain the same code more than once.</p>
E47	1272	<p>MT 350: If sequence D is present, at least one of the sub-sequences D1 or D2 must be present.</p> <p>MT 362: At least one of the sequences B or D must be present.</p>
E48	1273	<p>MT 362: At least one of the sequences C or E must be present.</p> <p>MT 504: In each occurrence of sub-sequence C1a, the presence of sub-sequence C1a1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505, 507: In each occurrence of sub-sequence B1a, the presence of sub-sequence B1a1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E49	1274	<p>MT 362: When subfield 2 of field 23A contains NET, either sequence C or E must be present, but not both.</p> <p>MT 504: In each occurrence of sub-sequence C2a, the presence of sub-sequence C2a1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505: In each occurrence of sub-sequence B2a, the presence of sub-sequence B2a1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 507: In each occurrence of sub-sequence B1b, the presence of sub-sequence B1b1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E50	1275	<p>MT 362: When subfield 2 of field 23A contains NET, fields 30F to 57a in sequence C or E must occur only once.</p> <p>MT 504: In sequence D, the presence of sub-sequence D1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505: In sequence C, the presence of sub-sequence C1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E51	1276	<p>MT 362: When subfield 2 of field 23A contains GROSS, fields 30F to 57a in sequence C and E cannot occur more than three times.</p> <p>MT 504: In sequence E, the presence of sub-sequence E1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505: In sequence D, the presence of sub-sequence D1 depends on the presence of field :22F::STCO//NSSP. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E52	1277	<p>MT 502, 514, 518, 528, 529: In sub-sequence C1, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 513, 515: In sub-sequence D1, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 536: In sub-sequence B1a2a, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 537: In sub-sequence B2b1, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence. In subsequence C2a, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sequence.</p> <p>MT 540, 541, 542, 543, 544, 545, 546, 547, 578: In sub-sequence E1, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 548: In sub-sequence B1, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 575: In sub-sequence B1a4, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p> <p>MT 586: In sub-sequence B5a, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p>
E53	1278	<p>MT 502: In sequence B, if field :22H::BUSE//SWIT is present, then sub-sequence A1 is mandatory, and field :20C::PREV must be present in a minimum of one occurrence of sub-sequence A1.</p> <p>MT 515: In sequence C, if field :22H::BUSE//SWIT is present, then field :20C::PREV must be present in a minimum of one occurrence of sub-sequence A1.</p> <p>MT 575: In sub-sequence C2a, if field :95a::PSET is present, then field :97a::SAFE is not allowed in the same sub-sequence.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E54	1279	<p>MT101:</p> <p>In each occurrence of Sequence B, the presence of fields 33B and 21F is dependent on the presence and value of fields 32B and 23E. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E55	1280	<p>MT 306:</p> <p>If in Sequence A, field :12E:: contains Euro, then field 30F of sequence B is mandatory and if 12E is not Euro, then field 30F of sequence B is optional.</p>
E56	1281	<p>MT 535, 536:</p> <p>If in sequence A, field :17B::CONS contains Y, then in every occurrence of sequence B, field :97a::SAFE and field :17B::ACTI are mandatory. This error code applies only when sequence B is present as per Error Code E66, that is, in sequence A, field :17B::ACTI contains Y.</p>
E57	1282	<p>MT 101, 210, 910:</p> <p>The BIC must be a BEI, that is, it must be of sub-type BEID, TRCO, MCCO or SMDP.</p>
E58	1283	<p>MT 502:</p> <p>In sequence B, either field :36B::ORDR or field :19A::ORDR must be present, but not both.</p> <p>MT 509:</p> <p>In Sequence B, either a quantity (field 36B::) or an amount (field 19A::) must be present, but not both.</p> <p>MT 535:</p> <p>In each occurrence of Sequence B1, if field :93C::PEND is present in one of the occurrences of subsequence B1b, then fields :93C::PDUM and :93C::PDMT are not allowed in the other occurrences of subsequence B1b.</p>
E59	1284	<p>MT 517:</p> <p>If field 23G does not contain CANC, then field 13A must be present and contain 515 in minimum one occurrence of sub-sequence A1.</p> <p>MT 535:</p> <p>In each occurrence of Sequence B1, if field :93C::PENR is present in one of the occurrences of subsequence B1b, then fields :93C::PRUM and :93C::PRMT are not allowed in the other occurrences of subsequence B1b.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E60	1285	<p>MT 506: In each occurrence of sub-sequence D1, the presence of field :70C::RATS depends on the presence of field :94B::RATS. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 569: In each occurrence of sub-sequence C1a1A, the presence of field :70C::RATS depends on the presence of field :94B::RATS. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 576: In each occurrence of sub-sequence B2, either an ordered quantity (field :36B::ORDR), or an ordered amount (field :19A::ORDER) must be present, but not both. In addition, if field 36B is present then field 19A must not be present, and vice-versa.</p>
E61	1286	<p>MT 514, 528, 529: When field :22F::PRIC is present, field :90a::DEAL must also be present.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E62	1287	<p>MT 502, 514, 518, 528, 529: In each sub-sequence C3, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p> <p>MT 513, 515: In sub-sequence D3, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p> <p>MT 540, 541, 542, 543, 544, 545, 546, 547, 578: In sub-sequence E3, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p> <p>MT 564: In sub-sequence E2, if field :92B::EXCH is present, the corresponding field :19B::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19B::RESU is not allowed.</p> <p>MT 566: In sub-sequence D2, if field :92B::EXCH is present, the corresponding field :19B::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19B::RESU is not allowed.</p> <p>MT 584: In sub-sequences B2b2 and C1c2, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p> <p>MT 586: In sub-sequence B5c, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p> <p>MT 588: In (sub)-sequences C2 and E, if field :92B::EXCH is present, the corresponding field :19A::RESU must be present in the same sub-sequence. If field :92B::EXCH is not present, then field :19A::RESU is not allowed.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E63	1288	<p>MT 587, 588:</p> <p>In Sequence B, it is mandatory to provide an Issue Date/Time (:98a::ISSU) OR a Release Date/Time (:98a::RELD). Both dates may be provided.</p>
E64	1289	<p>MT 502:</p> <p>If the Function of the Message (field :23G:) is CANC and the Ordered Quantity (field :36B::ORDR) is present, then the Quantity to Cancel (field :36B::CANC) must be present in the order details sequence. If the Function of the Message (field :23G:) is CANC and the Ordered Amount (field:19A::ORDR) is present, then the Amount to Cancel (field :19A::CANC) must be present in the order details sequence. If the Function of the Message is not CANC, the Quantity to Cancel and the Amount to Cancel are not allowed.</p> <p>MT 527:</p> <p>In sequence A, if field :20C::CLCI is not present, then field :20C::TRCI is mandatory; otherwise field :20C::TRCI is optional.</p>
E65	1290	<p>MT 527:</p> <p>If Sequence A field :22a::COLA// is other than SLEB and sequence B is present, then field :19A::TRAA must be present.</p> <p>MT 558:</p> <p>If Sequence A field :22a::COLA// is other than SLEB, then in sequence B field :19A::TRAA must be present.</p> <p>MT 584.:</p> <p>Sequences B and C are mutually exclusive and must not both be present in the same message.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E66	1291	<p>MT 535, 536, 538, 586:</p> <p>If field :17B::ACTI in sequence A contains N, then sequence B must not be present; otherwise, sequence B is mandatory.</p> <p>MT 537:</p> <p>In sequence A General Information, if the Activity Flag (field :17B::ACTI) indicates no information to be reported, that is, N, then sequence B Status and Sequence C Transactions must not be present.</p> <p>If the Activity Flag (field :17B::ACTI) indicates that there is information to be reported, that is, Y and Statement Structure Type Indicator is per status (field :22H::STST//STAT), then sequence B Status is mandatory and sequence C Transactions is not allowed. If the Activity Flag (field :17B::ACTI) in sequence A General Information indicates that there is information to be reported, that is, Y and Statement Structure Type Indicator is per transaction (field :22H::STST//TRAN), then sequence B Status is not allowed and sequence C Transactions is mandatory.</p> <p>MT 569:</p> <p>In each occurrence of sub-sequence C1a1, the presence of sub-sequence C1a1A depends on the value of field :17B::SECU. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 575:</p> <p>If field :17B::ACTI in sequence A contains N, then sequence B and sequence C must not be present; otherwise, sequences B and C are optional.</p> <p>MT 576:</p> <p>If field :17B::ACTI in sequence A contains N, then sequence B must not be present.</p>
E67	1292	<p>MT 535:</p> <p>If field 17B::ACTI//Y is present (see Rule C1, Error Code E66), and if field :22F::STTY//ACCT is present, then at least one occurrence of subsequence B1 is required.</p> <p>MT 576:</p> <p>Field :97a::SAFE must be present in sequence A, or in all occurrences of sub-sequence B2c, but not both.</p> <p>MT 584:</p> <p>Field :97a::SAFE must be present in sequence A, or in all occurrences of sub-sequence B2b1 in sequence B, or in all occurrences of sub-sequence C1c1 in sequence C.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E68	1293	<p>MT 503, 504, 505, 506, 507, 527:</p> <p>In sequence A, if field :20C::SCTR is not present, then field :20C::RCTR is mandatory; otherwise field :20C::RCTR is optional.</p> <p>MT 558:</p> <p>In sequence A, if field :20C::CLTR is not present, then field :20C::TCTR is mandatory; otherwise field :20C::TCTR is optional.</p> <p>MT 584:</p> <p>Sub-sequence B2a in sequence B must be present when field :20C::MAST is not present in sub-sequence B2.</p>
E69	1294	<p>MT 535, 536:</p> <p>If field :17B::ACTI in sequence B contains N, then sub-sequence B1 must not be present. In all other cases, sub-sequence B1 is mandatory.</p> <p>This error code applies only when sequence B is present per Error Code E66, that is in sequence A, field :17B::ACTI contains Y.</p> <p>MT 584:</p> <p>If field :17B::ACTI in sequence A contains N, then sequences B and C must not be present.</p>
E70	1295	<p>MT 528, 529:</p> <p>If field :22F::DBNM is present in sequence C and field :22H::REDE//DELI is present in sequence B, then one occurrence of subsequence C1 must contain :95a::BUYR. If field :22F::DBNM is present in sequence C and field :22H::REDE//RECE is present in sequence B, one occurrence of subsequence C1 must contain field :95a::SELL.</p> <p>MT 540, 541:</p> <p>If field :22F::DBNM is present in sequence E, then one occurrence of subsequence E1 must contain :95a::SELL.</p> <p>MT 542, 543:</p> <p>If field :22F::DBNM is present in sequence E, then one occurrence of subsequence E1 must contain :95a::BUYR.</p>
E71	1296	<p>MT 503, 504, 505, 506, 507:</p> <p>In each occurrence of sub-sequence A1, if field :22F::AGRE is not present, then field :70C::AGRE is mandatory; otherwise field :70C::AGRE is optional.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E72	1297	<p>MT 503, 504:</p> <p>In each occurrence of sub-sequence C3, if field :22H::BCOL//LCOL is present, then field :98B::EXPI//OPEN is not allowed; otherwise field :98B::EXPI//OPEN is optional.</p> <p>MT 505:</p> <p>In each occurrence of sub-sequence B3, if field :22H::BCOL//LCOL is present, then field :98B::EXPI//OPEN is not allowed; otherwise field :98B::EXPI//OPEN is optional.</p> <p>MT 506:</p> <p>In each occurrence of sub-sequence D3, if field :22H::BCOL//LCOL is present, then field :98B::EXPI//OPEN is not allowed; otherwise field :98B::EXPI//OPEN is optional.</p> <p>MT 569:</p> <p>In each occurrence of sub-sequence C1a1, the presence of field :98a::SETT depends on the value of field :17B:COLL. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E73	1298	<p>MT 513, 515:</p> <p>If field :19A::SETT is present in sequence C, it must not be present in any occurrence of sub-sequence D3.</p> <p>MT 514, 518:</p> <p>If field :19A::SETT is present in sequence B, it must not be present in any occurrence of sub-sequence C3.</p> <p>MT 584:</p> <p>Within each occurrence of sub-sequence B2b, if field :19A::SETT is present, it must not be present in any occurrence of sub-sequence B2b2. Within each occurrence of sub-sequence C1c, if field :19A::SETT is present, it must not be present in any occurrence of sub-sequence C1c2.</p>
E74	1299	<p>MT 502:</p> <p>In sequence B, field :22F::TOOR and/or field :90a::LIMI must be present.</p>
E75	1300	<p>MT 528, 529:</p> <p>If field 19A::SETT is specified in both sequences B and C3, it must contain the same value, that is Sign, Currency and Amount must be identical.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E76	1301	For specific message types, if the value date is after 31 December 2001, then the 13 European currencies must not be used as the currency of settlement. (See the <i>SWIFT User Handbook</i> for more details.)
E77	1302	<p>MT 564:</p> <p>In sequence D, field :92a::, the qualifier TAXC may only be repeated with letter option/s E or/and J; and the qualifiers GRSS and NETT may only be repeated with letter option J.</p> <p>In each occurrence of sequence E, field :92a::, the qualifier TAXC may only be repeated with letter option/s E or/and J; and the qualifiers GRSS and NETT may only be repeated with letter option J.</p> <p>MT 566:</p> <p>In sequence C, field :92a::, the qualifier TAXC may only be repeated with letter option/s E or/and J; and the qualifiers GRSS and NETT may only be repeated with letter option J.</p> <p>In sequence D, field :92a::, the qualifier TAXC may only be repeated with letter option/s E or/and J; and the qualifiers GRSS and NETT may only be repeated with letter option J.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E78	1303	<p>MT 564:</p> <p>In sequence D:</p> <p>if field :92J:: GRSS is present more than once, then for each occurrence of field :92J::GRSS, the Rate Type Code must be different.</p> <p>if field :92E::TAXC or/and :92J::TAXC is/are present more than once, then for each occurrence of field :92a::TAXC, the Rate Type Code must be different.</p> <p>if field:92J:: NETT is present more than once, then for each occurrence of field :92J::NETT, the Rate Type Code must be different.</p> <p>if field :92J:: TAXE is present more than once, then for each occurrence of field :92J::TAXE, the Rate Type Code must be different.</p> <p>In each occurrence of sequence E:</p> <p>if field :92J:: GRSS is present more than once, then for each occurrence of field :92J::GRSS, the Rate Type Code must be different.</p> <p>if field :92E::TAXC or/and :92J::TAXC is/are present more than once, then for each occurrence of field :92a::TAXC, the Rate Type Code must be different.</p> <p>if field:92J:: NETT is present more than once, then for each occurrence of field :92J::NETT, the Rate Type Code must be different.</p> <p>if field :92E::TAXE or/and :92J::TAXE is/are present more than once, then for each occurrence of field :92J::TAXE, the Rate Type Code must be different.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E78 (continued)	1303	<p>MT 566:</p> <p>In sequence C:</p> <p>if field :92J:: GRSS is present more than once, then for each occurrence of field :92J::GRSS, the Rate Type Code must be different.</p> <p>if field :92E::TAXC or/and :92J::TAXC is/are present more than once, then for each occurrence of field :92a::TAXC, the Rate Type Code must be different.</p> <p>if field:92J:: NETT is present more than once, then for each occurrence of field :92J::NETT, the Rate Type Code must be different.</p> <p>if field :92J:: TAXE is present more than once, then for each occurrence of field :92J::TAXE, the Rate Type Code must be different.</p> <p>In sequence D:</p> <p>if field :92J:: GRSS is present more than once, then for each occurrence of field :92J::GRSS, the Rate Type Code must be different.</p> <p>if field :92E::TAXC or/and :92J::TAXC is/are present more than once, then for each occurrence of field :92a::TAXC, the Rate Type Code must be different.</p> <p>if field:92J:: NETT is present more than once, then for each occurrence of field :92J::NETT, the Rate Type Code must be different.</p> <p>if field :92E::TAXE or/and :92J::TAXE is/are present more than once, then for each occurrence of field :92J::TAXE, the Rate Type Code must be different.</p>
E79	1304	<p>MT 549:</p> <p>In sequence A, field :98a::STAT and field :69a::STAT are mutually exclusive.</p> <p>MT 564:</p> <p>In each occurrence of sequence E, if field :22F::CAOP//OTHR is present, then in the same occurrence of sequence E, field :70E::ADTX is mandatory.</p> <p>MT 565:</p> <p>In sequence D, if field :22F::CAOP//SPLI is present, then field :70E::INST is mandatory in the same sequence.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E80	1305	<p>MT 528, 529:</p> <p>If field :22F::DBNM is NOT present in sequence C, then it is mandatory to specify a place of settlement: one occurrence of subsequence C1 Settlement Parties must contain party field :95a::PSET.</p> <p>MT 549:</p> <p>Sequence B Statement by Status/Reason and/or by Financial Instrument and sequence C Statement by Instruction Reference are mutually exclusive.</p> <p>MT 564:</p> <p>In sequence D, if field :92J::TAXE is present, then field:92F::GRSS must be present.</p> <p>In each occurrence of sequence E, if field :92J::TAXE is present, then field :92F::GRSS must be present in the same sequence occurrence.</p> <p>MT 566:</p> <p>In sequence C, if field :92J::TAXE is present, then field:92F::GRSS must be present.</p> <p>In sequence D, if field :92J::TAXE is present, then field :92F::GRSS must be present.</p>
E81	1306	<p>MT 508, 524:</p> <p>In sequence B, the third component of field :93A::FROM must be different from the third component in field :93A::TOBA.</p> <p>MT 538:</p> <p>Within each occurrence of sub-sequence B2, the third component of field :93A::FROM must be different from the third component in all occurrences of field :93A::TOBA in sub-sequence B2a.</p> <p>MT 564:</p> <p>In each occurrence of sequence D, E, and E1, if field :92J::TAXE is present, then field :92F::GRSS must be present in the same sequence occurrence.</p> <p>MT 566:</p> <p>In each occurrence of sequence C, D, and D1, if field :92J::TAXE is present, then field :92F::GRSS must be present in the same sequence occurrence.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E82	1307	<p>MT 535:</p> <p>In each occurrence of subsequence B1, if NO subsequence B1b is present, then both fields Price (field :90a:) and Holding Value (field :19A::HOLD) must be specified.</p> <p>In each occurrence of subsequence B1, if one or more occurrences of subsequence B1b are present, then both fields Price (field :90a:) and Holding Value (field :19A::HOLD) must be specified in each occurrence of subsequence B1b</p>
E83	1308	<p>MT 307:</p> <p>Certain fields cannot appear more than once in the message. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 503, 504:</p> <p>In each occurrence of sequence C, the presence of sub-sequences C1, C2 and C3 depends on the value of field :22H::COLL<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505:</p> <p>In each occurrence of sequence B, the presence of sub-sequences B1, B2 and B3 depends on the value of field :22H::COLL. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 506:</p> <p>In each occurrence of sequence D, the presence of sub-sequences D1, D2 and D3 depends on the value of field :22H::COLL. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 536:</p> <p>In sub-sequence B1a2, if field :22H::PAYM//APMT is used, then field :19A::PSTA must be specified.</p> <p>MT 537:</p> <p>In sub-sequence B2b and C2, if field :22H::PAYM//APMT is used, then field :19A::PSTA must be specified.</p> <p>MT 548:</p> <p>In sequence B, if field :22H::PAYM//APMT is used, then field :19A::SETT must be specified.</p> <p>MT 578:</p> <p>In sequence B, if field :22H::PAYM//APM is used, then one occurrence of sequence E3 must contain field :19A::SETT.</p> <p>MT 586:</p> <p>In sequence B, if field :22H::PAYM//APMT is used, then field :19A::SETT must be specified.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E84	1309	<p>MT 307: In each occurrence of Seq. B3, the following party fields cannot appear more than once: :95a::CDEA, :95a::INTE, :95a::ACCW, :95a::BENM.</p> <p>MT 308: In each occurrence of Seq. B4, the following party fields cannot appear more than once: :95a::CDEA, :95a::INTE, :95a::ACCW, :95a::BENM.</p> <p>MT 321: In each occurrence of sequence C, the following party fields for sequence C1 cannot appear more than once: :95a::CDEA, :95a::INT2, :95a::INTE, :95a::ACCW, :95a::BENM.</p> <p>MT 502, 504, 505, 507, 513, 514, 515, 518, 528, 529, 536, 537, 540, 541, 542, 543, 544, 545, 546, 547, 548, 575, 578, 586: Certain party fields cannot appear more than once. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E85	1310	<p>MT 503, 504:</p> <p>In each occurrence of sub-sequence C2, the presence of field :98A::TERM depends on the value of field :22H::DEPO//<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 505:</p> <p>In each occurrence of sub-sequence B2, the presence of field :98A::TERM depends on the value of field :22H::DEPO//<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 506:</p> <p>In each occurrence of sub-sequence D2, the presence of field :98A::TERM depends on the value of field :22H::DEPO//<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 528, 529:</p> <p>If field :22F::DBNM is NOT present in sequence C, and if field :22H::REDE is DELI in sequence B, then one occurrence of field :95a::REAG must be present in sub-sequence C1. If field :22F::DBNM is NOT present in sequence C, and if field :22H::REDE is RECE in sequence B, then one occurrence of field :95a::DEAG must be present in sub-sequence C1.</p> <p>MT 537:</p> <p>If field :22H::REDE//DELI is present in sub-sequence B2b and sub-sequence B2b1 is used, then it is mandatory to specify field :95a::REAG in one occurrence of sub-sequence B2b1. If field :22H::REDE//RECE is present in sub-sequence B2b and sub-sequence B2b1 is used, then it is mandatory to specify field :95a::DEAG in one occurrence of sub-sequence B2b1. If the instruction is a delivery (:22H::REDE//DELI in sequence C2) and the Settlement Parties sequence C2a is used, then it is mandatory to specify a Receiving Agent: one occurrence of the settlement parties sequence C2a must contain party field :95a::REAG. If the instruction is a receipt (:22H::REDE//RECE in sequence C2) and the Settlement Parties sequence C2a is used, then it is mandatory to specify a Delivering Agent: one occurrence of the settlement parties sequence C2a must contain party field :95a::DEAG.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E85 (continued)	1310	<p>MT 548:</p> <p>If field :22H::REDE//DELI is present in sequence B and sub-sequence B1 is used, then it is mandatory to specify field :95a::REAG in one occurrence of sub-sequence B1. If field :22H::REDE//RECE is present in sequence B and sub-sequence B1 is used, then it is mandatory to specify field :95a::DEAG in one occurrence of sub-sequence B1.</p> <p>MT 578:</p> <p>If field :22H::REDE//DELI is present in sequence B, then it is mandatory to specify field :95a::DEAG in one occurrence of sub-sequence E1. If field :22H::REDE//RECE is present in sequence B, then it is mandatory to specify field :95a::REAG in one occurrence of sub-sequence E1.</p> <p>MT 586:</p> <p>Within each occurrence of sequence B, if field :22H::REDE//DELI is present in sequence B, then it is mandatory to specify field :95a::DEAG in one occurrence of sub-sequence B5a. Within each occurrence of sequence B, if field :22H::REDE//RECE is present in sequence B, then it is mandatory to specify field :95a::REAG in one occurrence of sub-sequence B5a.</p>
E86	1311	<p>If a qualifier from either the Deliverers or Receivers list is present in a sub-sequence (as identified in the fourth column), then each qualifier shown below that qualifier in the same list must be present in another occurrence of that sub-sequence. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E87	1312	<p>Certain amount fields cannot appear in more than one occurrence of the amounts sub-sequence E3. (See the <i>SWIFT User Handbook</i> for more details.)</p>
E88	1313	<p>MT 540, 541, 542, 543:</p> <p>If sequence C is present once, field :19A::SETT must not be present in sequence C.</p> <p>MT 544, 545, 546, 547:</p> <p>If sequence C is present once, field :19A::ESTT must not be present in sequence C.</p>
E89	1314	<p>Fields :19A::ESTT and :19A::SETT depend on the number of occurrences of sequence C. (See the <i>SWIFT User Handbook</i> for more details.)</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E90	1315	<p>MT 307: Repetitive subsequence B3 must be present exactly twice in the message.</p> <p>MT 321: One occurrence of sequence C must have the value :22H::PRIT//APFM and one must have the value :22H::PRIT//APCP.</p> <p>MT 540, 541, 542, 543: In sequence A, if field :99B::TOSE is present, then field :99B::SETT must be present.</p>
E91	1316	<p>MT 307: In each occurrence of Seq. B3, the presence of the repetitive subsequence B3a depends on the content of :22H::NEGR. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 321: Taking into account rules 284 and 290, in each occurrence of Seq. C, the presence of the different parties (that is, field 95a::CDEA, and field 95a::ACCW) in Subsequence C1 depends on the content of field 22H in Seq. C. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 504: It is mandatory to specify a Delivery Agent for sub-sequences C1a1 and D1. In each occurrence of sequence C, if sub-sequence C1a1 is present, then field :95a::DEAG must be present in one and only one occurrence of sub-sequence C1a1 within the same occurrence of sequence C. In sequence D, if present, if sub-sequence D1 is present, then field :95a::DEAG must be present in one and only one occurrence of sub-sequence D1.</p> <p>MT 540, 541, 544, 545: If field :22F::DBNM is NOT present in sequence E, then it is mandatory to specify a Delivering Agent and a place of settlement: one occurrence of Subsequence E1 Settlement Parties must contain party field :95a::DEAG and another one must contain party field :95a::PSET.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E92	1317	<p>MT 307:</p> <p>Taking into account rule 291: in each occurrence of Sequence B3, the presence of field 95a in Sequence B3a depends on the content of field 19B in sequence B3. (See the <i>SWIFT User Handbook</i> for more details.)</p> <p>MT 321:</p> <p>In a message, the following sequence C fields cannot appear more than once: :22H::PRIT//APFM, :22H::PRIT//APCP, :22H::PRIT//IPFM, :22H::PRIT//IPCP.</p> <p>MT 541, 543:</p> <p>It is mandatory to specify one occurrence of sub-sequence E3 with field :19A::SETT.</p> <p>MT 545, 547:</p> <p>It is mandatory to specify one occurrence of sub-sequence E3 with field :19A::ESTT.</p>
E93	1318	<p>MT 507:</p> <p>It is mandatory to specify a Receiving Agent for sub-sequence B1a1. In each occurrence of sequence B if present, if sub-sequence B1a1 is present, then field :95a::REAG must be present in one and only one occurrence of sub-sequence B1a1 within the same occurrence of sequence B.</p> <p>MT 542, 543, 546, 547:</p> <p>If field :22F::DBNM is NOT present in sequence E, then it is mandatory to specify a Receiving Agent and a place of settlement: one occurrence of the settlement parties Subsequence E1 must contain party field :95a::REAG and another one must contain party field :95a::PSET.</p>
E94	1319	<p>MT 564:</p> <p>If field :97C::SAFE//GENR is present in any occurrence of sub-sequence B2, then sub-sequence B2 must not be repeated in the message, field 93a must not be present in sub-sequence B2, field 36B must not be present in subsequence E1, and field 19B must not be present in subsequence E2.</p>
E95	1320	<p>MT 575:</p> <p>Within each occurrence of sequence B1, if field :17B::ACTI contains N, then sub-sequence B1a within that sub-sequence B1 is not allowed. If field :17B::ACTI contains Y, then sub-sequence B1a is mandatory.</p>

SWIFT Error Code	Translator Report Error Number	Error Description
E96	1321	MT 575: Within sub-sequence B1a, sub-sequence B1a2 and sub-sequence B1a3 are mutually exclusive.
E97	1322	MT 503: In sequence B, the presence of field :95a::EXPP depends on the value of field :22H::COAL/<Indicator>. (See the <i>SWIFT User Handbook</i> for more details.) MT 587, 588, 589: In sequence A, if field :22H::DERE contains CONV, then field :22F::CNVT and field :22F::CNVF must be specified and field 12a must not be present. If field 22H::DERE does not contain CONV, then field 12a must be present.
E98	1323	MT 588: If field :17B::PRER contains Y, sequence C must also be present. If field :17B::PRER contains N, sequence C must not be present.
E99	1324	MT 540, 541, 542, 543: In sequence A, if field :99B::TORE or :99B::TODE is present, field :99B::TOSE must also be present.

Knn: Code Word Validation in Generic Fields

The two digits **nn** indicate the field ID.

Code word error in a generic field.

SWIFT Error Code	Translator Report Error Number	Error Description
K00	1325	Code word error in a generic field.
K01	1326	Code word error in a generic field.
K02	1327	Code word error in a generic field.
K03	1328	Code word error in a generic field.
K04	1329	Code word error in a generic field.
K05	1330	Code word error in a generic field.
K06	1331	Code word error in a generic field.
K07	1332	Code word error in a generic field.
K08	1333	Code word error in a generic field.
K09	1334	Code word error in a generic field.
K10	1335	Code word error in a generic field.

SWIFT Error Code	Translator Report Error Number	Error Description
K11	1336	Code word error in a generic field.
K12	1337	Code word error in a generic field.
K13	1338	Code word error in a generic field.
K14	1339	Code word error in a generic field.
K15	1340	Code word error in a generic field.
K16	1341	Code word error in a generic field.
K17	1342	Code word error in a generic field.
K18	1343	Code word error in a generic field.
K19	1344	Code word error in a generic field.
K20	1345	Code word error in a generic field.
K21	1346	Code word error in a generic field.
K22	1347	Code word error in a generic field.
K23	1348	Code word error in a generic field.
K24	1349	Code word error in a generic field.
K25	1350	Code word error in a generic field.
K26	1351	Code word error in a generic field.
K27	1352	Code word error in a generic field.
K28	1353	Code word error in a generic field.
K29	1354	Code word error in a generic field.
K30	1355	Code word error in a generic field.
K31	1356	Code word error in a generic field.
K32	1357	Code word error in a generic field.
K33	1358	Code word error in a generic field.
K34	1359	Code word error in a generic field.
K35	1360	Code word error in a generic field.
K36	1361	Code word error in a generic field.
K37	1362	Code word error in a generic field.
K38	1363	Code word error in a generic field.
K39	1364	Code word error in a generic field.
K40	1365	Code word error in a generic field.
K41	1366	Code word error in a generic field.

SWIFT Error Code	Translator Report Error Number	Error Description
K42	1367	Code word error in a generic field.
K43	1368	Code word error in a generic field.
K44	1369	Code word error in a generic field.
K45	1370	Code word error in a generic field.
K46	1371	Code word error in a generic field.
K47	1372	Code word error in a generic field.
K48	1373	Code word error in a generic field.
K49	1374	Code word error in a generic field.
K50	1375	Code word error in a generic field.
K51	1376	Code word error in a generic field.
K52	1377	Code word error in a generic field.
K53	1378	Code word error in a generic field.
K54	1379	Code word error in a generic field.
K55	1380	Code word error in a generic field.
K56	1381	Code word error in a generic field.
K57	1382	Code word error in a generic field.
K58	1383	Code word error in a generic field.
K59	1384	Code word error in a generic field.
K60	1385	Code word error in a generic field.
K61	1386	Code word error in a generic field.
K62	1387	Code word error in a generic field.
K63	1388	Code word error in a generic field.
K64	1389	Code word error in a generic field.
K65	1390	Code word error in a generic field.
K66	1391	Code word error in a generic field.
K67	1392	Code word error in a generic field.
K68	1393	Code word error in a generic field.
K69	1394	Code word error in a generic field.
K70	1395	Code word error in a generic field.
K71	1396	Code word error in a generic field.
K72	1397	Code word error in a generic field.

SWIFT Error Code	Translator Report Error Number	Error Description
K73	1398	Code word error in a generic field.
K74	1399	Code word error in a generic field.
K75	1400	Code word error in a generic field.
K76	1401	Code word error in a generic field.
K77	1402	Code word error in a generic field.
K78	1403	Code word error in a generic field.
K79	1404	Code word error in a generic field.
K80	1405	Code word error in a generic field.
K81	1406	Code word error in a generic field.
K82	1407	Code word error in a generic field.
K83	1408	Code word error in a generic field.
K84	1409	Code word error in a generic field.
K85	1410	Code word error in a generic field.
K86	1411	Code word error in a generic field.
K87	1412	Code word error in a generic field.
K88	1413	Code word error in a generic field.
K89	1414	Code word error in a generic field.
K90	1415	Code word error in a generic field.
K91	1416	Code word error in a generic field.
K92	1417	Code word error in a generic field.
K93	1418	Code word error in a generic field.
K94	1419	Code word error in a generic field.
K95	1420	Code word error in a generic field.
K96	1421	Code word error in a generic field.
K97	1422	Code word error in a generic field.
K98	1423	Code word error in a generic field.
K99	1424	Code word error in a generic field.

Header Validation Error Codes

The following table contains the specific H and U error codes for SWIFT header validations that the application supports:

SWIFT Error Code	Translator Error Code or Description of How This Validation is Handled and Enforced	Error Description
H01	Translator Error Code 1425—enforced by the envelope map	Basic Header no present or format error block 1
H02	Translator Error Code 1426 (inbound)—the application generates this error	Application Identifier not 'A' (GPA) or 'F' (FIN)
H03	Translator Error Code 1427(inbound and outbound)—the application generates this error	Invalid Service Message identifier (must be 01 or 21)
H4-H9	Not used	Available
H10	Translator Error Code 1434—not generated or enforced by the application	Bad LT address or application not enabled for the LT
H15	Translator Error Code 1439—not generated or enforced by the application	Bad session number
H20	Translator Error Code 1444—not generated or enforced by the application	Error in the ISN
H21	Translator Error Code 1445 (outbound)—the application generates this error	Error in the message sender's branch code
H25	Translator Error Code 1449—enforced by the envelope map	Application header format error or not present when mandatory
H26	Translator Error Code 1450—enforced by the envelope map	Input/output identifier not "I" (on input from LT)
H30	Translator Error Code 1454 (inbound and outbound)—the application generates this error	Message type for a SWIFT message not found in code list.
H40	Translator Error Code 1464 (inbound and outbound)—the application generates this error	Message priority other than S (System) for a message type < 100, or message priority of S for message type < 100
H50	Translator Error Code 1474 (inbound and outbound)—the application generates this error	Receiver ID (ID + 'X' + branch code) not found in code list.
H51	Translator Error Code 1475 (outbound)—the application generates this error	Message Type < 100 must have a receiver ID of SWFTXXX and a branch code of XXX.
H52	Translator Error Code 1476—not generated or enforced by the application	MT 072, selection of Test and Training mode/version, MT 077 Additional Selection Criteria for SWIFT are not allowed while a SWIFT session is open

SWIFT Error Code	Translator Error Code or Description of How This Validation is Handled and Enforced	Error Description
H55	Translator Error Code 1479—not generated or enforced by the application	Message type not allowed for fallback session for MT 030
H80	Translator Error Code 1504—enforced by the envelope map	Delivery option error
H81	Translator Error Code 1505—enforced by the envelope map	Obsolescence period error
H98	Translator Error Code 1522 (inbound and outbound)—the application generates this error	Sender ID (ID + 'X' + branch code) not found in code list.
H99	Translator Error Code 1523—enforced by the envelope map	Error can be one of the following: <ul style="list-style-type: none"> ◆ Invalid receiver destination (invalid character or LT identification is not "X") ◆ Invalid date or time (not numeric or not within range)
U00	Translator Error Code 1524—enforced by the envelope map	Bad block 3 format
U01	Translator Error Code 1525—enforced by the envelope map	Bad bank priority
U02	Translator Error Code 1526—enforced by the envelope map	Bad MUR
U03	Translator Error Code 1527—not generated or enforced by the application	Neither bank priority nor MUR present
U07	Translator Error Code 1531 (outbound)—the application generates this error	User Header not permitted for user-to-system messages (that is, message type < 100)

SWIFT Error Code	Translator Error Code or Description of How This Validation is Handled and Enforced	Error Description
U08	Translation Error Code 1532 (inbound and outbound)—the application generates this error	<p>Tag 119 is not one of the following:</p> <ul style="list-style-type: none"> ◆ REMIT (any message) ◆ RFDD (any message) ◆ STP (102 or 103) ◆ COMM (503, 504, 505, 506, or 507) ◆ CRPR (503, 504, 505, 506, or 507) ◆ CRSP (503, 504, 505, 506, or 507) ◆ CRTL (503, 504, 505, 506, or 507) ◆ EXTD (503, 504, 505, 506, or 507) ◆ FIXI (503, 504, 505, 506, or 507) ◆ FORX (503, 504, 505, 506, or 507) ◆ LIQU (503, 504, 505, 506, or 507) ◆ OTCD (503, 504, 505, 506, or 507) ◆ PAYM (503, 504, 505, 506, or 507) ◆ REPO (503, 504, 505, 506, or 507) ◆ SBSB (503, 504, 505, 506, or 507) ◆ SCRП (503, 504, 505, 506, or 507) ◆ SECL (503, 504, 505, 506, or 507) ◆ SLEB (503, 504, 505, 506, or 507) ◆ TCRP (503, 504, 505, 506, or 507) ◆ W8BENO (574) ◆ IRSLST (574)
U09	Translation Error Code 1533 (inbound and outbound)—the application generates this error	Tag 119 present for a message type other than 102, 103, 104, 503, 504, 505, 506, 507, 521, 523, and 574.

Error Codes for SWIFT MX Messages

The following are the error codes the translator uses for SWIFT MX messages and their corresponding SWIFT error code:

Translator Error Code	SWIFT Error Code	Error Description
1633	AccruedInterestAmountSignRule	If AccruedInterestAmount is present, then AccruedInterestAmountSign must be present. If AccruedInterestAmount is not present, then AccruedInterestAmountSign may not be present.
1634	BalanceAtSafekeepingPlaceRule	If SafekeepingPlace is present, then BalanceAtSafekeepingPlace is not allowed.
1635	BalanceForAccountOrSubAccountDetailsRule	If StatementGeneralDetails/ActivityIndicator is true or 1 (Yes), then either BalanceForAccount or SubAccountDetails is mandatory. If StatementGeneralDetails/ActivityIndicator is false or 0 (No), then BalanceForAccount and SubAccountDetails may be present.
1636	Party1Rule	If PlaceSafekeeping is not SHHE, then Party is mandatory. If PlaceSafekeeping is SHHE, then Party is optional.
1637	StreetNameAndOrPostOfficeBoxRule	If StreetName is not present, then PostOfficeBox is mandatory. If StreetName is present, then PostOfficeBox is optional.
1638	ValueRule	If Type is not MRKT, then Value may not be expressed with UnknownIndicator.
1639	AccumulationPeriodRule	AccumulationPeriod must be present if CumulativeCorporateActionFactor is present.
1640	AddressRule	If ModificationScopeIndication is INSE, then at least one occurrence of Organization/ModifiedAddress or IndividualPerson/ModifiedAddress must be present with Organisation/ModifiedAddress/ModificationScopeIndication being INSE or IndividualPerson/ModifiedAddress/ModificationScopeIndication being INSE, respectively.
1641	AmountAndOrRateRule	If Amount is not present, then Rate is mandatory. If Amount is present, then Rate is optional.
1642	AmountSignRule	If Amount is present, then AmountSign is optional. If Amount is not present, then AmountSign is not allowed.

Translator Error Code	SWIFT Error Code	Error Description
1643	BalanceForSubAccountRule	AccountingStatementOfHoldings: If SubAccountIdentification2/ActivityIndicator is true or 1 (Yes), then SubAccountIdentification2/BalanceForSubAccount must be present. CustodyStatementOfHoldings: If SubAccountIdentification/ActivityIndicator is true or 1 (Yes), then SubAccountIdentification/BalanceForSubAccount must be present.
1644	BeneficiaryRule	If CustodianForMinor is present, then at least one occurrence of Beneficiary must be present.
1645	BulkCashSettlementDetails1Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1646	BulkCashSettlementDetails2Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1647	BulkCashSettlementDetails3Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1648	BulkCashSettlementDetails4Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1649	BulkCashSettlementDetails5Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1650	BulkCashSettlementDetails6Rule	Either IndividualOrderDetails/CashSettlementDetails or BulkCashSettlementDetails may be present, but not both.
1651	CalculationBasisRule	PriceReportV03: If Type is not NonAdjustedUnpublished, then CalculationBasis is not allowed. If Type is NonAdjustedUnpublished, then CalculationBasis may be present. PriceReportV02: If Type/Structured is not NonAdjustedUnpublished, then CalculationBasis is not allowed. If Type/Structured is NonAdjustedUnpublished, then CalculationBasis may be present.

Translator Error Code	SWIFT Error Code	Error Description
1652	CashSettlementDateRule	<p>SubscriptionBulkOrderConfirmationV03, SubscriptionOrderConfirmationV03, RedemptionBulkOrderConfirmationV03, RedemptionOrderConfirmationV03, SubscriptionOrderConfirmationCancellationInstructionV01, SubscriptionOrderConfirmationAmendmentV01, SubscriptionBulkOrderConfirmationCancellationInstructionV01, SubscriptionBulkOrderConfirmationAmendmentV0, RedemptionOrderConfirmationCancellationInstructionV01, RedemptionOrderConfirmationAmendmentV01, RedemptionBulkOrderConfirmationCancellationInstructionV01, RedemptionBulkOrderConfirmationAmendmentV0: Either CashSettlementDate is present or all occurrences of IndividualExecutionDetails/CashSettlementDate are present, but not both.</p> <p>SubscriptionBulkOrderV03, SubscriptionBulkOrderCancellationRequestV03, SubscriptionOrderV03, SubscriptionOrderCancellationRequestV03, RedemptionBulkOrderV03, RedemptionBulkOrderCancellationRequestV03, RedemptionOrderV03, RedemptionOrderCancellationRequestV03: Either CashSettlementDate is present or all occurrences of IndividualOrderDetails/CashSettlementDate are present, but not both.</p>
1653	ClientReferenceRule	<p>If OldPlanManager/ClientReference is not present, then InvestorPersonalData/SocialSecurityNumber Or InvestorPersonalData/BirthDate Or InvestorPersonalData/SocialSecurityNumber and InvestorPersonalData/BirthDate is (are) mandatory. If OldPlanManager/ClientReference is present, then InvestorPersonalData/SocialSecurityNumber Or InvestorPersonalData/BirthDate Or InvestorPersonalData/SocialSecurityNumber and InvestorPersonalData/BirthDate is (are) optional.</p>
1654	CommercialAgreementRule	<p>If CommercialAgreementReference is present, then NewCommercialAgreementReferenceIndicator must be present too.</p>

Translator Error Code	SWIFT Error Code	Error Description
1655	CorporateRule	<p>If PrimaryCorporateInvestor is present, then SecondaryCorporateInvestor may be present. If PrimaryCorporateInvestor is not present, then SecondaryCorporateInvestor is not allowed.</p> <p>If PrimaryCorporateInvestor is present, then OtherCorporateInvestor may be present. If PrimaryCorporateInvestor is not present, then OtherCorporateInvestor is not allowed.</p>
1656	CurrencyPredefinedPeriodsRule	<p>Currency in ByPredefinedTimePeriods/HighestPriceValue12Months/Amount, ByPredefinedTimePeriods/LowestPriceValue12Months/Amount, ByPredefinedTimePeriods/OneYearPriceChange/Amount, ByPredefinedTimePeriods/ThreeYearPriceChange/Amount, and ByPredefinedTimePeriods/FiveYearPriceChange/Amount must be the same as Currency.</p>
1657	CurrencyPriceChangeRule	<p>Currency in PriceChange/Amount must be the same as Currency.</p>
1658	CurrencyUserDefinedPeriodsRule	<p>Currency in ByUserDefinedTimePeriod/HighestPriceValue/Amount, ByUserDefinedTimePeriod/LowestPriceValue/Amount, and ByUserDefinedTimePeriod/PriceChange/Amount must be the same as Currency.</p>
1659	CurrentYearRule	<p>PEPISATransferInstruction: If CurrentYear is not present then PreviousYears is mandatory. If CurrentYear is present then PreviousYears is optional.</p> <p>PEPOrISAOrPortfolioTransferInstructionV02: If CurrentYearType or ExtendedCurrentYearType is not present then PreviousYears must be present. If CurrentYearType or ExtendedCurrentYearType is present then PreviousYears may be present.</p>
1660	CurrentYearSubscriptionDetailsRule	<p>If ProductTransfer/ISA/CurrentYear is present, then OldPlanManager/CurrentYearSubscriptionDetails is mandatory. If ProductTransfer/ISA/CurrentYear is not present, then OldPlanManager/CurrentYearSubscriptionDetails must not be present.</p>
1661	CurrentYearTypeRule	<p>If CurrentYearType or ExtendedCurrentYearType is not present, then PreviousYears is mandatory. If CurrentYearType or ExtendedCurrentYearType is present then PreviousYears is optional.</p>

Translator Error Code	SWIFT Error Code	Error Description
1662	DateOrDateCodeRule	Either RequestedSettlementDate or RequestedSettlementDateCode must be present, not both.
1663	DeliverersCustodianDetailsRule	<p>TransferInInstruction, TransferInCancellationInstruction, TransferInConfirmation, ReversalOfTransferInConfirmation: If DeliverersIntermediaryDetails is present, then one occurrence of DeliverersCustodianDetails must be present.</p> <p>TransferInInstructionV02, TransferInCancellationRequestV02, TransferInConfirmationV02, ReversalOfTransferInConfirmationV02: If DeliverersIntermediaryDetails is present, then DeliverersCustodianDetails must also be present.</p> <p>TransferInInstruction, TransferInInstructionV02, TransferInCancellationInstruction, TransferInCancellationRequestV02, TransferInConfirmation, TransferInConfirmationV02, ReversalOfTransferInConfirmation, ReversalOfTransferInConfirmationV02.: If PhysicalTransferDetails is present, then SettlementPartiesDetails/DeliverersCustodianDetails is not allowed.</p>
1664	DeliverersCustodianRule	If DeliverersIntermediaryDetails is present, then DeliverersCustodianDetails must also be present. If DeliverersIntermediaryDetails is not present then DeliverersCustodianDetails is optional.
1665	DeliverersIntermediaryDetailsRule	If PhysicalTransferDetails is present, then SettlementPartiesDetails/DeliverersIntermediaryDetails is not allowed.
1666	DesignationRule	<p>If ProductTransfer\ISA or ProductTransfer\PEP is present, then ClientAccount\Designation is not allowed.</p> <p>If ProductTransfer\Portfolio is present, then ClientAccount\Designation is allowed.</p>

Translator Error Code	SWIFT Error Code	Error Description
1667	ExceptionalCashFlowIndicatorRule	<p>FundConfirmedCashForecastReportV02, FundConfirmedCashForecastReportV03, FundConfirmedCashForecastReportCancellationV01, FundConfirmedCashForecastReportCancellationV02:</p> <p>If Exceptional NetCashFlow Indicator is true or 1 (Yes) , then CashInForecastDetails/ExceptionalCashFlowIndicator and CashOutForecastDetails/ExceptionalCashFlowIndicator must be present.</p> <p>FundEstimatedCashForecastReportV02, FundEstimatedCashForecastReportV03:</p> <p>If Exceptional NetCashFlowIndicator is true or 1 (Yes) , then either EstimatedCashInForecastDetails/ExceptionalCashFlowIndicator and EstimatedCashOutForecastDetails/ExceptionalCashFlowIndicator, or both, must be present.</p> <p>FundDetailedEstimatedCashForecastReportV02:</p> <p>If Exceptional NetCashFlowIndicator is true or 1 (Yes) , then either SortingCriteriaDetails/ForecastBreakdownDetails/EstimatedCashInForecastDetails/ExceptionalCashFlowIndicator or SortingCriteriaDetails/ForecastBreakdownDetails/EstimatedCashOutForecastDetails/ExceptionalCashFlowIndicator, or both, must be present.</p>

Translator Error Code	SWIFT Error Code	Error Description
1667 continued	ExceptionalCashFlowIndicatorRule	<p>FundDetailedEstimatedCashForecastReportV03, FundDetailedConfirmedCashForecastReportV03, FundDetailedConfirmedCashForecastReportCancellationV02:</p> <p>If ExceptionalNetCashFlowIndicator is true or 1 (Yes) , then one of the following must be present: BreakdownByParty/CashInForecast/ExceptionalCashFlowIndicator, or BreakdownByParty/CashOutForecast/ExceptionalCashFlowIndicator, or BreakdownByCountry/CashInForecast/ExceptionalCashFlowIndicator, or BreakdownByCountry/CashOutForecast/ExceptionalCashFlowIndicator, or BreakdownByCurrency/CashInForecast/ExceptionalCashFlowIndicator, or BreakdownByCurrency/CashOutForecast/ExceptionalCashFlowIndicator, or BreakdownByUserDefinedParameter/CashInForecast/ExceptionalCashFlowIndicator, or BreakdownByUserDefinedParameter/CashOutForecast/ExceptionalCashFlowIndicator.</p> <p>FundDetailedConfirmedCashForecastReportV02, FundDetailedConfirmedCashForecastReportCancellationV01:</p> <p>If ExceptionalNetCashFlowIndicator is true or 1 (Yes) , then either SortingCriteriaDetails/ForecastBreakdownDetails/CashInForecastDetails/ExceptionalCashFlowIndicator or SortingCriteriaDetails/ForecastBreakdownDetails/CashOutForecastDetails/ExceptionalCashFlowIndicator, or both, must be present.</p>
1668	ExchangeConversionRule	$1 \text{ UnitCurrency} = \text{ExchangeRate} / \text{ConversionRate} * \text{QuotedCurrency}$
1669	MultipleSwitchExecutionRule	If SwitchExecutionDetails is present more than once, then SwitchExecutionDetails/RedemptionLegDetails and SwitchExecutionDetails/SubscriptionLegDetails may only be present.
1670	ExtendedPartyRole2Rule	In any occurrence of one or more of the message elements in the list (Administrator, PrimaryOwner, Trustee, CustodianForMinor, Nominee, SecondaryOwner, Beneficiary, PowerOfAttorney, LegalGuardian, SuccessorOnDeath), the ExtendedPartyRole may not be present.
1671	ExtendedPartyRoleRule	If OtherParty is present, then OtherParty/ExtendedPartyRole must be present.

Translator Error Code	SWIFT Error Code	Error Description
1672	FinancialInstrumentQuantity1Rule	<p>SwitchOrderV03, SwitchOrderCancellationRequestV03:</p> <p>If SubscriptionLegDetails/FinancialInstrumentQuantityChoice is not present, then RedemptionLegDetails/FinancialInstrumentQuantityChoice is mandatory in each occurrence of RedemptionLegDetails.</p> <p>If SubscriptionLegDetails/FinancialInstrumentQuantityChoice is present, then it must be present in each occurrence of SubscriptionLegDetails.</p> <p>SwitchOrderV02, SwitchOrderCancellationInstructionV02.</p> <p>If SubscriptionLegDetails/FinancialInstrumentQuantityChoice is not present, then RedemptionLegDetails/FinancialInstrumentQuantityChoice is mandatory. If SubscriptionLegDetails/FinancialInstrumentQuantityChoice is present, then it must be present in each occurrence of SubscriptionLegDetails.</p>
1673	FloorAmountRule	If CreditTransferType contains the value TopAccount, then only the FloorAmount may be used.
1674	FutureSettlementDateRule	If RequestedSettlementDateCode contains the value FUTU or SELL, then RequestedSettlementDate must be present.
1675	GoodTillOrderRule	In TradeTransaction, the elements DayOrderQuantity, DayCumQuantity and DayAveragePrice must only be present when it concerns a good till order.
1676	InvestmentAccountDetailsRule	Either InvestmentAccountDetails or (all occurrences of SubscriptionLegDetails/InvestmentAccountDetails and of RedemptionLegDetails/InvestmentAccountDetails) must be present, but not both.
1677	InvestmentAccountIdentificationRule	If InstructionDetails/OpeningType is SUPA, then InvestmentAccount/Identification must be present and must contain the identification of the main account to which the supplementary account is related.
1678	InvestmentAccountRule	If ConfirmationDetails/ConfirmationType is ACCO, then InvestmentAccount must be present.

Translator Error Code	SWIFT Error Code	Error Description
1679	InvestorRule	<p>If PrimaryIndividualInvestor is present, then SecondaryIndividualInvestor may be present. If PrimaryIndividualInvestor is not present, then SecondaryIndividualInvestor is not allowed.</p> <p>If PrimaryIndividualInvestor is present, then OtherIndividualInvestor may be present. If PrimaryIndividualInvestor is not present, then OtherIndividualInvestor is not allowed.</p>
1680	MailingIndicatorRule	If RegistrationAddressIndicator is true or 1 (Yes), then MailingIndicator must be true or 1."
1681	MessageNameAndReferenceGuideline	<p>OrderCancellationStatusReportV03: If RelatedReference/MessageName or OtherReference/MessageName is present, it must contain 502 or must start with setr.002, setr.005, setr.008, setr.011, setr.014 or setr.018 and RelatedReference/Reference must contain the message reference of a message in this list.</p> <p>OrderCancellationStatusReportV02: If MessageName is present, it must contain 502 or must start with setr.002 or setr.005 or setr.008 or setr.011 or setr.014 or setr.025 and Reference must contain the business reference of a message in this list.</p> <p>OrderInstructionStatusReportV03: If RelatedReference/MessageName or OtherReference/MessageName is present, it must contain 502 or must start with setr.001, setr.004, setr.007, setr.010, setr.013, setr.019 or setr.018 and RelatedReference/Reference must contain the message reference of a message in this list.</p>
1682	MessageNameRule	If MasterReference is present, then MasterReference/MessageName is not allowed.
1683	NameAndAddress1Rule	<p>If RegisteredAddressIndicator is true or 1 (Yes), then NameAndAddress is not allowed.</p> <p>If RegisteredAddressIndicator is false or 0 (No), then NameAndAddress must be present.</p>
1684	NetAmountGrossAmountRule	If NetAmount or GrossAmount is present, then Rounding is not allowed.
1685	OrderOriginatorEligibility1Rule	OrderOriginatorEligibility may only be present if Role is either UCL1 or UCL2.

Translator Error Code	SWIFT Error Code	Error Description
1686	OrderOriginatorEligibility3Rule	<p>RedemptionOrderV03,RedemptionOrderCancellationRequestV03, SubscriptionOrderCancellationRequestV03:</p> <p>Either InvestmentAccountDetails/OrderOriginatorEligibility or (one or more instances of IndividualOrderDetails/RelatedPartiesDetails/Order OriginatorEligibility) may be present, but not both.</p> <p>RedemptionBulkOrderV03, RedemptionBulkOrderCancellationRequestV03, RedemptionBulkOrderConfirmationV03, RedemptionBulkOrderCancellationRequestV03, SubscriptionBulkOrderV03, SubscriptionBulkOrderConfirmationV03:</p> <p>Either InvestmentAccountDetails/OrderOriginatorEligibility or (one or more instances of RelatedPartiesDetails/OrderOriginatorEligibility) may be present, but not both.</p> <p>RedemptionOrderConfirmationV03, SubscriptionOrderConfirmationV03:</p> <p>Either InvestmentAccountDetails/OrderOriginatorEligibility or (one or more instances of IndividualExecutionDetails/RelatedPartiesDetails/Order OriginatorEligibility) may be present, but not both.</p> <p>SubscriptionOrderV03:</p> <p>Either IndividualOrderDetails/RelatedPartiesDetails/Order OriginatorEligibility or (one or more instances of InvestmentAccountDetails/OrderOriginatorEligibility) may be present, but not both.</p>
1687	OrderOriginatorEligibility4Rule	<p>SwitchOrderConfirmationV03,SwitchOrderConfirmationCancellationInstructionV01, SwitchOrderConfirmationAmendmentV01:</p> <p>Either SwitchExecutionDetails/InvestmentAccountDetails/OrderOriginatorEligibility or (one or more instances of SwitchExecutionDetails/RelatedPartyDetails/Order OriginatorEligibility) may be present, but not both.</p> <p>SwitchOrderV03, SwitchOrderCancellationRequestV03:</p> <p>Either SwitchOrderDetails/InvestmentAccountDetails/Order OriginatorEligibility or (one or more instances of SwitchOrderDetails/RelatedPartyDetails/Order OriginatorEligibility) may be present, but not both.</p>

Translator Error Code	SWIFT Error Code	Error Description
1688	OrderPriceAndForeignExchangeRule	If the OrderPrice element in SecuritiesOrder is present for foreign exchange orders or if the OrderType element in SecuritiesOrderParameters contains the value FXSW (foreign exchange swap order), then the OrderPrice element should be the all-in rate, ie, spot rate adjusted for forward points.
1689	OrderPriceAndLimitOrderRule	The OrderPrice element in SecuritiesOrder must be present if the OrderType element in SecuritiesOrderParameters contains the value LMTO (limit order) or LMCO (limit on close) or LMBT (limit or better) or LIWI (limit with) or LIWO (limit without).
1690	OtherCodeRule	If Structured is OTHR, then AdditionalInformation is mandatory.
1691	OtherReferenceRule	TransferCancellationStatusReportV02: OtherReference should be used to reference a transfer cancellation request 'message' sent in a proprietary way or used for a system reference. If OtherReference is present, OtherReference/MessageName must contain 'fax' or 'phone' or 'email', etc. TransferInstructionStatusReportV02, RequestForTransferStatusReportV02: OtherReference should be used to reference a transfer instruction or a transfer cancellation request 'message' sent in a proprietary way or used for a system reference. If OtherReference is present, OtherReference/MessageName must contain 'fax' or 'phone' or 'email', etc.
1692	OtherStatusRule	If Structured is Other, then AdditionalInformation is mandatory.
1693	PEPISARule	If ProductTransfer\\ISA or ProductTransfer\\PEP is present, then SecondaryIndividualInvestor and/or OtherIndividualInvestor is not allowed. If ProductTransfer\\ISA or ProductTransfer\\PEP is present then the message elements in the list (PrimaryCorporateInvestor, SecondaryCorporateInvestor, OtherCorporateInvestor) are not allowed.
1694	PendingAdditionalInformation	If Status is Pending, then AdditionalInformation is allowed. If Status is not Pending, then AdditionalInformation is not allowed.
1695	PhysicalDeliveryDetailsRule	If PhysicalDeliveryIndicator is false or 0 (No), then PhysicalDeliveryDetails is not allowed. If PhysicalDeliveryIndicator is true or 1 (Yes), then PhysicalDeliveryDetails must be present.

Translator Error Code	SWIFT Error Code	Error Description
1696	PhysicalTransferDetailsRule	If PhysicalTransferIndicator is true or 1 (Yes), then PhysicalTransferDetails must be present. If PhysicalTransferIndicator is false or 0 (No), then PhysicalTransferDetails is not allowed.
1697	PorfolioRule	If ProductTransfer\Portfolio is present, then one or more message elements in the list (PrimaryIndividualInvestor, SecondaryIndividualInvestor, OtherIndividualInvestor) may be present. If ProductTransfer\Portfolio is present, then one or more message elements in the list (PrimaryCorporateInvestor, SecondaryCorporateInvestor, OtherCorporateInvestor) may be present.
1698	PreviousOrOtherReferenceOrAccountApplicationIdentificationRule	At least one message element in the list (PreviousReference, OtherReference, AccountApplicationIdentification) must be present.
1699	PreviousReferenceRule	RequestForTransferStatusReportV02: If PreviousReference/MessageName is present, it must contain 540 or 542 or must start with sese.001, sese.002, sese.005 or sese.006 and and PreviousReference/Reference must contain the reference of a message in this list.
1700	PriceDetailsRule	PriceReportCancellationV03: PriceReportCorrectionV03, PriceReportV03. If SuspendedIndicator is true or 1 (Yes), then PriceDetails is optional. If SuspendedIndicator is false or 0 (No), and if FinancialInstrumentDetails /DualFundIndicator is false or 0 (No), then PriceDetails must be present at least once. If SuspendedIndicator is false or 0 (No) , and if FinancialInstrumentDetails /DualFundIndicator is true or 1 (Yes), then PriceDetails must be present two or more times and PriceDetails/Type must be present with the values BIDE and OFFR.”

Translator Error Code	SWIFT Error Code	Error Description
1701	ReceiversCustodianDetailsRule	<p>ReversalOfTransferOutConfirmationV02, TransferOutCancellationRequestV02, TransferOutConfirmationV02, TransferOutInstructionV02:</p> <p>If PhysicalTransferDetails is present, then SettlementPartiesDetails/ReceiversCustodianDetails is not allowed.</p> <p>ReversalOfTransferOutConfirmationV02, TransferOutCancellationRequestV02, TransferOutConfirmationV02, TransferOutInstructionV02:</p> <p>If ReceiversIntermediaryDetails is present, then ReceiversCustodianDetails must also be present.</p>
1702	ReceiversCustodianRule	<p>If ReceiversIntermediaryDetails is present, then ReceiversCustodianDetails must be present. If ReceiversIntermediaryDetails is not present, then ReceiversCustodianDetails is optional.</p>
1703	ReceiversIntermediaryDetailsRule	<p>If PhysicalTransferDetails is present, then SettlementPartiesDetails/ReceiversIntermediaryDetails is not allowed.</p>
1704	ReferenceRule	<p>ReversalOfTransferInConfirmationV02, ReversalOfTransferOutConfirmationV02:</p> <p>At least TransferReference or TransferConfirmationReference must be present.</p> <p>SubscriptionOrderConfirmationCancellationInstructionV01, SubscriptionBulkOrderConfirmationCancellationInstructionV01, RedemptionOrderConfirmationCancellationInstructionV01, RedemptionBulkOrderConfirmationCancellationInstructionV01, SwitchOrderConfirmationCancellationInstructionV01.</p> <p>At least OrderReference or DealReference must be present.</p>
1705	ReferredPlacementAgentRule	<p>ReferredPlacementAgent may only be present if Referred is equal to the code value Referred (REFR).</p>

Translator Error Code	SWIFT Error Code	Error Description
1706	RegistrationAddressIndicator1Rule	<p>AccountModificationInstructionV02: If PrimaryOwner is present, then at least one occurrence of PrimaryOwner/Organisation/ModifiedAddress/Address/RegistrationAddressIndicator or of PrimaryOwner/IndividualPerson/ModifiedAddress/Address/RegistrationAddressIndicator must be true or 1 (Yes).</p> <p>AccountDetailsConfirmationV02, AccountOpeningInstructionV02: If PrimaryOwner is present, then at least one occurrence of PrimaryOwner/Organisation/Address/RegistrationAddressIndicator or of PrimaryOwner/IndividualPerson/Address/RegistrationAddressIndicator must be true or 1 (Yes).</p>
1707	RegistrationAddressIndicator2Rule	<p>AccountDetailsConfirmationV02, AccountOpeningInstructionV02: If SecondaryOwner is present, then all occurrences of SecondaryOwner/Organisation/Address/RegistrationAddressIndicator or of SecondaryOwner/IndividualPerson/Address/RegistrationAddressIndicator must be false or 0 (No).</p> <p>AccountModificationInstructionV02: If SecondaryOwner is present, then all occurrences of SecondaryOwner/Organisation/ModifiedAddress/Address/RegistrationAddressIndicator or of SecondaryOwner/IndividualPerson/ModifiedAddress/Address/RegistrationAddressIndicator must be false or 0 (No).</p>

Translator Error Code	SWIFT Error Code	Error Description
1708	RelatedPartiesDetailsRule	<p>RedemptionBulkOrderCancellationRequestV03, RedemptionBulkOrderV03, SubscriptionBulkOrderCancellationRequestV03, SubscriptionBulkOrderV03:</p> <p>Either RelatedPartiesDetails or BulkOrderDetails/IndividualOrderDetails/RelatedPartiesDetails may be present, but not both.</p> <p>RedemptionBulkOrderConfirmationV03, SubscriptionBulkOrderConfirmationV03, SubscriptionBulkOrderConfirmationCancellationInstructionV01, SubscriptionBulkOrderConfirmationAmendmentV01, RedemptionBulkOrderConfirmationCancellationInstructionV01, RedemptionBulkOrderConfirmationAmendmentV01:</p> <p>Either RelatedPartiesDetails or BulkExecutionDetails/IndividualExecutionDetails/RelatedPartiesDetails may be present, but not both.</p> <p>RedemptionOrderCancellationRequestV03, RedemptionOrderV03, SubscriptionOrderCancellationRequestV03, SubscriptionOrderV03:</p> <p>Either RelatedPartiesDetails or MultipleOrderDetails/IndividualOrderDetails/RelatedPartiesDetails may be present, but not both.</p> <p>RedemptionOrderConfirmationV03, SubscriptionOrderConfirmationV03, SubscriptionOrderConfirmationCancellationInstructionV01, SubscriptionOrderConfirmationAmendmentV01, RedemptionOrderConfirmationCancellationInstructionV01, RedemptionOrderConfirmationAmendmentV01:</p> <p>Either RelatedPartiesDetails or MultipleExecutionDetails/IndividualExecutionDetails/RelatedPartiesDetails may be present, but not both.</p>

Translator Error Code	SWIFT Error Code	Error Description
1709	RelatedReferenceRule	TransferCancellationStatusReportV02: If RelatedReference/MessageName is present, it must contain 540 or 542 or must start with sese.002, sese.006 or sese.009 and the RelatedReference/Reference must contain the reference of a message in this list. TransferInstructionStatusReportV02: If RelatedReference/MessageName is present, it must contain 540 or 542 or must start with sese.001, sese.002, sese.005, sese.006 or sese.009 and the RelatedReference/Reference must contain the reference of a message in this list.

Translator Error Code	SWIFT Error Code	Error Description
1710	RequestedSettlementCurrencyRule	<p>RedemptionBulkOrderCancellationRequestV03, RedemptionBulkOrderV03, SubscriptionBulkOrderCancellationRequestV03, SubscriptionBulkOrderV03:</p> <p>If RequestedSettlementCurrency is present, it must be the same Currency as in all occurrences of IndividualOrderDetails/SettlementAmount, if present.</p> <p>RedemptionBulkOrderConfirmationV03, SubscriptionBulkOrderConfirmationV03, SubscriptionBulkOrderConfirmationCancellationInstructionV01, SubscriptionBulkOrderConfirmationAmendmentV01, RedemptionBulkOrderConfirmationCancellationInstructionV01, RedemptionBulkOrderConfirmationAmendmentV01:</p> <p>If RequestedSettlementCurrency is present, it must be the same Currency as in all occurrences of IndividualExecutionDetails/SettlementAmount.</p> <p>RedemptionOrderCancellationRequestV03, RedemptionOrderV03, SubscriptionOrderCancellationRequestV03, SubscriptionOrderV03:</p> <p>If RequestedSettlementCurrency is present, it must be the same Currency as in SettlementAmount, if present.</p> <p>RedemptionOrderConfirmationV03, SubscriptionOrderConfirmationV03, SubscriptionOrderConfirmationCancellationInstructionV01, SubscriptionOrderConfirmationAmendmentV01, RedemptionOrderConfirmationCancellationInstructionV01, RedemptionOrderConfirmationAmendmentV01:</p> <p>If RequestedSettlementCurrency is present, it must be the same Currency as in SettlementAmount.</p>
1711	RoundingDirectionAndModulusRule	<p>If RoundingDirection contains a value and if RoundingModulus does not contain a value, the number to be rounded must be rounded to the closest whole number.</p>
1712	RoundingMethodRule	<p>RoundingModulus and RoundingDirection may only be present if UnitsNumber is not present in SubscriptionOrder, nor in RedemptionOrder.</p>
1713	RoundingRule	<p>Rounding may only be present if PortfolioTransferOutRate is present.</p>

Translator Error Code	SWIFT Error Code	Error Description
1714	SettlementCurrency1Rule	<p>RedemptionBulkOrderConfirmationV03, RedemptionBulkOrderConfirmationCancellationInstructionV01, RedemptionBulkOrderConfirmationAmendmentV01 :</p> <p>If BulkCashSettlementDetails is present, then Currency in IndividualExecutionDetails/SettlementAmount must be the same in all occurrences of IndividualOrderDetails.</p>
1715	SettlementCurrency2Rule	<p>If BulkCashSettlementDetails is present, then Currency in IndividualOrderDetails/SettlementAmount, if present, must be the same in all occurrences of IndividualOrderDetails.</p>
1716	SettlementCurrency3Rule	<p>SubscriptionBulkOrderConfirmationV03, SubscriptionBulkOrderConfirmationAmendmentV01 :</p> <p>If BulkCashSettlementDetails is present, then Currency in IndividualExecutionDetails/SettlementAmount must be the same in all occurrences of IndividualOrderDetails.</p> <p>SubscriptionBulkOrderConfirmationV02: If BulkCashSettlementDetails is present, then Currency in IndividualExecutionOrderDetails/NetAmount and GrossAmount must be the same in all occurrences of IndividualExecutionDetails.</p>
1717	SettlementCurrency4Rule	<p>RedemptionOrderConfirmationV03, SubscriptionOrderConfirmationV03, SubscriptionOrderConfirmationCancellationInstructionV01, SubscriptionOrderConfirmationAmendmentV01, RedemptionOrderConfirmationCancellationInstructionV01, RedemptionOrderConfirmationAmendmentV01: If BulkCashSettlementDetails is present, then Currency in IndividualExecutionDetails/SettlementAmount must be the same in all occurrences of IndividualOrderDetails.</p>

Translator Error Code	SWIFT Error Code	Error Description
1718	SettlementCurrency5Rule	RedemptionOrderCancellationRequestV03, RedemptionOrderV03, SubscriptionOrderCancellationRequestV03, SubscriptionOrderV03: If BulkCashSettlementDetails is present, then Currency in IndividualOrderDetails/SettlementAmount, if present, must be the same in all occurrences of IndividualOrderDetails.
1719	StatisticsCurrency1Rule	If present, Currency in HighestPriceValue12Months, LowestPriceValue12Months, OneYearPriceChange, ThreeYearPriceChange and FiveYearPriceChange must be the same.
1720	StatisticsCurrency2Rule	If present, Currency in HighestPriceValue, LowestPriceValue and PriceChange must be the same.
1721	StopPriceAndStopOrderRule	The StopPrice element in SecuritiesOrder must be present if the OrderType element in SecuritiesOrderParameters contains the value STOP (stop order) or STLI (stop limit order).
1722	TaxRule	If TaxIncluded is yes," then TaxAmount is mandatory. If TaxIncluded is No," then TaxAmount is optional, and taxes may be provided for information.
1723	TotalAmountYearToDateRule	PEPOrISAOrPortfolioTransferCancellationRequestV02, PEPOrISAOrPortfolioTransferConfirmationV02, PEPOrISAOrPortfolioTransferInstructionV02, PEPOrISAOrPortfolioInformationV01: TotalAmountYearToDate must be equal to the sum of EquityComponent and CashComponent if present.
1724	TotalNumberRule	TotalNumber must be the sum of Group1Number and Group2Number.
1725	TotalRedemptionAmountRule	If SubscriptionLegDetails/FinancialInstrumentQuantityChoice/PercentageOfTotalRedemptionAmount is present, then TotalRedemptionAmount must also be present. If SubscriptionLegDetails/FinancialInstrumentQuantityChoice/PercentageOfTotalRedemptionAmount is not present , then TotalRedemptionAmount is optional.
1726	TotalUnitsNumberRule	TotalUnitsNumber must be the sum of all occurrences of UnitsDetails/UnitsNumber

Translator Error Code	SWIFT Error Code	Error Description
1727	TransactionOnAccountOrSubAccountDetailsRule	If StatementGeneralDetails/ActivityIndicator is true or 1 (Yes), then either TransactionOnAccount or SubAccountDetails must be present. If StatementGeneralDetails/ActivityIndicator is false or 0 (No), then TransactionOnAccount and SubAccountDetails are not allowed.
1728	TransactionOnSubAccountRule	StatementOfInvestmentFundTransactionsV02, StatementOfInvestmentFundTransactionsCancellationV02. If ActivityIndicator is true or 1 (Yes), then TransactionOnSubAccount must be present. If ActivityIndicator is false or 0 (No), then TransactionOnSubAccount is not allowed.
1729	TransactionTypeLegExecutionIdentificationRule	If TransactionType is SWII or SWIO, then LegExecutionIdentification is optional. If TransactionType is neither SWII nor SWIO, then LegExecutionIdentification is not allowed.
1730	TransactionTypeLegIdentificationRule	StatementOfInvestmentFundTransactionsV02, StatementOfInvestmentFundTransactionsCancellationV02: If TransactionType is SWII or SWIO, then LegIdentification is optional. If TransactionType is neither SWII nor SWIO, then LegIdentification is not allowed. If TransactionType is SWII or SWIO, then LegIdentification is mandatory. If TransactionType is not SWII and not SWIO, then LegIdentification is not allowed.
1731	TypeAmountRateRule	If Type or ExtendedType is present, then either Amount or Rate must be present. If Amount or Rate is present, then either Type or Extended Type must be present.
1732	UserDefinedRule	At least one message element in the list (Party, Country, Currency, UserDefined) must be present. More than one element in the list (Party, Country, Currency, UserDefined) may be present.
1733	BilateralBalanceRule	If MultilateralBalance is not present, then at least one occurrence of CurrentBilateralLimit/BilateralBalance must be present. If MultilateralBalance is present, then any occurrence of CurrentBilateralLimit/BilateralBalance is optional.

Translator Error Code	SWIFT Error Code	Error Description
1734	CreditDebitIndicator1Rule	<p>If PaymentCommonInformation/CreditDebitIndicator is present, then TransactionReport/Transaction/CreditDebitIndicator is not allowed.</p> <p>If PaymentCommonInformation/CreditDebitIndicator is not present, then TransactionReport/Transaction/CreditDebitIndicator is optional.</p>
1735	EntryAmountCreditDebitIndicator1Rule	<p>If at least one occurrence of EntryAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If EntryAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1736	EntryAmountCreditDebitIndicator2Rule	<p>If at least one occurrence of EntryAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If EntryAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1737	InstructedAmountCreditDebitIndicator1Rule	<p>If at least one occurrence of InstructedAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If InstructedAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1738	InstructedAmountCreditDebitIndicator2Rule	<p>If at least one occurrence of InstructedAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If InstructedAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>

Translator Error Code	SWIFT Error Code	Error Description
1739	InstructedAmountCurrencyRule	<p>If at least one occurrence of InstructedAmount/CurrencyAndAmountRange is present, then no occurrence of InstructedAmountCurrency is allowed.</p> <p>If InstructedAmount/CurrencyAndAmountRange is not present, then any occurrence of InstructedAmountCurrency is optional.</p>
1740	PaymentInstructionStatusRule	<p>If PaymentCommonInformation/PaymentInstructionStatus is present, then TransactionReport/Transaction/Payment/InstructionStatus/PaymentInstructionStatus is not allowed.</p> <p>If PaymentCommonInformation/PaymentInstructionStatus is not present, then TransactionReport/Transaction/Payment/InstructionStatus/PaymentInstructionStatus is optional.</p>
1741	ReturnCriteriaAndOrSearchCriteriaRule	<p>If ReturnCriteria is not present, then at least one occurrence of SearchCriteria must be present. If ReturnCriteria is present, then any occurrence of SearchCriteria is optional.</p>
1742	SettlementAmountCreditDebitIndicator1Rule	<p>If at least one occurrence of InterbankSettlementAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If InterbankSettlementAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1743	SettlementAmountCreditDebitIndicator2Rule	<p>If at least one occurrence of InterbankSettlementAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed.</p> <p>If InterbankSettlementAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1744	SettlementAmountCurrencyRule	<p>If at least one occurrence of InterbankSettlementAmount/CurrencyAndAmountRange is present, then no occurrence of InterbankSettlementAmountCurrency is allowed.</p> <p>If InterbankSettlementAmount/CurrencyAndAmountRange is not present, then any occurrence of InterbankSettlementAmountCurrency is optional.</p>

Translator Error Code	SWIFT Error Code	Error Description
1745	TransactionCreditDebitIndicatorRule	<p>If CreditDebitIndicator is present, then at least one or more Message Elements in the list (AccountEntry/EntryAmount, Payment/InstructedAmount, Payment/InterbankSettlementAmount) must be present.</p> <p>If CreditDebitIndicator is not present, then any Message Elements in the list (AccountEntry/EntryAmount, Payment/InstructedAmount, Payment/InterbankSettlementAmount) is optional.</p>
1746	TransferValueDateRule	<p>If PaymentCommonInformation/TransferValueDate is present, then TransactionReport/Transaction/Payment/TransferValueDate is not allowed.</p> <p>If PaymentCommonInformation/TransferValueDate is not present, then TransactionReport/Transaction/Payment/TransferValueDate is optional.</p>
1747	OrderOriginatorEligibilityGuideline	<p>Either InvestmentAccountDetails/OrderOriginatorEligibility or a single occurrence of RedemptionLegDetails/InvestmentAccountDetails/OrderOriginatorEligibility or a single occurrence of SubscriptionLegDetails/InvestmentAccountDetails/OrderOriginatorEligibility should be only present.</p>
1748	NomineeAccountServicerRule	<p>NomineeAccount/Servicer must be present when and only when different from ClientAccount/Servicer.</p>
1749	TotalSubscriptionAmountRule	<p>If RedemptionLegDetails/FinancialInstrumentQuantityChoice/PercentageOfTotalSubscriptionAmount is present, then TotalSubscriptionAmount must be present. If RedemptionLegDetails/FinancialInstrumentQuantityChoice/PercentageOfTotalSubscriptionAmount is not present, then TotalSubscriptionAmount is optional.</p>
1750	AccountIdentificationRule	<p>At least one occurrence of one message element in the list (OwnerIdentification, AccountIdentification, AccountName) must be present. If an element in the list is repetitive, more than one occurrence of this message element may be present. More than one message element in the list may be present.</p>

Translator Error Code	SWIFT Error Code	Error Description
1751	BilateralBalanceRule	If MultilateralBalance is not present, then at least one occurrence of CurrentBilateralLimit/BilateralBalance must be present. If MultilateralBalance is present, then any occurrence of CurrentBilateralLimit/BilateralBalance is optional.
1752	BilateralLimitCounterparty1Rule	If Type is MULT, then BilateralLimitCounterpartyIdentification is not allowed.
1753	BilateralLimitCounterparty2Rule	If Type is BILI or NELI or INBI, then BilateralLimitCounterpartyIdentification must be present.
1754	BilateralLimitCounterparty3Rule	If at least one occurrence of RiskManagementCurrentLimitType is present and is MULT, then no occurrence of BilateralLimitCounterpartyIdentification is allowed. If no occurrence of RiskManagementCurrentLimitType is MULT, then any occurrence of BilateralLimitCounterpartyIdentification is optional. If RiskManagementCurrentLimitType is not present, then any occurrence of BilateralLimitCounterpartyIdentification is optional.
1755	BilateralLimitCounterparty4Rule	If at least one occurrence of RiskManagementDefaultLimitType is present and is MULT, then no occurrence of BilateralLimitCounterpartyIdentification is allowed. If no occurrence of RiskManagementDefaultLimitType is MULT, then any occurrence of BilateralLimitCounterpartyIdentification is optional. If RiskManagementDefaultLimitType is not present, then any occurrence of BilateralLimitCounterpartyIdentification is optional.
1756	BilateralLimitRule	A (indirect) bilateral limit is defined between a participant and one other (indirect) participant.
1757	CashAccountIdentificationGuideline	If the account identification identifies a group of accounts with different types or in different currencies, the currency and/or the account type can be used as additional search criteria.
1758	ChargeRule	If ChargeDeducted = Yes, then the ChargeAmount is mandatory, If ChargeDeducted = No, then ChargeAmount is optional. Charges may be given for information. If no charge indicator, then ChargeAmount is not allowed.

Translator Error Code	SWIFT Error Code	Error Description
1759	CounterpartyIdentification1Rule	If at least one occurrence of BalanceType is present and is MULT, then no occurrence of CounterpartyIdentification is allowed. If BalanceType is not present, then any occurrence of CounterpartyIdentification is optional.
1760	CounterpartyIdentification2Rule	If at least one occurrence of BalanceType is present and is BILA, then at least one occurrence of CounterpartyIdentification must be present. If BalanceType is not present, then any occurrence of CounterpartyIdentification is optional.
1761	CreditAccountRule	Either the CreditAccount or the CreditAccountOwner element must be used, or both. But a least one of the elements CreditAccount or CreditAccountOwner must be present.
1762	CreditDebitIndicator1Rule	If PaymentCommonInformation/CreditDebitIndicator is present, then TransactionReport/Transaction/CreditDebitIndicator is not allowed. If PaymentCommonInformation/CreditDebitIndicator is not present, then TransactionReport/Transaction/CreditDebitIndicator is optional.
1763	CreditDebitIndicatorGuideline	If at least one occurrence of BalanceType is present and is BILA, then at least one occurrence of CounterpartyIdentification must be present. If BalanceType is not present, then any occurrence of CounterpartyIdentification is optional.
1764	CurrencyGuideline	The currency may be omitted in the amounts present in the message. However, this should only be done in cases of one single currency systems (eg, the euro).
1765	DebitAccountRule	Either the DebitAccount or the DebitAccountOwner element must be used, or both. But a least one of the elements DebitAccount or DebitAccountOwner must be present.
1766	DebitCreditIndicatorGuideline	DebitCreditIndicator should be present when TotalNetEntryAmount is present.

Translator Error Code	SWIFT Error Code	Error Description
1767	DeliverersIntermediaryGuideline	<p>If in SettlementChain there is a DeliverersIntermediary, then the element position specifies the position of the DeliverersIntermediary between the DeliverersCustodian and DeliveringAgent.</p> <p>A DeliverersIntermediary in 'Position' 1 either has an account with the DeliveringAgent, or the party specified as the DeliverersIntermediary in 'Position' 2.</p> <p>The DeliverersIntermediary in 'Position' 2 either has an account with the DeliveringAgent, or the party specified as the DeliverersIntermediary in 'Position' 3, and so on.</p>
1768	EntryAmountCreditDebitIndicator1Rule	<p>If at least one occurrence of EntryAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed. If EntryAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1769	EntryAmountCreditDebitIndicator2Rule	Not used.
1770	ExchangeConversionRule	$1 \text{ UnitCurrency} = \text{ExchangeRate} / \text{ConversionRate} * \text{QuotedCurrency}$
1771	ExchangeOrConversionRateRule	ExchangeRate or ConversionRate
1772	FloorAmountRule	If CreditTransferType contains the value TopAccount, then only the FloorAmount may be used.
1773	InstructedAmountCreditDebitIndicator1Rule	<p>If at least one occurrence of InstructedAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed. If InstructedAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>
1774	InstructedAmountCreditDebitIndicator2Rule	<p>If at least one occurrence of InstructedAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed. If InstructedAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.</p>

Translator Error Code	SWIFT Error Code	Error Description
1775	InstructedAmountCurrencyRule	If at least one occurrence of InstructedAmount/CurrencyAndAmountRange is present, then no occurrence of InstructedAmountCurrency is allowed. If InstructedAmount/CurrencyAndAmountRange is not present, then any occurrence of InstructedAmountCurrency is optional.
1776	IssuerAndOrMessageNameRule	If MessageName is not present, then ReferenceIssuer is mandatory. If MessageName is present, then ReferenceIssuer is optional.
1777	LimitCriteriaGuideline	If a bilateral limit regarding specific members in the system is required, then the identification of the bilateral counterpart should be given. By default, if there is no identification of the bilateral counterpart and the current or default bilateral limit is required, then all the bilateral limits with the relevant counterpart identifications are returned.
1778	MailingIndicatorRule	If RegistrationAddressIndicator contains the value true or 1 (Yes), then MailingIndicator must contain the value true or 1 (Yes).
1779	MandatoryValueRule	The NewMemberValueSet consists of a MemberReturnAddress, a CommunicationAddress or a ContactReference. At a minimum, one of these elements must be present.
1780	MemberIdentificationRule	If Creditor/MemberIdentification/BIC is present, then Creditor/SystemIdentification is mandatory. If Creditor/MemberIdentification/BIC is not present, then Creditor/SystemIdentification is optional.
1781	ModifyStandingOrderRules	The NewStandingOrderValueSet can consist on an Amount, a DebitAccount, a CreditAccount, a ValidityPeriod or a Periodicity. At a minimum, one of these elements must be present.
1782	PaymentInstructionStatusRule	If PaymentCommonInformation/PaymentInstructionStatus is present, then TransactionReport/Transaction/Payment/InstructionStatus/PaymentInstructionStatus is not allowed. If PaymentCommonInformation/PaymentInstructionStatus is not present, then TransactionReport/Transaction/Payment/InstructionStatus/PaymentInstructionStatus is optional.

Translator Error Code	SWIFT Error Code	Error Description
1783	PaymentMessageTypeRule	<p>If PaymentCommonInformation/PaymentMessageType is present, then TransactionReport/Transaction/Payment/PaymentMessageType is not allowed. If PaymentCommonInformation/PaymentMessageType is not present, then TransactionReport/Transaction/Payment/PaymentMessageType is optional.</p>
1784	ReceiversIntermediaryGuideline	<p>If in SettlementChain there is a ReceiversIntermediary, then the element Position specifies the position of the ReceiversIntermediary between the ReceiversCustodian and ReceivingAgent.</p> <p>A ReceiversIntermediary in 'Position' 1 either has an account with ReceivingAgent, or the party specified as the ReceiversIntermediary in 'Position' 2.</p> <p>The ReceiversIntermediary in 'Position' 2 either has an account with the ReceivingAgent, or the party specified as the ReceiversIntermediary in 'Position' 3, and so on.</p>
1785	ReturnCriteriaAndOrSearchCriteriaRule	<p>If ReturnCriteria is not present, then at least one occurrence of SearchCriteria must be present. If ReturnCriteria is present, then any occurrence of SearchCriteria is optional.</p>
1786	SearchAndReturnCriteriaAndStatementReportRule	<p>The following combinations are allowed: only Search Criteria, or only Return Criteria, or only a Statement Report, or a combination of Search and Return criteria, or a combination of Search criteria and a Statement Report. Rule rationale: If ReturnCriteria are present, they define the expected report. If StatementReport is present, it indicates that a statement-type report needs to be returned.</p> <p>In this case, the return message will contain information equivalent to that present in field 61 (Statement Line) of FIN standards, eg, value date, entry date, debit/credit indicator, amount, transaction type identification code, reference for the account owner, reference of the account servicing institution and supplementary details. If the StatementReportIndicator equals false or 0 (No), this means that the report type is pre-defined between the transaction administrator and the member.</p>

Translator Error Code	SWIFT Error Code	Error Description
1787	SettlementAmountCreditDebitIndicator1Rule	If at least one occurrence of InterbankSettlementAmount/CurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed. If InterbankSettlementAmount/CurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.
1788	SettlementAmountCreditDebitIndicator2Rule	If at least one occurrence of InterbankSettlementAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is present, then CreditDebitIndicator is not allowed. If InterbankSettlementAmount/ImpliedCurrencyAndAmountRange/CreditDebitIndicator is not present, then CreditDebitIndicator is optional.
1789	SettlementAmountCurrencyRule	If at least one occurrence of InterbankSettlementAmount/CurrencyAndAmountRange is present, then no occurrence of InterbankSettlementAmountCurrency is allowed. If InterbankSettlementAmount/CurrencyAndAmountRange is not present, then any occurrence of InterbankSettlementAmountCurrency is optional.
1790	StreetNameAndOrPostOfficeBoxRule	If StreetName is not present, then PostOfficeBox is mandatory. If StreetName is present, then PostOfficeBox is optional.
1791	TaxRule	If TaxIncluded is yes, then TaxAmount is mandatory. If TaxIncluded is No, then TaxAmount is optional, and taxes may be provided for information.
1792	TransactionCreditDebitIndicatorRule	If CreditDebitIndicator is present, then at least one or more Message Elements in the list (AccountEntry/EntryAmount, Payment/InstructedAmount, Payment/InterbankSettlementAmount) must be present. If CreditDebitIndicator is not present, then any Message Elements in the list (AccountEntry/EntryAmount, Payment/InstructedAmount, Payment/InterbankSettlementAmount) is optional.
1793	TransferValueDateRule	If PaymentCommonInformation/TransferValueDate is present, then TransactionReport/Transaction/Payment/TransferValueDate is not allowed. If PaymentCommonInformation/TransferValueDate is not present, then TransactionReport/Transaction/Payment/TransferValueDate is optional.
1794	AvailabilityAndTypeRule	If Type is equal to ForwardAvailable, Availability is not allowed.

Translator Error Code	SWIFT Error Code	Error Description
1795	CertificateIdentificationAndOrTaxTypeRule	If CertificateIdentification is not present, then TaxType is mandatory. If CertificateIdentification is present, then TaxType is optional.
1796	DomainAndProprietary1Rule	If Domain is absent, then Proprietary must be present.
1797	DomainAndProprietary2Rule	If Proprietary is absent, then Domain must be present.
1798	FamilyAndSubFamilyRule	A specific (non-generic) SubFamily code may only be provided if a specific (non-generic) Family code is present.
1799	ReturnReasonRule	If ReturnReason/Code is equal to 'NARR', then at least one occurrence of AdditionalReturnReasonInformation must be present.
1800	StatusAndBookingDateRule	If Status is pending, BookingDate is not allowed.

SWIFTNet Routing Rule

The SWIFTNet Routing Rule is created by you as the Responder, because you are expecting a server request message from SWIFTNet. This rule is used by the SWIFTNet Server adapter to manage interactive messages from the SWIFTNet MEFG Server, and enables you to configure how you want to process when you receive either an InterAct request payload or FileAct file that was transferred. The rule routes an incoming request message to a user-defined business process based on the following parameters:

- ◆ requestorDN
- ◆ responderDN
- ◆ requestType
- ◆ serviceName

You configure these four parameters and create the SWIFTNet routing rule through the SWIFTNet Routing Rule interface. The SWIFTNet Routing Rule page enables you to assign any business process to a set of Requestor, Responder, Service, and Request Type. The rules are applied to the routing of SWIFTNet messages (Funds, MX, or generic XML format), and the server response messages are constructed and sent back to SWIFTNet through the SWIFTNet MEFG Server.

You can also use a wildcard (*) for these parameters. Using a wildcard, you can configure a generic routing rule that handles multiple messages from different requestors. The wildcard can be used at the beginning, middle, or end of the pattern. Additionally you can set the priority of the routing rule to determine which rule supersedes another if there are two or more routing rules with different business processes that match an incoming request or file because you are using the wildcard feature.

Also, the priority function for the SWIFTNet routing rules necessitates that the application only allow one user to perform update on the priority at any particular time. So, when a user is creating, editing, deleting or importing a SWIFTNet routing rule, a lock will be created so that no other user is allowed to perform those operations.

Note: The wildcard must appear only once in routing criteria. For example: `*,o=swift` is allowed, but `*,o=swift*` is not allowed because in the latter example the wildcard appears twice in the string.

You would want to use the wildcard function if, for example, the responder has 1,000 requestors that he or she might receive InterAct messages from, and would therefore need to configure 1,000 routing rules even though he or she intends to invoke the same business process for all the requestors. In this scenario, the user can create one SWIFTNet routing rule and use the wildcard feature to solve his or her business problem.

Note: If you are using CHIPS adapter with SWIFTNet as transport interface, the SWIFTNet Routing Rule will be automatically created for you.

You can also export and import SWIFTNet routing rules.

Note: Each time a user adds, modifies, or deletes a SWIFTNet routing rule, the action is logged to create an audit trail based on the user who performed the event.

Creating a SWIFTNet Routing Rule and Associating it with a Business

Process

To create a SWIFTNet routing rule and associate it with an appropriate business process to process incoming SWIFTNet requests:

1. Create a business process to which the inbound messages will be routed by the SWIFTNet Server adapter.
2. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Routing Rule**.
3. To the right of **Create new SWIFTNet routing rule**, click **Go!**.
4. Complete the following parameters and click **Next**:

Parameter	Description
SWIFTNet Routing Rule Name	Type the name of the SWIFTNet routing rule. Required. Note: Special characters such as ! @ # % ^ () + ? , < > { } [] ; " ' / are not permitted.
Requestor DN	Type the distinguished name of the requestor or use a wildcard (*) in the string. Required. Note: If you use a wildcard in the string for this value, SWIFTNet specifies that a valid DN always ends with o=swift , so the wildcard character is only allowed at the beginning of the string. For example, *o=abcd,o=swift is allowed, but o=abcd,*o=swift is not allowed. Note: This value should be taken from the Requestor's SWIFTNet Client service configuration (or from the BPML parameters passed to the service), in accordance with the arrangement made between requestor and responder.
Responder DN	Type the distinguished name of the responder or use a wildcard (*) in the string. Required. Note: If you use a wildcard in the string for this value, SWIFTNet specifies that a valid DN always ends with o=swift , so the wildcard character is only allowed at the beginning of the string. For example, *o=abcd,o=swift is allowed, but o=abcd,*o=swift is not allowed. Note: This value should be taken from the Requestor's SWIFTNet Client service configuration (or from the BPML parameters passed to the service), in accordance with the arrangement made between requestor and responder.
Service Name	Type the name of the SWIFTNet Client service instance configuration that you created in step 1 or use a wildcard (*) in the string. Required. Note: This value should be taken from the Requestor's SWIFTNet Client service configuration (or from the BPML parameters passed to the service), in accordance with the arrangement made between requestor and responder.
Request Type	Type the request type (message type and name) supported by the file transfer responder or use a wildcard (*) in the string. Optional. Note: If you use a wildcard, it must appear at the end of the string. The SWIFT Request Type generally specifies the category first (for example, pain.001.01.01). Therefore, pain.* is allowed but *.001.01 is not allowed. Note: This value should be taken from the Requestor's SWIFTNet Client service configuration (or from the BPML parameters passed to the service), in accordance with the arrangement made between requestor and responder.

Parameter	Description
Business Process	Select the business process that will be invoked to manage the request and handle the response to a SWIFTNet message (this is the business process that you created in step 2 that will be called when the requestor DN, responder DN, service name, and requestor type match). Required.
Assign Priority for this Routing Rule (relative to other match rules)	Enables you to assign priority to the routing rule, if the routing parameters using the wildcard are matched to an existing routing rule. This resolves the issue that occurs when you are using wildcards and an incoming request corresponds to two existing routing rules. In this case, the rule with higher priority will be invoked. Optional. Note: If no other rules match the routing parameters used for this rule, the priority will be assigned automatically.

Note: The application attempts to locate any other routing rule defined in the system that matches with your routing rule. You can specify the priority of your rule in relation to those matches rules.

5. Click **Finish** to save the routing rule. The rule is now in effect for all incoming SWIFTNet messages (Funds, MX, or generic XML format).

Searching for a SWIFTNet Routing Rule

To edit or delete a SWIFTNet routing rule you must first specify the appropriate rule. You can locate a specific routing rule in two ways:

- ◆ Search for the routing rule by name.
- ◆ Select the routing rule from an alphabetical list.

Searching for the routing rule by name is more precise and provides fewer results. Searching from an alphabetical list will result in a list of all routing rules or all rules beginning with a specified letter or digit.

Once you search for the routing rule, you can easily edit or delete it from the SWIFTNet Routing Rule interface. You can also update an existing rule by changing its priority.

Note: While creating, editing, or deleting a routing rule, a lock is held on the routing rule. Therefore, when you are creating, editing, or deleting a routing rule, no other routing rule can be created, modified, or deleted.

Searching for a Routing Rule by Name

To search for a routing rule by name:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Routing Rule**.
2. In the Search section, type the name of the routing rule. Case does not matter and you can type part of a name.

The application returns a list of matches unless no routing rules meet the criteria you specified.

Searching for a Routing Rule from a List

To select a routing rule from a list:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Routing Rule**.
2. In the List section, select one of the following:
 - ◆ Alphabetically – Select **All** and click **Go!**
 - ◆ Alphabetically – Select a specific letter or digit (0 - 9) and click **Go!**

The application returns a list of matches unless no routing rules meet your criteria.

Deleting a Routing Rule

If you delete a routing rule that has matching rules applied to it, the priority of other lower-priority routing rules is changed.

You can also delete a routing rule by assigning it priority **X**.

Exporting and Importing a SWIFTNet Routing Rule

The application Import/Export feature enables you to save time and increase the accuracy of duplicating supported resources on different environments that are set up for unique purposes. To import and export resources from one application environment to another application environment, both environments must be the same version.

When you import a matching routing rule that uses wildcards and choose **Update = Yes** during the import, the Import Routing Rule function overrides routing rules whose name is an exact match with the imported one.

The system does not allow two routing rules (two rules with different names) to have the same combination keys (Requestor DN, Responder DN, Service Name, and Request Type). Therefore, during the import process, if the imported rule has the same combination keys as another routing rule in the system, the import (update) is rejected.

When you import a rule that does not use combination keys that duplicate a combination that already exists in the system (insert cases), the rule is assigned to the lowest sequential priority.

SWIFTNet Service Profile

The HeaderInfo block is optional, except for those services that mandate it. If the HeaderInfo block is not used, it must not be present, and if it is used, it must be validated by the schema.

The SWIFTNet Service Profile enables you to easily port Service Profiles from one application instance to another. This function allows you to associate SWIFTNet Request Type with a Schema for Header Validation. You need to create the SWIFTNet Service Profile and associate the request type with the selected schema. This allows the application to validate the HeaderInfo when it is present in the request.

Note: The schema must be saved in application.

The Request Type parameter can accept a wildcard (*) to be used only at the end of the string. To determine which Service Profile to be used for a particular Request Type, the application uses a best-match policy. For example, if there are two Service Profile defined, for pain.* and pain.001.*, and the actual request type is pain.002.001, then the first one will be selected.

Two SWIFTNet Service Profiles are preloaded into application. The **pac*.*** and **pains.*** service profiles are associated with the Transaction Count schema and set to **Required for validation**. The Transaction Count and Payment Summary schemas are also preloaded into the application.

You can also import and export SWIFTNet Service Profiles from one application instance to another.

Creating a SWIFTNet Service Profile

To create a SWIFTNet service profile:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Service Profile**.
2. To the right of **Create new SWIFTNet service profile**, click **Go!**.
3. Complete the following parameters and click **Next**:

Parameter	Description
Request Type	Type the request type. A wildcard (*) is only allowed at the end of the string, for example for example, pac*.* or pacs.001.* . Required.
Schema Name	Select the schema used to validate the header information for this request type. Required.
Validation Type	Select whether validation is mandatory or should only be used if header information is specified. Optional. Valid values are: <ul style="list-style-type: none"> ◆ Validates only if Header Information is specified (default) ◆ Validation of Header Information is required

4. Click **Finish** to save the service profile.

Searching for a SWIFTNet Request Type

To edit or delete a SWIFTNet request type, you must first locate the appropriate request type. You can locate a specific request type in two ways:

- ◆ Search for the request type by name.
- ◆ Select the request type from an alphabetical list.

Searching for the request type by name is more precise and provides fewer results. Searching from an alphabetical list will result in a list of all request type or all types beginning with a specified letter or digit.

Once you search for the request type, you can easily edit or delete it from the SWIFTNet Service Profile interface.

Searching for a Request Type by Name

To search for a request type by name:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Service Profile**.
2. In the Search section, type the name of the request type. Case does not matter and you can type part of a name.

The application returns a list of matches unless no request type meet the criteria you specified.

3. When the list of matches is returned, click **edit** next to the request type you want to modify, or click **delete** next to the request type you want to remove.

Searching for a Request Type from a List

To select a request type from a list:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Service Profile**.
2. In the List section, select one of the following:

- ◆ Alphabetically – Select **All** and click **Go!**
- ◆ Alphabetically – Select a specific letter or digit (0 - 9) and click **Go!**

The application returns a list of matches unless no request type meet your criteria.

3. When the list of matches is returned, click **edit** next to the request type you want to modify, or click **delete** next to the request type you want to remove.

Exporting and Importing a SWIFTNet Service Profile

The application Import/Export feature enables you to save time and increase the accuracy of duplicating supported resources on different environments that are set up for unique purposes. To import and export resources from one application environment to another application environment, both environments must be the same version.

SWIFTNet Copy Service Profile

The SWIFTNet Copy Service Profile page enables you, as a third party, to specify the relationship between a Service Name and Copy Mode (for T- or Y-Copy). With T-Copy, the third party copy is for information only. For Y-Copy, third party authorization is needed.

Note: You cannot define both T-Copy and Y-Copy for the same service.

Creating a SWIFTNet Copy Service Profile

To create a SWIFTNet copy service profile:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Copy Service Profile**.
2. To the right of **Create new SWIFTNet copy service profile**, click **Go!**.
3. Complete the following parameters and click **Next**:

Parameter	Description
Service Name	Type the copy service name. Required.
Copy Mode	Select whether the copy mode is T-Copy (third party copy is for information only - this is the default) or Y-Copy (third party authorization is needed). Optional.

4. Click **Finish** to save the copy service profile.

Searching for a SWIFTNet Copy Service Profile

To edit or delete a SWIFTNet Copy Service Profile, you must first locate the appropriate Copy Service Profile. You can locate a specific Copy Service Profile in two ways:

- ◆ Search for the Copy Service Profile by service name.
- ◆ Select the Copy Service Profile from an alphabetical list.

Searching for the copy service profile by service name is more precise and provides fewer results. Searching from an alphabetical list will result in a list of all Copy Service Profile or all types beginning with a specified letter or digit.

Once you search for the copy service profile, you can easily edit or delete it from the SWIFTNet Service Profile interface.

Searching for a Copy Service Profile by Name

To search for a Copy Service Profile by name:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Service Profile**.

2. In the Search section, type the service name of the Copy Service Profile. Case does not matter and you can type part of a name.
The application returns a list of matches unless no Copy Service Profile meet the criteria you specified.
3. When the list of matches is returned, click **edit** next to the Copy Service Profile you want to modify, or click **delete** next to the Copy Service Profile you want to remove.

Searching for a Routing Rule from a List

To select a routing rule from a list:

1. From the application **Deployment** menu, select **Adapter Utilities > SWIFTNet Copy Service Profile**.
2. In the List section, select one of the following:
 - ◆ Alphabetically – Select **All** and click **Go!**
 - ◆ Alphabetically – Select a specific letter or digit (0 - 9) and click **Go!**

The application returns a list of matches unless no Copy Service Profile meet your criteria.

3. When the list of matches is returned, click **edit** next to the Copy Service Profile you want to modify, or click **delete** next to the Copy Service Profile you want to remove.

Configuring the WebSphere MQ Adapter/Suite to Communicate with SWIFT

The WebSphere MQ adapter and the WebSphere MQ Suite enable you to configure the application to send and receive SWIFT messages to/from SWIFTNet through the WebSphere MQ Interface for SWIFTAlliance Access (MQSA). Also enables you to send and receive messages to/from SWIFTNet through SWIFTNet Alliance Access (SAA) and the SWIFTNet Remote API Host Adapter (RAHA).

This table describes the tasks necessary to configure the application to communicate with SWIFTNet through either the WebSphere MQ adapter or the WebSphere MQ Suite:

Number	Task	For More Information
1	Configure the application to retrieve messages through SAA and MQSA.	<i>Configuring the Application to Retrieve Messages</i> on page 385
2	Configure the application to send messages through SAA and MQSA.	<i>Configuring the Application to Send Messages</i> on page 386
3	Disable the UMID and Block S options for all queues within the MQ interface.	<i>Configuring the UMID and Block S Options</i> on page 387

Configuring the Application to Retrieve Messages

Complete these steps to configure the application to retrieve messages from SWIFTNet through SAA and MQSA:

Note: See *WebSphere MQ Adapter* and *WebSphere MQ Suite* documentation for more details on the general MQ options.

1. Configure an MQ Adapter service instance:
2. Go to **Deployment > Services > Configuration**.
3. Next to New Service, click **Go!**.
4. Select **WebSphere MQ Adapter** and click **Next**.
5. Type a name for the service and a description, and click **Next**.
6. On the “WebSphere MQ Parameters page, type the following information and click **Next**:
 - ◆ Set **Host Name** to the name or IP address of the machine hosting the WebSphere MQ that receives messages from SWIFT.
 - ◆ Set **Listening Port** to the port number for the MQ installation (if it is something other than the default).
 - ◆ Set **Queue Manager** to the name of the queue manager that contains the SWIFTNet message queues.
 - ◆ Set **Queue Name** to the name of the queue set up to receive messages from SWIFT.

- ◆ Set **Server Connection Channel** to the name of the connection channel associated with the queue manager.
 - ◆ Set **User ID** and **Password** to the login information for the queue that is configured to receive messages, if required.
 - ◆ Select the **Receiving messages from WebSphere MQ (Sync)** or **Receiving messages from WebSphere MQ (Async)** option, depending which mode you wish to use.
 - ◆ Set the other parameters based on the specific MQ configuration desired.
7. Click **Finish** to save the configuration.
 8. Create a business process to retrieve the messages. The following example business process retrieves a message from MQ in synchronous mode, assuming the service configuration **FromSAA** was created in step 1. Optional parameters have been set to make the business process wait for up to 10 seconds for a message to appear before timing out:

```
<process name="FromSAABP">
  <operation name="WebSphere MQ Adapter">
    <participant name="FromSAA"/>
    <output message="WebsphereMQInputMessage">
      <assign to="." from="*"></assign>
      <assign to="rcv_MQGMO_wait">Yes</assign>
      <assign to="rcv_MQGMO_waitInterval">10000</assign>
    </output>
    <input message="inmsg">
      <assign to="." from="*"></assign>
    </input>
  </operation>
</process>
```

Configuring the Application to Send Messages

Complete the following steps to configure the application to send messages to SWIFTNet through SAA and MQSA:

1. Configure an MQ Adapter service instance:
2. Go to **Deployment > Services > Configuration**.
3. Next to New Service, click **Go!**.
4. Select **WebSphere MQ Adapter** and click **Next**.
5. Type a name for the service and a description, and click **Next**.
6. On the “WebSphere MQ Parameters page, type the following information and click **Next**:
 - ◆ Set **Host Name** to the name or IP address of the machine hosting the WebSphere MQ that receives messages from SWIFT.
 - ◆ Set **Listening Port** to the port number for the MQ installation (if it is something other than the default).
 - ◆ Set **Queue Manager** to the name of the queue manager that contains the SWIFTNet message queues.

- ◆ Set **Queue Name** to the name of the queue set up to receive messages from SWIFT.
 - ◆ Set **Server Connection Channel** to the name of the connection channel associated with the queue manager.
 - ◆ Set **User ID** and **Password** to the login information for the queue that is configured to receive messages, if required.
 - ◆ Select the **Sending messages to WebSphere MQ** option.
 - ◆ Set the other parameters based on the specific MQ configuration desired.
7. Click **Finish** to save the configuration.
 8. Create a business process to send the message. The following example business process sends a message from MQ in synchronous mode, assuming the service configuration **ToSAA** was created in step 1. .

```
<process name="ToSAABP">
  <operation name="WebSphere MQ Adapter">
    <participant name="ToSAA"/>
    <output message="WebsphereMQInputMessage">
      <assign to="." from="*"></assign>
      <assign to="snd_MQMD_msgType">DATAGRAM</assign>
    </output>
    <input message="inmsg">
      <assign to="." from="*"></assign>
    </input>
  </operation>
</process>
```

Configuring the UMID and Block S Options

The application does not support the UMID and block S options, so those must be disabled for all Queues within the MQSeries Interface.

Complete these steps to disable the **UMID** and **Block S** options:

1. Open the SWIFTAlliance Workstation application.
2. Double-click the **MQSeries Interface**.
3. Open each queue and verify the following options:
 - ◆ For both From MQ and To MQ queues, **Include UMID** must be set to No.
 - ◆ For the To MQ queues, **Include Block S** must be set to Without Block S.