

## RosettaNet Message Sending Service

**Caution:** This is an internal service that should not be used externally for steps in creating business processes because it is subject to change without notice, and use may cause unpredictable results and loss of data. This section is intended for information purposes only.

The following table provides an overview of the RosettaNet Message Sending service:

System name	RNIF20Send
Graphical Process Modeler (GPM) categories	All Services, Internet B2B > RosettaNet
Description	Sends RosettaNet RNIF 1.1 or 2.0 messages.
Business usage	Required to send RosettaNet RNIF 1.1 or 2.0 messages to a trading partner.
Usage example	Runs as part of a RosettaNet PIP business process.
Preconfigured?	Yes
Requires third party files?	No
Platform availability	All supported application platforms
Related services	RNHTTPAsyncSend business process used to perform an asynchronous HTTP send. <b>Note:</b> Because of our continuing efforts to improve services and adapters to align with new technology and capabilities, the HTTP Send adapter used in this business process has entered the retirement process in the application and will be replaced with the HTTP Client Adapter with related services. For more information on the retirement process, see <i>Retiring and Removed Services and Adapters</i> .
Application requirements	No
Initiates business processes?	No
Invocation	Runs as part of a RosettaNet PIP business process.
Business process context considerations	No
Returned status values	<ul style="list-style-type: none"> <li>◆ Success – RosettaNet message successfully sent</li> <li>◆ Error – RosettaNet message delivery failed</li> </ul>
Restrictions	No
Testing considerations	Turn on the RosettaNet logger to see debug messages.