

**Sterling Integrator® and Gentran Integration
Suite™**

System Requirements

Version 5.1, 5.0, and 4.3



Contents

Sterling Integrator 5.1.....	4
Sterling Integrator 5.1 System Requirements.....	4
Platforms.....	5
Virtualization Support.....	6
Databases.....	7
IPv6 Capabilities.....	9
UNIX/Linux Requirements.....	11
UNIX/Linux Host System.....	11
UNIX/Linux JDK Requirements.....	12
Downloading UNIX/Linux JDKs.....	13
Download Sun JDKs.....	14
Download the AIX JDK.....	14
Download the Linux JDK.....	15
Windows Requirements.....	16
Windows Client System.....	16
Windows Server Host System.....	16
Windows JDK Requirements.....	16
iSeries Requirements.....	17
iSeries Hardware.....	17
iSeries Software.....	17
iSeries JDK Requirements.....	18
JCE Requirements (All Platforms).....	19
JDBC Driver Requirements (All Databases).....	19
Perimeter Server Requirements (UNIX/Linux and Windows).....	20
Internet Browser and Plugin Requirements (All Platforms).....	20
Map Editor and Graphical Process Modeler System Requirements.....	21
Supported Third Party Software.....	21
Change History.....	22
Sterling Integrator 5.0.....	23
Sterling Integrator 5.0 System Requirements.....	23
Platforms.....	24
Virtualization Support.....	25
Databases.....	26
IPv6 Capabilities.....	28
UNIX/Linux Requirements.....	31
UNIX/Linux Host System.....	31
UNIX/Linux JDK Requirements.....	31
Download UNIX/Linux JDKs.....	34
Download Sun JDKs.....	35
Download the AIX JDK.....	35
Download the Linux JDK.....	36
Windows Requirements.....	37
Windows Client System.....	37
Windows Server Host System.....	37

Windows JDK Requirements.....	37
iSeries Requirements.....	38
iSeries Hardware.....	39
iSeries Software.....	39
iSeries JDK Requirements.....	40
JCE Requirements (All Platforms).....	40
JDBC Driver Requirements (All Databases).....	41
Perimeter Server Requirements (UNIX/Linux and Windows).....	42
Internet Browser and Plugin Requirements (All Platforms).....	42
Map Editor and Graphical Process Modeler System Requirements.....	43
Supported Third Party Software.....	44
Change History.....	44
Gentran Integration Suite 4.3.....	47
Gentran Integration Suite 4.3 System Requirements.....	47
Platforms.....	48
Virtualization Support.....	49
Databases.....	50
UNIX/Linux Requirements.....	51
UNIX/Linux Host System.....	51
UNIX/Linux JDK Requirements.....	51
Download UNIX/Linux JDKs.....	55
Download the AIX JDK.....	55
Download the Linux JDK.....	56
Windows Requirements.....	57
Windows Client System.....	57
Windows Server Host System.....	57
Windows JDK Requirements.....	58
iSeries Requirements.....	58
iSeries Hardware.....	59
iSeries Software.....	59
iSeries JDK Requirements.....	60
JCE Requirements (All Platforms).....	60
JDBC Driver Requirements (All Databases).....	61
Perimeter Server Requirements (UNIX/Linux and Windows).....	62
Internet Browser and Plugin Requirements (All Platforms).....	62
Map Editor and Graphical Process Modeler System Requirements.....	62
Change History.....	63

Sterling Integrator 5.1

Sterling Integrator 5.1 System Requirements

When using these system requirements, make sure that you also have the preinstallation checklist for your platform (Windows, UNIX/Linux, iSeries). Checking system requirements is one item on these checklists. These checklists are available on the Sterling Integrator documentation web site as part of the installation guide and as stand-alone documents.

System requirements for Sterling Integrator vary with your business needs and system environment. Contact your Sterling Integrator sales representative to help you evaluate performance and system usage requirements. Contributing factors include (but are not limited to) the following:

- Number of transactions processed.
- Amount of data being transferred.
- Whether you run Sterling Integrator with or without perimeter servers.
- Whether your environment is clustered (multiple node) or non-clustered (single node).

The following sections list the platforms and databases that are supported by Sterling Integrator:

- [Platforms](#) on page 5
- [Databases](#) on page 7

The following sections list minimum system requirements, and other information, needed to install and run Sterling Integrator on particular platforms:

- [IPv6 Capabilities](#) on page 9
- [UNIX/Linux Requirements](#) on page 11
- [Windows Requirements](#) on page 16
- [iSeries Requirements](#) on page 17

The following sections list additional information that is needed to install and run Sterling Integrator:

- [JCE Requirements \(All Platforms\)](#) on page 19
- [JDBC Driver Requirements \(All Databases\)](#) on page 19
- [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 20
- [Internet Browser and Plugin Requirements \(All Platforms\)](#) on page 20
- [Map Editor and Graphical Process Modeler System Requirements](#) on page 21

- [Supported Third Party Software](#) on page 21

Note: Sterling Integrator supports ActiveMQ version 5.0 and ActiveMQ version 5.2 for JMS (Java Message Service).

Platforms

Sterling Integrator supports the UNIX/Linux, Windows, and iSeries platforms. This topic covers the following supported platform versions:

- UNIX/Linux
- Windows
- iSeries

UNIX/Linux

Sterling Integrator supports the following UNIX/Linux platforms:

Note: If you are using the GUI installation method with UNIX/Linux, you need X Window-compatible software.

- HP-UX 11.23 (PA-RISC) (not supported by Sterling File Gateway)
- HP-UX 11.23 for IA64 (Itanium)
- HP-UX 11.31 (PA-RISC)
- HP-UX 11.31 for IA64 (Itanium)
- IBM AIX 5.3
- IBM AIX 6.1
- Sun Solaris 9 (SPARC only)
- Sun Solaris 10 (SPARC only)
- Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)
- SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only)
- SUSE Linux Enterprise Server 11 (x64/x86 64-bit kernel only)

Windows

Sterling Integrator supports the following Microsoft Windows platforms:

- Windows Server 2003 Standard Edition R2 SP2 32-bit
- Windows Server 2003 Enterprise Edition R2 SP2 32-bit
- Windows Server 2008 Standard Edition R2 64-bit
- Windows Server 2008 Enterprise Edition R2 64-bit

iSeries

Sterling Integrator supports the following IBM iSeries platform:

- i5/OS V5R4
- i5/OS V6R1

Virtualization Support

The following topics are explained under this topic:

- Virtualization Support for RISC Based Systems
- Virtualization Support for x86/x64 Based Systems
- Considerations for Both RISC and x86/x64 Architectures

Virtualization Support for RISC Based Systems

Operating system native clustering, partitioning or virtualization is supported for all RISC based platforms Sterling Integrator supports:

- AIX on P5 and above:
 - Partitioning/Virtualization – Power VM, LPAR, dLPAR
 - Clustering/Failover - HACMP
- HP-UX:
 - Partitioning/Virtualization - Resource Partitions
 - Clustering/Failover - MC/ServiceGuard
- Solaris:
 - Partitioning/Virtualization - Containers and Zones (local and global)
- IBM iSeries/System i:
 - Partitioning/Virtualization - Power VM LPARS

Note: Sterling Commerce does not support Linux or Windows on virtualized RISC machines. We advise caution when using virtualization to avoid configuration or operations that change the IP addresses used by Sterling Integrator. Note that the above mechanisms are supported generally and it does not imply that Sterling Commerce uses these virtualization mechanisms internally.

Virtualization Support for x86/x64 Based Systems

Sterling Commerce realizes that our customers use different virtualization mechanisms and will support them as long as the virtualization mechanism is supported by the operating system's vendor and the OS version used for hosting Sterling Integrator and related products falls in the supported matrix. Although it is not possible for us to maintain all possible combinations of virtualized platforms, we generally support all enterprise class virtualization mechanisms, such as VMware ESX™, VMware ESXi™, VMware vSphere™, Citrix Xen® Hypervisor, KVM (Kernel-based Virtual Machine), and Microsoft® Hyper-V™ Server.

Considerations for Both RISC and x86/x64 Architectures

Sterling Commerce will investigate and troubleshoot a problem until it is determined that the problem is due to virtualization. The following applies:

- If we suspect that a specific defect is happening because the system is virtualized and we cannot reproduce the problem on our non-virtualized environment, then we may request that you contact the vendor of the virtualization platform to get the issue resolved.
- In specific cases where we cannot reproduce the defect, we may request you to reproduce it on a non-virtualized environment and if the problem can still not be reproduced, then we may request that you contact the virtualization vendor for a resolution or switch to a non-virtualized platform.

- If you chose to use virtualization, you must balance the virtualization benefits against its performance impacts. Sterling Commerce does not provide advice regarding configuring, administering, or tuning virtualization platforms.

Databases

The following table lists the combination of platforms and databases supported by Sterling Integrator:

	Oracle	MySQL (supported only on non-cluster installation)	Microsoft SQL Server	DB2	DB2 for iSeries
HP-UX 11.23 (PA-RISC)	Yes	Yes	Yes	Yes	No
HP-UX 11.23 for IA64 (Itanium)	Yes	Yes	Yes	Yes	No
HP-UX 11.31 (PA-RISC)	Yes	Yes	Yes	Yes	No
HP-UX 11.31 for IA64 (Itanium)	Yes	Yes	Yes	Yes	No
IBM AIX 5.3	Yes	Yes	Yes	Yes	No
IBM AIX 6.1	Yes	Yes	Yes	Yes	No
Sun Solaris 9 (SPARC only)	Yes	Yes	Yes	Yes	No
Sun Solaris 10 (SPARC only)	Yes	Yes	Yes	Yes	No
Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)	Yes	Yes	Yes	Yes	No
SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only).	Yes	Yes	Yes	Yes	No
SUSE Linux Enterprise Server 11 (x64/x86 64-bit kernel only).	Yes	Yes	Yes	Yes	No
Windows Server 2003 Standard Edition R2 SP2 32-bit	Yes	Yes	Yes	Yes	No
Windows Server 2003 Enterprise Edition R2 SP2 32-bit	Yes	Yes	Yes	Yes	No
Windows Server 2008 Standard Edition R2 64-bit	Yes	Yes	Yes	Yes	No

	Oracle	MySQL (supported only on non-cluster installation)	Microsoft SQL Server	DB2	DB2 for iSeries
Windows Server 2008 Enterprise Edition R2 64-bit	Yes	Yes	Yes	Yes	No
IBM iSeries i5/OS V5R4 (bundled with iSeries)	No	No	No	No	Yes
IBM iSeries i5/OS V6R1 (bundled with iSeries)	No	No	No	No	Yes

Sterling Integrator supports the following database versions:

Notes:

- Sterling Integrator installed on a 32-bit architecture operating system supports a 64-bit architecture database if the database is installed on a separate machine.
- Sterling Integrator supports the use of database-level clustering when using Oracle RAC or Microsoft SQL Server databases. Only your database vendor, however, can assist you in setting up a clustered database.

Oracle	Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 non-RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 non-RAC or higher within version 11.X.X.X.X).
	Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 RAC or higher within version 11.X.X.X.X) .
	<p>Notes:</p> <ul style="list-style-type: none"> • Support for Oracle databases does not include support for the Oracle Exadata platform. • RAC refers to Real Application Clusters. For more information, refer to Oracle documentation. • Sterling Integrator supports JDBC Type-4 drivers to a single node of a database except Oracle RAC. You can use the JDBC Type-4 drivers to connect with multiple nodes of an Oracle RAC.
MySQL	MySQL Enterprise Edition 5.1.45 or higher within version 5.1.x
	<p>Note: MySQL is case-insensitive for searches with string values. For example, the search results will be the same when you search for users 'Admin' and 'admin'. As a result, it impacts searches for maps, business processes, services, mailboxes, user names, and other data stored in the database.</p>
DB2 for iSeries	DB2 for System i Level 26 for V5R4
	DB2 for IBM i Level 13 for the V6R1

DB2 for Linux, UNIX, and Windows	DB2 9.5 through 9.5.x
	DB2 9.7 through 9.7.x
MS SQL Server	Microsoft SQL Server 2005 Enterprise and Standard (9.00.3152 or higher within version 9.x.x)
	Microsoft SQL Server 2008 Enterprise and Standard Editions (10.0.1600.22 or higher within version 10.0.x.x)

IPv6 Capabilities

An increased market demand for enhanced Internet protocol (IP) has made the worldwide supply of Internet Protocol version 4 (IPv4) addresses scarce. The Internet Protocol version 6 (IPv6) expands the IP address space from 32 bits to 128 bits, providing a virtually unlimited supply of IP addresses. Sterling Commerce is enabling Sterling Integrator for IPv6 support in phases, providing a dual IPv4/IPv6 stack, tunneling, proxying, and translation between the two IP address versions.

Sterling Integrator interoperates with various related products, many of which do not yet support IPv6 addresses. Hence, in Sterling Integrator, a limited set of configurations use IPv6 addresses. The dual stack approach permits interoperability between Sterling Integrator and a mixed set of IPv4 and IPv6 enabled services and adapters wherever feasible.

However, if you choose to implement an IPv6 installation, you will observe limitations in the Sterling Integrator system requirements and the selected services and adapters. Sterling Commerce recommends you to consider the following limitations before attempting to Sterling Integrator installation using IPv6 addresses.

Caution: You must install using a host name, not an IPv6 address, otherwise the Lightweight JDBC adapter and Graphical Process Modeler (GPM) will not work.

IPv6 Supported Combinations

The following table lists the IPv6 configuration combinations supported by Sterling Integrator:

	AIX	Windows	Linux	Solaris	HP
DB2	Yes	No	Yes	Yes	Yes
MSSQL	No	No	Yes	Yes	Yes
Oracle	No	No	Yes	Yes	Yes
MySQL	No	No	Yes	Yes	Yes

Note: Sterling Commerce Consulting Services can help you implement Sterling Integrator in an IPv6-compliance environment, using transition technologies. You should check the IPv6 compliance of any third party tools (such as web servers, FTP clients, MQ servers, and so on) that you use with Sterling Integrator.

The following Sterling Integrator components provide IPv6 compliance with some limitations.

Note: The status of each component will be updated as more of our technology partners begin to offer IPv6 compliance.

Adapter/Service	IPv6 Compliance	Limitations
HTTP Client/Server Adapter	Full	-
HTTP GET/POST Service	Full	-
HTTP Begin/End Session	Full	-
FTP Client/Server	Full	-
WSMQ Adapter	Full	-
PGP Package/Unpackage Service	Full	-
Command Line Adapter 2	Full	-
WSMQ Suite	Full	-
JMS Adapter	Partial	The URI does not accept IPv6 addresses as characters '[']' are not allowed. However, it works with a hostname.
SFTP Client/Server	Full	-
SMTP/POP3/MIME	Full	-
FSA	Full	-
Lightweight JDBC Adapter	Partial	Supports an IPv6 remote host only with a DB2 and AIX combination. However, if your Sterling Integrator installation is under an IPv6 address, the Lightweight JDBC adapter can still be used with any other database currently supported by the adapter using an IPv4 remote host.
RMI Adapter	Partial	The URI does not accept IPv6 addresses as characters '[']' are not allowed. However, it works with a hostname.
Webservices	Full	-
BEA Tuxedo	Full	-
Zengin	Full	-

Adapter/Service	IPv6 Compliance	Limitations
ConnectDirect	Full	Supports IPv6 on C:D UNIX 4.0 and C:D Windows 4.4.00
E5	Full	-
TIBCO	Full	-
SNMP	Full	-
Transora	Full	-
OFTP	Full	-
SAP Suite Adapter	Unsupported	-

UNIX/Linux Requirements

The topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on a UNIX/Linux platform:

- [UNIX/Linux Host System](#) on page 11
- [UNIX/Linux JDK Requirements](#) on page 12
- [Downloading UNIX/Linux JDKs](#) on page 13
- [Download Sun JDKs](#) on page 14

UNIX/Linux Host System

At a minimum, a UNIX/Linux host system requires:

- 2 GB RAM
- 7 GB free disk space
- File descriptor size of 2048 or greater (preferred setting is unlimited)
- Refer to the documentation you received with the database server to determine the minimum system requirements.

It is recommended to run Sterling Integrator and database on different servers except for DB2 (bundled with iSeries) database.

- When using the Solaris server, Sterling Integrator runs only on SPARC-based Solaris servers. Sterling Integrator does not run on x86 (Intel)-based Solaris servers.
- When using the Red Hat or SUSE Linux server, Sterling Integrator runs only on x64/x86-based Linux servers.
- File system space will be needed if you use the option to store documents on the file system. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
- For perimeter server requirements, see [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 20

- If you are using a graphical user interface (GUI) for your UNIX/Linux installation of Sterling Integrator, you must install an X Window-compatible tool.
- If you opt to store the files, additional system space is required.

UNIX/Linux JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator and (if applicable) a perimeter server on UNIX platform. When downloading a JDK, follow the instructions in [Downloading UNIX/Linux JDKs](#) on page 13.

If you are upgrading from Gentran Integration Suite 4.x or Sterling Integrator 5.0 to Sterling Integrator 5.1, you should upgrade your JDK version to 1.6.

The following table lists the UNIX/Linux JDK requirements. Follow these guidelines as you use this table:

- The two OS (operating system) columns indicate if the UNIX/Linux vendor supports a 32-bit or a 64-bit operating system.
- Operating system-native virtualization solutions are supported for all of these platforms (for example, Solaris containers and zones (local and global); HACMP for AIX; and HP-UX MC/ServiceGuard)

Note: JDK 6.0 and JDK 1.6.0 are both names for the same JDK. Version 6.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 6.0. Version 1.6.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
Solaris 9 (SPARC only)	Sun JDK 1.6.0_14 (64 bit) Minimum Solaris patch requirements are: <ul style="list-style-type: none"> • 113096-03 • 111711-16 • 111712-16 • 112963-29 • 112785-58 	Not Supported	Yes
Solaris 10 (SPARC only)	Sun JDK 1.6.0_14 (64 bit) Minimum Solaris patch requirements are: <ul style="list-style-type: none"> • 120900-04 • 121133-02 • 119254-32 • 119578-30 • 118822-30 • 118833-24 	Not Supported	Yes
AIX 5.3	IBM AIX JDK 1.6.0 (64 bit) build pap6460sr8-20100409_01(SR8) Minimum IBM maintenance level: 5300-07 (APAR IZ07976)	Not Supported	Yes

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
AIX 6.1	IBM AIX JDK 1.6.0 (64 bit) build pap6460sr8-20100409_01(SR8) Minimum IBM maintenance level: 6100-GOLD	Not Supported	Yes
HP-UX 11.23 (PA-RISC)	HP-UX JDK 1.6.0.04 (64-bit) Patch requirements and Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
HP-UX 11.23 for IA64 (Itanium)	HP-UX JDK 1.6.0.04 (64-bit) Patch requirements and Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
HP-UX 11.31 (PA-RISC)	HP-UX JDK 1.6.0.04 (64-bit) Patch requirements and Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
HP-UX 11.31 for IA64 (Itanium)	HP-UX JDK 1.6.0.04 (64-bit) Patch requirements and Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)	IBM JDK 1.6.0 SR8 (64 bit) build pxa6460sr8-20100409_01(SR8) Minimum kernel version: 2.6.18-164.2.1.el5 Minimum glibc version: 2.5-42	Not Supported	Yes
SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only).	IBM JDK 1.6.0 SR8 (64 bit) build pxa6460sr8-20100409_01(SR8) Minimum kernel version: 2.6.16.60-0.42.5-smp Minimum glibc version: 2.4-31.61	Not Supported	Yes
SUSE Linux Enterprise Server 11 (x64/x86 64-bit kernel only).	IBM JDK 1.6.0 SR8 (64 bit) build pxa6460sr8-20100409_01(SR8) Minimum kernel version: 2.6.16.60-0.42.5-smp Minimum glibc version: 2.4-31.61	Not Supported	Yes

Downloading UNIX/Linux JDKs

Download JDK-related files from the following web sites:

- Download patches for Solaris 10 (J2SE_Solaris_10_Recommended.zip) from <http://sunsolve.sun.com/pub-cgi/show.pl?target=patches/JavaSE>.
- Download all HP JDK versions from <http://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=HPUXJAVAHOME>.

- Download the HPjconfig tool for HP-UX systems from <http://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=HPUXJAVAHOME>.
- Download Sun, AIX, and Linux JDK versions using the instructions in:
 - [Download Sun JDKs](#) on page 14
 - [Download the AIX JDK](#) on page 14
 - [Download the Linux JDK](#) on page 15

Note: Sterling Commerce, Inc. redistributes certain JDKs from original vendors. You can find these JDKs under the `/jdk` directory structure in either downloaded or physical media.

Download Sun JDKs

To download the Sun JDK, perform the following tasks:

1. Go to http://java.sun.com/javase/downloads/index_jdk5.jsp.
2. Click **Previous Releases**.
3. Click **Archive: Java Technology Products Download**.
4. Select **JDK/JRE-6.0 Update 14**.
5. Click **Go**.
6. Click **Download JDK**.
7. Select **Solaris SPARC** platform.
8. Select the check box next to **I agree to the Java SE Development Kit 6u14 License Agreement**.
9. Click **Continue**.
10. Follow the instructions for the download method that you want to use.

Download the AIX JDK

To download the AIX JDK, perform the following tasks:

1. Go to the main AIX download web page at <http://www.ibm.com/developerworks/java/jdk/aix/service.html>.
2. Select **Java 6 64-bit** link.
3. Sign in to the IBM Web site.
The download page appears.
4. Choose whether to download the JDK using either the IBM Download Director or http.
In the **IBM Java 64-bit SDK installps / smit install for AIX, latest base images (pap6460sr8fp1-20100624_01(SR8 FP1)) (-Xj9 -version jvmap6460sr8ifx-20100609_59383)** section, select one of the following files (depending on your file format preference):

- Java6_64.sdk.tar
- Java6_64.sdk.tar.gz

Note: This file is the latest package. You must download the GA package, and then apply the patch to the correct version.

5. Apply patch to the GA installation to get it up to SR8 by going back to the main AIX download page (<http://www.ibm.com/developerworks/java/jdk/aix/service.html>).

6. Under the **Java 6 64-bit** section, click the **Fix Info** link.
7. Refer to the **Java 6 64-bit fixes since GA** table.

Find the following entry:

APAR #	Fullversion	Java6_64.sdk fileset level	Service refresh
IZ74891	pap6460sr8-20100409_01	6.0.0.200	SR8

8. Click **SR8** link.
The **Packaging** options page appears.
9. Select the download option.
10. Select your operating system level:
 - For AIX 5.3 - **AIX 5300-05**
 - For AIX 6.1 - **AIX 6100-03**
11. Click **Continue**.
The **Package results** page appears, which lists the files in the download package.
12. Download the files using one of the following methods:
 - Together using Java applet or FTP
 - Individually using HTTP or FTP
13. Install the GA image that you downloaded above.
14. Install the JDK patch file.
15. Once installed, check the java version by running the following command:

```
/usr/java6/bin/java -version
```

The result should show SR8 as the installed version.

Download the Linux JDK

To download the Linux JDK, perform the following:

1. Go to the Linux download page at <http://www.ibm.com/developerworks/java/jdk/linux/download.html>.
2. Sign in to the IBM Web site.
The download page appears.
3. Select the appropriate build for your hardware and operating system.
4. Click **Continue** at the bottom of the page.
5. Choose whether to download the JDK using either the IBM Download Director or http.
6. In the SDK section, select a download file, based on your file format preference.
7. Click **Download now**.
8. Install the file that you just downloaded.

Windows Requirements

This topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on a Windows platform:

- [Windows Client System](#) on page 16
- [Windows Server Host System](#) on page 16
- [Windows JDK Requirements](#) on page 16

Windows Client System

This topic covers the Windows client system requirements.

At a minimum, a Windows client system requires:

- CD-ROM drive
- Pentium® or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- Microsoft Internet Explorer 7.x or 8.x
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- Adobe Acrobat Reader 6.0 or later

Windows Server Host System

This topic covers the Windows server host system requirements.

At a minimum, a Windows Server host system requires:

- 2 GB RAM
- 7 GB free disk space
- Pentium III 1.3 GHz
- Refer to the documentation you received with the database server to determine the minimum system requirements.

It is recommended to run Sterling Integrator and database on different servers except for DB2 (bundled with iSeries) database.

- File system space, if you use the option to store documents on the file system. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
- For perimeter server requirements, see [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 20.

Windows JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator on Windows platform.

The two OS (operating system) columns indicate if the Windows vendor has a 32-bit or a 64-bit operating system.

If you are upgrading from Gentran Integration Suite 4.x or Sterling Integrator 5.0 to Sterling Integrator 5.1, you should upgrade your JDK version to 1.6.

Notes:

- JDK 6.0 and JDK 1.6.0 are both names for the same JDK. Version 6.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 6.0. Version 1.6.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table.
- Sterling Commerce, Inc. redistributes certain JDKs from original vendors. You can find these JDKs under the `\jdk` directory structure in either downloaded or physical media. You can download all Sun JDK versions from <http://java.sun.com/products/archive>.

Windows Server	JDK Requirements	32-Bit OS	64-Bit OS
Windows Server 2003 Enterprise Edition R2 SP2 (32-bit)	Sun JDK 1.6.0_14 (32-bit)	Yes	No
Windows Server 2003 Standard Edition R2 SP2 (32-bit)	Sun JDK 1.6.0_14 (32-bit)	Yes	No
Windows Server 2008 Standard Edition R2 (64-bit)	Sun JDK 1.6.0_14 (64-bit)	No	Yes
Windows Server 2008 Enterprise Edition R2 (64-bit)	Sun JDK 1.6.0_14 (64-bit)	No	Yes

iSeries Requirements

This topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on an iSeries platform:

Note: Sterling Integrator on iSeries uses the DB2 that is included in OS/400.

- [iSeries Hardware](#) on page 17
- [iSeries Software](#) on page 17
- [iSeries JDK Requirements](#) on page 18

iSeries Hardware

This topic covers the iSeries hardware requirements. These system requirements are based on Sterling Integrator being the only application running on the system.

- CPU - 1000 CPW (POWER5 or newer processors recommended)
- 2 GB memory (in a private (non-shared) pool dedicated to Sterling Integrator)
- 20 GB DASD (Required for Sterling Integrator plus space for operating system, spool, utilities, and so on).
- File system space will be needed if you are using the option to store documents on the file system. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.

iSeries Software

This topic covers the software requirements for running Sterling Integrator on iSeries platform.

The following table lists the minimum software requirements for the supported iSeries platforms:

iSeries System	iSeries Software
i5/OS V5R4	<ul style="list-style-type: none"> • 5722-SS1 i5/OS V5R4 • 5722-SS1 Option 30 Qshell Interpreter • 5722-SS1 Option 33 PASE (Portable Application Solutions Environment) • 5722-SS1 Option 43 Additional Fonts • 5722-TC1 TCP/IP Connectivity Utilities • 5722-JV1 *BASE Developer Kit for Java • 5722-JV1 Option 10 Java Developer Kit 6 • 5722-XE1 *BASE IBM eServer iSeries Access for Windows • PTF Groups <ul style="list-style-type: none"> • SF99540 Level 10117 • SF99539 Level 127 • SF99504 Level 26 • SF99291 Level 23 • JDBC driver version V5R4 - SF99504 minimum level 14
i5/OS V6R1	<ul style="list-style-type: none"> • 5761-SS1 i5/OS V6R1 • 5761-SS1 Option 30 Qshell Interpreter • 5761-SS1 Option 33 PASE (Portable Application Solutions Environment) • 5761-TC1 *BASE IBM TCP/IP Connectivity Utilities for i5/OS • 5761-JV1 *BASE IBM Developer Kit for Java • 5761-JV1 Option 10 Java Developer Kit 6 • 5722-XE1 *BASE IBM System I Access for Windows • PTF Groups <ul style="list-style-type: none"> • SF99610 Level 10047 • SF99609 Level 61 • SF99601 Level 13 • SF99562 Level 12

iSeries JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator on iSeries platform.

Note: The iSeries JDK is bundled with the operating system. You do not download the JDK from a web site. You can update the JDK through an operating system update..

iSeries Server	JDK Requirements
i5/OS V5R4	Java(TM) 2 Runtime Environment, Standard Edition (build 1.6.0_11-b03) Classic VM (build 1.6, build JDK-1.6, native threads, jitc_de) For more information, refer to i5/OS V5R4 column in the topic iSeries Software on page 17.

iSeries Server	JDK Requirements
i5/OS - V6R1	Java(TM) 2 Runtime Environment, Standard Edition (build 1.6.0_11-b03) Classic VM (build 1.6, build JDK-1.6, native threads, jitc) For more information, refer to i5/OS - V6R1 column in the topic iSeries Software on page 17.

JCE Requirements (All Platforms)

The following table lists the JCE requirements for all platforms supported by Sterling Integrator:

Operating System	JDK	JCE
UNIX/Linux	Sun	For JDK 1.6 - jce_policy-6.zip (Sun)
	IBM	unrestricted.zip (IBM)
	HP-UX	For JDK 1.6 - jce_policy-6.zip (Sun)
Windows	All	For JDK 1.6 - jce_policy-6.zip (Sun)
iSeries	All	unrestricted.zip (IBM)

JDBC Driver Requirements (All Databases)

This topic covers the JDBC driver information for all the databases supported by Sterling Integrator.

The following table lists the JDBC drivers that are required with Sterling Integrator:

Supported Database Server	JDBC Driver
Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 non-RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 non-RAC or higher within version 11.X.X.X.X)	JDBC driver version 11.X.X.X.X using ojdbc6.jar
Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 RAC or higher within version 11.X.X.X.X) .	JDBC driver version 11.X.X.X.X using ojdbc6.jar
Microsoft SQL Server™ 2005 Enterprise and Standard Editions (9.00.3152)	JDBC driver version 3.x using sqljdbc4.jar

Supported Database Server	JDBC Driver
Microsoft SQL Server 2008 Enterprise and Standard Editions (10.0.1600.22 or higher within version 10.0.x.x)	JDBC driver version 3.x using sqljdbc4.jar
DB2 for iSeries System i5/OS V5R4	JDBC driver version V5R4 - SF99504 minimum level 26
DB2 for iSeries System i5/OS V6R1	JDBC driver version V6R1 – SF99601 minimum level 13
DB2 9.5 through 9.5.x (UNIX/Linux and Windows)	JDBC Type-4 driver version 9.5 (internal driver version 3.53.95)
DB2 9.7 through 9.7.x (UNIX/Linux and Windows)	JDBC Type-4 driver version 9.5 (internal driver version 3.57.82)
MySQL Enterprise Edition 5.1.45 or higher within version 5.1.x	mysql-connector-java-com-5.1.10-bin.jar (or higher within version 5.1.X)

Perimeter Server Requirements (UNIX/Linux and Windows)

You can install and run perimeter servers in a UNIX/Linux or Windows Server environment.

- Perimeter servers can be co-resident with Sterling Integrator installations or can be installed on remote servers. To take full advantage of the security features of a perimeter server, it should be installed on a different computer than where Sterling Integrator is installed.
- Perimeter servers are supported on the same operating system and JDK combinations as Sterling Integrator. The operating system and JDK version that the perimeter server uses do not need to match the operating system and JDK version of Sterling Integrator.
- Refer to the JDK instructions for the operating system on which you are installing the perimeter server:
 - [UNIX/Linux JDK Requirements](#) on page 12
 - [Windows JDK Requirements](#) on page 16

In addition, each perimeter server requires the following minimum space and memory requirements:

- 100 MB disk space
- 1 GB memory

Internet Browser and Plugin Requirements (All Platforms)

This topic covers the Internet browser and plugin requirements.

The requirements for the Internet browser and Java plugins are shown in the following table:

Internet Browser	Operating System	JRE
Microsoft Internet Explorer 7.x or 8.x <hr/> Notes: <ul style="list-style-type: none"> • If you open more than one Sterling Integrator host, installed on the same server, in separate tabs or separate browsers sharing session cookies, the browser window will timeout the earlier session. You should always open a Sterling Integrator host in a new session, which does not share session cookies. • If you are running Windows Internet Explorer 8, for all versions of Windows operating systems, the AFT login screen displays part of the background image towards the right side, but it does not affect the functionality. <hr/>	Windows Server 2003 and Windows Server 2008	Java Plug-in 1.6.0

Note: For better visibility of the menu options in the Application Consoles, ensure that the dpi setting is 96 dpi.

Map Editor and Graphical Process Modeler System Requirements

This topic covers the Map Editor and Graphical Process Modeler (GPM) system requirements.

To run the Map Editor and GPM, your Windows client system requires the following hardware and software:

- Pentium or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- To run the Graphical Process Modeler, your Windows system requires Oracle JDK1.6_14.
- To save your source map as an XML file (.mxl file extension), you must have the Microsoft XML Core Services (MSXML) 4.0 installed on the same computer as Map Editor. If you do not have Microsoft XML Core Services (MSXML) 4.0 installed, you cannot save source maps as .mxl files and must use the .map extension.

To run the Map Editor, your Windows system requires one of the following operating systems:

- Windows 7
- Windows XP
- Windows Server 2003 Standard Edition
- Windows Server 2003 Enterprise Edition
- Windows Server 2008 Standard Edition
- Windows Server 2008 Enterprise Edition

Supported Third Party Software

The following table lists the supported third party software bundled along with Sterling Integrator:

Software	Version
XSL Transformations	Version 1.0 with Apache Xalan-Java version 2.7.0
XML Path Language	Version 1.0 with Apache Xalan-Java version 2.7.0

Change History

The following table lists the changes made to this document on a particular date:

Date	Change
09/19/2011	Updated MySQL 5.1.45 to specify MySQL Enterprise Edition 5.1.45. Updated Oracle 11g versions and JDBC drivers.
06/24/2011	This version supports Windows 7. This information was not included in the original version of the document. It has been added to the Map Editor and Graphical Process Modeler System Requirements topic. In addition, the follow item was also added for the Graphical Process Modeler: <ul style="list-style-type: none"> • To run the Graphical Process Modeler, your Windows system requires Oracle JDK1.6_14
05/02/2011	Updated the MySQL to the correct version: <ul style="list-style-type: none"> • MySQL 5.1.45 through 5.1.x Updated DB2 versions (UNIX/Linux and Windows): <ul style="list-style-type: none"> • DB2 9.5 through 9.5.x • DB2 9.7 through 9.7.x
03/02/2011	Added the following Oracle database note: <ul style="list-style-type: none"> • Support for Oracle databases does not include support for the Oracle Exadata platform.
02/08/2011	Stack mismatch. The following updates were made: <ul style="list-style-type: none"> • Updated the Oracle Database 11g JDBC driver to JDBC driver version 11.1.0.7.0 using ojdbc6.jar • Updated the JDBC Driver for Microsoft SQL Server 2005 and Microsoft SQL Server 2008 to JDBC driver version 3.x using sqljdbc4.jar • Updated Microsoft SQL Server 2008 version 10.0.1600.22 to Microsoft SQL Server 2008 version 10.0.1600.22 or higher within version 10.0.x.x
09/30/2010	Initial Release

Sterling Integrator 5.0

Sterling Integrator 5.0 System Requirements

When using these system requirements, make sure that you also have the preinstallation checklist for your platform (Windows, UNIX/Linux, iSeries). Checking system requirements is one item on these checklists. These checklists are available on the Sterling Integrator documentation web site as part of the installation guide and as stand-alone documents.

System requirements for Sterling Integrator vary with your business needs and system environment. Contact your Sterling Integrator sales representative to help you evaluate performance and system usage requirements. Contributing factors include (but are not limited to) the following:

- Number of transactions processed.
- Amount of data being transferred.
- Whether you run Sterling Integrator with or without perimeter servers.
- Whether your environment is clustered (multiple node) or non-clustered (single node).

The following sections list the platforms and databases that are supported by Sterling Integrator:

- [Platforms](#) on page 24
- [Databases](#) on page 26

The following sections list minimum system requirements, and other information, needed to install and run Sterling Integrator on particular platforms:

- [IPv6 Capabilities](#) on page 28
- [UNIX/Linux Requirements](#) on page 31
- [Windows Requirements](#) on page 37
- [iSeries Requirements](#) on page 38

The following sections list additional information that is needed to install and run Sterling Integrator:

- [JCE Requirements \(All Platforms\)](#) on page 40
- [JDBC Driver Requirements \(All Databases\)](#) on page 41
- [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 42
- [Internet Browser and Plugin Requirements \(All Platforms\)](#) on page 42
- [Map Editor and Graphical Process Modeler System Requirements](#) on page 43

- [Supported Third Party Software](#) on page 44

For information on the history of changes for the *System Requirements*, see [Change History](#) on page 44.

Note: Sterling Integrator supports ActiveMQ 5.0 for JMS (Java Message Service). Applying Sterling Integrator, Release 5.0 Build 5001 or later updates ActiveMQ to version 5.2.

Platforms

Sterling Integrator supports the UNIX/Linux, Windows, and iSeries platforms. This topic covers the following supported platform versions:

- UNIX/Linux
- Windows
- iSeries

UNIX/Linux

Sterling Integrator supports the following UNIX/Linux platforms:

Note: If you are using the GUI installation method with UNIX/Linux, you need X Window-compatible software.

- HP-UX 11.11 (PA-RISC) (not supported by Sterling File Gateway)
- HP-UX 11.23 (PA-RISC) (not supported by Sterling File Gateway)
- HP-UX 11.23 for IA64 (Itanium)
- HP-UX 11.31 (PA-RISC). Requires Sterling Integrator, Release 5.0 Build 5002 or later.
- HP-UX 11.31 for IA64 (Itanium). Requires Sterling Integrator, Release 5.0 Build 5002 or later.
- IBM AIX 5.2 (not supported by Sterling File Gateway)
- IBM AIX 5.3
- Sun Solaris 9 (SPARC only)
- Sun Solaris 10 (SPARC only)
- Red Hat Enterprise Linux AS or ES Release 4 (x64/x86 32-bit kernel only)
- Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)
- SUSE Linux Enterprise Server 9 (x64/x86 32-bit kernel only)
- SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only). Requires Sterling Integrator, Release 5.0 Build 5001 or later.

Windows

Sterling Integrator supports the following Microsoft Windows platforms:

- Windows Server 2003 Standard Edition R2 SP2 32-bit
- Windows Server 2003 Enterprise Edition R2 SP2 32-bit
- Windows Server 2008 Standard Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later)
- Windows Server 2008 Enterprise Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later)

iSeries

Sterling Integrator supports the following IBM iSeries platform:

- i5/OS V5R4
- i5/OS V6R1

Virtualization Support

The following topics are explained under this topic:

- Virtualization Support for RISC Based Systems
- Virtualization Support for x86/x64 Based Systems
- Considerations for Both RISC and x86/x64 Architectures

Virtualization Support for RISC Based Systems

Operating system native clustering, partitioning or virtualization is supported for all RISC based platforms Sterling Integrator supports:

- AIX on P5 and above:
 - Partitioning/Virtualization – Power VM, LPAR, dLPAR
 - Clustering/Failover - HACMP
- HP-UX:
 - Partitioning/Virtualization - Resource Partitions
 - Clustering/Failover - MC/ServiceGuard
- Solaris:
 - Partitioning/Virtualization - Containers and Zones (local and global)
- IBM iSeries/System i:
 - Partitioning/Virtualization - Power VM LPARS

Note: Sterling Commerce does not support Linux or Windows on virtualized RISC machines. We advise caution when using virtualization to avoid configuration or operations that change the IP addresses used by Sterling Integrator. Note that the above mechanisms are supported generally and it does not imply that Sterling Commerce uses these virtualization mechanisms internally.

Virtualization Support for x86/x64 Based Systems

Sterling Commerce realizes that our customers use different virtualization mechanisms and will support them as long as the virtualization mechanism is supported by the operating system's vendor and the OS version used for hosting Sterling Integrator and related products falls in the supported matrix. Although it is not possible for us to maintain all possible combinations of virtualized platforms, we generally support all enterprise class virtualization mechanisms, such as VMware ESX™, VMware ESXi™, VMware vSphere™, Citrix Xen® Hypervisor, KVM (Kernel-based Virtual Machine), and Microsoft® Hyper-V™ Server.

Considerations for Both RISC and x86/x64 Architectures

Sterling Commerce will investigate and troubleshoot a problem until it is determined that the problem is due to virtualization. The following applies:

- If we suspect that a specific defect is happening because the system is virtualized and we cannot reproduce the problem on our non-virtualized environment, then we may request that you contact the vendor of the virtualization platform to get the issue resolved.

- In specific cases where we cannot reproduce the defect, we may request you to reproduce it on a non-virtualized environment and if the problem can still not be reproduced, then we may request that you contact the virtualization vendor for a resolution or switch to a non-virtualized platform.
- If you chose to use virtualization, you must balance the virtualization benefits against its performance impacts. Sterling Commerce does not provide advice regarding configuring, administering, or tuning virtualization platforms.

Databases

The following table lists the combination of platforms and databases supported by Sterling Integrator:

	Oracle	MySQL (supported only on non-cluster installation)	Microsoft SQL Server	DB2	DB2 for iSeries
HP-UX 11.11 (PA-RISC)	Yes	Yes	Yes	Yes	No
HP-UX 11.23 (PA-RISC)	Yes	Yes	Yes	Yes	No
HP-UX 11.23 for IA64 (Itanium)	Yes	Yes	Yes	Yes	No
HP-UX 11.31 (PA-RISC). Requires Sterling Integrator, Release 5.0 Build 5002 or later.	Yes	Yes	Yes	Yes	No
HP-UX 11.31 for IA64 (Itanium). Requires Sterling Integrator, Release 5.0 Build 5002 or later.	Yes	Yes	Yes	Yes	No
IBM AIX 5.2	Yes	Yes	Yes	Yes	No
IBM AIX 5.3	Yes	Yes	Yes	Yes	No
Sun Solaris 9 (SPARC only)	Yes	Yes	Yes	Yes	No
Sun Solaris 10 (SPARC only)	Yes	Yes	Yes	Yes	No
Red Hat Enterprise Linux AS or ES Release 4 (x64/x86 32-bit kernel only)	Yes	Yes	Yes	Yes	No
Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)	Yes	Yes	Yes	Yes	No
SUSE Linux Enterprise Server 9 (x64/x86 32-bit kernel only)	Yes	Yes	Yes	Yes	No
SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only). Requires Sterling Integrator, Release 5.0 Build 5001 or later.	Yes	Yes	Yes	Yes	No

	Oracle	MySQL (supported only on non-cluster installation)	Microsoft SQL Server	DB2	DB2 for iSeries
Windows Server 2003 Standard Edition R2 SP2 32-bit	Yes	Yes	Yes	Yes	No
Windows Server 2003 Enterprise Edition R2 SP2 32-bit	Yes	Yes	Yes	Yes	No
Windows Server 2008 Standard Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later)	Yes	Yes	Yes	Yes	No
Windows Server 2008 Enterprise Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later)	Yes	Yes	Yes	Yes	No
IBM iSeries i5/OS V5R4 (bundled with iSeries)	No	No	No	No	Yes
IBM iSeries i5/OS V6R1 (bundled with iSeries)	No	No	No	No	Yes

Sterling Integrator supports the following database versions:

Note: Sterling Integrator supports the use of database-level clustering when using Oracle RAC or Microsoft SQL Server. Only your database vendor, however, can assist you in setting up a clustered database.

Note: Sterling Integrator installed on a 32-bit architecture operating system supports a 64-bit architecture database if the database is installed on a separate machine.

Database	Requirements
Oracle	Oracle Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X) (not supported by Sterling File Gateway)
	Oracle Database 10g Standard and Enterprise Editions, Release 1 and Release 2 (10.1.0.4 non-RAC through version 10.X.X.X)
	Oracle Database 10g Standard and Enterprise Editions, Release 1 and Release 2 (10.1.0.4 RAC through version 10.X.X.X)
	Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 non-RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 non-RAC or higher within version 11.X.X.X.X). Requires Sterling Integrator, Release 5.0 Build 5002 or later.
	Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 RAC or higher within version 11.X.X.X.X) . Requires

Database	Requirements
	<p>Sterling Integrator, Release 5.0 Build 5004 or later. RAC environment provides high availability and failover, but at a cost of reduced performance. Sterling Integrator supports the following RAC features:</p> <ul style="list-style-type: none"> • Supports two node RAC environment for high availability and failover • Connection time load balance • Active/Active mode • SCI App failover (Unprocessed new routes and business processes will failover). Applicable for Sterling File Gateway. <hr/> <p>Note: Sterling Integrator with Oracle 11g database RAC environment does not support run time load balance and transaction failover (Oracle TAF).</p> <hr/> <p>Notes:</p> <ul style="list-style-type: none"> • Support for Oracle databases does not include support for the Oracle Exadata platform. • RAC refers to Real Application Clusters. For more information, refer to Oracle documentation. • Sterling Integrator supports JDBC Type-4 drivers to a single node of a database except Oracle RAC. You can use the JDBC Type-4 drivers to connect with multiple nodes of an Oracle RAC.
MySQL	<ul style="list-style-type: none"> • MySQL 5.0.60 (bundled) (5.0.60 only) (Sterling Integrator, Release 5.0 Build 5004 or earlier) • MySQL Enterprise Edition 5.0 through version 5.0.x (Requires Sterling Integrator, Release 5.0 Build 5005 or later) • MySQL Enterprise Edition 5.1.45 or higher within version 5.1.x (Requires Sterling Integrator, Release 5.0 Build 5005 or later) <hr/> <p>Note: MySQL is case-insensitive for searches with string values. For example, the search results will be the same when you search for users 'Admin' and 'admin'. As a result, it impacts searches for maps, business processes, services, mailboxes, user names, and other data stored in the database.</p>
DB2	<p>DB2 9.1 FP2 (bundled with iSeries)</p> <hr/> <p>DB2 9.1.4 through version 9.1.x (UNIX/Linux only)</p>
MS SQL Server	<p>SQL Server 2005 Enterprise & Standard 32-bit and 64-bit (9.00.3159 through version 9.x.x)</p>

IPv6 Capabilities

An increased market demand for enhanced Internet protocol (IP) has made the worldwide supply of Internet Protocol version 4 (IPv4) addresses scarce. The Internet Protocol version 6 (IPv6) expands the IP address space from 32 bits to 128 bits, providing a virtually unlimited supply of IP addresses. Sterling Commerce is enabling Sterling Integrator for IPv6 support in phases, providing a dual IPv4/IPv6 stack, tunneling, proxying, and translation between the two IP address versions.

Sterling Integrator interoperates with various related products, many of which do not yet support IPv6 addresses. Hence, in Sterling Integrator, a limited set of configurations use IPv6 addresses. The dual stack approach permits interoperability between Sterling Integrator and a mixed set of IPv4 and IPv6 enabled services and adapters wherever feasible.

However, if you choose to implement an IPv6 installation, you will observe limitations in the Sterling Integrator system requirements and the selected services and adapters. Sterling Commerce recommends you to consider the following limitations before attempting to Sterling Integrator installation using IPv6 addresses.

Caution: You must install using a host name, not an IPv6 address, otherwise the Lightweight JDBC adapter and Graphical Process Modeler (GPM) will not work.

IPv6 Supported Combinations

The following table lists the IPv6 configuration combinations supported by Sterling Integrator:

	AIX	Windows	Linux	Solaris	HP
DB2	Yes	No	Yes	Yes	Yes
MSSQL	No	No	Yes	Yes	Yes
Oracle	No	No	Yes	Yes	Yes
MySQL	No	No	Yes	Yes	Yes

Note: Sterling Commerce Consulting Services can help you implement Sterling Integrator in an IPv6-compliance environment, using transition technologies. You should check the IPv6 compliance of any third party tools (such as web servers, FTP clients, MQ servers, and so on) that you use with Sterling Integrator.

The following Sterling Integrator components provide IPv6 compliance with some limitations.

Note: The status of each component will be updated as more of our technology partners begin to offer IPv6 compliance.

Adapter/Service	IPv6 Compliance	Limitations
HTTP Client/Server Adapter	Full	-
HTTP GET/POST Service	Full	-
HTTP Begin/End Session	Full	-
FTP Client/Server	Full	-
WSMQ Adapter	Full	-
PGP Package/Unpackage Service	Full	-
Command Line Adapter 2	Full	-
WSMQ Suite	Full	-

Adapter/Service	IPv6 Compliance	Limitations
JMS Adapter	Partial	The URI does not accept IPv6 addresses as characters '[']' are not allowed. However, it works with a hostname.
SFTP Client/Server	Full	-
SMTP/POP3/MIME	Full	-
FSA	Full	-
Lightweight JDBC Adapter	Partial	Supports an IPv6 remote host only with a DB2 and AIX combination. However, if your Sterling Integrator installation is under an IPv6 address, the Lightweight JDBC adapter can still be used with any other database currently supported by the adapter using an IPv4 remote host.
RMI Adapter	Partial	The URI does not accept IPv6 addresses as characters '[']' are not allowed. However, it works with a hostname.
Webservices	Full	-
BEA Tuxedo	Full	-
Zengin	Full	-
ConnectDirect	Full	Supports IPv6 on C:D UNIX 4.0 and C:D Windows 4.4.00
E5	Full	-
TIBCO	Full	-
SNMP	Full	-
Transora	Full	-
OFTP	Full	-
SAP Suite Adapter	Unsupported	-

UNIX/Linux Requirements

The topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on a UNIX/Linux platform:

- [UNIX/Linux Host System](#) on page 31
- [UNIX/Linux JDK Requirements](#) on page 31
- [Download UNIX/Linux JDKs](#) on page 34

UNIX/Linux Host System

This topic covers the UNIX/Linux host system requirements. At a minimum, a UNIX/Linux host system requires:

- 2 GB RAM
- 10 GB free disk space
- File descriptor size of 2048 or greater (preferred setting is unlimited)
- When using the Solaris server, Sterling Integrator runs only on SPARC-based Solaris servers. Sterling Integrator does not run on x86 (Intel)-based Solaris servers.
- When using the Red Hat or SUSE Linux server, Sterling Integrator runs only on x64/x86-based Linux servers.
- File system space will be needed if you use the option to store documents on the file system or if you use MySQL as your database. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
- For perimeter server requirements, see [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 42.
- If you are using a graphical user interface (GUI) for your UNIX/Linux installation of Sterling Integrator, you must install an X Window-compatible tool.
- If you opt to store the files, additional system space is required.

Additional resources are needed if you are:

- Using MySQL database – An additional 1 GB RAM and an additional 2 GB free disk space.
- Using other databases – See the documentation you received with the database server to determine the minimum system requirements.

Note: You can use a MySQL 5.0.60 database server with Sterling Integrator. This database is bundled with Sterling Integrator (Sterling Integrator, Release 5.0 Build 5004 or earlier). Choosing this database during the installation procedure creates and configures it for you. MySQL is installed locally on the same server as Sterling Integrator and cannot be installed on a separate server. MySQL database is not bundled along with Sterling Integrator, Release 5.0 Build 5005 or later.

You should run Sterling Integrator and your database on different servers except for MySQL (bundled with Sterling Integrator, Release 5.0 Build 5004 or earlier) and DB2 (bundled with iSeries) databases.

UNIX/Linux JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator and (if applicable) a perimeter server on UNIX/Linux platform. When downloading a JDK, follow the instructions in [Download UNIX/Linux JDKs](#) on page 34.

The following table lists the UNIX/Linux JDK requirements. The two OS (operating system) columns indicate if the UNIX/Linux vendor supports a 32-bit or a 64-bit operating system.

Note: JDK 5.0/JDK 6.0 and JDK 1.5.0/JDK 1.6.0 are both names for the same JDK. Version 5.0/6.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 5.0/6.0. Version 1.5.0/1.6.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table.

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
Solaris 9 (SPARC only)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_15 (64-bit) • Sun JDK 1.6.0_14 (64 bit) <p>Requires Sterling Integrator, Release 5.0 Build 5003 or later.</p> <ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Minimum Solaris patch requirements are:</p> <ul style="list-style-type: none"> • 113096-03 • 111711-16 • 111712-16 • 112963-29 • 112785-58 	Not Supported	Yes
Solaris 10 (SPARC only)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_15 (64-bit) • Sun JDK 1.6.0_14 (64 bit) <p>Requires Sterling Integrator, Release 5.0 Build 5003 or later.</p> <ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Minimum Solaris patch requirements are:</p> <ul style="list-style-type: none"> • 120900-04 • 121133-02 • 119254-32 • 119578-30 • 118822-30 • 118833-24 	Not Supported	Yes
AIX 5.2	<ul style="list-style-type: none"> • IBM AIX 1.5.0 (64 bit) build pap64dev-20080315 (SR7) • IBM AIX 1.5.0 (64-bit) build pap64dev-20090707 (SR10) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Minimum IBM maintenance level: 5200-09</p>	Not Supported	Yes
AIX 5.3	<ul style="list-style-type: none"> • IBM AIX 1.5.0 (64 bit) build pap64dev-20080315 (SR7) • IBM AIX 1.5.0 (64-bit) build pap64dev-20090707 (SR10) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Minimum IBM maintenance level: 5300-05</p>	Not Supported	Yes

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
HP-UX 11.11(PA-RISC)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (64-bit) • HP-UX JDK Build 1.5.0_19 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p>	Not Supported	Yes
HP-UX 11.23 (PA-RISC)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (64-bit) • HP-UX JDK Build 1.5.0_19 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p>	Not Supported	Yes
HP-UX 11.23 for IA64 (Itanium)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (64-bit) • HP-UX JDK Build 1.5.0_19 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p>	Not Supported	Yes
HP-UX 11.31 (PA-RISC) Requires Sterling Integrator, Release 5.0 Build 5002 or later.	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (64-bit) • HP-UX JDK Build 1.5.0_19 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p> <p>To run Sterling Integrator 5.0 with MySQL database and HP-UX 11.31 combination requires the following patches:</p> <ul style="list-style-type: none"> • PHCO_37128 libc manpage cumulative patch • PHCO_38044 libc cumulative header file patch • PHCO_38658 libc cumulative patch 	Not Supported	Yes
HP-UX 11.31 for IA64 (Itanium) Requires Sterling Integrator, Release 5.0 Build 5002 or later.	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (64-bit) • HP-UX JDK Build 1.5.0_19 (64-bit) <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p> <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p> <p>To run Sterling Integrator 5.0 with MySQL database and HP-UX 11.31 combination requires the following patches:</p> <ul style="list-style-type: none"> • PHCO_37128 libc manpage cumulative patch • PHCO_38044 libc cumulative header file patch 	Not Supported	Yes

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
	<ul style="list-style-type: none"> • PHCO_38658 libc cumulative patch 		
Red Hat Enterprise Linux AS or ES Release 4 (x64/x86 32-bit kernel only)	<ul style="list-style-type: none"> • IBM 1.5.0 SR7 build pxi32dev-20080315 • IBM 1.5.0 SR10 build pxi32devifx-20090811 Requires Sterling Integrator, Release 5.0 Build 5006 or later. Minimum kernel version: 2.6.9-42.0.10.ELsmp(32-bit only) Minimum glibc version: 2.3.4-2.25	Yes	Not Supported
Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only)	<ul style="list-style-type: none"> • IBM 1.5.0 SR7 (64 bit) build pxa64dev-20080315 • IBM 1.5.0 SR10 (64-bit) build pxa64devifx-20090811 Requires Sterling Integrator, Release 5.0 Build 5006 or later. Minimum kernel version: 2.6.18-92.1.6.el5 Minimum glibc version: 2.5-18	Not Supported	Yes
SUSE Linux Enterprise Server 9 (x64/x86 32-bit kernel only)	<ul style="list-style-type: none"> • IBM JDK 1.5.0 build pxi32dev-20080315 • IBM 1.5.0 SR10 build pxi32devifx-20090811 Requires Sterling Integrator, Release 5.0 Build 5006 or later. Minimum kernel version: 2.6.5-7.283 (32-bit only) Minimum glibc version: 2.3.3-98.73	Yes	Not Supported
SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only) Requires Sterling Integrator, Release 5.0 Build 5001 or later.	<ul style="list-style-type: none"> • IBM JDK 1.5.0 SR 7 (64-bit) build pxa64dev-20080315 • IBM 1.5.0 SR10 (64-bit) build pxa64devifx-20090811 Requires Sterling Integrator, Release 5.0 Build 5006 or later. Minimum kernel version: 2.6.16.21-0.8-smp Minimum glibc version: 2.4-31.2	Not Supported	Yes

Download UNIX/Linux JDKs

Download JDK-related files from the following web sites:

- Download patches for Solaris 9 (J2SE_Solaris_9_Recommended.zip) and Solaris 10 (J2SE_Solaris_10_Recommended.zip) from <http://sunsolve.sun.com/pub-cgi/show.pl?target=patches/JavaSE>.
- Download all HP JDK versions from http://www.hp.com/products1/unix/java/java2/jdkjre5_0/index.html.
- Download the HPjconfig tool for HP-UX systems from <http://www.hp.com/products1/unix/java/java2/hpjconfig/index.html>.
- Download Sun, AIX, and Linux JDK versions using the instructions in:
 - [Download Sun JDKs](#) on page 35
 - [Download the AIX JDK](#) on page 35
 - [Download the Linux JDK](#) on page 36

Note: Sterling Commerce, Inc. redistributes certain JDKs from original vendors. You can find these JDKs under the */jdk* directory structure in either downloaded or physical media.

Download Sun JDKs

To download the Sun JDK, perform the following tasks:

1. Go to http://java.sun.com/javase/downloads/index_jdk5.jsp.
2. Click **Previous Releases**.
3. Click **Archive: Java Technology Products Download**.
4. Select one of the following options:
 - For JDK 5.0 - **JDK/JRE-5.0 Update 15**
 - For JDK 6.0 - **JDK/JRE-6.0 Update 14**
5. Click **Go**.
6. Select **JDK 5.0 Update 15** if you have selected JDK 5.0 or **JDK 6.0 Update 14** if you have selected JDK 6.0.
7. Click **Download JDK**.
8. Select **Solaris SPARC** platform if you have selected JDK 5.0 or **Solaris** if you have selected JDK 6.0.
9. Review license agreement and select the check box next to **I agree to the Java Development Kit 5.0 Update 15 License Agreement** if you have selected JDK 5.0 or **I agree to the Java SE Development Kit 6u14 License Agreement** if you have selected JDK 6.0.
10. Click **Continue**.
11. Follow the instructions for the download method that you want to use.

Download the AIX JDK

To download the AIX JDK, perform the following tasks:

1. Go to the main AIX download Web page at <http://www.ibm.com/developerworks/java/jdk/aix/service.html>.
2. Click **Java 5 64-bit** link.
3. Sign in to the IBM Web site.
The download page appears.
4. Choose whether to download the JDK using either the IBM Download Director or http.
5. At the bottom of the page, under the **IBM 64-bit SDK for AIX, v5, GA base images (pap64dev-20051104) AIX installp / smit install** section, select one of the following files (depending on your file format preference):
 - Java5_64.sdk.tar
 - Java5_64.sdk.tar.gz

Note: This file is the latest package. You must download the GA package, and then apply the patch to the correct version.

6. Apply patch to the GA installation to get it up to SR6b by first going back to the main AIX download page (<http://www.ibm.com/developerworks/java/jdk/aix/service.html>).

7. Under the **Java 5 64-bit** section, click **Fix Info** link.
8. Refer to the **Java 5 64-bit fixes since GA** table.

Find the following entry:

APAR #	Fullversion	Java5.sdk fileset level	Service refresh
IZ18003	pap64dev-20080315	5.0.0.175	SR7

9. Click **SR7 175** link.
The **Packaging** options page appears.
10. Select the download option.
11. Select your operating system level (**AIX 5200-09** for AIX 5.2, **AIX 5300-05** for AIX 5.3).
12. Click **Continue**.
The **Package results** page appears.
13. The **Package results** page lists two files in the download package:
 - Java5_64.sdk.5.0.0.175
 - Java5_64.source.5.0.0.175
14. Download the files using one of the following methods:
 - Together using Java applet or FTP
 - Individually using HTTP or FTP
15. Install the GA image that you downloaded above.
16. Install the java5_64.sdk.5.0.0.175 patch file.
17. Once installed, check the java version by running the following command:


```
/usr/java5/bin/java -version
```

 The result should show SR7 as the installed version.

Download the Linux JDK

To download the Linux JDK, perform the following tasks:

1. Go to the Linux download page at
<https://www14.software.ibm.com/webapp/iwm/web/preLogin.do?source=sdk5&SPKG=ipseries325sr>.
2. Sign in to the IBM Web site.
The download page appears.
3. Select the appropriate build for your hardware and operating system.
4. Click **Continue** at the bottom of the page.
5. Choose whether to download the JDK using either the IBM Download Director or http.
6. Under the SDK section, select a download file, based on your file format preference.
7. Click **Download now**.
8. Install the file that you just downloaded.

Windows Requirements

The topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on a Windows platform:

- [Windows Client System](#) on page 37
- [Windows Server Host System](#) on page 37
- [Windows JDK Requirements](#) on page 37

Windows Client System

This topic covers the Windows client system requirements.

At a minimum, a Windows client system requires:

- CD-ROM drive
- Pentium® or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- Microsoft Internet Explorer 6.x, 7.x, or 8.x only
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- Adobe Acrobat Reader 6.0 or later

Windows Server Host System

This topic covers the Windows server host system requirements.

At a minimum, a Windows Server host system requires:

- 2 GB RAM
- 10 GB free disk space
- Processor
 - Windows Server 2003 - Pentium III 1.3 GHz
 - Windows Server 2008 - 1.4 GHz (x64 processor)
- Additional resources are needed if you are:
 - Database system requirements – Refer to the documentation you received with the database server to determine the minimum system requirements.
 - File system space, if you use the option to store documents on the file system or if you use MySQL as your database. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
 - For perimeter server requirements, see [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 42.

Note: Contact Microsoft for help installing Windows Server 2003 and Windows Server 2008.

Windows JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator on Windows platform.

The two OS (operating system) columns indicate if the Windows vendor has a 32-bit or a 64-bit operating system.

Notes:

- JDK 5.0/JDK 6.0 and JDK 1.5.0/JDK 1.6.0 are both names for the same JDK. Version 5.0/6.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 5.0/6.0. Version 1.5.0/1.6.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table.
- Sterling Commerce, Inc. redistributes certain JDKs from original vendors. You can find these JDKs under the *\jdk* directory structure in either downloaded or physical media. You can download all Sun JDK versions from <http://java.sun.com/products/archive>.

Windows Server	JDK Requirements	32-Bit OS	64-Bit OS
Windows Server 2003 Enterprise Edition R2 SP2 (32-bit)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_15 • Sun JDK 1.6.0_14 <p>Requires Sterling Integrator, Release 5.0 Build 5003 or later.</p> <ul style="list-style-type: none"> • Sun JDK 1.5.0_22 <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p>	Yes	No
Windows Server 2003 Standard Edition R2 SP2 (32-bit)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_15 • Sun JDK 1.6.0_14 <p>Requires Sterling Integrator, Release 5.0 Build 5003 or later.</p> <ul style="list-style-type: none"> • Sun JDK 1.5.0_22 <p>Requires Sterling Integrator, Release 5.0 Build 5006 or later.</p>	Yes	No
Windows Server 2008 Enterprise Edition R2 (64-bit) (Requires Sterling Integrator, Release 5.0 Build 5005 or later.)	<ul style="list-style-type: none"> • Sun JDK 1.6.0_14 (64-bit) 	No	Yes
Windows Server 2008 Standard Edition R2 (64-bit) (Requires Sterling Integrator, Release 5.0 Build 5005 or later.)	<ul style="list-style-type: none"> • Sun JDK 1.6.0_14 (64-bit) 	No	Yes

iSeries Requirements

This topic covers the minimum system requirements and other information, needed to install and run Sterling Integrator on an iSeries platform:

Note: Sterling Integrator on iSeries uses the DB2 database that is included in OS/400.

- [iSeries Hardware](#) on page 39
- [iSeries Software](#) on page 39
- [iSeries JDK Requirements](#) on page 40

iSeries Hardware

This topic covers the iSeries hardware requirements. These requirements are based on Sterling Integrator being the only application running on the system.

- CPU - 1000 CPW (POWER5 or newer processors recommended)
- 2 GB memory (in a private (non-shared) pool dedicated to Sterling Integrator)
- 20 GB DASD (Required for Sterling Integrator plus space for operating system, spool, utilities, and so on.)
- File system space will be needed if you are using the option to store documents on the file system. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.

iSeries Software

This topic covers the software requirements for running Sterling Integrator on iSeries platform.

The following table lists the minimum software requirements for the supported iSeries platforms:

iSeries System	iSeries Software
i5/OS V5R4	<ul style="list-style-type: none">• 5722-SS1 i5/OS V5R4• 5722-SS1 Option 30 Qshell Interpreter• 5722-SS1 Option 33 PASE (Portable Application Solutions Environment)• 5722-SS1 Option 43 Additional Fonts• 5722-TC1 TCP/IP Connectivity Utilities• 5722-JV1 *BASE Developer Kit for Java• 5722-JV1 Option 7 Java Developer Kit 1.5• 5722-XE1 *BASE IBM eServer iSeries Access for Windows• PTF Groups<ul style="list-style-type: none">• SF99540 Level 7226 Cumulative PTF Package• SF99539 Level 54 Hipers• SF99504 Level 12 DB2 UDB• SF99291 Level 9 Java• Individual PTFs (or their superseding PTFs)<ul style="list-style-type: none">• 5722JV1/SI22769• JDBC driver version V5R4 - SF99504 minimum level 14
i5/OS V6R1	<ul style="list-style-type: none">• 5761-SS1 i5/OS V6R1• 5761-SS1 Option 30 Qshell Interpreter• 5761-SS1 Option 33 PASE (Portable Application Solutions Environment)• 5761-TC1 *BASE IBM TCP/IP Connectivity Utilities for i5/OS• 5761-JV1 *BASE IBM Developer Kit for Java

iSeries System	iSeries Software
	<ul style="list-style-type: none"> • 5722-JV1 Option 7 Java Developer Kit 5.0 • 5722-XE1 *BASE IBM System I Access for Windows • PTF Groups <ul style="list-style-type: none"> • SF99610 Level 9111 Cumulative PTF Package • SF99609 Level 47 Hipers • SF99601 Level 11 DB2 for System I • SF99562 Level 10 Java

iSeries JDK Requirements

This topic covers the JDK requirements for installing Sterling Integrator on iSeries platform.

Note: The iSeries JDK is bundled with the operating system. You do not download the JDK from a web site. You can update the JDK through an operating system update.

iSeries Server	JDK Requirements
i5/OS V5R4	JDK 1.5 - (A minimum of Level 12 found in WRKPTFGRP - SF99291 L12) For more information, refer to i5/OS V5R4 column in the topic iSeries Software on page 39.
i5/OS V6R1	JDK 1.5 – (A minimum of Level 10 found in WRKPTFGRP – SF99562 L10) For more information, refer to i5/OS V6R1 column in the topic iSeries Software on page 39.

JCE Requirements (All Platforms)

The following table lists the JCE requirements for all platforms supported by Sterling Integrator:

Operating System	JDK	JCE
UNIX/Linux	Sun	<ul style="list-style-type: none"> • For JDK 1.5 use jce_policy-1_5_0.zip (Sun) • For JDK 1.6 use jce_policy-6.zip (Sun)
	IBM	unrestrict142.zip (IBM)
	HP-UX	jce_policy-1_5_0.zip (Sun)
Windows	All	<ul style="list-style-type: none"> • For JDK 1.5 use jce_policy-1_5_0.zip (Sun) • For JDK 1.6 use jce_policy-6.zip (Sun)
iSeries	All	unrestrict142.zip (IBM)

JDBC Driver Requirements (All Databases)

This topic covers the JDBC driver information for all the databases supported by Sterling Integrator.

The following table lists the JDBC drivers that are required with Sterling Integrator:

Note: If you are using an Oracle 10.2.x database and set the `plssql_code_type` parameter to `NATIVE` instead of `INTERPRETED` (default), you should set the `plssql_native_library_dir` parameter and allocate space for native compilation.

Supported Database Server	JDBC Driver
Oracle® Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X)	10.2.0.2 using ojdbc14.jar
Oracle Database 10g Standard and Enterprise Editions, Release 1 (10.1.0.4 non-RAC through version 10.X.X.X)	10.2.0.2 using ojdbc14.jar
Oracle Database 10g RAC Standard and Enterprise Editions, Release 1 and Release 2 (10.1.0.4 RAC through version 10.X.X.X)	10.2.0.2 using ojdbc14.jar
Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 non-RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 non-RAC or higher within version 11.X.X.X.X) Requires Sterling Integrator, Release 5.0 Build 5002 or later.	11.X.X.X.X using ojdbc5.jar
Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.7.0 RAC or higher within version 11.X.X.X.X) and Release 2 (11.2.0.2.0 RAC or higher within version 11.X.X.X.X) . Requires Sterling Integrator, Release 5.0 Build 5004 or later.	11.X.X.X.X using ojdbc5.jar
Microsoft SQL Server™ 2005 Enterprise and Standard Editions (9.00.3159)	JDBC driver version 1.1.1501.200 through 1.1.1501.XXX Download sqljdbc.jar from http://support.microsoft.com/hotfix/KBHotfix.aspx?kbnm=925050&kbln=en-us .
DB2 9.1 FP2	JDBC Type-4 driver version 9.1 (UNIX/Linux and Windows) Download appropriate driver from http://www-01.ibm.com/support/docview.wss?rs=71&uid=swg21363866 .
DB2 9.1.4 through version 9.1.x (UNIX/Linux only)	JDBC Type-4 driver version 9.1

Supported Database Server	JDBC Driver
	Download appropriate driver from http://www-01.ibm.com/support/docview.wss?rs=71&uid=swg21363866 .
DB2 for iSeries System i5/OS V5R4	Native JDBC driver (included in IBM licensed program 5722-JV1)
DB2 for iSeries System i5/OS V6R1	Native JDBC driver (included in IBM licensed program 5761-JV1)
MySQL 5.0.60 (server and driver bundled with Sterling Integrator) Requires Sterling Integrator, Release 5.0 Build 5004 or earlier.	mysql-connector-java-com-3.1.13-bin.jar
MySQL Enterprise Edition 5.0.x and MySQL Enterprise Edition 5.1.45 or higher within version 5.1.x Requires Sterling Integrator, Release 5.0 Build 5005 or later.	mysql-connector-java-com-5.1.12-bin.jar

Perimeter Server Requirements (UNIX/Linux and Windows)

You can install and run perimeter servers in a UNIX/Linux or Windows Server environment.

- Perimeter servers can be co-resident with Sterling Integrator installations or can be installed on remote servers. To take full advantage of the security features of a perimeter server, it should be installed on a different computer than where Sterling Integrator is installed.
- Perimeter servers are supported on the same operating system and JDK combinations as Sterling Integrator. The operating system and JDK version that the perimeter server uses do not need to match the operating system and JDK version of Sterling Integrator.
- Refer to the JDK instructions for the operating system on which you are installing the perimeter server:
 - [UNIX/Linux JDK Requirements](#) on page 31
 - [Windows JDK Requirements](#) on page 37

In addition, each perimeter server requires the following minimum space and memory requirements:

- 100 MB disk space
- 1 GB memory

Internet Browser and Plugin Requirements (All Platforms)

This topic covers the Internet browser and plugin requirements.

The following table lists the requirements for the Internet browser and Java plugins:

Internet Browser	Operating System	JRE
<p>Microsoft Windows Internet Explorer 6.x, 7.x, or 8.x only</p> <hr/> <p>Notes: If you are running Windows Internet Explorer 8, the following limitations apply:</p> <ul style="list-style-type: none"> • If you are running Windows Internet Explorer 8 on a Windows XP SP3 system, in some cases the document name is passed as null when a file is manually passed for running a business process. Additionally, business processes that use the file name to make processing decisions may encounter errors. • For all versions of Windows operating systems, the AFT login screen and ws/logout screen display part of the background image towards the right side, but it does not affect the functionality. 	<ul style="list-style-type: none"> • Windows Server 2003 • Windows Server 2008 <p>Requires Sterling Integrator, Release 5.0 Build 5005 or later.</p>	<ul style="list-style-type: none"> • Java Plug-in 1.5.0 • Java Plug-in 1.6.0 <p>Requires Sterling Integrator, Release 5.0 Build 5003 or later.</p>

Note: For better visibility of the menu options in the Application Consoles, ensure that the dpi setting is 96 dpi.

Map Editor and Graphical Process Modeler System Requirements

This topic covers the Map Editor and Graphical Process Modeler (GPM) system requirements.

To run the Map Editor and GPM, your Windows client system requires the following hardware and software:

- Pentium or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- To save your source map as an XML file (.xml file extension), you must have the Microsoft XML Core Services (MSXML) 4.0 installed on the same computer as Map Editor. If you do not have Microsoft XML Core Services (MSXML) 4.0 installed, you cannot save source maps as .xml files and must use the .map extension.

To run the Map Editor and GPM, your Windows system requires one of the following operating systems:

- Windows XP
- Windows Server 2003 Standard Edition
- Windows Server 2003 Enterprise Edition
- Windows Server 2008 Standard Edition (Requires Sterling Integrator, Release 5.0 Build 5005 or later)
- Windows Server 2008 Enterprise Edition (Requires Sterling Integrator, Release 5.0 Build 5005 or later)

Supported Third Party Software

The following table lists the supported third party software bundled along with Sterling Integrator:

Software	Version
XSL Transformations	Version 1.0 with Apache Xalan-Java version 2.7.0
XML Path Language	Version 1.0 with Apache Xalan-Java version 2.7.0

Change History

The following table lists the changes made to this document on a particular date:

Date	Change
09/19/2011	Updated MySQL 5.1.45 to specify MySQL Enterprise Edition 5.1.45. Updated Oracle 11g database versions and JDBC drivers versions.
03/02/2011	Added the following Oracle database note: <ul style="list-style-type: none">• Support for Oracle databases does not include support for the Oracle Exadata platform.
02/25/2011	Updated the JCE Requirements for UNIX/Linux and Windows with the following information: <ul style="list-style-type: none">• For JDK 1.5 use jce_policy-1_5_0.zip (Sun)• For JDK 1.6 use jce_policy-6.zip (Sun)
09/28/2010	Added support for the following HP, IBM, and Sun JDK versions: <ul style="list-style-type: none">• HP-UX JDK Build 1.5.0_19 (64-bit) Requires Sterling Integrator, Release 5.0 Build 5006 or later.• IBM 1.5.0 SR10 build pxi32devifx-20090811 Requires Sterling Integrator, Release 5.0 Build 5006 or later.• IBM AIX 1.5.0 (64-bit) build pap64dev-20090707 (SR10) Requires Sterling Integrator, Release 5.0 Build 5006 or later.• Sun JDK 1.5.0_22 (64-bit) Requires Sterling Integrator, Release 5.0 Build 5006 or later.
08/13/2010	Added JDBC Driver Requirements for the following DB2 database versions: <ul style="list-style-type: none">• DB2 for iSeries System i5/OS V5R4• DB2 for iSeries System i5/OS V6R1
06/21/2010	<ul style="list-style-type: none">• Added support for Windows Server 2008 Standard Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later).• Added support for Windows Server 2008 Enterprise Edition R2 64-bit. (Requires Sterling Integrator, Release 5.0 Build 5005 or later).

Date	Change
	<ul style="list-style-type: none"> • Added support for MySQL 5.0.* and MySQL 5.1.* database versions. (Requires Sterling Integrator, Release 5.0 Build 5005 or later). • Added Graphical Process Modeler System Requirements.
06/11/2010	Added support for Microsoft Internet Explorer 8
05/25/2010	<ul style="list-style-type: none"> • Added support for Oracle Database 11g Standard and Enterprise Editions, Release 1 and Release 2 (11.1.0.0.0 RAC through version 11.X.X.X.X). Requires Sterling Integrator, Release 5.0 Build 5004 or later. • Clarified that Oracle Database 11g Standard and Enterprise Editions, Release 1 and Release 2 (11.1.0.0.0 non-RAC through version 11.X.X.X.X) is supported. Requires Sterling Integrator, Release 5.0 Build 5002 or later.
03/12/2010	Added <i>Map Editor System Requirements</i> section.
02/26/2010	<ul style="list-style-type: none"> • Added <i>Supported Third Party Software</i> section. • Added <i>Virtualization Support</i> section.
01/22/2010	<ul style="list-style-type: none"> • Clarified that Sterling Integrator installed on a 32-bit architecture operating system supports a 64-bit architecture database if the database is installed on a separate machine. • Changed Sun JDK 1.6 requirement from JDK/JRE-6.0 Update 4 to JDK/JRE-6.0 Update 14.
12/07/2009	<p>To run Sterling Integrator on Red Hat Enterprise Linux AS or ES Release 5 (x64/x86 64-bit kernel only), the minimum kernel version and minimum glibc version should be:</p> <ul style="list-style-type: none"> • Minimum kernel version: 2.6.18-92.1.6.el5 • Minimum glibc version: 2.5-18
11/02/2009	<ul style="list-style-type: none"> • Added JDK 1.6 support for Sun Solaris and Windows platforms. Requires Sterling Integrator, Release 5.0 Build 5003 or later. • Added support for IBM iSeries i5/OS V6R1. Requires Sterling Integrator, Release 5.0 Build 5003 or later. • Added support for SQL Server 64-bit database. • Added download URL for DB2 database JDBC drivers. • Added minimum kernel and glibc versions for SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only). Requires Sterling Integrator, Release 5.0 Build 5001 or later.
08/21/2009	<ul style="list-style-type: none"> • Added support for HP-UX 11.31 (PA-RISC). Requires Sterling Integrator, Release 5.0 Build 5002 or later. • Added support for HP-UX 11.31 for IA64 (Itanium). Requires Sterling Integrator, Release 5.0 Build 5002 or later. • To run Sterling Integrator 5.0 with MySQL database and HP-UX 11.31 combination requires the following patches: <ul style="list-style-type: none"> • PHCO_37128 libc manpage cumulative patch • PHCO_38044 libc cumulative header file patch • PHCO_38658 libc cumulative patch

Date	Change
07/24/2009	<ul style="list-style-type: none"> • Added support for Oracle Database 11g Standard and Enterprise Editions, Release 1 (11.1.0.0.0 non-RAC through version 11.X.X.X.X). Requires Sterling Integrator, Release 5.0 Build 5002 or later. • Applying Sterling Integrator, Release 5.0 Build 5002 includes the latest build for Sterling File Gateway, but does not automatically install it. Sterling File Gateway does not support the following platforms: <ul style="list-style-type: none"> • HP-UX 11.11 (PA-RISC) • HP-UX 11.23 (PA-RISC) • IBM AIX 5.2 • Clarified that Sterling File Gateway does not support Oracle Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X)
07/14/2009	Added support for VMware vSphere™.
05/30/2009	<ul style="list-style-type: none"> • Added support for SUSE Linux Enterprise Server 10 (x64/x86 64-bit kernel only). Requires Sterling Integrator, Release 5.0 build 5001 or later. • Applying Sterling Integrator, Release 5.0 build 5001 updates ActiveMQ to version 5.2. • Added support for Microsoft Internet Explorer 7.x.
04/24/2009	Removed support for IBM iSeries i5/OS V5R3 platform.
03/13/2009	Added a note on MySQL being insensitive for string searches.
02/27/2009	Added Sun JDK download link under Windows JDK Requirements.

Gentran Integration Suite 4.3

Gentran Integration Suite 4.3 System Requirements

When using these system requirements, make sure that you also have the preinstallation checklist for your platform (Windows, UNIX/Linux, iSeries). Checking system requirements is one item on these checklists. These checklists are available on the Gentran Integration Suite documentation Web site as part of the installation guide and as stand-alone documents.

System requirements for Gentran Integration Suite vary with your business needs and system environment. Contact your Gentran Integration Suite sales representative to help you evaluate performance and system usage requirements. Contributing factors include (but are not limited to) the following:

- Number of transactions processed.
- Amount of data being transferred.
- Whether you run Gentran Integration Suite with or without perimeter servers.
- Whether your environment is clustered (multiple node) or non-clustered (single node).

The following sections list the platforms and databases that are supported by Gentran Integration Suite:

- *Platforms* on page 48
- *Databases* on page 50

The following sections list minimum system requirements, and other information, needed to install and run Gentran Integration Suite on particular platforms:

- *UNIX/Linux Requirements* on page 51
- *Windows Requirements* on page 57
- *iSeries Requirements* on page 58

The following sections list additional information that is needed to install and run Gentran Integration Suite:

- *JCE Requirements (All Platforms)* on page 60
- *JDBC Driver Requirements (All Databases)* on page 61
- *Perimeter Server Requirements (UNIX/Linux and Windows)* on page 62
- *Internet Browser and Plugin Requirements (All Platforms)* on page 62
- *Map Editor and Graphical Process Modeler System Requirements* on page 62

For information on the history of changes for the *System Requirements*, refer to the topic [Change History](#) on page 63.

Note: Gentran Integration Suite supports ActiveMQ 5.0 for JMS (Java Message Service). Applying Gentran Integration Suite, Release 4.3 Build 4318 or later updates ActiveMQ to version 5.2.

Platforms

Gentran Integration Suite supports the UNIX/Linux, Windows and iSeries platforms. This topic covers the following supported platform versions:

- UNIX/Linux
- Windows
- iSeries

UNIX/Linux

Gentran Integration Suite supports the following UNIX/Linux platforms:

- HP-UX 11.11 (not supported by Sterling File Gateway)
- HP-UX 11i (11.23) (not supported by Sterling File Gateway)
- HP-UX 11.23 for IA64 (Itanium)
- HP-UX 11.31 (PA-RISC and Itanium)
- IBM AIX 5.2 (not supported by Sterling File Gateway)
- IBM AIX 5.3
- Sun Solaris 8 (SPARC only)
- Sun Solaris 9 (SPARC only)
- Sun Solaris 10 (SPARC only)
- Red Hat Enterprise Linux Release 3 (x64/x86 32-bit kernel only)
- Red Hat Enterprise Linux Release 4 (x64/x86 32-bit kernel only)
- SUSE Linux Enterprise Server 9 (x64/x86 32-bit kernel only)

Windows

Gentran Integration Suite supports the following Microsoft Windows platforms:

- Windows Server 2000 SP4 32-bit
- Windows Server 2003 Standard Edition (R1 or R2) SP1 32-bit
- Windows Server 2003 Standard Edition (R1 or R2) SP2 32-bit
- Windows Server 2003 Enterprise Edition (R1 or R2) SP1 32-bit
- Windows Server 2003 Enterprise Edition (R1 or R2) SP2 32-bit

iSeries

Gentran Integration Suite supports the following IBM iSeries platforms:

- i5/OS V5R3
- i5/OS V5R4

Virtualization Support

The following topics are explained under this topic:

- Virtualization Support for RISC Based Systems
- Virtualization Support for x86/x64 Based Systems
- Considerations for Both RISC and x86/x64 Architectures

Virtualization Support for RISC Based Systems

Operating system native clustering, partitioning or virtualization is supported for all RISC based platforms Gentran Integration Suite supports:

- AIX on P5 and above:
 - Partitioning/Virtualization – Power VM, LPAR, dLPAR
 - Clustering/Failover - HACMP
- HP-UX:
 - Partitioning/Virtualization - Resource Partitions
 - Clustering/Failover - MC/ServiceGuard
- Solaris:
 - Partitioning/Virtualization - Containers and Zones (local and global)
- IBM iSeries/System i:
 - Partitioning/Virtualization - Power VM LPARS

Note: Sterling Commerce does not support Linux or Windows on virtualized RISC machines. We advise caution when using virtualization to avoid configuration or operations that change the IP addresses used by Gentran Integration Suite. Note that the above mechanisms are supported generally and it does not imply that Sterling Commerce uses these virtualization mechanisms internally.

Virtualization Support for x86/x64 Based Systems

Sterling Commerce realizes that our customers use different virtualization mechanisms and will support them as long as the virtualization mechanism is supported by the operating system's vendor and the OS version used for hosting Gentran Integration Suite and related products falls in the supported matrix. Although it is not possible for us to maintain all possible combinations of virtualized platforms, we generally support all enterprise class virtualization mechanisms, such as VMware ESX™, VMware ESXi™, VMware vSphere™, Citrix Xen® Hypervisor, KVM (Kernel-based Virtual Machine), and Microsoft® Hyper-V™ Server.

Considerations for Both RISC and x86/x64 Architectures

Sterling Commerce will investigate and troubleshoot a problem until it is determined that the problem is due to virtualization. The following applies:

- If we suspect that a specific defect is happening because the system is virtualized and we cannot reproduce the problem on our non-virtualized environment, then we may request that you contact the vendor of the virtualization platform to get the issue resolved.
- In specific cases where we cannot reproduce the defect, we may request you to reproduce it on a non-virtualized environment and if the problem can still not be reproduced, then we may request that you contact the virtualization vendor for a resolution or switch to a non-virtualized platform.

- If you chose to use virtualization, you must balance the virtualization benefits against its performance impacts. Sterling Commerce does not provide advice regarding configuring, administering, or tuning virtualization platforms.

Databases

Gentran Integration Suite supports the following database versions:

Note: Gentran Integration Suite installed on a 32-bit architecture operating system supports a 64-bit architecture database if the database is installed on a separate machine.

Oracle	Oracle Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X) (not supported by Sterling File Gateway)
	Oracle Database 10g Standard and Enterprise Editions, Release 1 (10.1.0.4 non-RAC through version 10.X.X.X)
	Oracle Database 10g RAC Standard and Enterprise Editions, Release 1 and Release 2 (10.1.0.4 RAC through version 10.X.X.X)
	<p>Notes:</p> <ul style="list-style-type: none"> • Support for Oracle databases does not include support for the Oracle Exadata platform. • RAC refers to Real Application Clusters. For more information, refer to Oracle documentation. • Gentran Integration Suite 4.3 supports the use of database-level clustering when using Oracle 10g RAC or Microsoft SQL Server. Only your database vendor, however, can assist you in setting up a clustered database.
MySQL	MySQL 5.0.23 (bundled) (5.0.23 only)
DB2	DB2 (bundled with iSeries)
	DB2 8.2.3 through version 8.X.X (UNIX/Linux only)
	DB2 9.1.4 through version 9.1.x (UNIX/Linux only). Requires Gentran Integration Suite, Release 4.3 Build 4313 or later.
	<p>Note: If you upgrade DB2 database to version DB2 9.1.4 through version 9.1.x underneath an existing Gentran Integration Suite installation, you will see a DB driver warning every time Gentran Integration Suite is launched. You can safely ignore the warning.</p>
MS SQL Server	SQL Server 2000 SP4 Enterprise & Standard 32-bit and 64-bit (SP4 only)
	SQL Server 2005 Enterprise & Standard 32-bit and 64-bit (9.00.3152 through version 9.x.x)

UNIX/Linux Requirements

The topic covers the minimum system requirements and other information, needed to install and run Gentran Integration Suite on a UNIX/Linux platform:

- [UNIX/Linux Host System](#) on page 51
- [UNIX/Linux JDK Requirements](#) on page 51
- [Download UNIX/Linux JDKs](#) on page 55
- [Download the AIX JDK](#) on page 55
- [Download the Linux JDK](#) on page 56

UNIX/Linux Host System

This topic covers the UNIX/Linux host system requirements. At a minimum, the UNIX/Linux host system requires:

- 2 GB RAM
- 7 GB free disk space
- File descriptor size of 2048 or greater (preferred setting is unlimited)
- Additional resources are needed if you are:
 - Using MySQL database – An additional 1 GB RAM and an additional 2 GB free disk space.
 - Using other databases – See the documentation you received with the database server to determine the minimum system requirements.

Note: You can use a MySQL 5.0.23 database server with Gentran Integration Suite. This database is bundled with Gentran Integration Suite. Choosing this database during the installation procedure creates and configures it for you. MySQL is installed locally on the same server as Gentran Integration Suite and cannot be installed on a separate server.

- When using the Solaris server, Gentran Integration Suite runs only on SPARC-based Solaris servers. Gentran Integration Suite does not run on x86 (Intel)-based Solaris servers.
- When using the Red Hat or SUSE Linux server, Gentran Integration Suite runs only on x64/x86-based Linux servers.
- File system space will be needed if you use the option to store documents on the file system or if you use MySQL as your database. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
- For perimeter server requirements, see [Perimeter Server Requirements \(UNIX/Linux and Windows\)](#) on page 62.

UNIX/Linux JDK Requirements

This topic covers the JDK requirements for installing Gentran Integration Suite and a perimeter server (if applicable) on UNIX/Linux platform.

The following table lists the UNIX/Linux JDK requirements. Follow these guidelines as you use this table:

- All JDKs are 32-bit except the JDK for HP-UX 11.23 for IA64 (Itanium), which is 64-bit.
- The two OS (operating system) columns indicate if the UNIX/Linux vendor supports a 32-bit or a 64-bit operating system. A 64-bit operating system can use a 32-bit JDK.

Note: JDK 5.0 and JDK 1.5.0 are both names for the same JDK. Version 5.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 5.0. Version 1.5.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table.

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
Solaris 8 (SPARC only)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11-b03 <p>Minimum Solaris patch requirements are:</p> <ul style="list-style-type: none"> • 111111-06 • 108987-18 • 111310-01 • 108528-29 • 108989-02 • 112472-01 • 111308-05 • 112438-03 • 117000-05 • 110386-03 • 111023-03 • 115827-01 • 116602-01 • 113648-04 • 109147-42 • 111317-07 • 108993-63 • 119067-05 • 108434-22 • 108921-25 • 109326-18 • 117350-44 • 108435-22 • 108773-26 • 108940-76 	Not Supported	Yes
Solaris 9 (SPARC only)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11-b03 <p>Minimum Solaris patch requirements are:</p> <ul style="list-style-type: none"> • 113096-03 • 111711-16 • 111712-16 • 112963-29 • 112785-58 	Not Supported	Yes

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
Solaris 10 (SPARC only)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11-b03 <p>Minimum Solaris patch requirements are:</p> <ul style="list-style-type: none"> • 120900-04 • 121133-02 • 119254-32 • 119578-30 • 118822-30 • 118833-24 • 118833-36 	Not Supported	Yes
AIX 5.2	<ul style="list-style-type: none"> • (For installation media used before June 10, 2008) IBM AIX build pap32devifx-20070725 (SR5a) • (For installation media used starting June 10, 2008) IBM AIX build pap32devifx-20071025a (SR6b) • IBM AIX build pap32dev-20090707 (SR10) <p>(Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.)</p> <p>Minimum IBM maintenance level: 5200-09</p>	Not Supported	Yes
AIX 5.3	<ul style="list-style-type: none"> • (For installation media used before June 10, 2008) IBM AIX build pap32devifx-20070725 (SR5a) • (For installation media used starting June 10, 2008) IBM AIX build pap32devifx-20071025a (SR6b) • IBM AIX build pap32dev-20090707 (SR10) <p>(Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.)</p> <p>Minimum IBM maintenance level: 5300-05</p>	Not Supported	Yes
HP-UX 11.11	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.19 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • HP-UX JDK Build 1.5.0.08 • HP-UX JDK Build 1.5.0.12 (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) <p>Patch requirements as determined by the HPjconfig utility.</p> <p>Kernel parameters as determined by the HPjconfig utility.</p>	Not Supported	Yes
HP-UX 11i (11.23)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.19 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) 	Not Supported	Yes

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.08 • HP-UX JDK Build 1.5.0.12 (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) Patch requirements as determined by the HPjconfig utility. Kernel parameters as determined by the HPjconfig utility.		
HP-UX 11.23 for IA64 (Itanium)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.19 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • HP-UX JDK Build 1.5.0.08 • HP-UX JDK Build 1.5.0.12 (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) Patch requirements as determined by the HPjconfig utility. Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
HP-UX 11.31 (PA-RISC and Itanium)	<ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.19 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • HP-UX JDK Build 1.5.0.08 • HP-UX JDK Build 1.5.0.12 (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) Patch requirements as determined by the HPjconfig utility. Kernel parameters as determined by the HPjconfig utility.	Not Supported	Yes
Red Hat Enterprise Linux Release 3 (x64/x86 32-bit kernel only)	<ul style="list-style-type: none"> • (For installation media used before June 10, 2008) IBM 1.5.0 build pxi32devifx-20070806 (SR5a) • (For installation media used starting June 10, 2008) IBM 1.5.0 build pxi32devifx-20071025 (SR6b) • IBM 1.5.0 build pxi32dev-20090707 (SR10) (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) Minimum kernel version: 2.4.21-47.0.1.EL (32-bit only) Minimum glibc version: 2.3.2-95.44	Yes	No
Red Hat Enterprise Linux Release 4 (x64/x86 32-bit kernel only)	<ul style="list-style-type: none"> • (For installation media used before June 10, 2008) IBM 1.5.0 build pxi32devifx-20070806 (SR5a) • (For installation media used starting June 10, 2008) IBM 1.5.0 build pxi32devifx-20071025 (SR6b) • IBM 1.5.0 build pxi32dev-20090707 (SR10) (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) 	Yes	No

UNIX/Linux	JDK Requirements	32-Bit OS	64-Bit OS
	Minimum kernel version: 2.6.9-42.0.10.ELsmp (32-bit only) Minimum glibc version: 2.3.4-2.25		
SUSE Linux Enterprise Server 9 (x64/x86 32-bit kernel only)	<ul style="list-style-type: none"> • (For installation media used before June 10, 2008) IBM 1.5.0 build pxi32devifx-20070806 (SR5a) • (For installation media used starting June 10, 2008) IBM 1.5.0 build pxi32devifx-20071025 (SR6b) • IBM 1.5.0 build pxi32dev-20090707 (SR10) (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) Minimum kernel version: 2.6.5-7.283 (32-bit only) Minimum glibc version: 2.3.3-98.73	Yes	No

Download UNIX/Linux JDKs

You can download JDK and related files from the following Web sites:

- Download all Sun JDK versions from <http://java.sun.com/products/archive>.
- Download patches for Solaris 8 (J2SE_Solaris_8_Recommended.zip), Solaris 9 (J2SE_Solaris_9_Recommended.zip), and Solaris 10 (J2SE_Solaris_10_Recommended.zip) from <http://sunsolve.sun.com/pub-cgi/show.pl?target=patches/JavaSE>.
- Download the HPjconfig tool for HP-UX systems from <http://www.hp.com/products1/unix/java/java2/hpjconfig/index.html>.
- Download AIX and Linux JDK versions using the instructions provided in the following topics:
 - [Download the AIX JDK](#) on page 55
 - [Download the Linux JDK](#) on page 56

Download the AIX JDK

This download procedure is for the IBM AIX build pap32devifx-20071025a (SR6b) JDK, which is used with installation media starting June 10, 2008.

To download the AIX JDK, perform the following tasks:

1. Go to the AIX download Web page at <http://www.ibm.com/developerworks/java/jdk/aix/service.html>.
2. Click the **Java 5 32-bit** link.
3. Sign in to the IBM Web site. The Downloads page appears.
4. Choose whether to download the JDK using either the IBM Download Director or http.
5. At the bottom of the page, under the **IBM 32-bit SDK for AIX, v5, GA base images (pap32dev-20051104)** section, select one of the following files (depending on your file format preference):

Note: This file is the latest package. You must download the GA package, and then apply the patch to the correct version.

- Java5.sdk.tar
 - Java5.sdk.tar.gz
6. Apply patch to the GA installation to get it up to SR6b by first going back to the main AIX download page (<http://www.ibm.com/developerworks/java/jdk/aix/service.html>).
 7. Under the **Java 5 32-bit** section, click the **Fix Info** link.
 8. Refer to the **Java 5 32-bit fixes since GA** table.

Find the following entry:

APAR #	Fullversion	Java5.sdk fileset level	Service refresh
IZ07645	pap32devifx-20071025a	5.0.0.160	SR6

9. Click the **SR6** link. The Packaging options page appears.
10. Select the download option.
11. Select your operating system level, using the level specified in the JDK requirements table.
12. Click **Continue**.
13. The Package results page appears, which list two files in the download package:
 - Java5.sdk.5.0.0.160
 - Java5.source.5.0.0.160
14. Download the files using one of the following methods:
 - Together using Java applet or FTP
 - Individually using HTTP or FTP
15. Install the GA image that you downloaded above.
16. Install the java5.sdk.5.0.0.160 patch file.
17. Once installed, check the java version by running the following command:


```
/usr/java5/bin/java -version
```

The result should show SR6b as the installed version.

Download the Linux JDK

This download procedure is for the IBM 1.5.0 build pxi32devifx-20071025 (SR6b) JDK, which is used with installation media starting June 10, 2008.

To download the Linux JDK, perform the following tasks:

1. Go to the Linux download Web page from [IBM Web site](#).
2. Sign in to the IBM web site. The Java 5 downloads page appears.
3. Under the **Offerings** section, select the following option:
IBM 32-bit SDK for Linux on Intel architecture, Java 2 Technology Edition, Version Java5 SR6
4. Click **Continue** at the bottom of the page.
5. Choose whether to download the JDK using either the IBM Download Director or http.

6. Under the SDK section, select one of the following files (depending on your file format preference):
 - (rpm format) `ibm-java2-i386-sdk-5.0-6.0.i386.rpm`
 - (tgz format) `ibm-java2-sdk-5.0-6.0-linux-i386.tgz`
7. Click **Download now**.
8. Install the file that you just downloaded.

Windows Requirements

The topic covers the minimum system requirements and other information, needed to install and run Gentran Integration Suite on a Windows platform:

- [Windows Client System](#) on page 57
- [Windows Server Host System](#) on page 57
- [Windows JDK Requirements](#) on page 58

Windows Client System

This topic covers the Windows client system requirements.

At a minimum, a Windows client system requires:

- CD-ROM drive
- Pentium® or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- Microsoft Internet Explorer 5.x, 6.x, or 7.x only
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- Adobe Acrobat Reader 6.0 or later

Windows Server Host System

This topic covers the Windows server host system requirements.

At a minimum, a Windows Server host system requires:

- 2 GB RAM
- 7 GB free disk space
- Pentium III 1.3 GHz
- Additional resources are needed if you are:
 - Using MySQL database – An additional 1 GB RAM and an additional 2 GB free disk space.
 - Using other databases – Refer to the documentation you received with the database server to determine the minimum system requirements.

Note: You can use a MySQL 5.0.23 database server with Gentran Integration Suite. This database is bundled with Gentran Integration Suite. Choosing this database during the installation procedure creates and configures it for you. MySQL is installed locally on the same server as Gentran Integration Suite and cannot be installed on a separate server.

- File system space, if you use the option to store documents on the file system or if you use MySQL as your database. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.
- For perimeter server requirements, see *Perimeter Server Requirements (UNIX/Linux and Windows)* on page 62.

Note: Contact Microsoft for help installing Windows Server 2003 R1 and R2.

Windows JDK Requirements

This topic covers the JDK requirements for installing Gentran Integration Suite on a Windows platform.

The two OS (operating system) columns indicate if the Windows Server is a 32-bit or a 64-bit operating system.

Notes:

- JDK 5.0 and JDK 1.5.0 are both names for the same JDK. Version 5.0 is used in marketing, documentation and other written communication. When you download the JDK, it will be identified on the web page as Version 5.0. Version 1.5.0 is used in file names. The downloaded JDK file will use the name that appears in the JDK requirements table.
- Download all Sun JDK versions from <http://java.sun.com/products/archive>.

Windows Server	JDK Requirements	32-Bit OS	64-Bit OS
Windows Server 2000 SP4 (32-bit)	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11 	Yes	No
<ul style="list-style-type: none"> • Windows Server 2003 Standard Edition (R1 or R2) SP1 32-bit • Windows Server 2003 Standard Edition (R1 or R2) SP2 32-bit 	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11 	Yes	No
<ul style="list-style-type: none"> • Windows Server 2003 Enterprise Edition (R1 or R2) SP1 32-bit • Windows Server 2003 Enterprise Edition (R1 or R2) SP2 32-bit 	<ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • Sun JDK 1.5.0_11 	Yes	No

iSeries Requirements

The topic covers the minimum system requirements and other information, needed to install and run Gentran Integration Suite on an iSeries platform:

Note: Gentran Integration Suite on iSeries uses the DB2 that is included in OS/400.

- *iSeries Hardware* on page 59
- *iSeries Software* on page 59
- *iSeries JDK Requirements* on page 60

iSeries Hardware

This topic covers the iSeries hardware requirements. These requirements are based on Gentran Integration Suite being the only application running on the system.

- CPU - 1000 CPW (POWER5 or newer processors recommended)
- 2 GB memory (in a private (non-shared) pool dedicated to Gentran Integration Suite)
- 20 GB DASD (Required for Gentran Integration Suite plus space for operating system, spool, utilities, and so on.)
- File system space will be needed if you are using the option to store documents on the file system. The amount of space needed will vary depending on the size of documents to be stored and the length of time you choose to retain documents on the file system.

iSeries Software

This topic covers the software requirements for running Gentran Integration Suite on iSeries platform.

The following table lists the minimum software requirements for the supported iSeries platforms:

iSeries System	iSeries Software
i5/OS V5R3	<ul style="list-style-type: none"> • 5722-SS1 OS/400 V5R3 (i5/OS V5R3) • 5722-SS1 Option 33 PASE (Portable Application Solutions Environment) • 5722-SS1 Option 43 Additional Fonts • 5722-SS1 Option 30 Qshell Interpreter • 5722-TC1 TCP/IP Connectivity Utilities • 5722-JV1 *BASE Developer Kit for Java • 5722-JV1 Option 7 Java Developer Kit 1.5 • 5722-AC3 *BASE Crypto Access Provider 128-bit • 5722-CE3 *BASE Client Encryption 128-bit • PTF Groups <ul style="list-style-type: none"> • SF99530 Level 7198 Cumulative PTF Package • SF99529 Level 129 Hipers • SF99503 Level 17 DB2 UDB • SF99269 Level 17 Java • Individual PTFs (or their superseding PTFs) <ul style="list-style-type: none"> • 5722999/MF35282 • 5722999/MF35841 • 5722999/MF36113 • 5722999/MF37157 • 5722SS1/SI12897 • 5722SS1/SI17308 • 5722SS1/SI18225 • 5722SS1/SI18276 • 5277SS1/SI18277 • 5722SS1/SI18637 • 5722JV1/SI17137

iSeries System	iSeries Software
i5/OS V5R4	<ul style="list-style-type: none"> • 5722-SS1 i5/OS V5R4 • 5722-SS1 Option 30 Qshell Interpreter • 5722-SS1 Option 33 PASE (Portable Application Solutions Environment) • 5722-SS1 Option 43 Additional Fonts • 5722-TC1 TCP/IP Connectivity Utilities • 5722-JV1 *BASE Developer Kit for Java • 5722-JV1 Option 7 Java Developer Kit 1.5 • 5722-XE1 *BASE IBM eServer iSeries Access for Windows • PTF Groups <ul style="list-style-type: none"> • SF99540 Level 7226 Cumulative PTF Package • SF99539 Level 54 Hipers • SF99504 Level 12 DB2 UDB • SF99291 Level 9 Java • Individual PTFs (or their superseding PTFs) <ul style="list-style-type: none"> • 5722JV1/SI22769

iSeries JDK Requirements

This topic covers the JDK requirements for installing Gentran Integration Suite on iSeries platform.

Note: The iSeries JDK is bundled with the operating system. You do not download the JDK from a web site. You can update the JDK through an operating system update.

iSeries Server	JDK Requirements
i5/OS V5R3	JDK 1.5 – (A minimum of Level 17 found in WRKPTFGRP - SF99269 L17) For more information, refer to the i5/OS V5R3 column in the topic iSeries Software on page 59.
i5/OS V5R4	JDK 1.5 – (A minimum of Level 9 found in WRKPTFGRP - SF99291 L9) For more information, refer to the i5/OS V5R4 column in the topic iSeries Software on page 59.

JCE Requirements (All Platforms)

The following table lists the JCE requirements for all platforms supported by Gentran Integration Suite:

Operating System	JDK	JCE
UNIX/Linux	Sun	jce_policy-1_5_0.zip (Sun)

Operating System	JDK	JCE
	IBM	unrestrict142.zip (IBM)
	HP-UX	jce_policy-1_5_0.zip (Sun)
Windows	All	jce_policy-1_5_0.zip (Sun)
iSeries	All	unrestrict142.zip (IBM)

JDBC Driver Requirements (All Databases)

This topic covers the JDBC driver information for all the databases supported by Gentran Integration Suite. The following table lists the JDBC drivers that are required with Gentran Integration Suite:

Supported Database Server	JDBC Driver
Oracle® Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X)	10.2.0.2/ojdbc14.jar
Oracle Database 10g Standard and Enterprise Editions, Release 1 (Oracle 10.1.0.4 through version 10.X.X.X)	10.2.0.2/ojdbc14.jar
Oracle Database 10g RAC Standard and Enterprise Editions, Release 1 and Release 2 (Oracle 10.1.0.4 RAC through version 10.X.X.X)	10.2.0.2/ojdbc14.jar
Microsoft SQL Server™ 2000 SP4 Enterprise and Standard Editions only (8.00.2039)	JDBC driver version 2.2.0040 (download mssqlserver.tar from Microsoft Web site)
Microsoft SQL Server™ 2005 Enterprise and Standard Editions	JDBC driver version 1.1.1501.200 through 1.1.1501.XXX (download sqljdbc.jar from Microsoft Web site)
DB2 8.2.3 through version 8.X.X (UNIX/Linux only)	JDBC Type-4 driver version 8.2.2 (internal driver version 2.7.58)
DB2 9.1.4 through version 9.1.x (UNIX/Linux only). Requires Gentran Integration Suite, Release 4.3 Build 4313 or later.	JDBC Type-4 driver version 9.1 (download appropriate driver from IBM Web site)
MySQL (server and driver bundled with Gentran Integration Suite)	mysql-connector-java-com-3.1.13-bin.jar

Perimeter Server Requirements (UNIX/Linux and Windows)

You can install and run perimeter servers in a UNIX/Linux or Windows Server environment.

- Perimeter servers can be co-resident with Gentran Integration Suite installations or can be installed on remote servers. To take full advantage of the security features of a perimeter server, it should be installed on a different computer than where Gentran Integration Suite is installed.
- Perimeter servers are supported on the same operating system and JDK combinations as Gentran Integration Suite. The operating system and JDK version that the perimeter server uses do not need to match the operating system and JDK version of Gentran Integration Suite.
- Refer to the JDK instructions for the operating system on which you are installing the perimeter server:
 - [UNIX/Linux JDK Requirements](#) on page 51
 - [Windows JDK Requirements](#) on page 58

In addition, each perimeter server requires the following minimum space and memory requirements:

- 100 MB disk space
- 1 GB memory

Internet Browser and Plugin Requirements (All Platforms)

This topic covers the Internet browser and plugin requirements.

The following table lists the requirements for the Internet browser and Java plugin:

Internet Browser	Operating System	JRE
Microsoft Windows Internet Explorer 5.x, 6.x, or 7.x only	Windows Server 2000 or Windows Server 2003	Java Plugin 1.5.0

Note: For better visibility of the menu options in the Application Consoles, ensure that the dpi setting is 96 dpi.

Map Editor and Graphical Process Modeler System Requirements

To run the Map Editor and Graphical Process Modeler (GPM), your Windows client system requires the following hardware and software:

- Pentium or equivalent processor
- 400 MHz processor speed
- Color VGA or SVGA monitor
- 256 MB RAM (1 GB is recommended for mapping clients with maps that have more than 20,000 objects)
- 1 GB free disk space
- To save your source map as an XML file (.mxml file extension), you must have the Microsoft XML Core Services (MSXML) 4.0 installed on the same computer as Map Editor. If you do not have Microsoft XML Core Services (MSXML) 4.0 installed, you cannot save source maps as .mxml files and must use the .map extension.

To run the Map Editor and GPM, your Windows system requires one of the following operating systems:

- Windows XP
- Windows Server 2003 Standard Edition
- Windows Server 2003 Enterprise Edition

Change History

The following table lists the changes made to this document on a particular date:

Date	Change
03/02/2011	Added the following Oracle database note: <ul style="list-style-type: none"> • Support for Oracle databases does not include support for the Oracle Exadata platform.
1/18/2011	Added support for the following : <ul style="list-style-type: none"> • Sun JDK 1.5.0_22 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.) • HP_UX JDK 1.5.0.19 (Requires Gentran Integration Suite, Release 4.3 Build 4324 or later.)
06/21/2010	Added <i>Map Editor and Graphical Process Modeler System Requirements</i> section.
03/12/2010	Added <i>Virtualization Support</i> section.
02/08/2010	Added support for the following HP and IBM JDK versions: <ul style="list-style-type: none"> • HP-UX JDK Build 1.5.0.12 (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) • IBM AIX build pap32dev-20090707 (SR10) (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.) • IBM 1.5.0 build pxi32dev-20090707 (SR10) (Requires Gentran Integration Suite, Release 4.3 Build 4322 or later.)
01/22/2010	Clarified that Gentran Integration Suite installed on a 32-bit architecture operating system supports a 64-bit architecture database if the database is installed on a separate machine.
10/26/2009	<ul style="list-style-type: none"> • Added support for SQL Server 64-bit database. • Added download URL for DB2 database JDBC drivers.
07/24/2009	<ul style="list-style-type: none"> • Clarified that Sterling File Gateway does not support Oracle Database 9i Standard and Enterprise Editions, Release 2 (9.2.0.7 non-RAC through version 9.2.X.X) • Clarified that Sterling File Gateway does not support the following platforms: <ul style="list-style-type: none"> • HP-UX 11.11 • HP-UX 11i (11.23) • IBM AIX 5.2
07/14/2009	Added support for VMware vSphere™.
05/30/2009	<ul style="list-style-type: none"> • Added support for HP-UX 11.31 (PA-RISC and Itanium). • Added support for Microsoft Internet Explorer 7.x.

Date	Change
04/24/2009	Applying Gentran Integration Suite, Release 4.3 build 4318 updates ActiveMQ to version 5.2.
02/27/2009	Added Sun JDK download link under Windows JDK Requirements.
01/08/2009	Updated JDBC driver requirement for Microsoft SQL Server™ 2005 Enterprise and Standard Editions.
11/14/2008	Added support for DB2 9.1.4 through version 9.1.x (Gentran Integration Suite, Release 4.3 Build 4313 or later)
10/10/2008	Updated Databases section on supporting database-level clustering information.
8/22/2008	Updated JDK requirements for Solaris 10 (SPARC only).
7/2/2008	<p>Clarified that JDK support for the following operating systems depends on whether customers are using installation media before June 10, 2008 or starting June 10, 2008:</p> <ul style="list-style-type: none"> • AIX 5.2 • AIX 5.3 • Red Hat Enterprise Linux Release 3 • Red Hat Enterprise Linux Release 4 • SUSE Linux Enterprise Server 9
6/27/2008	<ul style="list-style-type: none"> • Changed JDK requirement for AIX 5.2 and 5.3 from IBM AIX build pap32devifx-20070725 (SR5a) to IBM AIX build pap32devifx-20071025a (SR6b). • Changed JDK requirement for Red Hat Enterprise Linux Release 3, Red Hat Linux Release 4, and SUSE Linux Enterprise Server 9 from IBM 1.5.0 build pxi32devifx-20070806 (SR5a) to IBM 1.5.0 build pxi32devifx-20071025 (SR6b).
5/9/2008	<ul style="list-style-type: none"> • Changed JDK requirements for iSeries to make it easier for user to access and update the JDK (it is bundled with operating system and is not downloaded). - For i5/OS V5R3, changed "IBM build 1.5.0 (SF99269 L17)" to "JDK 1.5 – (A minimum of Level 17 found in WRKPTFGRP - SF99269 L17)".- For i5/OS V5R4, changed "IBM build 1.5.0_03-b07 (SF99291 L9)" to "JDK 1.5 - (A minimum of Level 9 found in WRKPTFGRP - SF99291 L9)". • Added support for Oracle 10g RAC Release 2. • Changed wording for Windows Server 2003 support so that it focuses on Service Pack (SP) level instead of R1 or R2 level. • Clarified that Microsoft Internet Explorer 5.x or 6.x is supported (and not 7.x).
4/11/2008	<ul style="list-style-type: none"> • Added note that clarifies Sterling Commerce's support for VMware®. • Added support for Windows Server 2003 Standard Edition R2 SP2 and Windows Server 2003 Enterprise Edition R2 SP2.
3/28/2008	Clarified that Gentran Integration Suite runs only on x64/x86-based Red Hat or SUSE Linux servers.
3/14/2008	<ul style="list-style-type: none"> • Added support for Oracle Standard Edition databases, to go along with support for Oracle Enterprise Edition databases.

Date	Change
	<ul style="list-style-type: none"> • Changed support for Oracle 9i databases from “9.2.0.7 non-RAC through version 9.X.X.X” to “9.2.0.7 non-RAC through version 9.2.X.X”.
2/6/2008	<p>Removed UNIX/Linux and Windows platform/database matrices. Replaced this information with separate lists of supported platforms and databases.</p>
2/1/2008	<p>Clarified that Windows Server 2003 Standard Edition R2 and Windows Server 2003 Enterprise Edition R2 are supported at only SP1 level.</p>
1/11/2008	<p>Added special instructions for downloading the AIX and Linux JDK files.</p>
12/17/2007	<ul style="list-style-type: none"> • Added support for Windows Server 2003 Enterprise Edition R1 and Windows Server 2003 Standard Edition R1. • Added note that Sterling Commerce does not provide customer support for problems related to virtual server environments like VMware®.
12/10/2007	<ul style="list-style-type: none"> • Added support for Microsoft SQL Server 2005 Enterprise and Standard Editions on clustered installations of Gentran Integration Suite running on Windows Server 2000 SP4, Windows Server 2003 Enterprise Edition R2, or Windows Server 2003 Standard Edition R2. • Removed reference to support for MySQL database on clustered installations of Gentran Integration Suite running on SUSE Linux Enterprise Server 9. • Clarified UNIX/Linux and Windows JDK Requirements tables about support for 32-bit and 64-bit operating systems, and about support for 32-bit and 64-bit JDKs. • Added table for JCE (Java Cryptography Extension) requirements. • Re-organized content so that users of a particular platform can go more directly to the information that they need. • Removed recommendation that user contact account representative for most up-to-date system requirements. This should lower number of customer calls to account representative. • Changed MySQL database disk space requirements from “1 GB RAM and 2 GB free disk space” to “An additional 1 GB RAM and an additional 2 GB free disk space”.
11/2/2007	<p>Changed all text reading “n/a” or “N/A” to “Not Supported”.</p>
10/17/2007	<ul style="list-style-type: none"> • Removed following line from Database JDBC Driver Requirements table: (UNIX/Linux only) DB2 8.2.3 through version 8.X.X JDBC Type-4 driver version 8.1.4a (internal driver version 1.5.54) • Removed <i>Application Servers Options</i> section. • Changed minimum free hard disk space for UNIX/Linux and Windows Host Systems from 5 to 7 GB. • Added following line to <i>UNIX/Linux Host System</i> section: Download AIX and Linux JDK versions from http://www-130.ibm.com/developerworks/java/ • Updated JDK versions for HP-UX servers from HP-UX JDK Build 1.5.0.06 to HP-UX JDK Build 1.5.0.08. • Updated JDK versions for Red Hat Enterprise Linux Release 3 (64-bit); Red Hat Enterprise Linux Release 4 (64-bit); and SUSE Linux Enterprise Server 9 from Sun JDK 1.5.0_11-b03 to IBM 1.5.0 build pxi32devifx-20070806 (SR5a). • Added support for Microsoft SQL Server 2005.

Date	Change
	<ul style="list-style-type: none"> • Updated JDK versions for i5/OS V5R3 server from IBM build 1.5.0 (SF99269 L13) to IBM build 1.5.0 (SF99269 L17). • Updated JDK versions for i5/OS V5R4 server from IBM build 1.5.0_03-b07 (SF99291 L5) to IBM build 1.5.0_03-b07 (SF99291 L9). • Updated different hardware and software requirements for iSeries. • Added download URL for JDBC drivers for Microsoft SQL Server 2000 and 2005 databases.
9/5/2007	<ul style="list-style-type: none"> • Removed “(non-partitioned only)” qualifier from Solaris 10. • Clarified that Gentran Integration Suite runs on only SPARC-based Solaris servers, and not on x86 (Intel)-based Solaris servers.
8/14/2007	Updated support for Windows Server 2003 from SP1 to R2.
8/13/2007	<p>Updated document with recent updates to Platform 2.0 System Requirements:</p> <ul style="list-style-type: none"> • Aligned system requirements with matrix.properties file by removing Solaris JDK patches 112003-03, 113886-40 and 113887-40 from Solaris 8 JDK requirements, and by removing Solaris JDK patches 113886-40 and 113887-40 from Solaris 9 JDK requirements. • Added support for 32-bit and 64-bit versions of IBM WebSphere 6.1.1.1, 32-bit and 64-bit versions of IBM WebSphere 6.1.1.1, and 64-bit versions of Red Hat Linux. • Changed support for MySQL 5.0.40 database server to just MySQL database server, with no version number.
8/10/2007	Updated iSeries host system requirements for OS/400 V5R3 systems and i5/OS V5R4 systems.
6/12/2007	<p>Added material from Sterling Commerce Platform System Requirements, including:</p> <ul style="list-style-type: none"> • Updated database requirements. • Updated JDK requirements. • Application server options table. • Internet browser/Java plugin table.
3/29/2007	Clarified that both the ES and AS versions of Red Hat Enterprise Linux Release 3 and Red Hat Enterprise Linux Release 4 are supported.
1/24/2007	Added supported/certified database servers for SUSE Linux Enterprise Server 9 in a Gentran Integration Suite cluster.
1/12/2007	<ul style="list-style-type: none"> • Added JDK support for 2007 Daylight Savings Time changes. • Changed Oracle 9.2.0.6 to Oracle 9.2.0.7. • Changed DB2 8.1 fixpack 5 to DB2 8.1 fixpack 10. • Specified JDBC driver requirements for DB2 8.2.3 (UNIX, Linux) • Added JDBC driver requirements for DB2 8.1 Fixpack 5 (UNIX, Linux).
1/02/2007	<p>Updated support information for SQL Server 2000 SP4 Enterprise & Standard for the following operating systems:</p> <ul style="list-style-type: none"> • Red Hat Enterprise Linux ES Release 3 • Red Hat Enterprise Linux AS Release 4 • SUSE Linux Enterprise Server 9

Date	Change
12/13/2006	Added the following database server support information: <ul style="list-style-type: none"> • What database servers are supported by Sterling Commerce. • What database servers are supported by Sterling Commerce and also were tested during the development of Gentran Integration Suite release 4.2.
11/16/2006	Added support for SQL Server 2000 SP4 Enterprise & Standard to the following operating systems: <ul style="list-style-type: none"> • Red Hat Enterprise Linux ES Release 3 • Red Hat Enterprise Linux AS Release 4 • SUSE Linux Enterprise Server 9
10/26/2006	Removed section for zSeries host system, which Sterling Commerce no longer supports.
9/29/2006	Added support for Solaris 10 platform (non-partitioned only).
7/10/2006	Removed AIX 5.1. AIX 5.1 is no longer supported by IBM, as of April 2006.
5/30/2006	Added the following iSeries requirements <ul style="list-style-type: none"> • 5722-AC3 *BASE Crypto Access Provider 128-bit • 5722-CE3 *BASE Client Encryption 128-bit • 5722-XE1 *BASE IBM eServer iSeries Access for Windows
5/30/2006	Added JDBC Driver Requirements.
5/24/2006	Added support for Red Hat Enterprise Linux AS Release 4.
3/31/2006	Added support for i5/OS V5R4 systems.
3/9/2006	<ul style="list-style-type: none"> • Added support for DB2 8.2.3. • In the Perimeter Server Requirements section, updated the JDK version numbers in the example.
11/1/2005	<ul style="list-style-type: none"> • SQL Server is no longer supported for the following cluster OS configurations: <ul style="list-style-type: none"> • - AIX 5.2 • - AIX 5.3 • - HP-UX 11i (11.23) • For the Windows Client, Adobe Acrobat Reader version 6 or later is required. • Added Oracle 10G and Red Hat 3.0. • Changed the following references for clarity: <ul style="list-style-type: none"> • Oracle 9.2.0.6 to Oracle 9i Database Enterprise Release 2 (9.2.0.6) • Oracle 10.1.0.4 to Oracle Database 10g Enterprise Edition Release 1 (10.1.0.4) • Added PTF 5722999/MF37157 to the iSeries V5R3 section. • Added instructions for downloading the most current JVM for Red Hat EL 3.0. • For Red Hat EL 3.0, added clustered DB Oracle 9.2.0.6 and 10.1.0.4. • Updated the PTF information for OS/400 V5R2 and V5R3 Systems. • Changed 'HP-UX Integrity (Itanium. IA64)' to 'HP-UX 11.23 for IA64 (Itanium)'

Date	Change
	<ul style="list-style-type: none">• Changed "Windows Server 2003 Enterprise Edition" to "Windows Server 2003 Enterprise Edition SP1"• Changed "Windows Server 2003 Standard Edition" to "Windows Server 2003 Standard Edition SP1"• In the Red Hat Enterprise section changed build cxia312420-20040626 to build cxia312420-20040626 (32-bit only)• In the SUSE Linux Enterprise Server 9 section changed build cxia312420-20040626 to build cxia312420-20040626 (32-bit only)• In the iSeries section changed 5722-JV1 Option 5 Java Developer Kit 1.3 to 1.4.• Removed SUSE Linux Enterprise Server 8/United Linux 1.0 for Intel.• Removed all references to Oracle 8.1.7.4.• Updated JDK requirements for all Windows OS.• All references to SQLServer 2000 SP3 were changed to SQLServer SP4

Copyright

Licensed Materials - Property of Sterling Commerce

© Copyright Sterling Commerce, an IBM Company 2000, 2011 All Rights Reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by contract with Sterling Commerce

Additional copyright information is located on the Sterling Integrator 5.1 Documentation Library:

<http://www.sterlingcommerce.com/Documentation/SI51/CopyrightPage.htm>

Copyright

© Copyright 2011 Sterling Commerce, Inc. All rights reserved.

Additional copyright information is located on the Sterling Integrator 5.0 Documentation Library:

<http://www.sterlingcommerce.com/Documentation/SI50/CopyrightPage.htm>

Copyright

© Copyright 2011 Sterling Commerce, Inc. All rights reserved.

Additional copyright information is located on the Gentran Integration Suite 4.3 Documentation Library:

<http://www.sterlingcommerce.com/Documentation/GIS43/CopyrightPage.htm>

Index

4.3

- change history 63
- databases 50, 61
- downloading Linux JDK 56
- downloading UNIX/Linux JDKs 55
- iSeries host system 58
- JCE requirements 60
- JDBC driver requirements 61
- JDK requirements (iSeries) 60
- JDK requirements (UNIX/Linux) 51
- JDK requirements (Windows) 58
- JRE requirements 62
- Linux host system 51
- perimeter server 62
- system requirements 47
- UNIX host system 51
- Windows client system 57
- Windows server host system 57

5.0

- change history 44
- databases 41
- downloading AIX JDK 35
- IPv6 Capabilities 28
- iSeries host system 38
- JCE requirements 39
- JDBC driver requirements 41
- JDK requirements (iSeries) 40
- JDK requirements (Windows) 38
- JRE requirements 43
- Linux host system 31
- perimeter server 42
- platforms 24
- system requirements 23
- UNIX host system 31
- Windows client system 37
- Windows server host system 37

5.1

- databases 7, 19
- downloading AIX JDK 14
- IPv6 Capabilities 9
- iSeries host system 17
- JCE requirements 18
- JDBC driver requirements 19
- JDK requirements (iSeries) 18
- JDK requirements (Windows) 16
- JRE requirements 21
- Linux host system 11
- perimeter server 20
- platforms 5
- system requirements 4
- UNIX host system 11
- Windows client system 16
- Windows server host system 16

C

- change history
 - 4.3 63
 - 5.0 44

D

- databases
 - 4.3 50, 61
 - 5.0 41
 - 5.1 7, 19

I

- IPv6 Capabilities
 - 5.0 28
 - 5.1 9
- iSeries host system
 - 4.3 58
 - 5.0 38
 - 5.1 17

J

- JCE requirements
 - 4.3 60
 - 5.0 39
 - 5.1 18
- JDBC driver requirements
 - 4.3 61
 - 5.0 41
 - 5.1 19
- JDK requirements (iSeries)
 - 4.3 60
 - 5.0 40
 - 5.1 18
- JDK requirements (UNIX/Linux)
 - 4.3 51
- JDK requirements (Windows)
 - 4.3 58
 - 5.0 38
 - 5.1 16
- JRE requirements
 - 4.3 62
 - 5.0 43
 - 5.1 21

L

- Linux host system
 - 4.3 51

Linux host system (*continued*)

5.0 31
5.1 11

P

perimeter server

4.3 62
5.0 42
5.1 20

platforms

5.0 24
5.1 5

S

system requirements

4.3 47
5.0 23
5.1 4

U

UNIX host system

4.3 51
5.0 31
5.1 11

W

Windows client system

4.3 57
5.0 37
5.1 16

Windows server host system

4.3 57
5.0 37
5.1 16