

Sterling Business Intelligence

Concepts Guide

Release 9.1



Copyright

This edition applies to the 9.1 Version of IBM® Sterling Business Intelligence and to all subsequent releases and modifications until otherwise indicated in new editions.

Before using this information and the product it supports, read the information in *Notices* on page 14.

Licensed Materials - Property of IBM

IBM® Sterling Business Intelligence

© Copyright IBM Corp. 2009, 2011. All Rights Reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP

Schedule Contract with IBM Corp.

Contents

Overview of IBM Sterling Business Intelligence	5
Intended Audience	5
Business Intelligence Terminology	6
IBM Sterling Business Intelligence Ecosystem	8
IBM Sterling Business Intelligence Dashboards and Reports	9
Time Period	9
Drill-Through Reports	9
Drill-Down and Drill-Up Reports	9
IBM Sterling Business Intelligence Embedded Analytics	10
Advantages of Embedded Analytics	10
Reports Used for Embedded Analytics	11
IBM Cognos Products	13
Notices	14
Trademarks	16
Index	18

Overview of IBM Sterling Business Intelligence

An online transaction processing (OLTP) database is used in IBM® Sterling Selling and Fulfillment Suite. The OLTP database is a relational database and consists of tables, views, aliases, indexes, stored procedures, triggers, events, and so on. This database stores a lot of operational and transactional data. Because there are performance implications in accessing large volumes of data on the transactional system, the OLTP is designed for performance and not for analysis. It is difficult to analyze such voluminous data and take business decisions based on this transactional data.

The *Sterling Selling and Fulfillment Foundation: Business Intelligence Operational Reports Guide* details operational reports that answers questions such as, "When was order 84305 shipped?" This query, for example, reflects the basic mechanics of conducting a business. It involves simple data selection and retrieval of one record (or several related records) identified by a unique order number. This record has a life span in the transactional world. It begins when a customer places the order and ends when the order is shipped and paid for. After this period, the record is archived.

In contrast, a typical series of analytical queries may include, "How do the sales in the Pacific Rim for this quarter compare with sales a year ago? Which products are generating more business? Which are the frequently returned products and why are they returned?" These are not questions about conducting business transactions, but about analyzing past performance and taking decisions that will improve future performance, provide a more competitive edge, and enhance profitability.

Business Intelligence is the capability for gathering, storing, and analyzing data stored in various applications to help customers take intelligent and informed decisions about conducting their business.

The IBM® Sterling Business Intelligence solution helps extract information from the various applications used by an enterprise, analyze the data, and generate business reports with the help of IBM® Cognos® reporting tools. It helps to map and denormalize the transactional and operational data, and provides tactical information.

In the Sterling Business Intelligence solution, an analytic database is designed to provide the information required by decision makers whose ability to set goals is dependent on how well the business performed in the past. Consequently, the IBM® Cognos® Business Intelligence layer is bundled as a part of the IBM® Sterling Selling and Fulfillment Foundation. The Sterling Business Intelligence solution leverages on the Cognos Business Intelligence layer to analyze the data, and generate the dashboards and reports.

Intended Audience

This document provides a high-level overview of the Sterling Business Intelligence solution to all the users.

Business Intelligence Terminology

This topic describes some of the Business Intelligence terminology used in Sterling Business Intelligence solution.

Schema: This is the logical and physical definition of data elements, physical characteristics, and inter-relationships in a database.

Data Warehouse: A data warehouse is a relational database that is designed for query and analysis, rather than for transaction processing. It usually contains historical data derived from the transaction data, and can include data from other sources too. It separates analysis workload from transaction workload, and enables an organization to consolidate data from several sources.

The schema designed for transactional processing is referred as online transaction processing (OLTP). The schema designed for analysis purposes is called online analytical processing (OLAP).

Data Mart: It is also known as local data warehouse. A data mart is a database that has the same characteristics as a data warehouse, but is usually smaller, and is focused on data for one division or one work group within an enterprise. Following are the data mart objects:

- ◆ Dimension Table

This is also known as a lookup table or reference table. It contains relatively static data in a data warehouse, and stores the information that is usually used to satisfy queries. Dimension tables are usually textual and descriptive and can be used as row headers. Examples of dimension tables are Customers and Products.

- ◆ Fact Table

This is a large table in the data warehouse schema that stores business measurements. It typically contains facts and foreign keys to the dimension tables, and usually represents numeric and additive data that can be analyzed and examined. Examples of fact tables include Sales, Cost, and Profit.

- ◆ Aggregate Table

This is also known as a summary table. It contains data that has been summarized up to a certain level of detail for the purpose of improving query performance.

- ◆ Star Schema

This is the simplest data warehouse schema. It is called a star schema because the diagram resembles a star, with points radiating from the center. The center of the star consists of one or more fact tables and the points of the star are the dimension tables. A star schema optimizes performance by keeping queries simple and providing fast response time. All the information pertaining to each level is stored in one row. Star schema allows you to perform an analysis based on the metrics in a fact table by the attributes of the dimensions linked to it. For example, to calculate the total sales of a particular product in a quarter, the corresponding fact table is used to derive data. The product and time dimensions provide the contextual information about the particular product and the quarter.

- ◆ Snow Flake Schema

This is a type of star schema in which the dimension tables are either partly or fully normalized.

◆ ETL

The online analytical processing (OLAP) database should be loaded regularly to perform the task of facilitating business analysis. In order to load the database regularly, data from one or more online transaction processing (OLTP) systems must be extracted and copied into the data warehouse. The process of extracting data from source systems and bringing it into the data warehouse is commonly called ETL, which stands for extraction, transformation, and loading.

◆ Denormalization

The process of flattening the design of a database by adding redundant data or by grouping data is known as denormalization. A relational normalization database imposes a heavy access load on the physical storage of data even if the database is well tuned for optimal performance. In some cases, denormalization helps to resolve these inefficiencies in the relational database.

IBM Sterling Business Intelligence Ecosystem

The Sterling Business Intelligence ecosystem consists of the following:

◆ Sterling Source Database

This database is the source database from where the data is extracted, transformed, and loaded (ETL) into the Sterling Staging Database using the IBM® Cognos® Adaptive Analytics Framework.

◆ Sterling Staging Database

This is the database in which the incremental transaction data that is extracted, transformed, and loaded from the source is stored. The Sterling Staging Database is the source for the data mart database.

◆ Sterling Data Mart Database

The data in this database is dimensionally modeled to be analytics friendly. The Sterling Business Intelligence dashboards and reports are generated from this data using the IBM Cognos Adaptive Analytics Framework.

IBM Sterling Business Intelligence Dashboards and Reports

The Sterling Business Intelligence solution provides various dashboards and reports such as Perfect Order Dashboard, Volume Analysis B2B Dashboard, Order Velocity Dashboard, B2B reports, B2C reports, and so on.

Time Period

All the metrics in the Sterling Business Intelligence solution are associated with a time period. You can select the required time period from a drop-down list and view the reports and dashboards for the selected time period. The various hierarchies associated with the time period are Year, Quarter, Month, and Days.

Drill-Through Reports

The Sterling Business Intelligence solution allows you to drill through the reports and dashboards and view the details at the next level. You can use the drill-through option to view the detailed reports pertaining to those metrics that have the footnote 'Drill Through is Available on Chart', by right-clicking the corresponding metric.

A drill-through report links two reports containing related information. You can access related or more detailed information in one report by selecting a value in the other report. For example, in the Percentage Shipped on Time metric of the Perfect Order Dashboard, you can drill through and view reports pertaining to shipment nodes, channels, and categories.

Drill-Down and Drill-Up Reports

The Sterling Business Intelligence solution allows you to drill down and drill up the reports and dashboards. A drill-down report allows you to drill down to a lower level of the hierarchy, and a drill-up report allows you to drill up to a higher level of the hierarchy. Drilling up and down allows you to view either general or detailed information about your data within a selected category, without having to generate different reports. For example, when you click a bar graph pertaining to a quarter, you can view the report pertaining to the months in that quarter, and when you click the month bar, you can view the report pertaining to the days in that month.

IBM Sterling Business Intelligence Embedded Analytics

The Sterling Business Intelligence application provides embedded analytics to incorporate business intelligence right into applications, such as IBM® Sterling Call Center , IBM® Sterling Field Sales, and Sterling Selling and Fulfillment Foundation. This helps provide intelligence that is more seamless, of a higher quality, and drives the customer's business performance in new ways because it is embedded in the applications.

By incorporating embedded analytics, key performance indicators, and resultant metrics data into the applications, Sterling Business Intelligence enriches Sterling Selling and Fulfillment Suite with the capability to make decisions and take prescribed actions on its own, when specified conditions are met. This helps drive business performance, automate processes, and improve decision making for the customer.

For example, when a sales person creates a particular quote, the application workflow may skip the approval step during processing because the application automatically analyses the product availability, customer's history and credit, and other factors, and "decides" that the quote meets the threshold criteria that allow bypassing approval. This enables sales people to spend less time processing routine orders and helps fulfill the customer's order faster.

Advantages of Embedded Analytics

Embedded analytics provide intelligence that enables Sterling Selling and Fulfillment Suite to respond immediately to challenges in the business environment, helping the customer to make continual improvements in their selling and fulfillment processes.

Embedded analytics provides applications the following types of intelligence:

- ◆ Intelligence ON the Process

Intelligence ON the process enables customers to leverage their data strategically, to identify trends and analyze business performance metrics.

Because the applications use embedded analytics, reports and dashboards are available for customers who want them. A business owner can see a dashboard that tracks overall performance against perfect order metrics like shipment on time and cycle times for shipment, and can drill down into a metric to understand the drivers of success or failure.

- ◆ Intelligence IN the Process

Intelligence IN the process makes changes to a process while it is happening.

Sterling Selling and Fulfillment Suite use embedded analytics to provide tactical analytics in the context of a decision being made by a user on an application screen.

For example, as a field sales person enters a quote for a particular item, a pop-up for that line item provides them with insight into previously successful quote discount percentages for that product category or industry. Front-line employees are thus empowered to make consistently better decisions by providing them with relevant metrics at the appropriate time.

◆ Intelligence DRIVING the Process

Intelligence DRIVING the process uses metrics in a process to automatically trigger decisions or modify the process flow.

Sterling Selling and Fulfillment Suite offer their maximum value to the customer by embedding Intelligence into a process.

For example, applications can automatically reallocate constrained inventory based on priorities such as customer rating to ensure that their “most important customer” receives inventory first. This requires some customization to use the customer rating calculated by Sterling Business Intelligence as the order priority, when allocating items to orders using Item Based Allocation (IBA).

Reports Used for Embedded Analytics

Sterling Business Intelligence provides the following embedded analytics reports for Sterling Selling and Fulfillment Suite:

- ◆ **Customer Appeasement Report:** This report is used to determine the appeasement to be given to a customer. When a customer reports not being satisfied or has a bad experience with any of the services that were provided, the Customer Appeasement report can be analyzed. Depending on the revenue generated by the customer, the user can present them with an option to appease them.

The Customer Appeasement report contains the following metrics:

- ◆ **Total Lifetime Revenue:** This indicates the revenue from a customer till the present date.
- ◆ **Revenue in the last year:** This indicates the revenue from a customer in the last 11 months and the current month.
- ◆ **Average Order Value for Lifetime:** This indicates the total revenue from order lines divided by the number of orders accumulated over lifetime for a customer.

These metrics are compared with metrics for the average customer to provide the report. The value of a metric for the average customer is calculated as the average of the metric for all the customers. For example, the Lifetime Revenue of an average customer is equal to the sum of the lifetime revenue of all the customers divided by the number of customers.

- ◆ **Quote Adviser Report By Category:** This report provides the maximum, minimum, and average discount percentage provided on converted quotes for the item's category, aggregated over the lifetime. This report is provided at the quote line level for a specific Item and UOM that the user selected in the Sterling Call Center and IBM® Sterling Store application.
- ◆ **Quote Adviser Report By Industry:** This report provides the maximum, minimum, and average discount percentage provided on converted quotes for the item's category, within the customer's industry aggregated over the lifetime. This report is provided at the quote line level for a specific Item and UOM that the user selected in the Sterling Call Center and Sterling Store application.
- ◆ **Customer Rating Report:** This report provides the details of all the metrics used when calculating a customer's rating. Sterling Business Intelligence computes rating for the customers based on the data such as customers' past purchase history and credit holds. Based on the rating, Sterling Business Intelligence also determines a grade for each customer.

The Customer Rating report contains the following metrics:

- ◆ **Total Lifetime Revenue:** This indicates the revenue from the customer till the present date.

- ◆ Revenue in the Last Year: This indicates the revenue from the customer in the last 11 months and the current month.
- ◆ Current Orders on Credit Hold: This indicates the number of orders that were on credit hold for the customer in the current quarter.
- ◆ Past One Year Orders on Credit Hold: This indicates the number of orders that were on credit hold for the customer in the last 11 months and the current month.
- ◆ Customer Rating and Grade: This indicates the rating calculated for the customer and the grade of the customer based on the rating. The description of the grade is also provided.

The Total Lifetime Revenue and Revenue in the Last Year metrics are compared with metrics for the average customer to provide the report. The value of a metric for the average customer is calculated as the average of the metric for all the customers. For example, the Lifetime Revenue of an average customer is equal to the sum of the lifetime revenue of all the customers divided by the number of customers for the organization.

IBM Cognos Products

The Sterling Business Intelligence solution leverages on the following IBM Cognos products for generating dashboards and reports.

◆ IBM Cognos 8 Business Intelligence

This is a Web-enabled reporting tool that is used for creating and managing ad hoc reports and scheduled reports. It includes Query Studio and Report Studio. Query Studio enables you to create ad hoc reports through a graphical user interface and save the reports in a variety of formats, such as PDF, Excel, real-time reports, or prompted reports. Report Studio is used to build reports that are maintained, reused, and require a higher level of complexity than a report produced in Query Studio.

◆ IBM[®] Cognos[®] Adaptive Analytics

This is a design tool to create the analytic model for reports. It is an information modeling environment for generating and deploying analytic reports and operational reports for use by customers. Adaptive Analytics makes your job of creating and administering reports faster and simpler.

◆ IBM[®] Cognos[®] Adaptive Warehouse

This is a design tool to construct a data warehouse and create a target model based on which the reports are created.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual

Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
1623-14, Shimotsuruma, Yamato-shi
Kanagawa 242-8502 Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS

FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation

J46A/G4

555 Bailey Avenue

San Jose, CA__95141-1003

U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information is for planning purposes only. The information herein is subject to change before the products described become available. This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are

fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© IBM 2011. Portions of this code are derived from IBM Corp. Sample Programs.

© Copyright IBM Corp. 2011.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "[Copyright and trademark information](http://www.ibm.com/legal/copytrade.shtml)" at www.ibm.com/legal/copytrade.shtml.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates. Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Linear Tape-Open, LTO, the LTO Logo, Ultrium and the Ultrium Logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Connect Control Center®, Connect:Direct®, Connect:Enterprise, Gentran®, Gentran:Basic®, Gentran:Control®, Gentran:Director®, Gentran:Plus®, Gentran:Realtime®, Gentran:Server®, Gentran:Viewpoint®, Sterling Commerce™, Sterling Information Broker®, and Sterling Integrator® are trademarks or registered trademarks of Sterling Commerce, Inc., an IBM Company.

Other company, product, and service names may be trademarks or service marks of others.

Index

D

data warehouse 6
datamart 6
denormalization 7
dimension table 6
drill-down 9
drill-through 9
drill-up 9

E

embedded analytics 10
 advantages 10
 reports 11
ETL 7
 sterling source database 8

F

fact table 6

S

schema 6
star schema 6
summary table 6

T

time period 9