

Sterling Store Associate Mobile



# Properties Guide

*Release 3.2.02*



Sterling Store Associate Mobile



# Properties Guide

*Release 3.2.02*

**Note**

Before using this information and the product it supports, read the information in "Notices" on page 25.

**Copyright**

This edition applies to the 3.2.02 Version of IBM Sterling Store Associate Mobile and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright IBM Corporation 2009, 2012.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Chapter 1. Configuring Properties . . . . 1</b>	<b>Chapter 6. Enabling Different Properties for Individual Processes . . . 15</b>
<b>Chapter 2. Initial Settings for Properties Files . . . . . 3</b>	<b>Chapter 7. Property Files Reference . . 17</b>
<b>Chapter 3. Overriding Properties . . . . 5</b>	Making Changes to Properties . . . . . 17
Using the Property Parameters File (sandbox.cfg) . . . 5	yfs.properties* . . . . . 17
Using the Customer_Overrides.properties File . . . 6	Implementation yfs.properties . . . . . 17
Locating the Property File Name Prefix . . . . 6	Security yfs.properties . . . . . 18
Example 1: Overriding a property from the yfs.properties.in file . . . . . 7	Sterling Store Associate Mobile yfs.properties . . 18
<b>Chapter 4. Properties for LDAP User Authentication . . . . . 9</b>	Sandbox.cfg . . . . . 19
Setting Properties for LDAP-Based Authentication . . 9	Sandbox.cfg Installation Properties . . . . . 19
<b>Chapter 5. Logging Configuration . . . . 11</b>	Sandbox.cfg Internal Properties . . . . . 20
Masking Sensitive Information During Logging	Sandbox.cfg Implementation Properties . . . . . 21
Using log4j . . . . . 11	Sandbox.cfg Multischema Properties . . . . . 21
Using Custom Layout and Filter . . . . . 11	Sandbox.cfg Sterling Application Platform Properties . . . . . 22
Setting Up Regular Expressions. . . . . 12	<b>Notices . . . . . 25</b>
	<b>Index . . . . . 29</b>



---

## Chapter 1. Configuring Properties

Property files contain properties that control the operation of IBM® Sterling Store Associate Mobile. By modifying the values of these properties, you can customize Sterling Store Associate Mobile to suit your business and technical needs.

After installing Sterling Store Associate Mobile, most property and script files do not need any further configuration for basic operation of the system. However, if you want to customize any specific operations—for example, setting a different logging level—you will need to edit (and in some cases, create) certain property or.xml files.

In general, changes to properties are not made in the specific property files themselves; changes are made to the `customer_overrides.properties` file or `sandbox.cfg`.

**Note:**

- Change only the properties included in this appendix. Changes to any other properties are not supported.
- This chapter contains the information required for property configuration to use with LDAP servers, and logging. This property configuration is required during Sterling Store Associate Mobile installation, as described in the *Sterling Store Associate Mobile: Application Guide*.





---

## Chapter 2. Initial Settings for Properties Files

In Sterling Store Associate Mobile, property files are generated when the `<INSTALL_DIR>/bin/setupfiles.sh` (or `setupfiles.cmd`) script is run from the corresponding initial settings files. The initial settings files are shipped with the product and are present in the same `<INSTALL_DIR>/properties` directory.

The `*.in` files contain variable placeholders (parameters) for properties that contain installation- or environment-specific information.

The installer gathers these parameters (either interactively or using a silent installation parameter file) and places this initial configuration information into a special parameters file called `sandbox.cfg`. Using the parameters contained in the `sandbox.cfg`, the `*.in` files are processed by the `setupfiles` script to create the final properties files that are used by the product during runtime.

Do not modify or change any properties in files ending with `.in`, because newer versions or patches of the product will overwrite your changes. Also, do not change a property file that has a corresponding `.in` file because the `setupfiles` script will re-create the properties file again, thus causing you to lose your changes. The following section describes overriding properties.



---

## Chapter 3. Overriding Properties

Even though it is recommended that you do not change property files directly, situations do occur that require property changes. For these situations, use the `customer_overrides.properties` file, `sandbox.cfg` file, and `log4j.custom.xml` file, which are described below.

- `customer_overrides.properties` – If you need to change the value of a property that is not parameterized in the `.in` file(s), you can override that property by adding an entry for it to the `customer_overrides.properties` file. Making changes to this override file instead of individual property files ensures that none of your changes are lost in an upgrade or patch installation, and lets you see most of the overrides in your configuration at a glance, rather than having to check each property file individually. This file is not delivered with the product; you must create it the first time you have a need for it.
- `sandbox.cfg` – Contains name-value parameters that are merged with each `.in` file to create the final properties files. For values that are parameterized in the `.in` files, you can supply that parameter in the `sandbox.cfg` file.
- `log4j.custom.xml` – For changes to logging properties, you create a file called `log4j.custom.xml`. You make changes to basic logging properties in this file. There are additional logging properties in the `yfs.properties.in` file. To make changes to these, you create entries in the `customer_overrides.properties` file.

---

### Using the Property Parameters File (`sandbox.cfg`)

The `<INSTALL_DIR>/properties/sandbox.cfg` file contains name-value parameters that are merged with each `.in` file to create the final properties files. You can examine any `.in` file and if you find a value that is parameterized, you can supply that parameter in the `sandbox.cfg` file. A parameter is contained within the `'&'` and `'&#39;` characters. For example, `yfs.properties_ssa_ext.in` file contains the following property

```
yfs.sam.PADSSServerURL=&URL;
```

The `&URL;` signifies the parameter. If the `sandbox.cfg` contains the entry: `URL=https://<host>:<port>/ssdcs/tokenize`, the resulting `yfs.properties_ssa_ext` file will contain the following property:

```
yfs.sam.PADSSServerURL=https://<host>:<port>/ssdcs/tokenize
```

You can edit the information in the `sandbox.cfg` file at any time to change values that have been created by the installer or to reflect changed setup parameters.

Most of the parameters in the `sandbox.cfg` file and the `.in` files are not used at runtime by the product. Consequently, if you change a parameter in the `sandbox.cfg` file, you must run the `setupfiles` script so that the runtime property files are recreated with the updated values.

See "Property Files Reference", for a list of properties that can be changed and a description of each.

---

## Using the Customer\_Overrides.properties File

The `sandbox.cfg` parameters let you change the properties defined with variables. However, if you need to change the value of a property that is not parameterized in the `.in` file(s), you can override that property by creating a special file called `customer_overrides.properties`.

For each property that you want to override, you must have the following information:

- `PROPERTY_FILE_NAME_PREFIX` - Name used in the `servers.properties` file to reference the actual property file.
- `PROPERTY_NAME` - The name of the property as used in the specified property file.
- `PROPERTY_VALUE` - The value you want to assign to the property.

These values are used to create an entry in `customer_overrides.properties` that looks similar to the following example:

```
PROPERTY_FILE_NAME_PREFIX.PROPERTY_NAME=PROPERTY_VALUE
```

## Locating the Property File Name Prefix

### About this task

To find the `PROPERTY_FILE_NAME_PREFIX` for a property:

### Procedure

1. If you do not know the name of the file containing the property you are overriding, find the file by searching for the property in the `<INSTALL_DIR>/properties` directory. For example, if you want to find the file that contains the `yfs.security.authenticator` property, search the `<INSTALL_DIR>/properties` directory for `yfs.security.authenticator`. In this case, you find the `yfs.properties` file.
2. In the `<INSTALL_DIR>/properties` directory, locate the `servers.properties` file and open it in a text editor.
3. In the `servers.properties` file, find the entry for the property file that you located in step 1. In the example for step 1, you found the `yfs.properties` file. In this case, find an entry for the `yfs.properties` file in the `servers.properties` file.
4. The part of the entry before the equal sign (=) is the prefix that you will use in `customer_overrides.properties`. Make note of it. For example, locate the entry for `yfs.properties` in `servers.properties`:  
`yfs=<INSTALL_DIR>/properties/yfs.properties`  
`yfs` is the prefix for the `yfs.properties` property file.

### Results

**Note:** Extensions for property files are not listed in the `servers.properties` file. For example, `yfs.properties_ssa_ext` is listed as `yfs.properties` in the `servers.properties` file.

## Example 1: Overriding a property from the yfs.properties.in file

### Procedure

1. Check `servers.properties` to find the `PROPERTY_FILE_NAME_PREFIX`. In `servers.properties`, the line for `yfs.properties.in` is:  
`yfs=<INSTALL_DIR>/properties/yfs.properties`  
`yfs` is the `PROPERTY_FILE_NAME_PREFIX`.
2. The `yfs.properties` file contains a property called `yfs.security.authenticator`. For an override entry, the `PROPERTY_NAME` value would be `yfs.security.authenticator`. The entry for `customer_overrides.properties` would be:  
`yfs.yfs.security.authenticator`
3. The default value for `yfs.security.authenticator` is not set. To override this default, you would add the value `<custom class name>` to the entry. The completed override entry for the example is shown below.  
`yfs.yfs.security.authenticator=<custom class name>`

### Results

**Note:** For more information about properties in the `yfs.properties` files that can be changed, see "Property Files Reference".



---

## Chapter 4. Properties for LDAP User Authentication

This section assumes you understand how LDAP servers work. It is also recommended that you read the following documents on LDAP technology:

- W. Yeong, T. Howes, and S. Kille, *RFC 1777 - Lightweight Directory Access Protocol*. March 1995. Available at <http://www.faqs.org/rfcs/rfc1777.html>.
- Mark Wilcox, *Implementing LDAP*. Wrox Press, 1999.

The Application Consoles support LDAP-based user authentication. You may choose to use an LDAP server for authentication. When using LDAP, the users, user groups, and access control must be set up in the Sterling Store Associate Mobile system.

Sterling Store Associate Mobile also supports password expiration through LDAP. Your custom code for user authentication is interfaced with the Sterling Store Associate Mobile authentication mechanism. If your custom code contains `ExpireInDays` with a numeric value of `<X>`, then a message to reset the password appears in the Sterling Store Associate Mobile home page. If the map contains `ChangePasswordLink` then the message contains a link to the location specified. Clicking on the link opens a new window with the given `ChangePasswordLink`.

Since the various implementations of LDAP, handle password expiration differently a sample `YFSLDAPAuthenticator` is modified to provide an example of one particular implementation. This is located in the `<INSTALL_DIR>/xapidocs/code_examples/java` directory.

---

### Setting Properties for LDAP-Based Authentication

#### About this task

To set properties for LDAP-based authentication:

#### Procedure

1. Install the LDAP server (see the installation instructions from your LDAP server vendor).
2. If a JAAS-compliant provider is used, create a JAAS configuration file with the following lines:

```
LDAP
{
  // refer to the JAAS compliant service provider for the login
  module details.
  <Class Name of the Login Module as specified by the Security
  provider> required
  debug=true;
};
```

3. In your `customer_overrides.properties` file, specify the LDAP properties described in the following table.

Property	Description
In the <code>customer_overrides.properties</code> file, specify:	

Property	Description
yfs.yfs.security.authenticator	Develop a new class that implements the <code>com.yantra.yfs.japi.util.YFSAuthenticator</code> interface and set the new classname as value for this property. <b>Note:</b> The Sterling Store Associate Mobile provides a sample <code>com.yantra.yfs.util.YFSLdapAuthenticator</code> class that you can use for reference.
yfs.yfs.security.ldap.factory	If the default implementation is used, this property specifies the LDAP context factory classname as in your LDAP Server configuration. Set this property value to <code>com.sun.jndi.ldap.LdapCtxFactory</code> .
yfs.yfs.security.ldap.url	If the default implementation is used, this property specifies the URL used to access your LDAP Server. For example, <code>yfs.security.ldap.url=ldap://MyServer:800</code> .
yfs.yfs.security.ldap.o	If the default implementation is used, this property specifies the Sterling Store Associate Mobile organization in your LDAP Server configuration.
yfs.yfs.security.ldap.ou	If the default implementation is used, this property specifies the Sterling Store Associate Mobile organizational unit in your LDAP Server configuration.
yfs.yfs.jaas.loginmodule	If using JAAS, set this property value to LDAP.
yfs.yfs.security.authenticator	If using JASS, set this property value to <code>com.yantra.interop.services.security</code> .
WebLogic startWLS startup file	
-Djava.security.auth.login.config	If you are using JAAS and WebLogic, specify the full path to your JAAS configuration file.
In the Applications Manager	
Configure organizations, organization units, and users.	All the users who need to access the Sterling Store Associate Mobile system must be set up under the LDAP server. All Sterling Store Associate Mobile users must belong to the same organizational unit.



---

## Chapter 5. Logging Configuration

Sterling Store Associate Mobile includes basic logging functionality. However, you can change logging parameters, if necessary, to better suit your needs.

**Note:** Before setting up the logging parameters, ensure that you understand the log4j utility. For detailed information about this utility, see <http://jakarta.apache.org/log4j>.

---

### Masking Sensitive Information During Logging Using log4j

You can filter log messages when the log4j utility is used for logging. This helps prevent sensitive information, such as CVV2 codes, from being logged in the verbose log messages. By default, only the value of Secure Authentication Code is masked.

Sterling Store Associate Mobile provides a custom log4j Layout and Filter. The custom Layout will first delegate to a normal PatternLayout to get a formatted message. When the formatted message is received, the custom Layout will filter the results based on a set of configurable regular expressions, before finally returning the fixed string. The custom Filter enables you to match the message against regular expressions and mask the message, if the message matches.

**Note:**

- Filtering applies only to the messages logged using the log framework that is provided, which includes both YFCLogCategory and LogService. Messages logged through other methods, such as direct system.out or other log framework, will not be affected.
- If filtering is enabled, logging will be slower because it results in the execution of one or more regular expressions against every log message. This in turn may have a larger impact with the VERBOSE mode that is enabled for logging.

### Using Custom Layout and Filter

Using the log4j utility, you can modify the log messages in the following places:

- Layout - Forms the actual message
- Appender - Writes the message

Sterling Store Associate Mobile provides a custom layout, SCIFilteredPatternLayout, to handle message modification. You must change the layout class name in your custom logging configuration to SCIFilteredPatternLayout, for example:

```
<layout
class="com.sterlingcommerce.woodstock.util.frame.logex.SCIFilteredPatternLayout">
  <param name="ConversionPattern" value="%d:%-7p:%t: %-60m
[%X{AppUserId}]: %-25c{1}%n"/>
  <param name="FilterSet" value="common-filter"/> <!-- Optional -->
</layout>
```

Sterling Store Associate Mobile provides a custom filter, SCIPatternFilter, to filter out any messages that match certain regular expressions. You must change the filter class name in your custom logging configuration, for example:

```
<filter class="com.sterlingcommerce.woodstock.util.frame.logex.SCIPatternFilter" >
  <param name="FilterSet" value="suppress" /> <!-- Optional -->
</filter>
```

The following example calls an API with the following element in the input XML:

```
<Payment PaymentType="CREDIT_CARD" CreditCardNo="411kdiwbc6fj1111"
SecureAuthenticationCode="1234" MaxChargeLimit="100.00"/>
```

If the log level is set to VERBOSE, then the XML element will be logged as it appears above. Using the Log Filter, the following would be entered instead in the log file:

```
<Payment PaymentType="CREDIT_CARD" CreditCardNo="411kdiwbc6fj1111"
SecureAuthenticationCode="***" MaxChargeLimit="100.00"/>
```

## Setting Up Regular Expressions

Sterling Store Associate Mobile has introduced a property file, `logfilter.properties`, that can be used to set up named sets of regular expressions for both server-side masking and client-side masking of sensitive data. Each property is of the following form:

```
filterset.<name>.pattern.<num>=<pattern>
[optional]filterset.<name>.replace.<num>=<replace>
```

The pattern property is a Java-style regular expression, and defines the regular expression against which you want to match the message string. The replace property is optional, and defines what to replace the expression with. If the replace property is not defined, the default replacement string will be used. This property has no effect during a Filter. If the replacement string is invalid, the framework will catch the exception and print `***INVALID REPLACE VALUE***`. The original unfiltered messages are not logged.

Sterling Store Associate Mobile provides the following properties that enable you to set the default FilterSet parameters for server-side masking:

- `default.filter.filterset=<filter_name>`
- `default.layout.filterset=<layout_name>`

Similarly, Sterling Store Associate Mobile provides the following properties that enable you to set the default FilterSet parameters for client-side masking:

- `default.rcp.filter.filterset=<filter_name>`
- `default.rcp.layout.filterset=<layout_name>`

You can also define a common set of patterns across multiple filter sets, for example:

```
filterset.<name>.includes=<name1>,<name2>,...
```

**Note:** The following sample Log Filter Properties file is included for informational purposes only. You must set these properties in the `customer_overrides.properties` file, rather than editing them in `logfilter.properties.in` directly.

### Sample Configuration for Log Filter Properties

The following sample configuration creates two sets of regular expression patterns, suppress and common-filter, and associates them with the default Filter and Layout configurations:

```

#Setting default Filter and Layout configurations for server-side masking
default.filter.filterset=suppress
default.layout.filterset=common-filter

#Setting default Filter and Layout configurations for client-side masking
#for Rich Client Platform based Applications
default.rcp.filter.filterset=rcp1
default.rcp.layout.filterset=rcp2

#The string "creditcardnumber" is suppressed in the log messages during
#logging. (?i) indicates case-insensitive matching.

filterset.suppress.pattern.2=Password\\s*\\=
#The string pattern "Password =" is suppressed in the log messages during
#logging.

filterset.common-filter.pattern.1=(Password|CVV|CreditCardNo)\\s*=\\s*("[
]).*?\\2
#The string pattern "Password =" is replaced with the string pattern
#mentioned in the replace property during logging.

filterset.common-filter.replace.1=$1=****
#The string pattern "Password =" is replaced with the string pattern
#"Password=*****" during logging.

filterset.suppress.includes=common-filter,<any_other_filter>

```

**Note:**

- An empty pattern will be ignored. The number at the end does not matter, but it must be unique.
- If there is a loop in the dependencies, or if there is a preference to an invalid dependency, an exception is thrown. An exception is also thrown if a pattern is invalid. However, if the `logfilter.properties` file is missing, no exceptions are thrown, and nothing is filtered.



---

## Chapter 6. Enabling Different Properties for Individual Processes

### About this task

It is possible to specify different properties for each process you are running. To do this, you must have a different `servers.properties` and `customer_overrides.properties` file for each process that you are running. In the start scripts for the process, set your `-DvendorFile=<your custom servers.properties>`. In your custom `servers.properties`, change the entry for `customer_overrides.properties` to point to your new `customer_overrides.properties`.



---

## Chapter 7. Property Files Reference

The following property files are described in this topic:

- “yfs.properties\*”
- “Sandbox.cfg” on page 19

**Note:** IBM supports changes to the properties included in this chapter only. Changes to any other properties are not supported.

---

### Making Changes to Properties

Do not directly edit or change the property files covered in this appendix, except `sandbox.cfg`. To make changes to the properties in these files, you must use the `customer_overrides.properties` file or `sandbox.cfg`. IBM does not recommend that you modify or change any properties in files ending with `.in` because newer versions or patches of the product will overwrite your changes. IBM also does not recommend that you change a property file that has a corresponding `.in` file because the `setupfiles` script will re-create the properties file again, thus causing you to lose your changes.

---

### yfs.properties\*

The `yfs.properties*` files contain business-level properties. The properties are grouped in the following categories:

- Implementation
- Security
- Sterling Store Associate Mobile

### Implementation yfs.properties

The following table contains implementation `yfs.properties` and descriptions.

Property	Values	Description
<b>Implementation</b>		
<code>log4j.configuration</code>	<i>&lt;Property Name&gt;</i> Default = <code>/resources/log4jconfig.xml</code>	Property to handle logging. This property points to the location of the log4j configuration xml file. Example: <code>log4j.configuration=/resources/log4jconfig.xml</code>
<code>yfs.logall</code>	Valid values = Y or N Default =N	Setting this property enables and disables verbose logging. Example: <code>yfs.logall=N</code>

## Security yfs.properties

The following table contains the Security yfs.properties and descriptions.

Property	Values	Description
<b>Security</b>		
yfs.security.authenticator	<class name>  Default is not set.	The class that will be invoked for user authentication. Uncomment and change this only if you <u>do not</u> want to use application authentication.  Refer to the javadocs for the YFSAuthenticator interface for information about how to write your own implementation for this class. If you want to use the default implementation for LDAP authentication, uncomment the property and set it to com.yantra.yfs.util.YFSLdapAuthenticator.  Example:  yfs.security.authenticator=
yfs.security.ldap.factory	<class name>	The LDAP context factory classname as specified in your LDAP Server configuration.  Example:  yfs.security.ldap.factory=com.sun.jndi.ldap.LdapCtxFactory
yfs.security.ldap.url	<url>	The URL for accessing your LDAP Server as specified in your LDAP Server configuration.  Example:  yfs.security.ldap.url=ldap://<ldapservername>:<portnum>
yfs.security.ldap.ou	Default is not set.	The value specified for the organizational unit in your LDAP Server configuration.  Example:  yfs.security.ldap.ou=
yfs.security.ldap.o	Default is not set.	The value specified for the organization in your LDAP Server configuration.  Example:  yfs.security.ldap.o=

## Sterling Store Associate Mobile yfs.properties

The following table contains the Sterling Store Associate Mobile yfs.properties and descriptions.

Property	Values	Description
<b>Sterling Store Associate Mobile</b>		
yfs.sam.inventoryView.phone.disable	Valid values = Y or N	If you want your store to accept calls from other store associates, set the value to N. Otherwise, set the value to Y.



Property	Values	Description
yfs.sam.inventoryView.email.disable	Valid values = Y or N	If you want your store to accept e-mails from the store associates, set the value to N. Otherwise, set the value to Y.
yfs.sam.inventoryView.mapView.disable	Valid values = Y or N	If you want to display your store on a map view, set the value to N. Otherwise, set the value to Y.
yfs.sam.inventoryView.pick.disable	Valid values = Y or N	If you want your store to pick orders, set the value to N. Otherwise, set the value to Y
yfs.sam.inventoryView.ship.disable	Valid values = Y or N	If you want your store to ship orders, set the value to N. Otherwise, set the value to Y.
yfs.sam.printer.disable	Valid values = Y or N	If you want to Print your orders, set the value to N. Otherwise, set the value to Y.
yfs.sam.homeView.ItemsUnderPromotion		If you want to add a promotion on the home page, provide the list of comma-separated image filenames.  Example:  yfs.sam.homeView.ItemsUnderPromotion=Item01.png, Item02.png,Item03.png
yfs.sam.PADSSServerURL		Set the URL of your PA-DSS server. https://<host>:<port>/ssdcs/tokenize
yfs.sam.PADSS.disable	Valid values = Y or N	If you want to enable PA-DSS, set the value to N. Otherwise, set the value to Y.
yfs.sam.customer.sla		The service level agreement in minutes to pick the item from the backroom pick. The default value is 30 minutes.
yfs.sam.itemDetailsView.extendedDescriptionCell.disable	Valid values = Y or N	If you want to display the Product Description in the Details screen, set the value to N. Otherwise, set the value to Y.
yfs.sam.itemDetailsView.specificationsCell.disable	Valid values = Y or N	If you want to display the Specifications in the Details screen, set the value to N. Otherwise, set the value to Y.
yfs.sam.itemDetailsView.savingsCell.disable	Valid values = Y or N	If you want to display the Savings in the Details screen, set the value to N. Otherwise, set the value to Y.
yfs.sam.itemDetailsView.itemSuggestionsCell.disable	Valid values = Y or N	If you want to display Suggestions in the Details screen, set the value to N. Otherwise, set the value to Y.

---

## Sandbox.cfg

Sandbox.cfg contains properties related to system information.

**Note:** The sandbox.cfg file is not used at runtime by the product. If you change a parameter in the sandbox.cfg file at any time, you must run the setupfiles script so that the runtime property files are re-created with the updated values.

## Sandbox.cfg Installation Properties

The following are sandbox.cfg Installation properties and descriptions.

**Property**  
**Description**

**Installation**

**APP\_DCL\_FILE**

Set the dynamic classpath of the installation to SSADynamicclasspath.cfg.

**ADDITIONAL\_ANT\_COMPILER\_TASK\_ARGS**

During installation, you can pass initial and maximum JVM-specific arguments to avoid out-of-memory errors.

Example:

ADDITIONAL\_ANT\_COMPILER\_TASK\_ARGS=-J-Xms1024m -J-Xmx1536m

**JVM\_LOC**

Source of downloaded JDK files, external to Sterling Store Associate Mobile application files.

Example: <jdk\_dir>

**JAVA\_HOME**

Points to the location of the Java SDK that is used for the installation. This location can be the directory with the downloaded JDK files (JVM\_LOC) or it can be the Sterling Store Associate Mobile directory to which they have been copied during installation.

Example: <jdk\_dir> or <INSTALL\_DIR>/jdk

## Sandbox.cfg Internal Properties

The following table contains sandbox.cfg Internal properties and descriptions.

Property	Description
<b>Internal</b>	
DB_VENDOR	Required. The DB vendor to use. Valid values are NODB.
INSTALL_DIR	Required. Directory in which to install.
PLATFORM_AFC_BUILD_NUMBER	It is recommended that you do not change this value. Example: 6000
PLATFORM_AFC_LIC_PROD_VERSION	It is recommended that you do not change this value. Example: 6.0
PLATFORM_AFC_PRODUCT_LABEL	It is recommended that you do not change this value. Example: platform_afc
SI_LICENSE_AVAILABLE	Indicator of if a license is being passed in and is required for installation. Valid values are Yes or No (default).

Property	Description
NOAPP_HOME	These properties should only be changed as a group.
CLASS_DIR	
HOME_DIR	
VENDORS_DIR	
DEPLOYED_APP_DIR	
BIN_DIR	
APPBEANS_DIR	
SVC_DIR	
DIST_DIR	

## Sandbox.cfg Implementation Properties

The following are the sandbox.cfg Implementation properties and descriptions.

### Property

### Description

### Implementation

These are properties that can be changed after installation.

### LOG\_DIR

Use to override the logging directory. For example, if you want to deploy the ear on another server you could set the parameter to a new value, run setupfiles, then build the ear. The application would then log to the directory you mentioned.

### MAX\_MEMORY

The maximum amount of memory.

Example: 512

### NO\_DBVERIFY

Valid values are true or false. When set to true during installation and install service, dbverify will not be run. This means that Sterling Store Associate Mobile will not generate DDL to make the database like the XML entity repository.

### REINIT\_DB

Whether Sterling Store Associate Mobile should initialize the database or not. Valid values are Yes (default) or No.

## Sandbox.cfg Multischema Properties

The following are sandbox.cfg Multischema properties and descriptions.

### Property

### Description

### Multischema

### STERLING\_FOUNDATION\_PRODUCT\_LABEL

(Required) Specifies the product label.

Example: STERLING\_FOUNDATION\_PRODUCT\_LABEL = IBM Sterling Store Associate Mobile

#### **STERLING\_FOUNDATION\_PRODUCT\_VERSION**

(Required) Specifies the product version you are installing.

Example: STERLING\_FOUNDATION\_PRODUCT\_VERSION = 3.2.02

## **Sandbox.cfg Sterling Application Platform Properties**

The following are sandbox.cfg Sterling Application Platform properties.

### **Property**

### **Description**

### **Application Platform**

#### **ANT\_DIR**

Contains the ant binaries used in the java deployer and other deployment and build scripts.

Example: *install\_dir/ant*

#### **ANT\_VER**

The version of the ant released with an application. It is recommended that you do not change this value.

Example: 1\_6\_5

#### **DOC\_DIR**

The root directory for the XAPI documentation. This is exported in the tmp.sh command.

Example: *install\_dir*

#### **JAR\_DIR**

Directory used by install and install3rdParty to store 3rd party software jar files (referenced by the dynamic class loader and tmp.sh for the java classpath).

Example: *install\_dir/jar*

#### **JAVADOC\_COPYRIGHT\_INFO\_LABEL**

It is recommended that you do not change this value.

Example: "Copyright IBM Corporation 1999, 2011."

#### **JAVADOC\_PRODUCT\_LABEL**

It is recommended that you do not change this value.

Example: Platform\_Javadocs.

#### **JDK64BIT**

Specifies whether you're using a 32-bit JDK or a 64-bit JDK. This setting is important for interactive password libraries and other operating system tie-ins. These are non-Java libraries.

Default: true (indicates 64-bit JDK)

Example: false (indicates 32-bit JDK)

#### **LIC\_PROD\_VERSION**

Product version (not build version). It is recommended that you do not change this value.

Example: 2.0

**PROP\_DIR**

Path to the properties subdirectory for the an application installation.

Example: *install\_dir/properties*

**SYSTEMP\_DIR**

Derived from the `INSTALL_DIR` property, which is the user-specified root of the directory structure for an application on the file system. This is the location where temporary files are used.

Example: *install\_dir/tmp*

**XALAN\_VER**

Used to specify which version of the Xalan jars is being used. When there are multiple JDKs, different versions of these jars are required. It is recommended that you do not change this value.

Example: *2\_5\_2*

**XERCES\_VER**

Used to specify which version of the Xerces jars is being used. When there are multiple JDKs, different versions of these jars are required. It is recommended that you do not change this value.

Example: *2\_6\_0*



---

## Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing*

*IBM Corporation*

*North Castle Drive*

*Armonk, NY 10504-1785*

*U.S.A.*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing*

*Legal and Intellectual Property Law*

*IBM Japan Ltd.*

*1623-14, Shimotsuruma, Yamato-shi*

*Kanagawa 242-8502 Japan*

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:**

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be

incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Corporation*

*J46A/G4*

*555 Bailey Avenue*

*San Jose, CA 95141-1003*

*U.S.A.*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.



This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© IBM 2012. Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. 2012.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

#### **Trademarks**

IBM, the IBM logo, and [ibm.com](http://www.ibm.com)<sup>®</sup> are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Linear Tape-Open, LTO, the LTO Logo, Ultrium and the Ultrium Logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Connect Control Center<sup>®</sup>, Connect:Direct<sup>®</sup>, Connect:Enterprise<sup>®</sup>, Gentran<sup>®</sup>, Gentran<sup>®</sup>:Basic<sup>®</sup>, Gentran:Control<sup>®</sup>, Gentran:Director<sup>®</sup>, Gentran:Plus<sup>®</sup>, Gentran:Realtime<sup>®</sup>, Gentran:Server<sup>®</sup>, Gentran:Viewpoint<sup>®</sup>, Sterling Commerce<sup>™</sup>, Sterling Information Broker<sup>®</sup>, and Sterling Integrator<sup>®</sup> are trademarks or registered trademarks of Sterling Commerce<sup>™</sup>, Inc., an IBM Company.

Other company, product, and service names may be trademarks or service marks of others.

---

# Index

## A

Applications Manager 10

## L

LDAP user authentication 9  
    assumption 9  
    for application consoles 9  
    modifying weblogic startup file 10  
    modifying yfs.properties  
        customer\_overrides.properties 9  
password expiration 9  
    change password link 9  
    expire in days 9  
    properties 9  
log files  
    setting up 11  
logging  
    masking sensitive information using  
        log4j utility 11

## M

masking sensitive information during  
    logging 11

## P

password expiration 9

## S

setting up Sterling Store Associate  
    Mobile 1







Printed in USA