



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

|  |   |   |     |
|--|---|---|-----|
| 1. SCOPE .....   | 4 | 6.2 STRUCTURE OF JAPANESE DBCS-HOST .....   | 10  |
| 1.1 ABSTRACT .....                                     | 4 | 6.3 STRUCTURE OF JAPANESE DBCS-PC .....   | 12  |
| 1.2 OBJECTIVE.....                                     | 4 | 7. CODE TRANSLATION CORRESPONDENCE.....   | 13  |
| 1.3 APPLICATION .....                                  | 4 | 7.1 CODE TRANSLATION CORRESPONDENCE OF KANJI<br>AND NON-KANJI CHARACTERS.....                   | 13  |
| 1.4 EFFECTIVE DATE .....                               | 4 | 7.1.1 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-PC</i> .....                       | 13  |
| 2. DOCUMENT ADMINISTRATION.....                        | 4 | 7.1.2 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-PC</i> (New JIS<br>Sequence) ..... | 13  |
| 2.1 ORIGINATING AREA AND RESPONSIBILITY .....          | 4 | 7.1.3 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-EUC</i> .....                      | 13  |
| 2.2 AUTHORIZATION .....                                | 4 | 7.1.4 Between <i>DBCS-PC</i> and <i>DBCS-EUC</i> .....  | 13  |
| 2.3 COMPLIANCE.....                                    | 4 | 7.1.5 Between <i>DBCS-PC</i> and <i>DBCS-PC</i> (New JIS Sequence) .....                        | 13  |
| 3. RELATED DOCUMENTS .....                             | 4 | 7.2 CODE TRANSLATION CORRESPONDENCE OF USER<br>DEFINABLE CHARACTERS .....                       | 13  |
| 3.1 SUPERSEDED DOCUMENTS .....                         | 4 | 7.2.1 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-PC</i> .....                       | 13  |
| 3.2 REFERENCED EXTERNAL DOCUMENTS.....                 | 4 | 7.2.2 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-PC</i> (New JIS<br>Sequence) ..... | 13  |
| 3.3 REFERENCED IBM DOCUMENTS .....                     | 5 | 7.2.3 Between <i>DBCS-Host</i> (CS65535/CP00300) and <i>DBCS-EUC</i> .....                      | 13  |
| 3.4 COPYRIGHT PERMISSION .....                         | 5 | 7.2.4 Between <i>DBCS-PC</i> and <i>DBCS-EUC</i> .....  | 13  |
| 4. EXTERNAL STANDARDS .....                            | 5 | 7.2.5 Between <i>DBCS-PC</i> and <i>DBCS-PC</i> (New JIS Sequence) .....                        | 14  |
| 4.1 ISO STANDARD .....                                 | 5 | 8. <i>DBCS-HOST</i> SPECIFICATION.....  | 14  |
| 4.2 THE JAPANESE INDUSTRIAL STANDARD.....              | 5 | 8.1 FORMAT OF DBCS-HOST SPECIFICATION TABLES  | 14  |
| 4.3 MICROSOFT WINDOWS JAPANESE UNICODE<br>SUBSET ..... | 6 | 8.2 NON-KANJI SET .....   | 15  |
| 4.4 RELATION OF IBM, JIS AND ISO 10646 .....           | 6 | 8.3 BASIC KANJI SET.....  | 27  |
| 4.4.1 Character Coverage .....                         | 6 | 8.4 EXTENDED KANJI SET .....  | 81  |
| 4.4.2 Code Scheme.....                                 | 6 | 8.5 NEW EXTENDED NON-KANJI SET.....   | 140 |
| 5. SPECIFICATION OF CHARACTER REPERTOIRE<br>.....      | 7 | 8.6 NEW EXTENDED KANJI SET .....  | 177 |
| 5.1 IDENTIFICATION OF GRAPHIC CHARACTERS .....         | 7 | 9. <i>DBCS-PC</i> SPECIFICATION .....   | 286 |
| 5.2 ALGORITHM OF GCGID.....                            | 7 | 9.1 FORMAT OF DBCS-PC SPECIFICATION TABLES  | 286 |
| 6. CHARACTER SETS AND CODE PAGES .....                 | 7 | 9.2 NON-KANJI SET.....  | 286 |
| 6.1 REGISTRATION OF GCSGID AND CPGID .....             | 7 | 9.3 LEVEL 1 KANJI SET .....   | 295 |
|  |   | 9.4 LEVEL 2 KANJI SET .....   | 345 |
|  |   | 9.5 IBM-SELECTED NON-KANJI SET.....   | 402 |
|  |   | 9.6 IBM-SELECTED KANJI SET .....  | 403 |
|  |   | 10. DEFINITION OF TERMS.....  | 410 |
|  |   | 10.1 PRODUCT.....   | 410 |



# IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

|   |     |   |            |
|---|-----|---|------------|
| 10.2 GRAPHIC CHARACTER.....   | 410 | 10.25 DBCS-PC.....  | 410        |
| 10.3 USER DEFINABLE CHARACTER.....                                    | 410 | 10.26 WARD.....   | 411        |
| 10.4 UNIVERSAL MULTIPLE-OCTET CODED<br>CHARACTER SET (UCS).....       | 410 | <b>11. HISTORY OF JIS CODED CHARACTER SET<br/>STANDARDS.....</b>  | <b>411</b> |
| 10.5 GRAPHIC CHARACTER GLOBAL IDENTIFIER<br>(GCGID).....              | 410 | 11.1 JIS C 6226-1978.....   | 411        |
| 10.6 GRAPHIC CHARACTER UCS IDENTIFIER (GCUID)<br>410                  |     | 11.2 JIS X 0208-1983.....   | 411        |
| 10.7 GRAPHIC CHARACTER SET.....                                       | 410 | 11.3 JIS X 0208-1990.....   | 411        |
| 10.8 BYTE.....  | 410 | 11.4 JIS X 0208-1997.....   | 411        |
| 10.9 GRAPHIC CHARACTER SET GLOBAL IDENTIFIER<br>(GCSGID).....         | 410 | 11.5 JIS X 0212-1990.....   | 411        |
| 10.10 CODE.....   | 410 | 11.6 JIS X 0221-1995.....   | 411        |
| 10.11 CODE POINT.....   | 410 | 11.7 JIS X0213-2000.....  | 411        |
| 10.12 CODE PAGE.....  | 410 | <b>12. DIFFERENCE FROM THE FORMER<br/>SPECIFICATION.....</b>      | <b>411</b> |
| 10.13 REGISTERED CODE PAGE.....                                       | 410 | 12.1 DIFFERENCE FROM THE REVISION 89-08 TO<br>REVISION 92-11..... | 411        |
| 10.14 UNRESTRICTED CODE PAGE.....                                     | 410 | 12.1.1 Addition of 2 characters.....                              | 411        |
| 10.15 CODE PAGE GLOBAL IDENTIFIER (CPGID).....                        | 410 | 12.1.2 Correction of GCGIDs.....                                  | 411        |
| 10.16 CODED GRAPHIC CHARACTER.....                                    | 410 | 12.1.3 Changes of Graphic Images.....                             | 411        |
| 10.17 CODED GRAPHIC CHARACTER SET.....                                | 410 | 12.2 DIFFERENCE FROM THE REVISION 92-11 TO<br>REVISION 99-03..... | 412        |
| 10.18 REGISTERED CODED GRAPHIC CHARACTER SET<br>410                   |     | 12.3 DIFFERENCE FROM THE REVISION 99-03 TO THIS<br>REVISION.....  | 413        |
| 10.19 CODED GRAPHIC CHARACTER SET GLOBAL<br>IDENTIFIER (CGCSGID)..... | 410 | 12.3.1 New characters added.....                                  | 413        |
| 10.20 EBCDIC.....   | 410 | 12.3.2 New CGCSGIDs (GCSGIDs and CPGIDs) added.....               | 414        |
| 10.21 PC CODE.....  | 410 | 12.3.3 Other specifications added.....                            | 414        |
| 10.22 SBCS.....   | 410 | <b>13. GRAPHIC CHARACTER REPRESENTATION</b>                       | <b>414</b> |
| 10.23 DBCS.....   | 410 | 13.1 CHANGE FROM THE REVISION 92-11 TO REVISION<br>99-03.....     | 414        |
| 10.24 DBCS-HOST.....  | 410 | 13.2 CHANGE FROM THE REVISION 99-03 TO THIS<br>REVISION.....      | 415        |

**TABLE 1.** REGISTRATION OF GCSGID AND CPGID FOR THE  
IBM JAPANESE *GRAPHIC CHARACTER SET*..... 7

**TABLE 2.** STRUCTURE OF JAPANESE *DBCS-Host*..... 10

**TABLE 3.** STRUCTURE OF JAPANESE *DBCS-PC*..... 12

**TABLE 4.** FORMAT OF *DBCS-Host* SPECIFICATION TABLES..... 14

**TABLE 5.** NON-KANJI SET, DBCS-HOST..... 15

**TABLE 6.** BASIC KANJI SET, DBCS-HOST..... 27

**TABLE 7.** EXTENDED KANJI SET, DBCS-HOST..... 81



---

**IBM Japanese Graphic Character Set, Kanji**  
DBCS – Host and DBCS - PC

---

|  |            |
|--|------------|
| TABLE 8. NEW EXTENDED NON-KANJI SET .....  | 140        |
| TABLE 9. NEW EXTENDED KANJI SET – PART 1 .....   | 177        |
| TABLE 10. NEW EXTENDED KANJI SET – PART 2 .....  | 193        |
| TABLE 11. LEVEL 1 KANJI SET, DBCS-PC .....   | 295        |
| TABLE 12. LEVEL 2 KANJI SET, DBCS-PC .....   | 345        |
| TABLE 13. IBM-SELECTED NON-KANJI SET, DBCS-PC<br>.....                                 | 402        |
| TABLE 14. IBM-SELECTED KANJI SET, DBCS-PC..  | 403        |
| TABLE 15. 2 CHARACTERS ADDED ON 92-11 REVISION<br>.....                                | 411        |
| TABLE 16. 2 CHARACTERS WHICH GCGIDS WERE<br>CORRECTED.....                             | 411        |
| TABLE 17. 14 SEIREI CHARACTERS .....   | 412        |
| TABLE 18. 61 NEC SELECTED CHARACTERS.....  | 412        |
| TABLE 19. 3 NON-KANJI IN HALFWIDTH/FULLWIDTH<br>FORMS.....                             | 413        |
| <b>TABLE 20. 8 KANJI WILL BE ADDED IN JIS X0213 FOR<br/>HYOGAI-KANJI.....</b>          | <b>413</b> |
| TABLE 21. GCSGIDS AND CPGIDS NEWLY ADDED .   | 414        |
| TABLE 22. SAMPLE HEISEI GRAPHIC IMAGES .....   | 414        |
| <b>TABLE 23. SAMPLE GLYPH REPRESENTATION CHANGE<br/>FOR HYOGAI KANJI JITAIHYO.....</b> | <b>415</b> |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### Introduction

#### 1. Scope

##### 1.1 Abstract

This document is a registry of the IBM Japanese *Graphic Character Set*, in which the following are set forth:

- The repertoire of the IBM Japanese *Graphic Character Sets* is specified.
- Each graphic character of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)* or *Graphic Character UCS Identifier (GCUID)*.
- *Graphic character sets*, which are the subsets of the repertoire are specified and identified by *Graphic Character Set Global IDs (GCSGID)*.
- Two *code pages*, *DBCS-Host* and *DBCS-PC* for the *graphic character sets* are specified and identified by *Code Page Global IDs (CPGID)*.
- *Code translation correspondence* between *DBCS-Host* and *DBCS-PC* are specified.

##### 1.2 Objective

The objectives of this document are:

- 1) To make available to all developers supporting Japanese the specification of the Japanese *graphic character sets* and *code pages*.
- 2) To ensure consistent implementation of the Japanese *DBCS Graphic Character Sets* and *code pages* and the *code correspondence* between *DBCS-Host* and *DBCS-PC*.

Note: This document is one of a set of documents defined in C-S 3-3220-019, Coded Character Sets Implementation. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.

Terms in italics (except in headings) are defined in the Supplementary Information section.

X'nn' or X'nnnn' represents a hexadecimal notation.

##### 1.3 Application

This specification is applicable to all IBM *products* which implement the IBM Japanese *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

##### 1.4 Effective Date

This document takes effect with its publication.

#### 2. Document Administration

##### 2.1 Originating Area and Responsibility

This document is maintained by the Standards Project Authority (SPA) for:

**SIRS Code:** 029 (Double-Byte Character Set (DBCS))  
**Location Code:** 93K (Yamato)  
**Division:** AP  
**SCRL Group:** None  
**Page Count:** 418

##### 2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

##### 2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

#### 3. Related Documents

##### 3.1 Superseded Documents

C-H 3-3220-024 dated 1999-03.

**Note:** For changes from the previous edition, see Section 12.3 "Difference from the revision 99-03 to this revision."

##### 3.2 Referenced External Documents

###### ISO 646

*Information technology - ISO 7-bit coded character set for information interchange*

###### ISO/IEC 10646-1

*Information technology - Universal Multiple-Octet Coded Character Set (UCS) – Part 1: Architecture and Basic Multilingual Plane*

###### ISO/IEC 10646-2

*Information technology - Universal Multiple-Octet Coded Character Set (UCS) – Part 2: Supplementary Planes*

###### JIS X 0208



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

*Code of the Japanese Graphic Character Set for Information Interchange*

**C-S 3-3220-019**

*Coded Character Sets, Implementation*

### JIS X 0201

*7-bit and 8-bit coded character sets for information interchange*

**C-H 3-3220-050**

*REGISTRY, Graphic Character Sets and Code Pages*

### JIS X 0212

*Code of the Supplemental Japanese Graphic Character Set for Information Interchange*

**C-H 3-3220-055**

*Graphic Character Identification System*

### JIS X 0213

*7-bit and 8-bit double byte coded extended KANJI sets for Information Interchange*

**C-S 3-3220-102**

*Double-Byte Character Set (DBCS)*

### JIS X 0221

*Information technology - Universal Multiple-Octet Coded Character Set (UCS)*

**C-H 3-3220-127**

*IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC*

### 3.3 Referenced IBM Documents

**C-S 3-3220-002**

*Extended BCD Interchange Code (EBCDIC)*

**C-H 3-3220-133**

*IBM Japanese Graphic Character Set, Kanji, for Open Environment DBCS-PC (New JIS Sequence)*

### 3.4 Copyright Permission

Not applicable.

## Requirements

### 4. External Standards

#### 4.1 ISO Standard

- ISO/IEC 10646-1, ("ISO 10646-1" hereinafter) specifies the *Universal Multiple-Octet Coded Character Set (UCS)*. It is applicable to the representation, transmission, interchange, processing, storage, input and presentation of the written form of the language of the world as well as additional symbols. It contains 20,902 CJK unified ideographs on ISO 10646-1:1993. On ISO/IEC 10646-1:2000 which is the revised version on 2000, all amendments published after ISO/IEC 10646-1:1993 such as CJK unified ideographs Extension-A were incorporated.
- As of June of 2002, two amendments are proposed to ISO 10646-1:2000. Amendment-1 defines several symbols and CJK Compatibility Ideograph Characters for JIS X 0213 characters and it has been approved.
- ISO/IEC 10646-2:2001 defines the character set on UCS supplementary planes. CJK unified ideograph Extension-B is defined on supplementary ideographic plane which is the plane 02 of group 00.

#### 4.2 The Japanese Industrial Standard

- JIS X 0208-1997, *Code of the Japanese Graphic Character Set for Information Interchange* defines total

6,879 characters, 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters and 524 non-Kanji characters based on the JIS 7-bits *code* scheme.

- JIS X 0212-1990, *Code of the Japanese Graphic Character Set for Information Interchange* defines total 6,067 characters, 5,801 Kanji characters and 266 non-Kanji characters based on the JIS 7-bits *code* scheme.
- JIS X 0221-1995 (JIS for ISO 10646-1), Japanese translation of ISO 10646-1:1993 defines all the character sets supported by both JIS X 0208 and JIS X 0212. Moreover, JIS X 0221-1995 defines the seven Japanese Sub-repertoires. The content and number of characters for each Sub-repertoire are as follows:
  - Sub-repertoire (1): 6,884 characters **BASIC JAPANESE**

The characters specified in JIS X 0201-1976 and JIS X 0208-1990.
  - Sub-repertoire (2): 1,913 characters **JAPANESE NON-IDEOGRAPHIC SUPPLEMENT**

This set comprises all non-ideographic characters of JIS X 0212-1990 plus newly added characters in JIS X 0221-1995 that are supplemental symbols used in Japanese publications, and are in Annex 1 of JIS X 0221-1995.



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

- Sub-repertoire (3): 918 characters **JAPANESE IDEOGRAPHICS SUPPLEMENT 1**

This set comprises Kanji characters specified in JIS X 0212-1990 that are frequently used, and are in Annex 1 of JIS X 0221-1995.

- Sub-repertoire (4): 4,883 characters **JAPANESE IDEOGRAPHICS SUPPLEMENT 2**

This set comprises all the Kanji characters specified in JIS X 0212-1990 that do not belong to the Japanese Sub-repertoire (3) of JIS X 0221-1995.

- Sub-repertoire (5): 8,746 characters **JAPANESE IDEOGRAPHICS SUPPLEMENT 3**

This set comprises Kanji characters which are not defined in J column of the CJK Unified Ideographs block in JIS X 0221.

- Sub-repertoire (6): 94 characters **FULL-WIDTH ALPHANUMERIC**

This set comprises the full-width alphanumeric characters, and are in Table 4 in Annex 1 of JIS X 0221-1995.

- Sub-repertoire (7): 63 characters **HALF-WIDTH KATAKANA**

This set comprises the half-width Katakana characters, and are in Table 5 in Annex 1 of JIS X 0221-1995.

- JIS X 0213-2000, 7-bit and 8-bit double *byte* coded extended KANJI sets for Information Interchange defines total 11,223 characters, 10,040 Kanji characters (including JIS X0208 6,355 Kanji characters) and 1,183 non-Kanji characters (including JIS X0208 524 non-Kanji characters) based on the JIS 7-bits *code* scheme.

### 4.3 Microsoft Windows Japanese Unicode Subset

103 Japanese non-Kanji characters are enhanced by Microsoft Windows Japanese Unicode Subset in addition to all the Japanese Sub-repertoires except for Sub-repertoire (5) in JIS X 0221.

### 4.4 Relation of IBM, JIS and ISO 10646

#### 4.4.1 Character Coverage

As for characters of PC, the IBM Japanese *Graphic Character Set* defines total 7,265 coded *graphic characters* and it is a superset of JIS X 0208.

As for characters of Host *code*, it supports five Japanese Sub-repertoires except for Sub-repertoire (5) and (7), which means that includes Microsoft Windows Japanese Unicode Subset.

Moreover, it supports the following character sets in addition to the five Japanese Sub-repertoires:

- 103 Japanese non-Kanji characters enhanced by Microsoft Windows
- 31 non-Kanji subset characters including euro currency sign proposed by the draft version of JIS X 0213\*
- 81 Kanji characters defined in IBM selected characters
- 169 non-Kanji subset characters defined in JIS X0213.
- 897 Kanji characters defined in JIS X0213.

DBCS-Host contains all of JIS X 0208-1997, JIS X 0212-1990 and JIS X0213 characters.

Also, 8 Kanji characters that will be extended in the next revision of JIS X0213 are added. (Refer to Kanji characters with double asterisks on Graphic column of Table 9 or Kanji characters with asterisk on Graphic column of Table 21 in “Supplementary Information” part.) This JIS revision is to conform “HYOGAI KANJI JITAIHYO” which guides the standard kanji forms for printing. Then, totally it defines 15,897 *coded graphic characters*.

#### Note:

- \* : Some of these characters once defined on the draft version of JIS X0213 as of March in 1999 had been dropped from the final version of JIS X0213 published in January of 2000.

All of JIS X0208 and JIS X0212 characters are defined in ISO 10646-1. For JIS X0213 characters including 8 Kanji characters to be extended in the future, most of them are defined on ISO 10646-1, and 302 Kanji characters are defined on ISO 10646-2. This means DBCS-Host characters defined on this revision have corresponding code points on ISO 10646-1 and ISO 10646-2 except 25 JIS X0213 symbols which are represented by composite sequence on ISO 10646.

#### 4.4.2 Code Scheme

The *code* schemes for the IBM Japanese *Graphic Character Set* are *DBCS-Host* and *DBCS-PC*, which are defined C-S 3-3220-102 and independent of the *code* scheme of JIS X 0208-1997, JIS X 0212-1990, JIS X 0221-1995 and JIS X0213-2000.



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 5. Specification of Character Repertoire

#### 5.1 Identification of Graphic Characters

This document specifies the repertoire of the Japanese *graphic character sets*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global ID (GCGID)* and *Graphic Character UCS Identifier (GCUID)*.

In Japanese *graphic character sets*, GCGIDs for Kanji take the form 'Izzz0080', and those for *user definable characters* take the form 'Xzzz0080', following the specification of C-H 3-3220-055. GCGIDs of non-Kanji *graphic characters* refer to those registered in C-H 3-3220-055.

The GCUID format is for defining additional characters and sets of characters that (mostly) exist in UCS-4 and need to be used on IBM *code pages*. The format allows all current and future characters from UCS-2 and at least the first sixteen additional planes from UCS-4 to be described. It also allows glyph variants not defined in UCS to be defined as well as allowing for the glyph variants of the unified Han area of UCS-2.

For those characters that exist in ISO 10646, the *graphic character* descriptive name specified in that standard is used as a description for the GCUID.

GCUIDs take the form C G PP RR CE, following the specification of C-H 3-3220-055.

- The C field contains “U” to indicate that this is a GCUID.
- The G field is used to specify glyph variants. In GCUID on this specification, this field is always “0”.
- The PP field specifies the UCS-4 plane. This standard contains the characters from UCS-2 (PP=00) and second plane of the first sixteen planes (PP=02).
- The RR field represents UCS row, and the CE field represents the UCS character cell.
- For characters not defined in UCS, the PP field specifies the private use planes allocated by IBM registration.

For some composed characters in this specification, U0FCyyyy is allocated. Note “yyyy” is four hex digit which is allocated by C-H 3-3220-055.

#### 5.2 Algorithm of GCGID

zzz value for 'Izzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *codes* starting with the first *code point* of *EBCDIC code* range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The resulting value will be a three digit value.

### 6. Character Sets and Code Pages

#### 6.1 Registration of GCSGID and CPGID

This specification registers subsets of the IBM Japanese *Graphic Character Set* and identifies them by *Graphic Character Set Global Identifier (GCSGID)*.

It also specifies relevant *code pages* for those registered *graphic character set*; *DBCS-Host*; and *DBCS-PC*, and identifies them by *Code Page Global Identifier (CPGID)*.

Table 1 specifies the GCSGIDs and CPGIDs of the *registered coded graphic character sets* of Japanese.

The registration category "U" means "Unrestricted", which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

**Note:** See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

**Table 1.** Registration of GCSGID and CPGID for the IBM Japanese *Graphic Character Set*

| CGCSGID<br>GCSGID | CPGID | Name  | Set Size            | Reference in Table                         | Category of Registration |
|-------------------|-------|---|---------------------|--|--------------------------|
| 65535<br>00300    |       | Extended Japanese <i>DBCS-Host</i> for JIS X0213, including<br>13,142 Kanji characters,<br>2,754 Non-Kanji characters,<br>6,205 <i>UDCs</i> ,<br>and other growing characters | 22,102<br>(Minimum) | Area 0, 1, 2, 3, 4, 6,<br>and 7 of Table 2 | U                        |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

|                |   |        |   |   |
|----------------|---|--------|---|---|
|                | <p>Ward 40 for Space<br/>Wards 41 to 44 for Non-Kanji characters<br/>Wards 45 to 68 for Kanji characters<br/>Wards 69 to 89 for User Definable Characters<br/>Wards B3 to D5 for New Extended Kanji characters<br/>Wards D6 to EC for New Extended Non-Kanji characters</p>   |        |   |   |
| 02092<br>00300 | <p>Extended Japanese <i>DBCS-Host for JIS X0213</i>, including<br/>13,142 Kanji characters,<br/>2,754 Non-Kanji characters,<br/>6,205 <i>UDCs</i></p> <p>Ward 40 for Space<br/>Wards 41 to 44 for Non-Kanji characters<br/>Wards 45 to 68 for Kanji characters<br/>Wards 69 to 89 for User Definable Characters<br/>Wards B3 to D5 for New Extended Kanji characters<br/>Wards D6 to EC for New Extended Non-Kanji characters</p> | 22,102 | Area 0, 1, 2, 3, 4, 6, and 7 of Table 2       | U |
| 02093<br>00300 | <p>Extended Japanese <i>DBCS-Host for JIS X0213</i>, without <i>UDCs</i>, including<br/>13,142 Kanji characters,<br/>2,754 Non-Kanji characters</p> <p>Ward 40 for Space<br/>Wards 41 to 44 for Non-Kanji characters<br/>Wards 45 to 68 for Kanji characters<br/>Wards B3 to D5 for New Extended Kanji characters<br/>Wards D6 to EC for New Extended Non-Kanji characters</p>  | 15,897 | Area 0, 1, 2, 3, 6, and 7 of Table 2          | U |
| 02059<br>00300 | <p>Extended Japanese <i>DBCS-Host</i>, including<br/>12,237 Kanji characters,<br/>2,585 Non-Kanji characters,<br/>6,205 <i>UDCs</i></p> <p>Ward 40 for Space<br/>Wards 41 to 44 for Non-Kanji characters<br/>Wards 45 to 68 for Kanji characters<br/>Wards 69 to 89 for User Definable Characters<br/>Wards B8 to D5 for New Extended Kanji characters<br/>Wards D6 to E9 for New Extended Non-Kanji characters</p>               | 21,028 | Area 0, 1, 2, 3, 4, 6(*), and 7(*) of Table 2 | U |
| 02053<br>00300 | <p>Extended Japanese <i>DBCS-Host</i> without <i>UDCs</i></p>   | 14,823 | Area 0, 1, 2, 3, 6(*), and 7(*) of Table 2    | U |
| 00370<br>00300 | <p><i>DBCS-Host</i> including 1880 <i>UDCs</i><br/>Wards 40 to 72</p>   | 9,145  | Area 0, 1(**), 2, 3, and 4(***) of Table      | U |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

|                |   |        | 2  |   |
|----------------|---|--------|--|---|
| 00540<br>00300 | <i>DBCS-Host, Non-Kanji Set<br/>Wards 40, 41, 42, 43 and 44</i>         | 550    | Area 0, 1(**) of<br>Table 2                      | U |
| 00571<br>00300 | <i>DBCS- Host, Basic Kanji Set<br/>Wards 45 to 55</i>                   | 3,226  | Area 2 of Table 2                                | U |
| 00572<br>00300 | <i>DBCS-Host, Extended Kanji Set<br/>Wards 56 to 68</i>                 | 3,489  | Area 3 of Table 2                                | U |
| 01000<br>00300 | <i>DBCS-Host excluding UDCs<br/>Wards 40 to 68</i>                      | 7,265  | Area 0, 1(**), 2<br>and 3 of Table 2             | U |
| 01001<br>00300 | <i>DBCS-Host including 4370 UDCs<br/>Wards 40 to 7F</i>                 | 11,635 | Area 0, 1(**), 2, 3<br>and 4(****) of<br>Table 2 | U |
| 01002<br>00300 | <i>DBCS-Host 1880 UDCs<br/>Wards 69 to 72</i>                           | 1,880  | Area 4(***) of Ta-<br>ble 2                      | U |
| 01003<br>00300 | <i>DCBS-Host 4370 UDCs<br/>Wards 69 to 7F</i>                           | 4,370  | Area 4(****) of<br>Table 2                       | U |
| 00370<br>00301 | <i>DBCS-PC including 1880 UDCs<br/>Wards 81 to 9F and E0 to FC</i>      | 9,145  | Area 1, 2, 3, 4, 5, 6,<br>7 of Table 3           | U |
| 00574<br>00301 | <i>DBCS-PC, Non-Kanji Set<br/>Wards 81 to 84 and FA</i>                 | 550    | Area 1 of Table 3                                | U |
| 00575<br>00301 | <i>DBCS-PC, Level 1 Kanji Set<br/>Wards 88 to 98</i>                    | 2,965  | Area 2 of Table 3                                | U |
| 00576<br>00301 | <i>DBCS-PC Level 2 Kanji Set<br/>Wards 98 to 9F and E0 to EA</i>        | 3,390  | Area 3 of Table 3                                | U |
| 00577<br>00301 | <i>DBCS-PC, IBM-Selected Kanji Set<br/>Wards FA to FC</i>               | 360    | Area 5, 6 of Table<br>3                          | U |
| 01000<br>00301 | <i>DBCS-PC excluding UDCs<br/>Wards 81 to 9F, E0 to EA and FA to FC</i> | 7,265  | Area 1, 2, 3, 4, 5, 6<br>of Table 3              | U |
| 01002<br>00301 | <i>DBCS-PC, 1880 UDCs<br/>Wards F0 to F9</i>                            | 1,880  | Area 7 of Table 3                                | U |

Notes:

- \* Except 164 Non-Kanji and 905 Kanji characters added on this revision.
- \*\* Euro currency sign is not included.
- \*\*\* The maximum number of *user definable characters* is 1,880.
- \*\*\*\* The maximum number of *user definable characters* is 4,370.



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 6.2 Structure of Japanese DBCS-Host

The coded graphic character set of the Japanese DBCS-Host is structured as shown in Table 2. The specification of

the Japanese DBCS-Host coded graphic character set is shown in Table 5 to Table 10

| Area | Wards in Hex | Content   | Number of Characters |
|------|--------------|---|----------------------|
| 0    | 40           | Unassignable (except for SPACE in 4040) (Table 5)   | 1                    |
| 1    | 41 to 44     | Non-Kanji Set (Table 5)<br>Greek, Russian, Roman Numeric ( <i>Ward 41</i> )<br>Alphanumeric and Related Symbols ( <i>Ward 42</i> )<br>Euro Currency Sign ( <i>Ward 42</i> )<br>Katakana, Hiragana and Special ( <i>Ward 43-44</i> ) Symbols | 550                  |
| 2    | 45 to 55     | Basic Kanji Set (Table 6)   | 3,226                |
| 3    | 56 to 68     | Extended Kanji Set (Table 7)  | 3,489                |
| 4    | 69 to 89     | <i>User Definable Characters Area</i>   | 6,205*               |
| 5    | 8A to B2     | Reserved for Future IBM Assignments   |                      |
| 6    | B3 to D5     | New Extended Kanji Set (Table 9, 10)  | 6,427                |
| 7    | D6 to EC     | New Extended Non-Kanji Set (Table 8)  | 2,204                |
| 8    | ED to FE     | Reserved for Future IBM Assignments   |                      |

**Note:** \* The maximum number of *user definable characters*



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC




Figure 1. Code Structure for Japanese DBCS-Host (Overview)



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 6.3 Structure of Japanese DBCS-PC

The *coded graphic character set* of the Japanese DBCS-PC is structured as shown in Table 3. The specification of the

Japanese DBCS-PC *coded graphic character set* is shown in Table 11 to Table 15.

**Table 3.** Structure of Japanese DBCS-PC

| Area | Wards in Hex         | Content   | Number of Characters |
|------|----------------------|---|----------------------|
| 1    | 81 to 84             | Non-Kanji Set<br>Space<br>Greek, Russian, Roman Numeric<br>Alphanumeric and Related Symbols<br>Katakana, Hiragana and Special Symbols | 524                  |
| 2    | 88 to 98             | Level 1 Kanji Set   | 2,965                |
| 3    | 89 to 9F<br>E0 to EA | Level 2 Kanji Set   | 3,390                |
| 4    | FA*                  | IBM Selected Non-Kanji Set  | 26                   |
| 5    | FA to FC             | IBM-Selected Kanji Set  | 360                  |
| 6    | F0 to F9             | <i>User Definable Characters Area</i>   | 1,880**              |
| 7    | 85 to 87<br>EB to EF | Reserved for Future IBM Assignments   |                      |

Note:

\* A part of the *ward* is used for this character area.

\*\* The maximum number of *user definable characters*



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 7. Code Translation Correspondence

The *code* translation correspondence between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC* is defined in this specification. Also the *code* translation correspondences between *DBCS-Host* (CS65535/CP00300) or *DBCS-PC* and the following *code pages* are defined:

- *DBCS-PC* (New JIS Sequence) (refer to C-H 3-3220-133)
- *DBCS-EUC* (refer to C-H 3-3220-127)

Since *DBCS-Host* (CS65535/CP00300) is a superset of *DBCS-Host* (CS01001/CP00300), no *code* conversion is required, and the characters, which are not defined in *DBCS-Host* (CS01001/CP00300), are substituted.

#### 7.1 Code Translation Correspondence of Kanji and non-Kanji Characters

##### 7.1.1 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC*

Table conversion is required. No change from the conversion between the characters which are common to those defined in *DBCS-Host* (CS01001/CP00300) and *DBCS-PC*. The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on *DBCS-Host* (CS65535/CP00300) are substituted on *DBCS-PC*.

##### 7.1.2 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC* (New JIS Sequence)

Table conversion is required. No change from the conversion between the characters which are common to those defined in *DBCS-Host* (CS01001/CP00300) and *DBCS-PC* (New JIS Sequence). The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on *DBCS-Host* (CS65535/CP00300) are substituted on *DBCS-PC* (New JIS Sequence) except for 61 NEC selected characters. (Refer to Table 19)

##### 7.1.3 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-EUC*

Table conversion is required. No change from the conversion between the characters which are common to those defined in *DBCS-Host* (CS01001/CP00300) and *DBCS-EUC*. The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on *DBCS-Host* (CS65535/CP00300) are substituted on *DBCS-EUC*.

##### 7.1.4 Between *DBCS-PC* and *DBCS-EUC*

The *code* translation correspondence between *DBCS-PC* and *DBCS-EUC* is logically given for most characters from the *code point* of the source in both translation of *DBCS-PC*

to *DBCS-EUC* vice versa. Refer to C-H 3-3220-127 for more details.

##### 7.1.5 Between *DBCS-PC* and *DBCS-PC* (New JIS Sequence)

*Code* conversion is needed for some characters. Refer to C-H 3-3220-133.

#### 7.2 Code Translation Correspondence of User Definable Characters

##### 7.2.1 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC*

Table conversion is required. The *code* translation correspondence between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC* is equivalent to the one between *DBCS-Host* (CS01001/CP00300) and *DBCS-PC*. The last 4,325 UDCs are substituted on the *code* translation correspondence from *DBCS-Host* (CS65535/CP00300) to *DBCS-PC*. The first *code point* of the *DBCS-Host* UDC area (X'6941') is mapped to the first *code point* of the *DBCS-PC* UDC area (X'F040'), and the mapping continues sequentially.

##### 7.2.2 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC* (New JIS Sequence)

Table conversion is required. The *code* translation correspondence between *DBCS-Host* (CS65535/CP00300) and *DBCS-PC* (New JIS Sequence) is equivalent to the one between *DBCS-Host* (CS01001/CP00300) and *DBCS-PC* (New JIS Sequence). The last 4,325 UDCs are substituted on the *code* translation correspondence from *DBCS-Host* (CS65535/CP00300) to *DBCS-PC* (New JIS Sequence). The first *code point* of the *DBCS-Host* UDC area (X'6941') is mapped to the first *code point* of the *DBCS-PC* (New JIS Sequence) UDC area (X'F040'), and the mapping continues sequentially.

##### 7.2.3 Between *DBCS-Host* (CS65535/CP00300) and *DBCS-EUC*

Table conversion is required. The *code* translation correspondence between *DBCS-Host* (CS65535/CP00300) and *DBCS-EUC* is equivalent to the one between *DBCS-Host* (CS01001/CP00300) and *DBCS-EUC* in C-H 3-3220-127. The last 4,325 UDCs are substituted on the *code* translation correspondence from *DBCS-Host* (CS65535/CP00300) to *DBCS-EUC*.

##### 7.2.4 Between *DBCS-PC* and *DBCS-EUC*

Refer to C-H 3-3220-127. The first half of 1,880 UDCs of *DBCS-PC* are mapped to G1 UDC area of *DBCS-EUC*, and latter half of 1,880 UDCs of *DBCS-PC* are mapped to G3 UDC area of *DBCS-EUC*.



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 7.2.5 Between *DBCS-PC* and *DBCS-PC* (New JIS Sequence)

No conversion is required.

## 8. *DBCS-Host* Specification

### 8.1 *Format of DBCS-Host Specification Tables*

In this section, the specification of the Japanese *DBCS-Host coded graphic character set* is provided by tables. They are formatted as illustrated in Table 4.

| Column  |                    |                     |                               |                      |
|---------|--------------------|---------------------|-------------------------------|----------------------|
| 1       | 2                  | 3                   | 4                             | 5                    |
| Graphic | Host Code<br>(Hex) | PC<br>Code<br>(Hex) | UCS-2<br>or<br>UCS-4<br>(Hex) | GCGID<br>or<br>GCUID |
| X       | XXXX               | XXXX                | XXXX<br>or<br>XXXXX           | XXXXXXXX             |

**Note:** UCS-2 or UCS-4 (Hex) in column 4 is the code representations in ISO 10646 corresponding to the listed graphic characters as the supplementary information. This specification does not define the code correspondence between UCS and others.

**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

*8.2 Non-Kanji Set*

| Graphic    | Host Code | PC Code | UCS-2 | GCGID    |
|------------|-----------|---------|-------|----------|
|            | 4040      | 8140    | 3000  | SP010080 |
| $\alpha$   | 4141      | 83BF    | 03B1  | GA010080 |
| $\beta$    | 4142      | 83C0    | 03B2  | GB010080 |
| $\gamma$   | 4143      | 83C1    | 03B3  | GG010080 |
| $\delta$   | 4144      | 83C2    | 03B4  | GD010080 |
| $\epsilon$ | 4145      | 83C3    | 03B5  | GE010080 |
| $\zeta$    | 4146      | 83C4    | 03B6  | GZ010080 |
| $\eta$     | 4147      | 83C5    | 03B7  | GE310080 |
| $\theta$   | 4148      | 83C6    | 03B8  | GT610082 |
| $\iota$    | 4149      | 83C7    | 03B9  | GI010080 |
| $\kappa$   | 414A      | 83C8    | 03BA  | GK010080 |
| $\lambda$  | 414B      | 83C9    | 03BB  | GL010080 |
| $\mu$      | 414C      | 83CA    | 03BC  | GM010080 |
| $\nu$      | 414D      | 83CB    | 03BD  | GN010080 |
| $\xi$      | 414E      | 83CC    | 03BE  | GX010080 |
| $o$        | 414F      | 83CD    | 03BF  | GO010080 |
| $\pi$      | 4150      | 83CE    | 03C0  | GP010080 |
| $\rho$     | 4151      | 83CF    | 03C1  | GR010080 |
| $\sigma$   | 4152      | 83D0    | 03C3  | GS010080 |
| $\tau$     | 4153      | 83D1    | 03C4  | GT010080 |
| $\upsilon$ | 4154      | 83D2    | 03C5  | GU010080 |
| $\phi$     | 4155      | 83D3    | 03C6  | GF010081 |
| $\chi$     | 4156      | 83D4    | 03C7  | GH010080 |
| $\psi$     | 4157      | 83D5    | 03C8  | GP610080 |

Table 5. Non-Kanji Set, DBCS-Host

| Graphic    | Host Code | PC Code | UCS-2 | GCGID    |
|------------|-----------|---------|-------|----------|
| $\omega$   | 4158      | 83D6    | 03C9  | GO310080 |
| A          | 4161      | 839F    | 0391  | GA020080 |
| B          | 4162      | 83A0    | 0392  | GB020080 |
| $\Gamma$   | 4163      | 83A1    | 0393  | GG020080 |
| $\Delta$   | 4164      | 83A2    | 0394  | GD020080 |
| E          | 4165      | 83A3    | 0395  | GE020080 |
| Z          | 4166      | 83A4    | 0396  | GZ020080 |
| H          | 4167      | 83A5    | 0397  | GE320080 |
| $\Theta$   | 4168      | 83A6    | 0398  | GT620080 |
| I          | 4169      | 83A7    | 0399  | GI020080 |
| K          | 416A      | 83A8    | 039A  | GK020080 |
| $\Lambda$  | 416B      | 83A9    | 039B  | GL020080 |
| M          | 416C      | 83AA    | 039C  | GM020080 |
| N          | 416D      | 83AB    | 039D  | GN020080 |
| $\Xi$      | 416E      | 83AC    | 039E  | GX020080 |
| O          | 416F      | 83AD    | 039F  | GO020080 |
| $\Pi$      | 4170      | 83AE    | 03A0  | GP020080 |
| P          | 4171      | 83AF    | 03A1  | GR020080 |
| $\Sigma$   | 4172      | 83B0    | 03A3  | GS020080 |
| T          | 4173      | 83B1    | 03A4  | GT020080 |
| $\Upsilon$ | 4174      | 83B2    | 03A5  | GU020080 |
| $\Phi$     | 4175      | 83B3    | 03A6  | GF020080 |
| X          | 4176      | 83B4    | 03A7  | GH020080 |
| $\Psi$     | 4177      | 83B5    | 03A8  | GP620080 |
| $\Omega$   | 4178      | 83B6    | 03A9  | GO320080 |

**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| a       | 4180      | 8470    | 0430  | KA010080 |
| б       | 4181      | 8471    | 0431  | KB010080 |
| в       | 4182      | 8472    | 0432  | KV010080 |
| г       | 4183      | 8473    | 0433  | KG010080 |
| д       | 4184      | 8474    | 0434  | KD010080 |
| е       | 4185      | 8475    | 0435  | KE010080 |
| ё       | 4186      | 8476    | 0451  | KE170080 |
| ж       | 4187      | 8477    | 0436  | KZ210080 |
| з       | 4188      | 8478    | 0437  | KZ010080 |
| и       | 4189      | 8479    | 0438  | KI010080 |
| й       | 418A      | 847A    | 0439  | KJ110080 |
| к       | 418B      | 847B    | 043A  | KK010080 |
| л       | 418C      | 847C    | 043B  | KL010080 |
| м       | 418D      | 847D    | 043C  | KM010080 |
| н       | 418E      | 847E    | 043D  | KN010080 |
| о       | 418F      | 8480    | 043E  | KO010080 |
| п       | 4190      | 8481    | 043F  | KP010080 |
| р       | 4191      | 8482    | 0440  | KR010080 |
| с       | 4192      | 8483    | 0441  | KS010080 |
| т       | 4193      | 8484    | 0442  | KT010080 |
| у       | 4194      | 8485    | 0443  | KU010080 |
| ф       | 4195      | 8486    | 0444  | KF010080 |
| х       | 4196      | 8487    | 0445  | KH010080 |
| ц       | 4197      | 8488    | 0446  | KC010080 |
| ч       | 4198      | 8489    | 0447  | KC210080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ш       | 4199      | 848A    | 0448  | KS210080 |
| щ       | 419A      | 848B    | 0449  | KS150080 |
| ъ       | 419B      | 848C    | 044A  | KU210080 |
| ы       | 419C      | 848D    | 044B  | KY010080 |
| ь       | 419D      | 848E    | 044C  | KX110080 |
| э       | 419E      | 848F    | 044D  | KE130080 |
| ю       | 419F      | 8490    | 044E  | KU150080 |
| я       | 41A0      | 8491    | 044F  | KA150080 |
| i       | 41B1      | FA40    | 2170  | NR010080 |
| ii      | 41B2      | FA41    | 2171  | NR020080 |
| iii     | 41B3      | FA42    | 2172  | NR030080 |
| iv      | 41B4      | FA43    | 2173  | NR040080 |
| v       | 41B5      | FA44    | 2174  | NR050080 |
| vi      | 41B6      | FA45    | 2175  | NR060080 |
| vii     | 41B7      | FA46    | 2176  | NR070080 |
| viii    | 41B8      | FA47    | 2177  | NR080080 |
| ix      | 41B9      | FA48    | 2178  | NR090080 |
| x       | 41BA      | FA49    | 2179  | NR100080 |
| А       | 41C0      | 8440    | 0410  | KA020080 |
| Б       | 41C1      | 8441    | 0411  | KB020080 |
| В       | 41C2      | 8442    | 0412  | KV020080 |
| Г       | 41C3      | 8443    | 0413  | KG020080 |
| Д       | 41C4      | 8444    | 0414  | KD020080 |
| Е       | 41C5      | 8445    | 0415  | KE020080 |
| Ё       | 41C6      | 8446    | 0401  | KE180080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| Ж       | 41C7      | 8447    | 0416  | KZ220080 |
| З       | 41C8      | 8448    | 0417  | KZ020080 |
| И       | 41C9      | 8449    | 0418  | KI020080 |
| Й       | 41CA      | 844A    | 0419  | KJ120080 |
| К       | 41CB      | 844B    | 041A  | KK020080 |
| Л       | 41CC      | 844C    | 041B  | KL020080 |
| М       | 41CD      | 844D    | 041C  | KM020080 |
| Н       | 41CE      | 844E    | 041D  | KN020080 |
| О       | 41CF      | 844F    | 041E  | KO020080 |
| П       | 41D0      | 8450    | 041F  | KP020080 |
| Р       | 41D1      | 8451    | 0420  | KR020080 |
| С       | 41D2      | 8452    | 0421  | KS020080 |
| Т       | 41D3      | 8453    | 0422  | KT020080 |
| У       | 41D4      | 8454    | 0423  | KU020080 |
| Ф       | 41D5      | 8455    | 0424  | KF020080 |
| Х       | 41D6      | 8456    | 0425  | KH020080 |
| Ц       | 41D7      | 8457    | 0426  | KC020080 |
| Ч       | 41D8      | 8458    | 0427  | KC220080 |
| Ш       | 41D9      | 8459    | 0428  | KS220080 |
| Щ       | 41DA      | 845A    | 0429  | KS160080 |
| Ъ       | 41DB      | 845B    | 042A  | KU220080 |
| Ы       | 41DC      | 845C    | 042B  | KY020080 |
| Ь       | 41DD      | 845D    | 042C  | KX120080 |
| Э       | 41DE      | 845E    | 042D  | KE140080 |
| Ю       | 41DF      | 845F    | 042E  | KU160080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| Я       | 41E0      | 8460    | 042F  | KA160080 |
| I       | 41F1      | FA4A    | 2160  | NR110080 |
| II      | 41F2      | FA4B    | 2161  | NR120080 |
| III     | 41F3      | FA4C    | 2162  | NR130080 |
| IV      | 41F4      | FA4D    | 2163  | NR140080 |
| V       | 41F5      | FA4E    | 2164  | NR150080 |
| VI      | 41F6      | FA4F    | 2165  | NR160080 |
| VII     | 41F7      | FA50    | 2166  | NR170080 |
| VIII    | 41F8      | FA51    | 2167  | NR180080 |
| IX      | 41F9      | FA52    | 2168  | NR190080 |
| X       | 41FA      | FA53    | 2169  | NR200080 |
| £       | 424A      | 8192    | FFE1  | SC020080 |
| .       | 424B      | 8144    | FF0E  | SP110080 |
| <       | 424C      | 8183    | FF1C  | SA030080 |
| (       | 424D      | 8169    | FF08  | SP060080 |
| +       | 424E      | 817B    | FF0B  | SA010080 |
|         | 424F      | 8162    | FF5C  | SM130080 |
| &       | 4250      | 8195    | FF06  | SM030080 |
| !       | 425A      | 8149    | FF01  | SP020080 |
| ¥       | 425B      | 818F    | FFE5  | SC050080 |
| *       | 425C      | 8196    | FF0A  | SM040080 |
| )       | 425D      | 816A    | FF09  | SP070080 |
| ;       | 425E      | 8147    | FF1B  | SP140080 |
| ┌       | 425F      | FA54    | FFE2  | SM660080 |
| —       | 4260      | 817C    | 2212  | SP100080 |

**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| /       | 4261      | 815E    | FF0F  | SP120080 |
|         | 426A      | FA55    | 00A6  | SM650080 |
| ,       | 426B      | 8143    | FF0C  | SP080080 |
| %       | 426C      | 8193    | FF05  | SM020080 |
| —       | 426D      | 8151    | FF3F  | SP090080 |
| >       | 426E      | 8184    | FF1E  | SA050080 |
| ?       | 426F      | 8148    | FF1F  | SP150080 |
| `       | 4279      | 814D    | FF40  | SD130080 |
| :       | 427A      | 8146    | FF1A  | SP130080 |
| #       | 427B      | 8194    | FF03  | SM010080 |
| @       | 427C      | 8197    | FF20  | SM050080 |
| '       | 427D      | FA56    | FF07  | SP050080 |
| =       | 427E      | 8181    | FF1D  | SA040080 |
| "       | 427F      | FA57    | FF02  | SP040080 |
| a       | 4281      | 8281    | FF41  | LA010080 |
| b       | 4282      | 8282    | FF42  | LB010080 |
| c       | 4283      | 8283    | FF43  | LC010080 |
| d       | 4284      | 8284    | FF44  | LD010080 |
| e       | 4285      | 8285    | FF45  | LE010080 |
| f       | 4286      | 8286    | FF46  | LF010080 |
| g       | 4287      | 8287    | FF47  | LG010080 |
| h       | 4288      | 8288    | FF48  | LH010080 |
| i       | 4289      | 8289    | FF49  | LI010080 |
| j       | 4291      | 828A    | FF4A  | LJ010080 |
| k       | 4292      | 828B    | FF4B  | LK010080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| l       | 4293      | 828C    | FF4C  | LL010080 |
| m       | 4294      | 828D    | FF4D  | LM010080 |
| n       | 4295      | 828E    | FF4E  | LN010080 |
| o       | 4296      | 828F    | FF4F  | LO010080 |
| p       | 4297      | 8290    | FF50  | LP010080 |
| q       | 4298      | 8291    | FF51  | LQ010080 |
| r       | 4299      | 8292    | FF52  | LR010080 |
| —       | 42A1      | 8150    | FFE3  | SM150080 |
| s       | 42A2      | 8293    | FF53  | LS010080 |
| t       | 42A3      | 8294    | FF54  | LT010080 |
| u       | 42A4      | 8295    | FF55  | LU010080 |
| v       | 42A5      | 8296    | FF56  | LV010080 |
| w       | 42A6      | 8297    | FF57  | LW010080 |
| x       | 42A7      | 8298    | FF58  | LX010080 |
| y       | 42A8      | 8299    | FF59  | LY010080 |
| z       | 42A9      | 829A    | FF5A  | LZ010080 |
| {       | 42C0      | 816F    | FF5B  | SM110080 |
| A       | 42C1      | 8260    | FF21  | LA020080 |
| B       | 42C2      | 8261    | FF22  | LB020080 |
| C       | 42C3      | 8262    | FF23  | LC020080 |
| D       | 42C4      | 8263    | FF24  | LD020080 |
| E       | 42C5      | 8264    | FF25  | LE020080 |
| F       | 42C6      | 8265    | FF26  | LF020080 |
| G       | 42C7      | 8266    | FF27  | LG020080 |
| H       | 42C8      | 8267    | FF28  | LH020080 |

**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| I       | 42C9      | 8268    | FF29  | LI020080 |
| }       | 42D0      | 8170    | FF5D  | SM140080 |
| J       | 42D1      | 8269    | FF2A  | LJ020080 |
| K       | 42D2      | 826A    | FF2B  | LK020080 |
| L       | 42D3      | 826B    | FF2C  | LL020080 |
| M       | 42D4      | 826C    | FF2D  | LM020080 |
| N       | 42D5      | 826D    | FF2E  | LN020080 |
| O       | 42D6      | 826E    | FF2F  | LO020080 |
| P       | 42D7      | 826F    | FF30  | LP020080 |
| Q       | 42D8      | 8270    | FF31  | LQ020080 |
| R       | 42D9      | 8271    | FF32  | LR020080 |
| \$      | 42E0      | 8190    | FF04  | SC030080 |
| €       | 42E1      | ----    | 20AC  | SC200080 |
| S       | 42E2      | 8272    | FF33  | LS020080 |
| T       | 42E3      | 8273    | FF34  | LT020080 |
| U       | 42E4      | 8274    | FF35  | LU020080 |
| V       | 42E5      | 8275    | FF36  | LV020080 |
| W       | 42E6      | 8276    | FF37  | LW020080 |
| X       | 42E7      | 8277    | FF38  | LX020080 |
| Y       | 42E8      | 8278    | FF39  | LY020080 |
| Z       | 42E9      | 8279    | FF3A  | LZ020080 |
| 0       | 42F0      | 824F    | FF10  | ND100080 |
| 1       | 42F1      | 8250    | FF11  | ND010080 |
| 2       | 42F2      | 8251    | FF12  | ND020080 |
| 3       | 42F3      | 8252    | FF13  | ND030080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 4       | 42F4      | 8253    | FF14  | ND040080 |
| 5       | 42F5      | 8254    | FF15  | ND050080 |
| 6       | 42F6      | 8255    | FF16  | ND060080 |
| 7       | 42F7      | 8256    | FF17  | ND070080 |
| 8       | 42F8      | 8257    | FF18  | ND080080 |
| 9       | 42F9      | 8258    | FF19  | ND090080 |
| 。       | 4341      | 8142    | 3002  | JQ700080 |
| 「       | 4342      | 8175    | 300C  | JQ710080 |
| 」       | 4343      | 8176    | 300D  | JQ720080 |
| 、       | 4344      | 8141    | 3001  | JQ730080 |
| ・       | 4345      | 8145    | 30FB  | JQ740080 |
| ヲ       | 4346      | 8392    | 30F2  | JW500080 |
| ア       | 4347      | 8340    | 30A1  | JA010080 |
| イ       | 4348      | 8342    | 30A3  | JI010080 |
| ウ       | 4349      | 8344    | 30A5  | JU010080 |
| ¢       | 434A      | 8191    | FFE0  | SC040080 |
| ∠       | 434B      | 81DA    | 2220  | SA350088 |
| ⊥       | 434C      | 81DB    | 22A5  | SA780080 |
| ∩       | 434D      | 81DC    | 2312  | SV420080 |
| ∂       | 434E      | 81DD    | 2202  | SA490080 |
| ∇       | 434F      | 81DE    | 2207  | SL030080 |
| エ       | 4351      | 8346    | 30A7  | JE010080 |
| オ       | 4352      | 8348    | 30A9  | JO010080 |
| ヤ       | 4353      | 8383    | 30E3  | JY110080 |
| ユ       | 4354      | 8385    | 30E5  | JY310080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ヨ       | 4355      | 8387    | 30E7  | JY510080 |
| ツ       | 4356      | 8362    | 30C3  | JT310080 |
| ワ       | 4357      | 838E    | 30EE  | JW110080 |
| 一       | 4358      | 815B    | 30FC  | JX700080 |
| カ       | 4359      | 8395    | 30F5  | JK110080 |
| ケ       | 435A      | 8396    | 30F6  | JK410080 |
| ≡       | 435B      | 81DF    | 2261  | SA480080 |
| ≡       | 435C      | 81E0    | 2252  | SA700081 |
| ≪       | 435D      | 81E1    | 226A  | SA730080 |
| ≫       | 435E      | 81E2    | 226B  | SA740080 |
| √       | 435F      | 81E3    | 221A  | SA800080 |
| ∞       | 4360      | 81E4    | 223D  | SA830080 |
| ∞       | 4361      | 81E5    | 221D  | SA470080 |
| ∫       | 4362      | 81E7    | 222B  | SA510080 |
| ∫∫      | 4363      | 81E8    | 222C  | SA840080 |
| ∈       | 4364      | 81B8    | 2208  | SA670080 |
| ∋       | 4365      | 81B9    | 220B  | SA310080 |
| ⊆       | 4366      | 81BA    | 2286  | SA240080 |
| ⊇       | 4367      | 81BB    | 2287  | SA270080 |
| ⊂       | 4368      | 81BC    | 2282  | SA400080 |
| ⊃       | 4369      | 81BD    | 2283  | SA410080 |
| ∪       | 436A      | 81BE    | 222A  | SA390080 |
| ∩       | 436B      | 81BF    | 2229  | SA380080 |
| ∧       | 436C      | 81C8    | 2227  | SA330080 |
| ∨       | 436D      | 81C9    | 2228  | SA320080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ⇒       | 436E      | 81CB    | 21D2  | SM420080 |
| ⇔       | 436F      | 81CC    | 21D4  | SM410080 |
| ∇       | 4370      | 81CD    | 2200  | SA210080 |
| ∃       | 4371      | 81CE    | 2203  | SA230080 |
| Å       | 4372      | 81F0    | 212B  | SM220080 |
| ‰       | 4373      | 81F1    | 2030  | SM560080 |
| ≠       | 4374      | 81F2    | 266F  | SM880080 |
| ℓ       | 4375      | 81F3    | 266D  | SM890080 |
| ♪       | 4376      | 81F4    | 266A  | SM930080 |
| †       | 4377      | 81F5    | 2020  | SM340080 |
| ‡       | 4378      | 81F6    | 2021  | SM350080 |
| ¶       | 4379      | 81F7    | 00B6  | SM250080 |
| ○       | 437A      | 81FC    | 25EF  | SV220080 |
| —       | 437C      | 849F    | 2500  | SF100080 |
|         | 437D      | 84A0    | 2502  | SF110080 |
| ┌       | 437E      | 84A1    | 250C  | SF010080 |
| └       | 437F      | 84A2    | 2510  | SF030080 |
| ア       | 4381      | 8341    | 30A2  | JA000080 |
| イ       | 4382      | 8343    | 30A4  | JI000080 |
| ウ       | 4383      | 8345    | 30A6  | JU000080 |
| エ       | 4384      | 8347    | 30A8  | JE000080 |
| オ       | 4385      | 8349    | 30AA  | JO000080 |
| カ       | 4386      | 834A    | 30AB  | JK100080 |
| キ       | 4387      | 834C    | 30AD  | JK200080 |
| ク       | 4388      | 834E    | 30AF  | JK300080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ケ       | 4389      | 8350    | 30B1  | JK400080 |
| コ       | 438A      | 8352    | 30B3  | JK500080 |
| サ       | 438C      | 8354    | 30B5  | JS100080 |
| シ       | 438D      | 8356    | 30B7  | JS200080 |
| ス       | 438E      | 8358    | 30B9  | JS300080 |
| セ       | 438F      | 835A    | 30BB  | JS400080 |
| ソ       | 4390      | 835C    | 30BD  | JS500080 |
| タ       | 4391      | 835E    | 30BF  | JT100080 |
| チ       | 4392      | 8360    | 30C1  | JT200080 |
| ツ       | 4393      | 8363    | 30C4  | JT300080 |
| テ       | 4394      | 8365    | 30C6  | JT400080 |
| ト       | 4395      | 8367    | 30C8  | JT500080 |
| ナ       | 4396      | 8369    | 30CA  | JN100080 |
| ニ       | 4397      | 836A    | 30CB  | JN200080 |
| ヌ       | 4398      | 836B    | 30CC  | JN300080 |
| ネ       | 4399      | 836C    | 30CD  | JN400080 |
| ノ       | 439A      | 836D    | 30CE  | JN500080 |
| ハ       | 439D      | 836E    | 30CF  | JH100080 |
| ヒ       | 439E      | 8371    | 30D2  | JH200080 |
| フ       | 439F      | 8374    | 30D5  | JH300080 |
| 〜       | 43A1      | 8160    | 301C  | SD190080 |
| へ       | 43A2      | 8377    | 30D8  | JH400080 |
| ホ       | 43A3      | 837A    | 30DB  | JH500080 |
| マ       | 43A4      | 837D    | 30DE  | JM100080 |
| ミ       | 43A5      | 837E    | 30DF  | JM200080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ム       | 43A6      | 8380    | 30E0  | JM300080 |
| メ       | 43A7      | 8381    | 30E1  | JM400080 |
| モ       | 43A8      | 8382    | 30E2  | JM500080 |
| ヤ       | 43A9      | 8384    | 30E4  | JY100080 |
| ユ       | 43AA      | 8386    | 30E6  | JY300080 |
| ヨ       | 43AC      | 8388    | 30E8  | JY500080 |
| ラ       | 43AD      | 8389    | 30E9  | JR100080 |
| リ       | 43AE      | 838A    | 30EA  | JR200080 |
| ル       | 43AF      | 838B    | 30EB  | JR300080 |
| ┘       | 43B0      | 84A3    | 2518  | SF040080 |
| ┘       | 43B1      | 84A4    | 2514  | SF020080 |
| ┘       | 43B2      | 84A5    | 251C  | SF080080 |
| ┘       | 43B3      | 84A6    | 252C  | SF060080 |
| ┘       | 43B4      | 84A7    | 2524  | SF090080 |
| ┘       | 43B5      | 84A8    | 2534  | SF070080 |
| ┘       | 43B6      | 84A9    | 253C  | SF050080 |
| —       | 43B7      | 84AA    | 2501  | SF100082 |
|         | 43B8      | 84AB    | 2503  | SF110082 |
| ┘       | 43B9      | 84AC    | 250F  | SF010082 |
| レ       | 43BA      | 838C    | 30EC  | JR400080 |
| ロ       | 43BB      | 838D    | 30ED  | JR500080 |
| ワ       | 43BC      | 838F    | 30EF  | JW100080 |
| ン       | 43BD      | 8393    | 30F3  | JN000080 |
| ゝ       | 43BE      | 814A    | 309B  | JX710080 |
| 。       | 43BF      | 814B    | 309C  | JX720080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ガ       | 43C0      | 834B    | 30AC  | JG100080 |
| ギ       | 43C1      | 834D    | 30AE  | JG200080 |
| グ       | 43C2      | 834F    | 30B0  | JG300080 |
| ゲ       | 43C3      | 8351    | 30B2  | JG400080 |
| ゴ       | 43C4      | 8353    | 30B4  | JG500080 |
| ザ       | 43C5      | 8355    | 30B6  | JZ100080 |
| ジ       | 43C6      | 8357    | 30B8  | JZ200080 |
| ズ       | 43C7      | 8359    | 30BA  | JZ300080 |
| ゼ       | 43C8      | 835B    | 30BC  | JZ400080 |
| ゾ       | 43C9      | 835D    | 30BE  | JZ500080 |
| ダ       | 43CA      | 835F    | 30C0  | JD100080 |
| ヂ       | 43CB      | 8361    | 30C2  | JD200080 |
| ヅ       | 43CC      | 8364    | 30C5  | JD300080 |
| デ       | 43CD      | 8366    | 30C7  | JD400080 |
| ド       | 43CE      | 8368    | 30C9  | JD500080 |
| バ       | 43CF      | 836F    | 30D0  | JB100080 |
| ビ       | 43D0      | 8372    | 30D3  | JB200080 |
| ブ       | 43D1      | 8375    | 30D6  | JB300080 |
| ベ       | 43D2      | 8378    | 30D9  | JB400080 |
| ボ       | 43D3      | 837B    | 30DC  | JB500080 |
| ヴ       | 43D4      | 8394    | 30F4  | JV000080 |
| パ       | 43D5      | 8370    | 30D1  | JP100080 |
| ピ       | 43D6      | 8373    | 30D4  | JP200080 |
| プ       | 43D7      | 8376    | 30D7  | JP300080 |
| ペ       | 43D8      | 8379    | 30DA  | JP400080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ポ       | 43D9      | 837C    | 30DD  | JP500080 |
| キ       | 43DA      | 8390    | 30F0  | JW200080 |
| エ       | 43DB      | 8391    | 30F1  | JW400080 |
| ヽ       | 43DC      | 8152    | 30FD  | JQ750080 |
| ヾ       | 43DD      | 8153    | 30FE  | JQ760080 |
| ノ       | 43E0      | 815F    | FF3C  | SM070080 |
| ㇀       | 43E1      | 84AD    | 2513  | SF030082 |
| ㇁       | 43E2      | 84AE    | 251B  | SF040082 |
| ㇂       | 43E3      | 84AF    | 2517  | SF020082 |
| ㇃       | 43E4      | 84B0    | 2523  | SF080082 |
| ㇄       | 43E5      | 84B1    | 2533  | SF060082 |
| ㇅       | 43E6      | 84B2    | 252B  | SF090082 |
| ㇆       | 43E7      | 84B3    | 253B  | SF070082 |
| ㇇       | 43E8      | 84B4    | 254B  | SF050082 |
| ㇈       | 43E9      | 84B5    | 2520  | SF080083 |
| ㇉       | 43EA      | 84B6    | 252F  | SF060083 |
| ㇊       | 43EB      | 84B7    | 2528  | SF090083 |
| ㇋       | 43EC      | 84B8    | 2537  | SF070083 |
| ㇌       | 43ED      | 84B9    | 253F  | SF050083 |
| ㇍       | 43EE      | 84BA    | 251D  | SF080084 |
| ㇎       | 43EF      | 84BB    | 2530  | SF060084 |
| ㇏       | 43F0      | 84BC    | 2525  | SF090084 |
| ㇐       | 43F1      | 84BD    | 2538  | SF070084 |
| ㇑       | 43F2      | 84BE    | 2542  | SF050084 |
| ㇒       | 4442      | 8177    | 300E  | JQ710081 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 』       | 4443      | 8178    | 300F  | JQ720081 |
| [       | 4444      | 816D    | FF3B  | SM060080 |
| ]       | 4445      | 816E    | FF3D  | SM080080 |
| を       | 4446      | 82F0    | 3092  | RW500080 |
| あ       | 4447      | 829F    | 3041  | RA010080 |
| い       | 4448      | 82A1    | 3043  | RI010080 |
| う       | 4449      | 82A3    | 3045  | RU010080 |
| 一       | 444A      | 815C    | 2014  | SM120080 |
| ±       | 444B      | 817D    | 00B1  | SA020080 |
| ≠       | 444C      | 8182    | 2260  | SA540080 |
| ∞       | 444D      | 8187    | 221E  | SA450080 |
| ℃       | 444E      | 818E    | 2103  | SM440080 |
| ˆ       | 4450      | 814C    | 00B4  | SD110080 |
| え       | 4451      | 82A5    | 3047  | RE010080 |
| お       | 4452      | 82A7    | 3049  | RO010080 |
| や       | 4453      | 82E1    | 3083  | RY110080 |
| ゆ       | 4454      | 82E3    | 3085  | RY310080 |
| よ       | 4455      | 82E5    | 3087  | RY510080 |
| っ       | 4456      | 82C1    | 3063  | RT310080 |
| わ       | 4457      | 82EC    | 308E  | RW110080 |
| -       | 445A      | 815D    | 2010  | SP320080 |
| 〃       | 445B      | 8156    | 3003  | SV090081 |
| 仝       | 445C      | 8157    | 4EDD  | SS760080 |
| 々       | 445D      | 8158    | 3005  | SS770080 |
| ↗       | 445E      | 8159    | 3006  | SS720080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ○       | 445F      | 815A    | 3007  | ND100087 |
| ¨       | 4460      | 814E    | 00A8  | SD170080 |
| ‘       | 4461      | 8165    | 2018  | SP190080 |
| “       | 4462      | 8167    | 201C  | SP210080 |
| [       | 4463      | 816B    | 3014  | SP060081 |
| 〈       | 4464      | 8171    | 3008  | SP060082 |
| 《       | 4465      | 8173    | 300A  | SP060083 |
| 【       | 4466      | 8179    | 3010  | SP060084 |
| ≦       | 4467      | 8185    | 2266  | SA520082 |
| ∴       | 4468      | 8188    | 2234  | SA370080 |
| ♂       | 4469      | 8189    | 2642  | SM280080 |
| §       | 446A      | 8198    | 00A7  | SM240080 |
| ※       | 446B      | 81A6    | 203B  | SM040088 |
| 〒       | 446C      | 81A7    | 3012  | SS730080 |
| (株)     | 446D      | FA58    | 3231  | SS740080 |
| No.     | 446E      | FA59    | 2116  | SM000080 |
| TEL     | 446F      | FA5A    | 2121  | SS710080 |
| ˆ       | 4470      | 814F    | FF3E  | SD150080 |
| ’       | 4471      | 8166    | 2019  | SP200080 |
| ”       | 4472      | 8168    | 201D  | SP220080 |
| ]       | 4473      | 816C    | 3015  | SP070081 |
| 〉       | 4474      | 8172    | 3009  | SP070082 |
| 》       | 4475      | 8174    | 300B  | SP070083 |
| 】       | 4476      | 817A    | 3011  | SP070084 |
| ≧       | 4477      | 8186    | 2267  | SA530082 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ∴       | 4478      | FA5B    | 2235  | SS540080 |
| ♀       | 4479      | 818A    | 2640  | SM290080 |
| ×       | 447A      | 817E    | 00D7  | SA070080 |
| ÷       | 447B      | 8180    | 00F7  | SA060080 |
| ∥       | 447C      | 8161    | 2016  | SV370080 |
| =       | 447D      | 81AC    | 3013  | SS750080 |
| ∴       | 447E      | 8164    | 2025  | SV430080 |
| ∴       | 447F      | 8163    | 2026  | SV440080 |
| あ       | 4481      | 82A0    | 3042  | RA000080 |
| い       | 4482      | 82A2    | 3044  | RI000080 |
| う       | 4483      | 82A4    | 3046  | RU000080 |
| え       | 4484      | 82A6    | 3048  | RE000080 |
| お       | 4485      | 82A8    | 304A  | RO000080 |
| か       | 4486      | 82A9    | 304B  | RK100080 |
| き       | 4487      | 82AB    | 304D  | RK200080 |
| く       | 4488      | 82AD    | 304F  | RK300080 |
| け       | 4489      | 82AF    | 3051  | RK400080 |
| こ       | 448A      | 82B1    | 3053  | RK500080 |
| さ       | 448C      | 82B3    | 3055  | RS100080 |
| し       | 448D      | 82B5    | 3057  | RS200080 |
| す       | 448E      | 82B7    | 3059  | RS300080 |
| せ       | 448F      | 82B9    | 305B  | RS400080 |
| そ       | 4490      | 82BB    | 305D  | RS500080 |
| た       | 4491      | 82BD    | 305F  | RT100080 |
| ち       | 4492      | 82BF    | 3061  | RT200080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| つ       | 4493      | 82C2    | 3064  | RT300080 |
| て       | 4494      | 82C4    | 3066  | RT400080 |
| と       | 4495      | 82C6    | 3068  | RT500080 |
| な       | 4496      | 82C8    | 306A  | RN100080 |
| に       | 4497      | 82C9    | 306B  | RN200080 |
| ぬ       | 4498      | 82CA    | 306C  | RN300080 |
| ね       | 4499      | 82CB    | 306D  | RN400080 |
| の       | 449A      | 82CC    | 306E  | RN500080 |
| は       | 449D      | 82CD    | 306F  | RH100080 |
| ひ       | 449E      | 82D0    | 3072  | RH200080 |
| ふ       | 449F      | 82D3    | 3075  | RH300080 |
| へ       | 44A2      | 82D6    | 3078  | RH400080 |
| ほ       | 44A3      | 82D9    | 307B  | RH500080 |
| ま       | 44A4      | 82DC    | 307E  | RM100080 |
| み       | 44A5      | 82DD    | 307F  | RM200080 |
| む       | 44A6      | 82DE    | 3080  | RM300080 |
| め       | 44A7      | 82DF    | 3081  | RM400080 |
| も       | 44A8      | 82E0    | 3082  | RM500080 |
| や       | 44A9      | 82E2    | 3084  | RY100080 |
| ゆ       | 44AA      | 82E4    | 3086  | RY300080 |
| よ       | 44AC      | 82E6    | 3088  | RY500080 |
| ら       | 44AD      | 82E7    | 3089  | RR100080 |
| り       | 44AE      | 82E8    | 308A  | RR200080 |
| る       | 44AF      | 82E9    | 308B  | RR300080 |
| れ       | 44BA      | 82EA    | 308C  | RR400080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

**Table 5. Non-Kanji Set, DBCS-Host**

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ろ       | 44BB      | 82EB    | 308D  | RR500080 |
| わ       | 44BC      | 82ED    | 308F  | RW100080 |
| ん       | 44BD      | 82F1    | 3093  | RN000080 |
| が       | 44C0      | 82AA    | 304C  | RG100080 |
| ぎ       | 44C1      | 82AC    | 304E  | RG200080 |
| ぐ       | 44C2      | 82AE    | 3050  | RG300080 |
| げ       | 44C3      | 82B0    | 3052  | RG400080 |
| ご       | 44C4      | 82B2    | 3054  | RG500080 |
| ざ       | 44C5      | 82B4    | 3056  | RZ100080 |
| じ       | 44C6      | 82B6    | 3058  | RZ200080 |
| ず       | 44C7      | 82B8    | 305A  | RZ300080 |
| ぜ       | 44C8      | 82BA    | 305C  | RZ400080 |
| ぞ       | 44C9      | 82BC    | 305E  | RZ500080 |
| だ       | 44CA      | 82BE    | 3060  | RD100080 |
| ぢ       | 44CB      | 82C0    | 3062  | RD200080 |
| づ       | 44CC      | 82C3    | 3065  | RD300080 |
| で       | 44CD      | 82C5    | 3067  | RD400080 |
| ど       | 44CE      | 82C7    | 3069  | RD500080 |
| ば       | 44CF      | 82CE    | 3070  | RB100080 |
| び       | 44D0      | 82D1    | 3073  | RB200080 |
| ぶ       | 44D1      | 82D4    | 3076  | RB300080 |
| べ       | 44D2      | 82D7    | 3079  | RB400080 |
| ぼ       | 44D3      | 82DA    | 307C  | RB500080 |
| ぽ       | 44D5      | 82CF    | 3071  | RP100080 |
| ぴ       | 44D6      | 82D2    | 3074  | RP200080 |

**Table 5. Non-Kanji Set, DBCS-Host**

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ふ       | 44D7      | 82D5    | 3077  | RP300080 |
| ぺ       | 44D8      | 82D8    | 307A  | RP400080 |
| ぽ       | 44D9      | 82DB    | 307D  | RP500080 |
| み       | 44DA      | 82EE    | 3090  | RW200080 |
| ゑ       | 44DB      | 82EF    | 3091  | RW400080 |
| ゎ       | 44DC      | 8154    | 309D  | RQ750080 |
| ゞ       | 44DD      | 8155    | 309E  | RQ760080 |
| ○       | 44E0      | 819B    | 25CB  | SM750080 |
| ●       | 44E1      | 819C    | 25CF  | SM580080 |
| △       | 44E2      | 81A2    | 25B3  | SM730080 |
| ▲       | 44E3      | 81A3    | 25B2  | SM600080 |
| ◎       | 44E4      | 819D    | 25CE  | SM810080 |
| ☆       | 44E5      | 8199    | 2606  | SS570080 |
| ★       | 44E6      | 819A    | 2605  | SS580080 |
| ◇       | 44E7      | 819E    | 25C7  | SA660080 |
| ◆       | 44E8      | 819F    | 25C6  | SM610080 |
| □       | 44E9      | 81A0    | 25A1  | SM450080 |
| ■       | 44EA      | 81A1    | 25A0  | SM470080 |
| ▽       | 44EB      | 81A4    | 25BD  | SM740080 |
| ▼       | 44EC      | 81A5    | 25BC  | SV040080 |
| ◦       | 44ED      | 818B    | 00B0  | SM190080 |
| '       | 44EE      | 818C    | 2032  | SM500080 |
| "       | 44EF      | 818D    | 2033  | SM510080 |
| →       | 44F0      | 81A8    | 2192  | SM310080 |
| ←       | 44F1      | 81A9    | 2190  | SM300080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ↑       | 44F2      | 81AA    | 2191  | SM320080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| ↓       | 44F3      | 81AB    | 2193  | SM330080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

8.3 Basic Kanji Set

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 一                                   | 4541      | 88EA    | 4E00  | I0QP0080 |
| 二                                   | 4542      | 93F1    | 4E8C  | I0QQ0080 |
| 三                                   | 4543      | 8E4F    | 4E09  | I0QR0080 |
| 四                                   | 4544      | 8E6C    | 56DB  | I0QS0080 |
| 五                                   | 4545      | 8CDC    | 4E94  | I0QT0080 |
| 六                                   | 4546      | 985A    | 516D  | I0QU0080 |
| 七                                   | 4547      | 8EB5    | 4E03  | I0QV0080 |
| 八                                   | 4548      | 94AA    | 516B  | I0QW0080 |
| 九                                   | 4549      | 8BE3    | 4E5D  | I0QX0080 |
| 十                                   | 454A      | 8F5C    | 5341  | I0QY0080 |
| 百                                   | 454B      | 9553    | 767E  | I0QZ0080 |
| 千                                   | 454C      | 90E7    | 5343  | I0R00080 |
| 万                                   | 454D      | 969C    | 4E07  | I0R10080 |
| 億                                   | 454E      | 89AD    | 5104  | I0R20080 |
| 都                                   | 454F      | 9373    | 90FD  | I0R30080 |
| 道                                   | 4550      | 93B9    | 9053  | I0R40080 |
| 府                                   | 4551      | 957B    | 5E9C  | I0R50080 |
| 県                                   | 4552      | 8CA7    | 770C  | I0R60080 |
| 市                                   | 4553      | 8E73    | 5E02  | I0R70080 |
| 区                                   | 4554      | 8BE6    | 533A  | I0R80080 |
| 町                                   | 4555      | 92AC    | 753A  | I0R90080 |
| 村                                   | 4556      | 91BA    | 6751  | I0RA0080 |
| 東                                   | 4557      | 938C    | 6771  | I0RB0080 |
| 西                                   | 4558      | 90BC    | 897F  | I0RC0080 |
| 南                                   | 4559      | 93EC    | 5357  | I0RD0080 |
| 北                                   | 455A      | 966B    | 5317  | I0RE0080 |
| 大                                   | 455B      | 91E5    | 5927  | I0RF0080 |
| 中                                   | 455C      | 9286    | 4E2D  | I0RG0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 小                                   | 455D      | 8FAC    | 5C0F  | I0RH0080 |
| 上                                   | 455E      | 8FE3    | 4E0A  | I0RI0080 |
| 下                                   | 455F      | 89BA    | 4E0B  | I0RJ0080 |
| 年                                   | 4560      | 944E    | 5E74  | I0RK0080 |
| 月                                   | 4561      | 8C8E    | 6708  | I0RL0080 |
| 日                                   | 4562      | 93FA    | 65E5  | I0RM0080 |
| 田                                   | 4563      | 9363    | 7530  | I0RN0080 |
| 子                                   | 4564      | 8E71    | 5B50  | I0RO0080 |
| 山                                   | 4565      | 8E52    | 5C71  | I0RP0080 |
| 本                                   | 4566      | 967B    | 672C  | I0RQ0080 |
| 川                                   | 4567      | 90EC    | 5DDD  | I0RR0080 |
| 藤                                   | 4568      | 93A1    | 85E4  | I0RS0080 |
| 野                                   | 4569      | 96EC    | 91CE  | I0RT0080 |
| 工                                   | 456A      | 8D48    | 5DE5  | I0RU0080 |
| 業                                   | 456B      | 8BC6    | 696D  | I0RV0080 |
| 木                                   | 456C      | 96D8    | 6728  | I0RW0080 |
| 井                                   | 456D      | 88E4    | 4E95  | I0RX0080 |
| 郎                                   | 456E      | 9859    | 90CE  | I0RY0080 |
| 島                                   | 456F      | 9387    | 5CF6  | I0RZ0080 |
| 雄                                   | 4570      | 9759    | 96C4  | I0S00080 |
| 高                                   | 4571      | 8D82    | 9AD8  | I0S10080 |
| 岡                                   | 4572      | 89AA    | 5CA1  | I0S20080 |
| 夫                                   | 4573      | 9576    | 592B  | I0S30080 |
| 原                                   | 4574      | 8CB4    | 539F  | I0S40080 |
| 京                                   | 4575      | 8B9E    | 4EAC  | I0S50080 |
| 佐                                   | 4576      | 8DB2    | 4F50  | I0S60080 |
| 正                                   | 4577      | 90B3    | 6B63  | I0S70080 |
| 松                                   | 4578      | 8FBC    | 677E  | I0S80080 |
| 機                                   | 4579      | 8B40    | 6A5F  | I0S90080 |
| 和                                   | 457A      | 9861    | 548C  | I0SA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 製       | 457B      | 90BB    | 88FD  | I0SB0080 |
| 男       | 457C      | 926A    | 7537  | I0SC0080 |
| 美       | 457D      | 94FC    | 7F8E  | I0SD0080 |
| 吉       | 457E      | 8B67    | 5409  | I0SE0080 |
| 崎       | 457F      | 8DE8    | 5D0E  | I0SF0080 |
| 石       | 4580      | 90CE    | 77F3  | I0SG0080 |
| 谷       | 4581      | 924A    | 8C37  | I0SH0080 |
| 電       | 4582      | 9364    | 96FB  | I0SI0080 |
| 長       | 4583      | 92B7    | 9577  | I0SJ0080 |
| 治       | 4584      | 8EA1    | 6CBB  | I0SK0080 |
| 沢       | 4585      | 91F2    | 6CA2  | I0SL0080 |
| 金       | 4586      | 8BE0    | 91D1  | I0SM0080 |
| 新       | 4587      | 9056    | 65B0  | I0SN0080 |
| 口       | 4588      | 8CFB    | 53E3  | I0SO0080 |
| 橋       | 4589      | 8BB4    | 6A4B  | I0SP0080 |
| 久       | 458A      | 8B76    | 4E45  | I0SQ0080 |
| 福       | 458B      | 959F    | 798F  | I0SR0080 |
| 所       | 458C      | 8F8A    | 6240  | I0SS0080 |
| 平       | 458D      | 95BD    | 5E73  | I0ST0080 |
| 内       | 458E      | 93E0    | 5185  | I0SU0080 |
| 国       | 458F      | 8D91    | 56FD  | I0SV0080 |
| 化       | 4590      | 89BB    | 5316  | I0SW0080 |
| 阪       | 4591      | 8DE3    | 962A  | I0SX0080 |
| 宮       | 4592      | 8B7B    | 5BAE  | I0SY0080 |
| 人       | 4593      | 906C    | 4EBA  | I0SZ0080 |
| 作       | 4594      | 8DEC    | 4F5C  | I0T00080 |
| 部       | 4595      | 9594    | 90E8  | I0T10080 |
| 清       | 4596      | 90B4    | 6E05  | I0T20080 |
| 次       | 4597      | 8E9F    | 6B21  | I0T30080 |
| 義       | 4598      | 8B60    | 7FA9  | I0T40080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 生       | 4599      | 90B6    | 751F  | I0T50080 |
| 代       | 459A      | 91E3    | 4EE3  | I0T60080 |
| 出       | 459B      | 8F6F    | 51FA  | I0T70080 |
| 水       | 459C      | 9085    | 6C34  | I0T80080 |
| 森       | 459D      | 9058    | 68EE  | I0T90080 |
| 光       | 459E      | 8CF5    | 5149  | I0TA0080 |
| 加       | 459F      | 89C1    | 52A0  | I0TB0080 |
| 合       | 45A0      | 8D87    | 5408  | I0TC0080 |
| 神       | 45A1      | 905F    | 795E  | I0TD0080 |
| 林       | 45A2      | 97D1    | 6797  | I0TE0080 |
| 重       | 45A3      | 8F64    | 91CD  | I0TF0080 |
| 行       | 45A4      | 8D73    | 884C  | I0TG0080 |
| 信       | 45A5      | 904D    | 4FE1  | I0TH0080 |
| 明       | 45A6      | 96BE    | 660E  | I0TI0080 |
| 海       | 45A7      | 8A43    | 6D77  | I0TJ0080 |
| 安       | 45A8      | 88C0    | 5B89  | I0TK0080 |
| 幸       | 45A9      | 8D4B    | 5E78  | I0TL0080 |
| 保       | 45AA      | 95DB    | 4FDD  | I0TM0080 |
| 太       | 45AB      | 91BE    | 592A  | I0TN0080 |
| 富       | 45AC      | 9578    | 5BCC  | I0TO0080 |
| 江       | 45AD      | 8D5D    | 6C5F  | I0TP0080 |
| 鈴       | 45AE      | 97E9    | 9234  | I0TQ0080 |
| 前       | 45AF      | 914F    | 524D  | I0TR0080 |
| 知       | 45B0      | 926D    | 77E5  | I0TS0080 |
| 武       | 45B1      | 9590    | 6B66  | I0TT0080 |
| 伊       | 45B2      | 88C9    | 4F0A  | I0TU0080 |
| 昭       | 45B3      | 8FBA    | 662D  | I0TV0080 |
| 分       | 45B4      | 95AA    | 5206  | I0TW0080 |
| 勝       | 45B5      | 8F9F    | 52DD  | I0TX0080 |
| 用       | 45B6      | 9770    | 7528  | I0TY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 広                                   | 45B7      | 8D4C    | 5E83  | I0TZ0080 |
| 造                                   | 45B8      | 91A2    | 9020  | I0U00080 |
| 気                                   | 45B9      | 8B43    | 6C17  | I0U10080 |
| 成                                   | 45BA      | 90AC    | 6210  | I0U20080 |
| 見                                   | 45BB      | 8CA9    | 898B  | I0U30080 |
| 利                                   | 45BC      | 9798    | 5229  | I0U40080 |
| 会                                   | 45BD      | 89EF    | 4F1A  | I0U50080 |
| 学                                   | 45BE      | 8A77    | 5B66  | I0U60080 |
| 岩                                   | 45BF      | 8AE2    | 5CA9  | I0U70080 |
| 産                                   | 45C0      | 8E59    | 7523  | I0U80080 |
| 間                                   | 45C1      | 8AD4    | 9593  | I0U90080 |
| 地                                   | 45C2      | 926E    | 5730  | I0UA0080 |
| 自                                   | 45C3      | 8EA9    | 81EA  | I0UB0080 |
| 良                                   | 45C4      | 97C7    | 826F  | I0UC0080 |
| 関                                   | 45C5      | 8AD6    | 95A2  | I0UD0080 |
| 愛                                   | 45C6      | 88A4    | 611B  | I0UE0080 |
| 政                                   | 45C7      | 90AD    | 653F  | I0UF0080 |
| 尾                                   | 45C8      | 94F6    | 5C3E  | I0UG0080 |
| 計                                   | 45C9      | 8C76    | 8A08  | I0UH0080 |
| 文                                   | 45CA      | 95B6    | 6587  | I0UI0080 |
| 手                                   | 45CB      | 8EE8    | 624B  | I0UJ0080 |
| 父                                   | 45CC      | 9583    | 7236  | I0UK0080 |
| 方                                   | 45CD      | 95FB    | 65B9  | I0UL0080 |
| 事                                   | 45CE      | 8E96    | 4E8B  | I0UM0080 |
| 戸                                   | 45CF      | 8CCB    | 6238  | I0UN0080 |
| 品                                   | 45D0      | 9569    | 54C1  | I0UO0080 |
| 喜                                   | 45D1      | 8AEC    | 559C  | I0UP0080 |
| 渡                                   | 45D2      | 936E    | 6E21  | I0UQ0080 |
| 弘                                   | 45D3      | 8D4F    | 5F18  | I0UR0080 |
| 古                                   | 45D4      | 8CC3    | 53E4  | I0US0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 辺                                   | 45D5      | 95D3    | 8FBA  | I0UT0080 |
| 倉                                   | 45D6      | 9171    | 5009  | I0UU0080 |
| 鉄                                   | 45D7      | 9353    | 9244  | I0UV0080 |
| 之                                   | 45D8      | 9456    | 4E4B  | I0UW0080 |
| 場                                   | 45D9      | 8FEA    | 5834  | I0UX0080 |
| 洋                                   | 45DA      | 976D    | 6D0B  | I0UY0080 |
| 城                                   | 45DB      | 8FE9    | 57CE  | I0UZ0080 |
| 津                                   | 45DC      | 92C3    | 6D25  | I0V00080 |
| 立                                   | 45DD      | 97A7    | 7ACB  | I0V10080 |
| 度                                   | 45DE      | 9378    | 5EA6  | I0V20080 |
| 午                                   | 45DF      | 8CDF    | 5348  | I0V30080 |
| 今                                   | 45E0      | 8DA1    | 4ECA  | I0V40080 |
| 彦                                   | 45E1      | 9546    | 5F66  | I0V50080 |
| 設                                   | 45E2      | 90DD    | 8A2D  | I0V60080 |
| 通                                   | 45E3      | 92CA    | 901A  | I0V70080 |
| 動                                   | 45E4      | 93AE    | 52D5  | I0V80080 |
| 後                                   | 45E5      | 8CE3    | 5F8C  | I0V90080 |
| 奈                                   | 45E6      | 93DE    | 5948  | I0VA0080 |
| 定                                   | 45E7      | 92E8    | 5B9A  | I0VB0080 |
| 池                                   | 45E8      | 9272    | 6C60  | I0VC0080 |
| 屋                                   | 45E9      | 89AE    | 5C4B  | I0VD0080 |
| 浜                                   | 45EA      | 956C    | 6D5C  | I0VE0080 |
| 理                                   | 45EB      | 979D    | 7406  | I0VF0080 |
| 坂                                   | 45EC      | 8DE2    | 5742  | I0VG0080 |
| 実                                   | 45ED      | 8EC0    | 5B9F  | I0VH0080 |
| 英                                   | 45EE      | 8970    | 82F1  | I0VI0080 |
| 的                                   | 45EF      | 9349    | 7684  | I0VJ0080 |
| 司                                   | 45F0      | 8E69    | 53F8  | I0VK0080 |
| 秀                                   | 45F1      | 8F47    | 79C0  | I0VL0080 |
| 横                                   | 45F2      | 89A1    | 6A2A  | I0VM0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 名       | 45F3      | 96BC    | 540D  | I0VN0080 |
| 孝       | 45F4      | 8D46    | 5B5D  | I0VO0080 |
| 竹       | 45F5      | 927C    | 7AF9  | I0VP0080 |
| 博       | 45F6      | 948E    | 535A  | I0VQ0080 |
| 力       | 45F7      | 97CD    | 529B  | I0VR0080 |
| 庫       | 45F8      | 8CC9    | 5EAB  | I0VS0080 |
| 葉       | 45F9      | 9774    | 8449  | I0VT0080 |
| 榮       | 45FA      | 8968    | 6804  | I0VU0080 |
| 永       | 45FB      | 8969    | 6C38  | I0VV0080 |
| 器       | 45FC      | 8AED    | 5668  | I0VW0080 |
| 玉       | 45FD      | 8BCA    | 7389  | I0VX0080 |
| 多       | 45FE      | 91BD    | 591A  | I0VY0080 |
| 賀       | 4641      | 89EA    | 8CC0  | I0W10080 |
| 真       | 4642      | 905E    | 771F  | I0W20080 |
| 恵       | 4643      | 8C62    | 6075  | I0W30080 |
| 静       | 4644      | 90C3    | 9759  | I0W40080 |
| 円       | 4645      | 897E    | 5186  | I0W50080 |
| 茂       | 4646      | 96CE    | 8302  | I0W60080 |
| 敏       | 4647      | 9571    | 654F  | I0W70080 |
| 豊       | 4648      | 964C    | 8C4A  | I0W80080 |
| 兵       | 4649      | 95BA    | 5175  | I0W90080 |
| 法       | 464A      | 9640    | 6CD5  | I0WA0080 |
| 発       | 464B      | 94AD    | 767A  | I0WB0080 |
| 青       | 464C      | 90C2    | 9752  | I0WC0080 |
| 増       | 464D      | 919D    | 5897  | I0WD0080 |
| 料       | 464E      | 97BF    | 6599  | I0WE0080 |
| 忠       | 464F      | 9289    | 5FE0  | I0WF0080 |
| 資       | 4650      | 8E91    | 8CC7  | I0WG0080 |
| 時       | 4651      | 8E9E    | 6642  | I0WH0080 |
| 物       | 4652      | 95A8    | 7269  | I0WI0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 車       | 4653      | 8ED4    | 8ECA  | I0WJ0080 |
| 徳       | 4654      | 93BF    | 5FB3  | I0WK0080 |
| 要       | 4655      | 9776    | 8981  | I0WL0080 |
| 対       | 4656      | 91CE    | 5BFE  | I0WM0080 |
| 塚       | 4657      | 92CB    | 585A  | I0WN0080 |
| 秋       | 4658      | 8F48    | 79CB  | I0WO0080 |
| 白       | 4659      | 9492    | 767D  | I0WP0080 |
| 河       | 465A      | 89CD    | 6CB3  | I0WQ0080 |
| 瀬       | 465B      | 90A3    | 702C  | I0WR0080 |
| 油       | 465C      | 96FB    | 6CB9  | I0WS0080 |
| 隆       | 465D      | 97B2    | 9686  | I0WT0080 |
| 蔵       | 465E      | 91A0    | 8535  | I0WU0080 |
| 当       | 465F      | 9396    | 5F53  | I0WV0080 |
| 俊       | 4660      | 8F72    | 4FCA  | I0WW0080 |
| 志       | 4661      | 8E75    | 5FD7  | I0WX0080 |
| 春       | 4662      | 8F74    | 6625  | I0WY0080 |
| 社       | 4663      | 8ED0    | 793E  | I0WZ0080 |
| 馬       | 4664      | 946E    | 99AC  | I0X00080 |
| 入       | 4665      | 93FC    | 5165  | I0X10080 |
| 建       | 4666      | 8C9A    | 5EFA  | I0X20080 |
| 根       | 4667      | 8DAA    | 6839  | I0X30080 |
| 杉       | 4668      | 9099    | 6749  | I0X40080 |
| 進       | 4669      | 9069    | 9032  | I0X50080 |
| 興       | 466A      | 8BBB    | 8208  | I0X60080 |
| 浦       | 466B      | 8959    | 6D66  | I0X70080 |
| 精       | 466C      | 90B8    | 7CBE  | I0X80080 |
| 同       | 466D      | 93AF    | 540C  | I0X90080 |
| 性       | 466E      | 90AB    | 6027  | I0XA0080 |
| 米       | 466F      | 95C4    | 7C73  | I0XB0080 |
| 者       | 4670      | 8ED2    | 8005  | I0XC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 助       | 4671      | 8F95    | 52A9  | I0XD0080 |
| 枝       | 4672      | 8E7D    | 679D  | I0XE0080 |
| 近       | 4673      | 8BDF    | 8FD1  | I0XF0080 |
| 直       | 4674      | 92BC    | 76F4  | I0XG0080 |
| 目       | 4675      | 96DA    | 76EE  | I0XH0080 |
| 来       | 4676      | 9788    | 6765  | I0XI0080 |
| 画       | 4677      | 89E6    | 753B  | I0XJ0080 |
| 相       | 4678      | 918A    | 76F8  | I0XK0080 |
| 黒       | 4679      | 8D95    | 9ED2  | I0XL0080 |
| 丸       | 467A      | 8ADB    | 4E38  | I0XM0080 |
| 船       | 467B      | 9144    | 8239  | I0XN0080 |
| 由       | 467C      | 9752    | 7531  | I0XO0080 |
| 士       | 467D      | 8E6D    | 58EB  | I0XP0080 |
| 第       | 467E      | 91E6    | 7B2C  | I0XQ0080 |
| 熊       | 467F      | 8C46    | 718A  | I0XR0080 |
| 紙       | 4680      | 8E86    | 7D19  | I0XS0080 |
| 健       | 4681      | 8C92    | 5065  | I0XT0080 |
| 械       | 4682      | 8A42    | 68B0  | I0XU0080 |
| 芳       | 4683      | 9646    | 82B3  | I0XV0080 |
| 土       | 4684      | 9379    | 571F  | I0XW0080 |
| 有       | 4685      | 974C    | 6709  | I0XX0080 |
| 家       | 4686      | 89C6    | 5BB6  | I0XY0080 |
| 線       | 4687      | 90FC    | 7DDA  | I0XZ0080 |
| 経       | 4688      | 8C6F    | 7D4C  | I0Y00080 |
| 調       | 4689      | 92B2    | 8ABF  | I0Y10080 |
| 天       | 468A      | 9356    | 5929  | I0Y20080 |
| 期       | 468B      | 8AFA    | 671F  | I0Y30080 |
| 置       | 468C      | 9275    | 7F6E  | I0Y40080 |
| 浅       | 468D      | 90F3    | 6D45  | I0Y50080 |
| 齐       | 468E      | 90C4    | 6589  | I0Y60080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 式       | 468F      | 8EAE    | 5F0F  | I0Y70080 |
| 形       | 4690      | 8C60    | 5F62  | I0Y80080 |
| 面       | 4691      | 96CA    | 9762  | I0Y90080 |
| 種       | 4692      | 8EED    | 7A2E  | I0YA0080 |
| 輸       | 4693      | 9741    | 8F38  | I0YB0080 |
| 外       | 4694      | 8A4F    | 5916  | I0YC0080 |
| 元       | 4695      | 8CB3    | 5143  | I0YD0080 |
| 体       | 4696      | 91CC    | 4F53  | I0YE0080 |
| 鹿       | 4697      | 8EAD    | 9E7F  | I0YF0080 |
| 御       | 4698      | 8CE4    | 5FA1  | I0YG0080 |
| 女       | 4699      | 8F97    | 5973  | I0YH0080 |
| 康       | 469A      | 8D4E    | 5EB7  | I0YI0080 |
| 世       | 469B      | 90A2    | 4E16  | I0YJ0080 |
| 勇       | 469C      | 9745    | 52C7  | I0YK0080 |
| 堀       | 469D      | 9678    | 5800  | I0YL0080 |
| 好       | 469E      | 8D44    | 597D  | I0YM0080 |
| 児       | 469F      | 8E99    | 5150  | I0YN0080 |
| 寺       | 46A0      | 8E9B    | 5BFA  | I0YO0080 |
| 鋼       | 46A1      | 8D7C    | 92FC  | I0YP0080 |
| 特       | 46A2      | 93C1    | 7279  | I0YQ0080 |
| 埼       | 46A3      | 8DE9    | 57FC  | I0YR0080 |
| 達       | 46A4      | 9242    | 9054  | I0YS0080 |
| 向       | 46A5      | 8CFC    | 5411  | I0YT0080 |
| 取       | 46A6      | 8EE6    | 53D6  | I0YU0080 |
| 等       | 46A7      | 9399    | 7B49  | I0YV0080 |
| 智       | 46A8      | 9271    | 667A  | I0YW0080 |
| 回       | 46A9      | 89F1    | 56DE  | I0YX0080 |
| 門       | 46AA      | 96E5    | 9580  | I0YY0080 |
| 運       | 46AB      | 895E    | 904B  | I0YZ0080 |
| 備       | 46AC      | 94F5    | 5099  | I0Z00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 思       | 46AD      | 8E76    | 601D  | I0Z10080 |
| 阿       | 46AE      | 88A2    | 963F  | I0Z20080 |
| 不       | 46AF      | 9573    | 4E0D  | I0Z30080 |
| 須       | 46B0      | 907B    | 9808  | I0Z40080 |
| 全       | 46B1      | 9153    | 5168  | I0Z50080 |
| 寿       | 46B2      | 8EF5    | 5BFF  | I0Z60080 |
| 善       | 46B3      | 9150    | 5584  | I0Z70080 |
| 板       | 46B4      | 94C2    | 677F  | I0Z80080 |
| 飯       | 46B5      | 94D1    | 98EF  | I0Z90080 |
| 貞       | 46B6      | 92E5    | 8C9E  | I0ZA0080 |
| 現       | 46B7      | 8CBB    | 73FE  | I0ZB0080 |
| 食       | 46B8      | 9048    | 98DF  | I0ZC0080 |
| 組       | 46B9      | 9167    | 7D44  | I0ZD0080 |
| 類       | 46BA      | 97DE    | 985E  | I0ZE0080 |
| 公       | 46BB      | 8CF6    | 516C  | I0ZF0080 |
| 材       | 46BC      | 8DDE    | 6750  | I0ZG0080 |
| 香       | 46BD      | 8D81    | 9999  | I0ZH0080 |
| 商       | 46BE      | 8FA4    | 5546  | I0ZI0080 |
| 結       | 46BF      | 8C8B    | 7D50  | I0ZJ0080 |
| 表       | 46C0      | 955C    | 8868  | I0ZK0080 |
| 矢       | 46C1      | 96EE    | 77E2  | I0ZL0080 |
| 瀉       | 46C2      | 8A83    | 6F5F  | I0ZM0080 |
| 私       | 46C3      | 8E84    | 79C1  | I0ZN0080 |
| 制       | 46C4      | 90A7    | 5236  | I0ZO0080 |
| 邦       | 46C5      | 964D    | 90A6  | I0ZP0080 |
| 沼       | 46C6      | 8FC0    | 6CBC  | I0ZQ0080 |
| 糸       | 46C7      | 8E85    | 7CF8  | I0ZR0080 |
| 宏       | 46C8      | 8D47    | 5B8F  | I0ZS0080 |
| 策       | 46C9      | 8DF4    | 7B56  | I0ZT0080 |
| 波       | 46CA      | 9467    | 6CE2  | I0ZU0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 員       | 46CB      | 88F5    | 54E1  | I0ZV0080 |
| 数       | 46CC      | 9094    | 6570  | I0ZW0080 |
| 開       | 46CD      | 8A4A    | 958B  | I0ZX0080 |
| 準       | 46CE      | 8F80    | 6E96  | I0ZY0080 |
| 樹       | 46CF      | 8EF7    | 6A39  | I0ZZ0080 |
| 費       | 46D0      | 94EF    | 8CBB  | I1000080 |
| 昌       | 46D1      | 8FB9    | 660C  | I1010080 |
| 強       | 46D2      | 8BAD    | 5F37  | I1020080 |
| 研       | 46D3      | 8CA4    | 7814  | I1030080 |
| 友       | 46D4      | 9746    | 53CB  | I1040080 |
| 宇       | 46D5      | 8946    | 5B87  | I1050080 |
| 若       | 46D6      | 8EE1    | 82E5  | I1060080 |
| 菊       | 46D7      | 8B65    | 83CA  | I1070080 |
| 持       | 46D8      | 8E9D    | 6301  | I1080080 |
| 花       | 46D9      | 89D4    | 82B1  | I1090080 |
| 引       | 46DA      | 88F8    | 5F15  | I10A0080 |
| 紀       | 46DB      | 8B49    | 7D00  | I10B0080 |
| 荒       | 46DC      | 8D72    | 8352  | I10C0080 |
| 別       | 46DD      | 95CA    | 5225  | I10D0080 |
| 修       | 46DE      | 8F43    | 4FEE  | I10E0080 |
| 越       | 46DF      | 897A    | 8D8A  | I10F0080 |
| 住       | 46E0      | 8F5A    | 4F4F  | I10G0080 |
| 葉       | 46E1      | 96F2    | 85AC  | I10H0080 |
| 毛       | 46E2      | 96D1    | 6BDB  | I10I0080 |
| 遠       | 46E3      | 8993    | 9060  | I10J0080 |
| 問       | 46E4      | 96E2    | 554F  | I10K0080 |
| 奧       | 46E5      | 899C    | 5965  | I10L0080 |
| 型       | 46E6      | 8C5E    | 578B  | I10M0080 |
| 心       | 46E7      | 9053    | 5FC3  | I10N0080 |
| 登       | 46E8      | 936F    | 767B  | I10O0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 早                                   | 46E9      | 9181    | 65E9  | I10P0080 |
| 柳                                   | 46EA      | 96F6    | 67F3  | I10Q0080 |
| 浩                                   | 46EB      | 8D5F    | 6D69  | I10R0080 |
| 質                                   | 46EC      | 8EBF    | 8CEA  | I10S0080 |
| 務                                   | 46ED      | 96B1    | 52D9  | I10T0080 |
| 泉                                   | 46EE      | 90F2    | 6CC9  | I10U0080 |
| 常                                   | 46EF      | 8FED    | 5E38  | I10V0080 |
| 守                                   | 46F0      | 8EE7    | 5B88  | I10W0080 |
| 基                                   | 46F1      | 8AEE    | 57FA  | I10X0080 |
| 管                                   | 46F2      | 8AC7    | 7BA1  | I10Y0080 |
| 泰                                   | 46F3      | 91D7    | 6CF0  | I10Z0080 |
| 伸                                   | 46F4      | 904C    | 4F38  | I1100080 |
| 最                                   | 46F5      | 8DC5    | 6700  | I1110080 |
| 以                                   | 46F6      | 88C8    | 4EE5  | I1120080 |
| 歌                                   | 46F7      | 89CC    | 6B4C  | I1130080 |
| 裕                                   | 46F8      | 9754    | 88D5  | I1140080 |
| 赤                                   | 46F9      | 90D4    | 8D64  | I1150080 |
| 足                                   | 46FA      | 91AB    | 8DB3  | I1160080 |
| 規                                   | 46FB      | 8B4B    | 898F  | I1170080 |
| 流                                   | 46FC      | 97AC    | 6D41  | I1180080 |
| 誠                                   | 46FD      | 90BD    | 8AA0  | I1190080 |
| 昇                                   | 46FE      | 8FB8    | 6607  | I11A0080 |
| 州                                   | 4741      | 8F42    | 5DDE  | I11D0080 |
| 照                                   | 4742      | 8FC6    | 7167  | I11E0080 |
| 塩                                   | 4743      | 8996    | 5869  | I11F0080 |
| 送                                   | 4744      | 9197    | 9001  | I11G0080 |
| 雅                                   | 4745      | 89EB    | 96C5  | I11H0080 |
| 未                                   | 4746      | 9696    | 672B  | I11I0080 |
| 哲                                   | 4747      | 934E    | 54F2  | I11J0080 |
| 岸                                   | 4748      | 8ADD    | 5CB8  | I11K0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 也                                   | 4749      | 96E7    | 4E5F  | I11L0080 |
| 岐                                   | 474A      | 8AF2    | 5C90  | I11M0080 |
| 初                                   | 474B      | 8F89    | 521D  | I11N0080 |
| 茨                                   | 474C      | 88EF    | 8328  | I11O0080 |
| 則                                   | 474D      | 91A5    | 5247  | I11P0080 |
| 比                                   | 474E      | 94E4    | 6BD4  | I11Q0080 |
| 能                                   | 474F      | 945C    | 80FD  | I11R0080 |
| 話                                   | 4750      | 9862    | 8A71  | I11S0080 |
| 投                                   | 4751      | 938A    | 6295  | I11T0080 |
| 転                                   | 4752      | 935D    | 8EE2  | I11U0080 |
| 菅                                   | 4753      | 909B    | 83C5  | I11V0080 |
| 連                                   | 4754      | 9841    | 9023  | I11W0080 |
| 他                                   | 4755      | 91BC    | 4ED6  | I11X0080 |
| 民                                   | 4756      | 96AF    | 6C11  | I11Y0080 |
| 給                                   | 4757      | 8B8B    | 7D66  | I11Z0080 |
| 酒                                   | 4758      | 8EF0    | 9152  | I1200080 |
| 繁                                   | 4759      | 94C9    | 7E41  | I1210080 |
| 価                                   | 475A      | 89BF    | 4FA1  | I1220080 |
| 満                                   | 475B      | 969E    | 6E80  | I1230080 |
| 朝                                   | 475C      | 92A9    | 671D  | I1240080 |
| 付                                   | 475D      | 9574    | 4ED8  | I1250080 |
| 条                                   | 475E      | 8FF0    | 6761  | I1260080 |
| 無                                   | 475F      | 96B3    | 7121  | I1270080 |
| 考                                   | 4760      | 8D6C    | 8003  | I1280080 |
| 楽                                   | 4761      | 8A79    | 697D  | I1290080 |
| 主                                   | 4762      | 8EE5    | 4E3B  | I12A0080 |
| 意                                   | 4763      | 88D3    | 610F  | I12B0080 |
| 戦                                   | 4764      | 90ED    | 6226  | I12C0080 |
| 切                                   | 4765      | 90D8    | 5207  | I12D0080 |
| 剂                                   | 4766      | 8DDC    | 5264  | I12E0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 片                                   | 4767      | 95D0    | 7247  | I12F0080 |
| 細                                   | 4768      | 8DD7    | 7D30  | I12G0080 |
| 濟                                   | 4769      | 8DCF    | 6E08  | I12H0080 |
| 稻                                   | 476A      | 88EE    | 7A32  | I12I0080 |
| 布                                   | 476B      | 957A    | 5E03  | I12J0080 |
| 里                                   | 476C      | 97A2    | 91CC  | I12K0080 |
| 属                                   | 476D      | 91AE    | 5C5E  | I12L0080 |
| 章                                   | 476E      | 8FCD    | 7AE0  | I12M0080 |
| 変                                   | 476F      | 95CF    | 5909  | I12N0080 |
| 何                                   | 4770      | 89BD    | 4F55  | I12O0080 |
| 桜                                   | 4771      | 8DF7    | 685C  | I12P0080 |
| 彼                                   | 4772      | 94DE    | 5F7C  | I12Q0080 |
| 查                                   | 4773      | 8DB8    | 67FB  | I12R0080 |
| 益                                   | 4774      | 8976    | 76CA  | I12S0080 |
| 壳                                   | 4775      | 9484    | 58F2  | I12T0080 |
| 仁                                   | 4776      | 906D    | 4EC1  | I12U0080 |
| 深                                   | 4777      | 905B    | 6DF1  | I12V0080 |
| 台                                   | 4778      | 91E4    | 53F0  | I12W0080 |
| 鳥                                   | 4779      | 92B9    | 9CE5  | I12X0080 |
| 鶴                                   | 477A      | 92DF    | 9DB4  | I12Y0080 |
| 支                                   | 477B      | 8E78    | 652F  | I12Z0080 |
| 整                                   | 477C      | 90AE    | 6574  | I1300080 |
| 角                                   | 477D      | 8A70    | 89D2  | I1310080 |
| 嘉                                   | 477E      | 89C3    | 5609  | I1320080 |
| 味                                   | 477F      | 96A1    | 5473  | I1330080 |
| 衛                                   | 4780      | 8971    | 885B  | I1340080 |
| 議                                   | 4781      | 8B63    | 8B70  | I1350080 |
| 庄                                   | 4782      | 88B3    | 5727  | I1360080 |
| 率                                   | 4783      | 97A6    | 7387  | I1370080 |
| 路                                   | 4784      | 9848    | 8DEF  | I1380080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 火                                   | 4785      | 89CE    | 706B  | I1390080 |
| 阜                                   | 4786      | 958C    | 961C  | I13A0080 |
| 輝                                   | 4787      | 8B50    | 8F1D  | I13B0080 |
| 点                                   | 4788      | 935F    | 70B9  | I13C0080 |
| 与                                   | 4789      | 975E    | 4E0E  | I13D0080 |
| 減                                   | 478A      | 8CB8    | 6E1B  | I13E0080 |
| 畑                                   | 478B      | 94A8    | 7551  | I13F0080 |
| 銀                                   | 478C      | 8BE2    | 9280  | I13G0080 |
| 空                                   | 478D      | 8BF3    | 7A7A  | I13H0080 |
| 交                                   | 478E      | 8CF0    | 4EA4  | I13I0080 |
| 羽                                   | 478F      | 8948    | 7FBD  | I13J0080 |
| 半                                   | 4790      | 94BC    | 534A  | I13K0080 |
| 収                                   | 4791      | 8EFB    | 53CE  | I13L0080 |
| 央                                   | 4792      | 899B    | 592E  | I13M0080 |
| 総                                   | 4793      | 918D    | 7DCF  | I13N0080 |
| 記                                   | 4794      | 8B4C    | 8A18  | I13O0080 |
| 晴                                   | 4795      | 90B0    | 6674  | I13P0080 |
| 構                                   | 4796      | 8D5C    | 69CB  | I13Q0080 |
| 際                                   | 4797      | 8DDB    | 969B  | I13R0080 |
| 梅                                   | 4798      | 947E    | 6885  | I13S0080 |
| 印                                   | 4799      | 88F3    | 5370  | I13T0080 |
| 言                                   | 479A      | 8CBE    | 8A00  | I13U0080 |
| 栗                                   | 479B      | 8C49    | 6817  | I13V0080 |
| 身                                   | 479C      | 9067    | 8EAB  | I13W0080 |
| 書                                   | 479D      | 8F91    | 66F8  | I13X0080 |
| 克                                   | 479E      | 8D8E    | 514B  | I13Y0080 |
| 素                                   | 479F      | 9166    | 7D20  | I13Z0080 |
| 集                                   | 47A0      | 8F57    | 96C6  | I1400080 |
| 節                                   | 47A1      | 90DF    | 7BC0  | I1410080 |
| 先                                   | 47A2      | 90E6    | 5148  | I1420080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 滝                                   | 47A3      | 91EA    | 6EDD  | I1430080 |
| 決                                   | 47A4      | 8C88    | 6C7A  | I1440080 |
| 教                                   | 47A5      | 8BB3    | 6559  | I1450080 |
| 純                                   | 47A6      | 8F83    | 7D14  | I1460080 |
| 柴                                   | 47A7      | 8EC4    | 67F4  | I1470080 |
| 接                                   | 47A8      | 90DA    | 63A5  | I1480080 |
| 星                                   | 47A9      | 90AF    | 661F  | I1490080 |
| 着                                   | 47AA      | 9285    | 7740  | I14A0080 |
| 留                                   | 47AB      | 97AF    | 7559  | I14B0080 |
| 映                                   | 47AC      | 8966    | 6620  | I14C0080 |
| 己                                   | 47AD      | 8CC8    | 5DF1  | I14D0080 |
| 界                                   | 47AE      | 8A45    | 754C  | I14E0080 |
| 具                                   | 47AF      | 8BEF    | 5177  | I14F0080 |
| 敬                                   | 47B0      | 8C68    | 656C  | I14G0080 |
| 群                                   | 47B1      | 8C51    | 7FA4  | I14H0080 |
| 順                                   | 47B2      | 8F87    | 9806  | I14I0080 |
| 共                                   | 47B3      | 8BA4    | 5171  | I14J0080 |
| 活                                   | 47B4      | 8A88    | 6D3B  | I14K0080 |
| 量                                   | 47B5      | 97CA    | 91CF  | I14L0080 |
| 指                                   | 47B6      | 8E77    | 6307  | I14M0080 |
| 解                                   | 47B7      | 89F0    | 89E3  | I14N0080 |
| 室                                   | 47B8      | 8EBA    | 5BA4  | I14O0080 |
| 果                                   | 47B9      | 89CA    | 679C  | I14P0080 |
| 各                                   | 47BA      | 8A65    | 5404  | I14Q0080 |
| 望                                   | 47BB      | 965D    | 671B  | I14R0080 |
| 防                                   | 47BC      | 9668    | 9632  | I14S0080 |
| 約                                   | 47BD      | 96F1    | 7D04  | I14T0080 |
| 憲                                   | 47BE      | 8C9B    | 61B2  | I14U0080 |
| 陽                                   | 47BF      | 977A    | 967D  | I14V0080 |
| 亀                                   | 47C0      | 8B54    | 4E80  | I14W0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 囟                                   | 47C1      | 907D    | 56F3  | I14X0080 |
| 予                                   | 47C2      | 975C    | 4E88  | I14Y0080 |
| 色                                   | 47C3      | 9046    | 8272  | I14Z0080 |
| 税                                   | 47C4      | 90C5    | 7A0E  | I1500080 |
| 植                                   | 47C5      | 9041    | 690D  | I1510080 |
| 可                                   | 47C6      | 89C2    | 53EF  | I1520080 |
| 恒                                   | 47C7      | 8D50    | 6052  | I1530080 |
| 位                                   | 47C8      | 88CA    | 4F4D  | I1540080 |
| 典                                   | 47C9      | 9354    | 5178  | I1550080 |
| 必                                   | 47CA      | 954B    | 5FC5  | I1560080 |
| 続                                   | 47CB      | 91B1    | 7D9A  | I1570080 |
| 急                                   | 47CC      | 8B7D    | 6025  | I1580080 |
| 在                                   | 47CD      | 8DDD    | 5728  | I1590080 |
| 垣                                   | 47CE      | 8A5F    | 57A3  | I15A0080 |
| 君                                   | 47CF      | 8C4E    | 541B  | I15B0080 |
| 延                                   | 47D0      | 8984    | 5EF6  | I15C0080 |
| 嶋                                   | 47D1      | 9388    | 5D8B  | I15D0080 |
| 企                                   | 47D2      | 8AE9    | 4F01  | I15E0080 |
| 柝                                   | 47D3      | 93C8    | 6803  | I15F0080 |
| 服                                   | 47D4      | 959E    | 670D  | I15G0080 |
| 熱                                   | 47D5      | 944D    | 71B1  | I15H0080 |
| 割                                   | 47D6      | 8A84    | 5272  | I15I0080 |
| 協                                   | 47D7      | 8BA6    | 5354  | I15J0080 |
| 歩                                   | 47D8      | 95E0    | 6B69  | I15K0080 |
| 史                                   | 47D9      | 8E6A    | 53F2  | I15L0080 |
| 優                                   | 47DA      | 9744    | 512A  | I15M0080 |
| 齋                                   | 47DB      | 8DD6    | 658E  | I15N0080 |
| 房                                   | 47DC      | 965B    | 623F  | I15O0080 |
| 宗                                   | 47DD      | 8F40    | 5B97  | I15P0080 |
| 格                                   | 47DE      | 8A69    | 683C  | I15Q0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 辰                                   | 47DF      | 9243    | 8FB0  | I15R0080 |
| 笠                                   | 47E0      | 8A7D    | 7B20  | I15S0080 |
| 園                                   | 47E1      | 8980    | 5712  | I15T0080 |
| 諸                                   | 47E2      | 8F94    | 8AF8  | I15U0080 |
| 脇                                   | 47E3      | 9865    | 8107  | I15V0080 |
| 啓                                   | 47E4      | 8C5B    | 5553  | I15W0080 |
| 賢                                   | 47E5      | 8CAB    | 8CE2  | I15X0080 |
| 弥                                   | 47E6      | 96ED    | 5F25  | I15Y0080 |
| 風                                   | 47E7      | 9597    | 98A8  | I15Z0080 |
| 得                                   | 47E8      | 93BE    | 5F97  | I1600080 |
| 易                                   | 47E9      | 88D5    | 6613  | I1610080 |
| 打                                   | 47EA      | 91C5    | 6253  | I1620080 |
| 頭                                   | 47EB      | 93AA    | 982D  | I1630080 |
| 旭                                   | 47EC      | 88AE    | 65ED  | I1640080 |
| 段                                   | 47ED      | 9269    | 6BB5  | I1650080 |
| 勢                                   | 47EE      | 90A8    | 52E2  | I1660080 |
| 然                                   | 47EF      | 9152    | 7136  | I1670080 |
| 団                                   | 47F0      | 9263    | 56E3  | I1680080 |
| 額                                   | 47F1      | 8A7A    | 984D  | I1690080 |
| 落                                   | 47F2      | 978E    | 843D  | I16A0080 |
| 配                                   | 47F3      | 947A    | 914D  | I16B0080 |
| 程                                   | 47F4      | 92F6    | 7A0B  | I16C0080 |
| 辻                                   | 47F5      | 92D2    | 8FBB  | I16D0080 |
| 吾                                   | 47F6      | 8CE1    | 543E  | I16E0080 |
| 感                                   | 47F7      | 8AB4    | 611F  | I16F0080 |
| 寛                                   | 47F8      | 8AB0    | 5BDB  | I16G0080 |
| 反                                   | 47F9      | 94BD    | 53CD  | I16H0080 |
| 稔                                   | 47FA      | 96AB    | 7A14  | I16I0080 |
| 需                                   | 47FB      | 8EF9    | 9700  | I16J0080 |
| 源                                   | 47FC      | 8CB9    | 6E90  | I16K0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 沖                                   | 47FD      | 89AB    | 6C96  | I16L0080 |
| 題                                   | 47FE      | 91E8    | 984C  | I16M0080 |
| 込                                   | 4841      | 8D9E    | 8FBC  | I16P0080 |
| 草                                   | 4842      | 9190    | 8349  | I16Q0080 |
| 算                                   | 4843      | 8E5A    | 7B97  | I16R0080 |
| 盛                                   | 4844      | 90B7    | 76DB  | I16S0080 |
| 農                                   | 4845      | 945F    | 8FB2  | I16T0080 |
| 那                                   | 4846      | 93DF    | 90A3  | I16U0080 |
| 省                                   | 4847      | 8FC8    | 7701  | I16V0080 |
| 様                                   | 4848      | 976C    | 69D8  | I16W0080 |
| 殿                                   | 4849      | 9361    | 6BBF  | I16X0080 |
| 少                                   | 484A      | 8FAD    | 5C11  | I16Y0080 |
| 介                                   | 484B      | 89EE    | 4ECB  | I16Z0080 |
| 受                                   | 484C      | 8EF3    | 53D7  | I1700080 |
| 音                                   | 484D      | 89B9    | 97F3  | I1710080 |
| 編                                   | 484E      | 95D2    | 7DE8  | I1720080 |
| 委                                   | 484F      | 88CF    | 59D4  | I1730080 |
| 庄                                   | 4850      | 8FAF    | 5E84  | I1740080 |
| 係                                   | 4851      | 8C57    | 4FC2  | I1750080 |
| 状                                   | 4852      | 8FF3    | 72B6  | I1760080 |
| 示                                   | 4853      | 8EA6    | 793A  | I1770080 |
| 店                                   | 4854      | 9358    | 5E97  | I1780080 |
| 媛                                   | 4855      | 9551    | 5A9B  | I1790080 |
| 株                                   | 4856      | 8A94    | 682A  | I17A0080 |
| 滋                                   | 4857      | 8EA0    | 6ECB  | I17B0080 |
| 梨                                   | 4858      | 979C    | 68A8  | I17C0080 |
| 縄                                   | 4859      | 93EA    | 7E04  | I17D0080 |
| 右                                   | 485A      | 8945    | 53F3  | I17E0080 |
| 左                                   | 485B      | 8DB6    | 5DE6  | I17F0080 |
| 及                                   | 485C      | 8B79    | 53CA  | I17G0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 選       | 485D      | 9149    | 9078  | I17H0080 |
| 居       | 485E      | 8B8F    | 5C45  | I17I0080 |
| 情       | 485F      | 8FEE    | 60C5  | I17J0080 |
| 練       | 4860      | 97FB    | 7DF4  | I17K0080 |
| 炭       | 4861      | 9259    | 70AD  | I17L0080 |
| 館       | 4862      | 8AD9    | 9928  | I17M0080 |
| 鋳       | 4863      | 8D7A    | 9271  | I17N0080 |
| 模       | 4864      | 96CD    | 6A21  | I17O0080 |
| 殊       | 4865      | 8EEA    | 6B8A  | I17P0080 |
| 績       | 4866      | 90D1    | 7E3E  | I17Q0080 |
| 垂       | 4867      | 889F    | 4E9C  | I17R0080 |
| 織       | 4868      | 9140    | 7E4A  | I17S0080 |
| 仲       | 4869      | 9287    | 4EF2  | I17T0080 |
| 塗       | 486A      | 9368    | 5857  | I17U0080 |
| 消       | 486B      | 8FC1    | 6D88  | I17V0080 |
| 術       | 486C      | 8F70    | 8853  | I17W0080 |
| 検       | 486D      | 8C9F    | 691C  | I17X0080 |
| 朗       | 486E      | 984E    | 6717  | I17Y0080 |
| 宅       | 486F      | 91EE    | 5B85  | I17Z0080 |
| 功       | 4870      | 8CF7    | 529F  | I1800080 |
| 尚       | 4871      | 8FAE    | 5C1A  | I1810080 |
| 貿       | 4872      | 9666    | 8CBF  | I1820080 |
| 悦       | 4873      | 8978    | 60A6  | I1830080 |
| 脂       | 4874      | 8E89    | 8102  | I1840080 |
| 篠       | 4875      | 8EC2    | 7BE0  | I1850080 |
| 佳       | 4876      | 89C0    | 4F73  | I1860080 |
| 紡       | 4877      | 9661    | 7D21  | I1870080 |
| 富       | 4878      | 9579    | 51A8  | I1880080 |
| 桑       | 4879      | 8C4B    | 6851  | I1890080 |
| 確       | 487A      | 8A6D    | 78BA  | I18A0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 牧       | 487B      | 9671    | 7267  | I18B0080 |
| 並       | 487C      | 95C0    | 4E26  | I18C0080 |
| 値       | 487D      | 926C    | 5024  | I18D0080 |
| 観       | 487E      | 8ACF    | 89B3  | I18E0080 |
| 貴       | 487F      | 8B4D    | 8CB4  | I18F0080 |
| 維       | 4880      | 88DB    | 7DAD  | I18G0080 |
| 統       | 4881      | 939D    | 7D71  | I18H0080 |
| 宿       | 4882      | 8F68    | 5BBF  | I18I0080 |
| 両       | 4883      | 97BC    | 4E21  | I18J0080 |
| 糖       | 4884      | 939C    | 7CD6  | I18K0080 |
| 親       | 4885      | 9065    | 89AA  | I18L0080 |
| 録       | 4886      | 985E    | 9332  | I18M0080 |
| 澄       | 4887      | 909F    | 6F84  | I18N0080 |
| 施       | 4888      | 8E7B    | 65BD  | I18O0080 |
| 容       | 4889      | 9765    | 5BB9  | I18P0080 |
| 飛       | 488A      | 94F2    | 98DB  | I18Q0080 |
| 局       | 488B      | 8BC7    | 5C40  | I18R0080 |
| 祐       | 488C      | 9753    | 7950  | I18S0080 |
| 過       | 488D      | 89DF    | 904E  | I18T0080 |
| 氏       | 488E      | 8E81    | 6C0F  | I18U0080 |
| 改       | 488F      | 89FC    | 6539  | I18V0080 |
| 盤       | 4890      | 94D5    | 76E4  | I18W0080 |
| 積       | 4891      | 90CF    | 7A4D  | I18X0080 |
| 洪       | 4892      | 8F61    | 6E0B  | I18Y0080 |
| 卷       | 4893      | 8AAA    | 5DFB  | I18Z0080 |
| 淳       | 4894      | 8F7E    | 6DF3  | I1900080 |
| 応       | 4895      | 899E    | 5FDC  | I1910080 |
| 争       | 4896      | 9188    | 4E89  | I1920080 |
| 軍       | 4897      | 8C52    | 8ECD  | I1930080 |
| 装       | 4898      | 9195    | 88C5  | I1940080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 酸       | 4899      | 8E5F    | 9178  | I1950080 |
| 織       | 489A      | 9044    | 7E54  | I1960080 |
| 染       | 489B      | 90F5    | 67D3  | I1970080 |
| 帝       | 489C      | 92E9    | 5E1D  | I1980080 |
| 綿       | 489D      | 96C8    | 7DBF  | I1990080 |
| 粉       | 489E      | 95B2    | 7C89  | I19A0080 |
| 航       | 489F      | 8D71    | 822A  | I19B0080 |
| 甲       | 48A0      | 8D62    | 7532  | I19C0080 |
| 周       | 48A1      | 8EFC    | 5468  | I19D0080 |
| 仙       | 48A2      | 90E5    | 4ED9  | I19E0080 |
| 待       | 48A3      | 91D2    | 5F85  | I19F0080 |
| 低       | 48A4      | 92E1    | 4F4E  | I19G0080 |
| 緑       | 48A5      | 97CE    | 7DD1  | I19H0080 |
| 軽       | 48A6      | 8C79    | 8EFD  | I19I0080 |
| 麻       | 48A7      | 9683    | 9EBB  | I19J0080 |
| 慶       | 48A8      | 8C63    | 6176  | I19K0080 |
| 労       | 48A9      | 984A    | 52B4  | I19L0080 |
| 磯       | 48AA      | 88E9    | 78EF  | I19M0080 |
| 丹       | 48AB      | 924F    | 4E39  | I19N0080 |
| 育       | 48AC      | 88E7    | 80B2  | I19O0080 |
| 限       | 48AD      | 8CC0    | 9650  | I19P0080 |
| 導       | 48AE      | 93B1    | 5C0E  | I19Q0080 |
| 放       | 48AF      | 95FA    | 653E  | I19R0080 |
| 晃       | 48B0      | 8D57    | 6643  | I19S0080 |
| 座       | 48B1      | 8DC0    | 5EA7  | I19T0080 |
| 件       | 48B2      | 8C8F    | 4EF6  | I19U0080 |
| 想       | 48B3      | 917A    | 60F3  | I19V0080 |
| 驗       | 48B4      | 8CB1    | 9A13  | I19W0080 |
| 仕       | 48B5      | 8E64    | 4ED5  | I19X0080 |
| 使       | 48B6      | 8E67    | 4F7F  | I19Y0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 輪       | 48B7      | 97D6    | 8F2A  | I19Z0080 |
| 顔       | 48B8      | 8AE7    | 9854  | I1A00080 |
| 番       | 48B9      | 94D4    | 756A  | I1A10080 |
| 張       | 48BA      | 92A3    | 5F35  | I1A20080 |
| 聞       | 48BB      | 95B7    | 805E  | I1A30080 |
| 供       | 48BC      | 8B9F    | 4F9B  | I1A40080 |
| 湯       | 48BD      | 9392    | 6E6F  | I1A50080 |
| 溶       | 48BE      | 976E    | 6EB6  | I1A60080 |
| 校       | 48BF      | 8D5A    | 6821  | I1A70080 |
| 銅       | 48C0      | 93BA    | 9285  | I1A80080 |
| 鑄       | 48C1      | 9292    | 92F3  | I1A90080 |
| 融       | 48C2      | 975A    | 878D  | I1AA0080 |
| 靖       | 48C3      | 96F5    | 9756  | I1AB0080 |
| 写       | 48C4      | 8ECA    | 5199  | I1AC0080 |
| 完       | 48C5      | 8AAE    | 5B8C  | I1AD0080 |
| 港       | 48C6      | 8D60    | 6E2F  | I1AE0080 |
| 鍛       | 48C7      | 9262    | 935B  | I1AF0080 |
| 夜       | 48C8      | 96E9    | 591C  | I1AG0080 |
| 充       | 48C9      | 8F5B    | 5145  | I1AH0080 |
| 龍       | 48CA      | 97B4    | 9F8D  | I1AI0080 |
| 綱       | 48CB      | 8D6A    | 7DB1  | I1AJ0080 |
| 菱       | 48CC      | 9548    | 83F1  | I1AK0080 |
| 速       | 48CD      | 91AC    | 901F  | I1AL0080 |
| 勉       | 48CE      | 95D7    | 52C9  | I1AM0080 |
| 刷       | 48CF      | 8DFC    | 5237  | I1AN0080 |
| 起       | 48D0      | 8B4E    | 8D77  | I1AO0080 |
| 摩       | 48D1      | 9680    | 6469  | I1AP0080 |
| 参       | 48D2      | 8E51    | 53C2  | I1AQ0080 |
| 營       | 48D3      | 8963    | 55B6  | I1AR0080 |
| 穂       | 48D4      | 95E4    | 7A42  | I1AS0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 推                                   | 48D5      | 9084    | 63A8  | I1AT0080 |
| 返                                   | 48D6      | 95D4    | 8FD4  | I1AU0080 |
| 職                                   | 48D7      | 9045    | 8077  | I1AV0080 |
| 止                                   | 48D8      | 8E7E    | 6B62  | I1AW0080 |
| 伝                                   | 48D9      | 9360    | 4F1D  | I1AX0080 |
| 幹                                   | 48DA      | 8AB2    | 5E79  | I1AY0080 |
| 球                                   | 48DB      | 8B85    | 7403  | I1AZ0080 |
| 権                                   | 48DC      | 8CA0    | 6A29  | I1B00080 |
| 展                                   | 48DD      | 9357    | 5C55  | I1B10080 |
| 幡                                   | 48DE      | 94A6    | 5E61  | I1B20080 |
| 葛                                   | 48DF      | 8A8B    | 845B  | I1B30080 |
| 庭                                   | 48E0      | 92EB    | 5EAD  | I1B40080 |
| 非                                   | 48E1      | 94F1    | 975E  | I1B50080 |
| 号                                   | 48E2      | 8D86    | 53F7  | I1B60080 |
| 单                                   | 48E3      | 9250    | 5358  | I1B70080 |
| 歳                                   | 48E4      | 8DCE    | 6B73  | I1B80080 |
| 扨                                   | 48E5      | 8A67    | 62E1  | I1B90080 |
| 処                                   | 48E6      | 8F88    | 51E6  | I1BA0080 |
| 語                                   | 48E7      | 8CEA    | 8A9E  | I1BB0080 |
| 昨                                   | 48E8      | 8DF0    | 6628  | I1BC0080 |
| 域                                   | 48E9      | 88E6    | 57DF  | I1BD0080 |
| 淵                                   | 48EA      | 95A3    | 6DF5  | I1BE0080 |
| 再                                   | 48EB      | 8DC4    | 518D  | I1BF0080 |
| 働                                   | 48EC      | 93AD    | 50CD  | I1BG0080 |
| 科                                   | 48ED      | 89C8    | 79D1  | I1BH0080 |
| 魚                                   | 48EE      | 8B9B    | 9B5A  | I1BI0080 |
| 端                                   | 48EF      | 925B    | 7AEF  | I1BJ0080 |
| 途                                   | 48F0      | 9372    | 9014  | I1BK0080 |
| 案                                   | 48F1      | 88C4    | 6848  | I1BL0080 |
| 字                                   | 48F2      | 8E9A    | 5B57  | I1BM0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 論                                   | 48F3      | 985F    | 8AD6  | I1BN0080 |
| 兼                                   | 48F4      | 8C93    | 517C  | I1BO0080 |
| 又                                   | 48F5      | 9694    | 53C8  | I1BP0080 |
| 振                                   | 48F6      | 9055    | 632F  | I1BQ0080 |
| 技                                   | 48F7      | 8B5A    | 6280  | I1BR0080 |
| 徹                                   | 48F8      | 934F    | 5FB9  | I1BS0080 |
| 札                                   | 48F9      | 8E44    | 672D  | I1BT0080 |
| 系                                   | 48FA      | 8C6E    | 7CFB  | I1BU0080 |
| 従                                   | 48FB      | 8F5D    | 5F93  | I1BV0080 |
| 冷                                   | 48FC      | 97E2    | 51B7  | I1BW0080 |
| 態                                   | 48FD      | 91D4    | 614B  | I1BX0080 |
| 峰                                   | 48FE      | 95F4    | 5CF0  | I1BY0080 |
| 失                                   | 4941      | 8EB8    | 5931  | I1C10080 |
| 厚                                   | 4942      | 8CFA    | 539A  | I1C20080 |
| 側                                   | 4943      | 91A4    | 5074  | I1C30080 |
| 注                                   | 4944      | 928D    | 6CE8  | I1C40080 |
| 測                                   | 4945      | 91AA    | 6E2C  | I1C50080 |
| 頃                                   | 4946      | 8DA0    | 9803  | I1C60080 |
| 乘                                   | 4947      | 8FE6    | 4E57  | I1C70080 |
| 試                                   | 4948      | 8E8E    | 8A66  | I1C80080 |
| 坪                                   | 4949      | 92D8    | 576A  | I1C90080 |
| 萩                                   | 494A      | 948B    | 8429  | I1CA0080 |
| 党                                   | 494B      | 937D    | 515A  | I1CB0080 |
| 汽                                   | 494C      | 8B44    | 6C7D  | I1CC0080 |
| 宝                                   | 494D      | 95F3    | 5B9D  | I1CD0080 |
| 恭                                   | 494E      | 8BB1    | 606D  | I1CE0080 |
| 樋                                   | 494F      | 94F3    | 6A0B  | I1CF0080 |
| 温                                   | 4950      | 89B7    | 6E29  | I1CG0080 |
| 敷                                   | 4951      | 957E    | 6577  | I1CH0080 |
| 説                                   | 4952      | 90E0    | 8AAC  | I1CI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 芸                                   | 4953      | 8C7C    | 82B8  | I1CJ0080 |
| 告                                   | 4954      | 8D90    | 544A  | I1CK0080 |
| 歴                                   | 4955      | 97F0    | 6B74  | I1CL0080 |
| 般                                   | 4956      | 94CA    | 822C  | I1CM0080 |
| 飾                                   | 4957      | 8FFC    | 98FE  | I1CN0080 |
| 礼                                   | 4958      | 97E7    | 793C  | I1CO0080 |
| 将                                   | 4959      | 8FAB    | 5C06  | I1CP0080 |
| 難                                   | 495A      | 93EF    | 96E3  | I1CQ0080 |
| 砂                                   | 495B      | 8DBB    | 7802  | I1CR0080 |
| 判                                   | 495C      | 94BB    | 5224  | I1CS0080 |
| 役                                   | 495D      | 96F0    | 5F79  | I1CT0080 |
| 影                                   | 495E      | 8965    | 5F71  | I1CU0080 |
| 曾                                   | 495F      | 915D    | 66FD  | I1CV0080 |
| 帶                                   | 4960      | 91D1    | 5E2F  | I1CW0080 |
| 陸                                   | 4961      | 97A4    | 9678  | I1CX0080 |
| 鎌                                   | 4962      | 8A99    | 938C  | I1CY0080 |
| 談                                   | 4963      | 926B    | 8AC7  | I1CZ0080 |
| 彰                                   | 4964      | 8FB2    | 5F70  | I1D00080 |
| 悪                                   | 4965      | 88AB    | 60AA  | I1D10080 |
| 標                                   | 4966      | 9557    | 6A19  | I1D20080 |
| 申                                   | 4967      | 905C    | 7533  | I1D30080 |
| 害                                   | 4968      | 8A51    | 5BB3  | I1D40080 |
| 母                                   | 4969      | 95EA    | 6BCD  | I1D50080 |
| 補                                   | 496A      | 95E2    | 88DC  | I1D60080 |
| 幌                                   | 496B      | 9679    | 5E4C  | I1D70080 |
| 声                                   | 496C      | 90BA    | 58F0  | I1D80080 |
| 除                                   | 496D      | 8F9C    | 9664  | I1D90080 |
| 笹                                   | 496E      | 8DF9    | 7B39  | I1DA0080 |
| 婦                                   | 496F      | 9577    | 5A66  | I1DB0080 |
| 乾                                   | 4970      | 8AA3    | 4E7E  | I1DC0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 競                                   | 4971      | 8BA3    | 7AF6  | I1DD0080 |
| 芝                                   | 4972      | 8EC5    | 829D  | I1DE0080 |
| 牛                                   | 4973      | 8B8D    | 725B  | I1DF0080 |
| 買                                   | 4974      | 9483    | 8CB7  | I1DG0080 |
| 移                                   | 4975      | 88DA    | 79FB  | I1DH0080 |
| 硝                                   | 4976      | 8FC9    | 785D  | I1DI0080 |
| 茶                                   | 4977      | 9283    | 8336  | I1DJ0080 |
| 効                                   | 4978      | 8CF8    | 52B9  | I1DK0080 |
| 養                                   | 4979      | 977B    | 990A  | I1DL0080 |
| 勲                                   | 497A      | 8C4D    | 52F2  | I1DM0080 |
| 肥                                   | 497B      | 94EC    | 80A5  | I1DN0080 |
| 謙                                   | 497C      | 8CAA    | 8B19  | I1DO0080 |
| 炉                                   | 497D      | 9846    | 7089  | I1DP0080 |
| 夏                                   | 497E      | 89C4    | 590F  | I1DQ0080 |
| 堂                                   | 497F      | 93B0    | 5802  | I1DR0080 |
| 柏                                   | 4980      | 9490    | 67CF  | I1DS0080 |
| 扌                                   | 4981      | 95A5    | 6255  | I1DT0080 |
| 婦                                   | 4982      | 8B41    | 5E30  | I1DU0080 |
| 焼                                   | 4983      | 8FC4    | 713C  | I1DV0080 |
| 硫                                   | 4984      | 97B0    | 786B  | I1DW0080 |
| 老                                   | 4985      | 9856    | 8001  | I1DX0080 |
| 究                                   | 4986      | 8B86    | 7A76  | I1DY0080 |
| 審                                   | 4987      | 9052    | 5BE9  | I1DZ0080 |
| 針                                   | 4988      | 906A    | 91DD  | I1E00080 |
| 断                                   | 4989      | 9266    | 65AD  | I1E10080 |
| 射                                   | 498A      | 8ECB    | 5C04  | I1E20080 |
| 差                                   | 498B      | 8DB7    | 5DEE  | I1E30080 |
| 嵐                                   | 498C      | 9792    | 5D50  | I1E40080 |
| 折                                   | 498D      | 90DC    | 6298  | I1E50080 |
| 耐                                   | 498E      | 91CF    | 8010  | I1E60080 |





## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 宣       | 498F      | 90E9    | 5BA3  | I1E70080 |
| 始       | 4990      | 8E6E    | 59CB  | I1E80080 |
| 律       | 4991      | 97A5    | 5F8B  | I1E90080 |
| 殘       | 4992      | 8E63    | 6B8B  | I1EA0080 |
| 景       | 4993      | 8C69    | 666F  | I1EB0080 |
| 象       | 4994      | 8FDB    | 8C61  | I1EC0080 |
| 郷       | 4995      | 8BBD    | 90F7  | I1ED0080 |
| 卓       | 4996      | 91EC    | 5353  | I1EE0080 |
| 離       | 4997      | 97A3    | 96E2  | I1EF0080 |
| 薰       | 4998      | 8C4F    | 85AB  | I1EG0080 |
| 死       | 4999      | 8E80    | 6B7B  | I1EH0080 |
| 耕       | 499A      | 8D6B    | 8015  | I1EI0080 |
| 操       | 499B      | 9180    | 64CD  | I1EJ0080 |
| 亮       | 499C      | 97BA    | 4EAE  | I1EK0080 |
| 云       | 499D      | 895D    | 4E91  | I1EL0080 |
| 郡       | 499E      | 8C53    | 90E1  | I1EM0080 |
| 勤       | 499F      | 8BCE    | 52E4  | I1EN0080 |
| 求       | 49A0      | 8B81    | 6C42  | I1EO0080 |
| 貫       | 49A1      | 8AD1    | 8CAB  | I1EP0080 |
| 官       | 49A2      | 8AAF    | 5B98  | I1EQ0080 |
| 妻       | 49A3      | 8DC8    | 59BB  | I1ER0080 |
| 裏       | 49A4      | 97A0    | 88CF  | I1ES0080 |
| 眼       | 49A5      | 8AE1    | 773C  | I1ET0080 |
| 伯       | 49A6      | 948C    | 4F2F  | I1EU0080 |
| 窯       | 49A7      | 9771    | 7AAF  | I1EV0080 |
| 築       | 49A8      | 927A    | 7BC9  | I1EW0080 |
| 階       | 49A9      | 8A4B    | 968E  | I1EX0080 |
| 換       | 49AA      | 8AB7    | 63DB  | I1EY0080 |
| 桂       | 49AB      | 8C6A    | 6842  | I1EZ0080 |
| 駅       | 49AC      | 8977    | 99C5  | I1F00080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 梶       | 49AD      | 8A81    | 68B6  | I1F10080 |
| 均       | 49AE      | 8BCF    | 5747  | I1F20080 |
| 財       | 49AF      | 8DE0    | 8CA1  | I1F30080 |
| 命       | 49B0      | 96BD    | 547D  | I1F40080 |
| 王       | 49B1      | 89A4    | 738B  | I1F50080 |
| 蒲       | 49B2      | 8A97    | 84B2  | I1F60080 |
| 郁       | 49B3      | 88E8    | 90C1  | I1F70080 |
| 磨       | 49B4      | 9681    | 78E8  | I1F80080 |
| 笑       | 49B5      | 8FCE    | 7B11  | I1F90080 |
| 曲       | 49B6      | 8BC8    | 66F2  | I1FA0080 |
| 極       | 49B7      | 8BC9    | 6975  | I1FB0080 |
| 報       | 49B8      | 95F1    | 5831  | I1FC0080 |
| 提       | 49B9      | 92F1    | 63D0  | I1FD0080 |
| 証       | 49BA      | 8FD8    | 8A3C  | I1FE0080 |
| 雪       | 49BB      | 90E1    | 96EA  | I1FF0080 |
| 違       | 49BC      | 88E1    | 9055  | I1FG0080 |
| 裁       | 49BD      | 8DD9    | 88C1  | I1FH0080 |
| 首       | 49BE      | 8EF1    | 9996  | I1FI0080 |
| 病       | 49BF      | 9561    | 75C5  | I1FJ0080 |
| 桐       | 49C0      | 8BCB    | 6850  | I1FK0080 |
| 余       | 49C1      | 975D    | 4F59  | I1FL0080 |
| 瓦       | 49C2      | 8AA2    | 74E6  | I1FM0080 |
| 令       | 49C3      | 97DF    | 4EE4  | I1FN0080 |
| 吹       | 49C4      | 9081    | 5439  | I1FO0080 |
| 猪       | 49C5      | 9296    | 732A  | I1FP0080 |
| 未       | 49C6      | 96A2    | 672A  | I1FQ0080 |
| 剛       | 49C7      | 8D84    | 525B  | I1FR0080 |
| 負       | 49C8      | 9589    | 8CA0  | I1FS0080 |
| 伴       | 49C9      | 94BA    | 4F34  | I1FT0080 |
| 儀       | 49CA      | 8B56    | 5100  | I1FU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 含                                   | 49CB      | 8ADC    | 542B  | I1FV0080 |
| 適                                   | 49CC      | 934B    | 9069  | I1FW0080 |
| 迄                                   | 49CD      | 9698    | 8FC4  | I1FX0080 |
| 尻                                   | 49CE      | 904B    | 5C3B  | I1FY0080 |
| 巖                                   | 49CF      | 8ADE    | 5DCC  | I1FZ0080 |
| 答                                   | 49D0      | 939A    | 7B54  | I1G00080 |
| 追                                   | 49D1      | 92C7    | 8FFD  | I1G10080 |
| 討                                   | 49D2      | 93A2    | 8A0E  | I1G20080 |
| 丈                                   | 49D3      | 8FE4    | 4E08  | I1G30080 |
| 鉛                                   | 49D4      | 8994    | 925B  | I1G40080 |
| 燃                                   | 49D5      | 9452    | 71C3  | I1G50080 |
| 課                                   | 49D6      | 89DB    | 8AB2  | I1G60080 |
| 為                                   | 49D7      | 88D7    | 70BA  | I1G70080 |
| 院                                   | 49D8      | 8940    | 9662  | I1G80080 |
| 枚                                   | 49D9      | 9687    | 679A  | I1G90080 |
| 皮                                   | 49DA      | 94E7    | 76AE  | I1GA0080 |
| 護                                   | 49DB      | 8CEC    | 8B77  | I1GB0080 |
| 綾                                   | 49DC      | 88BB    | 7DBE  | I1GC0080 |
| 雨                                   | 49DD      | 894A    | 96E8  | I1GD0080 |
| 我                                   | 49DE      | 89E4    | 6211  | I1GE0080 |
| 寄                                   | 49DF      | 8AF1    | 5BC4  | I1GF0080 |
| 荻                                   | 49E0      | 89AC    | 837B  | I1GG0080 |
| 押                                   | 49E1      | 899F    | 62BC  | I1GH0080 |
| 納                                   | 49E2      | 945B    | 7D0D  | I1GI0080 |
| 監                                   | 49E3      | 8AC4    | 76E3  | I1GJ0080 |
| 縫                                   | 49E4      | 9644    | 7E2B  | I1GK0080 |
| 降                                   | 49E5      | 8D7E    | 964D  | I1GL0080 |
| 圭                                   | 49E6      | 8C5C    | 572D  | I1GM0080 |
| 竜                                   | 49E7      | 97B3    | 7ADC  | I1GN0080 |
| 範                                   | 49E8      | 94CD    | 7BC4  | I1GO0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 殺                                   | 49E9      | 8E45    | 6BBA  | I1GP0080 |
| 貝                                   | 49EA      | 8A4C    | 8C9D  | I1GQ0080 |
| 榎                                   | 49EB      | 897C    | 698E  | I1GR0080 |
| 遇                                   | 49EC      | 8BF6    | 9047  | I1GS0080 |
| 演                                   | 49ED      | 8989    | 6F14  | I1GT0080 |
| 占                                   | 49EE      | 90E8    | 5360  | I1GU0080 |
| 迫                                   | 49EF      | 9497    | 8FEB  | I1GV0080 |
| 劇                                   | 49F0      | 8C80    | 5287  | I1GW0080 |
| 才                                   | 49F1      | 8DCB    | 624D  | I1GX0080 |
| 敦                                   | 49F2      | 93D6    | 6566  | I1GY0080 |
| 級                                   | 49F3      | 8B89    | 7D1A  | I1GZ0080 |
| 終                                   | 49F4      | 8F49    | 7D42  | I1H00080 |
| 每                                   | 49F5      | 9688    | 6BCE  | I1H10080 |
| 絹                                   | 49F6      | 8CA6    | 7D79  | I1H20080 |
| 縮                                   | 49F7      | 8F6B    | 7E2E  | I1H30080 |
| 普                                   | 49F8      | 9581    | 666E  | I1H40080 |
| 祥                                   | 49F9      | 8FCB    | 7965  | I1H50080 |
| 個                                   | 49FA      | 8CC2    | 500B  | I1H60080 |
| 專                                   | 49FB      | 90EA    | 5C02  | I1H70080 |
| 駒                                   | 49FC      | 8BEE    | 99D2  | I1H80080 |
| 評                                   | 49FD      | 955D    | 8A55  | I1H90080 |
| 畠                                   | 49FE      | 94A9    | 7560  | I1HA0080 |
| 存                                   | 4A41      | 91B6    | 5B58  | I1HD0080 |
| 肉                                   | 4A42      | 93F7    | 8089  | I1HE0080 |
| 傾                                   | 4A43      | 8C58    | 50BE  | I1HF0080 |
| 師                                   | 4A44      | 8E74    | 5E2B  | I1HG0080 |
| 液                                   | 4A45      | 8974    | 6DB2  | I1HH0080 |
| 例                                   | 4A46      | 97E1    | 4F8B  | I1HI0080 |
| 臣                                   | 4A47      | 9062    | 81E3  | I1HJ0080 |
| 至                                   | 4A48      | 8E8A    | 81F3  | I1HK0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 因                                   | 4A49      | 88F6    | 56E0  | I1HL0080 |
| 繼                                   | 4A4A      | 8C70    | 7D99  | I1HM0080 |
| 已                                   | 4A4B      | 9BDF    | 5DF2  | I1HN0080 |
| 覺                                   | 4A4C      | 8A6F    | 899A  | I1HO0080 |
| 溝                                   | 4A4D      | 8D61    | 6E9D  | I1HP0080 |
| 洗                                   | 4A4E      | 90F4    | 6D17  | I1HQ0080 |
| 読                                   | 4A4F      | 93C7    | 8AAD  | I1HR0080 |
| 視                                   | 4A50      | 8E8B    | 8996  | I1HS0080 |
| 猛                                   | 4A51      | 96D2    | 731B  | I1HT0080 |
| 巨                                   | 4A52      | 8B90    | 5DE8  | I1HU0080 |
| 網                                   | 4A53      | 96D4    | 7DB2  | I1HV0080 |
| 袋                                   | 4A54      | 91DC    | 888B  | I1HW0080 |
| 任                                   | 4A55      | 9443    | 4EFB  | I1HX0080 |
| 密                                   | 4A56      | 96A7    | 5BC6  | I1HY0080 |
| 袖                                   | 4A57      | 91B3    | 8896  | I1HZ0080 |
| 況                                   | 4A58      | 8BB5    | 6CC1  | I1I00080 |
| 著                                   | 4A59      | 9298    | 8457  | I1I10080 |
| 較                                   | 4A5A      | 8A72    | 8F03  | I1I20080 |
| 毅                                   | 4A5B      | 8B42    | 6BC5  | I1I30080 |
| 響                                   | 4A5C      | 8BBF    | 97FF  | I1I40080 |
| 販                                   | 4A5D      | 94CC    | 8CA9  | I1I50080 |
| 幅                                   | 4A5E      | 959D    | 5E45  | I1I60080 |
| 苦                                   | 4A5F      | 8BEA    | 82E6  | I1I70080 |
| 措                                   | 4A60      | 915B    | 63AA  | I1I80080 |
| 征                                   | 4A61      | 90AA    | 5F81  | I1I90080 |
| 磁                                   | 4A62      | 8EA5    | 78C1  | I1IA0080 |
| 舞                                   | 4A63      | 9591    | 821E  | I1IB0080 |
| 努                                   | 4A64      | 9377    | 52AA  | I1IC0080 |
| 窪                                   | 4A65      | 8C45    | 7AAA  | I1ID0080 |
| 妙                                   | 4A66      | 96AD    | 5999  | I1IE0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 抗                                   | 4A67      | 8D52    | 6297  | I1IF0080 |
| 輔                                   | 4A68      | 95E3    | 8F14  | I1IG0080 |
| 習                                   | 4A69      | 8F4B    | 7FD2  | I1IH0080 |
| 促                                   | 4A6A      | 91A3    | 4FC3  | I1II0080 |
| 哉                                   | 4A6B      | 8DC6    | 54C9  | I1IJ0080 |
| 險                                   | 4A6C      | 8CAF    | 967A  | I1IK0080 |
| 更                                   | 4A6D      | 8D58    | 66F4  | I1IL0080 |
| 講                                   | 4A6E      | 8D75    | 8B1B  | I1IM0080 |
| 干                                   | 4A6F      | 8AB1    | 5E72  | I1IN0080 |
| 復                                   | 4A70      | 959C    | 5FA9  | I1IO0080 |
| 訪                                   | 4A71      | 964B    | 8A2A  | I1IP0080 |
| 派                                   | 4A72      | 9468    | 6D3E  | I1IQ0080 |
| 督                                   | 4A73      | 93C2    | 7763  | I1IR0080 |
| 擊                                   | 4A74      | 8C82    | 6483  | I1IS0080 |
| 識                                   | 4A75      | 8EAF    | 8B58  | I1IT0080 |
| 慎                                   | 4A76      | 9054    | 614E  | I1IU0080 |
| 婚                                   | 4A77      | 8DA5    | 5A5A  | I1IV0080 |
| 超                                   | 4A78      | 92B4    | 8D85  | I1IW0080 |
| 燐                                   | 4A79      | 97D3    | 71D0  | I1IX0080 |
| 頼                                   | 4A7A      | 978A    | 983C  | I1IY0080 |
| 狩                                   | 4A7B      | 8EEB    | 72E9  | I1IZ0080 |
| 堺                                   | 4A7C      | 8DE4    | 583A  | I1J00080 |
| 巾                                   | 4A7D      | 8BD0    | 5DFE  | I1J10080 |
| 認                                   | 4A7E      | 9446    | 8A8D  | I1J20080 |
| 柄                                   | 4A7F      | 95BF    | 67C4  | I1J30080 |
| 締                                   | 4A80      | 92F7    | 7DE0  | I1J40080 |
| 休                                   | 4A81      | 8B78    | 4F11  | I1J50080 |
| 短                                   | 4A82      | 925A    | 77ED  | I1J60080 |
| 伏                                   | 4A83      | 959A    | 4F0F  | I1J70080 |
| 寅                                   | 4A84      | 93D0    | 5BC5  | I1J80080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 抜       | 4A85      | 94B2    | 629C  | I1J90080 |
| 尼       | 4A86      | 93F2    | 5C3C  | I1JA0080 |
| 医       | 4A87      | 88E3    | 533B  | I1JB0080 |
| 淀       | 4A88      | 9784    | 6DC0  | I1JC0080 |
| 白       | 4A89      | 8950    | 81FC  | I1JD0080 |
| 雑       | 4A8A      | 8E47    | 96D1  | I1JE0080 |
| 遊       | 4A8B      | 9756    | 904A  | I1JF0080 |
| 浮       | 4A8C      | 9582    | 6D6E  | I1JG0080 |
| 鏡       | 4A8D      | 8BBE    | 93E1  | I1JH0080 |
| 層       | 4A8E      | 9177    | 5C64  | I1JI0080 |
| 飼       | 4A8F      | 8E94    | 98FC  | I1JJ0080 |
| 削       | 4A90      | 8DED    | 524A  | I1JK0080 |
| 添       | 4A91      | 9359    | 6DFB  | I1JL0080 |
| 薄       | 4A92      | 9496    | 8584  | I1JM0080 |
| 隊       | 4A93      | 91E0    | 968A  | I1JN0080 |
| 固       | 4A94      | 8CC5    | 56FA  | I1JO0080 |
| 境       | 4A95      | 8BAB    | 5883  | I1JP0080 |
| 睦       | 4A96      | 9672    | 7766  | I1JQ0080 |
| 項       | 4A97      | 8D80    | 9805  | I1JR0080 |
| 乳       | 4A98      | 93FB    | 4E73  | I1JS0080 |
| 豆       | 4A99      | 93A4    | 8C46  | I1JT0080 |
| 許       | 4A9A      | 8B96    | 8A31  | I1JU0080 |
| 緒       | 4A9B      | 8F8F    | 7DD2  | I1JV0080 |
| 述       | 4A9C      | 8F71    | 8FF0  | I1JW0080 |
| 浪       | 4A9D      | 9851    | 6D6A  | I1JX0080 |
| 依       | 4A9E      | 88CB    | 4F9D  | I1JY0080 |
| 齒       | 4A9F      | 8E95    | 6B6F  | I1JZ0080 |
| 欧       | 4AA0      | 89A2    | 6B27  | I1K00080 |
| 担       | 4AA1      | 9253    | 62C5  | I1K10080 |
| 償       | 4AA2      | 8F9E    | 511F  | I1K20080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 革       | 4AA3      | 8A76    | 9769  | I1K30080 |
| 却       | 4AA4      | 8B70    | 5374  | I1K40080 |
| 骨       | 4AA5      | 8D9C    | 9AA8  | I1K50080 |
| 杵       | 4AA6      | 8B6E    | 6775  | I1K60080 |
| 衿       | 4AA7      | 8BDC    | 887F  | I1K70080 |
| 包       | 4AA8      | 95EF    | 5305  | I1K80080 |
| 異       | 4AA9      | 88D9    | 7570  | I1K90080 |
| 走       | 4AAA      | 9196    | 8D70  | I1KA0080 |
| 虎       | 4AAB      | 8CD5    | 864E  | I1KB0080 |
| 峯       | 4AAC      | 95F5    | 5CEF  | I1KC0080 |
| 賞       | 4AAD      | 8FDC    | 8CDE  | I1KD0080 |
| 念       | 4AAE      | 944F    | 5FF5  | I1KE0080 |
| 牟       | 4AAF      | 96B4    | 725F  | I1KF0080 |
| 皆       | 4AB0      | 8A46    | 7686  | I1KG0080 |
| 悟       | 4AB1      | 8CE5    | 609F  | I1KH0080 |
| 背       | 4AB2      | 9477    | 80CC  | I1KI0080 |
| 姫       | 4AB3      | 9550    | 59EB  | I1KJ0080 |
| 脱       | 4AB4      | 9245    | 8131  | I1KK0080 |
| 希       | 4AB5      | 8AF3    | 5E0C  | I1KL0080 |
| 託       | 4AB6      | 91F5    | 8A17  | I1KM0080 |
| 陶       | 4AB7      | 93A9    | 9676  | I1KN0080 |
| 苗       | 4AB8      | 9563    | 82D7  | I1KO0080 |
| 環       | 4AB9      | 8AC2    | 74B0  | I1KP0080 |
| 蒸       | 4ABA      | 8FF6    | 84B8  | I1KQ0080 |
| 僕       | 4ABB      | 966C    | 50D5  | I1KR0080 |
| 雲       | 4ABC      | 895F    | 96F2  | I1KS0080 |
| 版       | 4ABD      | 94C5    | 7248  | I1KT0080 |
| 破       | 4ABE      | 946A    | 7834  | I1KU0080 |
| 淑       | 4ABF      | 8F69    | 6DD1  | I1KV0080 |
| 涉       | 4AC0      | 8FC2    | 6E09  | I1KW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 柿       | 4AC1      | 8A60    | 67FF  | I1KX0080 |
| 潔       | 4AC2      | 8C89    | 6F54  | I1KY0080 |
| 夕       | 4AC3      | 975B    | 5915  | I1KZ0080 |
| 倍       | 4AC4      | 947B    | 500D  | I1L00080 |
| 犬       | 4AC5      | 8CA2    | 72AC  | I1L10080 |
| 黄       | 4AC6      | 89A9    | 9EC4  | I1L20080 |
| 筆       | 4AC7      | 954D    | 7B46  | I1L30080 |
| 鬼       | 4AC8      | 8B53    | 9B3C  | I1L40080 |
| 散       | 4AC9      | 8E55    | 6563  | I1L50080 |
| 去       | 4ACA      | 8B8E    | 53BB  | I1L60080 |
| 誘       | 4ACB      | 9755    | 8A98  | I1L70080 |
| 釜       | 4ACC      | 8A98    | 91DC  | I1L80080 |
| 領       | 4ACD      | 97CC    | 9818  | I1L90080 |
| 濃       | 4ACE      | 945A    | 6FC3  | I1LA0080 |
| 旅       | 4ACF      | 97B7    | 65C5  | I1LB0080 |
| 借       | 4AD0      | 8ED8    | 501F  | I1LC0080 |
| 羊       | 4AD1      | 9772    | 7F8A  | I1LD0080 |
| 潤       | 4AD2      | 8F81    | 6F64  | I1LE0080 |
| 週       | 4AD3      | 8F54    | 9031  | I1LF0080 |
| 弾       | 4AD4      | 9265    | 5F3E  | I1LG0080 |
| 援       | 4AD5      | 8987    | 63F4  | I1LH0080 |
| 逸       | 4AD6      | 88ED    | 9038  | I1LI0080 |
| 警       | 4AD7      | 8C78    | 8B66  | I1LJ0080 |
| 篤       | 4AD8      | 93C4    | 7BE4  | I1LK0080 |
| 爆       | 4AD9      | 949A    | 7206  | I1LL0080 |
| 桃       | 4ADA      | 938D    | 6843  | I1LM0080 |
| 独       | 4ADB      | 93C6    | 72EC  | I1LN0080 |
| 族       | 4ADC      | 91B0    | 65CF  | I1LO0080 |
| 芦       | 4ADD      | 88B0    | 82A6  | I1LP0080 |
| 客       | 4ADE      | 8B71    | 5BA2  | I1LQ0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 楠       | 4ADF      | 93ED    | 6960  | I1LR0080 |
| 麦       | 4AE0      | 949E    | 9EA6  | I1LS0080 |
| 募       | 4AE1      | 95E5    | 52DF  | I1LT0080 |
| 析       | 4AE2      | 90CD    | 6790  | I1LU0080 |
| 掛       | 4AE3      | 8A7C    | 639B  | I1LV0080 |
| 絵       | 4AE4      | 8A47    | 7D75  | I1LW0080 |
| 顕       | 4AE5      | 8CB0    | 9855  | I1LX0080 |
| 巳       | 4AE6      | 96A4    | 5DF3  | I1LY0080 |
| 堅       | 4AE7      | 8C98    | 5805  | I1LZ0080 |
| 請       | 4AE8      | 90BF    | 8ACB  | I1M00080 |
| 閣       | 4AE9      | 8A74    | 95A3  | I1M10080 |
| 衣       | 4AEA      | 88DF    | 8863  | I1M20080 |
| 貨       | 4AEB      | 89DD    | 8CA8  | I1M30080 |
| 季       | 4AEC      | 8B47    | 5B63  | I1M40080 |
| 床       | 4AED      | 8FB0    | 5E8A  | I1M50080 |
| 呉       | 4AEE      | 8CE0    | 5449  | I1M60080 |
| 硬       | 4AEF      | 8D64    | 786C  | I1M70080 |
| 紫       | 4AF0      | 8E87    | 7D2B  | I1M80080 |
| 貢       | 4AF1      | 8D76    | 8CA2  | I1M90080 |
| 卒       | 4AF2      | 91B2    | 5352  | I1MA0080 |
| 絶       | 4AF3      | 90E2    | 7D76  | I1MB0080 |
| 貸       | 4AF4      | 91DD    | 8CB8  | I1MC0080 |
| 灰       | 4AF5      | 8A44    | 7070  | I1MD0080 |
| 呼       | 4AF6      | 8CC4    | 547C  | I1ME0080 |
| 故       | 4AF7      | 8CCC    | 6545  | I1MF0080 |
| 晶       | 4AF8      | 8FBB    | 6676  | I1MG0080 |
| 玲       | 4AF9      | 97E6    | 73B2  | I1MH0080 |
| 困       | 4AFA      | 88CD    | 56F2  | I1MI0080 |
| 箱       | 4AFB      | 94A0    | 7BB1  | I1MJ0080 |
| 墨       | 4AFC      | 966E    | 58A8  | I1MK0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 突                                   | 4AFD      | 93CB    | 7A81  | I1ML0080 |
| 暮                                   | 4AFE      | 95E9    | 66AE  | I1MM0080 |
| 肇                                   | 4B41      | 94A3    | 8087  | I1MP0080 |
| 姿                                   | 4B42      | 8E70    | 59FF  | I1MQ0080 |
| 血                                   | 4B43      | 8C8C    | 8840  | I1MR0080 |
| 困                                   | 4B44      | 8DA2    | 56F0  | I1MS0080 |
| 筑                                   | 4B45      | 927D    | 7B51  | I1MT0080 |
| 混                                   | 4B46      | 8DAC    | 6DF7  | I1MU0080 |
| 弁                                   | 4B47      | 95D9    | 5F01  | I1MV0080 |
| 鍋                                   | 4B48      | 93E7    | 934B  | I1MW0080 |
| 退                                   | 4B49      | 91DE    | 9000  | I1MX0080 |
| 俣                                   | 4B4A      | 9693    | 4FE3  | I1MY0080 |
| 束                                   | 4B4B      | 91A9    | 675F  | I1MZ0080 |
| 便                                   | 4B4C      | 95D6    | 4FBF  | I1N00080 |
| 賃                                   | 4B4D      | 92C0    | 8CC3  | I1N10080 |
| 副                                   | 4B4E      | 959B    | 526F  | I1N20080 |
| 採                                   | 4B4F      | 8DCC    | 63A1  | I1N30080 |
| 呂                                   | 4B50      | 9843    | 5442  | I1N40080 |
| 複                                   | 4B51      | 95A1    | 8907  | I1N50080 |
| 榊                                   | 4B52      | 8DE5    | 698A  | I1N60080 |
| 席                                   | 4B53      | 90C8    | 5E2D  | I1N70080 |
| 娘                                   | 4B54      | 96BA    | 5A18  | I1N80080 |
| 甘                                   | 4B55      | 8AC3    | 7518  | I1N90080 |
| 免                                   | 4B56      | 96C6    | 514D  | I1NA0080 |
| 幾                                   | 4B57      | 8AF4    | 5E7E  | I1NB0080 |
| 債                                   | 4B58      | 8DC2    | 50B5  | I1NC0080 |
| 寢                                   | 4B59      | 9051    | 5BDD  | I1ND0080 |
| 棒                                   | 4B5A      | 965F    | 68D2  | I1NE0080 |
| 瑞                                   | 4B5B      | 9090    | 745E  | I1NF0080 |
| 槻                                   | 4B5C      | 92CE    | 69FB  | I1NG0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 微                                   | 4B5D      | 94F7    | 5FAE  | I1NH0080 |
| 嗣                                   | 4B5E      | 8E6B    | 55E3  | I1NI0080 |
| 詰                                   | 4B5F      | 8B6C    | 8A70  | I1NJ0080 |
| 寸                                   | 4B60      | 90A1    | 5BF8  | I1NK0080 |
| 堤                                   | 4B61      | 92E7    | 5824  | I1NL0080 |
| 莊                                   | 4B62      | 9191    | 8358  | I1NM0080 |
| 弓                                   | 4B63      | 8B7C    | 5F13  | I1NN0080 |
| 底                                   | 4B64      | 92EA    | 5E95  | I1NO0080 |
| 灯                                   | 4B65      | 9394    | 706F  | I1NP0080 |
| 甚                                   | 4B66      | 9072    | 751A  | I1NQ0080 |
| 紅                                   | 4B67      | 8D67    | 7D05  | I1NR0080 |
| 惣                                   | 4B68      | 9179    | 60E3  | I1NS0080 |
| 繰                                   | 4B69      | 8C4A    | 7E70  | I1NT0080 |
| 倒                                   | 4B6A      | 937C    | 5012  | I1NU0080 |
| 券                                   | 4B6B      | 8C94    | 5238  | I1NV0080 |
| 華                                   | 4B6C      | 89D8    | 83EF  | I1NW0080 |
| 即                                   | 4B6D      | 91A6    | 5373  | I1NX0080 |
| 弱                                   | 4B6E      | 8EE3    | 5F31  | I1NY0080 |
| 檉                                   | 4B6F      | 8A7E    | 6A2B  | I1NZ0080 |
| 鳴                                   | 4B70      | 96C2    | 9CF4  | I1O00080 |
| 双                                   | 4B71      | 916F    | 53CC  | I1O10080 |
| 洲                                   | 4B72      | 8F46    | 6D32  | I1O20080 |
| 享                                   | 4B73      | 8B9D    | 4EAB  | I1O30080 |
| 互                                   | 4B74      | 8CDD    | 4E92  | I1O40080 |
| 萬                                   | 4B75      | E4DD    | 842C  | I1O50080 |
| 誌                                   | 4B76      | 8E8F    | 8A8C  | I1O60080 |
| 既                                   | 4B77      | 8AF9    | 65E2  | I1O70080 |
| 漁                                   | 4B78      | 8B99    | 6F01  | I1O80080 |
| 肩                                   | 4B79      | 8CA8    | 80A9  | I1O90080 |
| 鷹                                   | 4B7A      | 91E9    | 9DF9  | I1OA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 讓                                   | 4B7B      | 8FF7    | 8B72  | I1OB0080 |
| 筒                                   | 4B7C      | 939B    | 7B52  | I1OC0080 |
| 閉                                   | 4B7D      | 95C2    | 9589  | I1OD0080 |
| 浴                                   | 4B7E      | 9781    | 6D74  | I1OE0080 |
| 探                                   | 4B7F      | 9254    | 63A2  | I1OF0080 |
| 斐                                   | 4B80      | 94E3    | 6590  | I1OG0080 |
| 寒                                   | 4B81      | 8AA6    | 5BD2  | I1OH0080 |
| 拳                                   | 4B82      | 8B93    | 6319  | I1OI0080 |
| 誰                                   | 4B83      | 924E    | 8AB0  | I1OJ0080 |
| 盟                                   | 4B84      | 96BF    | 76DF  | I1OK0080 |
| 馨                                   | 4B85      | 8A5D    | 99A8  | I1OL0080 |
| 穴                                   | 4B86      | 8C8A    | 7A74  | I1OM0080 |
| 舶                                   | 4B87      | 9495    | 8236  | I1ON0080 |
| 衆                                   | 4B88      | 8F4F    | 8846  | I1OO0080 |
| 聡                                   | 4B89      | 918F    | 8061  | I1OP0080 |
| 敗                                   | 4B8A      | 9473    | 6557  | I1OQ0080 |
| 夢                                   | 4B8B      | 96B2    | 5922  | I1OR0080 |
| 附                                   | 4B8C      | 958D    | 9644  | I1OS0080 |
| 被                                   | 4B8D      | 94ED    | 88AB  | I1OT0080 |
| 錦                                   | 4B8E      | 8BD1    | 9326  | I1OU0080 |
| 筋                                   | 4B8F      | 8BD8    | 7B4B  | I1OV0080 |
| 抵                                   | 4B90      | 92EF    | 62B5  | I1OW0080 |
| 危                                   | 4B91      | 8AEB    | 5371  | I1OX0080 |
| 庁                                   | 4B92      | 92A1    | 5E81  | I1OY0080 |
| 察                                   | 4B93      | 8E40    | 5BDF  | I1OZ0080 |
| 併                                   | 4B94      | 95B9    | 4F75  | I1P00080 |
| 壁                                   | 4B95      | 95C7    | 58C1  | I1P10080 |
| 灘                                   | 4B96      | 93E5    | 7058  | I1P20080 |
| 緊                                   | 4B97      | 8BD9    | 7DCA  | I1P30080 |
| 吸                                   | 4B98      | 8B7A    | 5438  | I1P40080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 珠                                   | 4B99      | 8EEC    | 73E0  | I1P50080 |
| 勘                                   | 4B9A      | 8AA8    | 52D8  | I1P60080 |
| 刈                                   | 4B9B      | 8AA0    | 5208  | I1P70080 |
| 磬                                   | 4B9C      | 94D6    | 78D0  | I1P80080 |
| 欣                                   | 4B9D      | 8BD3    | 6B23  | I1P90080 |
| 核                                   | 4B9E      | 8A6A    | 6838  | I1PA0080 |
| 乃                                   | 4B9F      | 9454    | 4E43  | I1PB0080 |
| 椎                                   | 4BA0      | 92C5    | 690E  | I1PC0080 |
| 荷                                   | 4BA1      | 89D7    | 8377  | I1PD0080 |
| 滑                                   | 4BA2      | 8A8A    | 6ED1  | I1PE0080 |
| 飲                                   | 4BA3      | 88F9    | 98F2  | I1PF0080 |
| 腰                                   | 4BA4      | 8D98    | 8170  | I1PG0080 |
| 街                                   | 4BA5      | 8A58    | 8857  | I1PH0080 |
| 軸                                   | 4BA6      | 8EB2    | 8EF8  | I1PI0080 |
| 禎                                   | 4BA7      | 92F5    | 798E  | I1PJ0080 |
| 菜                                   | 4BA8      | 8DD8    | 83DC  | I1PK0080 |
| 迎                                   | 4BA9      | 8C7D    | 8FCE  | I1PL0080 |
| 縁                                   | 4BAA      | 898F    | 7E01  | I1PM0080 |
| 唐                                   | 4BAB      | 9382    | 5510  | I1PN0080 |
| 亨                                   | 4BAC      | 8B9C    | 4EA8  | I1PO0080 |
| 訳                                   | 4BAD      | 96F3    | 8A33  | I1PP0080 |
| 酢                                   | 4BAE      | 907C    | 9162  | I1PQ0080 |
| 廻                                   | 4BAF      | 89F4    | 5EFB  | I1PR0080 |
| 息                                   | 4BB0      | 91A7    | 606F  | I1PS0080 |
| 了                                   | 4BB1      | 97B9    | 4E86  | I1PT0080 |
| 晋                                   | 4BB2      | 9057    | 664B  | I1PU0080 |
| 捨                                   | 4BB3      | 8ECC    | 6368  | I1PV0080 |
| 列                                   | 4BB4      | 97F1    | 5217  | I1PW0080 |
| 聖                                   | 4BB5      | 90B9    | 8056  | I1PX0080 |
| 函                                   | 4BB6      | 949F    | 51FD  | I1PY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 療                                   | 4BB7      | 97C3    | 7642  | I1PZ0080 |
| 舟                                   | 4BB8      | 8F4D    | 821F  | I1Q00080 |
| 隅                                   | 4BB9      | 8BF7    | 9685  | I1Q10080 |
| 像                                   | 4BBA      | 919C    | 50CF  | I1Q20080 |
| 是                                   | 4BBB      | 90A5    | 662F  | I1Q30080 |
| 似                                   | 4BBC      | 8E97    | 4F3C  | I1Q40080 |
| 乙                                   | 4BBD      | 89B3    | 4E59  | I1Q50080 |
| 樽                                   | 4BBE      | 924D    | 6A3D  | I1Q60080 |
| 乱                                   | 4BBF      | 9790    | 4E71  | I1Q70080 |
| 刺                                   | 4BC0      | 8E68    | 523A  | I1Q80080 |
| 諷                                   | 4BC1      | 907A    | 8ACF  | I1Q90080 |
| 橘                                   | 4BC2      | 8B6B    | 6A58  | I1QA0080 |
| 替                                   | 4BC3      | 91D6    | 66FF  | I1QB0080 |
| 朋                                   | 4BC4      | 95FC    | 670B  | I1QC0080 |
| 攻                                   | 4BC5      | 8D55    | 653B  | I1QD0080 |
| 露                                   | 4BC6      | 9849    | 9732  | I1QE0080 |
| 麿                                   | 4BC7      | 9470    | 5EC3  | I1QF0080 |
| 訓                                   | 4BC8      | 8C50    | 8A13  | I1QG0080 |
| 垂                                   | 4BC9      | 9082    | 5782  | I1QH0080 |
| 恋                                   | 4BCA      | 97F6    | 604B  | I1QI0080 |
| 虫                                   | 4BCB      | 928E    | 866B  | I1QJ0080 |
| 鬪                                   | 4BCC      | 93AC    | 95D8  | I1QK0080 |
| 悩                                   | 4BCD      | 9459    | 60A9  | I1QL0080 |
| 丁                                   | 4BCE      | 929A    | 4E01  | I1QM0080 |
| 描                                   | 4BCF      | 9560    | 63CF  | I1QN0080 |
| 激                                   | 4BD0      | 8C83    | 6FC0  | I1QO0080 |
| 斜                                   | 4BD1      | 8ECE    | 659C  | I1QP0080 |
| 責                                   | 4BD2      | 90D3    | 8CAC  | I1QQ0080 |
| 茅                                   | 4BD3      | 8A9D    | 8305  | I1QR0080 |
| 粧                                   | 4BD4      | 8FCF    | 7CA7  | I1QS0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 恐                                   | 4BD5      | 8BB0    | 6050  | I1QT0080 |
| 雷                                   | 4BD6      | 978B    | 96F7  | I1QU0080 |
| 忍                                   | 4BD7      | 9445    | 5FCD  | I1QV0080 |
| 損                                   | 4BD8      | 91B9    | 640D  | I1QW0080 |
| 孔                                   | 4BD9      | 8D45    | 5B54  | I1QX0080 |
| 透                                   | 4BDA      | 93A7    | 900F  | I1QY0080 |
| 拓                                   | 4BDB      | 91F1    | 62D3  | I1QZ0080 |
| 妹                                   | 4BDC      | 9685    | 59B9  | I1R00080 |
| 煙                                   | 4BDD      | 898C    | 7159  | I1R10080 |
| 冬                                   | 4BDE      | 937E    | 51AC  | I1R20080 |
| 称                                   | 4BDF      | 8FCC    | 79F0  | I1R30080 |
| 唯                                   | 4BE0      | 9742    | 552F  | I1R40080 |
| 創                                   | 4BE1      | 916E    | 5275  | I1R50080 |
| 暗                                   | 4BE2      | 88C3    | 6697  | I1R60080 |
| 胸                                   | 4BE3      | 8BB9    | 80F8  | I1R70080 |
| 亘                                   | 4BE4      | 986A    | 4E98  | I1R80080 |
| 仏                                   | 4BE5      | 95A7    | 4ECF  | I1R90080 |
| 凍                                   | 4BE6      | 9380    | 51CD  | I1RA0080 |
| 鶺鴒                                  | 4BE7      | 894C    | 9D5C  | I1RB0080 |
| 兄                                   | 4BE8      | 8C5A    | 5144  | I1RC0080 |
| 窓                                   | 4BE9      | 918B    | 7A93  | I1RD0080 |
| 柱                                   | 4BEA      | 928C    | 67F1  | I1RE0080 |
| 罌                                   | 4BEB      | 97DB    | 5841  | I1RF0080 |
| 簡                                   | 4BEC      | 8AC8    | 7C21  | I1RG0080 |
| 衡                                   | 4BED      | 8D74    | 8861  | I1RH0080 |
| 就                                   | 4BEE      | 8F41    | 5C31  | I1RI0080 |
| 棚                                   | 4BEF      | 9249    | 68DA  | I1RJ0080 |
| 釧                                   | 4BF0      | 8BFA    | 91E7  | I1RK0080 |
| 鷺                                   | 4BF1      | 9868    | 9DF2  | I1RL0080 |
| 揮                                   | 4BF2      | 8AF6    | 63EE  | I1RM0080 |





## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 敵       | 4BF3      | 9347    | 6575  | I1RN0080 |
| 蓮       | 4BF4      | 9840    | 84EE  | I1RO0080 |
| 刻       | 4BF5      | 8D8F    | 523B  | I1RP0080 |
| 欲       | 4BF6      | 977E    | 6B32  | I1RQ0080 |
| 粘       | 4BF7      | 9453    | 7C98  | I1RR0080 |
| 如       | 4BF8      | 9440    | 5982  | I1RS0080 |
| 障       | 4BF9      | 8FE1    | 969C  | I1RT0080 |
| 霸       | 4BFA      | 9465    | 8987  | I1RU0080 |
| 粟       | 4BFB      | 88BE    | 7C9F  | I1RV0080 |
| 逆       | 4BFC      | 8B74    | 9006  | I1RW0080 |
| 招       | 4BFD      | 8FB5    | 62DB  | I1RX0080 |
| 曜       | 4BFE      | 976A    | 66DC  | I1RY0080 |
| 捕       | 4C41      | 95DF    | 6355  | I1S10080 |
| 概       | 4C42      | 8A54    | 6982  | I1S20080 |
| 催       | 4C43      | 8DC3    | 50AC  | I1S30080 |
| 戾       | 4C44      | 96DF    | 623B  | I1S40080 |
| 忘       | 4C45      | 9659    | 5FD8  | I1S50080 |
| 揚       | 4C46      | 9767    | 63DA  | I1S60080 |
| 痛       | 4C47      | 92C9    | 75DB  | I1S70080 |
| 承       | 4C48      | 8FB3    | 627F  | I1S80080 |
| 慮       | 4C49      | 97B6    | 616E  | I1S90080 |
| 艦       | 4C4A      | 8ACD    | 8266  | I1SA0080 |
| 粕       | 4C4B      | 9494    | 7C95  | I1SB0080 |
| 煮       | 4C4C      | 8ECF    | 716E  | I1SC0080 |
| 雇       | 4C4D      | 8CD9    | 96C7  | I1SD0080 |
| 罪       | 4C4E      | 8DDF    | 7F6A  | I1SE0080 |
| 否       | 4C4F      | 94DB    | 5426  | I1SF0080 |
| 刀       | 4C50      | 9381    | 5200  | I1SG0080 |
| 菓       | 4C51      | 89D9    | 83D3  | I1SH0080 |
| 刑       | 4C52      | 8C59    | 5211  | I1SI0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 奏       | 4C53      | 9174    | 594F  | I1SJ0080 |
| 鴨       | 4C54      | 8A9B    | 9D28  | I1SK0080 |
| 坊       | 4C55      | 9656    | 574A  | I1SL0080 |
| 曇       | 4C56      | 93DC    | 66C7  | I1SM0080 |
| 願       | 4C57      | 8AE8    | 9858  | I1SN0080 |
| 舍       | 4C58      | 8EC9    | 820E  | I1SO0080 |
| 昔       | 4C59      | 90CC    | 6614  | I1SP0080 |
| 猿       | 4C5A      | 898E    | 733F  | I1SQ0080 |
| 傷       | 4C5B      | 8F9D    | 50B7  | I1SR0080 |
| 救       | 4C5C      | 8B7E    | 6551  | I1SS0080 |
| 庸       | 4C5D      | 9766    | 5EB8  | I1ST0080 |
| 孫       | 4C5E      | 91B7    | 5B6B  | I1SU0080 |
| 喬       | 4C5F      | 8BAA    | 55AC  | I1SV0080 |
| 快       | 4C60      | 89F5    | 5FEB  | I1SW0080 |
| 授       | 4C61      | 8EF6    | 6388  | I1SX0080 |
| 貯       | 4C62      | 9299    | 8CAF  | I1SY0080 |
| 杯       | 4C63      | 9474    | 676F  | I1SZ0080 |
| 契       | 4C64      | 8C5F    | 5951  | I1T00080 |
| 威       | 4C65      | 88D0    | 5A01  | I1T10080 |
| 燥       | 4C66      | 9187    | 71E5  | I1T20080 |
| 巢       | 4C67      | 9183    | 5DE3  | I1T30080 |
| 豪       | 4C68      | 8D8B    | 8C6A  | I1T40080 |
| 扱       | 4C69      | 88B5    | 6271  | I1T50080 |
| 致       | 4C6A      | 9276    | 81F4  | I1T60080 |
| 尺       | 4C6B      | 8EDA    | 5C3A  | I1T70080 |
| 徒       | 4C6C      | 936B    | 5F92  | I1T80080 |
| 遲       | 4C6D      | 9278    | 9045  | I1T90080 |
| 玄       | 4C6E      | 8CBA    | 7384  | I1TA0080 |
| 煉       | 4C6F      | 97F9    | 7149  | I1TB0080 |
| 秘       | 4C70      | 94E9    | 79D8  | I1TC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 祭                                   | 4C71      | 8DD5    | 796D  | I1TD0080 |
| 逃                                   | 4C72      | 93A6    | 9003  | I1TE0080 |
| 菌                                   | 4C73      | 8BDB    | 83CC  | I1TF0080 |
| 徴                                   | 4C74      | 92A5    | 5FB4  | I1TG0080 |
| 宍                                   | 4C75      | 8EB3    | 5B8D  | I1TH0080 |
| 批                                   | 4C76      | 94E1    | 6279  | I1TI0080 |
| 撮                                   | 4C77      | 8E42    | 64AE  | I1TJ0080 |
| 紘                                   | 4C78      | 8D68    | 7D18  | I1TK0080 |
| 爾                                   | 4C79      | 8EA2    | 723E  | I1TL0080 |
| 寮                                   | 4C7A      | 97BE    | 5BEE  | I1TM0080 |
| 旧                                   | 4C7B      | 8B8C    | 65E7  | I1TN0080 |
| 贈                                   | 4C7C      | 91A1    | 8D08  | I1TO0080 |
| 齷                                   | 4C7D      | 8CB2    | 9E78  | I1TP0080 |
| 勸                                   | 4C7E      | 8AA9    | 52E7  | I1TQ0080 |
| 崇                                   | 4C7F      | 9092    | 5D07  | I1TR0080 |
| 齡                                   | 4C80      | 97EE    | 9F62  | I1TS0080 |
| 恩                                   | 4C81      | 89B6    | 6069  | I1TT0080 |
| 卯                                   | 4C82      | 894B    | 536F  | I1TU0080 |
| 曉                                   | 4C83      | 8BC5    | 6681  | I1TV0080 |
| 陣                                   | 4C84      | 9077    | 9663  | I1TW0080 |
| 帽                                   | 4C85      | 9658    | 5E3D  | I1TX0080 |
| 抱                                   | 4C86      | 95F8    | 62B1  | I1TY0080 |
| 爪                                   | 4C87      | 92DC    | 722A  | I1TZ0080 |
| 湊                                   | 4C88      | 96A9    | 6E4A  | I1U00080 |
| 鎮                                   | 4C89      | 92C1    | 93AE  | I1U10080 |
| 秦                                   | 4C8A      | 9060    | 79E6  | I1U20080 |
| 旬                                   | 4C8B      | 8BE5    | 53E5  | I1U30080 |
| 肝                                   | 4C8C      | 8ACC    | 809D  | I1U40080 |
| 裾                                   | 4C8D      | 909E    | 88FE  | I1U50080 |
| 巖                                   | 4C8E      | 8CB5    | 53B3  | I1U60080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 沈                                   | 4C8F      | 92BE    | 6C88  | I1U70080 |
| 湿                                   | 4C90      | 8EBC    | 6E7F  | I1U80080 |
| 允                                   | 4C91      | 88F2    | 5141  | I1U90080 |
| 邑                                   | 4C92      | 9757    | 9091  | I1UA0080 |
| 潮                                   | 4C93      | 92AA    | 6F6E  | I1UB0080 |
| 蓄                                   | 4C94      | 927E    | 84C4  | I1UC0080 |
| 藪                                   | 4C95      | 96F7    | 85EA  | I1UD0080 |
| 脩                                   | 4C96      | E3F9    | 8129  | I1UE0080 |
| 毒                                   | 4C97      | 93C5    | 6BD2  | I1UF0080 |
| 昼                                   | 4C98      | 928B    | 663C  | I1UG0080 |
| 署                                   | 4C99      | 8F90    | 7F72  | I1UH0080 |
| 珂                                   | 4C9A      | 89CF    | 73C2  | I1UI0080 |
| 弟                                   | 4C9B      | 92ED    | 5F1F  | I1UJ0080 |
| 礎                                   | 4C9C      | 9162    | 790E  | I1UK0080 |
| 悲                                   | 4C9D      | 94DF    | 60B2  | I1UL0080 |
| 狭                                   | 4C9E      | 8BB7    | 72ED  | I1UM0080 |
| 壮                                   | 4C9F      | 9173    | 58EE  | I1UN0080 |
| 腹                                   | 4CA0      | 95A0    | 8179  | I1UO0080 |
| 躍                                   | 4CA1      | 96F4    | 8E8D  | I1UP0080 |
| 履                                   | 4CA2      | 979A    | 5C65  | I1UQ0080 |
| 巧                                   | 4CA3      | 8D49    | 5DE7  | I1UR0080 |
| 氷                                   | 4CA4      | 9558    | 6C37  | I1US0080 |
| 淡                                   | 4CA5      | 9257    | 6DE1  | I1UT0080 |
| 蘭                                   | 4CA6      | 9796    | 862D  | I1UU0080 |
| 犯                                   | 4CA7      | 94C6    | 72AF  | I1UV0080 |
| 踊                                   | 4CA8      | 9778    | 8E0A  | I1UW0080 |
| 粒                                   | 4CA9      | 97B1    | 7C92  | I1UX0080 |
| 館                                   | 4CAA      | 8ADA    | 8218  | I1UY0080 |
| 耳                                   | 4CAB      | 8EA8    | 8033  | I1UZ0080 |
| 控                                   | 4CAC      | 8D54    | 63A7  | I1V00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 銑                                   | 4CAD      | 914C    | 9291  | I1V10080 |
| 候                                   | 4CAE      | 8CF3    | 5019  | I1V20080 |
| 腕                                   | 4CAF      | 9872    | 8155  | I1V30080 |
| 詩                                   | 4CB0      | 8E8D    | 8A69  | I1V40080 |
| 軟                                   | 4CB1      | 93EE    | 8EDF  | I1V50080 |
| 暴                                   | 4CB2      | 965C    | 66B4  | I1V60080 |
| 腦                                   | 4CB3      | 945D    | 8133  | I1V70080 |
| 疑                                   | 4CB4      | 8B5E    | 7591  | I1V80080 |
| 欠                                   | 4CB5      | 8C87    | 6B20  | I1V90080 |
| 晚                                   | 4CB6      | 94D3    | 6669  | I1VA0080 |
| 郵                                   | 4CB7      | 9758    | 90F5  | I1VB0080 |
| 串                                   | 4CB8      | 8BF8    | 4E32  | I1VC0080 |
| 珪                                   | 4CB9      | 8C5D    | 73EA  | I1VD0080 |
| 椿                                   | 4CBA      | 92D6    | 693F  | I1VE0080 |
| 皇                                   | 4CBB      | 8D63    | 7687  | I1VF0080 |
| 災                                   | 4CBC      | 8DD0    | 707D  | I1VG0080 |
| 紺                                   | 4CBD      | 8DAE    | 7D3A  | I1VH0080 |
| 慈                                   | 4CBE      | 8E9C    | 6148  | I1VI0080 |
| 蘇                                   | 4CBF      | 9168    | 8607  | I1VJ0080 |
| 駿                                   | 4CC0      | 8F78    | 99FF  | I1VK0080 |
| 姉                                   | 4CC1      | 8E6F    | 59C9  | I1VL0080 |
| 砲                                   | 4CC2      | 9643    | 7832  | I1VM0080 |
| 碎                                   | 4CC3      | 8DD3    | 7815  | I1VN0080 |
| 避                                   | 4CC4      | 94F0    | 907F  | I1VO0080 |
| 股                                   | 4CC5      | 8CD2    | 80A1  | I1VP0080 |
| 尿                                   | 4CC6      | 9441    | 5C3F  | I1VQ0080 |
| 暢                                   | 4CC7      | 92A8    | 66A2  | I1VR0080 |
| 鐘                                   | 4CC8      | 8FE0    | 9418  | I1VS0080 |
| 淨                                   | 4CC9      | 8FF2    | 6D44  | I1VT0080 |
| 幕                                   | 4CCA      | 968B    | 5E55  | I1VU0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 塔                                   | 4CCB      | 9383    | 5854  | I1VV0080 |
| 箕                                   | 4CCC      | 96A5    | 7B95  | I1VW0080 |
| 跡                                   | 4CCD      | 90D5    | 8DE1  | I1VX0080 |
| 亡                                   | 4CCE      | 9653    | 4EA1  | I1VY0080 |
| 豚                                   | 4CCF      | 93D8    | 8C5A  | I1VZ0080 |
| 臨                                   | 4CD0      | 97D5    | 81E8  | I1W00080 |
| 触                                   | 4CD1      | 9047    | 89E6  | I1W10080 |
| 陰                                   | 4CD2      | 8941    | 9670  | I1W20080 |
| 劍                                   | 4CD3      | 8C95    | 5263  | I1W30080 |
| 瓶                                   | 4CD4      | 9572    | 74F6  | I1W40080 |
| 驚                                   | 4CD5      | 8BC1    | 9A5A  | I1W50080 |
| 怒                                   | 4CD6      | 937B    | 6012  | I1W60080 |
| 刊                                   | 4CD7      | 8AA7    | 520A  | I1W70080 |
| 琴                                   | 4CD8      | 8BD5    | 7434  | I1W80080 |
| 頁                                   | 4CD9      | 95C5    | 9801  | I1W90080 |
| 遺                                   | 4CDA      | 88E2    | 907A  | I1WA0080 |
| 唄                                   | 4CDB      | 8953    | 5504  | I1WB0080 |
| 祖                                   | 4CDC      | 9163    | 7956  | I1WC0080 |
| 到                                   | 4CDD      | 939E    | 5230  | I1WD0080 |
| 咲                                   | 4CDE      | 8DE7    | 54B2  | I1WE0080 |
| 訴                                   | 4CDF      | 9169    | 8A34  | I1WF0080 |
| 隣                                   | 4CE0      | 97D7    | 96A3  | I1WG0080 |
| 俳                                   | 4CE1      | 946F    | 4FF3  | I1WH0080 |
| 銃                                   | 4CE2      | 8F65    | 9283  | I1WI0080 |
| 釣                                   | 4CE3      | 92DE    | 91E3  | I1WJ0080 |
| 紹                                   | 4CE4      | 8FD0    | 7D39  | I1WK0080 |
| 隈                                   | 4CE5      | 8C47    | 9688  | I1WL0080 |
| 佑                                   | 4CE6      | 9743    | 4F51  | I1WM0080 |
| 絡                                   | 4CE7      | 978D    | 7D61  | I1WN0080 |
| 嶺                                   | 4CE8      | 97E4    | 5DBA  | I1WO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 鮮                                   | 4CE9      | 914E    | 9BAE  | I1WP0080 |
| 往                                   | 4CEA      | 899D    | 5F80  | I1WQ0080 |
| 祝                                   | 4CEB      | 8F6A    | 795D  | I1WR0080 |
| 菌                                   | 4CEC      | 8992    | 8597  | I1WS0080 |
| 趣                                   | 4CED      | 8EEF    | 8DA3  | I1WT0080 |
| 籠                                   | 4CEE      | 9855    | 7C60  | I1WU0080 |
| 尊                                   | 4CEF      | 91B8    | 5C0A  | I1WV0080 |
| 略                                   | 4CF0      | 97AA    | 7565  | I1WW0080 |
| 薩                                   | 4CF1      | 8E46    | 85A9  | I1WX0080 |
| 揖                                   | 4CF2      | 974B    | 63D6  | I1WY0080 |
| 麗                                   | 4CF3      | 97ED    | 9E97  | I1WZ0080 |
| 索                                   | 4CF4      | 8DF5    | 7D22  | I1X00080 |
| 卵                                   | 4CF5      | 9791    | 5375  | I1X10080 |
| 髮                                   | 4CF6      | 94AF    | 9AEA  | I1X20080 |
| 遂                                   | 4CF7      | 908B    | 9042  | I1X30080 |
| 欽                                   | 4CF8      | 8BD4    | 6B3D  | I1X40080 |
| 紋                                   | 4CF9      | 96E4    | 7D0B  | I1X50080 |
| 排                                   | 4CFA      | 9472    | 6392  | I1X60080 |
| 肪                                   | 4CFB      | 9662    | 80AA  | I1X70080 |
| 緩                                   | 4CFC      | 8AC9    | 7DE9  | I1X80080 |
| 鼻                                   | 4CFD      | 9540    | 9F3B  | I1X90080 |
| 驅                                   | 4CFE      | 8BEC    | 99C6  | I1XA0080 |
| 浸                                   | 4D41      | 905A    | 6D78  | I1XD0080 |
| 朱                                   | 4D42      | 8EE9    | 6731  | I1XE0080 |
| 唱                                   | 4D43      | 8FA5    | 5531  | I1XF0080 |
| 掘                                   | 4D44      | 8C40    | 6398  | I1XG0080 |
| 砥                                   | 4D45      | 9375    | 7825  | I1XH0080 |
| 岳                                   | 4D46      | 8A78    | 5CB3  | I1XI0080 |
| 巡                                   | 4D47      | 8F84    | 5DE1  | I1XJ0080 |
| 錢                                   | 4D48      | 914B    | 92AD  | I1XK0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 飽                                   | 4D49      | 964F    | 98FD  | I1XL0080 |
| 預                                   | 4D4A      | 9761    | 9810  | I1XM0080 |
| 泣                                   | 4D4B      | 8B83    | 6CE3  | I1XN0080 |
| 此                                   | 4D4C      | 8D9F    | 6B64  | I1XO0080 |
| 匡                                   | 4D4D      | 8BA7    | 5321  | I1XP0080 |
| 歛                                   | 4D4E      | 8ABD    | 6B53  | I1XQ0080 |
| 序                                   | 4D4F      | 8F98    | 5E8F  | I1XR0080 |
| 童                                   | 4D50      | 93B6    | 7AE5  | I1XS0080 |
| 倫                                   | 4D51      | 97CF    | 502B  | I1XT0080 |
| 湖                                   | 4D52      | 8CCE    | 6E56  | I1XU0080 |
| 抽                                   | 4D53      | 928A    | 62BD  | I1XV0080 |
| 艷                                   | 4D54      | 8990    | 8276  | I1XW0080 |
| 檜                                   | 4D55      | 954F    | 6A9C  | I1XX0080 |
| 丘                                   | 4D56      | 8B75    | 4E18  | I1XY0080 |
| 執                                   | 4D57      | 8EB7    | 57F7  | I1XZ0080 |
| 甫                                   | 4D58      | 95E1    | 752B  | I1Y00080 |
| 粗                                   | 4D59      | 9165    | 7C97  | I1Y10080 |
| 苔                                   | 4D5A      | 93CF    | 82EB  | I1Y20080 |
| 頂                                   | 4D5B      | 92B8    | 9802  | I1Y30080 |
| 脚                                   | 4D5C      | 8B72    | 811A  | I1Y40080 |
| 珍                                   | 4D5D      | 92BF    | 73CD  | I1Y50080 |
| 辛                                   | 4D5E      | 9068    | 8F9B  | I1Y60080 |
| 尋                                   | 4D5F      | 9071    | 5C0B  | I1Y70080 |
| 握                                   | 4D60      | 88AC    | 63E1  | I1Y80080 |
| 獲                                   | 4D61      | 8A6C    | 7372  | I1Y90080 |
| 腐                                   | 4D62      | 9585    | 8150  | I1YA0080 |
| 胡                                   | 4D63      | 8CD3    | 80E1  | I1YB0080 |
| 宙                                   | 4D64      | 9288    | 5B99  | I1YC0080 |
| 盜                                   | 4D65      | 9390    | 76D7  | I1YD0080 |
| 抑                                   | 4D66      | 977D    | 6291  | I1YE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 旬                                   | 4D67      | 8F7B    | 65EC  | I1YF0080 |
| 診                                   | 4D68      | 9066    | 8A3A  | I1YG0080 |
| 奇                                   | 4D69      | 8AEF    | 5947  | I1YH0080 |
| 旨                                   | 4D6A      | 8E7C    | 65E8  | I1YI0080 |
| 湾                                   | 4D6B      | 9870    | 6E7E  | I1YJ0080 |
| 暖                                   | 4D6C      | 9267    | 6696  | I1YK0080 |
| 喫                                   | 4D6D      | 8B69    | 55AB  | I1YL0080 |
| 載                                   | 4D6E      | 8DDA    | 8F09  | I1YM0080 |
| 銳                                   | 4D6F      | 8973    | 92ED  | I1YN0080 |
| 鎖                                   | 4D70      | 8DBD    | 9396  | I1YO0080 |
| 仮                                   | 4D71      | 89BC    | 4EEE  | I1YP0080 |
| 畜                                   | 4D72      | 927B    | 755C  | I1YQ0080 |
| 漸                                   | 4D73      | 9151    | 6F38  | I1YR0080 |
| 辞                                   | 4D74      | 8EAB    | 8F9E  | I1YS0080 |
| 禁                                   | 4D75      | 8BD6    | 7981  | I1YT0080 |
| 封                                   | 4D76      | 9595    | 5C01  | I1YU0080 |
| 抛                                   | 4D77      | 8B92    | 62E0  | I1YV0080 |
| 鯨                                   | 4D78      | 8C7E    | 9BE8  | I1YW0080 |
| 积                                   | 4D79      | 8EDF    | 91C8  | I1YX0080 |
| 扶                                   | 4D7A      | 957D    | 6276  | I1YY0080 |
| 旋                                   | 4D7B      | 90F9    | 65CB  | I1YZ0080 |
| 踏                                   | 4D7C      | 93A5    | 8E0F  | I1Z00080 |
| 謡                                   | 4D7D      | 9777    | 8B21  | I1Z10080 |
| 榛                                   | 4D7E      | 9059    | 699B  | I1Z20080 |
| 或                                   | 4D7F      | 88BD    | 6216  | I1Z30080 |
| 媒                                   | 4D80      | 947D    | 5A92  | I1Z40080 |
| 邸                                   | 4D81      | 9340    | 90B8  | I1Z50080 |
| 僚                                   | 4D82      | 97BB    | 50DA  | I1Z60080 |
| 租                                   | 4D83      | 9164    | 79DF  | I1Z70080 |
| 汁                                   | 4D84      | 8F60    | 6C41  | I1Z80080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 剩                                   | 4D85      | 8FE8    | 5270  | I1Z90080 |
| 酵                                   | 4D86      | 8D79    | 9175  | I1ZA0080 |
| 謹                                   | 4D87      | 8BDE    | 8B39  | I1ZB0080 |
| 榭                                   | 4D88      | 9691    | 685D  | I1ZC0080 |
| 塵                                   | 4D89      | 906F    | 5875  | I1ZD0080 |
| 膜                                   | 4D8A      | 968C    | 819C  | I1ZE0080 |
| 宜                                   | 4D8B      | 8B58    | 5B9C  | I1ZF0080 |
| 誉                                   | 4D8C      | 975F    | 8A89  | I1ZG0080 |
| 該                                   | 4D8D      | 8A59    | 8A72  | I1ZH0080 |
| 鷄                                   | 4D8E      | 8C7B    | 9D8F  | I1ZI0080 |
| 捷                                   | 4D8F      | 8FB7    | 6377  | I1ZJ0080 |
| 奴                                   | 4D90      | 937A    | 5974  | I1ZK0080 |
| 誤                                   | 4D91      | 8CEB    | 8AA4  | I1ZL0080 |
| 励                                   | 4D92      | 97E3    | 52B1  | I1ZM0080 |
| 檣                                   | 4D93      | 93E8    | 6962  | I1ZN0080 |
| 屈                                   | 4D94      | 8BFC    | 5C48  | I1ZO0080 |
| 鳩                                   | 4D95      | 94B5    | 9CE9  | I1ZP0080 |
| 机                                   | 4D96      | 8AF7    | 673A  | I1ZQ0080 |
| 疲                                   | 4D97      | 94E6    | 75B2  | I1ZR0080 |
| 洞                                   | 4D98      | 93B4    | 6D1E  | I1ZS0080 |
| 伍                                   | 4D99      | 8CDE    | 4F0D  | I1ZT0080 |
| 繭                                   | 4D9A      | 969A    | 7E6D  | I1ZU0080 |
| 筭                                   | 4D9B      | 94A4    | 7B48  | I1ZV0080 |
| 翌                                   | 4D9C      | 9782    | 7FCC  | I1ZW0080 |
| 旦                                   | 4D9D      | 9255    | 65E6  | I1ZX0080 |
| 妥                                   | 4D9E      | 91C3    | 59A5  | I1ZY0080 |
| 秩                                   | 4D9F      | 9281    | 79E9  | I1ZZ0080 |
| 戒                                   | 4DA0      | 89FA    | 6212  | I2000080 |
| 滯                                   | 4DA1      | 91D8    | 6EDE  | I2010080 |
| 看                                   | 4DA2      | 8AC5    | 770B  | I2020080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 貧       | 4DA3      | 956E    | 8CA7  | I2030080 |
| 於       | 4DA4      | 8997    | 65BC  | I2040080 |
| 衝       | 4DA5      | 8FD5    | 885D  | I2050080 |
| 櫛       | 4DA6      | 8BF9    | 6ADB  | I2060080 |
| 届       | 4DA7      | 93CD    | 5C4A  | I2070080 |
| 聴       | 4DA8      | 92AE    | 8074  | I2080080 |
| 還       | 4DA9      | 8AD2    | 9084  | I2090080 |
| 軌       | 4DAA      | 8B4F    | 8ECC  | I20A0080 |
| 旗       | 4DAB      | 8AF8    | 65D7  | I20B0080 |
| 培       | 4DAC      | 947C    | 57F9  | I20C0080 |
| 炎       | 4DAD      | 898A    | 708E  | I20D0080 |
| 漆       | 4DAE      | 8EBD    | 6F06  | I20E0080 |
| 幼       | 4DAF      | 9763    | 5E7C  | I20F0080 |
| 瞬       | 4DB0      | 8F75    | 77AC  | I20G0080 |
| 俵       | 4DB1      | 9555    | 4FF5  | I20H0080 |
| 奉       | 4DB2      | 95F2    | 5949  | I20I0080 |
| 臭       | 4DB3      | 8F4C    | 81ED  | I20J0080 |
| 魅       | 4DB4      | 96A3    | 9B45  | I20K0080 |
| 翼       | 4DB5      | 9783    | 7FFC  | I20L0080 |
| 腸       | 4DB6      | 92B0    | 8178  | I20M0080 |
| 槽       | 4DB7      | 9185    | 69FD  | I20N0080 |
| 泊       | 4DB8      | 9491    | 6CCA  | I20O0080 |
| 檣       | 4DB9      | 968A    | 69C7  | I20P0080 |
| 秒       | 4DBA      | 9562    | 79D2  | I20Q0080 |
| 謝       | 4DBB      | 8ED3    | 8B1D  | I20R0080 |
| 默       | 4DBC      | 96D9    | 9ED9  | I20S0080 |
| 臍       | 4DBD      | 919F    | 81D3  | I20T0080 |
| 稼       | 4DBE      | 89D2    | 7A3C  | I20U0080 |
| 票       | 4DBF      | 955B    | 7968  | I20V0080 |
| 潜       | 4DC0      | 90F6    | 6F5C  | I20W0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 掲       | 4DC1      | 8C66    | 63B2  | I20X0080 |
| 距       | 4DC2      | 8B97    | 8DDD  | I20Y0080 |
| 掃       | 4DC3      | 917C    | 6383  | I20Z0080 |
| 溜       | 4DC4      | 97AD    | 6E9C  | I2100080 |
| 帳       | 4DC5      | 92A0    | 5E33  | I2110080 |
| 懸       | 4DC6      | 8C9C    | 61F8  | I2120080 |
| 皿       | 4DC7      | 8E4D    | 76BF  | I2130080 |
| 搬       | 4DC8      | 94C0    | 642C  | I2140080 |
| 綴       | 4DC9      | 92D4    | 7DB4  | I2150080 |
| 扇       | 4DCA      | 90EE    | 6247  | I2160080 |
| 摘       | 4DCB      | 9345    | 6458  | I2170080 |
| 栖       | 4DCC      | 90B2    | 6816  | I2180080 |
| 彩       | 4DCD      | 8DCA    | 5F69  | I2190080 |
| 逢       | 4DCE      | 88A7    | 9022  | I21A0080 |
| 稚       | 4DCF      | 9274    | 7A1A  | I21B0080 |
| 芹       | 4DD0      | 8BDA    | 82B9  | I21C0080 |
| 烈       | 4DD1      | 97F3    | 70C8  | I21D0080 |
| 騷       | 4DD2      | 919B    | 9A12  | I21E0080 |
| 慣       | 4DD3      | 8AB5    | 6163  | I21F0080 |
| 濯       | 4DD4      | 91F3    | 6FEF  | I21G0080 |
| 叫       | 4DD5      | 8BA9    | 53EB  | I21H0080 |
| 鴻       | 4DD6      | 8D83    | 9D3B  | I21I0080 |
| 拾       | 4DD7      | 8F45    | 62FE  | I21J0080 |
| 悠       | 4DD8      | 9749    | 60A0  | I21K0080 |
| 閑       | 4DD9      | 8AD5    | 9591  | I21L0080 |
| 涙       | 4DDA      | 97DC    | 6D99  | I21M0080 |
| 慢       | 4DDB      | 969D    | 6162  | I21N0080 |
| 銘       | 4DDC      | 96C1    | 9298  | I21O0080 |
| 搜       | 4DDD      | 917B    | 635C  | I21P0080 |
| 震       | 4DDE      | 906B    | 9707  | I21Q0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 襲                                   | 4DDF      | 8F50    | 8972  | I21R0080 |
| 栽                                   | 4DE0      | 8DCD    | 683D  | I21S0080 |
| 凡                                   | 4DE1      | 967D    | 51E1  | I21T0080 |
| 魔                                   | 4DE2      | 9682    | 9B54  | I21U0080 |
| 悌                                   | 4DE3      | 92EE    | 608C  | I21V0080 |
| 孃                                   | 4DE4      | 8FEC    | 5B22  | I21W0080 |
| 馱                                   | 4DE5      | 91CA    | 99C4  | I21X0080 |
| 焦                                   | 4DE6      | 8FC5    | 7126  | I21Y0080 |
| 詳                                   | 4DE7      | 8FDA    | 8A73  | I21Z0080 |
| 霜                                   | 4DE8      | 919A    | 971C  | I2200080 |
| 玖                                   | 4DE9      | 8BE8    | 7396  | I2210080 |
| 柔                                   | 4DEA      | 8F5F    | 67D4  | I2220080 |
| 患                                   | 4DEB      | 8AB3    | 60A3  | I2230080 |
| 丑                                   | 4DEC      | 894E    | 4E11  | I2240080 |
| 仰                                   | 4DED      | 8BC2    | 4EF0  | I2250080 |
| 贊                                   | 4DEE      | 8E5E    | 8CDB  | I2260080 |
| 貫                                   | 4DEF      | 96E1    | 8CB0  | I2270080 |
| 礮                                   | 4DF0      | E245    | 7912  | I2280080 |
| 靴                                   | 4DF1      | 8C43    | 9774  | I2290080 |
| 覆                                   | 4DF2      | 95A2    | 8986  | I22A0080 |
| 兆                                   | 4DF3      | 929B    | 5146  | I22B0080 |
| 埜                                   | 4DF4      | 9457    | 57DC  | I22C0080 |
| 駐                                   | 4DF5      | 9293    | 99D0  | I22D0080 |
| 胃                                   | 4DF6      | 88DD    | 80C3  | I22E0080 |
| 茸                                   | 4DF7      | 91F9    | 8338  | I22F0080 |
| 碧                                   | 4DF8      | 95C9    | 78A7  | I22G0080 |
| 蚩                                   | 4DF9      | 8C75    | 86CD  | I22H0080 |
| 羅                                   | 4DFA      | 9785    | 7F85  | I22I0080 |
| 偉                                   | 4DFB      | 88CC    | 5049  | I22J0080 |
| 艇                                   | 4DFC      | 92F8    | 8247  | I22K0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 棕                                   | 4DFD      | 96B8    | 690B  | I22L0080 |
| 籍                                   | 4DFE      | 90D0    | 7C4D  | I22M0080 |
| 只                                   | 4E41      | 91FC    | 53EA  | I22P0080 |
| 弦                                   | 4E42      | 8CB7    | 5F26  | I22Q0080 |
| 渥                                   | 4E43      | 88AD    | 6E25  | I22R0080 |
| 梁                                   | 4E44      | 97C0    | 6881  | I22S0080 |
| 鍵                                   | 4E45      | 8CAE    | 9375  | I22T0080 |
| 巽                                   | 4E46      | 9246    | 5DFD  | I22U0080 |
| 升                                   | 4E47      | 8FA1    | 5347  | I22V0080 |
| 霧                                   | 4E48      | 96B6    | 9727  | I22W0080 |
| 携                                   | 4E49      | 8C67    | 643A  | I22X0080 |
| 症                                   | 4E4A      | 8FC7    | 75C7  | I22Y0080 |
| 澤                                   | 4E4B      | E056    | 6FA4  | I22Z0080 |
| 玩                                   | 4E4C      | 8ADF    | 73A9  | I2300080 |
| 矩                                   | 4E4D      | 8BE9    | 77E9  | I2310080 |
| 鑑                                   | 4E4E      | 8AD3    | 9451  | I2320080 |
| 譜                                   | 4E4F      | 9588    | 8B5C  | I2330080 |
| 肌                                   | 4E50      | 94A7    | 808C  | I2340080 |
| 李                                   | 4E51      | 979B    | 674E  | I2350080 |
| 亭                                   | 4E52      | 92E0    | 4EAD  | I2360080 |
| 堯                                   | 4E53      | 8BC4    | 582F  | I2370080 |
| 暈                                   | 4E54      | 8FF4    | 7573  | I2380080 |
| 軒                                   | 4E55      | 8CAC    | 8ED2  | I2390080 |
| 泥                                   | 4E56      | 9344    | 6CE5  | I23A0080 |
| 錠                                   | 4E57      | 8FF9    | 9320  | I23B0080 |
| 迷                                   | 4E58      | 96C0    | 8FF7  | I23C0080 |
| 紳                                   | 4E59      | 9061    | 7D33  | I23D0080 |
| 狂                                   | 4E5A      | 8BB6    | 72C2  | I23E0080 |
| 舗                                   | 4E5B      | 95DC    | 8217  | I23F0080 |
| 琢                                   | 4E5C      | 91F4    | 7422  | I23G0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 苜       | 4E5D      | 8AA1    | 82C5  | I23H0080 |
| 騰       | 4E5E      | 93AB    | 9A30  | I23I0080 |
| 眺       | 4E5F      | 92AD    | 773A  | I23J0080 |
| 徑       | 4E60      | 8C61    | 5F84  | I23K0080 |
| 陳       | 4E61      | 92C2    | 9673  | I23L0080 |
| 播       | 4E62      | 9464    | 64AD  | I23M0080 |
| 鈍       | 4E63      | 93DD    | 920D  | I23N0080 |
| 瓜       | 4E64      | 895A    | 74DC  | I23O0080 |
| 惇       | 4E65      | 93D5    | 60C7  | I23P0080 |
| 蛭       | 4E66      | 9567    | 86ED  | I23Q0080 |
| 俺       | 4E67      | 89B4    | 4FFA  | I23R0080 |
| 劣       | 4E68      | 97F2    | 52A3  | I23S0080 |
| 樺       | 4E69      | 8A92    | 6A3A  | I23T0080 |
| 眠       | 4E6A      | 96B0    | 7720  | I23U0080 |
| 匠       | 4E6B      | 8FA0    | 5320  | I23V0080 |
| 憶       | 4E6C      | 89AF    | 61B6  | I23W0080 |
| 噴       | 4E6D      | 95AC    | 5674  | I23X0080 |
| 蝶       | 4E6E      | 92B1    | 8776  | I23Y0080 |
| 沿       | 4E6F      | 8988    | 6CBF  | I23Z0080 |
| 停       | 4E70      | 92E2    | 505C  | I2400080 |
| 怪       | 4E71      | 89F6    | 602A  | I2410080 |
| 葦       | 4E72      | 88AF    | 8466  | I2420080 |
| 殖       | 4E73      | 9042    | 6B96  | I2430080 |
| 涼       | 4E74      | 97C1    | 6DBC  | I2440080 |
| 韓       | 4E75      | 8AD8    | 97D3  | I2450080 |
| 隨       | 4E76      | 908F    | 968F  | I2460080 |
| 桶       | 4E77      | 89B1    | 6876  | I2470080 |
| 惑       | 4E78      | 9866    | 60D1  | I2480080 |
| 卸       | 4E79      | 89B5    | 5378  | I2490080 |
| 撤       | 4E7A      | 9350    | 64A4  | I24A0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 冠       | 4E7B      | 8AA5    | 51A0  | I24B0080 |
| 醉       | 4E7C      | 908C    | 9154  | I24C0080 |
| 巴       | 4E7D      | 9462    | 5DF4  | I24D0080 |
| 扱       | 4E7E      | 91F0    | 629E  | I24E0080 |
| 幣       | 4E7F      | 95BC    | 5E63  | I24F0080 |
| 銚       | 4E80      | 92B6    | 929A  | I24G0080 |
| 皓       | 4E81      | E1A9    | 7693  | I24H0080 |
| 汚       | 4E82      | 8998    | 6C5A  | I24I0080 |
| 斗       | 4E83      | 936C    | 6597  | I24J0080 |
| 僧       | 4E84      | 916D    | 50E7  | I24K0080 |
| 糸       | 4E85      | 8C48    | 7C82  | I24L0080 |
| 彫       | 4E86      | 92A4    | 5F6B  | I24M0080 |
| 泡       | 4E87      | 9641    | 6CE1  | I24N0080 |
| 彬       | 4E88      | 956A    | 5F6C  | I24O0080 |
| 嫁       | 4E89      | 89C5    | 5AC1  | I24P0080 |
| 漬       | 4E8A      | 92D0    | 6F2C  | I24Q0080 |
| 蔭       | 4E8B      | 88FC    | 852D  | I24R0080 |
| 撰       | 4E8C      | 90DB    | 6442  | I24S0080 |
| 坐       | 4E8D      | 8DBF    | 5750  | I24T0080 |
| 壇       | 4E8E      | 9264    | 58C7  | I24U0080 |
| 購       | 4E8F      | 8D77    | 8CFC  | I24V0080 |
| 詞       | 4E90      | 8E8C    | 8A5E  | I24W0080 |
| 穿       | 4E91      | 90FA    | 7A7F  | I24X0080 |
| 條       | 4E92      | 9E8A    | 689D  | I24Y0080 |
| 縱       | 4E93      | 8F63    | 7E26  | I24Z0080 |
| 穀       | 4E94      | 8D92    | 7A40  | I2500080 |
| 獄       | 4E95      | 8D96    | 7344  | I2510080 |
| 諫       | 4E96      | 8AD0    | 8AEB  | I2520080 |
| 俗       | 4E97      | 91AD    | 4FD7  | I2530080 |
| 穰       | 4E98      | 8FF5    | 7A63  | I2540080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 耶                                   | 4E99      | 96EB    | 8036  | I2550080 |
| 緯                                   | 4E9A      | 88DC    | 7DEF  | I2560080 |
| 胆                                   | 4E9B      | 925F    | 80C6  | I2570080 |
| 諭                                   | 4E9C      | 9740    | 8AED  | I2580080 |
| 獵                                   | 4E9D      | 97C2    | 731F  | I2590080 |
| 迪                                   | 4E9E      | E78C    | 8FEA  | I25A0080 |
| 伎                                   | 4E9F      | 8AEA    | 4F0E  | I25B0080 |
| 疋                                   | 4EA0      | 9544    | 758B  | I25C0080 |
| 冊                                   | 4EA1      | 8DFB    | 518A  | I25D0080 |
| 朴                                   | 4EA2      | 9670    | 6734  | I25E0080 |
| 忙                                   | 4EA3      | 965A    | 5FD9  | I25F0080 |
| 懇                                   | 4EA4      | 8DA7    | 61C7  | I25G0080 |
| 斯                                   | 4EA5      | 8E7A    | 65AF  | I25H0080 |
| 鳳                                   | 4EA6      | 9650    | 9CF3  | I25I0080 |
| 廊                                   | 4EA7      | 984C    | 5ECA  | I25J0080 |
| 鉢                                   | 4EA8      | 94AB    | 9262  | I25K0080 |
| 棟                                   | 4EA9      | 938F    | 68DF  | I25L0080 |
| 沸                                   | 4EAA      | 95A6    | 6CB8  | I25M0080 |
| 胴                                   | 4EAB      | 93B7    | 80F4  | I25N0080 |
| 埋                                   | 4EAC      | 9684    | 57CB  | I25O0080 |
| 沙                                   | 4EAD      | 8DB9    | 6C99  | I25P0080 |
| 隱                                   | 4EAE      | 8942    | 96A0  | I25Q0080 |
| 孤                                   | 4EAF      | 8CC7    | 5B64  | I25R0080 |
| 尙                                   | 4EB0      | 88EB    | 58F1  | I25S0080 |
| 棄                                   | 4EB1      | 8AFC    | 68C4  | I25T0080 |
| 吐                                   | 4EB2      | 9366    | 5410  | I25U0080 |
| 頰                                   | 4EB3      | 966A    | 982C  | I25V0080 |
| 誇                                   | 4EB4      | 8CD6    | 8A87  | I25W0080 |
| 乞                                   | 4EB5      | 8CEE    | 4E5E  | I25X0080 |
| 慧                                   | 4EB6      | 8C64    | 6167  | I25Y0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 鮫                                   | 4EB7      | 8E4C    | 9BAB  | I25Z0080 |
| 邪                                   | 4EB8      | 8ED7    | 90AA  | I2600080 |
| 喰                                   | 4EB9      | 8BF2    | 55B0  | I2610080 |
| 芽                                   | 4EBA      | 89E8    | 82BD  | I2620080 |
| 奪                                   | 4EBB      | 9244    | 596A  | I2630080 |
| 曳                                   | 4EBC      | 8967    | 66F3  | I2640080 |
| 芙                                   | 4EBD      | 9587    | 8299  | I2650080 |
| 墓                                   | 4EBE      | 95E6    | 5893  | I2660080 |
| 熟                                   | 4EBF      | 8F6E    | 719F  | I2670080 |
| 抄                                   | 4EC0      | 8FB4    | 6284  | I2680080 |
| 柑                                   | 4EC1      | 8AB9    | 67D1  | I2690080 |
| 遣                                   | 4EC2      | 8CAD    | 9063  | I26A0080 |
| 嫌                                   | 4EC3      | 8C99    | 5ACC  | I26B0080 |
| 汗                                   | 4EC4      | 8ABE    | 6C57  | I26C0080 |
| 糧                                   | 4EC5      | 97C6    | 7CE7  | I26D0080 |
| 塑                                   | 4EC6      | 9159    | 5851  | I26E0080 |
| 撲                                   | 4EC7      | 966F    | 64B2  | I26F0080 |
| 壞                                   | 4EC8      | 89F3    | 58CA  | I26G0080 |
| 莖                                   | 4EC9      | 8C73    | 830E  | I26H0080 |
| 獎                                   | 4ECA      | 8FA7    | 5968  | I26I0080 |
| 勺                                   | 4ECB      | 93F5    | 5302  | I26J0080 |
| 婆                                   | 4ECC      | 946B    | 5A46  | I26K0080 |
| 蜂                                   | 4ECD      | 9649    | 8702  | I26L0080 |
| 恥                                   | 4ECE      | 9270    | 6065  | I26M0080 |
| 狙                                   | 4ECF      | 915F    | 72D9  | I26N0080 |
| 覽                                   | 4ED0      | 9797    | 89A7  | I26O0080 |
| 暉                                   | 4ED1      | 9DF4    | 6689  | I26P0080 |
| 曹                                   | 4ED2      | 9182    | 66F9  | I26Q0080 |
| 嗟                                   | 4ED3      | 8DB5    | 5D6F  | I26R0080 |
| 宰                                   | 4ED4      | 8DC9    | 5BB0  | I26S0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 隼       | 4ED5      | 94B9    | 96BC  | I26T0080 |
| 据       | 4ED6      | 9098    | 636E  | I26U0080 |
| 惜       | 4ED7      | 90C9    | 60DC  | I26V0080 |
| 祈       | 4ED8      | 8B46    | 7948  | I26W0080 |
| 凝       | 4ED9      | 8BC3    | 51DD  | I26X0080 |
| 蘆       | 4EDA      | E562    | 8606  | I26Y0080 |
| 廉       | 4EDB      | 97F5    | 5EC9  | I26Z0080 |
| 畔       | 4EDC      | 94C8    | 7554  | I2700080 |
| 奮       | 4EDD      | 95B1    | 596E  | I2710080 |
| 欄       | 4EDE      | 9793    | 6B04  | I2720080 |
| 佃       | 4EDF      | 92CF    | 4F43  | I2730080 |
| 箔       | 4EE0      | 9493    | 7B94  | I2740080 |
| 柚       | 4EE1      | 974D    | 67DA  | I2750080 |
| 拌       | 4EE2      | 9471    | 62DD  | I2760080 |
| 把       | 4EE3      | 9463    | 628A  | I2770080 |
| 霞       | 4EE4      | 89E0    | 971E  | I2780080 |
| 拭       | 4EE5      | 9040    | 62ED  | I2790080 |
| 滅       | 4EE6      | 96C5    | 6EC5  | I27A0080 |
| 傍       | 4EE7      | 9654    | 508D  | I27B0080 |
| 架       | 4EE8      | 89CB    | 67B6  | I27C0080 |
| 胤       | 4EE9      | 88FB    | 80E4  | I27D0080 |
| 磨       | 4EEA      | 969B    | 9EBF  | I27E0080 |
| 庵       | 4EEB      | 88C1    | 5EB5  | I27F0080 |
| 掌       | 4EEC      | 8FB6    | 638C  | I27G0080 |
| 藍       | 4EED      | 9795    | 85CD  | I27H0080 |
| 顧       | 4EEE      | 8CDA    | 9867  | I27I0080 |
| 勅       | 4EEF      | 92BA    | 52C5  | I27J0080 |
| 怖       | 4EF0      | 957C    | 6016  | I27K0080 |
| 棋       | 4EF1      | 8AFB    | 68CB  | I27L0080 |
| 懷       | 4EF2      | 89F9    | 61D0  | I27M0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 坑       | 4EF3      | 8D42    | 5751  | I27N0080 |
| 輩       | 4EF4      | 9479    | 8F29  | I27O0080 |
| 循       | 4EF5      | 8F7A    | 5FAA  | I27P0080 |
| 膨       | 4EF6      | 9663    | 81A8  | I27Q0080 |
| 絢       | 4EF7      | 88BA    | 7D62  | I27R0080 |
| 燈       | 4EF8      | 9395    | 71C8  | I27S0080 |
| 哀       | 4EF9      | 88A3    | 54C0  | I27T0080 |
| 槌       | 4EFA      | 92C6    | 69CC  | I27U0080 |
| 款       | 4EFB      | 8ABC    | 6B3E  | I27V0080 |
| 斬       | 4EFC      | 8E61    | 65AC  | I27W0080 |
| 揃       | 4EFD      | 91B5    | 63C3  | I27X0080 |
| 但       | 4EFE      | 9241    | 4F46  | I27Y0080 |
| 笛       | 4F41      | 934A    | 7B1B  | I2810080 |
| 殆       | 4F42      | 9677    | 6B86  | I2820080 |
| 裸       | 4F43      | 9787    | 88F8  | I2830080 |
| 刃       | 4F44      | 906E    | 5203  | I2840080 |
| 獻       | 4F45      | 8CA3    | 732E  | I2850080 |
| 暇       | 4F46      | 89C9    | 6687  | I2860080 |
| 紗       | 4F47      | 8ED1    | 7D17  | I2870080 |
| 埴       | 4F48      | 8FFB    | 57F4  | I2880080 |
| 圜       | 4F49      | 8C97    | 570F  | I2890080 |
| 憎       | 4F4A      | 919E    | 618E  | I28A0080 |
| 靈       | 4F4B      | 97EC    | 970A  | I28B0080 |
| 簿       | 4F4C      | 95EB    | 7C3F  | I28C0080 |
| 謀       | 4F4D      | 9664    | 8B00  | I28D0080 |
| 碁       | 4F4E      | 8CE9    | 7881  | I28E0080 |
| 賠       | 4F4F      | 9485    | 8CE0  | I28F0080 |
| 咋       | 4F50      | 8DEE    | 548B  | I28G0080 |
| 箇       | 4F51      | 89D3    | 7B87  | I28H0080 |
| 瑛       | 4F52      | 896C    | 745B  | I28I0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 簍                                   | 4F53      | E2C0    | 7C11  | I28J0080 |
| 衰                                   | 4F54      | 908A    | 8870  | I28K0080 |
| 厘                                   | 4F55      | 97D0    | 5398  | I28L0080 |
| 呈                                   | 4F56      | 92E6    | 5448  | I28M0080 |
| 泳                                   | 4F57      | 896A    | 6CF3  | I28N0080 |
| 漢                                   | 4F58      | 8ABF    | 6F22  | I28O0080 |
| 叶                                   | 4F59      | 8A90    | 53F6  | I28P0080 |
| 袴                                   | 4F5A      | 8CD1    | 88B4  | I28Q0080 |
| 匆                                   | 4F5B      | 96E6    | 5301  | I28R0080 |
| 穫                                   | 4F5C      | 8A6E    | 7A6B  | I28S0080 |
| 蚕                                   | 4F5D      | 8E5C    | 8695  | I28T0080 |
| 填                                   | 4F5E      | 9355    | 586B  | I28U0080 |
| 崩                                   | 4F5F      | 95F6    | 5D29  | I28V0080 |
| 裂                                   | 4F60      | 97F4    | 88C2  | I28W0080 |
| 拒                                   | 4F61      | 8B91    | 62D2  | I28X0080 |
| 丞                                   | 4F62      | 8FE5    | 4E1E  | I28Y0080 |
| 俱                                   | 4F63      | 8BE4    | 5036  | I28Z0080 |
| 雀                                   | 4F64      | 909D    | 96C0  | I2900080 |
| 獸                                   | 4F65      | 8F62    | 7363  | I2910080 |
| 註                                   | 4F66      | 9290    | 8A3B  | I2920080 |
| 其                                   | 4F67      | 91B4    | 5176  | I2930080 |
| 熙                                   | 4F68      | E086    | 7199  | I2940080 |
| 翠                                   | 4F69      | 9089    | 7FE0  | I2950080 |
| 袈                                   | 4F6A      | 8C55    | 8888  | I2960080 |
| 縞                                   | 4F6B      | 8EC8    | 7E1E  | I2970080 |
| 乏                                   | 4F6C      | 9652    | 4E4F  | I2980080 |
| 蓋                                   | 4F6D      | 8A57    | 84CB  | I2990080 |
| 漫                                   | 4F6E      | 969F    | 6F2B  | I29A0080 |
| 塙                                   | 4F6F      | 94B7    | 5859  | I29B0080 |
| 鍬                                   | 4F70      | 8C4C    | 936C  | I29C0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 叩                                   | 4F71      | 9240    | 53E9  | I29D0080 |
| 虛                                   | 4F72      | 8B95    | 865A  | I29E0080 |
| 酉                                   | 4F73      | 93D1    | 9149  | I29F0080 |
| 虻                                   | 4F74      | E582    | 86EF  | I29G0080 |
| 帆                                   | 4F75      | 94BF    | 5E06  | I29H0080 |
| 唇                                   | 4F76      | 904F    | 5507  | I29I0080 |
| 逮                                   | 4F77      | 91DF    | 902E  | I29J0080 |
| 枕                                   | 4F78      | 968D    | 6795  | I29K0080 |
| 葬                                   | 4F79      | 9192    | 846C  | I29L0080 |
| 宥                                   | 4F7A      | 9747    | 5BA5  | I29M0080 |
| 芥                                   | 4F7B      | 8A48    | 82A5  | I29N0080 |
| 萱                                   | 4F7C      | 8A9E    | 8431  | I29O0080 |
| 涌                                   | 4F7D      | 974F    | 6D8C  | I29P0080 |
| 搖                                   | 4F7E      | 9768    | 63FA  | I29Q0080 |
| 亥                                   | 4F7F      | 88E5    | 4EA5  | I29R0080 |
| 淮                                   | 4F80      | 8F79    | 51C6  | I29S0080 |
| 挨                                   | 4F81      | 88A5    | 6328  | I29T0080 |
| 罰                                   | 4F82      | 94B1    | 7F70  | I29U0080 |
| 孟                                   | 4F83      | 96D0    | 5B5F  | I29V0080 |
| 嶽                                   | 4F84      | 9BD4    | 5DBD  | I29W0080 |
| 駟                                   | 4F85      | 8BED    | 99C8  | I29X0080 |
| 召                                   | 4F86      | 8FA2    | 53EC  | I29Y0080 |
| 禪                                   | 4F87      | 9154    | 7985  | I29Z0080 |
| 詔                                   | 4F88      | 8FD9    | 8A54  | I2A00080 |
| 衤                                   | 4F89      | 9449    | 7962  | I2A10080 |
| 袞                                   | 4F8A      | 8DBE    | 88DF  | I2A20080 |
| 嬉                                   | 4F8B      | 8AF0    | 5B09  | I2A30080 |
| 侵                                   | 4F8C      | 904E    | 4FB5  | I2A40080 |
| 侑                                   | 4F8D      | 98D0    | 4F91  | I2A50080 |
| 鮎                                   | 4F8E      | 88BC    | 9B8E  | I2A60080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 冒                                   | 4F8F      | 9660    | 5192  | I2A70080 |
| 雰                                   | 4F90      | 95B5    | 96F0  | I2A80080 |
| 涯                                   | 4F91      | 8A55    | 6DAF  | I2A90080 |
| 戲                                   | 4F92      | 8B59    | 622F  | I2AA0080 |
| 蒐                                   | 4F93      | 8F4E    | 8490  | I2AB0080 |
| 賜                                   | 4F94      | 8E92    | 8CDC  | I2AC0080 |
| 偵                                   | 4F95      | 92E3    | 5075  | I2AD0080 |
| 峠                                   | 4F96      | 93BB    | 5CE0  | I2AE0080 |
| 且                                   | 4F97      | 8A8E    | 4E14  | I2AF0080 |
| 侃                                   | 4F98      | 8AA4    | 4F83  | I2AG0080 |
| 藪                                   | 4F99      | E2D6    | 7C54  | I2AH0080 |
| 蓑                                   | 4F9A      | 96AA    | 84D1  | I2AI0080 |
| 瞳                                   | 4F9B      | 93B5    | 77B3  | I2AJ0080 |
| 諮                                   | 4F9C      | 8E90    | 8AEE  | I2AK0080 |
| 峨                                   | 4F9D      | 89E3    | 5CE8  | I2AL0080 |
| 拶                                   | 4F9E      | 8E41    | 62F6  | I2AM0080 |
| 昂                                   | 4F9F      | 8D56    | 663B  | I2AN0080 |
| 誓                                   | 4FA0      | 90BE    | 8A93  | I2AO0080 |
| 蔦                                   | 4FA1      | 92D3    | 8526  | I2AP0080 |
| 誕                                   | 4FA2      | 9261    | 8A95  | I2AQ0080 |
| 旺                                   | 4FA3      | 89A0    | 65FA  | I2AR0080 |
| 朔                                   | 4FA4      | 8DF1    | 6714  | I2AS0080 |
| 叔                                   | 4FA5      | 8F66    | 53D4  | I2AT0080 |
| 披                                   | 4FA6      | 94E2    | 62AB  | I2AU0080 |
| 賦                                   | 4FA7      | 958A    | 8CE6  | I2AV0080 |
| 裳                                   | 4FA8      | 8FD6    | 88F3  | I2AW0080 |
| 寧                                   | 4FA9      | 944A    | 5BE7  | I2AX0080 |
| 蚊                                   | 4FAA      | 89E1    | 868A  | I2AY0080 |
| 暎                                   | 4FAB      | 9DF3    | 668E  | I2AZ0080 |
| 堪                                   | 4FAC      | 8AAC    | 582A  | I2B00080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 慰                                   | 4FAD      | 88D4    | 6170  | I2B10080 |
| 楯                                   | 4FAE      | 8F7C    | 696F  | I2B20080 |
| 鼓                                   | 4FAF      | 8CDB    | 9F13  | I2B30080 |
| 窰                                   | 4FB0      | 9282    | 7A92  | I2B40080 |
| 確                                   | 4FB1      | 894F    | 7893  | I2B50080 |
| 櫃                                   | 4FB2      | 8A80    | 6A7F  | I2B60080 |
| 逗                                   | 4FB3      | 9080    | 9017  | I2B70080 |
| 鉦                                   | 4FB4      | 8FDE    | 9266  | I2B80080 |
| 紐                                   | 4FB5      | 9552    | 7D10  | I2B90080 |
| 篇                                   | 4FB6      | 95D1    | 7BC7  | I2BA0080 |
| 滴                                   | 4FB7      | 9348    | 6EF4  | I2BB0080 |
| 舜                                   | 4FB8      | 8F77    | 821C  | I2BC0080 |
| 尽                                   | 4FB9      | 9073    | 5C3D  | I2BD0080 |
| 拍                                   | 4FBA      | 948F    | 62CD  | I2BE0080 |
| 藁                                   | 4FBB      | 986D    | 85C1  | I2BF0080 |
| 漂                                   | 4FBC      | 9559    | 6F02  | I2BG0080 |
| 湧                                   | 4FBD      | 974E    | 6E67  | I2BH0080 |
| 暑                                   | 4FBE      | 8F8B    | 6691  | I2BI0080 |
| 薦                                   | 4FBF      | 9145    | 85A6  | I2BJ0080 |
| 捺                                   | 4FC0      | 93E6    | 637A  | I2BK0080 |
| 舛                                   | 4FC1      | 9143    | 821B  | I2BL0080 |
| 侍                                   | 4FC2      | 8E98    | 4F8D  | I2BM0080 |
| 傑                                   | 4FC3      | 8C86    | 5091  | I2BN0080 |
| 訂                                   | 4FC4      | 92F9    | 8A02  | I2BO0080 |
| 括                                   | 4FC5      | 8A87    | 62EC  | I2BP0080 |
| 鯉                                   | 4FC6      | 8CEF    | 9BC9  | I2BQ0080 |
| 稽                                   | 4FC7      | 8C6D    | 7A3D  | I2BR0080 |
| 肅                                   | 4FC8      | 8F6C    | 7C9B  | I2BS0080 |
| 僅                                   | 4FC9      | 8BCD    | 50C5  | I2BT0080 |
| 這                                   | 4FCA      | 9487    | 9019  | I2BU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 炊                                   | 4FCB      | 9086    | 708A  | I2BV0080 |
| 粹                                   | 4FCC      | 9088    | 7C8B  | I2BW0080 |
| 擬                                   | 4FCD      | 8B5B    | 64EC  | I2BX0080 |
| 晟                                   | 4FCE      | 9DEE    | 665F  | I2BY0080 |
| 敢                                   | 4FCF      | 8AB8    | 6562  | I2BZ0080 |
| 猫                                   | 4FD0      | 944C    | 732B  | I2C00080 |
| 匹                                   | 4FD1      | 9543    | 5339  | I2C10080 |
| 粹                                   | 4FD2      | 9867    | 67A0  | I2C20080 |
| 喧                                   | 4FD3      | 8C96    | 55A7  | I2C30080 |
| 洪                                   | 4FD4      | 8D5E    | 6D2A  | I2C40080 |
| 稿                                   | 4FD5      | 8D65    | 7A3F  | I2C50080 |
| 擦                                   | 4FD6      | 8E43    | 64E6  | I2C60080 |
| 禧                                   | 4FD7      | E255    | 79A7  | I2C70080 |
| 柘                                   | 4FD8      | 92D1    | 67D8  | I2C80080 |
| 符                                   | 4FD9      | 9584    | 7B26  | I2C90080 |
| 隻                                   | 4FDA      | 90C7    | 96BB  | I2CA0080 |
| 挑                                   | 4FDB      | 92A7    | 6311  | I2CB0080 |
| 犧                                   | 4FDC      | 8B5D    | 72A0  | I2CC0080 |
| 屯                                   | 4FDD      | 93D4    | 5C6F  | I2CD0080 |
| 瀕                                   | 4FDE      | 9295    | 7026  | I2CE0080 |
| 韭                                   | 4FDF      | 9442    | 97EE  | I2CF0080 |
| 惟                                   | 4FE0      | 88D2    | 60DF  | I2CG0080 |
| 諾                                   | 4FE1      | 91F8    | 8AFE  | I2CH0080 |
| 膳                                   | 4FE2      | 93A3    | 8B04  | I2CI0080 |
| 蒔                                   | 4FE3      | 8EAA    | 8494  | I2CJ0080 |
| 鯖                                   | 4FE4      | 8E49    | 9BD6  | I2CK0080 |
| 芯                                   | 4FE5      | 9063    | 82AF  | I2CL0080 |
| 鍊                                   | 4FE6      | 9842    | 932C  | I2CM0080 |
| 昆                                   | 4FE7      | 8DA9    | 6606  | I2CN0080 |
| 陀                                   | 4FE8      | 91C9    | 9640  | I2CO0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 寂                                   | 4FE9      | 8EE2    | 5BC2  | I2CP0080 |
| 蛇                                   | 4FEA      | 8ED6    | 86C7  | I2CQ0080 |
| 祉                                   | 4FEB      | 8E83    | 7949  | I2CR0080 |
| 耗                                   | 4FEC      | 96D5    | 8017  | I2CS0080 |
| 楫                                   | 4FED      | 909A    | 6919  | I2CT0080 |
| 炒                                   | 4FEE      | E075    | 7092  | I2CU0080 |
| 阻                                   | 4FEF      | 916A    | 963B  | I2CV0080 |
| 粃                                   | 4FF0      | 96E0    | 7C7E  | I2CW0080 |
| 姓                                   | 4FF1      | 90A9    | 59D3  | I2CX0080 |
| 孜                                   | 4FF2      | 8E79    | 5B5C  | I2CY0080 |
| 紛                                   | 4FF3      | 95B4    | 7D1B  | I2CZ0080 |
| 釘                                   | 4FF4      | 9342    | 91D8  | I2D00080 |
| 檀                                   | 4FF5      | 9268    | 6A80  | I2D10080 |
| 藩                                   | 4FF6      | 94CB    | 85E9  | I2D20080 |
| 椅                                   | 4FF7      | 88D6    | 6905  | I2D30080 |
| 沓                                   | 4FF8      | 8C42    | 6C93  | I2D40080 |
| 倭                                   | 4FF9      | 9860    | 502D  | I2D50080 |
| 亦                                   | 4FFA      | 9692    | 4EA6  | I2D60080 |
| 翁                                   | 4FFB      | 89A5    | 7FC1  | I2D70080 |
| 憤                                   | 4FFC      | 95AE    | 61A4  | I2D80080 |
| 賊                                   | 4FFD      | 91AF    | 8CCA  | I2D90080 |
| 陷                                   | 4FFE      | 8AD7    | 9665  | I2DA0080 |
| 鑄                                   | 5041      | 934C    | 93D1  | I2DD0080 |
| 叱                                   | 5042      | 8EB6    | 53F1  | I2DE0080 |
| 妊                                   | 5043      | 9444    | 598A  | I2DF0080 |
| 躬                                   | 5044      | E75A    | 8EAC  | I2DG0080 |
| 拘                                   | 5045      | 8D53    | 62D8  | I2DH0080 |
| 桧                                   | 5046      | 9E77    | 6867  | I2DI0080 |
| 燕                                   | 5047      | 898D    | 71D5  | I2DJ0080 |
| 筧                                   | 5048      | E2A8    | 7B67  | I2DK0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 偏                                   | 5049      | 95CE    | 504F  | I2DL0080 |
| 某                                   | 504A      | 965E    | 67D0  | I2DM0080 |
| 苑                                   | 504B      | 8991    | 82D1  | I2DN0080 |
| 鞍                                   | 504C      | 88C6    | 978D  | I2DO0080 |
| 璋                                   | 504D      | E0F6    | 748B  | I2DP0080 |
| 肺                                   | 504E      | 9478    | 80BA  | I2DQ0080 |
| 猶                                   | 504F      | 9750    | 7336  | I2DR0080 |
| 兎                                   | 5050      | 9365    | 514E  | I2DS0080 |
| 脅                                   | 5051      | 8BBA    | 8105  | I2DT0080 |
| 郊                                   | 5052      | 8D78    | 90CA  | I2DU0080 |
| 塊                                   | 5053      | 89F2    | 584A  | I2DV0080 |
| 枉                                   | 5054      | 968F    | 67FE  | I2DW0080 |
| 濱                                   | 5055      | E05F    | 6FF1  | I2DX0080 |
| 忽                                   | 5056      | 8D9A    | 5FFD  | I2DY0080 |
| 盆                                   | 5057      | 967E    | 76C6  | I2DZ0080 |
| 騎                                   | 5058      | 8B52    | 9A0E  | I2E00080 |
| 偽                                   | 5059      | 8B55    | 507D  | I2E10080 |
| 隔                                   | 505A      | 8A75    | 9694  | I2E20080 |
| 廷                                   | 505B      | 92EC    | 5EF7  | I2E30080 |
| 箸                                   | 505C      | 94A2    | 7BB8  | I2E40080 |
| 遍                                   | 505D      | 95D5    | 904D  | I2E50080 |
| 汎                                   | 505E      | 94C4    | 6C4E  | I2E60080 |
| 藻                                   | 505F      | 9194    | 85FB  | I2E70080 |
| 膝                                   | 5060      | 9547    | 819D  | I2E80080 |
| 枯                                   | 5061      | 8CCD    | 67AF  | I2E90080 |
| 噌                                   | 5062      | 9158    | 564C  | I2EA0080 |
| 嘆                                   | 5063      | 9251    | 5606  | I2EB0080 |
| 貌                                   | 5064      | 9665    | 8C8C  | I2EC0080 |
| 囚                                   | 5065      | 8EFA    | 56DA  | I2ED0080 |
| 班                                   | 5066      | 94C7    | 73ED  | I2EE0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 賄                                   | 5067      | 9864    | 8CC4  | I2EF0080 |
| 迅                                   | 5068      | 9076    | 8FC5  | I2EG0080 |
| 零                                   | 5069      | 97EB    | 96F6  | I2EH0080 |
| 汐                                   | 506A      | 8EAC    | 6C50  | I2EI0080 |
| 襄                                   | 506B      | E5F5    | 8944  | I2EJ0080 |
| 輿                                   | 506C      | 9760    | 8F3F  | I2EK0080 |
| 絞                                   | 506D      | 8D69    | 7D5E  | I2EL0080 |
| 慘                                   | 506E      | 8E53    | 60E8  | I2EM0080 |
| 狼                                   | 506F      | 9854    | 72FC  | I2EN0080 |
| 綜                                   | 5070      | 918E    | 7D9C  | I2EO0080 |
| 董                                   | 5071      | 939F    | 8463  | I2EP0080 |
| 峻                                   | 5072      | 8F73    | 5CFB  | I2EQ0080 |
| 呆                                   | 5073      | 95F0    | 5446  | I2ER0080 |
| 崖                                   | 5074      | 8A52    | 5D16  | I2ES0080 |
| 没                                   | 5075      | 9676    | 6CA1  | I2ET0080 |
| 膳                                   | 5076      | 9156    | 81B3  | I2EU0080 |
| 壺                                   | 5077      | 92D9    | 58FA  | I2EV0080 |
| 宴                                   | 5078      | 8983    | 5BB4  | I2EW0080 |
| 脈                                   | 5079      | 96AC    | 8108  | I2EX0080 |
| 吟                                   | 507A      | 8BE1    | 541F  | I2EY0080 |
| 貼                                   | 507B      | 935C    | 8CBC  | I2EZ0080 |
| 憂                                   | 507C      | 974A    | 6182  | I2F00080 |
| 碩                                   | 507D      | 90D7    | 78A9  | I2F10080 |
| 濡                                   | 507E      | 9447    | 6FE1  | I2F20080 |
| 醬                                   | 507F      | 8FDD    | 91A4  | I2F30080 |
| 盲                                   | 5080      | 96D3    | 76F2  | I2F40080 |
| 怠                                   | 5081      | 91D3    | 6020  | I2F50080 |
| 盾                                   | 5082      | 8F82    | 76FE  | I2F60080 |
| 蓉                                   | 5083      | 9775    | 84C9  | I2F70080 |
| 缶                                   | 5084      | 8ACA    | 7F36  | I2F80080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 仇                                   | 5085      | 8B77    | 4EC7  | I2F90080 |
| 畝                                   | 5086      | 90A4    | 755D  | I2FA0080 |
| 稗                                   | 5087      | 9542    | 7A17  | I2FB0080 |
| 蓬                                   | 5088      | 9648    | 84EC  | I2FC0080 |
| 痴                                   | 5089      | 9273    | 75F4  | I2FD0080 |
| 伺                                   | 508A      | 8E66    | 4F3A  | I2FE0080 |
| 杭                                   | 508B      | 8D59    | 676D  | I2FF0080 |
| 溜                                   | 508C      | 97DA    | 7460  | I2FG0080 |
| 拳                                   | 508D      | 8C9D    | 62F3  | I2FH0080 |
| 漠                                   | 508E      | 9499    | 6F20  | I2FI0080 |
| 秤                                   | 508F      | 9489    | 79E4  | I2FJ0080 |
| 蟹                                   | 5090      | 8A49    | 87F9  | I2FK0080 |
| 悔                                   | 5091      | 89F7    | 6094  | I2FL0080 |
| 戴                                   | 5092      | 91D5    | 6234  | I2FM0080 |
| 暫                                   | 5093      | 8E62    | 66AB  | I2FN0080 |
| 舌                                   | 5094      | 90E3    | 820C  | I2FO0080 |
| 蒙                                   | 5095      | 96D6    | 8499  | I2FP0080 |
| 爺                                   | 5096      | 96EA    | 723A  | I2FQ0080 |
| 忌                                   | 5097      | 8AF5    | 5FCC  | I2FR0080 |
| 愉                                   | 5098      | 96F9    | 6109  | I2FS0080 |
| 烏                                   | 5099      | 8947    | 70CF  | I2FT0080 |
| 牡                                   | 509A      | 89B2    | 7261  | I2FU0080 |
| 穉                                   | 509B      | 88AA    | 7A50  | I2FV0080 |
| 傘                                   | 509C      | 8E50    | 5098  | I2FW0080 |
| 髭                                   | 509D      | 9545    | 9AED  | I2FX0080 |
| 嵩                                   | 509E      | 9093    | 5D69  | I2FY0080 |
| 怜                                   | 509F      | 97E5    | 601C  | I2FZ0080 |
| 皓                                   | 50A0      | 9DEC    | 6667  | I2G00080 |
| 馴                                   | 50A1      | 93E9    | 99B4  | I2G10080 |
| 幻                                   | 50A2      | 8CB6    | 5E7B  | I2G20080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 搾                                   | 50A3      | 8DEF    | 643E  | I2G30080 |
| 堰                                   | 50A4      | 8981    | 5830  | I2G40080 |
| 叉                                   | 50A5      | 8DB3    | 53C9  | I2G50080 |
| 窟                                   | 50A6      | 8C41    | 7A9F  | I2G60080 |
| 餌                                   | 50A7      | 8961    | 990C  | I2G70080 |
| 魂                                   | 50A8      | 8DB0    | 9B42  | I2G80080 |
| 轟                                   | 50A9      | 8D8C    | 8F5F  | I2G90080 |
| 窮                                   | 50AA      | 8B87    | 7AAE  | I2GA0080 |
| 宛                                   | 50AB      | 88B6    | 5B9B  | I2GB0080 |
| 梢                                   | 50AC      | 8FBD    | 68A2  | I2GC0080 |
| 扉                                   | 50AD      | 94E0    | 6249  | I2GD0080 |
| 祿                                   | 50AE      | 985C    | 7984  | I2GE0080 |
| 鷺                                   | 50AF      | 8DEB    | 9DFA  | I2GF0080 |
| 吞                                   | 50B0      | 93DB    | 5451  | I2GG0080 |
| 錯                                   | 50B1      | 8DF6    | 932F  | I2GH0080 |
| 諄                                   | 50B2      | E678    | 8AC4  | I2GI0080 |
| 徐                                   | 50B3      | 8F99    | 5F90  | I2GJ0080 |
| 跳                                   | 50B4      | 92B5    | 8DF3  | I2GK0080 |
| 娛                                   | 50B5      | 8CE2    | 5A2F  | I2GL0080 |
| 胞                                   | 50B6      | 9645    | 80DE  | I2GM0080 |
| 洩                                   | 50B7      | 896B    | 6D29  | I2GN0080 |
| 穩                                   | 50B8      | 89B8    | 7A4F  | I2GO0080 |
| 蒼                                   | 50B9      | 9193    | 84BC  | I2GP0080 |
| 鳴                                   | 50BA      | 8EB0    | 9D2B  | I2GQ0080 |
| 逐                                   | 50BB      | 9280    | 9010  | I2GR0080 |
| 洸                                   | 50BC      | 9FA9    | 6D38  | I2GS0080 |
| 酪                                   | 50BD      | 978F    | 916A  | I2GT0080 |
| 濁                                   | 50BE      | 91F7    | 6FC1  | I2GU0080 |
| 餅                                   | 50BF      | 96DD    | 9905  | I2GV0080 |
| 殼                                   | 50C0      | 8A6B    | 6BBB  | I2GW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 庶                                   | 50C1      | 8F8E    | 5EB6  | I2GX0080 |
| 釀                                   | 50C2      | 8FF8    | 91B8  | I2GY0080 |
| 偶                                   | 50C3      | 8BF4    | 5076  | I2GZ0080 |
| 漏                                   | 50C4      | 9852    | 6F0F  | I2H00080 |
| 丙                                   | 50C5      | 95B8    | 4E19  | I2H10080 |
| 吏                                   | 50C6      | 9799    | 540F  | I2H20080 |
| 陵                                   | 50C7      | 97CB    | 9675  | I2H30080 |
| 汲                                   | 50C8      | 8B82    | 6C72  | I2H40080 |
| 冴                                   | 50C9      | 8DE1    | 51B4  | I2H50080 |
| 囑                                   | 50CA      | 8FFA    | 5631  | I2H60080 |
| 鼠                                   | 50CB      | 916C    | 9F20  | I2H70080 |
| 曆                                   | 50CC      | 97EF    | 66A6  | I2H80080 |
| 弊                                   | 50CD      | 95BE    | 5F0A  | I2H90080 |
| 疫                                   | 50CE      | 8975    | 75AB  | I2HA0080 |
| 凸                                   | 50CF      | 93CA    | 51F8  | I2HB0080 |
| 杏                                   | 50D0      | 88C7    | 674F  | I2HC0080 |
| 踐                                   | 50D1      | 9148    | 8DF5  | I2HD0080 |
| 汰                                   | 50D2      | 91BF    | 6C70  | I2HE0080 |
| 詔                                   | 50D3      | 986C    | 8A6B  | I2HF0080 |
| 畿                                   | 50D4      | 8B45    | 757F  | I2HG0080 |
| 岬                                   | 50D5      | 96A6    | 5CAC  | I2HH0080 |
| 桁                                   | 50D6      | 8C85    | 6841  | I2HI0080 |
| 賓                                   | 50D7      | 956F    | 8CD3  | I2HJ0080 |
| 鯛                                   | 50D8      | 91E2    | 9BDB  | I2HK0080 |
| 葵                                   | 50D9      | 88A8    | 8475  | I2HL0080 |
| 梓                                   | 50DA      | 88B2    | 6893  | I2HM0080 |
| 萌                                   | 50DB      | 9647    | 840C  | I2HN0080 |
| 狛                                   | 50DC      | 8D9D    | 72DB  | I2HO0080 |
| 啜                                   | 50DD      | 93EB    | 7577  | I2HP0080 |
| 蕨                                   | 50DE      | 986E    | 8568  | I2HQ0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 砺                                   | 50DF      | E1E8    | 783A  | I2HR0080 |
| 葺                                   | 50E0      | 9598    | 847A  | I2HS0080 |
| 弌                                   | 50E1      | 93F3    | 5F10  | I2HT0080 |
| 茜                                   | 50E2      | 88A9    | 831C  | I2HU0080 |
| 栓                                   | 50E3      | 90F0    | 6813  | I2HV0080 |
| 渚                                   | 50E4      | 8F8D    | 6E1A  | I2HW0080 |
| 鶯                                   | 50E5      | 89A7    | 9DAF  | I2HX0080 |
| 凹                                   | 50E6      | 899A    | 51F9  | I2HY0080 |
| 稟                                   | 50E7      | E268    | 7980  | I2HZ0080 |
| 互                                   | 50E8      | 9869    | 4E99  | I2I00080 |
| 廣                                   | 50E9      | 9C41    | 5EE3  | I2I10080 |
| 邊                                   | 50EA      | E7B2    | 908A  | I2I20080 |
| 肯                                   | 50EB      | 8D6D    | 80AF  | I2I30080 |
| 妨                                   | 50EC      | 9657    | 59A8  | I2I40080 |
| 矛                                   | 50ED      | 96B5    | 77DB  | I2I50080 |
| 赴                                   | 50EE      | 958B    | 8D74  | I2I60080 |
| 訟                                   | 50EF      | 8FD7    | 8A1F  | I2I70080 |
| 朽                                   | 50F0      | 8B80    | 673D  | I2I80080 |
| 匿                                   | 50F1      | 93BD    | 533F  | I2I90080 |
| 訊                                   | 50F2      | 9075    | 8A0A  | I2IA0080 |
| 嘘                                   | 50F3      | 8952    | 5618  | I2IB0080 |
| 杖                                   | 50F4      | 8FF1    | 6756  | I2IC0080 |
| 叙                                   | 50F5      | 8F96    | 53D9  | I2ID0080 |
| 伐                                   | 50F6      | 94B0    | 4F10  | I2IE0080 |
| 琉                                   | 50F7      | 97AE    | 7409  | I2IF0080 |
| 婁                                   | 50F8      | 984B    | 5A41  | I2IG0080 |
| 俸                                   | 50F9      | 95EE    | 4FF8  | I2IH0080 |
| 禰                                   | 50FA      | 9448    | 79B0  | I2II0080 |
| 頸                                   | 50FB      | 8C7A    | 9838  | I2IJ0080 |
| 踪                                   | 50FC      | E748    | 8E2A  | I2IK0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 鵠                                   | 50FD      | 8D94    | 9D60  | I2IL0080 |
| 轄                                   | 50FE      | 8A8D    | 8F44  | I2IM0080 |
| 斥                                   | 5141      | 90CB    | 65A5  | I2IP0080 |
| 疾                                   | 5142      | 8EBE    | 75BE  | I2IQ0080 |
| 遭                                   | 5143      | 9198    | 906D  | I2IR0080 |
| 虻                                   | 5144      | 88B8    | 867B  | I2IS0080 |
| 悼                                   | 5145      | 9389    | 60BC  | I2IT0080 |
| 冶                                   | 5146      | 96E8    | 51B6  | I2IU0080 |
| 夷                                   | 5147      | 88CE    | 5937  | I2IV0080 |
| 累                                   | 5148      | 97DD    | 7D2F  | I2IW0080 |
| 酬                                   | 5149      | 8F56    | 916C  | I2IX0080 |
| 榮                                   | 514A      | 9EC4    | 69AE  | I2IY0080 |
| 糠                                   | 514B      | 8D66    | 7CE0  | I2IZ0080 |
| 礪                                   | 514C      | 9376    | 792A  | I2J00080 |
| 崔                                   | 514D      | 9BC1    | 5D14  | I2J10080 |
| 擁                                   | 514E      | 9769    | 64C1  | I2J20080 |
| 壬                                   | 514F      | 9070    | 58EC  | I2J30080 |
| 墜                                   | 5150      | 92C4    | 589C  | I2J40080 |
| 赦                                   | 5151      | 8ECD    | 8D66  | I2J50080 |
| 曙                                   | 5152      | 8F8C    | 66D9  | I2J60080 |
| 懲                                   | 5153      | 92A6    | 61F2  | I2J70080 |
| 鄭                                   | 5154      | 9341    | 912D  | I2J80080 |
| 湘                                   | 5155      | 8FC3    | 6E58  | I2J90080 |
| 鐵                                   | 5156      | E863    | 9435  | I2JA0080 |
| 陸                                   | 5157      | 95C3    | 965B  | I2JB0080 |
| 牲                                   | 5158      | 90B5    | 7272  | I2JC0080 |
| 彪                                   | 5159      | 9556    | 5F6A  | I2JD0080 |
| 庚                                   | 515A      | 8D4D    | 5E9A  | I2JE0080 |
| 輔                                   | 515B      | E770    | 8F1B  | I2JF0080 |
| 宕                                   | 515C      | 9386    | 5B95  | I2JG0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 尹                                   | 515D      | 9B9A    | 5C39  | I2JH0080 |
| 逦                                   | 515E      | 92FC    | 9013  | I2JI0080 |
| 荏                                   | 515F      | 8960    | 834F  | I2JJ0080 |
| 糲                                   | 5160      | 9157    | 7CCE  | I2JK0080 |
| 戊                                   | 5161      | 95E8    | 620A  | I2JL0080 |
| 郭                                   | 5162      | 8A73    | 90ED  | I2JM0080 |
| 椳                                   | 5163      | 8A91    | 691B  | I2JN0080 |
| 洌                                   | 5164      | 9FBA    | 6E15  | I2JO0080 |
| 旛                                   | 5165      | 9DD7    | 65DB  | I2JP0080 |
| 曾                                   | 5166      | 915C    | 66FE  | I2JQ0080 |
| 亟                                   | 5167      | 98B2    | 4E9F  | I2JR0080 |
| 喪                                   | 5168      | 9172    | 55AA  | I2JS0080 |
| 窃                                   | 5169      | 90DE    | 7A83  | I2JT0080 |
| 菩                                   | 516A      | 95EC    | 83E9  | I2JU0080 |
| 讚                                   | 516B      | 8E5D    | 8B83  | I2JV0080 |
| 葭                                   | 516C      | E4D1    | 846D  | I2JW0080 |
| 菰                                   | 516D      | 8CD4    | 83F0  | I2JX0080 |
| 罐                                   | 516E      | E3A3    | 7F50  | I2JY0080 |
| 醜                                   | 516F      | 91E7    | 918D  | I2JZ0080 |
| 酬                                   | 5170      | 8CED    | 9190  | I2K00080 |
| 疎                                   | 5171      | 9161    | 758E  | I2K10080 |
| 閥                                   | 5172      | 94B4    | 95A5  | I2K20080 |
| 臧                                   | 5173      | E468    | 81E7  | I2K30080 |
| 痢                                   | 5174      | 979F    | 75E2  | I2K40080 |
| 憩                                   | 5175      | 8C65    | 61A9  | I2K50080 |
| 詐                                   | 5176      | 8DBC    | 8A50  | I2K60080 |
| 閱                                   | 5177      | 897B    | 95B2  | I2K70080 |
| 厨                                   | 5178      | 907E    | 53A8  | I2K80080 |
| 始                                   | 5179      | 88A6    | 59F6  | I2K90080 |
| 頓                                   | 517A      | 93DA    | 9813  | I2KA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 碑                                   | 517B      | 94E8    | 7891  | I2KB0080 |
| 築                                   | 517C      | E2CA    | 7C17  | I2KC0080 |
| 欺                                   | 517D      | 8B5C    | 6B3A  | I2KD0080 |
| 埠                                   | 517E      | 9575    | 57E0  | I2KE0080 |
| 戎                                   | 517F      | 8F5E    | 620E  | I2KF0080 |
| 菖                                   | 5180      | 8FD2    | 83D6  | I2KG0080 |
| 諒                                   | 5181      | 97C8    | 8AD2  | I2KH0080 |
| 痔                                   | 5182      | 8EA4    | 75D4  | I2KI0080 |
| 銓                                   | 5183      | 9667    | 927E  | I2KJ0080 |
| 姜                                   | 5184      | 9B49    | 59DC  | I2KK0080 |
| 劉                                   | 5185      | 97AB    | 5289  | I2KL0080 |
| 邇                                   | 5186      | 93F4    | 9087  | I2KM0080 |
| 濾                                   | 5187      | E068    | 6FFE  | I2KN0080 |
| 嗟                                   | 5188      | 8DBA    | 7473  | I2KO0080 |
| 尉                                   | 5189      | 88D1    | 5C09  | I2KP0080 |
| 鵬                                   | 518A      | 9651    | 9D6C  | I2KQ0080 |
| 蓼                                   | 518B      | E4F8    | 84FC  | I2KR0080 |
| 槽                                   | 518C      | 918C    | 7CDF  | I2KS0080 |
| 箭                                   | 518D      | 90FB    | 7BAD  | I2KT0080 |
| 詮                                   | 518E      | 9146    | 8A6E  | I2KU0080 |
| 奎                                   | 518F      | 9AF5    | 594E  | I2KV0080 |
| 囊                                   | 5190      | 9458    | 56A2  | I2KW0080 |
| 膚                                   | 5191      | 9586    | 819A  | I2KX0080 |
| 祇                                   | 5192      | 8B5F    | 7947  | I2KY0080 |
| 昶                                   | 5193      | 9DE2    | 6636  | I2KZ0080 |
| 叡                                   | 5194      | 8962    | 53E1  | I2L00080 |
| 礎                                   | 5195      | 92F4    | 7887  | I2L10080 |
| 壤                                   | 5196      | 8FEB    | 58CC  | I2L20080 |
| 鎗                                   | 5197      | 9199    | 9397  | I2L30080 |
| 溪                                   | 5198      | 8C6B    | 6E13  | I2L40080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 剖                                   | 5199      | 9655    | 5256  | I2L50080 |
| 芋                                   | 519A      | 88F0    | 828B  | I2L60080 |
| 麟                                   | 519B      | 97D9    | 9E9F  | I2L70080 |
| 閃                                   | 519C      | 914D    | 9583  | I2L80080 |
| 斌                                   | 519D      | 956B    | 658C  | I2L90080 |
| 麓                                   | 519E      | 985B    | 9E93  | I2LA0080 |
| 獅                                   | 519F      | 8E82    | 7345  | I2LB0080 |
| 渦                                   | 51A0      | 8951    | 6E26  | I2LC0080 |
| 鴿                                   | 51A1      | 93BC    | 9D07  | I2LD0080 |
| 妃                                   | 51A2      | 94DC    | 5983  | I2LE0080 |
| 綬                                   | 51A3      | 8EF8    | 7DAC  | I2LF0080 |
| 雁                                   | 51A4      | 8AE5    | 96C1  | I2LG0080 |
| 憾                                   | 51A5      | 8AB6    | 61BE  | I2LH0080 |
| 奎                                   | 51A6      | 96DB    | 6762  | I2LI0080 |
| 黎                                   | 51A7      | EA74    | 9ECE  | I2LJ0080 |
| 邨                                   | 51A8      | E7B5    | 90A8  | I2LK0080 |
| 醇                                   | 51A9      | 8F86    | 9187  | I2LL0080 |
| 鼎                                   | 51AA      | 9343    | 9F0E  | I2LM0080 |
| 簞                                   | 51AB      | 94F4    | 7C38  | I2LN0080 |
| 凱                                   | 51AC      | 8A4D    | 51F1  | I2LO0080 |
| 薙                                   | 51AD      | 93E3    | 8599  | I2LP0080 |
| 刺                                   | 51AE      | 998F    | 524C  | I2LQ0080 |
| 后                                   | 51AF      | 8D40    | 540E  | I2LR0080 |
| 礁                                   | 51B0      | 8FCA    | 7901  | I2LS0080 |
| 敞                                   | 51B1      | 9DC6    | 655E  | I2LT0080 |
| 晨                                   | 51B2      | 9DED    | 6668  | I2LU0080 |
| 峽                                   | 51B3      | 8BAC    | 5CE1  | I2LV0080 |
| 畦                                   | 51B4      | 8C6C    | 7566  | I2LW0080 |
| 盈                                   | 51B5      | 896D    | 76C8  | I2LX0080 |
| 虹                                   | 51B6      | 93F8    | 8679  | I2LY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 匝                                   | 51B7      | 9178    | 531D  | I2LZ0080 |
| 唆                                   | 51B8      | 8DB4    | 5506  | I2M00080 |
| 礦                                   | 51B9      | 8D7B    | 7926  | I2M10080 |
| 褒                                   | 51BA      | 964A    | 8912  | I2M20080 |
| 矯                                   | 51BB      | 8BB8    | 77EF  | I2M30080 |
| 糝                                   | 51BC      | E2EF    | 7CC0  | I2M40080 |
| 國                                   | 51BD      | 9AA0    | 570B  | I2M50080 |
| 兜                                   | 51BE      | 8A95    | 515C  | I2M60080 |
| 纈                                   | 51BF      | FA5C    | 7E8A  | I2M70080 |
| 卜                                   | 51C0      | 966D    | 535C  | I2M80080 |
| 詠                                   | 51C1      | 8972    | 8A60  | I2M90080 |
| 斧                                   | 51C2      | 9580    | 65A7  | I2MA0080 |
| 蝦                                   | 51C3      | 89DA    | 8766  | I2MB0080 |
| 坦                                   | 51C4      | 9252    | 5766  | I2MC0080 |
| 櫨                                   | 51C5      | 94A5    | 6AE8  | I2MD0080 |
| 蟻                                   | 51C6      | 8B61    | 87FB  | I2ME0080 |
| 帖                                   | 51C7      | 929F    | 5E16  | I2MF0080 |
| 豎                                   | 51C8      | 9247    | 7AEA  | I2MG0080 |
| 赳                                   | 51C9      | E6E0    | 8D73  | I2MH0080 |
| 眞                                   | 51CA      | E1C1    | 771E  | I2MI0080 |
| 獺                                   | 51CB      | E0DA    | 737A  | I2MJ0080 |
| 曠                                   | 51CC      | 9E44    | 66E0  | I2MK0080 |
| 鏢                                   | 51CD      | E860    | 9410  | I2ML0080 |
| 腫                                   | 51CE      | 8EEE    | 816B  | I2MM0080 |
| 笈                                   | 51CF      | 8B88    | 7B08  | I2MN0080 |
| 釧                                   | 51D0      | E7DD    | 91FC  | I2MO0080 |
| 坏                                   | 51D1      | 9AA8    | 5737  | I2MP0080 |
| 濤                                   | 51D2      | 9393    | 6FE4  | I2MQ0080 |
| 蕪                                   | 51D3      | 9593    | 856A  | I2MR0080 |
| 繕                                   | 51D4      | 9155    | 7E55  | I2MS0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 饗                                   | 51D5      | 8BC0    | 9957  | I2MT0080 |
| 螺                                   | 51D6      | 9786    | 87BA  | I2MU0080 |
| 楊                                   | 51D7      | 976B    | 694A  | I2MV0080 |
| 膏                                   | 51D8      | 8D70    | 818F  | I2MW0080 |
| 廿                                   | 51D9      | 93F9    | 5EFF  | I2MX0080 |
| 饜                                   | 51DA      | FA5D    | 891C  | I2MY0080 |
| 狐                                   | 51DB      | 8CCF    | 72D0  | I2MZ0080 |
| 顆                                   | 51DC      | E8F7    | 9846  | I2N00080 |
| 黛                                   | 51DD      | 91E1    | 9EDB  | I2N10080 |
| 趙                                   | 51DE      | E6E2    | 8D99  | I2N20080 |
| 巖                                   | 51DF      | 9BDC    | 5DD6  | I2N30080 |
| 抹                                   | 51E0      | 9695    | 62B9  | I2N40080 |
| 撫                                   | 51E1      | 958F    | 64AB  | I2N50080 |
| 佶                                   | 51E2      | 98C9    | 4F76  | I2N60080 |
| 愿                                   | 51E3      | 9CC3    | 613F  | I2N70080 |
| 梯                                   | 51E4      | 92F2    | 68AF  | I2N80080 |
| 弔                                   | 51E5      | 92A2    | 5F14  | I2N90080 |
| 而                                   | 51E6      | 8EA7    | 800C  | I2NA0080 |
| 鋸                                   | 51E7      | 8B98    | 92F8  | I2NB0080 |
| 篁                                   | 51E8      | E2B9    | 7BC1  | I2NC0080 |
| 勾                                   | 51E9      | 8CF9    | 52FE  | I2ND0080 |
| 晏                                   | 51EA      | 9DE5    | 664F  | I2NE0080 |
| 酷                                   | 51EB      | 8D93    | 9177  | I2NF0080 |
| 凶                                   | 51EC      | 8BA5    | 51F6  | I2NG0080 |
| 鞠                                   | 51ED      | 8B66    | 97A0  | I2NH0080 |
| 莞                                   | 51EE      | 8ACE    | 839E  | I2NI0080 |
| 摺                                   | 51EF      | 90A0    | 647A  | I2NJ0080 |
| 鯪                                   | 51F0      | 88B1    | 9C3A  | I2NK0080 |
| 柵                                   | 51F1      | 8DF2    | 67F5  | I2NL0080 |
| 簾                                   | 51F2      | E2D7    | 7C4F  | I2NM0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 棧                                   | 51F3      | 8E56    | 685F  | I2NN0080 |
| 魯                                   | 51F4      | 9844    | 9B6F  | I2NO0080 |
| 齋                                   | 51F5      | E256    | 9F4B  | I2NP0080 |
| 翻                                   | 51F6      | 967C    | 7FFB  | I2NQ0080 |
| 鎂                                   | 51F7      | FA5E    | 9348  | I2NR0080 |
| 俶                                   | 51F8      | 98E6    | 4FF6  | I2NS0080 |
| 麒                                   | 51F9      | EA69    | 9E92  | I2NT0080 |
| 醜                                   | 51FA      | 94AE    | 9197  | I2NU0080 |
| 雛                                   | 51FB      | 9097    | 96DB  | I2NV0080 |
| 實                                   | 51FC      | 9B89    | 5BE6  | I2NW0080 |
| 泌                                   | 51FD      | 94E5    | 6CCC  | I2NX0080 |
| 糾                                   | 51FE      | 8B8A    | 7CFE  | I2NY0080 |
| 鎧                                   | 5241      | 96F8    | 9453  | I2O10080 |
| 栢                                   | 5242      | 8A9C    | 6822  | I2O20080 |
| 漚                                   | 5243      | 9DF9    | 66B9  | I2O30080 |
| 寔                                   | 5244      | 9B86    | 5BD4  | I2O40080 |
| 飴                                   | 5245      | 88B9    | 98F4  | I2O50080 |
| 諦                                   | 5246      | 92FA    | 8AE6  | I2O60080 |
| 腔                                   | 5247      | 8D6F    | 8154  | I2O70080 |
| 砧                                   | 5248      | 8B6D    | 7827  | I2O80080 |
| 璽                                   | 5249      | 8EA3    | 74BD  | I2O90080 |
| 滓                                   | 524A      | 9FE6    | 6ED3  | I2OA0080 |
| 銑                                   | 524B      | FA5F    | 9288  | I2OB0080 |
| 娠                                   | 524C      | 9050    | 5A20  | I2OC0080 |
| 宋                                   | 524D      | 9176    | 5B8B  | I2OD0080 |
| 蝟                                   | 524E      | 91FB    | 86F8  | I2OE0080 |
| 瘍                                   | 524F      | E187    | 760D  | I2OF0080 |
| 虜                                   | 5250      | 97B8    | 865C  | I2OG0080 |
| 晁                                   | 5251      | 9DE8    | 6641  | I2OH0080 |
| 釉                                   | 5252      | E7D6    | 91C9  | I2OI0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 喉                                   | 5253      | 8D41    | 5589  | I2OJ0080 |
| 穎                                   | 5254      | 896E    | 7A4E  | I2OK0080 |
| 姥                                   | 5255      | 8957    | 59E5  | I2OL0080 |
| 恂                                   | 5256      | 9C96    | 6042  | I2OM0080 |
| 錫                                   | 5257      | 8EE0    | 932B  | I2ON0080 |
| 孚                                   | 5258      | 9B74    | 5B5A  | I2OO0080 |
| 蒜                                   | 5259      | 9566    | 849C  | I2OP0080 |
| 岑                                   | 525A      | 9BA8    | 5C91  | I2OQ0080 |
| 雍                                   | 525B      | E8B4    | 96CD  | I2OR0080 |
| 拙                                   | 525C      | 90D9    | 62D9  | I2OS0080 |
| 杜                                   | 525D      | 936D    | 675C  | I2OT0080 |
| 枇                                   | 525E      | 94F8    | 6787  | I2OU0080 |
| 幽                                   | 525F      | 9748    | 5E7D  | I2OV0080 |
| 虐                                   | 5260      | 8B73    | 8650  | I2OW0080 |
| 翹                                   | 5261      | 8D8D    | 9EB9  | I2OX0080 |
| 岱                                   | 5262      | 91D0    | 5CB1  | I2OY0080 |
| 胎                                   | 5263      | 91D9    | 80CE  | I2OZ0080 |
| 稀                                   | 5264      | 8B48    | 7A00  | I2P00080 |
| 誼                                   | 5265      | 8B62    | 8ABC  | I2P10080 |
| 囿                                   | 5266      | 9A9B    | 5700  | I2P20080 |
| 肖                                   | 5267      | 8FD1    | 8096  | I2P30080 |
| 絲                                   | 5268      | E34E    | 7D72  | I2P40080 |
| 鈹                                   | 5269      | E7E5    | 9211  | I2P50080 |
| 肘                                   | 526A      | 9549    | 8098  | I2P60080 |
| 遼                                   | 526B      | 97C9    | 907C  | I2P70080 |
| 睡                                   | 526C      | 9087    | 7761  | I2P80080 |
| 蜃                                   | 526D      | E590    | 8737  | I2P90080 |
| 遵                                   | 526E      | 8F85    | 9075  | I2PA0080 |
| 腺                                   | 526F      | 9142    | 817A  | I2PB0080 |
| 簾                                   | 5270      | 97FA    | 7C3E  | I2PC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 溢                                   | 5271      | 88EC    | 6EA2  | I2PD0080 |
| 陞                                   | 5272      | E89E    | 965E  | I2PE0080 |
| 纈                                   | 5273      | E396    | 7E90  | I2PF0080 |
| 狗                                   | 5274      | 8BE7    | 72D7  | I2PG0080 |
| 壽                                   | 5275      | 9AE6    | 58FD  | I2PH0080 |
| 惠                                   | 5276      | 9C7B    | 60B3  | I2PI0080 |
| 鞆                                   | 5277      | E8DB    | 9786  | I2PJ0080 |
| 纈                                   | 5278      | E392    | 7E88  | I2PK0080 |
| 塾                                   | 5279      | 8F6D    | 587E  | I2PL0080 |
| 渠                                   | 527A      | 8B94    | 6E20  | I2PM0080 |
| 葩                                   | 527B      | FA60    | 84DC  | I2PN0080 |
| 榆                                   | 527C      | 9EBE    | 6961  | I2PO0080 |
| 瞭                                   | 527D      | 97C4    | 77AD  | I2PP0080 |
| 冗                                   | 527E      | 8FE7    | 5197  | I2PQ0080 |
| 攪                                   | 527F      | 8A68    | 652A  | I2PR0080 |
| 杷                                   | 5280      | 9466    | 6777  | I2PS0080 |
| 巍                                   | 5281      | 9BD9    | 5DCD  | I2PT0080 |
| 愁                                   | 5282      | 8F44    | 6101  | I2PU0080 |
| 錮                                   | 5283      | E7FC    | 932E  | I2PV0080 |
| 奔                                   | 5284      | 967A    | 5954  | I2PW0080 |
| 捧                                   | 5285      | 95F9    | 6367  | I2PX0080 |
| 禍                                   | 5286      | 89D0    | 798D  | I2PY0080 |
| 竿                                   | 5287      | 8AC6    | 7AFF  | I2PZ0080 |
| 胖                                   | 5288      | E3F4    | 80D6  | I2Q00080 |
| 墳                                   | 5289      | 95AD    | 58B3  | I2Q10080 |
| 慨                                   | 528A      | 8A53    | 6168  | I2Q20080 |
| 櫃                                   | 528B      | 9F43    | 6AC3  | I2Q30080 |
| 璃                                   | 528C      | 979E    | 7483  | I2Q40080 |
| 鮒                                   | 528D      | 95A9    | 9B92  | I2Q50080 |
| 昊                                   | 528E      | 9DDD    | 660A  | I2Q60080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 搭                                   | 528F      | 938B    | 642D  | I2Q70080 |
| 儘                                   | 5290      | 9699    | 5118  | I2Q80080 |
| 杣                                   | 5291      | 9E5B    | 6763  | I2Q90080 |
| 肛                                   | 5292      | E3E8    | 809B  | I2QA0080 |
| 鱒                                   | 5293      | 986B    | 9C10  | I2QB0080 |
| 倍                                   | 5294      | FA61    | 4FC9  | I2QC0080 |
| 楓                                   | 5295      | 9596    | 6953  | I2QD0080 |
| 稜                                   | 5296      | 97C5    | 7A1C  | I2QE0080 |
| 勿                                   | 5297      | 96DC    | 52FF  | I2QF0080 |
| 恕                                   | 5298      | 8F9A    | 6055  | I2QG0080 |
| 皎                                   | 5299      | E1A7    | 768E  | I2QH0080 |
| 腿                                   | 529A      | 91DA    | 817F  | I2QI0080 |
| 噂                                   | 529B      | 895C    | 5642  | I2QJ0080 |
| 彭                                   | 529C      | 9C64    | 5F6D  | I2QK0080 |
| 熔                                   | 529D      | 976F    | 7194  | I2QL0080 |
| 焯                                   | 529E      | FA62    | 70BB  | I2QM0080 |
| 琶                                   | 529F      | 9469    | 7436  | I2QN0080 |
| 耀                                   | 52A0      | 9773    | 8000  | I2QO0080 |
| 蠟                                   | 52A1      | 9858    | 874B  | I2QP0080 |
| 鳴                                   | 52A2      | 9A6A    | 55DA  | I2QQ0080 |
| 琵琶                                  | 52A3      | 94FA    | 7435  | I2QR0080 |
| 皐                                   | 52A4      | 8E48    | 7690  | I2QS0080 |
| 霰                                   | 52A5      | 8EB4    | 96EB  | I2QT0080 |
| 曝                                   | 52A6      | 9498    | 66DD  | I2QU0080 |
| 甜                                   | 52A7      | 935B    | 751C  | I2QV0080 |
| 挽                                   | 52A8      | 94D2    | 633D  | I2QW0080 |
| 滉                                   | 52A9      | 9FE4    | 6EC9  | I2QX0080 |
| 籤                                   | 52AA      | E2DC    | 7C64  | I2QY0080 |
| 粥                                   | 52AB      | 8A9F    | 7CA5  | I2QZ0080 |
| 洵                                   | 52AC      | 9FAB    | 6D35  | I2R00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 鍛                                   | 52AD      | E847    | 935C  | I2R10080 |
| 瀧                                   | 52AE      | 91EB    | 7027  | I2R20080 |
| 帥                                   | 52AF      | 9083    | 5E25  | I2R30080 |
| 瀝                                   | 52B0      | E06C    | 701D  | I2R40080 |
| 咽                                   | 52B1      | 88F4    | 54BD  | I2R50080 |
| 愚                                   | 52B2      | 8BF0    | 611A  | I2R60080 |
| 楳                                   | 52B3      | 9480    | 6973  | I2R70080 |
| 汪                                   | 52B4      | 9F8A    | 6C6A  | I2R80080 |
| 喚                                   | 52B5      | 8AAB    | 559A  | I2R90080 |
| 洙                                   | 52B6      | 9FAA    | 6D19  | I2RA0080 |
| 雌                                   | 52B7      | 8E93    | 96CC  | I2RB0080 |
| 寡                                   | 52B8      | 89C7    | 5BE1  | I2RC0080 |
| 姻                                   | 52B9      | 88F7    | 59FB  | I2RD0080 |
| 棲                                   | 52BA      | 984F    | 697C  | I2RE0080 |
| 酌                                   | 52BB      | 8EDE    | 914C  | I2RF0080 |
| 眉                                   | 52BC      | 94FB    | 7709  | I2RG0080 |
| 蔀                                   | 52BD      | 8EC1    | 8500  | I2RH0080 |
| 穆                                   | 52BE      | 9673    | 7A46  | I2RI0080 |
| 裕                                   | 52BF      | 94A1    | 7872  | I2RJ0080 |
| 鋤                                   | 52C0      | 8F9B    | 92E4  | I2RK0080 |
| 賭                                   | 52C1      | 9371    | 8CED  | I2RL0080 |
| 紮                                   | 52C2      | E2FB    | 7CFA  | I2RM0080 |
| 鴛                                   | 52C3      | 8995    | 9D1B  | I2RN0080 |
| 腎                                   | 52C4      | 9074    | 814E  | I2RO0080 |
| 髓                                   | 52C5      | 9091    | 9AC4  | I2RP0080 |
| 柶                                   | 52C6      | 9E91    | 68A0  | I2RQ0080 |
| 淋                                   | 52C7      | 97D2    | 6DCB  | I2RR0080 |
| 邝                                   | 52C8      | 99C7    | 5918  | I2RS0080 |
| 莱                                   | 52C9      | 9789    | 83B1  | I2RT0080 |
| 擘                                   | 52CA      | 89DC    | 5629  | I2RU0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 魁                                   | 52CB      | 8A40    | 9B41  | I2RV0080 |
| 梗                                   | 52CC      | 8D5B    | 6897  | I2RW0080 |
| 炳                                   | 52CD      | E07A    | 70B3  | I2RX0080 |
| 靱                                   | 52CE      | 9078    | 9771  | I2RY0080 |
| 鐙                                   | 52CF      | 93A8    | 9419  | I2RZ0080 |
| 枢                                   | 52D0      | 9095    | 67A2  | I2S00080 |
| 拇                                   | 52D1      | 92CC    | 6802  | I2S10080 |
| 碕                                   | 52D2      | 8DEA    | 7895  | I2S20080 |
| 梧                                   | 52D3      | 8CE6    | 68A7  | I2S30080 |
| 僖                                   | 52D4      | 9944    | 50D6  | I2S40080 |
| 肱                                   | 52D5      | 8D6E    | 80B1  | I2S50080 |
| 廸                                   | 52D6      | 9C4E    | 5EF8  | I2S60080 |
| 苔                                   | 52D7      | 91DB    | 82D4  | I2S70080 |
| 祺                                   | 52D8      | E251    | 797A  | I2S80080 |
| 柶                                   | 52D9      | 9541    | 67CA  | I2S90080 |
| 繡                                   | 52DA      | 8F4A    | 7E4D  | I2SA0080 |
| 檜                                   | 52DB      | 9184    | 69CD  | I2SB0080 |
| 淒                                   | 52DC      | 90A6    | 51C4  | I2SC0080 |
| 爽                                   | 52DD      | 9175    | 723D  | I2SD0080 |
| 栩                                   | 52DE      | 9E7A    | 6829  | I2SE0080 |
| 馳                                   | 52DF      | 9279    | 99B3  | I2SF0080 |
| 弼                                   | 52E0      | 954A    | 5F3C  | I2SG0080 |
| 轡                                   | 52E1      | 8C44    | 8F61  | I2SH0080 |
| 梲                                   | 52E2      | 9E81    | 682B  | I2SI0080 |
| 慕                                   | 52E3      | 95E7    | 6155  | I2SJ0080 |
| 斑                                   | 52E4      | 94C1    | 6591  | I2SK0080 |
| 辱                                   | 52E5      | 904A    | 8FB1  | I2SL0080 |
| 縛                                   | 52E6      | 949B    | 7E1B  | I2SM0080 |
| 鞞                                   | 52E7      | 8FE2    | 9798  | I2SN0080 |
| 饒                                   | 52E8      | E960    | 9952  | I2SO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 衷                                   | 52E9      | 928F    | 8877  | I2SP0080 |
| 孀                                   | 52EA      | 92DA    | 5B2C  | I2SQ0080 |
| 昱                                   | 52EB      | FA63    | 6631  | I2SR0080 |
| 俠                                   | 52EC      | 8BA0    | 4FA0  | I2SS0080 |
| 榷                                   | 52ED      | 9EB9    | 6939  | I2ST0080 |
| 櫻                                   | 52EE      | 9F4E    | 6AFB  | I2SU0080 |
| 宵                                   | 52EF      | 8FAA    | 5BB5  | I2SV0080 |
| 竈                                   | 52F0      | 8A96    | 7AC8  | I2SW0080 |
| 倦                                   | 52F1      | 8C91    | 5026  | I2SX0080 |
| 奄                                   | 52F2      | 8982    | 5944  | I2SY0080 |
| 遙                                   | 52F3      | 9779    | 9059  | I2SZ0080 |
| 筍                                   | 52F4      | 9079    | 7B25  | I2T00080 |
| 筏                                   | 52F5      | 94B3    | 7B4F  | I2T10080 |
| 蹴                                   | 52F6      | 8F52    | 8E74  | I2T20080 |
| 蕃                                   | 52F7      | 94D7    | 8543  | I2T30080 |
| 塘                                   | 52F8      | 9384    | 5858  | I2T40080 |
| 謎                                   | 52F9      | 93E4    | 8B0E  | I2T50080 |
| 儉                                   | 52FA      | 8C90    | 5039  | I2T60080 |
| 虔                                   | 52FB      | E569    | 8654  | I2T70080 |
| 韶                                   | 52FC      | E8EE    | 97F6  | I2T80080 |
| 眈                                   | 52FD      | E15D    | 7569  | I2T90080 |
| 狸                                   | 52FE      | 924B    | 72F8  | I2TA0080 |
| 价                                   | 5341      | 98C1    | 4EF7  | I2TD0080 |
| 鶉                                   | 5342      | EA47    | 9D89  | I2TE0080 |
| 倖                                   | 5343      | 8CF4    | 5016  | I2TF0080 |
| 凌                                   | 5344      | 97BD    | 51CC  | I2TG0080 |
| 拌                                   | 5345      | 9D61    | 62CC  | I2TH0080 |
| 采                                   | 5346      | 94CE    | 91C6  | I2TI0080 |
| 蝕                                   | 5347      | 9049    | 8755  | I2TJ0080 |
| 撚                                   | 5348      | 9451    | 649A  | I2TK0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 裴                                   | 5349      | E5E8    | 88F4  | I2TL0080 |
| 釦                                   | 534A      | 9674    | 91E6  | I2TM0080 |
| 桔                                   | 534B      | 8B6A    | 6854  | I2TN0080 |
| 楚                                   | 534C      | 915E    | 695A  | I2TO0080 |
| 汀                                   | 534D      | 92F3    | 6C40  | I2TP0080 |
| 箴                                   | 534E      | E2AB    | 7B6C  | I2TQ0080 |
| 杓                                   | 534F      | 9E54    | 6741  | I2TR0080 |
| 轟                                   | 5350      | E1DE    | 77D7  | I2TS0080 |
| 蠣                                   | 5351      | 8A61    | 8823  | I2TT0080 |
| 厄                                   | 5352      | 96EF    | 5384  | I2TU0080 |
| 軀                                   | 5353      | 8BEB    | 8EAF  | I2TV0080 |
| 犀                                   | 5354      | 8DD2    | 7280  | I2TW0080 |
| 豫                                   | 5355      | 98AC    | 8C6B  | I2TX0080 |
| 碍                                   | 5356      | 8A56    | 788D  | I2TY0080 |
| 煥                                   | 5357      | E085    | 7165  | I2TZ0080 |
| 與                                   | 5358      | E46F    | 8207  | I2U00080 |
| 榲                                   | 5359      | 8DAB    | 68B1  | I2U10080 |
| 贄                                   | 535A      | E6D1    | 8D04  | I2U20080 |
| 遷                                   | 535B      | 914A    | 9077  | I2U30080 |
| 澗                                   | 535C      | 93D2    | 701E  | I2U40080 |
| 迦                                   | 535D      | 89DE    | 8FE6  | I2U50080 |
| 脊                                   | 535E      | 90D2    | 810A  | I2U60080 |
| 膿                                   | 535F      | 945E    | 81BF  | I2U70080 |
| 髻                                   | 5360      | E658    | 89DC  | I2U80080 |
| 梳                                   | 5361      | 9E80    | 68B3  | I2U90080 |
| 櫟                                   | 5362      | 9F4A    | 6ADF  | I2UA0080 |
| 鋪                                   | 5363      | 95DD    | 92EA  | I2UB0080 |
| 閤                                   | 5364      | 88C5    | 95C7  | I2UC0080 |
| 祇                                   | 5365      | E24C    | 7957  | I2UD0080 |
| 稠                                   | 5366      | E266    | 7A20  | I2UE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 厩                                   | 5367      | 8958    | 53A9  | I2UF0080 |
| 蹟                                   | 5368      | 90D6    | 8E5F  | I2UG0080 |
| 硯                                   | 5369      | 8CA5    | 786F  | I2UH0080 |
| 禹                                   | 536A      | E25A    | 79B9  | I2UI0080 |
| 弧                                   | 536B      | 8CCA    | 5F27  | I2UJ0080 |
| 廖                                   | 536C      | 9C40    | 5ED6  | I2UK0080 |
| 桓                                   | 536D      | 8ABA    | 6853  | I2UL0080 |
| 鎬                                   | 536E      | E84D    | 93AC  | I2UM0080 |
| 醜                                   | 536F      | 8F58    | 919C  | I2UN0080 |
| 櫛                                   | 5370      | 9EAD    | 691A  | I2UO0080 |
| 堆                                   | 5371      | 91CD    | 5806  | I2UP0080 |
| 撰                                   | 5372      | 90EF    | 64B0  | I2UQ0080 |
| 繫                                   | 5373      | 8C71    | 7E4B  | I2UR0080 |
| 綏                                   | 5374      | E356    | 7D8F  | I2US0080 |
| 棲                                   | 5375      | 90B1    | 68F2  | I2UT0080 |
| 溥                                   | 5376      | 9FEE    | 6EA5  | I2UU0080 |
| 苛                                   | 5377      | 89D5    | 82DB  | I2UV0080 |
| 醒                                   | 5378      | 90C1    | 9192  | I2UW0080 |
| 荊                                   | 5379      | 92E4    | 5243  | I2UX0080 |
| 躄                                   | 537A      | E75B    | 8EB0  | I2UY0080 |
| 邁                                   | 537B      | E7B0    | 9081  | I2UZ0080 |
| 爛                                   | 537C      | E0A3    | 721B  | I2V00080 |
| 緋                                   | 537D      | 94EA    | 7DCB  | I2V10080 |
| 癩                                   | 537E      | 95C8    | 7656  | I2V20080 |
| 妬                                   | 537F      | 9369    | 59AC  | I2V30080 |
| 濠                                   | 5380      | 8D8A    | 6FE0  | I2V40080 |
| 謨                                   | 5381      | E695    | 8B28  | I2V50080 |
| 肢                                   | 5382      | 8E88    | 80A2  | I2V60080 |
| 啄                                   | 5383      | 91ED    | 5544  | I2V70080 |
| 恰                                   | 5384      | 8A86    | 6070  | I2V80080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 疆                                   | 5385      | 8BAE    | 5F4A  | I2V90080 |
| 精                                   | 5386      | FA64    | 68C8  | I2VA0080 |
| 挺                                   | 5387      | 92F0    | 633A  | I2VB0080 |
| 鐸                                   | 5388      | 91F6    | 9438  | I2VC0080 |
| 魏                                   | 5389      | E9B0    | 9B4F  | I2VD0080 |
| 臥                                   | 538A      | 89E7    | 81E5  | I2VE0080 |
| 樗                                   | 538B      | 9294    | 6A17  | I2VF0080 |
| 烝                                   | 538C      | E07E    | 70DD  | I2VG0080 |
| 榷                                   | 538D      | 9ED0    | 69A7  | I2VH0080 |
| 慌                                   | 538E      | 8D51    | 614C  | I2VI0080 |
| 鈎                                   | 538F      | 8A62    | 920E  | I2VJ0080 |
| 錐                                   | 5390      | 908D    | 9310  | I2VK0080 |
| 鮭                                   | 5391      | 8DF8    | 9BAD  | I2VL0080 |
| 勗                                   | 5392      | 99A6    | 52D7  | I2VM0080 |
| 鉞                                   | 5393      | E7E6    | 925E  | I2VN0080 |
| 銀                                   | 5394      | FA65    | 92F9  | I2VO0080 |
| 妓                                   | 5395      | 8B57    | 5993  | I2VP0080 |
| 皖                                   | 5396      | E1A8    | 7696  | I2VQ0080 |
| 昇                                   | 5397      | FA66    | 66FB  | I2VR0080 |
| 坩                                   | 5398      | 9AAE    | 5769  | I2VS0080 |
| 珊                                   | 5399      | 8E58    | 73CA  | I2VT0080 |
| 癸                                   | 539A      | E1A1    | 7678  | I2VU0080 |
| 樟                                   | 539B      | 8FBE    | 6A1F  | I2VV0080 |
| 纜                                   | 539C      | E39C    | 7E9C  | I2VW0080 |
| 頑                                   | 539D      | 8AE6    | 9811  | I2VX0080 |
| 賑                                   | 539E      | 93F6    | 8CD1  | I2VY0080 |
| 墀                                   | 539F      | 95BB    | 5840  | I2VZ0080 |
| 捉                                   | 53A0      | 91A8    | 6349  | I2W00080 |
| 蜜                                   | 53A1      | 96A8    | 871C  | I2W10080 |
| 拐                                   | 53A2      | 89FB    | 62D0  | I2W20080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 悴                                   | 53A3      | 9CAA    | 60B4  | I2W30080 |
| 殉                                   | 53A4      | 8F7D    | 6B89  | I2W40080 |
| 蛮                                   | 53A5      | 94D8    | 86EE  | I2W50080 |
| 坤                                   | 53A6      | 8DA3    | 5764  | I2W60080 |
| 塙                                   | 53A7      | 9AC4    | 581D  | I2W70080 |
| 蕉                                   | 53A8      | 8FD4    | 8549  | I2W80080 |
| 爵                                   | 53A9      | 8EDD    | 7235  | I2W90080 |
| 癒                                   | 53AA      | 96FC    | 7652  | I2WA0080 |
| 頻                                   | 53AB      | 9570    | 983B  | I2WB0080 |
| 舷                                   | 53AC      | 8CBD    | 8237  | I2WC0080 |
| 卑                                   | 53AD      | 94DA    | 5351  | I2WD0080 |
| 尤                                   | 53AE      | 96DE    | 5C24  | I2WE0080 |
| 妾                                   | 53AF      | 8FA8    | 59BE  | I2WF0080 |
| 墮                                   | 53B0      | 91C2    | 5815  | I2WG0080 |
| 逝                                   | 53B1      | 90C0    | 901D  | I2WH0080 |
| 榴                                   | 53B2      | 9ED6    | 69B4  | I2WI0080 |
| 荊                                   | 53B3      | 8C74    | 834A  | I2WJ0080 |
| 麩                                   | 53B4      | EA6E    | 9EA9  | I2WK0080 |
| 鞞                                   | 53B5      | E8D4    | 976B  | I2WL0080 |
| 肆                                   | 53B6      | E3E6    | 8086  | I2WM0080 |
| 厭                                   | 53B7      | 897D    | 53AD  | I2WN0080 |
| 恨                                   | 53B8      | 8DA6    | 6068  | I2WO0080 |
| 侮                                   | 53B9      | 958E    | 4FAE  | I2WP0080 |
| 盃                                   | 53BA      | 9475    | 76C3  | I2WQ0080 |
| 樅                                   | 53BB      | 9EE0    | 6A05  | I2WR0080 |
| 椰                                   | 53BC      | 9E8B    | 689B  | I2WS0080 |
| 鍾                                   | 53BD      | 8FDF    | 937E  | I2WT0080 |
| 駕                                   | 53BE      | 89ED    | 99D5  | I2WU0080 |
| 采                                   | 53BF      | 8DD1    | 91C7  | I2WV0080 |
| 尖                                   | 53C0      | 90EB    | 5C16  | I2WW0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 塞                                   | 53C1      | 8DC7    | 585E  | I2WX0080 |
| 懂                                   | 53C2      | 93B2    | 61A7  | I2WY0080 |
| 隙                                   | 53C3      | 8C84    | 9699  | I2WZ0080 |
| 俟                                   | 53C4      | 98D6    | 4FDF  | I2X00080 |
| 艸                                   | 53C5      | E487    | 8278  | I2X10080 |
| 鱒                                   | 53C6      | 9690    | 9C52  | I2X20080 |
| 擧                                   | 53C7      | FA67    | 5F45  | I2X30080 |
| 愈                                   | 53C8      | 96FA    | 6108  | I2X40080 |
| 耗                                   | 53C9      | 96AE    | 7C8D  | I2X50080 |
| 聯                                   | 53CA      | 97FC    | 806F  | I2X60080 |
| 巷                                   | 53CB      | 8D4A    | 5DF7  | I2X70080 |
| 赫                                   | 53CC      | 8A71    | 8D6B  | I2X80080 |
| 埤                                   | 53CD      | 9AB9    | 57B0  | I2X90080 |
| 飢                                   | 53CE      | 8B51    | 98E2  | I2XA0080 |
| 圃                                   | 53CF      | 95DE    | 5703  | I2XB0080 |
| 禿                                   | 53D0      | 93C3    | 79BF  | I2XC0080 |
| 妖                                   | 53D1      | 9764    | 5996  | I2XD0080 |
| 祜                                   | 53D2      | 8C56    | 7941  | I2XE0080 |
| 吊                                   | 53D3      | 92DD    | 540A  | I2XF0080 |
| 菟                                   | 53D4      | 9370    | 83DF  | I2XG0080 |
| 鯉                                   | 53D5      | 8A8F    | 9C39  | I2XH0080 |
| 勒                                   | 53D6      | E8D3    | 52D2  | I2XI0080 |
| 毘                                   | 53D7      | 94F9    | 6BD8  | I2XJ0080 |
| 蛋                                   | 53D8      | 9260    | 86CB  | I2XK0080 |
| 什                                   | 53D9      | 8F59    | 4EC0  | I2XL0080 |
| 驢                                   | 53DA      | 91CB    | 9A28  | I2XM0080 |
| 卦                                   | 53DB      | 8C54    | 5366  | I2XN0080 |
| 耆                                   | 53DC      | E3CB    | 8006  | I2XO0080 |
| 猷                                   | 53DD      | 9751    | 7337  | I2XP0080 |
| 撒                                   | 53DE      | 8E54    | 6492  | I2XQ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 迭                                   | 53DF      | 9352    | 8FED  | I2XR0080 |
| 嫉                                   | 53E0      | 8EB9    | 5AC9  | I2XS0080 |
| 吠                                   | 53E1      | 9669    | 5420  | I2XT0080 |
| 卿                                   | 53E2      | 8BA8    | 537F  | I2XU0080 |
| 侯                                   | 53E3      | 8CF2    | 4FAF  | I2XV0080 |
| 聾                                   | 53E4      | 9857    | 807E  | I2XW0080 |
| 吻                                   | 53E5      | 95AB    | 543B  | I2XX0080 |
| 甕                                   | 53E6      | E150    | 7515  | I2XY0080 |
| 筈                                   | 53E7      | E298    | 7B18  | I2XZ0080 |
| 蟬                                   | 53E8      | 90E4    | 8749  | I2Y00080 |
| 咳                                   | 53E9      | 8A50    | 54B3  | I2Y10080 |
| 灌                                   | 53EA      | 8AC1    | 704C  | I2Y20080 |
| 視                                   | 53EB      | 9460    | 8997  | I2Y30080 |
| 沫                                   | 53EC      | 9697    | 6CAB  | I2Y40080 |
| 藺                                   | 53ED      | E561    | 85FA  | I2Y50080 |
| 焰                                   | 53EE      | 898B    | 7114  | I2Y60080 |
| 楮                                   | 53EF      | 9EB8    | 696E  | I2Y70080 |
| 錨                                   | 53F0      | 9564    | 9328  | I2Y80080 |
| 瑚                                   | 53F1      | 8CE8    | 745A  | I2Y90080 |
| 姑                                   | 53F2      | 8CC6    | 59D1  | I2YA0080 |
| 湛                                   | 53F3      | 9258    | 6E5B  | I2YB0080 |
| 慾                                   | 53F4      | 977C    | 617E  | I2YC0080 |
| 叢                                   | 53F5      | 9170    | 53E2  | I2YD0080 |
| 茗                                   | 53F6      | E4AA    | 8317  | I2YE0080 |
| 盧                                   | 53F7      | E1B8    | 76E7  | I2YF0080 |
| 蔣                                   | 53F8      | 8FD3    | 848B  | I2YG0080 |
| 薯                                   | 53F9      | 8F92    | 85AF  | I2YH0080 |
| 枷                                   | 53FA      | 9EA7    | 6925  | I2YI0080 |
| 屠                                   | 53FB      | 936A    | 5C60  | I2YJ0080 |
| 牙                                   | 53FC      | 89E5    | 7259  | I2YK0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 痕                                   | 53FD      | 8DAD    | 75D5  | I2YL0080 |
| 讐                                   | 53FE      | 8F51    | 8B90  | I2YM0080 |
| 渴                                   | 5441      | 8A89    | 6E07  | I2YP0080 |
| 芭                                   | 5442      | 946D    | 82AD  | I2YQ0080 |
| 屏                                   | 5443      | 9BA0    | 5C4F  | I2YR0080 |
| 箆                                   | 5444      | E2C4    | 7BED  | I2YS0080 |
| 鞆                                   | 5445      | 8A93    | 9784  | I2YT0080 |
| 潰                                   | 5446      | 92D7    | 6F70  | I2YU0080 |
| 癌                                   | 5447      | 8AE0    | 764C  | I2YV0080 |
| 袷                                   | 5448      | 88BF    | 88B7  | I2YW0080 |
| 鋒                                   | 5449      | 964E    | 92D2  | I2YX0080 |
| 伶                                   | 544A      | 97E0    | 4F36  | I2YY0080 |
| 升                                   | 544B      | 9C4F    | 5EFE  | I2YZ0080 |
| 遡                                   | 544C      | 916B    | 9061  | I2Z00080 |
| 裡                                   | 544D      | 97A1    | 88E1  | I2Z10080 |
| 葱                                   | 544E      | 944B    | 8471  | I2Z20080 |
| 焚                                   | 544F      | 95B0    | 711A  | I2Z30080 |
| 洛                                   | 5450      | 978C    | 6D1B  | I2Z40080 |
| 肴                                   | 5451      | 8DE6    | 80B4  | I2Z50080 |
| 瓢                                   | 5452      | 955A    | 74E2  | I2Z60080 |
| 琳                                   | 5453      | 97D4    | 7433  | I2Z70080 |
| 婿                                   | 5454      | 96B9    | 5A7F  | I2Z80080 |
| 遜                                   | 5455      | 91BB    | 905C  | I2Z90080 |
| 頌                                   | 5456      | E8F1    | 980C  | I2ZA0080 |
| 匙                                   | 5457      | 8DFA    | 5319  | I2ZB0080 |
| 遮                                   | 5458      | 8ED5    | 906E  | I2ZC0080 |
| 毆                                   | 5459      | 89A3    | 6BB4  | I2ZD0080 |
| 薪                                   | 545A      | 9064    | 85AA  | I2ZE0080 |
| 碗                                   | 545B      | 9871    | 7897  | I2ZF0080 |
| 竺                                   | 545C      | 8EB1    | 7AFA  | I2ZG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 禱                                   | 545D      | 938E    | 6AAE  | I2ZH0080 |
| 褐                                   | 545E      | 8A8C    | 8910  | I2ZI0080 |
| 閨                                   | 545F      | 895B    | 958F  | I2ZJ0080 |
| 戌                                   | 5460      | 9CFA    | 620C  | I2ZK0080 |
| 伽                                   | 5461      | 89BE    | 4F3D  | I2ZL0080 |
| 倭                                   | 5462      | 8CF1    | 4F7C  | I2ZM0080 |
| 禾                                   | 5463      | 89D1    | 79BE  | I2ZN0080 |
| 鷗                                   | 5464      | 89A8    | 9D0E  | I2ZO0080 |
| 仔                                   | 5465      | 8E65    | 4ED4  | I2ZP0080 |
| 垢                                   | 5466      | 8D43    | 57A2  | I2ZQ0080 |
| 冥                                   | 5467      | 96BB    | 51A5  | I2ZR0080 |
| 椀                                   | 5468      | 986F    | 6900  | I2ZS0080 |
| 悉                                   | 5469      | 8EBB    | 6089  | I2ZT0080 |
| 灼                                   | 546A      | 8EDC    | 707C  | I2ZU0080 |
| 竣                                   | 546B      | 8F76    | 7AE3  | I2ZV0080 |
| 襖                                   | 546C      | 89A6    | 8956  | I2ZW0080 |
| 鎧                                   | 546D      | 8A5A    | 93A7  | I2ZX0080 |
| 鰭                                   | 546E      | 9568    | 9C2D  | I2ZY0080 |
| 儒                                   | 546F      | 8EF2    | 5112  | I2ZZ0080 |
| 勺                                   | 5470      | 8ED9    | 52FA  | I3000080 |
| 糊                                   | 5471      | 8CD0    | 7CCA  | I3010080 |
| 惹                                   | 5472      | 8EE4    | 60F9  | I3020080 |
| 灸                                   | 5473      | 8B84    | 7078  | I3030080 |
| 臆                                   | 5474      | 89B0    | 81C6  | I3040080 |
| 喝                                   | 5475      | 8A85    | 559D  | I3050080 |
| 樽                                   | 5476      | 9ED2    | 6991  | I3060080 |
| 雉                                   | 5477      | E8B3    | 96C9  | I3070080 |
| 唾                                   | 5478      | 91C1    | 553E  | I3080080 |
| 聚                                   | 5479      | E3DA    | 805A  | I3090080 |
| 茄                                   | 547A      | 89D6    | 8304  | I30A0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 茲                                   | 547B      | E4A2    | 8332  | I30B0080 |
| 哺                                   | 547C      | 9A4D    | 54FA  | I30C0080 |
| 嚙                                   | 547D      | 8A9A    | 565B  | I30D0080 |
| 辿                                   | 547E      | 9248    | 8F8F  | I30E0080 |
| 嘴                                   | 547F      | 9A7B    | 5634  | I30F0080 |
| 杠                                   | 5480      | 9E59    | 6760  | I30G0080 |
| 剥                                   | 5481      | 948D    | 5265  | I30H0080 |
| 萎                                   | 5482      | 88DE    | 840E  | I30I0080 |
| 幟                                   | 5483      | 9BEE    | 5E5F  | I30J0080 |
| 筭                                   | 5484      | E2A6    | 7B65  | I30K0080 |
| 達                                   | 5485      | E79C    | 9035  | I30L0080 |
| 筋                                   | 5486      | E4B4    | 8387  | I30M0080 |
| 歎                                   | 5487      | 9256    | 6B4E  | I30N0080 |
| 墾                                   | 5488      | 8DA4    | 58BE  | I30O0080 |
| 按                                   | 5489      | 88C2    | 6309  | I30P0080 |
| 牽                                   | 548A      | 8CA1    | 727D  | I30Q0080 |
| 鞭                                   | 548B      | 95DA    | 97AD  | I30R0080 |
| 槐                                   | 548C      | 9EC5    | 69D0  | I30S0080 |
| 呪                                   | 548D      | 8EF4    | 546A  | I30T0080 |
| 顎                                   | 548E      | 8A7B    | 984E  | I30U0080 |
| 挫                                   | 548F      | 8DC1    | 632B  | I30V0080 |
| 煎                                   | 5490      | 90F7    | 714E  | I30W0080 |
| 落                                   | 5491      | 9599    | 8557  | I30X0080 |
| 糞                                   | 5492      | 95B3    | 7CDE  | I30Y0080 |
| 捲                                   | 5493      | 8C9E    | 6372  | I30Z0080 |
| 棹                                   | 5494      | 9EA8    | 68F9  | I3100080 |
| 甌                                   | 5495      | 8D99    | 7511  | I3110080 |
| 藁                                   | 5496      | 8EC7    | 8602  | I3120080 |
| 溺                                   | 5497      | 934D    | 6EBA  | I3130080 |
| 娼                                   | 5498      | 8FA9    | 5A3C  | I3140080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 窄                                   | 5499      | 8DF3    | 7A84  | I3150080 |
| 蔚                                   | 549A      | 8955    | 851A  | I3160080 |
| 閣                                   | 549B      | 8D7D    | 95A4  | I3170080 |
| 姐                                   | 549C      | 88B7    | 59D0  | I3180080 |
| 惚                                   | 549D      | 8D9B    | 60DA  | I3190080 |
| 凧                                   | 549E      | 93E2    | 51EA  | I31A0080 |
| 婉                                   | 549F      | 95D8    | 5A29  | I31B0080 |
| 煩                                   | 54A0      | 94CF    | 7169  | I31C0080 |
| 漕                                   | 54A1      | 9186    | 6F15  | I31D0080 |
| 楫                                   | 54A2      | 9EB5    | 696B  | I31E0080 |
| 搔                                   | 54A3      | 917E    | 63BB  | I31F0080 |
| 瘦                                   | 54A4      | 9189    | 75E9  | I31G0080 |
| 乎                                   | 54A5      | 8CC1    | 4E4E  | I31H0080 |
| 綻                                   | 54A6      | 925D    | 7DBB  | I31I0080 |
| 椴                                   | 54A7      | 93CC    | 6934  | I31J0080 |
| 蔡                                   | 54A8      | E4EF    | 8521  | I31K0080 |
| 迺                                   | 54A9      | E792    | 8FFA  | I31L0080 |
| 鍰                                   | 54AA      | 92D5    | 9354  | I31M0080 |
| 鰻                                   | 54AB      | 8956    | 9C3B  | I31N0080 |
| 弗                                   | 54AC      | 95A4    | 5F17  | I31O0080 |
| 廓                                   | 54AD      | 8A66    | 5ED3  | I31P0080 |
| 艘                                   | 54AE      | E47A    | 8258  | I31Q0080 |
| 襟                                   | 54AF      | 8BDD    | 895F  | I31R0080 |
| 苧                                   | 54B0      | 9297    | 82E7  | I31S0080 |
| 勃                                   | 54B1      | 9675    | 52C3  | I31T0080 |
| 屑                                   | 54B2      | 8BFB    | 5C51  | I31U0080 |
| 莫                                   | 54B3      | 949C    | 83AB  | I31V0080 |
| 砦                                   | 54B4      | 8DD4    | 7826  | I31W0080 |
| 稜                                   | 54B5      | E260    | 79E1  | I31X0080 |
| 翰                                   | 54B6      | 8ACB    | 7FF0  | I31Y0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 扮                                   | 54B7      | 95AF    | 626E  | I31Z0080 |
| 惰                                   | 54B8      | 91C4    | 60F0  | I3200080 |
| 岨                                   | 54B9      | 915A    | 5CA8  | I3210080 |
| 澗                                   | 54BA      | 8AC0    | 6F97  | I3220080 |
| 熨                                   | 54BB      | E091    | 71A8  | I3230080 |
| 餉                                   | 54BC      | E94D    | 9909  | I3240080 |
| 儲                                   | 54BD      | 96D7    | 5132  | I3250080 |
| 帷                                   | 54BE      | 9BE7    | 5E37  | I3260080 |
| 弄                                   | 54BF      | 984D    | 5F04  | I3270080 |
| 捻                                   | 54C0      | 9450    | 637B  | I3280080 |
| 杓                                   | 54C1      | 8EDB    | 6753  | I3290080 |
| 棗                                   | 54C2      | 9EA5    | 68D7  | I32A0080 |
| 晒                                   | 54C3      | 8E4E    | 6652  | I32B0080 |
| 鳶                                   | 54C4      | 93CE    | 9CF6  | I32C0080 |
| 褰                                   | 54C5      | E5DC    | 88B0  | I32D0080 |
| 劫                                   | 54C6      | 8D85    | 52AB  | I32E0080 |
| 俄                                   | 54C7      | 89E2    | 4FC4  | I32F0080 |
| 井                                   | 54C8      | 98A5    | 4E3C  | I32G0080 |
| 枳                                   | 54C9      | 9E6B    | 67B3  | I32H0080 |
| 箎                                   | 54CA      | 925C    | 7BAA  | I32I0080 |
| 疊                                   | 54CB      | E3A1    | 7F4D  | I32J0080 |
| 訣                                   | 54CC      | 8C8D    | 8A23  | I32K0080 |
| 搨                                   | 54CD      | 92CD    | 63B4  | I32L0080 |
| 燦                                   | 54CE      | 8E57    | 71E6  | I32M0080 |
| 斤                                   | 54CF      | 8BD2    | 65A4  | I32N0080 |
| 漉                                   | 54D0      | 8D97    | 6F09  | I32O0080 |
| 蔽                                   | 54D1      | 95C1    | 853D  | I32P0080 |
| 俚                                   | 54D2      | 8EC3    | 5072  | I32Q0080 |
| 綺                                   | 54D3      | E359    | 7DBA  | I32R0080 |
| 唾                                   | 54D4      | 88A0    | 5516  | I32S0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 筭                                   | 54D5      | E2A0    | 7B04  | I32T0080 |
| 狽                                   | 54D6      | 9482    | 72FD  | I32U0080 |
| 泓                                   | 54D7      | 9F97    | 6CD3  | I32V0080 |
| 菴                                   | 54D8      | E4CB    | 8422  | I32W0080 |
| 戟                                   | 54D9      | 8C81    | 621F  | I32X0080 |
| 備                                   | 54DA      | 9762    | 50AD  | I32Y0080 |
| 舵                                   | 54DB      | 91C7    | 8235  | I32Z0080 |
| 蜘蛛                                  | 54DC      | 9277    | 8718  | I3300080 |
| 夙                                   | 54DD      | 8F67    | 5919  | I3310080 |
| 怨                                   | 54DE      | 8985    | 6028  | I3320080 |
| 杼                                   | 54DF      | 9E60    | 677C  | I3330080 |
| 漣                                   | 54E0      | 97F8    | 6F23  | I3340080 |
| 疹                                   | 54E1      | 905D    | 75B9  | I3350080 |
| 糊                                   | 54E2      | 9EB3    | 695C  | I3360080 |
| 芻                                   | 54E3      | 9986    | 520E  | I3370080 |
| 耘                                   | 54E4      | E3CF    | 8018  | I3380080 |
| 謁                                   | 54E5      | 8979    | 8B01  | I3390080 |
| 燭                                   | 54E6      | 9043    | 71ED  | I33A0080 |
| 圓                                   | 54E7      | 9AA2    | 5713  | I33B0080 |
| 昏                                   | 54E8      | 8DA8    | 660F  | I33C0080 |
| 董                                   | 54E9      | E4BF    | 83EB  | I33D0080 |
| 煤                                   | 54EA      | 9481    | 7164  | I33E0080 |
| 認                                   | 54EB      | E358    | 7D9B  | I33F0080 |
| 嘗                                   | 54EC      | 8FA6    | 5617  | I33G0080 |
| 紹                                   | 54ED      | E357    | 7D7D  | I33H0080 |
| 轍                                   | 54EE      | 9351    | 8F4D  | I33I0080 |
| 錘                                   | 54EF      | 908E    | 9318  | I33J0080 |
| 蕩                                   | 54F0      | 93A0    | 8569  | I33K0080 |
| 崗                                   | 54F1      | 9BBC    | 5D17  | I33L0080 |
| 粉                                   | 54F2      | 9E62    | 678C  | I33M0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 柞                                   | 54F3      | 9E6F    | 67DE  | I33N0080 |
| 墓                                   | 54F4      | E5AF    | 87C7  | I33O0080 |
| 禮                                   | 54F5      | E258    | 79AE  | I33P0080 |
| 堵                                   | 54F6      | 9367    | 5835  | I33Q0080 |
| 萄                                   | 54F7      | 93B8    | 8404  | I33R0080 |
| 遁                                   | 54F8      | 93D9    | 9041  | I33S0080 |
| 翔                                   | 54F9      | E3C4    | 7FD4  | I33T0080 |
| 澆                                   | 54FA      | 94AC    | 6E8C  | I33U0080 |
| 詣                                   | 54FB      | 8C77    | 8A63  | I33V0080 |
| 鷹                                   | 54FC      | E9EC    | 9D08  | I33W0080 |
| 臄                                   | 54FD      | 9E4B    | 670F  | I33X0080 |
| 鎚                                   | 54FE      | 92C8    | 939A  | I33Y0080 |
| 掬                                   | 5541      | 8B64    | 63AC  | I3410080 |
| 怯                                   | 5542      | 8BAF    | 602F  | I3420080 |
| 擢                                   | 5543      | 9346    | 64E2  | I3430080 |
| 悍                                   | 5544      | 9C9B    | 608D  | I3440080 |
| 隸                                   | 5545      | 97EA    | 96B7  | I3450080 |
| 抄                                   | 5546      | 92BB    | 6357  | I3460080 |
| 葡                                   | 5547      | 9592    | 8461  | I3470080 |
| 酋                                   | 5548      | 8F55    | 914B  | I3480080 |
| 痘                                   | 5549      | 9397    | 75D8  | I3490080 |
| 惧                                   | 554A      | 9C9C    | 60E7  | I34A0080 |
| 餓                                   | 554B      | 89EC    | 9913  | I34B0080 |
| 鱗                                   | 554C      | 97D8    | 9C57  | I34C0080 |
| 妄                                   | 554D      | 96CF    | 5984  | I34D0080 |
| 淫                                   | 554E      | 88FA    | 6DEB  | I34E0080 |
| 庖                                   | 554F      | 95F7    | 5E96  | I34F0080 |
| 澆                                   | 5550      | 93C0    | 6D9C  | I34G0080 |
| 鯰                                   | 5551      | E9CE    | 9BF0  | I34H0080 |
| 墻                                   | 5552      | 9AD4    | 58BB  | I34I0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 禱                                   | 5553      | 9398    | 7977  | I34J0080 |
| 悶                                   | 5554      | 96E3    | 60B6  | I34K0080 |
| 挿                                   | 5555      | 917D    | 633F  | I34L0080 |
| 寵                                   | 5556      | 929E    | 5BF5  | I34M0080 |
| 頒                                   | 5557      | 94D0    | 9812  | I34N0080 |
| 喋                                   | 5558      | 929D    | 558B  | I34O0080 |
| 苓                                   | 5559      | 97E8    | 82D3  | I34P0080 |
| 兇                                   | 555A      | 8BA2    | 5147  | I34Q0080 |
| 憐                                   | 555B      | 97F7    | 6190  | I34R0080 |
| 祓                                   | 555C      | E250    | 7953  | I34S0080 |
| 禽                                   | 555D      | 8BD7    | 79BD  | I34T0080 |
| 汝                                   | 555E      | 93F0    | 6C5D  | I34U0080 |
| 麵                                   | 555F      | 96CB    | 9EBA  | I34V0080 |
| 鱈                                   | 5560      | 924C    | 9C48  | I34W0080 |
| 趨                                   | 5561      | 9096    | 8DA8  | I34X0080 |
| 廠                                   | 5562      | 8FB1    | 5EE0  | I34Y0080 |
| 絃                                   | 5563      | 8CBC    | 7D43  | I34Z0080 |
| 廼                                   | 5564      | 9455    | 5EFC  | I3500080 |
| 蕎                                   | 5565      | 8BBC    | 854E  | I3510080 |
| 賤                                   | 5566      | 9147    | 8CE4  | I3520080 |
| 嫡                                   | 5567      | 9284    | 5AE1  | I3530080 |
| 哨                                   | 5568      | 8FA3    | 54E8  | I3540080 |
| 倣                                   | 5569      | 95ED    | 5023  | I3550080 |
| 劾                                   | 556A      | 8A4E    | 52BE  | I3560080 |
| 緬                                   | 556B      | 96C9    | 7DEC  | I3570080 |
| 蔑                                   | 556C      | 95CC    | 8511  | I3580080 |
| 晦                                   | 556D      | 8A41    | 6666  | I3590080 |
| 汜                                   | 556E      | 94C3    | 6C3E  | I35A0080 |
| 牌                                   | 556F      | 9476    | 724C  | I35B0080 |
| 諜                                   | 5570      | 92B3    | 8ADC  | I35C0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 鯁                                   | 5571      | 8A82    | 9C0D  | I35D0080 |
| 瞥                                   | 5572      | 95CB    | 77A5  | I35E0080 |
| 謂                                   | 5573      | 88E0    | 8B02  | I35F0080 |
| 贅                                   | 5574      | E6D2    | 8D05  | I35G0080 |
| 漑                                   | 5575      | 9FF2    | 6F11  | I35H0080 |
| 穎                                   | 5576      | 896F    | 9834  | I35I0080 |
| 韻                                   | 5577      | 8943    | 97FB  | I35J0080 |
| 僻                                   | 5578      | 95C6    | 50FB  | I35K0080 |
| 罵                                   | 5579      | 946C    | 7F75  | I35L0080 |
| 娃                                   | 557A      | 88A1    | 5A03  | I35M0080 |
| 蔓                                   | 557B      | 96A0    | 8513  | I35N0080 |
| 侶                                   | 557C      | 97B5    | 4FB6  | I35O0080 |
| 捌                                   | 557D      | 8E4A    | 634C  | I35P0080 |
| 鵠                                   | 557E      | 96B7    | 9D61  | I35Q0080 |
| 肋                                   | 557F      | 985D    | 808B  | I35R0080 |
| 劒                                   | 5580      | 9999    | 5294  | I35S0080 |
| 幹                                   | 5581      | 88B4    | 65A1  | I35T0080 |
| 嘶                                   | 5582      | 94B6    | 567A  | I35U0080 |
| 套                                   | 5583      | 9385    | 5957  | I35V0080 |
| 贗                                   | 5584      | 8AE4    | 8D0B  | I35W0080 |
| 樵                                   | 5585      | 8FBF    | 6A35  | I35X0080 |
| 櫓                                   | 5586      | 9845    | 6AD3  | I35Y0080 |
| 烹                                   | 5587      | 9642    | 70F9  | I35Z0080 |
| 虞                                   | 5588      | 8BF1    | 865E  | I3600080 |
| 澱                                   | 5589      | 9362    | 6FB1  | I3610080 |
| 夙                                   | 558A      | 91FA    | 51E7  | I3620080 |
| 翫                                   | 558B      | 8AE3    | 7FEB  | I3630080 |
| 姪                                   | 558C      | 96C3    | 59EA  | I3640080 |
| 庇                                   | 558D      | 94DD    | 5E87  | I3650080 |
| 歪                                   | 558E      | 9863    | 6B6A  | I3660080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 畏                                   | 558F      | 88D8    | 754F  | I3670080 |
| 煽                                   | 5590      | 90F8    | 717D  | I3680080 |
| 耐                                   | 5591      | 9291    | 914E  | I3690080 |
| 紬                                   | 5592      | 92DB    | 7D2C  | I36A0080 |
| 豹                                   | 5593      | 955E    | 8C79  | I36B0080 |
| 恢                                   | 5594      | 89F8    | 6062  | I36C0080 |
| 戚                                   | 5595      | 90CA    | 621A  | I36D0080 |
| 羨                                   | 5596      | 9141    | 7FA8  | I36E0080 |
| 弛                                   | 5597      | 926F    | 5F1B  | I36F0080 |
| 沌                                   | 5598      | 93D7    | 6C8C  | I36G0080 |
| 蛾                                   | 5599      | 89E9    | 86FE  | I36H0080 |
| 畢                                   | 559A      | 954C    | 7562  | I36I0080 |
| 篋                                   | 559B      | 95CD    | 7B86  | I36J0080 |
| 骸                                   | 559C      | 8A5B    | 9AB8  | I36K0080 |
| 昧                                   | 559D      | 9686    | 6627  | I36L0080 |
| 窺                                   | 559E      | 894D    | 7ABA  | I36M0080 |
| 葎                                   | 559F      | 97A8    | 844E  | I36N0080 |
| 澁                                   | 55A0      | E046    | 6F81  | I36O0080 |
| 謬                                   | 55A1      | 9554    | 8B2C  | I36P0080 |
| 蚤                                   | 55A2      | 9461    | 86A4  | I36Q0080 |
| 濫                                   | 55A3      | 9794    | 6FEB  | I36R0080 |
| 箋                                   | 55A4      | E2B3    | 7B8B  | I36S0080 |
| 罷                                   | 55A5      | 94EB    | 7F77  | I36T0080 |
| 輯                                   | 55A6      | 8F53    | 8F2F  | I36U0080 |
| 蹄                                   | 55A7      | 92FB    | 8E44  | I36V0080 |
| 縣                                   | 55A8      | E370    | 7E23  | I36W0080 |
| 乍                                   | 55A9      | 93E1    | 4E4D  | I36X0080 |
| 禦                                   | 55AA      | 8B9A    | 79A6  | I36Y0080 |
| 諺                                   | 55AB      | 8CBF    | 8AFA  | I36Z0080 |
| 逼                                   | 55AC      | 954E    | 903C  | I3700080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 僑                                   | 55AD      | 8BA1    | 50D1  | I3710080 |
| 黍                                   | 55AE      | 8B6F    | 9ECD  | I3720080 |
| 廟                                   | 55AF      | 955F    | 5EDF  | I3730080 |
| 疏                                   | 55B0      | 9160    | 758F  | I3740080 |
| 挾                                   | 55B1      | 8BB2    | 631F  | I3750080 |
| 叛                                   | 55B2      | 94BE    | 53DB  | I3760080 |
| 餐                                   | 55B3      | 8E60    | 9910  | I3770080 |
| 艮                                   | 55B4      | 8DAF    | 826E  | I3780080 |
| 拷                                   | 55B5      | 8D89    | 62F7  | I3790080 |
| 棺                                   | 55B6      | 8ABB    | 68FA  | I37A0080 |
| 牝                                   | 55B7      | 96C4    | 725D  | I37B0080 |
| 耽                                   | 55B8      | 925E    | 803D  | I37C0080 |
| 壕                                   | 55B9      | 8D88    | 58D5  | I37D0080 |
| 屍                                   | 55BA      | 8E72    | 5C4D  | I37E0080 |
| 蛙                                   | 55BB      | 8A5E    | 86D9  | I37F0080 |
| 吋                                   | 55BC      | 8944    | 540B  | I37G0080 |
| 蠅                                   | 55BD      | 9488    | 8805  | I37H0080 |
| 鉦                                   | 55BE      | 9565    | 92F2  | I37I0080 |
| 鈷                                   | 55BF      | 8CD8    | 9237  | I37J0080 |
| 屢                                   | 55C0      | 8EC6    | 5C61  | I37K0080 |
| 顛                                   | 55C1      | 935E    | 985B  | I37L0080 |
| 蛤                                   | 55C2      | 94B8    | 86E4  | I37M0080 |
| 陪                                   | 55C3      | 9486    | 966A  | I37N0080 |
| 牢                                   | 55C4      | 9853    | 7262  | I37O0080 |
| 梢                                   | 55C5      | 91C8    | 6955  | I37P0080 |
| 泗                                   | 55C6      | 9F99    | 6CD7  | I37Q0080 |
| 榔                                   | 55C7      | 9850    | 6994  | I37R0080 |
| 鱒                                   | 55C8      | 88F1    | 9C2F  | I37S0080 |
| 矧                                   | 55C9      | 948A    | 77E7  | I37T0080 |
| 棉                                   | 55CA      | 96C7    | 68C9  | I37U0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 跨                                   | 55CB      | 8CD7    | 8DE8  | I37V0080 |
| 湮                                   | 55CC      | 8A5C    | 6D6C  | I37W0080 |
| 柁                                   | 55CD      | 91C6    | 67C1  | I37X0080 |
| 鮪                                   | 55CE      | 968E    | 9BAA  | I37Y0080 |
| 憚                                   | 55CF      | 9CDD    | 619A  | I37Z0080 |
| 掩                                   | 55D0      | 8986    | 63A9  | I3800080 |
| 瀕                                   | 55D1      | 956D    | 7015  | I3810080 |
| 鑄                                   | 55D2      | 8E4B    | 9306  | I3820080 |
| 鍍                                   | 55D3      | 9374    | 934D  | I3830080 |
| 橡                                   | 55D4      | 93C9    | 6A61  | I3840080 |
| 托                                   | 55D5      | 91EF    | 6258  | I3850080 |
| 劃                                   | 55D6      | 8A63    | 5283  | I3860080 |
| 甥                                   | 55D7      | 8999    | 7525  | I3870080 |
| 嚇                                   | 55D8      | 8A64    | 5687  | I3880080 |
| 沃                                   | 55D9      | 9780    | 6C83  | I3890080 |
| 梅                                   | 55DA      | 90F1    | 6834  | I38A0080 |
| 撞                                   | 55DB      | 93B3    | 649E  | I38B0080 |
| 些                                   | 55DC      | 8DB1    | 4E9B  | I38C0080 |
| 牒                                   | 55DD      | 92AB    | 7252  | I38D0080 |
| 姦                                   | 55DE      | 8AAD    | 59E6  | I38E0080 |
| 迂                                   | 55DF      | 8949    | 8FC2  | I38F0080 |
| 徽                                   | 55E0      | 8B4A    | 5FBD  | I38G0080 |
| 淘                                   | 55E1      | 9391    | 6DD8  | I38H0080 |
| 諳                                   | 55E2      | 8F93    | 85F7  | I38I0080 |

| Table 6. Basic Kanji Set, DBCS-Host |           |         |       |          |
|-------------------------------------|-----------|---------|-------|----------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID    |
| 訖                                   | 55E3      | 91C0    | 8A51  | I38J0080 |
| 頗                                   | 55E4      | 909C    | 9817  | I38K0080 |
| 駁                                   | 55E5      | 949D    | 99C1  | I38L0080 |
| 掠                                   | 55E6      | 97A9    | 63A0  | I38M0080 |
| 秆                                   | 55E7      | 8BCC    | 7C81  | I38N0080 |
| 嬰                                   | 55E8      | 8964    | 5B30  | I38O0080 |
| 脹                                   | 55E9      | 92AF    | 8139  | I38P0080 |
| 吃                                   | 55EA      | 8B68    | 5403  | I38Q0080 |
| 纂                                   | 55EB      | 8E5B    | 7E82  | I38R0080 |
| 脆                                   | 55EC      | 90C6    | 8106  | I38S0080 |
| 匪                                   | 55ED      | 94D9    | 532A  | I38T0080 |
| 檣                                   | 55EE      | 8CE7    | 6A8E  | I38U0080 |
| 罨                                   | 55EF      | 8C72    | 7F6B  | I38V0080 |
| 哩                                   | 55F0      | 9689    | 54E9  | I38W0080 |
| 噸                                   | 55F1      | 93D3    | 5678  | I38X0080 |
| 誹                                   | 55F2      | 94EE    | 8AB9  | I38Y0080 |
| 朕                                   | 55F3      | 92BD    | 6715  | I38Z0080 |
| 寓                                   | 55F4      | 8BF5    | 5BD3  | I3900080 |
| 摸                                   | 55F5      | 96CC    | 6478  | I3910080 |
| 擾                                   | 55F6      | 8FEF    | 64FE  | I3920080 |
| 鬱                                   | 55F7      | 8954    | 6B1D  | I3930080 |
| 賂                                   | 55F8      | 9847    | 8CC2  | I3940080 |
| 涸                                   | 55F9      | 929C    | 51CB  | I3950080 |
| 纏                                   | 55FA      | 935A    | 7E8F  | I3960080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

8.4 Extended Kanji Set

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 弌       | 5641      | 989F    | 5F0C  | I39D0080 |
| 𠂇       | 5642      | 98A0    | 4E10  | I39E0080 |
| 丕       | 5643      | 98A1    | 4E15  | I39F0080 |
| 丨       | 5644      | FA68    | 4E28  | I39G0080 |
| 个       | 5645      | 98A2    | 4E2A  | I39H0080 |
| 𠂉       | 5646      | 98A3    | 4E31  | I39I0080 |
| 丶       | 5647      | 98A4    | 4E36  | I39J0080 |
| 丿       | 5648      | 98A6    | 4E3F  | I39K0080 |
| 乂       | 5649      | 98A7    | 4E42  | I39L0080 |
| 乖       | 564A      | 98A8    | 4E56  | I39M0080 |
| 乘       | 564B      | 98A9    | 4E58  | I39N0080 |
| 屮       | 564C      | 9BA4    | 4E62  | I39O0080 |
| 亂       | 564D      | 98AA    | 4E82  | I39P0080 |
| 丿       | 564E      | 98AB    | 4E85  | I39Q0080 |
| 事       | 564F      | 98AD    | 4E8A  | I39R0080 |
| 于       | 5650      | 98B0    | 4E8E  | I39S0080 |
| 弌       | 5651      | 98AF    | 5F0D  | I39T0080 |
| 亞       | 5652      | 98B1    | 4E9E  | I39U0080 |
| 宀       | 5653      | 98B3    | 4EA0  | I39V0080 |
| 亢       | 5654      | 98B4    | 4EA2  | I39W0080 |
| 京       | 5655      | 98B5    | 4EB0  | I39X0080 |
| 毫       | 5656      | 98B6    | 4EB3  | I39Y0080 |
| 亶       | 5657      | 98B7    | 4EB6  | I39Z0080 |
| 从       | 5658      | 98B8    | 4ECE  | I3A00080 |
| 仍       | 5659      | 98B9    | 4ECD  | I3A10080 |
| 仄       | 565A      | 98BA    | 4EC4  | I3A20080 |
| 仆       | 565B      | 98BB    | 4EC6  | I3A30080 |
| 仈       | 565C      | 98BC    | 4EC2  | I3A40080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 仉       | 565D      | FA69    | 4EE1  | I3A50080 |
| 仗       | 565E      | 98BD    | 4ED7  | I3A60080 |
| 仉       | 565F      | 98BE    | 4EDE  | I3A70080 |
| 仉       | 5660      | 98BF    | 4EED  | I3A80080 |
| 仉       | 5661      | 98C0    | 4EDF  | I3A90080 |
| 任       | 5662      | FA6A    | 4EFC  | I3AA0080 |
| 仉       | 5663      | 98C2    | 4F09  | I3AB0080 |
| 倅       | 5664      | 98E5    | 4F1C  | I3AC0080 |
| 倂       | 5665      | FA6B    | 4F00  | I3AD0080 |
| 仔       | 5666      | FA6C    | 4F03  | I3AE0080 |
| 倅       | 5667      | 98C3    | 4F5A  | I3AF0080 |
| 倅       | 5668      | 98C4    | 4F30  | I3AG0080 |
| 倅       | 5669      | 98C6    | 4F5D  | I3AH0080 |
| 倅       | 566A      | FA6D    | 4F39  | I3AI0080 |
| 倅       | 566B      | 98C7    | 4F57  | I3AJ0080 |
| 倅       | 566C      | 98C8    | 4F47  | I3AK0080 |
| 倅       | 566D      | 9B43    | 4F5E  | I3AL0080 |
| 倅       | 566E      | FA6E    | 4F56  | I3AM0080 |
| 佛       | 566F      | 98C5    | 4F5B  | I3AN0080 |
| 倅       | 5670      | FA6F    | 4F92  | I3AO0080 |
| 倅       | 5671      | FA70    | 4F8A  | I3AP0080 |
| 倅       | 5672      | 98CA    | 4F88  | I3AQ0080 |
| 倅       | 5673      | 98CB    | 4F8F  | I3AR0080 |
| 倅       | 5674      | FA71    | 4F9A  | I3AS0080 |
| 倅       | 5675      | 98D4    | 4FAD  | I3AT0080 |
| 倅       | 5676      | 98CC    | 4F98  | I3AU0080 |
| 倅       | 5677      | 98CD    | 4F7B  | I3AV0080 |
| 倅       | 5678      | 9B44    | 4FAB  | I3AW0080 |
| 佩       | 5679      | 98CE    | 4F69  | I3AX0080 |
| 佰       | 567A      | 98CF    | 4F70  | I3AY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 侖                                      | 567B      | FA72    | 4F94  | I3AZ0080 |
| 佯                                      | 567C      | 98D1    | 4F6F  | I3B00080 |
| 來                                      | 567D      | 98D2    | 4F86  | I3B10080 |
| 侖                                      | 567E      | 98D3    | 4F96  | I3B20080 |
| 侃                                      | 567F      | 98D5    | 4FD4  | I3B30080 |
| 俎                                      | 5680      | 98D7    | 4FCE  | I3B40080 |
| 俘                                      | 5681      | 98D8    | 4FD8  | I3B50080 |
| 俛                                      | 5682      | 98D9    | 4FDB  | I3B60080 |
| 俑                                      | 5683      | 98DA    | 4FD1  | I3B70080 |
| 俚                                      | 5684      | 98DB    | 4FDA  | I3B80080 |
| 俐                                      | 5685      | 98DC    | 4FD0  | I3B90080 |
| 俚                                      | 5686      | FA73    | 4FCD  | I3BA0080 |
| 倂                                      | 5687      | 98DD    | 4FE4  | I3BB0080 |
| 俚                                      | 5688      | 98DE    | 4FE5  | I3BC0080 |
| 倚                                      | 5689      | 98DF    | 501A  | I3BD0080 |
| 僕                                      | 568A      | FA74    | 5040  | I3BE0080 |
| 倨                                      | 568B      | 98E0    | 5028  | I3BF0080 |
| 倨                                      | 568C      | 98E1    | 5014  | I3BG0080 |
| 侃                                      | 568D      | 98E2    | 502A  | I3BH0080 |
| 控                                      | 568E      | 98E3    | 5025  | I3BI0080 |
| 倅                                      | 568F      | 98E4    | 5005  | I3BJ0080 |
| 倡                                      | 5690      | 98E7    | 5021  | I3BK0080 |
| 捷                                      | 5691      | FA75    | 5022  | I3BL0080 |
| 倩                                      | 5692      | 98E8    | 5029  | I3BM0080 |
| 倅                                      | 5693      | 98E9    | 502C  | I3BN0080 |
| 倅                                      | 5694      | FA76    | 4FFF  | I3BO0080 |
| 俾                                      | 5695      | 98EA    | 4FFE  | I3BP0080 |
| 俯                                      | 5696      | 98EB    | 4FEF  | I3BQ0080 |
| 們                                      | 5697      | 98EC    | 5011  | I3BR0080 |
| 倅                                      | 5698      | FA77    | 501E  | I3BS0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 倆                                      | 5699      | 98ED    | 5006  | I3BT0080 |
| 偃                                      | 569A      | 98EE    | 5043  | I3BU0080 |
| 假                                      | 569B      | 98EF    | 5047  | I3BV0080 |
| 偕                                      | 569C      | 98F1    | 5055  | I3BW0080 |
| 修                                      | 569D      | 98F2    | 5050  | I3BX0080 |
| 偈                                      | 569E      | 98F3    | 5048  | I3BY0080 |
| 做                                      | 569F      | 98F4    | 505A  | I3BZ0080 |
| 偕                                      | 56A0      | 98F5    | 5056  | I3C00080 |
| 倅                                      | 56A1      | E0C5    | 500F  | I3C10080 |
| 倅                                      | 56A2      | FA78    | 5046  | I3C20080 |
| 倅                                      | 56A3      | FA79    | 5070  | I3C30080 |
| 倅                                      | 56A4      | FA7A    | 5042  | I3C40080 |
| 倅                                      | 56A5      | 98F6    | 506C  | I3C50080 |
| 倅                                      | 56A6      | 98F7    | 5078  | I3C60080 |
| 倅                                      | 56A7      | 98F8    | 5080  | I3C70080 |
| 倅                                      | 56A8      | FA7B    | 5094  | I3C80080 |
| 倅                                      | 56A9      | 98F9    | 509A  | I3C90080 |
| 倅                                      | 56AA      | 98FA    | 5085  | I3CA0080 |
| 倅                                      | 56AB      | 98FB    | 50B4  | I3CB0080 |
| 會                                      | 56AC      | 98F0    | 6703  | I3CC0080 |
| 傲                                      | 56AD      | 98FC    | 50B2  | I3CD0080 |
| 僉                                      | 56AE      | 9940    | 50C9  | I3CE0080 |
| 僉                                      | 56AF      | 9941    | 50CA  | I3CF0080 |
| 傳                                      | 56B0      | 9942    | 50B3  | I3CG0080 |
| 僉                                      | 56B1      | 9943    | 50C2  | I3CH0080 |
| 僉                                      | 56B2      | FA7C    | 50F4  | I3CI0080 |
| 僉                                      | 56B3      | 9945    | 50DE  | I3CJ0080 |
| 僉                                      | 56B4      | 9946    | 50E5  | I3CK0080 |
| 倅                                      | 56B5      | FA7D    | 50D8  | I3CL0080 |
| 僉                                      | 56B6      | 9947    | 50ED  | I3CM0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 僣                                      | 56B7      | 9948    | 50E3  | I3CN0080 |
| 僮                                      | 56B8      | 9949    | 50EE  | I3CO0080 |
| 價                                      | 56B9      | 994A    | 50F9  | I3CP0080 |
| 僵                                      | 56BA      | 994B    | 50F5  | I3CQ0080 |
| 儉                                      | 56BB      | 994C    | 5109  | I3CR0080 |
| 儁                                      | 56BC      | 994D    | 5101  | I3CS0080 |
| 儂                                      | 56BD      | 994E    | 5102  | I3CT0080 |
| 儃                                      | 56BE      | 9952    | 511A  | I3CU0080 |
| 億                                      | 56BF      | 9950    | 5115  | I3CV0080 |
| 儅                                      | 56C0      | 9951    | 5114  | I3CW0080 |
| 儆                                      | 56C1      | 994F    | 5116  | I3CX0080 |
| 儇                                      | 56C2      | 9953    | 5121  | I3CY0080 |
| 儈                                      | 56C3      | 9954    | 513A  | I3CZ0080 |
| 儉                                      | 56C4      | 9955    | 5137  | I3D00080 |
| 儊                                      | 56C5      | 9956    | 513C  | I3D10080 |
| 儋                                      | 56C6      | 9957    | 513B  | I3D20080 |
| 儿                                      | 56C7      | 9958    | 513F  | I3D30080 |
| 兀                                      | 56C8      | 9959    | 5140  | I3D40080 |
| 兂                                      | 56C9      | FA7E    | 514A  | I3D50080 |
| 兌                                      | 56CA      | 995B    | 514C  | I3D60080 |
| 兒                                      | 56CB      | 995A    | 5152  | I3D70080 |
| 兔                                      | 56CC      | 995C    | 5154  | I3D80080 |
| 兢                                      | 56CD      | 995D    | 5162  | I3D90080 |
| 羴                                      | 56CE      | FA80    | 5164  | I3DA0080 |
| 兩                                      | 56CF      | 995F    | 5169  | I3DB0080 |
| 兪                                      | 56D0      | 9960    | 516A  | I3DC0080 |
| 兮                                      | 56D1      | 9961    | 516E  | I3DD0080 |
| 冀                                      | 56D2      | 9962    | 5180  | I3DE0080 |
| 冂                                      | 56D3      | 9963    | 5182  | I3DF0080 |
| 回                                      | 56D4      | 9964    | 56D8  | I3DG0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 册                                      | 56D5      | 9965    | 518C  | I3DH0080 |
| 冉                                      | 56D6      | 9966    | 5189  | I3DI0080 |
| 冏                                      | 56D7      | 9967    | 518F  | I3DJ0080 |
| 冑                                      | 56D8      | 9968    | 5191  | I3DK0080 |
| 冑                                      | 56D9      | 9969    | 5193  | I3DL0080 |
| 冕                                      | 56DA      | 996A    | 5195  | I3DM0080 |
| 冓                                      | 56DB      | 996B    | 5196  | I3DN0080 |
| 冓                                      | 56DC      | FA81    | 519D  | I3DO0080 |
| 冕                                      | 56DD      | 996C    | 51A4  | I3DP0080 |
| 冓                                      | 56DE      | 996D    | 51A6  | I3DQ0080 |
| 冓                                      | 56DF      | 996E    | 51A2  | I3DR0080 |
| 冓                                      | 56E0      | 996F    | 51A9  | I3DS0080 |
| 冓                                      | 56E1      | 9970    | 51AA  | I3DT0080 |
| 冓                                      | 56E2      | 9971    | 51AB  | I3DU0080 |
| 冓                                      | 56E3      | 9972    | 51B3  | I3DV0080 |
| 冓                                      | 56E4      | 9973    | 51B1  | I3DW0080 |
| 冲                                      | 56E5      | 9974    | 51B2  | I3DX0080 |
| 冰                                      | 56E6      | 9975    | 51B0  | I3DY0080 |
| 况                                      | 56E7      | 9976    | 51B5  | I3DZ0080 |
| 洽                                      | 56E8      | FA82    | 51BE  | I3E00080 |
| 冽                                      | 56E9      | 9977    | 51BD  | I3E10080 |
| 凇                                      | 56EA      | 9978    | 51C5  | I3E20080 |
| 凉                                      | 56EB      | 9979    | 51C9  | I3E30080 |
| 凜                                      | 56EC      | 997A    | 51DB  | I3E40080 |
| 几                                      | 56ED      | 997B    | 51E0  | I3E50080 |
| 凧                                      | 56EE      | 997D    | 51E9  | I3E60080 |
| 凧                                      | 56EF      | FA83    | 51EC  | I3E70080 |
| 凭                                      | 56F0      | 997E    | 51ED  | I3E80080 |
| 凰                                      | 56F1      | 9980    | 51F0  | I3E90080 |
| 凵                                      | 56F2      | 9981    | 51F5  | I3EA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 函                                      | 56F3      | 9982    | 51FE  | I3EB0080 |
| 刃                                      | 56F4      | 9983    | 5204  | I3EC0080 |
| 刊                                      | 56F5      | 9984    | 520B  | I3ED0080 |
| 刌                                      | 56F6      | 9985    | 5214  | I3EE0080 |
| 劦                                      | 56F7      | FA84    | 5215  | I3EF0080 |
| 刎                                      | 56F8      | 9987    | 5227  | I3EG0080 |
| 刪                                      | 56F9      | 9988    | 522A  | I3EH0080 |
| 刮                                      | 56FA      | 9989    | 522E  | I3EI0080 |
| 劖                                      | 56FB      | 998A    | 5233  | I3EJ0080 |
| 刹                                      | 56FC      | 998B    | 5239  | I3EK0080 |
| 剉                                      | 56FD      | 998D    | 5244  | I3EL0080 |
| 剋                                      | 56FE      | 998E    | 524B  | I3EM0080 |
| 剌                                      | 5741      | 998C    | 524F  | I3EP0080 |
| 劓                                      | 5742      | 9990    | 525E  | I3EQ0080 |
| 剔                                      | 5743      | 9991    | 5254  | I3ER0080 |
| 劔                                      | 5744      | 999B    | 5271  | I3ES0080 |
| 剪                                      | 5745      | 9992    | 526A  | I3ET0080 |
| 劓                                      | 5746      | 9995    | 5273  | I3EU0080 |
| 劓                                      | 5747      | 9993    | 5274  | I3EV0080 |
| 剩                                      | 5748      | 9994    | 5269  | I3EW0080 |
| 劓                                      | 5749      | 9996    | 527F  | I3EX0080 |
| 剉                                      | 574A      | 9997    | 527D  | I3EY0080 |
| 劓                                      | 574B      | 9998    | 528D  | I3EZ0080 |
| 劈                                      | 574C      | 999C    | 5288  | I3F00080 |
| 劓                                      | 574D      | 999A    | 5292  | I3F10080 |
| 劑                                      | 574E      | 999D    | 5291  | I3F20080 |
| 劓                                      | 574F      | FA85    | 529C  | I3F30080 |
| 劓                                      | 5750      | FA86    | 52A6  | I3F40080 |
| 劓                                      | 5751      | 99A0    | 52AC  | I3F50080 |
| 劓                                      | 5752      | 99A1    | 52AD  | I3F60080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 劓                                      | 5753      | 99A2    | 52BC  | I3F70080 |
| 劓                                      | 5754      | 99A3    | 52B5  | I3F80080 |
| 劓                                      | 5755      | 99A4    | 52C1  | I3F90080 |
| 劓                                      | 5756      | FA87    | 52C0  | I3FA0080 |
| 劓                                      | 5757      | 99A5    | 52CD  | I3FB0080 |
| 劓                                      | 5758      | FA88    | 52DB  | I3FC0080 |
| 劓                                      | 5759      | 99A7    | 52DE  | I3FD0080 |
| 劓                                      | 575A      | 99A8    | 52E3  | I3FE0080 |
| 劓                                      | 575B      | 99A9    | 52E6  | I3FF0080 |
| 劓                                      | 575C      | 99AB    | 52E0  | I3FG0080 |
| 劓                                      | 575D      | 99AC    | 52F3  | I3FH0080 |
| 劓                                      | 575E      | 99AD    | 52F5  | I3FI0080 |
| 劓                                      | 575F      | 99AE    | 52F8  | I3FJ0080 |
| 勺                                      | 5760      | 99AF    | 52F9  | I3FK0080 |
| 勻                                      | 5761      | FA89    | 5300  | I3FL0080 |
| 匆                                      | 5762      | 99B0    | 5306  | I3FM0080 |
| 匆                                      | 5763      | FA8A    | 5307  | I3FN0080 |
| 匈                                      | 5764      | 99B1    | 5308  | I3FO0080 |
| 甸                                      | 5765      | 99B2    | 7538  | I3FP0080 |
| 匍                                      | 5766      | 99B3    | 530D  | I3FQ0080 |
| 匐                                      | 5767      | 99B4    | 5310  | I3FR0080 |
| 匏                                      | 5768      | 99B5    | 530F  | I3FS0080 |
| 匑                                      | 5769      | 99B6    | 5315  | I3FT0080 |
| 匒                                      | 576A      | 99B7    | 531A  | I3FU0080 |
| 匓                                      | 576B      | FA8B    | 5324  | I3FV0080 |
| 匔                                      | 576C      | 99B8    | 5323  | I3FW0080 |
| 匕                                      | 576D      | 99B9    | 532F  | I3FX0080 |
| 化                                      | 576E      | 99BA    | 5331  | I3FY0080 |
| 北                                      | 576F      | 99BB    | 5333  | I3FZ0080 |
| 匘                                      | 5770      | 99BC    | 5338  | I3G00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 區                                      | 5771      | 99BD    | 5340  | I3G10080 |
| 卅                                      | 5772      | 99BF    | 5345  | I3G20080 |
| 𠂇                                      | 5773      | 99BE    | 5346  | I3G30080 |
| 弁                                      | 5774      | 99C1    | 5349  | I3G40080 |
| 卅                                      | 5775      | 99C0    | 4E17  | I3G50080 |
| 卍                                      | 5776      | 99C2    | 534D  | I3G60080 |
| 準                                      | 5777      | 99C3    | 51D6  | I3G70080 |
| 舉                                      | 5778      | 9DA8    | 8209  | I3G80080 |
| 卞                                      | 5779      | 99C4    | 535E  | I3G90080 |
| 冂                                      | 577A      | 99C5    | 5369  | I3GA0080 |
| 卮                                      | 577B      | 99C6    | 536E  | I3GB0080 |
| 卮                                      | 577C      | FA8C    | 5372  | I3GC0080 |
| 卷                                      | 577D      | 99C9    | 5377  | I3GD0080 |
| 卻                                      | 577E      | 99C8    | 537B  | I3GE0080 |
| 厂                                      | 577F      | 99CA    | 5382  | I3GF0080 |
| 厓                                      | 5780      | FA8D    | 5393  | I3GG0080 |
| 厓                                      | 5781      | 99CB    | 5396  | I3GH0080 |
| 厠                                      | 5782      | 99CC    | 53A0  | I3GI0080 |
| 厦                                      | 5783      | 99CD    | 53A6  | I3GJ0080 |
| 厥                                      | 5784      | 99CE    | 53A5  | I3GK0080 |
| 廝                                      | 5785      | 99CF    | 53AE  | I3GL0080 |
| 廠                                      | 5786      | 99D0    | 53B0  | I3GM0080 |
| 厲                                      | 5787      | FA8E    | 53B2  | I3GN0080 |
| 厶                                      | 5788      | 99D1    | 53B6  | I3GO0080 |
| 參                                      | 5789      | 99D2    | 53C3  | I3GP0080 |
| 篡                                      | 578A      | 99D3    | 7C12  | I3GQ0080 |
| 𠂇                                      | 578B      | FA8F    | 53DD  | I3GR0080 |
| 叟                                      | 578C      | 99D5    | 53DF  | I3GS0080 |
| 曼                                      | 578D      | 99D6    | 66FC  | I3GT0080 |
| 雙                                      | 578E      | FA90    | FA0E  | I3GU0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 燮                                      | 578F      | 99D7    | 71EE  | I3GV0080 |
| 叮                                      | 5790      | 99D8    | 53EE  | I3GW0080 |
| 叨                                      | 5791      | 99D9    | 53E8  | I3GX0080 |
| 叭                                      | 5792      | 99DA    | 53ED  | I3GY0080 |
| 叭                                      | 5793      | 99DB    | 53FA  | I3GZ0080 |
| 吁                                      | 5794      | 99DC    | 5401  | I3H00080 |
| 吡                                      | 5795      | 99DD    | 543D  | I3H10080 |
| 呀                                      | 5796      | 99DE    | 5440  | I3H20080 |
| 听                                      | 5797      | 99DF    | 542C  | I3H30080 |
| 吭                                      | 5798      | 99E0    | 542D  | I3H40080 |
| 吼                                      | 5799      | 99E1    | 543C  | I3H50080 |
| 吮                                      | 579A      | 99E2    | 542E  | I3H60080 |
| 呐                                      | 579B      | 99E3    | 5436  | I3H70080 |
| 吩                                      | 579C      | 99E4    | 5429  | I3H80080 |
| 吝                                      | 579D      | 99E5    | 541D  | I3H90080 |
| 呎                                      | 579E      | 99E6    | 544E  | I3HA0080 |
| 咏                                      | 579F      | 99E7    | 548F  | I3HB0080 |
| 呵                                      | 57A0      | 99E8    | 5475  | I3HC0080 |
| 咎                                      | 57A1      | 99E9    | 548E  | I3HD0080 |
| 咳                                      | 57A2      | 99EA    | 545F  | I3HE0080 |
| 呱                                      | 57A3      | 99EB    | 5471  | I3HF0080 |
| 呷                                      | 57A4      | 99EC    | 5477  | I3HG0080 |
| 咭                                      | 57A5      | 99ED    | 5470  | I3HH0080 |
| 咒                                      | 57A6      | 99EE    | 5492  | I3HI0080 |
| 呻                                      | 57A7      | 99EF    | 547B  | I3HJ0080 |
| 咀                                      | 57A8      | 99F0    | 5480  | I3HK0080 |
| 吃                                      | 57A9      | FA91    | 549C  | I3HL0080 |
| 呶                                      | 57AA      | 99F1    | 5476  | I3HM0080 |
| 咄                                      | 57AB      | 99F2    | 5484  | I3HN0080 |
| 咐                                      | 57AC      | 99F3    | 5490  | I3HO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 咆                                      | 57AD      | 99F4    | 5486  | I3HP0080 |
| 咏                                      | 57AE      | FA92    | 548A  | I3HQ0080 |
| 哇                                      | 57AF      | 99F5    | 54C7  | I3HR0080 |
| 髙                                      | 57B0      | 9A44    | 54BC  | I3HS0080 |
| 咯                                      | 57B1      | 9A5D    | 54AF  | I3HT0080 |
| 罅                                      | 57B2      | 99F6    | 54A2  | I3HU0080 |
| 咸                                      | 57B3      | 99F7    | 54B8  | I3HV0080 |
| 啞                                      | 57B4      | 99F8    | 54A5  | I3HW0080 |
| 咬                                      | 57B5      | 99F9    | 54AC  | I3HX0080 |
| 哄                                      | 57B6      | 99FA    | 54C4  | I3HY0080 |
| 听                                      | 57B7      | 9A45    | 54D8  | I3HZ0080 |
| 哈                                      | 57B8      | 99FB    | 54C8  | I3I00080 |
| 咨                                      | 57B9      | 99FC    | 54A8  | I3I10080 |
| 咫                                      | 57BA      | 9A40    | 54AB  | I3I20080 |
| 晒                                      | 57BB      | 9A41    | 54C2  | I3I30080 |
| 咤                                      | 57BC      | 9A42    | 54A4  | I3I40080 |
| 咩                                      | 57BD      | FA93    | 54A9  | I3I50080 |
| 佬                                      | 57BE      | 9A43    | 54BE  | I3I60080 |
| 哥                                      | 57BF      | 9A46    | 54E5  | I3I70080 |
| 哿                                      | 57C0      | FA94    | 54FF  | I3I80080 |
| 哦                                      | 57C1      | 9A47    | 54E6  | I3I90080 |
| 唏                                      | 57C2      | 9A48    | 550F  | I3IA0080 |
| 唔                                      | 57C3      | 9A49    | 5514  | I3IB0080 |
| 哽                                      | 57C4      | 9A4A    | 54FD  | I3IC0080 |
| 哮                                      | 57C5      | 9A4B    | 54EE  | I3ID0080 |
| 哭                                      | 57C6      | 9A4C    | 54ED  | I3IE0080 |
| 哢                                      | 57C7      | 9A4E    | 54E2  | I3IF0080 |
| 嗽                                      | 57C8      | 9A4F    | 5539  | I3IG0080 |
| 哇                                      | 57C9      | 9A50    | 5540  | I3IH0080 |
| 啣                                      | 57CA      | 9A51    | 5563  | I3II0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 啞                                      | 57CB      | 9A52    | 554C  | I3IJ0080 |
| 售                                      | 57CC      | 9A53    | 552E  | I3IK0080 |
| 噉                                      | 57CD      | 9A54    | 555C  | I3IL0080 |
| 啁                                      | 57CE      | 9A55    | 5545  | I3IM0080 |
| 啖                                      | 57CF      | 9A56    | 5556  | I3IN0080 |
| 啗                                      | 57D0      | 9A57    | 5557  | I3IO0080 |
| 唸                                      | 57D1      | 9A58    | 5538  | I3IP0080 |
| 唢                                      | 57D2      | 9A59    | 5533  | I3IQ0080 |
| 啾                                      | 57D3      | 9A5A    | 555D  | I3IR0080 |
| 喙                                      | 57D4      | 9A5B    | 5599  | I3IS0080 |
| 喀                                      | 57D5      | 9A5C    | 5580  | I3IT0080 |
| 喊                                      | 57D6      | 9A5E    | 558A  | I3IU0080 |
| 喟                                      | 57D7      | 9A5F    | 559F  | I3IV0080 |
| 音                                      | 57D8      | 9A60    | 557B  | I3IW0080 |
| 啾                                      | 57D9      | 9A61    | 557E  | I3IX0080 |
| 喘                                      | 57DA      | 9A62    | 5598  | I3IY0080 |
| 啣                                      | 57DB      | 9A63    | 559E  | I3IZ0080 |
| 單                                      | 57DC      | 9A64    | 55AE  | I3J00080 |
| 啼                                      | 57DD      | 9A65    | 557C  | I3J10080 |
| 喆                                      | 57DE      | FA95    | 5586  | I3J20080 |
| 喃                                      | 57DF      | 9A66    | 5583  | I3J30080 |
| 噏                                      | 57E0      | 9A67    | 55A9  | I3J40080 |
| 喇                                      | 57E1      | 9A68    | 5587  | I3J50080 |
| 唳                                      | 57E2      | 9A69    | 55A8  | I3J60080 |
| 嗅                                      | 57E3      | 9A6B    | 55C5  | I3J70080 |
| 嗟                                      | 57E4      | 9A6C    | 55DF  | I3J80080 |
| 嘎                                      | 57E5      | 9A6D    | 55C4  | I3J90080 |
| 嗜                                      | 57E6      | 9A6E    | 55DC  | I3JA0080 |
| 嗤                                      | 57E7      | 9A6F    | 55E4  | I3JB0080 |
| 嗔                                      | 57E8      | 9A70    | 55D4  | I3JC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 嚏                                      | 57E9      | 9A77    | 55F9  | I3JD0080 |
| 嘔                                      | 57EA      | 9A71    | 5614  | I3JE0080 |
| 嗽                                      | 57EB      | 9A72    | 55F7  | I3JF0080 |
| 噴                                      | 57EC      | 9A73    | 5616  | I3JG0080 |
| 嗑                                      | 57ED      | 9A74    | 55FE  | I3JH0080 |
| 嗽                                      | 57EE      | 9A75    | 55FD  | I3JI0080 |
| 嘛                                      | 57EF      | 9A76    | 561B  | I3JJ0080 |
| 噎                                      | 57F0      | 9A78    | 564E  | I3JK0080 |
| 噍                                      | 57F1      | 9A79    | 5650  | I3JL0080 |
| 嘶                                      | 57F2      | 9A7C    | 5636  | I3JM0080 |
| 嘲                                      | 57F3      | 9A7D    | 5632  | I3JN0080 |
| 嘸                                      | 57F4      | 9A7E    | 5638  | I3JO0080 |
| 噫                                      | 57F5      | 9A80    | 566B  | I3JP0080 |
| 噤                                      | 57F6      | 9A81    | 5664  | I3JQ0080 |
| 嚙                                      | 57F7      | 9A85    | 5686  | I3JR0080 |
| 嘯                                      | 57F8      | 9A82    | 562F  | I3JS0080 |
| 噬                                      | 57F9      | 9A83    | 566C  | I3JT0080 |
| 噪                                      | 57FA      | 9A84    | 566A  | I3JU0080 |
| 營                                      | 57FB      | 9A7A    | 71DF  | I3JV0080 |
| 噠                                      | 57FC      | 9A89    | 5694  | I3JW0080 |
| 嚏                                      | 57FD      | 9A8A    | 568F  | I3JX0080 |
| 噤                                      | 57FE      | 9A86    | 5680  | I3JY0080 |
| 噤                                      | 5841      | 9A87    | 568A  | I3K10080 |
| 噤                                      | 5842      | 9A88    | 56A0  | I3K20080 |
| 噤                                      | 5843      | 9A8B    | 56A5  | I3K30080 |
| 嚙                                      | 5844      | 9A8C    | 56AE  | I3K40080 |
| 嚙                                      | 5845      | 9A8D    | 56B6  | I3K50080 |
| 嚴                                      | 5846      | 9A8E    | 56B4  | I3K60080 |
| 嚙                                      | 5847      | 9A94    | 56C8  | I3K70080 |
| 嚙                                      | 5848      | 9A8F    | 56C2  | I3K80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 嚙                                      | 5849      | 9A90    | 56BC  | I3K90080 |
| 嚙                                      | 584A      | 9A91    | 56C1  | I3KA0080 |
| 嚙                                      | 584B      | 9A92    | 56C3  | I3KB0080 |
| 嚙                                      | 584C      | 9A93    | 56C0  | I3KC0080 |
| 嚙                                      | 584D      | 9A95    | 56CE  | I3KD0080 |
| 嚙                                      | 584E      | 9A97    | 56D3  | I3KE0080 |
| 嚙                                      | 584F      | 9A96    | 56D1  | I3KF0080 |
| 口                                      | 5850      | 9A98    | 56D7  | I3KG0080 |
| 囧                                      | 5851      | 9A99    | 56EE  | I3KH0080 |
| 囧                                      | 5852      | 9A9A    | 56F9  | I3KI0080 |
| 囧                                      | 5853      | 9A9C    | 56FF  | I3KJ0080 |
| 囧                                      | 5854      | 9A9D    | 5704  | I3KK0080 |
| 囧                                      | 5855      | 9A9E    | 5709  | I3KL0080 |
| 囧                                      | 5856      | 9A9F    | 5708  | I3KM0080 |
| 囧                                      | 5857      | 9AA1    | 570D  | I3KN0080 |
| 嚙                                      | 5858      | 9AA5    | 55C7  | I3KO0080 |
| 團                                      | 5859      | 9AA3    | 5718  | I3KP0080 |
| 圖                                      | 585A      | 9AA4    | 5716  | I3KQ0080 |
| 圖                                      | 585B      | 9AA6    | 571C  | I3KR0080 |
| 圪                                      | 585C      | 9AA7    | 5726  | I3KS0080 |
| 圪                                      | 585D      | 9AA9    | 5738  | I3KT0080 |
| 圪                                      | 585E      | 9AAA    | 574E  | I3KU0080 |
| 圪                                      | 585F      | 9AAB    | 573B  | I3KV0080 |
| 至                                      | 5860      | FA96    | 5759  | I3KW0080 |
| 址                                      | 5861      | 9AAC    | 5740  | I3KX0080 |
| 坏                                      | 5862      | 9AAD    | 574F  | I3KY0080 |
| 垣                                      | 5863      | FA97    | 5765  | I3KZ0080 |
| 垩                                      | 5864      | 9AB0    | 5788  | I3L00080 |
| 坡                                      | 5865      | 9AB1    | 5761  | I3L10080 |
| 坳                                      | 5866      | 9AB2    | 577F  | I3L20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 垸                                      | 5867      | 9AB3    | 5789  | I3L30080 |
| 垹                                      | 5868      | 9AB4    | 5793  | I3L40080 |
| 垺                                      | 5869      | 9AB5    | 57A0  | I3L50080 |
| 垻                                      | 586A      | 9AB7    | 57A4  | I3L60080 |
| 垿                                      | 586B      | 9AB6    | 57B3  | I3L70080 |
| 垾                                      | 586C      | FA98    | 57AC  | I3L80080 |
| 垿                                      | 586D      | 9AB8    | 57AA  | I3L90080 |
| 埃                                      | 586E      | 9ABA    | 57C3  | I3LA0080 |
| 垿                                      | 586F      | 9ABB    | 57C6  | I3LB0080 |
| 垿                                      | 5870      | FA99    | 57C8  | I3LC0080 |
| 垂                                      | 5871      | 9AAF    | 57C0  | I3LD0080 |
| 埔                                      | 5872      | 9ABC    | 57D4  | I3LE0080 |
| 埔                                      | 5873      | FA9A    | 57C7  | I3LF0080 |
| 埒                                      | 5874      | 9ABD    | 57D2  | I3LG0080 |
| 埒                                      | 5875      | 9ABE    | 57D3  | I3LH0080 |
| 埒                                      | 5876      | 9AC0    | 57D6  | I3LI0080 |
| 埒                                      | 5877      | FA9B    | FA0F  | I3LJ0080 |
| 埒                                      | 5878      | 9ABF    | 580A  | I3LK0080 |
| 埒                                      | 5879      | 9AC1    | 57E3  | I3LL0080 |
| 埒                                      | 587A      | 9AC2    | 580B  | I3LM0080 |
| 埒                                      | 587B      | 9AC3    | 5819  | I3LN0080 |
| 埒                                      | 587C      | 9AC6    | 5821  | I3LO0080 |
| 埒                                      | 587D      | 9AC8    | 584B  | I3LP0080 |
| 埒                                      | 587E      | 9AC7    | 5862  | I3LQ0080 |
| 埒                                      | 587F      | 9ACA    | 6BC0  | I3LR0080 |
| 埒                                      | 5880      | 9ACC    | 583D  | I3LS0080 |
| 埒                                      | 5881      | 9ACB    | 5852  | I3LT0080 |
| 埒                                      | 5882      | FA9C    | FA10  | I3LU0080 |
| 埒                                      | 5883      | 9AC9    | 5870  | I3LV0080 |
| 埒                                      | 5884      | 9ACD    | 5879  | I3LW0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 埒                                      | 5885      | 9ACE    | 5885  | I3LX0080 |
| 埒                                      | 5886      | 9AC5    | 5872  | I3LY0080 |
| 埒                                      | 5887      | 9AD0    | 589F  | I3LZ0080 |
| 埒                                      | 5888      | 9AD1    | 58AB  | I3M00080 |
| 埒                                      | 5889      | 9AD5    | 58B8  | I3M10080 |
| 埒                                      | 588A      | FA9D    | 589E  | I3M20080 |
| 埒                                      | 588B      | 9AD6    | 58AE  | I3M30080 |
| 埒                                      | 588C      | FA9E    | 58B2  | I3M40080 |
| 埒                                      | 588D      | 9ACF    | 58B9  | I3M50080 |
| 埒                                      | 588E      | 9AD2    | 58BA  | I3M60080 |
| 埒                                      | 588F      | 9AD7    | 58C5  | I3M70080 |
| 埒                                      | 5890      | 9AD8    | 58D3  | I3M80080 |
| 埒                                      | 5891      | 9AD9    | 58D1  | I3M90080 |
| 埒                                      | 5892      | 9ADA    | 58D7  | I3MA0080 |
| 埒                                      | 5893      | 9ADB    | 58D9  | I3MB0080 |
| 埒                                      | 5894      | 9ADC    | 58D8  | I3MC0080 |
| 埒                                      | 5895      | 9AD3    | 58DE  | I3MD0080 |
| 埒                                      | 5896      | 9ADE    | 58DC  | I3ME0080 |
| 埒                                      | 5897      | 9AE0    | 58DF  | I3MF0080 |
| 埒                                      | 5898      | 9ADF    | 58E4  | I3MG0080 |
| 埒                                      | 5899      | 9ADD    | 58E5  | I3MH0080 |
| 埒                                      | 589A      | 9AE1    | 58EF  | I3MI0080 |
| 埒                                      | 589B      | 9AE2    | 58F7  | I3MJ0080 |
| 埒                                      | 589C      | 9AE3    | 58F9  | I3MK0080 |
| 埒                                      | 589D      | 9AE4    | 58FB  | I3ML0080 |
| 埒                                      | 589E      | 9AE5    | 58FC  | I3MM0080 |
| 埒                                      | 589F      | 9AE7    | 5902  | I3MN0080 |
| 埒                                      | 58A0      | 9AE8    | 590A  | I3MO0080 |
| 埒                                      | 58A1      | FA9F    | 590B  | I3MP0080 |
| 埒                                      | 58A2      | 9AE9    | 5910  | I3MQ0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 𠂇                                      | 58A3      | 9AEA    | 591B  | I3MR0080 |
| 𠂈                                      | 58A4      | 9AEB    | 68A6  | I3MS0080 |
| 𠂉                                      | 58A5      | 9AEC    | 5925  | I3MT0080 |
| 𠂊                                      | 58A6      | 9AED    | 592C  | I3MU0080 |
| 𠂋                                      | 58A7      | 9AEE    | 592D  | I3MV0080 |
| 本                                      | 58A8      | 9AEF    | 5932  | I3MW0080 |
| 夸                                      | 58A9      | 9AF0    | 5938  | I3MX0080 |
| 夾                                      | 58AA      | 9AF1    | 593E  | I3MY0080 |
| 奕                                      | 58AB      | 9AF3    | 5955  | I3MZ0080 |
| 奂                                      | 58AC      | 9AF4    | 5950  | I3N00080 |
| 𠂍                                      | 58AD      | FAA0    | 5953  | I3N10080 |
| 奚                                      | 58AE      | 9AF6    | 595A  | I3N20080 |
| 𠂎                                      | 58AF      | 9AF7    | 5958  | I3N30080 |
| 𠂏                                      | 58B0      | FAA1    | 595B  | I3N40080 |
| 𠂐                                      | 58B1      | FAA2    | 595D  | I3N50080 |
| 𠂑                                      | 58B2      | FAA3    | 5963  | I3N60080 |
| 奢                                      | 58B3      | 9AF8    | 5962  | I3N70080 |
| 奠                                      | 58B4      | 9AF9    | 5960  | I3N80080 |
| 奧                                      | 58B5      | 9AFA    | 5967  | I3N90080 |
| 獎                                      | 58B6      | 9AFB    | 596C  | I3NA0080 |
| 奩                                      | 58B7      | 9AFC    | 5969  | I3NB0080 |
| 奸                                      | 58B8      | 9B40    | 5978  | I3NC0080 |
| 𠂒                                      | 58B9      | 9B41    | 5981  | I3ND0080 |
| 妍                                      | 58BA      | 9B4A    | 598D  | I3NE0080 |
| 𠂓                                      | 58BB      | 9BAA    | 599B  | I3NF0080 |
| 妝                                      | 58BC      | 9B42    | 599D  | I3NG0080 |
| 妣                                      | 58BD      | 9B45    | 59A3  | I3NH0080 |
| 好                                      | 58BE      | FAA4    | 59A4  | I3NI0080 |
| 姐                                      | 58BF      | 9B46    | 59B2  | I3NJ0080 |
| 妹                                      | 58C0      | FAA5    | 59BA  | I3NK0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 姆                                      | 58C1      | 9B47    | 59C6  | I3NL0080 |
| 姨                                      | 58C2      | 9B48    | 59E8  | I3NM0080 |
| 妊                                      | 58C3      | 9B4B    | 59D9  | I3NN0080 |
| 姚                                      | 58C4      | 9B4C    | 59DA  | I3NO0080 |
| 娥                                      | 58C5      | 9B4D    | 5A25  | I3NP0080 |
| 娟                                      | 58C6      | 9B4E    | 5A1F  | I3NQ0080 |
| 娑                                      | 58C7      | 9B4F    | 5A11  | I3NR0080 |
| 娜                                      | 58C8      | 9B50    | 5A1C  | I3NS0080 |
| 甥                                      | 58C9      | 9B52    | 5A1A  | I3NT0080 |
| 娉                                      | 58CA      | 9B51    | 5A09  | I3NU0080 |
| 婀                                      | 58CB      | 9B53    | 5A40  | I3NV0080 |
| 姪                                      | 58CC      | 9B54    | 5A6C  | I3NW0080 |
| 婉                                      | 58CD      | 9B55    | 5A49  | I3NX0080 |
| 姪                                      | 58CE      | 9B56    | 5A35  | I3NY0080 |
| 娶                                      | 58CF      | 9B57    | 5A36  | I3NZ0080 |
| 婢                                      | 58D0      | 9B58    | 5A62  | I3O00080 |
| 婪                                      | 58D1      | 9B59    | 5A6A  | I3O10080 |
| 媚                                      | 58D2      | 9B5A    | 5A9A  | I3O20080 |
| 媪                                      | 58D3      | 9B5B    | 5ABC  | I3O30080 |
| 媾                                      | 58D4      | 9B5C    | 5ABE  | I3O40080 |
| 媯                                      | 58D5      | 9B6B    | 5AD0  | I3O50080 |
| 媮                                      | 58D6      | 9B5D    | 5ACB  | I3O60080 |
| 媿                                      | 58D7      | 9B5E    | 5AC2  | I3O70080 |
| 媽                                      | 58D8      | 9B5F    | 5ABD  | I3O80080 |
| 媽                                      | 58D9      | 9B60    | 5AE3  | I3O90080 |
| 媯                                      | 58DA      | 9B61    | 5AD7  | I3OA0080 |
| 媮                                      | 58DB      | 9B62    | 5AE6  | I3OB0080 |
| 媯                                      | 58DC      | 9B63    | 5AE9  | I3OC0080 |
| 媯                                      | 58DD      | 9B64    | 5AD6  | I3OD0080 |
| 媯                                      | 58DE      | 9B65    | 5AFA  | I3OE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 嫺                                      | 58DF      | 9B66    | 5AFB  | I3OF0080 |
| 嬌                                      | 58E0      | 9B67    | 5B0C  | I3OG0080 |
| 嬋                                      | 58E1      | 9B68    | 5B0B  | I3OH0080 |
| 嬖                                      | 58E2      | 9B69    | 5B16  | I3OI0080 |
| 嬗                                      | 58E3      | 9B6A    | 5B32  | I3OJ0080 |
| 嬖                                      | 58E4      | 9B6C    | 5B2A  | I3OK0080 |
| 嬖                                      | 58E5      | 9B6D    | 5B36  | I3OL0080 |
| 嬖                                      | 58E6      | 9B6E    | 5B3E  | I3OM0080 |
| 嬖                                      | 58E7      | 9B6F    | 5B43  | I3ON0080 |
| 嬖                                      | 58E8      | 9B70    | 5B45  | I3OO0080 |
| 嬖                                      | 58E9      | 9B71    | 5B40  | I3OP0080 |
| 孛                                      | 58EA      | 9B72    | 5B51  | I3OQ0080 |
| 孛                                      | 58EB      | 9B73    | 5B55  | I3OR0080 |
| 孛                                      | 58EC      | FAA6    | 5B56  | I3OS0080 |
| 孛                                      | 58ED      | 9B7C    | 6588  | I3OT0080 |
| 孛                                      | 58EE      | 9B75    | 5B5B  | I3OU0080 |
| 孛                                      | 58EF      | 9B76    | 5B65  | I3OV0080 |
| 孩                                      | 58F0      | 9B77    | 5B69  | I3OW0080 |
| 孰                                      | 58F1      | 9B78    | 5B70  | I3OX0080 |
| 孛                                      | 58F2      | 9B79    | 5B73  | I3OY0080 |
| 孛                                      | 58F3      | 9B7A    | 5B75  | I3OZ0080 |
| 學                                      | 58F4      | 9B7B    | 5B78  | I3P00080 |
| 孛                                      | 58F5      | 9B7D    | 5B7A  | I3P10080 |
| 宀                                      | 58F6      | 9B7E    | 5B80  | I3P20080 |
| 它                                      | 58F7      | 9B80    | 5B83  | I3P30080 |
| 宦                                      | 58F8      | 9B81    | 5BA6  | I3P40080 |
| 宸                                      | 58F9      | 9B82    | 5BB8  | I3P50080 |
| 寃                                      | 58FA      | 9B83    | 5BC3  | I3P60080 |
| 寇                                      | 58FB      | 9B84    | 5BC7  | I3P70080 |
| 窠                                      | 58FC      | FAA7    | 5BC0  | I3P80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 窠                                      | 58FD      | 9B85    | 5BC9  | I3P90080 |
| 甯                                      | 58FE      | FAA8    | 752F  | I3PA0080 |
| 寐                                      | 5941      | 9B87    | 5BD0  | I3PD0080 |
| 寘                                      | 5942      | FAA9    | 5BD8  | I3PE0080 |
| 寘                                      | 5943      | 9B8B    | 5BDE  | I3PF0080 |
| 寬                                      | 5944      | FAAA    | 5BEC  | I3PG0080 |
| 寤                                      | 5945      | 9B88    | 5BE4  | I3PH0080 |
| 寢                                      | 5946      | 9B8A    | 5BE2  | I3PI0080 |
| 寥                                      | 5947      | 9B8C    | 5BE5  | I3PJ0080 |
| 寫                                      | 5948      | 9B8D    | 5BEB  | I3PK0080 |
| 寰                                      | 5949      | 9B8E    | 5BF0  | I3PL0080 |
| 寶                                      | 594A      | 9B90    | 5BF3  | I3PM0080 |
| 寶                                      | 594B      | 9B8F    | 5BF6  | I3PN0080 |
| 尅                                      | 594C      | 9B91    | 5C05  | I3PO0080 |
| 將                                      | 594D      | 9B92    | 5C07  | I3PP0080 |
| 專                                      | 594E      | 9B93    | 5C08  | I3PQ0080 |
| 對                                      | 594F      | 9B94    | 5C0D  | I3PR0080 |
| 尔                                      | 5950      | 9B95    | 5C13  | I3PS0080 |
| 寮                                      | 5951      | FAAB    | 5C1E  | I3PT0080 |
| 尅                                      | 5952      | 9B96    | 5C20  | I3PU0080 |
| 尅                                      | 5953      | 9B97    | 5C22  | I3PV0080 |
| 尅                                      | 5954      | 9B98    | 5C28  | I3PW0080 |
| 尸                                      | 5955      | 9B99    | 5C38  | I3PX0080 |
| 屁                                      | 5956      | 9B9B    | 5C41  | I3PY0080 |
| 屈                                      | 5957      | 9B9C    | 5C46  | I3PZ0080 |
| 屎                                      | 5958      | 9B9D    | 5C4E  | I3Q00080 |
| 眞                                      | 5959      | 9B9E    | 5C53  | I3Q10080 |
| 屨                                      | 595A      | 9B9F    | 5C50  | I3Q20080 |
| 屨                                      | 595B      | 9BA1    | 5B71  | I3Q30080 |
| 屬                                      | 595C      | 9BA2    | 5C6C  | I3Q40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 屮                                      | 595D      | 9BA3    | 5C6E  | I3Q50080 |
| 𠂇                                      | 595E      | 9BA5    | 5C76  | I3Q60080 |
| 屹                                      | 595F      | 9BA6    | 5C79  | I3Q70080 |
| 岌                                      | 5960      | 9BA7    | 5C8C  | I3Q80080 |
| 岔                                      | 5961      | 9BA9    | 5C94  | I3Q90080 |
| 岫                                      | 5962      | 9BB1    | 5CBE  | I3QA0080 |
| 岫                                      | 5963      | 9BAB    | 5CAB  | I3QB0080 |
| 岷                                      | 5964      | 9BAC    | 5CBB  | I3QC0080 |
| 岯                                      | 5965      | 9BAD    | 5CB6  | I3QD0080 |
| 岰                                      | 5966      | 9BAF    | 5CB7  | I3QE0080 |
| 岱                                      | 5967      | FAAC    | 5CA6  | I3QF0080 |
| 岲                                      | 5968      | FAAD    | 5CBA  | I3QG0080 |
| 岳                                      | 5969      | 9BB0    | 5CC5  | I3QH0080 |
| 岴                                      | 596A      | 9BAE    | 5CBC  | I3QI0080 |
| 岵                                      | 596B      | 9BB2    | 5CC7  | I3QJ0080 |
| 岶                                      | 596C      | 9BB3    | 5CD9  | I3QK0080 |
| 岷                                      | 596D      | 9BB4    | 5CE9  | I3QL0080 |
| 岸                                      | 596E      | 9BB5    | 5CFD  | I3QM0080 |
| 岹                                      | 596F      | 9BB6    | 5CFA  | I3QN0080 |
| 岺                                      | 5970      | FAAE    | 5CF5  | I3QO0080 |
| 岻                                      | 5971      | 9BB7    | 5CED  | I3QP0080 |
| 岼                                      | 5972      | 9BB9    | 5CEA  | I3QQ0080 |
| 岽                                      | 5973      | 9BBA    | 5D0B  | I3QR0080 |
| 岾                                      | 5974      | 9BBB    | 5D15  | I3QS0080 |
| 岿                                      | 5975      | 9BBE    | 5D1F  | I3QT0080 |
| 岮                                      | 5976      | 9BBF    | 5D1B  | I3QU0080 |
| 岯                                      | 5977      | 9BC0    | 5D11  | I3QV0080 |
| 岰                                      | 5978      | FAAF    | 5D27  | I3QW0080 |
| 岱                                      | 5979      | 9BC2    | 5D22  | I3QX0080 |
| 岲                                      | 597A      | 9BC3    | 5D1A  | I3QY0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 崱                                      | 597B      | 9BC4    | 5D19  | I3QZ0080 |
| 崰                                      | 597C      | 9BC5    | 5D18  | I3R00080 |
| 崱                                      | 597D      | 9BC6    | 5D4C  | I3R10080 |
| 崲                                      | 597E      | 9BC7    | 5D52  | I3R20080 |
| 崳                                      | 597F      | FAB0    | 5D53  | I3R30080 |
| 崴                                      | 5980      | FAB1    | FA11  | I3R40080 |
| 崵                                      | 5981      | 9BBD    | 5D5C  | I3R50080 |
| 崶                                      | 5982      | 9BC8    | 5D4E  | I3R60080 |
| 崷                                      | 5983      | 9BC9    | 5D4B  | I3R70080 |
| 崸                                      | 5984      | FAB2    | 5D42  | I3R80080 |
| 崹                                      | 5985      | 9BCA    | 5D6C  | I3R90080 |
| 崺                                      | 5986      | 9BCB    | 5D73  | I3RA0080 |
| 崻                                      | 5987      | FAB3    | 5D6D  | I3RB0080 |
| 崼                                      | 5988      | 9BCC    | 5D76  | I3RC0080 |
| 崽                                      | 5989      | 9BCD    | 5D87  | I3RD0080 |
| 崾                                      | 598A      | 9BCE    | 5D84  | I3RE0080 |
| 崿                                      | 598B      | 9BCF    | 5D82  | I3RF0080 |
| 崺                                      | 598C      | 9BB8    | 5D8C  | I3RG0080 |
| 崻                                      | 598D      | 9BD0    | 5DA2  | I3RH0080 |
| 崼                                      | 598E      | 9BD1    | 5D9D  | I3RI0080 |
| 崽                                      | 598F      | 9BD5    | 5D90  | I3RJ0080 |
| 崾                                      | 5990      | 9BD2    | 5DAC  | I3RK0080 |
| 崿                                      | 5991      | 9BD3    | 5DAE  | I3RL0080 |
| 崺                                      | 5992      | 9BD6    | 5DB7  | I3RM0080 |
| 崻                                      | 5993      | FAB4    | 5DB8  | I3RN0080 |
| 崼                                      | 5994      | 9BD7    | 5DBC  | I3RO0080 |
| 崽                                      | 5995      | FAB5    | 5DB9  | I3RP0080 |
| 崾                                      | 5996      | 9BD8    | 5DC9  | I3RQ0080 |
| 崿                                      | 5997      | FAB6    | 5DD0  | I3RR0080 |
| 崺                                      | 5998      | 9BDA    | 5DD3  | I3RS0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 巒                                      | 5999      | 9BDB    | 5DD2  | I3RT0080 |
| ㄩ                                      | 599A      | 9BDD    | 5DDB  | I3RU0080 |
| 巫                                      | 599B      | 9BDE    | 5DEB  | I3RV0080 |
| 卮                                      | 599C      | 9BE0    | 5DF5  | I3RW0080 |
| 昏                                      | 599D      | 9BE1    | 5E0B  | I3RX0080 |
| 帚                                      | 599E      | 9BE2    | 5E1A  | I3RY0080 |
| 帙                                      | 599F      | 9BE3    | 5E19  | I3RZ0080 |
| 帑                                      | 59A0      | 9BE4    | 5E11  | I3S00080 |
| 帛                                      | 59A1      | 9BE5    | 5E1B  | I3S10080 |
| 帶                                      | 59A2      | 9BE6    | 5E36  | I3S20080 |
| 幄                                      | 59A3      | 9BE8    | 5E44  | I3S30080 |
| 幃                                      | 59A4      | 9BE9    | 5E43  | I3S40080 |
| 幘                                      | 59A5      | 9BEA    | 5E40  | I3S50080 |
| 幫                                      | 59A6      | 9BF1    | 5E47  | I3S60080 |
| 幘                                      | 59A7      | 9BEB    | 5E4E  | I3S70080 |
| 幘                                      | 59A8      | 9BEC    | 5E57  | I3S80080 |
| 幔                                      | 59A9      | 9BED    | 5E54  | I3S90080 |
| 幘                                      | 59AA      | 9BEF    | 5E62  | I3SA0080 |
| 幣                                      | 59AB      | 9BF0    | 5E64  | I3SB0080 |
| 幘                                      | 59AC      | 9BF2    | 5E75  | I3SC0080 |
| 幘                                      | 59AD      | 9BF3    | 5E76  | I3SD0080 |
| 幘                                      | 59AE      | 9BF4    | 5E7A  | I3SE0080 |
| 广                                      | 59AF      | 9BF6    | 5E7F  | I3SF0080 |
| 庠                                      | 59B0      | 9BF7    | 5EA0  | I3SG0080 |
| 廁                                      | 59B1      | 9BF8    | 5EC1  | I3SH0080 |
| 廂                                      | 59B2      | 9BF9    | 5EC2  | I3SI0080 |
| 廈                                      | 59B3      | 9BFA    | 5EC8  | I3SJ0080 |
| 廐                                      | 59B4      | 9BFB    | 5ED0  | I3SK0080 |
| 廐                                      | 59B5      | 9BFC    | 5ECF  | I3SL0080 |
| 廐                                      | 59B6      | 9C42    | 5EDD  | I3SM0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 廚                                      | 59B7      | 9C43    | 5EDA  | I3SN0080 |
| 廐                                      | 59B8      | 9C44    | 5EDB  | I3SO0080 |
| 廢                                      | 59B9      | 9C45    | 5EE2  | I3SP0080 |
| 廐                                      | 59BA      | 9C46    | 5EE1  | I3SQ0080 |
| 廐                                      | 59BB      | 9C47    | 5EE8  | I3SR0080 |
| 廐                                      | 59BC      | 9C48    | 5EE9  | I3SS0080 |
| 廐                                      | 59BD      | 9C49    | 5EEC  | I3ST0080 |
| 廐                                      | 59BE      | 9C4C    | 5EF0  | I3SU0080 |
| 廐                                      | 59BF      | 9C4A    | 5EF1  | I3SV0080 |
| 廐                                      | 59C0      | 9C4B    | 5EF3  | I3SW0080 |
| 廐                                      | 59C1      | 9C4D    | 5EF4  | I3SX0080 |
| 弃                                      | 59C2      | 9C50    | 5F03  | I3SY0080 |
| 𠂔                                      | 59C3      | 9C51    | 5F09  | I3SZ0080 |
| 弋                                      | 59C4      | 9C54    | 5F0B  | I3T00080 |
| 弑                                      | 59C5      | 9C55    | 5F11  | I3T10080 |
| 𠂔                                      | 59C6      | 9C56    | 5F16  | I3T20080 |
| 𠂔                                      | 59C7      | FAB7    | 5F21  | I3T30080 |
| 弩                                      | 59C8      | 9C57    | 5F29  | I3T40080 |
| 弭                                      | 59C9      | 9C58    | 5F2D  | I3T50080 |
| 𠂔                                      | 59CA      | 9C5E    | 5F2F  | I3T60080 |
| 𠂔                                      | 59CB      | FAB8    | 5F34  | I3T70080 |
| 𠂔                                      | 59CC      | 9C59    | 5F38  | I3T80080 |
| 𠂔                                      | 59CD      | 9C5A    | 5F41  | I3T90080 |
| 彈                                      | 59CE      | 9C5B    | 5F48  | I3TA0080 |
| 彌                                      | 59CF      | 9C5C    | 5F4C  | I3TB0080 |
| 彎                                      | 59D0      | 9C5D    | 5F4E  | I3TC0080 |
| 𠂔                                      | 59D1      | 9C5F    | 5F51  | I3TD0080 |
| 彖                                      | 59D2      | 9C60    | 5F56  | I3TE0080 |
| 彗                                      | 59D3      | 9C61    | 5F57  | I3TF0080 |
| 彙                                      | 59D4      | 9C62    | 5F59  | I3TG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 彝                                      | 59D5      | 9C53    | 5F5C  | I3TH0080 |
| 彝                                      | 59D6      | 9C52    | 5F5D  | I3TI0080 |
| 彡                                      | 59D7      | 9C63    | 5F61  | I3TJ0080 |
| 彳                                      | 59D8      | FAB9    | 5F67  | I3TK0080 |
| 彳                                      | 59D9      | 9C65    | 5F73  | I3TL0080 |
| 徃                                      | 59DA      | 9C66    | 5F77  | I3TM0080 |
| 徃                                      | 59DB      | 9C67    | 5F83  | I3TN0080 |
| 徃                                      | 59DC      | 9C68    | 5F82  | I3TO0080 |
| 徃                                      | 59DD      | 9C69    | 5F7F  | I3TP0080 |
| 徃                                      | 59DE      | 9C6A    | 5F8A  | I3TQ0080 |
| 徃                                      | 59DF      | 9C6B    | 5F88  | I3TR0080 |
| 徃                                      | 59E0      | 9C6D    | 5F87  | I3TS0080 |
| 徑                                      | 59E1      | 9C6C    | 5F91  | I3TT0080 |
| 徃                                      | 59E2      | 9C6F    | 5F99  | I3TU0080 |
| 徃                                      | 59E3      | 9C6E    | 5F9E  | I3TV0080 |
| 徃                                      | 59E4      | 9C70    | 5F98  | I3TW0080 |
| 徃                                      | 59E5      | 9C71    | 5FA0  | I3TX0080 |
| 徃                                      | 59E6      | 9C72    | 5FA8  | I3TY0080 |
| 徃                                      | 59E7      | 9C73    | 5FAD  | I3TZ0080 |
| 徃                                      | 59E8      | FABA    | 5FB7  | I3U00080 |
| 徃                                      | 59E9      | 9C74    | 5FBC  | I3U10080 |
| 徃                                      | 59EA      | 9C75    | 5FD6  | I3U20080 |
| 徃                                      | 59EB      | 9C76    | 5FFB  | I3U30080 |
| 徃                                      | 59EC      | 9C77    | 5FE4  | I3U40080 |
| 徃                                      | 59ED      | 9C78    | 5FF8  | I3U50080 |
| 徃                                      | 59EE      | 9C79    | 5FF1  | I3U60080 |
| 徃                                      | 59EF      | 9CAB    | 5FF0  | I3U70080 |
| 徃                                      | 59F0      | 9C7A    | 5FDD  | I3U80080 |
| 徃                                      | 59F1      | FABB    | 5FDE  | I3U90080 |
| 徃                                      | 59F2      | 9C7C    | 5FFF  | I3UA0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 怡                                      | 59F3      | 9C7D    | 6021  | I3UB0080 |
| 怙                                      | 59F4      | 9C80    | 6019  | I3UC0080 |
| 恂                                      | 59F5      | 9C81    | 6010  | I3UD0080 |
| 恂                                      | 59F6      | 9C82    | 6029  | I3UE0080 |
| 恂                                      | 59F7      | 9C83    | 600E  | I3UF0080 |
| 恂                                      | 59F8      | 9C84    | 6031  | I3UG0080 |
| 怛                                      | 59F9      | 9C85    | 601B  | I3UH0080 |
| 怕                                      | 59FA      | 9C86    | 6015  | I3UI0080 |
| 怫                                      | 59FB      | 9C87    | 602B  | I3UJ0080 |
| 怦                                      | 59FC      | 9C88    | 6026  | I3UK0080 |
| 怦                                      | 59FD      | 9C89    | 600F  | I3UL0080 |
| 怦                                      | 59FE      | 9C8A    | 603A  | I3UM0080 |
| 恚                                      | 5A41      | 9C8B    | 605A  | I3UP0080 |
| 恚                                      | 5A42      | 9C8C    | 6041  | I3UQ0080 |
| 恚                                      | 5A43      | 9C7E    | 6060  | I3UR0080 |
| 恚                                      | 5A44      | FABC    | 605D  | I3US0080 |
| 恚                                      | 5A45      | 9C8D    | 606A  | I3UT0080 |
| 恚                                      | 5A46      | 9C8E    | 6077  | I3UU0080 |
| 恚                                      | 5A47      | 9C8F    | 605F  | I3UV0080 |
| 恚                                      | 5A48      | 9C90    | 604A  | I3UW0080 |
| 恚                                      | 5A49      | 9C91    | 6046  | I3UX0080 |
| 恚                                      | 5A4A      | 9C92    | 604D  | I3UY0080 |
| 恚                                      | 5A4B      | 9C93    | 6063  | I3UZ0080 |
| 恚                                      | 5A4C      | 9C94    | 6043  | I3V00080 |
| 恚                                      | 5A4D      | 9C95    | 6064  | I3V10080 |
| 恚                                      | 5A4E      | 9C97    | 606C  | I3V20080 |
| 恚                                      | 5A4F      | 9C98    | 606B  | I3V30080 |
| 恚                                      | 5A50      | 9C99    | 6059  | I3V40080 |
| 恚                                      | 5A51      | FABD    | 6085  | I3V50080 |
| 恚                                      | 5A52      | 9C9A    | 6081  | I3V60080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 悃                                      | 5A53      | 9C9D    | 6083  | I3V70080 |
| 悚                                      | 5A54      | 9C9E    | 609A  | I3V80080 |
| 悄                                      | 5A55      | 9C9F    | 6084  | I3V90080 |
| 悛                                      | 5A56      | 9CA0    | 609B  | I3VA0080 |
| 悝                                      | 5A57      | FABE    | 608A  | I3VB0080 |
| 悞                                      | 5A58      | 9CA1    | 6096  | I3VC0080 |
| 悞                                      | 5A59      | 9CA2    | 6097  | I3VD0080 |
| 悞                                      | 5A5A      | 9CA3    | 6092  | I3VE0080 |
| 悞                                      | 5A5B      | 9CA4    | 60A7  | I3VF0080 |
| 悞                                      | 5A5C      | 9CA5    | 608B  | I3VG0080 |
| 悞                                      | 5A5D      | 9CA6    | 60E1  | I3VH0080 |
| 悞                                      | 5A5E      | 9CA7    | 60B8  | I3VI0080 |
| 悞                                      | 5A5F      | FABF    | 60DE  | I3VJ0080 |
| 悞                                      | 5A60      | 9CA8    | 60E0  | I3VK0080 |
| 悞                                      | 5A61      | 9CA9    | 60D3  | I3VL0080 |
| 悞                                      | 5A62      | 9CAC    | 60BD  | I3VM0080 |
| 悞                                      | 5A63      | 9CAD    | 60C6  | I3VN0080 |
| 悞                                      | 5A64      | 9CAE    | 60B5  | I3VO0080 |
| 悞                                      | 5A65      | FAC0    | 60D5  | I3VP0080 |
| 悞                                      | 5A66      | 9CAF    | 60D8  | I3VQ0080 |
| 悞                                      | 5A67      | FAC1    | 6120  | I3VR0080 |
| 悞                                      | 5A68      | FAC2    | 60F2  | I3VS0080 |
| 悞                                      | 5A69      | 9CB1    | 6115  | I3VT0080 |
| 悞                                      | 5A6A      | 9CB2    | 6106  | I3VU0080 |
| 悞                                      | 5A6B      | 9CB3    | 60F6  | I3VV0080 |
| 悞                                      | 5A6C      | 9CB4    | 60F7  | I3VW0080 |
| 悞                                      | 5A6D      | 9CB5    | 6100  | I3VX0080 |
| 悞                                      | 5A6E      | 9CB6    | 60F4  | I3VY0080 |
| 悞                                      | 5A6F      | 9CB7    | 60FA  | I3VZ0080 |
| 悞                                      | 5A70      | 9CB8    | 6103  | I3W00080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 悞                                      | 5A71      | 9CB9    | 6121  | I3W10080 |
| 悞                                      | 5A72      | 9CBA    | 60FB  | I3W20080 |
| 悞                                      | 5A73      | 9CBB    | 60F1  | I3W30080 |
| 悞                                      | 5A74      | 9CBC    | 610D  | I3W40080 |
| 悞                                      | 5A75      | 9CBD    | 610E  | I3W50080 |
| 悞                                      | 5A76      | FAC3    | 6111  | I3W60080 |
| 悞                                      | 5A77      | 9CBE    | 6147  | I3W70080 |
| 悞                                      | 5A78      | 9CB0    | 614D  | I3W80080 |
| 悞                                      | 5A79      | FAC4    | 6137  | I3W90080 |
| 悞                                      | 5A7A      | 9CC0    | 6128  | I3WA0080 |
| 悞                                      | 5A7B      | 9CC1    | 6127  | I3WB0080 |
| 悞                                      | 5A7C      | 9CBF    | 613E  | I3WC0080 |
| 悞                                      | 5A7D      | 9CC2    | 614A  | I3WD0080 |
| 悞                                      | 5A7E      | FAC5    | 6130  | I3WE0080 |
| 悞                                      | 5A7F      | 9CC4    | 613C  | I3WF0080 |
| 悞                                      | 5A80      | 9CC5    | 612C  | I3WG0080 |
| 悞                                      | 5A81      | 9CC6    | 6134  | I3WH0080 |
| 悞                                      | 5A82      | 9CD2    | 6165  | I3WI0080 |
| 悞                                      | 5A83      | 9CD5    | 615D  | I3WJ0080 |
| 悞                                      | 5A84      | 9CC7    | 613D  | I3WK0080 |
| 悞                                      | 5A85      | 9CC8    | 6142  | I3WL0080 |
| 悞                                      | 5A86      | 9CC9    | 6144  | I3WM0080 |
| 悞                                      | 5A87      | 9CCA    | 6173  | I3WN0080 |
| 悞                                      | 5A88      | 9CDA    | 6187  | I3WO0080 |
| 悞                                      | 5A89      | 9CCB    | 6177  | I3WP0080 |
| 悞                                      | 5A8A      | 9CCC    | 6158  | I3WQ0080 |
| 悞                                      | 5A8B      | 9CCD    | 6159  | I3WR0080 |
| 悞                                      | 5A8C      | 9CCE    | 615A  | I3WS0080 |
| 悞                                      | 5A8D      | 9CCF    | 616B  | I3WT0080 |
| 悞                                      | 5A8E      | 9CD0    | 6174  | I3WU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 傷                                      | 5A8F      | 9CD1    | 616F  | I3WV0080 |
| 博                                      | 5A90      | 9CD3    | 6171  | I3WW0080 |
| 働                                      | 5A91      | 9CD4    | 615F  | I3WX0080 |
| 慄                                      | 5A92      | 9CD6    | 6153  | I3WY0080 |
| 慵                                      | 5A93      | 9CD7    | 6175  | I3WZ0080 |
| 愜                                      | 5A94      | FAC6    | 6198  | I3X00080 |
| 憇                                      | 5A95      | 9CD8    | 6199  | I3X10080 |
| 愁                                      | 5A96      | 9CD9    | 6196  | I3X20080 |
| 憬                                      | 5A97      | 9CDB    | 61AC  | I3X30080 |
| 憔                                      | 5A98      | 9CDC    | 6194  | I3X40080 |
| 憊                                      | 5A99      | 9CDE    | 618A  | I3X50080 |
| 憑                                      | 5A9A      | 9CDF    | 6191  | I3X60080 |
| 憫                                      | 5A9B      | 9CE0    | 61AB  | I3X70080 |
| 憮                                      | 5A9C      | 9CE1    | 61AE  | I3X80080 |
| 憺                                      | 5A9D      | 9CE2    | 61CC  | I3X90080 |
| 懊                                      | 5A9E      | 9CE3    | 61CA  | I3XA0080 |
| 應                                      | 5A9F      | 9CE4    | 61C9  | I3XB0080 |
| 懈                                      | 5AA0      | 9CE6    | 61C8  | I3XC0080 |
| 勲                                      | 5AA1      | 9CE7    | 61C3  | I3XD0080 |
| 燥                                      | 5AA2      | 9CE8    | 61C6  | I3XE0080 |
| 愴                                      | 5AA3      | 9CE9    | 61BA  | I3XF0080 |
| 懋                                      | 5AA4      | 9CEA    | 61CB  | I3XG0080 |
| 罹                                      | 5AA5      | 9CEB    | 7F79  | I3XH0080 |
| 慄                                      | 5AA6      | 9CEC    | 61CD  | I3XI0080 |
| 懦                                      | 5AA7      | 9CED    | 61E6  | I3XJ0080 |
| 慄                                      | 5AA8      | 9CEE    | 61E3  | I3XK0080 |
| 懺                                      | 5AA9      | 9CF1    | 61F4  | I3XL0080 |
| 懷                                      | 5AAA      | 9CE5    | 61F7  | I3XM0080 |
| 懶                                      | 5AAB      | 9CEF    | 61F6  | I3XN0080 |
| 權                                      | 5AAC      | 9CF3    | 61FD  | I3XO0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 懺                                      | 5AAD      | 9CF0    | 61FA  | I3XP0080 |
| 懿                                      | 5AAE      | 9CF2    | 61FF  | I3XQ0080 |
| 懼                                      | 5AAF      | 9CF4    | 61FC  | I3XR0080 |
| 懾                                      | 5AB0      | 9CF5    | 61FE  | I3XS0080 |
| 戀                                      | 5AB1      | 9CF6    | 6200  | I3XT0080 |
| 戈                                      | 5AB2      | 9CF7    | 6208  | I3XU0080 |
| 戍                                      | 5AB3      | 9CF8    | 6209  | I3XV0080 |
| 戍                                      | 5AB4      | 9CF9    | 620D  | I3XW0080 |
| 或                                      | 5AB5      | FAC7    | 6213  | I3XX0080 |
| 戔                                      | 5AB6      | 9CFB    | 6214  | I3XY0080 |
| 戛                                      | 5AB7      | 9CFC    | 621B  | I3XZ0080 |
| 戛                                      | 5AB8      | 9D40    | 621E  | I3Y00080 |
| 戛                                      | 5AB9      | 9D41    | 6221  | I3Y10080 |
| 截                                      | 5ABA      | 9D42    | 622A  | I3Y20080 |
| 戮                                      | 5ABB      | 9D43    | 622E  | I3Y30080 |
| 戰                                      | 5ABC      | 9D44    | 6230  | I3Y40080 |
| 戲                                      | 5ABD      | 9D45    | 6232  | I3Y50080 |
| 戮                                      | 5ABE      | 9D46    | 6233  | I3Y60080 |
| 扁                                      | 5ABF      | 9D47    | 6241  | I3Y70080 |
| 扎                                      | 5AC0      | 9D48    | 624E  | I3Y80080 |
| 扌                                      | 5AC1      | 9D49    | 625E  | I3Y90080 |
| 扌                                      | 5AC2      | 9D4A    | 6263  | I3YA0080 |
| 扌                                      | 5AC3      | 9D4B    | 625B  | I3YB0080 |
| 扌                                      | 5AC4      | 9D4C    | 6260  | I3YC0080 |
| 扌                                      | 5AC5      | 9D4D    | 6268  | I3YD0080 |
| 扌                                      | 5AC6      | 9D4E    | 627C  | I3YE0080 |
| 扌                                      | 5AC7      | 9D4F    | 6282  | I3YF0080 |
| 扌                                      | 5AC8      | 9D50    | 6289  | I3YG0080 |
| 扌                                      | 5AC9      | 9D52    | 6292  | I3YH0080 |
| 扌                                      | 5ACA      | 9D51    | 627E  | I3YI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 抓                                      | 5ACB      | 9D53    | 6293  | I3YJ0080 |
| 抖                                      | 5ACC      | 9D54    | 6296  | I3YK0080 |
| 扑                                      | 5ACD      | 9D56    | 6283  | I3YL0080 |
| 杯                                      | 5ACE      | 9D57    | 6294  | I3YM0080 |
| 拗                                      | 5ACF      | 9D58    | 62D7  | I3YN0080 |
| 拈                                      | 5AD0      | 9D59    | 62D1  | I3YO0080 |
| 伸                                      | 5AD1      | 9D5A    | 62BB  | I3YP0080 |
| 拏                                      | 5AD2      | 9D5B    | 62CF  | I3YQ0080 |
| 抬                                      | 5AD3      | 9DAB    | 62AC  | I3YR0080 |
| 拆                                      | 5AD4      | 9D5D    | 62C6  | I3YS0080 |
| 拈                                      | 5AD5      | 9D5F    | 62C8  | I3YT0080 |
| 拜                                      | 5AD6      | 9D60    | 62DC  | I3YU0080 |
| 拔                                      | 5AD7      | 9D55    | 62D4  | I3YV0080 |
| 拊                                      | 5AD8      | 9D62    | 62CA  | I3YW0080 |
| 拂                                      | 5AD9      | 9D63    | 62C2  | I3YX0080 |
| 柄                                      | 5ADA      | FAC8    | 62A6  | I3YY0080 |
| 拇                                      | 5ADB      | 9D64    | 62C7  | I3YZ0080 |
| 抛                                      | 5ADC      | 9D65    | 629B  | I3Z00080 |
| 拉                                      | 5ADD      | 9D66    | 62C9  | I3Z10080 |
| 拞                                      | 5ADE      | 9D67    | 630C  | I3Z20080 |
| 拮                                      | 5ADF      | 9D68    | 62EE  | I3Z30080 |
| 拱                                      | 5AE0      | 9D69    | 62F1  | I3Z40080 |
| 擗                                      | 5AE1      | 9D6A    | 6327  | I3Z50080 |
| 挂                                      | 5AE2      | 9D6B    | 6302  | I3Z60080 |
| 拏                                      | 5AE3      | 9D6C    | 6308  | I3Z70080 |
| 拯                                      | 5AE4      | 9D6D    | 62EF  | I3Z80080 |
| 拏                                      | 5AE5      | 9D6E    | 62F5  | I3Z90080 |
| 拿                                      | 5AE6      | 9D5C    | 62FF  | I3ZA0080 |
| 捐                                      | 5AE7      | 9D6F    | 6350  | I3ZB0080 |
| 捍                                      | 5AE8      | 9D71    | 634D  | I3ZC0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 挾                                      | 5AE9      | 9D70    | 633E  | I3ZD0080 |
| 捏                                      | 5AEA      | 9D73    | 634F  | I3ZE0080 |
| 掖                                      | 5AEB      | 9D74    | 6396  | I3ZF0080 |
| 揶                                      | 5AEC      | 9D75    | 638E  | I3ZG0080 |
| 掀                                      | 5AED      | 9D76    | 6380  | I3ZH0080 |
| 掀                                      | 5AEE      | 9D77    | 63AB  | I3ZI0080 |
| 捶                                      | 5AEF      | 9D78    | 6376  | I3ZJ0080 |
| 掣                                      | 5AF0      | 9D79    | 63A3  | I3ZK0080 |
| 掏                                      | 5AF1      | 9D7A    | 638F  | I3ZL0080 |
| 掉                                      | 5AF2      | 9D7B    | 6389  | I3ZM0080 |
| 掟                                      | 5AF3      | 9D7C    | 639F  | I3ZN0080 |
| 捫                                      | 5AF4      | 9D7E    | 636B  | I3ZO0080 |
| 捩                                      | 5AF5      | 9D80    | 6369  | I3ZP0080 |
| 掄                                      | 5AF6      | 9D7D    | 63B5  | I3ZQ0080 |
| 掾                                      | 5AF7      | 9D81    | 63BE  | I3ZR0080 |
| 揩                                      | 5AF8      | 9D82    | 63E9  | I3ZS0080 |
| 揀                                      | 5AF9      | 9D83    | 63C0  | I3ZT0080 |
| 揆                                      | 5AFA      | 9D84    | 63C6  | I3ZU0080 |
| 揅                                      | 5AFB      | FAC9    | 63F5  | I3ZV0080 |
| 揣                                      | 5AFC      | 9D85    | 63E3  | I3ZW0080 |
| 揉                                      | 5AFD      | 9D86    | 63C9  | I3ZX0080 |
| 插                                      | 5AFE      | 9D87    | 63D2  | I3ZY0080 |
| 擗                                      | 5B41      | 9D88    | 63F6  | I4010080 |
| 揄                                      | 5B42      | 9D89    | 63C4  | I4020080 |
| 拏                                      | 5B43      | 9D8B    | 6434  | I4030080 |
| 搆                                      | 5B44      | 9D8C    | 6406  | I4040080 |
| 搓                                      | 5B45      | 9D8D    | 6413  | I4050080 |
| 擗                                      | 5B46      | 9D8E    | 6426  | I4060080 |
| 搶                                      | 5B47      | 9D8F    | 6436  | I4070080 |
| 搜                                      | 5B48      | 9D72    | 641C  | I4080080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 搗                                      | 5B49      | 9D91    | 6417  | I4090080 |
| 搨                                      | 5B4A      | 9D92    | 6428  | I40A0080 |
| 搏                                      | 5B4B      | 9D93    | 640F  | I40B0080 |
| 搖                                      | 5B4C      | 9D8A    | 6416  | I40C0080 |
| 摺                                      | 5B4D      | 9D97    | 644E  | I40D0080 |
| 摧                                      | 5B4E      | 9D94    | 6467  | I40E0080 |
| 摯                                      | 5B4F      | 9D95    | 646F  | I40F0080 |
| 摠                                      | 5B50      | FACA    | 6460  | I40G0080 |
| 搏                                      | 5B51      | 9D96    | 6476  | I40H0080 |
| 攪                                      | 5B52      | 9D98    | 64B9  | I40I0080 |
| 搵                                      | 5B53      | FACB    | 649D  | I40J0080 |
| 擊                                      | 5B54      | FACC    | 64CE  | I40K0080 |
| 撕                                      | 5B55      | 9D99    | 6495  | I40L0080 |
| 撻                                      | 5B56      | 9DA3    | 64BB  | I40M0080 |
| 撓                                      | 5B57      | 9D9A    | 6493  | I40N0080 |
| 撥                                      | 5B58      | 9D9B    | 64A5  | I40O0080 |
| 撩                                      | 5B59      | 9D9C    | 64A9  | I40P0080 |
| 撈                                      | 5B5A      | 9D9D    | 6488  | I40Q0080 |
| 撼                                      | 5B5B      | 9D9E    | 64BC  | I40R0080 |
| 據                                      | 5B5C      | 9D9F    | 64DA  | I40S0080 |
| 擒                                      | 5B5D      | 9DA0    | 64D2  | I40T0080 |
| 擅                                      | 5B5E      | 9DA1    | 64C5  | I40U0080 |
| 擇                                      | 5B5F      | 9DA2    | 64C7  | I40V0080 |
| 擔                                      | 5B60      | 9D5E    | 64D4  | I40W0080 |
| 擘                                      | 5B61      | 9DA4    | 64D8  | I40X0080 |
| 搯                                      | 5B62      | 9DA5    | 64C2  | I40Y0080 |
| 攔                                      | 5B63      | 9DA6    | 64F1  | I40Z0080 |
| 舉                                      | 5B64      | 9DA7    | 64E7  | I4100080 |
| 擠                                      | 5B65      | 9DA9    | 64E0  | I4110080 |
| 擡                                      | 5B66      | 9DAA    | 64E1  | I4120080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 擣                                      | 5B67      | 9DAC    | 64E3  | I4130080 |
| 擣                                      | 5B68      | 9DAD    | 64EF  | I4140080 |
| 擣                                      | 5B69      | 9DB0    | 64F4  | I4150080 |
| 擣                                      | 5B6A      | 9DAF    | 64F6  | I4160080 |
| 擣                                      | 5B6B      | 9DB1    | 64F2  | I4170080 |
| 擣                                      | 5B6C      | 9DB2    | 64FA  | I4180080 |
| 攀                                      | 5B6D      | 9DB3    | 6500  | I4190080 |
| 擣                                      | 5B6E      | 9DB4    | 64FD  | I41A0080 |
| 擣                                      | 5B6F      | 9DB5    | 6518  | I41B0080 |
| 擣                                      | 5B70      | 9DB6    | 651C  | I41C0080 |
| 攝                                      | 5B71      | 9D90    | 651D  | I41D0080 |
| 擣                                      | 5B72      | 9DB7    | 6505  | I41E0080 |
| 攤                                      | 5B73      | 9DB8    | 6524  | I41F0080 |
| 擣                                      | 5B74      | 9DB9    | 6523  | I41G0080 |
| 擣                                      | 5B75      | 9DBA    | 652B  | I41H0080 |
| 擣                                      | 5B76      | 9DAE    | 652C  | I41I0080 |
| 支                                      | 5B77      | 9DBB    | 6534  | I41J0080 |
| 攵                                      | 5B78      | 9DBC    | 6535  | I41K0080 |
| 攵                                      | 5B79      | 9DBD    | 6537  | I41L0080 |
| 攵                                      | 5B7A      | 9DBE    | 6536  | I41M0080 |
| 攵                                      | 5B7B      | 9DBF    | 6538  | I41N0080 |
| 攵                                      | 5B7C      | 9DC0    | 754B  | I41O0080 |
| 攵                                      | 5B7D      | 9DC1    | 6548  | I41P0080 |
| 攵                                      | 5B7E      | FACD    | 654E  | I41Q0080 |
| 攵                                      | 5B7F      | 9DC2    | 6556  | I41R0080 |
| 攵                                      | 5B80      | 9DC4    | 654D  | I41S0080 |
| 攵                                      | 5B81      | 9DC5    | 6558  | I41T0080 |
| 攵                                      | 5B82      | 9DC3    | 6555  | I41U0080 |
| 攵                                      | 5B83      | 9DC7    | 655D  | I41V0080 |
| 攵                                      | 5B84      | 9DC8    | 6572  | I41W0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 數                                      | 5B85      | 9DC9    | 6578  | I41X0080 |
| 斂                                      | 5B86      | 9DCA    | 6582  | I41Y0080 |
| 斃                                      | 5B87      | 9DCB    | 6583  | I41Z0080 |
| 變                                      | 5B88      | 9DCC    | 8B8A  | I4200080 |
| 斛                                      | 5B89      | 9DCD    | 659B  | I4210080 |
| 斟                                      | 5B8A      | 9DCE    | 659F  | I4220080 |
| 斫                                      | 5B8B      | 9DCF    | 65AB  | I4230080 |
| 斷                                      | 5B8C      | 9DD0    | 65B7  | I4240080 |
| 旃                                      | 5B8D      | 9DD1    | 65C3  | I4250080 |
| 旃                                      | 5B8E      | 9DD2    | 65C6  | I4260080 |
| 旁                                      | 5B8F      | 9DD3    | 65C1  | I4270080 |
| 旌                                      | 5B90      | 9DD4    | 65C4  | I4280080 |
| 旌                                      | 5B91      | 9DD5    | 65CC  | I4290080 |
| 旒                                      | 5B92      | 9DD6    | 65D2  | I42A0080 |
| 播                                      | 5B93      | 9DD8    | 65D9  | I42B0080 |
| 旡                                      | 5B94      | 9DDA    | 65E1  | I42C0080 |
| 无                                      | 5B95      | 9DD9    | 65E0  | I42D0080 |
| 旱                                      | 5B96      | 9ddb    | 65F1  | I42E0080 |
| 昀                                      | 5B97      | FACE    | 6600  | I42F0080 |
| 昀                                      | 5B98      | FACF    | 6615  | I42G0080 |
| 昀                                      | 5B99      | FAD0    | 6602  | I42H0080 |
| 昀                                      | 5B9A      | 9DDC    | 6772  | I42I0080 |
| 昀                                      | 5B9B      | 9DDE    | 6603  | I42J0080 |
| 昀                                      | 5B9C      | 9DDF    | 65FB  | I42K0080 |
| 昀                                      | 5B9D      | FAD1    | 6609  | I42L0080 |
| 昀                                      | 5B9E      | 9E45    | 663F  | I42M0080 |
| 呢                                      | 5B9F      | 9DE1    | 6635  | I42N0080 |
| 昀                                      | 5BA0      | FAD2    | 662E  | I42O0080 |
| 昀                                      | 5BA1      | FAD3    | 661E  | I42P0080 |
| 昀                                      | 5BA2      | 9DE3    | 6634  | I42Q0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 昀                                      | 5BA3      | 9DE4    | 661C  | I42R0080 |
| 昀                                      | 5BA4      | FAD4    | 6624  | I42S0080 |
| 昀                                      | 5BA5      | 9DE6    | 6644  | I42T0080 |
| 昀                                      | 5BA6      | 9DE7    | 6649  | I42U0080 |
| 昀                                      | 5BA7      | FAD5    | 6665  | I42V0080 |
| 昀                                      | 5BA8      | FAD6    | 6657  | I42W0080 |
| 昀                                      | 5BA9      | 9DE9    | 665E  | I42X0080 |
| 昀                                      | 5BAA      | 9DEB    | 6664  | I42Y0080 |
| 昀                                      | 5BAB      | FAD7    | 6659  | I42Z0080 |
| 昀                                      | 5BAC      | 9DEF    | 6662  | I4300080 |
| 昀                                      | 5BAD      | 9DEA    | 665D  | I4310080 |
| 昀                                      | 5BAE      | FAD8    | FA12  | I4320080 |
| 昀                                      | 5BAF      | FAD9    | 6673  | I4330080 |
| 昀                                      | 5BB0      | 9DF0    | 6670  | I4340080 |
| 昀                                      | 5BB1      | 9DF1    | 6683  | I4350080 |
| 昀                                      | 5BB2      | 9DF2    | 6688  | I4360080 |
| 昀                                      | 5BB3      | 9DF5    | 6684  | I4370080 |
| 昀                                      | 5BB4      | FADA    | 6699  | I4380080 |
| 昀                                      | 5BB5      | 9DF6    | 6698  | I4390080 |
| 昀                                      | 5BB6      | FADB    | 66A0  | I43A0080 |
| 昀                                      | 5BB7      | 9DF7    | 669D  | I43B0080 |
| 昀                                      | 5BB8      | FADC    | 66B2  | I43C0080 |
| 昀                                      | 5BB9      | 9E40    | 66C4  | I43D0080 |
| 昀                                      | 5BBA      | 9DF8    | 66C1  | I43E0080 |
| 昀                                      | 5BBB      | FADD    | 66BF  | I43F0080 |
| 昀                                      | 5BBC      | 9DFA    | 66C9  | I43G0080 |
| 昀                                      | 5BBD      | 9DFB    | 66BE  | I43H0080 |
| 昀                                      | 5BBE      | 9DFC    | 66BC  | I43I0080 |
| 昀                                      | 5BBF      | 9E41    | 66B8  | I43J0080 |
| 昀                                      | 5BC0      | 9E42    | 66D6  | I43K0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 矇                                      | 5BC1      | 9E43    | 66DA  | I43L0080 |
| 矇                                      | 5BC2      | 9E46    | 66E6  | I43M0080 |
| 曩                                      | 5BC3      | 9E47    | 66E9  | I43N0080 |
| 日                                      | 5BC4      | 9E48    | 66F0  | I43O0080 |
| 曳                                      | 5BC5      | 9E49    | 66F5  | I43P0080 |
| 曷                                      | 5BC6      | 9E4A    | 66F7  | I43Q0080 |
| 曹                                      | 5BC7      | FADE    | 66FA  | I43R0080 |
| 脛                                      | 5BC8      | FADF    | 670E  | I43S0080 |
| 朗                                      | 5BC9      | FAE0    | F929  | I43T0080 |
| 脛                                      | 5BCA      | 9E4C    | 6716  | I43U0080 |
| 碁                                      | 5BCB      | 9E4D    | 671E  | I43V0080 |
| 滕                                      | 5BCC      | E377    | 7E22  | I43W0080 |
| 朦                                      | 5BCD      | 9E4E    | 6726  | I43X0080 |
| 隴                                      | 5BCE      | 9E4F    | 6727  | I43Y0080 |
| 霸                                      | 5BCF      | 9E50    | 9738  | I43Z0080 |
| 朮                                      | 5BD0      | 9E51    | 672E  | I4400080 |
| 束                                      | 5BD1      | 9E52    | 673F  | I4410080 |
| 朶                                      | 5BD2      | 9E53    | 6736  | I4420080 |
| 朮                                      | 5BD3      | 9E56    | 6737  | I4430080 |
| 朮                                      | 5BD4      | 9E55    | 6738  | I4440080 |
| 杆                                      | 5BD5      | 9E57    | 6746  | I4450080 |
| 杞                                      | 5BD6      | 9E58    | 675E  | I4460080 |
| 杙                                      | 5BD7      | 9E5A    | 6759  | I4470080 |
| 杙                                      | 5BD8      | FAE1    | 6766  | I4480080 |
| 朽                                      | 5BD9      | 9E5C    | 6764  | I4490080 |
| 枉                                      | 5BDA      | 9E5D    | 6789  | I44A0080 |
| 枅                                      | 5BDB      | 9E66    | 6785  | I44B0080 |
| 杰                                      | 5BDC      | 9E5E    | 6770  | I44C0080 |
| 忝                                      | 5BDD      | 9E5F    | 67A9  | I44D0080 |
| 杪                                      | 5BDE      | 9E61    | 676A  | I44E0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 枋                                      | 5BDF      | 9E63    | 678B  | I44F0080 |
| 杳                                      | 5BE0      | 9DE0    | 6773  | I44G0080 |
| 枞                                      | 5BE1      | 9E64    | 67A6  | I44H0080 |
| 枅                                      | 5BE2      | 9E65    | 67A1  | I44I0080 |
| 榘                                      | 5BE3      | FAE2    | 67BB  | I44J0080 |
| 榘                                      | 5BE4      | 9E67    | 67B7  | I44K0080 |
| 柯                                      | 5BE5      | 9E68    | 67EF  | I44L0080 |
| 枊                                      | 5BE6      | 9E69    | 67B4  | I44M0080 |
| 束                                      | 5BE7      | 9E6A    | 67EC  | I44N0080 |
| 榘                                      | 5BE8      | 9E6C    | 67E9  | I44O0080 |
| 枸                                      | 5BE9      | 9E6D    | 67B8  | I44P0080 |
| 椏                                      | 5BEA      | 9E76    | 67E7  | I44Q0080 |
| 椏                                      | 5BEB      | 9E6E    | 67E4  | I44R0080 |
| 榘                                      | 5BEC      | FAE3    | 6852  | I44S0080 |
| 枅                                      | 5BED      | 9E70    | 67DD  | I44T0080 |
| 椏                                      | 5BEE      | 9E71    | 67E2  | I44U0080 |
| 椏                                      | 5BEF      | 9E72    | 67EE  | I44V0080 |
| 椏                                      | 5BF0      | FAE4    | 67C0  | I44W0080 |
| 枅                                      | 5BF1      | 9E74    | 67CE  | I44X0080 |
| 枅                                      | 5BF2      | 9E73    | 67B9  | I44Y0080 |
| 柳                                      | 5BF3      | FAE5    | 6801  | I44Z0080 |
| 粒                                      | 5BF4      | 9E75    | 67C6  | I4500080 |
| 榘                                      | 5BF5      | 9E78    | 681E  | I4510080 |
| 榘                                      | 5BF6      | 9E79    | 6846  | I4520080 |
| 枅                                      | 5BF7      | 9E7C    | 684D  | I4530080 |
| 桀                                      | 5BF8      | 9E7B    | 6840  | I4540080 |
| 枅                                      | 5BF9      | FAE6    | 6844  | I4550080 |
| 枅                                      | 5BFA      | 9E7D    | 6832  | I4560080 |
| 枅                                      | 5BFB      | 9E7E    | 684E  | I4570080 |
| 枅                                      | 5BFC      | 9E83    | 6863  | I4580080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 桦                                      | 5BFD      | 9E82    | 6859  | I4590080 |
| 梶                                      | 5BFE      | 9E94    | 688D  | I45A0080 |
| 桷                                      | 5C41      | 9E84    | 6877  | I45D0080 |
| 榎                                      | 5C42      | 9E85    | 687F  | I45E0080 |
| 梟                                      | 5C43      | 9E86    | 689F  | I45F0080 |
| 楮                                      | 5C44      | 9E95    | 687E  | I45G0080 |
| 楛                                      | 5C45      | 9E87    | 688F  | I45H0080 |
| 梭                                      | 5C46      | 9E88    | 68AD  | I45I0080 |
| 榭                                      | 5C47      | 9E89    | 6894  | I45J0080 |
| 梃                                      | 5C48      | 9E8C    | 6883  | I45K0080 |
| 栲                                      | 5C49      | 9E8D    | 68BC  | I45L0080 |
| 栢                                      | 5C4A      | 9E8E    | 68B9  | I45M0080 |
| 桴                                      | 5C4B      | 9E8F    | 6874  | I45N0080 |
| 梵                                      | 5C4C      | 9E90    | 68B5  | I45O0080 |
| 椀                                      | 5C4D      | 9E92    | 68BA  | I45P0080 |
| 楳                                      | 5C4E      | 9E93    | 690F  | I45Q0080 |
| 桴                                      | 5C4F      | 9E96    | 6901  | I45R0080 |
| 棊                                      | 5C50      | 9E97    | 68CA  | I45S0080 |
| 榭                                      | 5C51      | 9E98    | 6908  | I45T0080 |
| 棘                                      | 5C52      | 9E99    | 68D8  | I45U0080 |
| 栲                                      | 5C53      | 9E9B    | 6926  | I45V0080 |
| 桐                                      | 5C54      | 9E9C    | 68E1  | I45W0080 |
| 控                                      | 5C55      | 9E9D    | 690C  | I45X0080 |
| 楳                                      | 5C56      | 9E9E    | 68CD  | I45Y0080 |
| 楮                                      | 5C57      | 9E9F    | 68D4  | I45Z0080 |
| 棧                                      | 5C58      | 9EA0    | 68E7  | I4600080 |
| 棕                                      | 5C59      | 9EA1    | 68D5  | I4610080 |
| 椒                                      | 5C5A      | 9EA3    | 6912  | I4620080 |
| 楡                                      | 5C5B      | 9EAA    | 68EF  | I4630080 |
| 接                                      | 5C5C      | 9EA4    | 6904  | I4640080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 棊                                      | 5C5D      | 9EA6    | 68E3  | I4650080 |
| 棠                                      | 5C5E      | 9EA9    | 68E0  | I4660080 |
| 榑                                      | 5C5F      | FAE7    | 68CF  | I4670080 |
| 榭                                      | 5C60      | 9EB0    | 68C6  | I4680080 |
| 榭                                      | 5C61      | 9E9A    | 6922  | I4690080 |
| 楳                                      | 5C62      | 9EAC    | 692A  | I46A0080 |
| 榑                                      | 5C63      | 9EAF    | 6921  | I46B0080 |
| 楳                                      | 5C64      | 9EAE    | 6923  | I46C0080 |
| 榑                                      | 5C65      | 9EAB    | 6928  | I46D0080 |
| 楳                                      | 5C66      | FAE8    | FA13  | I46E0080 |
| 楳                                      | 5C67      | 9EB1    | 6979  | I46F0080 |
| 楳                                      | 5C68      | 9EB2    | 6977  | I46G0080 |
| 榑                                      | 5C69      | 9EA2    | 6936  | I46H0080 |
| 楳                                      | 5C6A      | 9EB4    | 6978  | I46I0080 |
| 楳                                      | 5C6B      | 9EB6    | 6954  | I46J0080 |
| 楳                                      | 5C6C      | 9EC2    | 696A  | I46K0080 |
| 楳                                      | 5C6D      | 9EBA    | 6974  | I46L0080 |
| 楳                                      | 5C6E      | FAE9    | 6968  | I46M0080 |
| 楳                                      | 5C6F      | 9EBB    | 693D  | I46N0080 |
| 楳                                      | 5C70      | 9EBC    | 6959  | I46O0080 |
| 楳                                      | 5C71      | 9EBD    | 6930  | I46P0080 |
| 楳                                      | 5C72      | 9EBF    | 695E  | I46Q0080 |
| 楳                                      | 5C73      | 9EC0    | 695D  | I46R0080 |
| 楳                                      | 5C74      | 9EB7    | 697E  | I46S0080 |
| 楳                                      | 5C75      | 9EC1    | 6981  | I46T0080 |
| 楳                                      | 5C76      | 9EC3    | 69B2  | I46U0080 |
| 楳                                      | 5C77      | 9EC6    | 69BF  | I46V0080 |
| 楳                                      | 5C78      | FAEA    | FA14  | I46W0080 |
| 楳                                      | 5C79      | FAEB    | 6998  | I46X0080 |
| 楳                                      | 5C7A      | 9EC7    | 69C1  | I46Y0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 楨                                      | 5C7B      | 9EC8    | 69D3  | I46Z0080 |
| 楮                                      | 5C7C      | 9EC9    | 69BE  | I4700080 |
| 槎                                      | 5C7D      | 9ECA    | 69CE  | I4710080 |
| 寨                                      | 5C7E      | 9ECB    | 5BE8  | I4720080 |
| 槩                                      | 5C7F      | 9ECC    | 69CA  | I4730080 |
| 榎                                      | 5C80      | 9EE1    | 69B1  | I4740080 |
| 槁                                      | 5C81      | 9ECD    | 69DD  | I4750080 |
| 榻                                      | 5C82      | 9ECE    | 69BB  | I4760080 |
| 槃                                      | 5C83      | 9ECF    | 69C3  | I4770080 |
| 榎                                      | 5C84      | 9ED3    | 69A0  | I4780080 |
| 榜                                      | 5C85      | 9ED4    | 699C  | I4790080 |
| 榕                                      | 5C86      | 9ED5    | 6995  | I47A0080 |
| 橿                                      | 5C87      | 9ED7    | 69DE  | I47B0080 |
| 榎                                      | 5C88      | 9ED1    | 6A2E  | I47C0080 |
| 榎                                      | 5C89      | 9ED8    | 69E8  | I47D0080 |
| 樂                                      | 5C8A      | 9ED9    | 6A02  | I47E0080 |
| 糝                                      | 5C8B      | 9EDA    | 6A1B  | I47F0080 |
| 槿                                      | 5C8C      | 9EDB    | 69FF  | I47G0080 |
| 榎                                      | 5C8D      | 9EDD    | 69F9  | I47H0080 |
| 榎                                      | 5C8E      | 9EDE    | 69F2  | I47I0080 |
| 槩                                      | 5C8F      | 9EDF    | 69E7  | I47J0080 |
| 榎                                      | 5C90      | FAEC    | 69E2  | I47K0080 |
| 榎                                      | 5C91      | 9EE2    | 6A1E  | I47L0080 |
| 槩                                      | 5C92      | 9EE3    | 69ED  | I47M0080 |
| 榎                                      | 5C93      | 9EE4    | 6A14  | I47N0080 |
| 榎                                      | 5C94      | 9EE5    | 69EB  | I47O0080 |
| 榎                                      | 5C95      | 9EE6    | 6A0A  | I47P0080 |
| 榎                                      | 5C96      | 9EF6    | 6A22  | I47Q0080 |
| 榎                                      | 5C97      | 9EE7    | 6A12  | I47R0080 |
| 榎                                      | 5C98      | 9EE9    | 6A23  | I47S0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 樓                                      | 5C99      | 9EEA    | 6A13  | I47T0080 |
| 榎                                      | 5C9A      | FAED    | 6A30  | I47U0080 |
| 榎                                      | 5C9B      | FAEE    | 6A6B  | I47V0080 |
| 榎                                      | 5C9C      | 9EEB    | 6A44  | I47W0080 |
| 榎                                      | 5C9D      | 9EEC    | 6A0C  | I47X0080 |
| 榎                                      | 5C9E      | 9EF9    | 6AA0  | I47Y0080 |
| 榎                                      | 5C9F      | 9EEE    | 6A36  | I47Z0080 |
| 榎                                      | 5CA0      | 9EEF    | 6A78  | I4800080 |
| 榎                                      | 5CA1      | 9EF0    | 6A47  | I4810080 |
| 榎                                      | 5CA2      | 9EF1    | 6A62  | I4820080 |
| 榎                                      | 5CA3      | 9EF2    | 6A59  | I4830080 |
| 榎                                      | 5CA4      | 9EF3    | 6A66  | I4840080 |
| 榎                                      | 5CA5      | 9EF4    | 6A48  | I4850080 |
| 榎                                      | 5CA6      | FAEF    | 6A46  | I4860080 |
| 榎                                      | 5CA7      | 9EF5    | 6A38  | I4870080 |
| 榎                                      | 5CA8      | 9EED    | 6A72  | I4880080 |
| 榎                                      | 5CA9      | FAF0    | 6A73  | I4890080 |
| 榎                                      | 5CAA      | 9EF7    | 6A90  | I48A0080 |
| 榎                                      | 5CAB      | 9EF8    | 6A8D  | I48B0080 |
| 榎                                      | 5CAC      | 9EFA    | 6A84  | I48C0080 |
| 榎                                      | 5CAD      | 9EFB    | 6AA2  | I48D0080 |
| 榎                                      | 5CAE      | 9EFC    | 6AA3  | I48E0080 |
| 榎                                      | 5CAF      | FAF1    | 6A7E  | I48F0080 |
| 榎                                      | 5CB0      | 9F40    | 6A97  | I48G0080 |
| 榎                                      | 5CB1      | 9F47    | 6AAC  | I48H0080 |
| 榎                                      | 5CB2      | 9F4B    | 6AAA  | I48I0080 |
| 榎                                      | 5CB3      | 9F42    | 6ABB  | I48J0080 |
| 榎                                      | 5CB4      | 9F44    | 6AC2  | I48K0080 |
| 榎                                      | 5CB5      | 9F45    | 6AB8  | I48L0080 |
| 榎                                      | 5CB6      | 9F46    | 6AB3  | I48M0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 檣                                      | 5CB7      | 9EE8    | 6AC1  | I48N0080 |
| 櫟                                      | 5CB8      | 9F48    | 6ADE  | I48O0080 |
| 櫟                                      | 5CB9      | FAF2    | 6AE2  | I48P0080 |
| 櫟                                      | 5CBA      | 9F49    | 6AD1  | I48Q0080 |
| 櫟                                      | 5CBB      | 9F4C    | 6ADA  | I48R0080 |
| 櫟                                      | 5CBC      | FAF3    | 6AE4  | I48S0080 |
| 櫟                                      | 5CBD      | 9F50    | 8616  | I48T0080 |
| 櫟                                      | 5CBE      | 9F41    | 8617  | I48U0080 |
| 櫟                                      | 5CBF      | 9F4D    | 6AEA  | I48V0080 |
| 櫟                                      | 5CC0      | 9F4F    | 6B05  | I48W0080 |
| 櫟                                      | 5CC1      | 9EDC    | 6B0A  | I48X0080 |
| 櫟                                      | 5CC2      | 9F51    | 6AFA  | I48Y0080 |
| 櫟                                      | 5CC3      | 9F52    | 6B12  | I48Z0080 |
| 櫟                                      | 5CC4      | 9F53    | 6B16  | I4900080 |
| 櫟                                      | 5CC5      | 9F55    | 6B1F  | I4910080 |
| 欵                                      | 5CC6      | 9F56    | 6B38  | I4920080 |
| 欵                                      | 5CC7      | 9F57    | 6B37  | I4930080 |
| 欵                                      | 5CC8      | 9F59    | 6B39  | I4940080 |
| 盜                                      | 5CC9      | 9F58    | 76DC  | I4950080 |
| 飲                                      | 5CCA      | 9F5A    | 98EE  | I4960080 |
| 欵                                      | 5CCB      | 9F5B    | 6B47  | I4970080 |
| 欵                                      | 5CCC      | 9F5C    | 6B43  | I4980080 |
| 欵                                      | 5CCD      | 9F5D    | 6B49  | I4990080 |
| 歐                                      | 5CCE      | 9F5E    | 6B50  | I49A0080 |
| 欵                                      | 5CCF      | 9F5F    | 6B59  | I49B0080 |
| 欵                                      | 5CD0      | 9F60    | 6B54  | I49C0080 |
| 欵                                      | 5CD1      | 9F61    | 6B5B  | I49D0080 |
| 歟                                      | 5CD2      | 9F62    | 6B5F  | I49E0080 |
| 歡                                      | 5CD3      | 9F63    | 6B61  | I49F0080 |
| 歸                                      | 5CD4      | 9F64    | 6B78  | I49G0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 歹                                      | 5CD5      | 9F65    | 6B79  | I49H0080 |
| 歿                                      | 5CD6      | 9F66    | 6B7F  | I49I0080 |
| 歿                                      | 5CD7      | 9F67    | 6B80  | I49J0080 |
| 殄                                      | 5CD8      | 9F68    | 6B84  | I49K0080 |
| 殄                                      | 5CD9      | 9F69    | 6B83  | I49L0080 |
| 殄                                      | 5CDA      | 9F6A    | 6B8D  | I49M0080 |
| 殄                                      | 5CDB      | 9F6B    | 6B98  | I49N0080 |
| 殄                                      | 5CDC      | 9F6C    | 6B95  | I49O0080 |
| 殄                                      | 5CDD      | 9F6D    | 6B9E  | I49P0080 |
| 殄                                      | 5CDE      | 9F6E    | 6BA4  | I49Q0080 |
| 殄                                      | 5CDF      | 9F6F    | 6BAA  | I49R0080 |
| 殄                                      | 5CE0      | 9F70    | 6BAB  | I49S0080 |
| 殄                                      | 5CE1      | 9F71    | 6BAF  | I49T0080 |
| 殄                                      | 5CE2      | 9F73    | 6BB1  | I49U0080 |
| 殄                                      | 5CE3      | 9F72    | 6BB2  | I49V0080 |
| 殄                                      | 5CE4      | 9F74    | 6BB3  | I49W0080 |
| 殄                                      | 5CE5      | 9F75    | 6BB7  | I49X0080 |
| 殄                                      | 5CE6      | 9F76    | 6BBC  | I49Y0080 |
| 殄                                      | 5CE7      | 9F77    | 6BC6  | I49Z0080 |
| 殄                                      | 5CE8      | 9F78    | 6BCB  | I4A00080 |
| 殄                                      | 5CE9      | 9F79    | 6BD3  | I4A10080 |
| 殄                                      | 5CEA      | FAF4    | 6BD6  | I4A20080 |
| 殄                                      | 5CEB      | 9F7A    | 6BDF  | I4A30080 |
| 殄                                      | 5CEC      | 9F7B    | 6BEC  | I4A40080 |
| 殄                                      | 5CED      | 9F7C    | 6BEB  | I4A50080 |
| 殄                                      | 5CEE      | 9F7D    | 6BF3  | I4A60080 |
| 殄                                      | 5CEF      | 9F7E    | 6BEF  | I4A70080 |
| 殄                                      | 5CF0      | 9F81    | 6C08  | I4A80080 |
| 殄                                      | 5CF1      | 9F82    | 6C13  | I4A90080 |
| 气                                      | 5CF2      | 9F83    | 6C14  | I4AA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 氛                                      | 5CF3      | 9F84    | 6C1B  | I4AB0080 |
| 氫                                      | 5CF4      | 9F85    | 6C24  | I4AC0080 |
| 氣                                      | 5CF5      | 9F86    | 6C23  | I4AD0080 |
| 洸                                      | 5CF6      | FAF5    | 6C3F  | I4AE0080 |
| 汞                                      | 5CF7      | 9F87    | 6C5E  | I4AF0080 |
| 汕                                      | 5CF8      | 9F88    | 6C55  | I4AG0080 |
| 汜                                      | 5CF9      | FAF6    | 6C5C  | I4AH0080 |
| 汊                                      | 5CFA      | 9F89    | 6C62  | I4AI0080 |
| 沂                                      | 5CFB      | 9F8B    | 6C82  | I4AJ0080 |
| 洹                                      | 5CFC      | 9F8C    | 6C8D  | I4AK0080 |
| 沆                                      | 5CFD      | FAF7    | 6C86  | I4AL0080 |
| 沚                                      | 5CFE      | FAF8    | 6C6F  | I4AM0080 |
| 沝                                      | 5D41      | 9F8D    | 6C9A  | I4AP0080 |
| 沁                                      | 5D42      | 9F8E    | 6C81  | I4AQ0080 |
| 沛                                      | 5D43      | 9F8F    | 6C9B  | I4AR0080 |
| 汾                                      | 5D44      | 9F90    | 6C7E  | I4AS0080 |
| 汨                                      | 5D45      | 9F91    | 6C68  | I4AT0080 |
| 汭                                      | 5D46      | 9F92    | 6C73  | I4AU0080 |
| 沒                                      | 5D47      | 9F93    | 6C92  | I4AV0080 |
| 沐                                      | 5D48      | 9F94    | 6C90  | I4AW0080 |
| 泄                                      | 5D49      | 9F95    | 6CC4  | I4AX0080 |
| 洑                                      | 5D4A      | 9F96    | 6CF1  | I4AY0080 |
| 沽                                      | 5D4B      | 9F98    | 6CBD  | I4AZ0080 |
| 泗                                      | 5D4C      | 9F9A    | 6CC5  | I4B00080 |
| 沮                                      | 5D4D      | 9F9C    | 6CAE  | I4B10080 |
| 泚                                      | 5D4E      | FAF9    | 6CDA  | I4B20080 |
| 泝                                      | 5D4F      | 9F9B    | 6CDD  | I4B30080 |
| 沱                                      | 5D50      | 9F9D    | 6CB1  | I4B40080 |
| 沾                                      | 5D51      | 9F9E    | 6CBE  | I4B50080 |
| 泇                                      | 5D52      | 9F9F    | 6CBA  | I4B60080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 泛                                      | 5D53      | 9FA0    | 6CDB  | I4B70080 |
| 泯                                      | 5D54      | 9FA1    | 6CEF  | I4B80080 |
| 泮                                      | 5D55      | 9FA2    | 6CD9  | I4B90080 |
| 泪                                      | 5D56      | 9FA3    | 6CEA  | I4BA0080 |
| 洩                                      | 5D57      | 9FA4    | 6D1F  | I4BB0080 |
| 洄                                      | 5D58      | FAFA    | 6D04  | I4BC0080 |
| 洵                                      | 5D59      | 9FA6    | 6D36  | I4BD0080 |
| 洳                                      | 5D5A      | 9FA7    | 6D2B  | I4BE0080 |
| 洽                                      | 5D5B      | 9FA8    | 6D3D  | I4BF0080 |
| 洳                                      | 5D5C      | 9FAC    | 6D33  | I4BG0080 |
| 洒                                      | 5D5D      | 9FAD    | 6D12  | I4BH0080 |
| 洳                                      | 5D5E      | 9FAE    | 6D0C  | I4BI0080 |
| 浣                                      | 5D5F      | 9FAF    | 6D63  | I4BJ0080 |
| 涇                                      | 5D60      | FAFB    | 6D87  | I4BK0080 |
| 涓                                      | 5D61      | 9FB0    | 6D93  | I4BL0080 |
| 涪                                      | 5D62      | FAFC    | 6D6F  | I4BM0080 |
| 浚                                      | 5D63      | 9FB1    | 6D64  | I4BN0080 |
| 浚                                      | 5D64      | 9FB2    | 6D5A  | I4BO0080 |
| 浹                                      | 5D65      | 9FB3    | 6D79  | I4BP0080 |
| 浙                                      | 5D66      | 9FB4    | 6D59  | I4BQ0080 |
| 澁                                      | 5D67      | 9FB5    | 6D8E  | I4BR0080 |
| 涕                                      | 5D68      | 9FB6    | 6D95  | I4BS0080 |
| 澍                                      | 5D69      | 9FB7    | 6D9B  | I4BT0080 |
| 涅                                      | 5D6A      | 9FB8    | 6D85  | I4BU0080 |
| 澌                                      | 5D6B      | FB40    | 6D96  | I4BV0080 |
| 淹                                      | 5D6C      | 9FB9    | 6DF9  | I4BW0080 |
| 渊                                      | 5D6D      | 9FBB    | 6E0A  | I4BX0080 |
| 滂                                      | 5D6E      | 9FCF    | 6E2E  | I4BY0080 |
| 涵                                      | 5D6F      | 9FBC    | 6DB5  | I4BZ0080 |
| 滄                                      | 5D70      | 9FBE    | 6DE6  | I4C00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 淇                                      | 5D71      | 9FBD    | 6DC7  | I4C10080 |
| 淅                                      | 5D72      | FB41    | 6DAC  | I4C20080 |
| 潤                                      | 5D73      | 9FBF    | 6DB8  | I4C30080 |
| 溟                                      | 5D74      | FB42    | 6DCF  | I4C40080 |
| 滄                                      | 5D75      | 9FC0    | 6DC6  | I4C50080 |
| 淖                                      | 5D76      | 9FC1    | 6DEC  | I4C60080 |
| 淞                                      | 5D77      | 9FC2    | 6DDE  | I4C70080 |
| 澗                                      | 5D78      | 9FC3    | 6DCC  | I4C80080 |
| 淨                                      | 5D79      | 9FC4    | 6DE8  | I4C90080 |
| 清                                      | 5D7A      | FB43    | 6DF8  | I4CA0080 |
| 淒                                      | 5D7B      | 9FC5    | 6DD2  | I4CB0080 |
| 浙                                      | 5D7C      | 9FC6    | 6DC5  | I4CC0080 |
| 淺                                      | 5D7D      | 9FC7    | 6DFA  | I4CD0080 |
| 淙                                      | 5D7E      | 9FC8    | 6DD9  | I4CE0080 |
| 澗                                      | 5D7F      | FB44    | 6DF2  | I4CF0080 |
| 淼                                      | 5D80      | FB45    | 6DFC  | I4CG0080 |
| 淤                                      | 5D81      | 9FC9    | 6DE4  | I4CH0080 |
| 塗                                      | 5D82      | 9FCA    | 6DD5  | I4CI0080 |
| 淪                                      | 5D83      | 9FCB    | 6DEA  | I4CJ0080 |
| 淮                                      | 5D84      | 9FCC    | 6DEE  | I4CK0080 |
| 渭                                      | 5D85      | 9FCD    | 6E2D  | I4CL0080 |
| 湮                                      | 5D86      | 9FCE    | 6E6E  | I4CM0080 |
| 渙                                      | 5D87      | 9FD0    | 6E19  | I4CN0080 |
| 浚                                      | 5D88      | 9FD1    | 6E72  | I4CO0080 |
| 湟                                      | 5D89      | 9FD2    | 6E5F  | I4CP0080 |
| 洶                                      | 5D8A      | FB46    | 6E39  | I4CQ0080 |
| 渾                                      | 5D8B      | 9FD3    | 6E3E  | I4CR0080 |
| 渣                                      | 5D8C      | 9FD4    | 6E23  | I4CS0080 |
| 湫                                      | 5D8D      | 9FD5    | 6E6B  | I4CT0080 |
| 湜                                      | 5D8E      | FB47    | 6E5C  | I4CU0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 渌                                      | 5D8F      | 9FD6    | 6E2B  | I4CV0080 |
| 渙                                      | 5D90      | 9FD7    | 6E76  | I4CW0080 |
| 湍                                      | 5D91      | 9FD8    | 6E4D  | I4CX0080 |
| 渟                                      | 5D92      | 9FD9    | 6E1F  | I4CY0080 |
| 滌                                      | 5D93      | FB48    | 6E27  | I4CZ0080 |
| 滢                                      | 5D94      | 9FDA    | 6E43  | I4D00080 |
| 渼                                      | 5D95      | FB49    | 6E3C  | I4D10080 |
| 渺                                      | 5D96      | 9FDB    | 6E3A  | I4D20080 |
| 涵                                      | 5D97      | 9FDC    | 6E4E  | I4D30080 |
| 渤                                      | 5D98      | 9FDD    | 6E24  | I4D40080 |
| 滃                                      | 5D99      | 9FDF    | 6E1D  | I4D50080 |
| 游                                      | 5D9A      | 9FE0    | 6E38  | I4D60080 |
| 澗                                      | 5D9B      | 9FE1    | 6E82  | I4D70080 |
| 溪                                      | 5D9C      | 9FE2    | 6EAA  | I4D80080 |
| 澗                                      | 5D9D      | 9FE3    | 6E98  | I4D90080 |
| 溷                                      | 5D9E      | 9FE5    | 6EB7  | I4DA0080 |
| 澗                                      | 5D9F      | 9FE7    | 6EBD  | I4DB0080 |
| 溯                                      | 5DA0      | 9FE8    | 6EAF  | I4DC0080 |
| 滄                                      | 5DA1      | 9FE9    | 6EC4  | I4DD0080 |
| 澗                                      | 5DA2      | 9FEA    | 6EB2  | I4DE0080 |
| 滔                                      | 5DA3      | 9FEB    | 6ED4  | I4DF0080 |
| 溱                                      | 5DA4      | 9FEC    | 6ED5  | I4DG0080 |
| 澗                                      | 5DA5      | 9FED    | 6E8F  | I4DH0080 |
| 澗                                      | 5DA6      | FB4A    | 6EBF  | I4DI0080 |
| 澗                                      | 5DA7      | 9FEF    | 6EC2  | I4DJ0080 |
| 溟                                      | 5DA8      | 9FF0    | 6E9F  | I4DK0080 |
| 潁                                      | 5DA9      | 9FF1    | 6F41  | I4DL0080 |
| 澗                                      | 5DAA      | 9FF3    | 6F45  | I4DM0080 |
| 澗                                      | 5DAB      | 9FF4    | 6EEC  | I4DN0080 |
| 澗                                      | 5DAC      | 9FF5    | 6EF8  | I4DO0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 滾                                      | 5DAD      | 9FF6    | 6EFE  | I4DP0080 |
| 漿                                      | 5DAE      | 9FF7    | 6F3F  | I4DQ0080 |
| 滲                                      | 5DAF      | 9FF8    | 6EF2  | I4DR0080 |
| 漱                                      | 5DB0      | 9FF9    | 6F31  | I4DS0080 |
| 滯                                      | 5DB1      | 9FFA    | 6EEF  | I4DT0080 |
| 漲                                      | 5DB2      | 9FFB    | 6F32  | I4DU0080 |
| 滌                                      | 5DB3      | 9FFC    | 6ECC  | I4DV0080 |
| 滿                                      | 5DB4      | 9FDE    | 6EFF  | I4DW0080 |
| 漾                                      | 5DB5      | E040    | 6F3E  | I4DX0080 |
| 漓                                      | 5DB6      | E041    | 6F13  | I4DY0080 |
| 滷                                      | 5DB7      | E042    | 6EF7  | I4DZ0080 |
| 澆                                      | 5DB8      | E043    | 6F86  | I4E00080 |
| 滷                                      | 5DB9      | E044    | 6F7A  | I4E10080 |
| 濟                                      | 5DBA      | E045    | 6F78  | I4E20080 |
| 澀                                      | 5DBB      | E047    | 6F80  | I4E30080 |
| 潯                                      | 5DBC      | E048    | 6F6F  | I4E40080 |
| 潛                                      | 5DBD      | E049    | 6F5B  | I4E50080 |
| 潭                                      | 5DBE      | E04B    | 6F6D  | I4E60080 |
| 瀦                                      | 5DBF      | E06B    | 6F74  | I4E70080 |
| 澗                                      | 5DC0      | E04C    | 6F82  | I4E80080 |
| 澈                                      | 5DC1      | FB4B    | 6F88  | I4E90080 |
| 潼                                      | 5DC2      | E04D    | 6F7C  | I4EA0080 |
| 潘                                      | 5DC3      | E04E    | 6F58  | I4EB0080 |
| 瀆                                      | 5DC4      | E058    | 6FC6  | I4EC0080 |
| 澎                                      | 5DC5      | E04F    | 6F8E  | I4ED0080 |
| 漚                                      | 5DC6      | E050    | 6F91  | I4EE0080 |
| 潦                                      | 5DC7      | E052    | 6F66  | I4EF0080 |
| 澳                                      | 5DC8      | E053    | 6FB3  | I4EG0080 |
| 澣                                      | 5DC9      | E054    | 6FA3  | I4EH0080 |
| 漸                                      | 5DCA      | FB4C    | 6FB5  | I4EI0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 澡                                      | 5DCB      | E055    | 6FA1  | I4EJ0080 |
| 澹                                      | 5DCC      | E057    | 6FB9  | I4EK0080 |
| 濛                                      | 5DCD      | E061    | 6FDB  | I4EL0080 |
| 濛                                      | 5DCE      | E059    | 6FAA  | I4EM0080 |
| 濂                                      | 5DCF      | E051    | 6FC2  | I4EN0080 |
| 濟                                      | 5DD0      | E05A    | 6FDF  | I4EO0080 |
| 濕                                      | 5DD1      | E05B    | 6FD5  | I4EP0080 |
| 濬                                      | 5DD2      | E05C    | 6FEC  | I4EQ0080 |
| 濶                                      | 5DD3      | E05E    | 6FD8  | I4ER0080 |
| 灑                                      | 5DD4      | E05D    | 6FD4  | I4ES0080 |
| 灑                                      | 5DD5      | FB4D    | 6FF5  | I4ET0080 |
| 濮                                      | 5DD6      | E060    | 6FEE  | I4EU0080 |
| 滢                                      | 5DD7      | FB4E    | 7005  | I4EV0080 |
| 瀆                                      | 5DD8      | FB4F    | 7007  | I4EW0080 |
| 瀉                                      | 5DD9      | E062    | 7009  | I4EX0080 |
| 瀆                                      | 5DDA      | E063    | 700B  | I4EY0080 |
| 澗                                      | 5DDB      | E064    | 6FFA  | I4EZ0080 |
| 瀑                                      | 5DDC      | E065    | 7011  | I4F00080 |
| 養                                      | 5DDD      | E066    | 7001  | I4F10080 |
| 瀏                                      | 5DDE      | E067    | 700F  | I4F20080 |
| 瀛                                      | 5DDF      | E069    | 701B  | I4F30080 |
| 瀚                                      | 5DE0      | E06A    | 701A  | I4F40080 |
| 瀟                                      | 5DE1      | E06E    | 701F  | I4F50080 |
| 潛                                      | 5DE2      | E04A    | 6FF3  | I4F60080 |
| 瀨                                      | 5DE3      | FB50    | 7028  | I4F70080 |
| 瀘                                      | 5DE4      | E06D    | 7018  | I4F80080 |
| 瀾                                      | 5DE5      | E06F    | 7030  | I4F90080 |
| 瀾                                      | 5DE6      | E070    | 703E  | I4FA0080 |
| 澗                                      | 5DE7      | E071    | 7032  | I4FB0080 |
| 灑                                      | 5DE8      | E072    | 7051  | I4FC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 灣                                      | 5DE9      | E073    | 7063  | I4FD0080 |
| 炅                                      | 5DEA      | FB51    | 7085  | I4FE0080 |
| 炙                                      | 5DEB      | E074    | 7099  | I4FF0080 |
| 炯                                      | 5DEC      | E076    | 70AF  | I4FG0080 |
| 炫                                      | 5DED      | FB52    | 70AB  | I4FH0080 |
| 炬                                      | 5DEE      | E078    | 70AC  | I4FI0080 |
| 炸                                      | 5DEF      | E079    | 70B8  | I4FJ0080 |
| 炮                                      | 5DF0      | E07B    | 70AE  | I4FK0080 |
| 烟                                      | 5DF1      | E07C    | 70DF  | I4FL0080 |
| 炆                                      | 5DF2      | E07D    | 70CB  | I4FM0080 |
| 烙                                      | 5DF3      | E080    | 70D9  | I4FN0080 |
| 焉                                      | 5DF4      | E081    | 7109  | I4FO0080 |
| 烝                                      | 5DF5      | FB53    | 710F  | I4FP0080 |
| 焄                                      | 5DF6      | FB54    | 7104  | I4FQ0080 |
| 烟                                      | 5DF7      | E077    | 70F1  | I4FR0080 |
| 烽                                      | 5DF8      | E082    | 70FD  | I4FS0080 |
| 焜                                      | 5DF9      | E083    | 711C  | I4FT0080 |
| 焙                                      | 5DFA      | E084    | 7119  | I4FU0080 |
| 煜                                      | 5DFB      | FB55    | 715C  | I4FV0080 |
| 煨                                      | 5DFC      | FB56    | 7146  | I4FW0080 |
| 輝                                      | 5DFD      | FB57    | 7147  | I4FX0080 |
| 煦                                      | 5DFE      | E088    | 7166  | I4FY0080 |
| 煨                                      | 5E41      | E089    | 7162  | I4G10080 |
| 煌                                      | 5E42      | E08A    | 714C  | I4G20080 |
| 煖                                      | 5E43      | E08B    | 7156  | I4G30080 |
| 煬                                      | 5E44      | E08C    | 716C  | I4G40080 |
| 熙                                      | 5E45      | E087    | 7188  | I4G50080 |
| 熏                                      | 5E46      | E08D    | 718F  | I4G60080 |
| 熄                                      | 5E47      | E08F    | 7184  | I4G70080 |
| 熇                                      | 5E48      | E090    | 7195  | I4G80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 灃                                      | 5E49      | FB58    | FA15  | I4G90080 |
| 熬                                      | 5E4A      | E092    | 71AC  | I4GA0080 |
| 燁                                      | 5E4B      | FB59    | 71C1  | I4GB0080 |
| 燾                                      | 5E4C      | E094    | 71B9  | I4GC0080 |
| 熾                                      | 5E4D      | E095    | 71BE  | I4GD0080 |
| 燒                                      | 5E4E      | E096    | 71D2  | I4GE0080 |
| 燧                                      | 5E4F      | E09C    | 71E7  | I4GF0080 |
| 燉                                      | 5E50      | E097    | 71C9  | I4GG0080 |
| 燾                                      | 5E51      | E098    | 71D4  | I4GH0080 |
| 燼                                      | 5E52      | E093    | 71D7  | I4GI0080 |
| 燎                                      | 5E53      | E099    | 71CE  | I4GJ0080 |
| 燧                                      | 5E54      | E09D    | 71F5  | I4GK0080 |
| 燠                                      | 5E55      | E09A    | 71E0  | I4GL0080 |
| 燂                                      | 5E56      | E09B    | 71EC  | I4GM0080 |
| 燃                                      | 5E57      | E08E    | 71FB  | I4GN0080 |
| 燄                                      | 5E58      | E09E    | 71FC  | I4GO0080 |
| 燅                                      | 5E59      | E09F    | 71F9  | I4GP0080 |
| 燆                                      | 5E5A      | FB5A    | 71FE  | I4GQ0080 |
| 燇                                      | 5E5B      | E0A0    | 71FF  | I4GR0080 |
| 燈                                      | 5E5C      | E0A1    | 720D  | I4GS0080 |
| 燉                                      | 5E5D      | E0A2    | 7210  | I4GT0080 |
| 燊                                      | 5E5E      | E0A4    | 7228  | I4GU0080 |
| 爭                                      | 5E5F      | E0A5    | 722D  | I4GV0080 |
| 爬                                      | 5E60      | E0A6    | 722C  | I4GW0080 |
| 爰                                      | 5E61      | E0A7    | 7230  | I4GX0080 |
| 爲                                      | 5E62      | E0A8    | 7232  | I4GY0080 |
| 爰                                      | 5E63      | E0A9    | 723B  | I4GZ0080 |
| 爰                                      | 5E64      | E0AA    | 723C  | I4H00080 |
| 爰                                      | 5E65      | E0AB    | 723F  | I4H10080 |
| 爰                                      | 5E66      | E0AC    | 7240  | I4H20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 牆                                      | 5E67      | E0AD    | 7246  | I4H30080 |
| 牋                                      | 5E68      | E0AE    | 724B  | I4H40080 |
| 牘                                      | 5E69      | E0AF    | 7258  | I4H50080 |
| 牴                                      | 5E6A      | E0B0    | 7274  | I4H60080 |
| 牾                                      | 5E6B      | E0B1    | 727E  | I4H70080 |
| 犁                                      | 5E6C      | E0B3    | 7281  | I4H80080 |
| 犇                                      | 5E6D      | E0B4    | 7287  | I4H90080 |
| 犂                                      | 5E6E      | E0B2    | 7282  | I4HA0080 |
| 犒                                      | 5E6F      | E0B5    | 7292  | I4HB0080 |
| 犖                                      | 5E70      | E0B6    | 7296  | I4HC0080 |
| 犢                                      | 5E71      | E0B7    | 72A2  | I4HD0080 |
| 犤                                      | 5E72      | E0B8    | 72A7  | I4HE0080 |
| 犦                                      | 5E73      | FB5B    | 72B1  | I4HF0080 |
| 犧                                      | 5E74      | E0BA    | 72B2  | I4HG0080 |
| 犨                                      | 5E75      | FB5C    | 72BE  | I4HH0080 |
| 犩                                      | 5E76      | E0BB    | 72C3  | I4HI0080 |
| 犪                                      | 5E77      | E0BC    | 72C6  | I4HJ0080 |
| 犫                                      | 5E78      | E0BD    | 72C4  | I4HK0080 |
| 犼                                      | 5E79      | E0B9    | 72B9  | I4HL0080 |
| 犾                                      | 5E7A      | E0BE    | 72CE  | I4HM0080 |
| 犿                                      | 5E7B      | E0BF    | 72D2  | I4HN0080 |
| 犯                                      | 5E7C      | E0C0    | 72E2  | I4HO0080 |
| 犰                                      | 5E7D      | E0C1    | 72E0  | I4HP0080 |
| 犱                                      | 5E7E      | E0C2    | 72E1  | I4HQ0080 |
| 狹                                      | 5E7F      | E0C3    | 72F9  | I4HR0080 |
| 狛                                      | 5E80      | E0C4    | 72F7  | I4HS0080 |
| 狝                                      | 5E81      | E0C6    | 7317  | I4HT0080 |
| 狞                                      | 5E82      | E0C7    | 730A  | I4HU0080 |
| 狟                                      | 5E83      | E0C8    | 731C  | I4HV0080 |
| 狠                                      | 5E84      | E0C9    | 7316  | I4HW0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 狡                                      | 5E85      | E0CA    | 731D  | I4HX0080 |
| 狢                                      | 5E86      | FB5D    | 7324  | I4HY0080 |
| 狣                                      | 5E87      | E0CB    | 7334  | I4HZ0080 |
| 狤                                      | 5E88      | E0CD    | 7329  | I4I00080 |
| 狥                                      | 5E89      | E0CC    | 732F  | I4I10080 |
| 狦                                      | 5E8A      | FB5E    | FA16  | I4I20080 |
| 狨                                      | 5E8B      | E0CE    | 7325  | I4I30080 |
| 狩                                      | 5E8C      | E0CF    | 733E  | I4I40080 |
| 狪                                      | 5E8D      | E0D1    | 734F  | I4I50080 |
| 狫                                      | 5E8E      | E0D0    | 734E  | I4I60080 |
| 独                                      | 5E8F      | E0D3    | 7357  | I4I70080 |
| 狭                                      | 5E90      | E0D2    | 9ED8  | I4I80080 |
| 狮                                      | 5E91      | E0D4    | 736A  | I4I90080 |
| 狯                                      | 5E92      | E0D5    | 7368  | I4IA0080 |
| 狰                                      | 5E93      | E0D6    | 7370  | I4IB0080 |
| 狱                                      | 5E94      | FB5F    | 7377  | I4IC0080 |
| 狲                                      | 5E95      | E0D7    | 7378  | I4ID0080 |
| 狳                                      | 5E96      | E0D8    | 7375  | I4IE0080 |
| 狴                                      | 5E97      | E0D9    | 737B  | I4IF0080 |
| 狵                                      | 5E98      | E0DB    | 73C8  | I4IG0080 |
| 狶                                      | 5E99      | FB60    | 73BD  | I4IH0080 |
| 狷                                      | 5E9A      | E0DC    | 73B3  | I4II0080 |
| 狸                                      | 5E9B      | E0DD    | 73CE  | I4IJ0080 |
| 狹                                      | 5E9C      | E0DE    | 73BB  | I4IK0080 |
| 狺                                      | 5E9D      | E0DF    | 73C0  | I4IL0080 |
| 狻                                      | 5E9E      | FB61    | 73C9  | I4IM0080 |
| 狼                                      | 5E9F      | FB62    | 73D6  | I4IN0080 |
| 狽                                      | 5EA0      | E0E0    | 73E5  | I4IO0080 |
| 狿                                      | 5EA1      | FB63    | 73E3  | I4IP0080 |
| 狾                                      | 5EA2      | FB64    | 73D2  | I4IQ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 珮                                      | 5EA3      | E0E1    | 73EE  | I4IR0080 |
| 琰                                      | 5EA4      | E0FC    | 73F1  | I4IS0080 |
| 珞                                      | 5EA5      | E0E2    | 73DE  | I4IT0080 |
| 瑀                                      | 5EA6      | E0E7    | 73F8  | I4IU0080 |
| 琇                                      | 5EA7      | FB65    | 7407  | I4IV0080 |
| 琨                                      | 5EA8      | FB66    | 73F5  | I4IW0080 |
| 琅                                      | 5EA9      | E0E4    | 7405  | I4IX0080 |
| 琦                                      | 5EAA      | FB67    | 7426  | I4IY0080 |
| 琪                                      | 5EAB      | FB68    | 742A  | I4IZ0080 |
| 琥                                      | 5EAC      | E0E6    | 7425  | I4J00080 |
| 琚                                      | 5EAD      | FB69    | 7429  | I4J10080 |
| 琮                                      | 5EAE      | FB6A    | 742E  | I4J20080 |
| 琲                                      | 5EAF      | E0E8    | 7432  | I4J30080 |
| 琫                                      | 5EB0      | E0E9    | 743A  | I4J40080 |
| 瑕                                      | 5EB1      | E0EA    | 7455  | I4J50080 |
| 琿                                      | 5EB2      | E0EB    | 743F  | I4J60080 |
| 瑟                                      | 5EB3      | E0EC    | 745F  | I4J70080 |
| 瑙                                      | 5EB4      | E0ED    | 7459  | I4J80080 |
| 瑁                                      | 5EB5      | E0EE    | 7441  | I4J90080 |
| 瑜                                      | 5EB6      | E0EF    | 745C  | I4JA0080 |
| 瑩                                      | 5EB7      | E0F0    | 7469  | I4JB0080 |
| 瑰                                      | 5EB8      | E0F1    | 7470  | I4JC0080 |
| 瓊                                      | 5EB9      | E0F2    | 7463  | I4JD0080 |
| 瑪                                      | 5EBA      | E0F3    | 746A  | I4JE0080 |
| 瑤                                      | 5EBB      | E0F4    | 7464  | I4JF0080 |
| 瑳                                      | 5EBC      | FB6B    | 7462  | I4JG0080 |
| 璉                                      | 5EBD      | FB6C    | 7489  | I4JH0080 |
| 瑯                                      | 5EBE      | E0E5    | 746F  | I4JI0080 |
| 瑾                                      | 5EBF      | E0F5    | 747E  | I4JJ0080 |
| 璟                                      | 5EC0      | FB6D    | 749F  | I4JK0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 璞                                      | 5EC1      | E0F7    | 749E  | I4JL0080 |
| 璠                                      | 5EC2      | E0E3    | 74A2  | I4JM0080 |
| 璧                                      | 5EC3      | E0F8    | 74A7  | I4JN0080 |
| 瓊                                      | 5EC4      | E0F9    | 74CA  | I4JO0080 |
| 瓏                                      | 5EC5      | E0FA    | 74CF  | I4JP0080 |
| 瓠                                      | 5EC6      | E0FB    | 74D4  | I4JQ0080 |
| 瓡                                      | 5EC7      | E140    | 74E0  | I4JR0080 |
| 瓣                                      | 5EC8      | E141    | 74E3  | I4JS0080 |
| 舄                                      | 5EC9      | E142    | 74E7  | I4JT0080 |
| 舂                                      | 5ECA      | E143    | 74E9  | I4JU0080 |
| 瓮                                      | 5ECB      | E144    | 74EE  | I4JV0080 |
| 甌                                      | 5ECC      | E146    | 74F0  | I4JW0080 |
| 甌                                      | 5ECD      | E145    | 74F2  | I4JX0080 |
| 甌                                      | 5ECE      | E147    | 74F1  | I4JY0080 |
| 瓷                                      | 5ECF      | E149    | 74F7  | I4JZ0080 |
| 甌                                      | 5ED0      | E148    | 74F8  | I4K00080 |
| 甌                                      | 5ED1      | FB6E    | 7501  | I4K10080 |
| 甌                                      | 5ED2      | E14A    | 7504  | I4K20080 |
| 甌                                      | 5ED3      | E14B    | 7503  | I4K30080 |
| 甌                                      | 5ED4      | E14C    | 7505  | I4K40080 |
| 甌                                      | 5ED5      | E14F    | 750D  | I4K50080 |
| 甌                                      | 5ED6      | E14D    | 750C  | I4K60080 |
| 甌                                      | 5ED7      | E14E    | 750E  | I4K70080 |
| 甌                                      | 5ED8      | E151    | 7513  | I4K80080 |
| 甌                                      | 5ED9      | E152    | 751E  | I4K90080 |
| 甌                                      | 5EDA      | E153    | 7526  | I4KA0080 |
| 甌                                      | 5EDB      | E154    | 752C  | I4KB0080 |
| 甌                                      | 5EDC      | E155    | 753C  | I4KC0080 |
| 甌                                      | 5EDD      | E156    | 7544  | I4KD0080 |
| 甌                                      | 5EDE      | E157    | 754D  | I4KE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 畊                                      | 5EDF      | E158    | 754A  | I4KF0080 |
| 畎                                      | 5EE0      | E159    | 7549  | I4KG0080 |
| 畝                                      | 5EE1      | E15B    | 7546  | I4KH0080 |
| 畛                                      | 5EE2      | E15A    | 755B  | I4KI0080 |
| 畚                                      | 5EE3      | E15C    | 755A  | I4KJ0080 |
| 時                                      | 5EE4      | E15E    | 7564  | I4KK0080 |
| 畧                                      | 5EE5      | E15F    | 7567  | I4KL0080 |
| 畫                                      | 5EE6      | E160    | 756B  | I4KM0080 |
| 峻                                      | 5EE7      | FB6F    | 756F  | I4KN0080 |
| 畴                                      | 5EE8      | E166    | 7574  | I4KO0080 |
| 畲                                      | 5EE9      | E161    | 756D  | I4KP0080 |
| 疇                                      | 5EEA      | E162    | 7578  | I4KQ0080 |
| 當                                      | 5EEB      | E163    | 7576  | I4KR0080 |
| 疊                                      | 5EEC      | E169    | 7582  | I4KS0080 |
| 疆                                      | 5EED      | E164    | 7586  | I4KT0080 |
| 疇                                      | 5EEE      | E165    | 7587  | I4KU0080 |
| 疊                                      | 5EEF      | E167    | 758A  | I4KV0080 |
| 疊                                      | 5EF0      | E168    | 7589  | I4KW0080 |
| 疔                                      | 5EF1      | E16A    | 7594  | I4KX0080 |
| 疒                                      | 5EF2      | E16B    | 759A  | I4KY0080 |
| 疝                                      | 5EF3      | E16C    | 759D  | I4KZ0080 |
| 疥                                      | 5EF4      | E16D    | 75A5  | I4L00080 |
| 疔                                      | 5EF5      | E16E    | 75A3  | I4L10080 |
| 痲                                      | 5EF6      | E16F    | 75C2  | I4L20080 |
| 疔                                      | 5EF7      | E170    | 75B3  | I4L30080 |
| 痲                                      | 5EF8      | E171    | 75C3  | I4L40080 |
| 痲                                      | 5EF9      | E172    | 75B5  | I4L50080 |
| 疽                                      | 5EFA      | E173    | 75BD  | I4L60080 |
| 疽                                      | 5EFB      | E174    | 75B8  | I4L70080 |
| 疹                                      | 5EFC      | E175    | 75BC  | I4L80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 庖                                      | 5EFD      | E176    | 75B1  | I4L90080 |
| 痲                                      | 5EFE      | E177    | 75CD  | I4LA0080 |
| 痊                                      | 5F41      | E178    | 75CA  | I4LD0080 |
| 痒                                      | 5F42      | E179    | 75D2  | I4LE0080 |
| 瘡                                      | 5F43      | E17A    | 75D9  | I4LF0080 |
| 痣                                      | 5F44      | E17B    | 75E3  | I4LG0080 |
| 痞                                      | 5F45      | E17C    | 75DE  | I4LH0080 |
| 痲                                      | 5F46      | E17D    | 75FE  | I4LI0080 |
| 痿                                      | 5F47      | E17E    | 75FF  | I4LJ0080 |
| 痲                                      | 5F48      | E180    | 75FC  | I4LK0080 |
| 瘁                                      | 5F49      | E181    | 7601  | I4LL0080 |
| 痰                                      | 5F4A      | E182    | 75F0  | I4LM0080 |
| 痺                                      | 5F4B      | E183    | 75FA  | I4LN0080 |
| 痲                                      | 5F4C      | E184    | 75F2  | I4LO0080 |
| 痲                                      | 5F4D      | E185    | 75F3  | I4LP0080 |
| 瘋                                      | 5F4E      | E186    | 760B  | I4LQ0080 |
| 瘡                                      | 5F4F      | E188    | 7609  | I4LR0080 |
| 瘡                                      | 5F50      | E189    | 761F  | I4LS0080 |
| 瘡                                      | 5F51      | E18A    | 7627  | I4LT0080 |
| 瘡                                      | 5F52      | E18B    | 7620  | I4LU0080 |
| 瘡                                      | 5F53      | E18C    | 7621  | I4LV0080 |
| 癩                                      | 5F54      | E18D    | 7622  | I4LW0080 |
| 瘡                                      | 5F55      | E18E    | 7624  | I4LX0080 |
| 瘡                                      | 5F56      | E18F    | 7634  | I4LY0080 |
| 瘡                                      | 5F57      | E190    | 7630  | I4LZ0080 |
| 瘡                                      | 5F58      | E191    | 763B  | I4M00080 |
| 痲                                      | 5F59      | E192    | 7647  | I4M10080 |
| 癩                                      | 5F5A      | E193    | 7648  | I4M20080 |
| 癩                                      | 5F5B      | E196    | 7658  | I4M30080 |
| 癩                                      | 5F5C      | E194    | 7646  | I4M40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 癩                                      | 5F5D      | E195    | 765C  | I4M50080 |
| 癩                                      | 5F5E      | E197    | 7661  | I4M60080 |
| 癢                                      | 5F5F      | E198    | 7662  | I4M70080 |
| 癩                                      | 5F60      | E199    | 7668  | I4M80080 |
| 癩                                      | 5F61      | E19A    | 7669  | I4M90080 |
| 癩                                      | 5F62      | E19C    | 7667  | I4MA0080 |
| 癩                                      | 5F63      | E19B    | 766A  | I4MB0080 |
| 癩                                      | 5F64      | E19D    | 766C  | I4MC0080 |
| 癩                                      | 5F65      | E19E    | 7670  | I4MD0080 |
| 癩                                      | 5F66      | E19F    | 7672  | I4ME0080 |
| 𠂇                                      | 5F67      | E1A0    | 7676  | I4MF0080 |
| 發                                      | 5F68      | E1A2    | 767C  | I4MG0080 |
| 皂                                      | 5F69      | FB70    | 7682  | I4MH0080 |
| 皂                                      | 5F6A      | E1A3    | 7680  | I4MI0080 |
| 皂                                      | 5F6B      | E1A4    | 7683  | I4MJ0080 |
| 𠂇                                      | 5F6C      | E1A5    | 7688  | I4MK0080 |
| 𠂇                                      | 5F6D      | E1A6    | 768B  | I4ML0080 |
| 𠂇                                      | 5F6E      | E1AA    | 7699  | I4MM0080 |
| 𠂇                                      | 5F6F      | E1AB    | 769A  | I4MN0080 |
| 𠂇                                      | 5F70      | FB71    | 769C  | I4MO0080 |
| 𠂇                                      | 5F71      | FB72    | 769E  | I4MP0080 |
| 𠂇                                      | 5F72      | FB73    | 769B  | I4MQ0080 |
| 𠂇                                      | 5F73      | FB74    | 76A6  | I4MR0080 |
| 𠂇                                      | 5F74      | E1AC    | 76B0  | I4MS0080 |
| 𠂇                                      | 5F75      | E1AD    | 76B4  | I4MT0080 |
| 𠂇                                      | 5F76      | E1AE    | 76B8  | I4MU0080 |
| 𠂇                                      | 5F77      | E1AF    | 76B9  | I4MV0080 |
| 𠂇                                      | 5F78      | E1B0    | 76BA  | I4MW0080 |
| 盂                                      | 5F79      | E1B1    | 76C2  | I4MX0080 |
| 益                                      | 5F7A      | FB75    | FA17  | I4MY0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 盞                                      | 5F7B      | E1B2    | 76CD  | I4MZ0080 |
| 盞                                      | 5F7C      | E1B3    | 76D6  | I4N00080 |
| 盞                                      | 5F7D      | E1B4    | 76D2  | I4N10080 |
| 盞                                      | 5F7E      | E1B5    | 76DE  | I4N20080 |
| 盞                                      | 5F7F      | E1B6    | 76E1  | I4N30080 |
| 盞                                      | 5F80      | E1B7    | 76E5  | I4N40080 |
| 盞                                      | 5F81      | E1B9    | 76EA  | I4N50080 |
| 盞                                      | 5F82      | E1BA    | 862F  | I4N60080 |
| 盞                                      | 5F83      | E1BB    | 76FB  | I4N70080 |
| 盞                                      | 5F84      | E1BC    | 7708  | I4N80080 |
| 盞                                      | 5F85      | E1BD    | 7707  | I4N90080 |
| 盞                                      | 5F86      | E1BE    | 7704  | I4NA0080 |
| 盞                                      | 5F87      | E1C0    | 7724  | I4NB0080 |
| 盞                                      | 5F88      | E1BF    | 7729  | I4NC0080 |
| 盞                                      | 5F89      | E1C2    | 7725  | I4ND0080 |
| 盞                                      | 5F8A      | E1C3    | 7726  | I4NE0080 |
| 盞                                      | 5F8B      | E1C4    | 771B  | I4NF0080 |
| 盞                                      | 5F8C      | E1C5    | 7737  | I4NG0080 |
| 盞                                      | 5F8D      | E1C6    | 7738  | I4NH0080 |
| 盞                                      | 5F8E      | FB76    | 7746  | I4NI0080 |
| 盞                                      | 5F8F      | E1C7    | 7747  | I4NJ0080 |
| 盞                                      | 5F90      | E1C8    | 775A  | I4NK0080 |
| 盞                                      | 5F91      | E1C9    | 7768  | I4NL0080 |
| 盞                                      | 5F92      | E1CA    | 776B  | I4NM0080 |
| 盞                                      | 5F93      | E1CB    | 775B  | I4NN0080 |
| 盞                                      | 5F94      | E1CC    | 7765  | I4NO0080 |
| 盞                                      | 5F95      | E1CD    | 777F  | I4NP0080 |
| 盞                                      | 5F96      | E1CE    | 777E  | I4NQ0080 |
| 盞                                      | 5F97      | E1CF    | 7779  | I4NR0080 |
| 盞                                      | 5F98      | E1D0    | 778E  | I4NS0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 瞋                                      | 5F99      | E1D1    | 778B  | I4NT0080 |
| 瞋                                      | 5F9A      | E1D2    | 7791  | I4NU0080 |
| 瞋                                      | 5F9B      | E1D3    | 77A0  | I4NV0080 |
| 瞋                                      | 5F9C      | E1D4    | 779E  | I4NW0080 |
| 瞋                                      | 5F9D      | E1D5    | 77B0  | I4NX0080 |
| 瞋                                      | 5F9E      | E1D6    | 77B6  | I4NY0080 |
| 瞋                                      | 5F9F      | E1D7    | 77B9  | I4NZ0080 |
| 瞋                                      | 5FA0      | E1D8    | 77BF  | I4O00080 |
| 瞋                                      | 5FA1      | E1D9    | 77BC  | I4O10080 |
| 瞋                                      | 5FA2      | E1DA    | 77BD  | I4O20080 |
| 瞋                                      | 5FA3      | E1DB    | 77BB  | I4O30080 |
| 瞋                                      | 5FA4      | E1DC    | 77C7  | I4O40080 |
| 瞋                                      | 5FA5      | E1DD    | 77CD  | I4O50080 |
| 瞋                                      | 5FA6      | E1DF    | 77DA  | I4O60080 |
| 矜                                      | 5FA7      | E1E0    | 77DC  | I4O70080 |
| 矣                                      | 5FA8      | E1E1    | 77E3  | I4O80080 |
| 矮                                      | 5FA9      | E1E2    | 77EE  | I4O90080 |
| 矧                                      | 5FAA      | FB77    | 52AF  | I4OA0080 |
| 矧                                      | 5FAB      | E1E3    | 77FC  | I4OB0080 |
| 矧                                      | 5FAC      | E1E4    | 780C  | I4OC0080 |
| 矧                                      | 5FAD      | E1E5    | 7812  | I4OD0080 |
| 矧                                      | 5FAE      | FB78    | 7821  | I4OE0080 |
| 矧                                      | 5FAF      | E1E6    | 783F  | I4OF0080 |
| 矧                                      | 5FB0      | E1E7    | 7820  | I4OG0080 |
| 矧                                      | 5FB1      | E1E9    | 7845  | I4OH0080 |
| 矧                                      | 5FB2      | FB79    | 784E  | I4OI0080 |
| 矧                                      | 5FB3      | FB7A    | 7864  | I4OJ0080 |
| 矧                                      | 5FB4      | E1EB    | 7874  | I4OK0080 |
| 碎                                      | 5FB5      | E1EA    | 788E  | I4OL0080 |
| 碎                                      | 5FB6      | FB7B    | 787A  | I4OM0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 磬                                      | 5FB7      | E1EC    | 7886  | I4ON0080 |
| 磬                                      | 5FB8      | E1EE    | 789A  | I4OO0080 |
| 磬                                      | 5FB9      | E1ED    | 787C  | I4OP0080 |
| 磬                                      | 5FBA      | E1EF    | 788C  | I4OQ0080 |
| 磬                                      | 5FBB      | E1F0    | 78A3  | I4OR0080 |
| 磬                                      | 5FBC      | E1F1    | 78B5  | I4OS0080 |
| 磬                                      | 5FBD      | E1F2    | 78AA  | I4OT0080 |
| 磬                                      | 5FBE      | E1F3    | 78AF  | I4OU0080 |
| 磬                                      | 5FBF      | E1F4    | 78D1  | I4OV0080 |
| 磬                                      | 5FC0      | E1F5    | 78C6  | I4OW0080 |
| 磬                                      | 5FC1      | E1F6    | 78CB  | I4OX0080 |
| 磬                                      | 5FC2      | E1F7    | 78D4  | I4OY0080 |
| 磬                                      | 5FC3      | E1F8    | 78BE  | I4OZ0080 |
| 碼                                      | 5FC4      | E1F9    | 78BC  | I4P00080 |
| 磅                                      | 5FC5      | E1FA    | 78C5  | I4P10080 |
| 磊                                      | 5FC6      | E1FB    | 78CA  | I4P20080 |
| 磬                                      | 5FC7      | E1FC    | 78EC  | I4P30080 |
| 磬                                      | 5FC8      | E240    | 78E7  | I4P40080 |
| 磚                                      | 5FC9      | E241    | 78DA  | I4P50080 |
| 磬                                      | 5FCA      | E242    | 78FD  | I4P60080 |
| 磬                                      | 5FCB      | E243    | 78F4  | I4P70080 |
| 磬                                      | 5FCC      | E244    | 7907  | I4P80080 |
| 磬                                      | 5FCD      | E246    | 7911  | I4P90080 |
| 磬                                      | 5FCE      | E247    | 7919  | I4PA0080 |
| 磬                                      | 5FCF      | E248    | 792C  | I4PB0080 |
| 磬                                      | 5FD0      | E249    | 792B  | I4PC0080 |
| 磬                                      | 5FD1      | FB7C    | 7930  | I4PD0080 |
| 禮                                      | 5FD2      | FB7D    | FA18  | I4PE0080 |
| 祀                                      | 5FD3      | E24A    | 7940  | I4PF0080 |
| 祠                                      | 5FD4      | E24B    | 7960  | I4PG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 神                                      | 5FD5      | FB7E    | FA19  | I4PH0080 |
| 崇                                      | 5FD6      | E24D    | 795F  | I4PI0080 |
| 祚                                      | 5FD7      | E24E    | 795A  | I4PJ0080 |
| 祕                                      | 5FD8      | E24F    | 7955  | I4PK0080 |
| 祥                                      | 5FD9      | FB80    | FA1A  | I4PL0080 |
| 祿                                      | 5FDA      | E252    | 797F  | I4PM0080 |
| 禊                                      | 5FDB      | E253    | 798A  | I4PN0080 |
| 禔                                      | 5FDC      | FB81    | 7994  | I4PO0080 |
| 福                                      | 5FDD      | FB82    | FA1B  | I4PP0080 |
| 禳                                      | 5FDE      | E254    | 799D  | I4PQ0080 |
| 禔                                      | 5FDF      | FB83    | 799B  | I4PR0080 |
| 禪                                      | 5FE0      | E257    | 79AA  | I4PS0080 |
| 禳                                      | 5FE1      | E259    | 79B3  | I4PT0080 |
| 禺                                      | 5FE2      | E25B    | 79BA  | I4PU0080 |
| 秉                                      | 5FE3      | E25C    | 79C9  | I4PV0080 |
| 秕                                      | 5FE4      | E25D    | 79D5  | I4PW0080 |
| 秧                                      | 5FE5      | E25E    | 79E7  | I4PX0080 |
| 秬                                      | 5FE6      | E25F    | 79EC  | I4PY0080 |
| 秣                                      | 5FE7      | E261    | 79E3  | I4PZ0080 |
| 稈                                      | 5FE8      | E262    | 7A08  | I4Q00080 |
| 稍                                      | 5FE9      | E263    | 7A0D  | I4Q10080 |
| 稊                                      | 5FEA      | E264    | 7A18  | I4Q20080 |
| 植                                      | 5FEB      | E265    | 7A19  | I4Q30080 |
| 稟                                      | 5FEC      | E267    | 7A1F  | I4Q40080 |
| 稱                                      | 5FED      | E269    | 7A31  | I4Q50080 |
| 稟                                      | 5FEE      | E26B    | 7A3E  | I4Q60080 |
| 稷                                      | 5FEF      | E26C    | 7A37  | I4Q70080 |
| 稻                                      | 5FF0      | E26A    | 7A3B  | I4Q80080 |
| 稭                                      | 5FF1      | E26D    | 7A43  | I4Q90080 |
| 穗                                      | 5FF2      | E26E    | 7A57  | I4QA0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 穉                                      | 5FF3      | E26F    | 7A49  | I4QB0080 |
| 穢                                      | 5FF4      | E271    | 7A62  | I4QC0080 |
| 穢                                      | 5FF5      | E270    | 7A61  | I4QD0080 |
| 穢                                      | 5FF6      | E272    | 7A69  | I4QE0080 |
| 穢                                      | 5FF7      | E273    | 9F9D  | I4QF0080 |
| 穢                                      | 5FF8      | E274    | 7A70  | I4QG0080 |
| 穹                                      | 5FF9      | E275    | 7A79  | I4QH0080 |
| 穽                                      | 5FFA      | E276    | 7A7D  | I4QI0080 |
| 窈                                      | 5FFB      | E277    | 7A88  | I4QJ0080 |
| 窈                                      | 5FFC      | E279    | 7A95  | I4QK0080 |
| 窈                                      | 5FFD      | E27A    | 7A98  | I4QL0080 |
| 窈                                      | 5FFE      | E27B    | 7A96  | I4QM0080 |
| 窈                                      | 6041      | E278    | 7A97  | I4QP0080 |
| 窈                                      | 6042      | E27C    | 7AA9  | I4QQ0080 |
| 窈                                      | 6043      | E27E    | 7AB0  | I4QR0080 |
| 窈                                      | 6044      | E280    | 7AB6  | I4QS0080 |
| 窈                                      | 6045      | E284    | 9083  | I4QT0080 |
| 窈                                      | 6046      | E27D    | 7AC3  | I4QU0080 |
| 窈                                      | 6047      | E283    | 7ABF  | I4QV0080 |
| 窈                                      | 6048      | E281    | 7AC5  | I4QW0080 |
| 窈                                      | 6049      | E282    | 7AC4  | I4QX0080 |
| 窈                                      | 604A      | E285    | 7AC7  | I4QY0080 |
| 窈                                      | 604B      | E286    | 7ACA  | I4QZ0080 |
| 窈                                      | 604C      | E287    | 7ACD  | I4R00080 |
| 窈                                      | 604D      | E288    | 7ACF  | I4R10080 |
| 竒                                      | 604E      | 9AF2    | 7AD2  | I4R20080 |
| 竝                                      | 604F      | FB84    | 7AD1  | I4R30080 |
| 竝                                      | 6050      | E289    | 7AD5  | I4R40080 |
| 竝                                      | 6051      | E28A    | 7AD3  | I4R50080 |
| 竝                                      | 6052      | E28B    | 7AD9  | I4R60080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 竝                                      | 6053      | E28C    | 7ADA  | I4R70080 |
| 竝                                      | 6054      | E28D    | 7ADD  | I4R80080 |
| 竝                                      | 6055      | E28E    | 7AE1  | I4R90080 |
| 竝                                      | 6056      | E28F    | 7AE2  | I4RA0080 |
| 竝                                      | 6057      | E290    | 7AE6  | I4RB0080 |
| 竝                                      | 6058      | FB85    | 7AE7  | I4RC0080 |
| 竝                                      | 6059      | FB86    | FA1C  | I4RD0080 |
| 竝                                      | 605A      | FB87    | 7AEB  | I4RE0080 |
| 竝                                      | 605B      | E291    | 7AED  | I4RF0080 |
| 竝                                      | 605C      | E292    | 7AF0  | I4RG0080 |
| 竝                                      | 605D      | 995E    | 7AF8  | I4RH0080 |
| 竝                                      | 605E      | E293    | 7B02  | I4RI0080 |
| 竝                                      | 605F      | E294    | 7B0F  | I4RJ0080 |
| 竝                                      | 6060      | E2A2    | 7B0B  | I4RK0080 |
| 竝                                      | 6061      | E295    | 7B0A  | I4RL0080 |
| 竝                                      | 6062      | E296    | 7B06  | I4RM0080 |
| 竝                                      | 6063      | E297    | 7B33  | I4RN0080 |
| 竝                                      | 6064      | E29D    | 7B36  | I4RO0080 |
| 竝                                      | 6065      | E299    | 7B19  | I4RP0080 |
| 竝                                      | 6066      | E29A    | 7B1E  | I4RQ0080 |
| 竝                                      | 6067      | E29B    | 7B35  | I4RR0080 |
| 竝                                      | 6068      | E29C    | 7B28  | I4RS0080 |
| 竝                                      | 6069      | E29E    | 7B50  | I4RT0080 |
| 竝                                      | 606A      | E2A1    | 7B4D  | I4RU0080 |
| 竝                                      | 606B      | E2A3    | 7B4C  | I4RV0080 |
| 竝                                      | 606C      | E2A4    | 7B45  | I4RW0080 |
| 竝                                      | 606D      | E2B6    | 7B5D  | I4RX0080 |
| 竝                                      | 606E      | E2A5    | 7B75  | I4RY0080 |
| 竝                                      | 606F      | E29F    | 7B7A  | I4RZ0080 |
| 竝                                      | 6070      | E2A7    | 7B74  | I4S00080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 箒                                      | 6071      | E2A9    | 7B70  | I4S10080 |
| 箒                                      | 6072      | E2AA    | 7B71  | I4S20080 |
| 箒                                      | 6073      | E2AC    | 7B6E  | I4S30080 |
| 箒                                      | 6074      | E2AD    | 7B9D  | I4S40080 |
| 箒                                      | 6075      | E2AE    | 7B98  | I4S50080 |
| 箒                                      | 6076      | E2AF    | 7B9F  | I4S60080 |
| 箒                                      | 6077      | E2B0    | 7B8D  | I4S70080 |
| 箒                                      | 6078      | E2B1    | 7B9C  | I4S80080 |
| 箒                                      | 6079      | E2B2    | 7B9A  | I4S90080 |
| 箒                                      | 607A      | E2B4    | 7B92  | I4SA0080 |
| 箒                                      | 607B      | E2B5    | 7B8F  | I4SB0080 |
| 箒                                      | 607C      | E2B7    | 7B99  | I4SC0080 |
| 箒                                      | 607D      | E2BB    | 7BCF  | I4SD0080 |
| 箒                                      | 607E      | E2B8    | 7BCB  | I4SE0080 |
| 箒                                      | 607F      | E2BA    | 7BCC  | I4SF0080 |
| 箒                                      | 6080      | E2BC    | 7BB4  | I4SG0080 |
| 箒                                      | 6081      | E2BD    | 7BC6  | I4SH0080 |
| 箒                                      | 6082      | FB88    | 7B9E  | I4SI0080 |
| 箒                                      | 6083      | E2BE    | 7BDD  | I4SJ0080 |
| 箒                                      | 6084      | E2BF    | 7BE9  | I4SK0080 |
| 箒                                      | 6085      | E2C2    | 7BE6  | I4SL0080 |
| 箒                                      | 6086      | E2C9    | 7BF7  | I4SM0080 |
| 箒                                      | 6087      | E2C3    | 7BE5  | I4SN0080 |
| 箒                                      | 6088      | E2C1    | 7C14  | I4SO0080 |
| 箒                                      | 6089      | E2C5    | 7C00  | I4SP0080 |
| 箒                                      | 608A      | E2C7    | 7C13  | I4SQ0080 |
| 箒                                      | 608B      | E2C6    | 7C07  | I4SR0080 |
| 箒                                      | 608C      | E2C8    | 7BF3  | I4SS0080 |
| 箒                                      | 608D      | E2CB    | 7C0D  | I4ST0080 |
| 箒                                      | 608E      | E2CC    | 7BF6  | I4SU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 簣                                      | 608F      | E2CD    | 7C23  | I4SV0080 |
| 簣                                      | 6090      | E2CE    | 7C27  | I4SW0080 |
| 簣                                      | 6091      | E2CF    | 7C2A  | I4SX0080 |
| 簣                                      | 6092      | E2D0    | 7C1F  | I4SY0080 |
| 簣                                      | 6093      | E2D1    | 7C37  | I4SZ0080 |
| 簣                                      | 6094      | E2D2    | 7C2B  | I4T00080 |
| 簣                                      | 6095      | E2D3    | 7C3D  | I4T10080 |
| 籊                                      | 6096      | E2D8    | 7C40  | I4T20080 |
| 籊                                      | 6097      | E2D4    | 7C4C  | I4T30080 |
| 籊                                      | 6098      | E2D5    | 7C43  | I4T40080 |
| 籊                                      | 6099      | E2DD    | 7C56  | I4T50080 |
| 籊                                      | 609A      | E2D9    | 7C50  | I4T60080 |
| 籊                                      | 609B      | E2DA    | 7C58  | I4T70080 |
| 籊                                      | 609C      | E2DB    | 7C5F  | I4T80080 |
| 籊                                      | 609D      | E2DE    | 7C65  | I4T90080 |
| 籊                                      | 609E      | E2DF    | 7C6C  | I4TA0080 |
| 糝                                      | 609F      | E2E0    | 7C75  | I4TB0080 |
| 糝                                      | 60A0      | E2E1    | 7C83  | I4TC0080 |
| 糝                                      | 60A1      | E2E2    | 7C90  | I4TD0080 |
| 糝                                      | 60A2      | E2E3    | 7CA4  | I4TE0080 |
| 糝                                      | 60A3      | E2E5    | 7CA2  | I4TF0080 |
| 糝                                      | 60A4      | E2E6    | 7CAB  | I4TG0080 |
| 糝                                      | 60A5      | E2E7    | 7CA1  | I4TH0080 |
| 糝                                      | 60A6      | E2E4    | 7CAD  | I4TI0080 |
| 糝                                      | 60A7      | E2E8    | 7CA8  | I4TJ0080 |
| 糝                                      | 60A8      | E2E9    | 7CB3  | I4TK0080 |
| 糝                                      | 60A9      | E2EA    | 7CB2  | I4TL0080 |
| 糝                                      | 60AA      | E2EB    | 7CB1  | I4TM0080 |
| 糝                                      | 60AB      | E2EC    | 7CAE  | I4TN0080 |
| 糝                                      | 60AC      | E2ED    | 7CB9  | I4TO0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 精                                      | 60AD      | FB89    | FA1D  | I4TP0080 |
| 粽                                      | 60AE      | E2EE    | 7CBD  | I4TQ0080 |
| 糝                                      | 60AF      | E2F0    | 7CC5  | I4TR0080 |
| 糝                                      | 60B0      | E2F1    | 7CC2  | I4TS0080 |
| 糝                                      | 60B1      | E2F3    | 7CD2  | I4TT0080 |
| 糝                                      | 60B2      | E2F5    | 7CE2  | I4TU0080 |
| 糝                                      | 60B3      | E2F2    | 7CD8  | I4TV0080 |
| 糝                                      | 60B4      | E2F4    | 7CDC  | I4TW0080 |
| 糝                                      | 60B5      | E2F7    | 7CEF  | I4TX0080 |
| 糝                                      | 60B6      | E2F8    | 7CF2  | I4TY0080 |
| 糝                                      | 60B7      | E2F9    | 7CF4  | I4TZ0080 |
| 糝                                      | 60B8      | E2FA    | 7CF6  | I4U00080 |
| 紵                                      | 60B9      | E2FC    | 7D06  | I4U10080 |
| 紵                                      | 60BA      | E340    | 7D02  | I4U20080 |
| 紵                                      | 60BB      | E341    | 7D1C  | I4U30080 |
| 紵                                      | 60BC      | E342    | 7D15  | I4U40080 |
| 紵                                      | 60BD      | E343    | 7D0A  | I4U50080 |
| 紵                                      | 60BE      | E344    | 7D45  | I4U60080 |
| 紵                                      | 60BF      | E345    | 7D4B  | I4U70080 |
| 紵                                      | 60C0      | E346    | 7D2E  | I4U80080 |
| 紵                                      | 60C1      | E347    | 7D32  | I4U90080 |
| 紵                                      | 60C2      | E348    | 7D3F  | I4UA0080 |
| 紵                                      | 60C3      | E349    | 7D35  | I4UB0080 |
| 紵                                      | 60C4      | FB8A    | 7D48  | I4UC0080 |
| 紵                                      | 60C5      | E34A    | 7D46  | I4UD0080 |
| 紵                                      | 60C6      | FB8B    | 7D5C  | I4UE0080 |
| 紵                                      | 60C7      | E34B    | 7D73  | I4UF0080 |
| 紵                                      | 60C8      | E34C    | 7D56  | I4UG0080 |
| 紵                                      | 60C9      | E34D    | 7D4E  | I4UH0080 |
| 紵                                      | 60CA      | E34F    | 7D68  | I4UI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 絮                                      | 60CB      | E350    | 7D6E  | I4UJ0080 |
| 紵                                      | 60CC      | E351    | 7D4F  | I4UK0080 |
| 緝                                      | 60CD      | E352    | 7D63  | I4UL0080 |
| 經                                      | 60CE      | E353    | 7D93  | I4UM0080 |
| 綉                                      | 60CF      | E354    | 7D89  | I4UN0080 |
| 條                                      | 60D0      | E355    | 7D5B  | I4UO0080 |
| 絜                                      | 60D1      | E35A    | 7DAE  | I4UP0080 |
| 縗                                      | 60D2      | E35B    | 7DA3  | I4UQ0080 |
| 綵                                      | 60D3      | E35C    | 7DB5  | I4UR0080 |
| 綵                                      | 60D4      | FB8C    | 7DB7  | I4US0080 |
| 緇                                      | 60D5      | E35D    | 7DC7  | I4UT0080 |
| 綽                                      | 60D6      | E35E    | 7DBD  | I4UU0080 |
| 綫                                      | 60D7      | E35F    | 7DAB  | I4UV0080 |
| 綢                                      | 60D8      | E361    | 7DA2  | I4UW0080 |
| 絢                                      | 60D9      | E362    | 7DAF  | I4UX0080 |
| 綠                                      | 60DA      | FB8D    | 7DA0  | I4UY0080 |
| 綸                                      | 60DB      | E364    | 7DB8  | I4UZ0080 |
| 緝                                      | 60DC      | E365    | 7D9F  | I4V00080 |
| 綰                                      | 60DD      | E366    | 7DB0  | I4V10080 |
| 綰                                      | 60DE      | E38E    | 7DD5  | I4V20080 |
| 緘                                      | 60DF      | E367    | 7DD8  | I4V30080 |
| 緝                                      | 60E0      | E368    | 7DDD  | I4V40080 |
| 緒                                      | 60E1      | FB8E    | 7DD6  | I4V50080 |
| 縲                                      | 60E2      | E369    | 7DE4  | I4V60080 |
| 緞                                      | 60E3      | E36A    | 7DDE  | I4V70080 |
| 緞                                      | 60E4      | E36B    | 7DFB  | I4V80080 |
| 縲                                      | 60E5      | E376    | 7E0B  | I4V90080 |
| 縲                                      | 60E6      | E36C    | 7DF2  | I4VA0080 |
| 縲                                      | 60E7      | E36D    | 7DE1  | I4VB0080 |
| 縲                                      | 60E8      | E363    | 7DDC  | I4VC0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 緘                                      | 60E9      | E36E    | 7E05  | I4VD0080 |
| 縲                                      | 60EA      | E36F    | 7E0A  | I4VE0080 |
| 縲                                      | 60EB      | E371    | 7E21  | I4VF0080 |
| 縲                                      | 60EC      | E372    | 7E12  | I4VG0080 |
| 縲                                      | 60ED      | E374    | 7E1F  | I4VH0080 |
| 縲                                      | 60EE      | E375    | 7E09  | I4VI0080 |
| 縲                                      | 60EF      | E381    | 7E3A  | I4VJ0080 |
| 縲                                      | 60F0      | E378    | 7E46  | I4VK0080 |
| 縲                                      | 60F1      | E379    | 7E66  | I4VL0080 |
| 縲                                      | 60F2      | E373    | 7E31  | I4VM0080 |
| 縲                                      | 60F3      | E360    | 7E3D  | I4VN0080 |
| 縲                                      | 60F4      | E37B    | 7E35  | I4VO0080 |
| 縲                                      | 60F5      | E37A    | 7E3B  | I4VP0080 |
| 縲                                      | 60F6      | E37C    | 7E39  | I4VQ0080 |
| 縲                                      | 60F7      | E37D    | 7E43  | I4VR0080 |
| 縲                                      | 60F8      | E37E    | 7E37  | I4VS0080 |
| 縲                                      | 60F9      | E380    | 7E32  | I4VT0080 |
| 縲                                      | 60FA      | E383    | 7E5D  | I4VU0080 |
| 縲                                      | 60FB      | E384    | 7E56  | I4VV0080 |
| 縲                                      | 60FC      | E385    | 7E5E  | I4VW0080 |
| 縲                                      | 60FD      | FB8F    | 7E52  | I4VX0080 |
| 縲                                      | 60FE      | E386    | 7E59  | I4VY0080 |
| 縲                                      | 6141      | E387    | 7E5A  | I4W10080 |
| 縲                                      | 6142      | E382    | 7E67  | I4W20080 |
| 縲                                      | 6143      | E388    | 7E79  | I4W30080 |
| 縲                                      | 6144      | E389    | 7E6A  | I4W40080 |
| 縲                                      | 6145      | E38A    | 7E69  | I4W50080 |
| 縲                                      | 6146      | E38B    | 7E7C  | I4W60080 |
| 縲                                      | 6147      | E38C    | 7E7B  | I4W70080 |
| 縲                                      | 6148      | E38F    | 7E7D  | I4W80080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 辮                                      | 6149      | E390    | 8FAE  | I4W90080 |
| 縊                                      | 614A      | E391    | 7E7F  | I4WA0080 |
| 縊                                      | 614B      | E38D    | 7E83  | I4WB0080 |
| 縊                                      | 614C      | E393    | 7E89  | I4WC0080 |
| 縊                                      | 614D      | E39A    | 7E8E  | I4WD0080 |
| 縊                                      | 614E      | E394    | 7E8C  | I4WE0080 |
| 纏                                      | 614F      | E395    | 7E92  | I4WF0080 |
| 纓                                      | 6150      | E397    | 7E93  | I4WG0080 |
| 纒                                      | 6151      | E398    | 7E94  | I4WH0080 |
| 織                                      | 6152      | E399    | 7E96  | I4WI0080 |
| 纛                                      | 6153      | E39B    | 7E9B  | I4WJ0080 |
| 缸                                      | 6154      | E39D    | 7F38  | I4WK0080 |
| 缺                                      | 6155      | E39E    | 7F3A  | I4WL0080 |
| 罇                                      | 6156      | E39F    | 7F45  | I4WM0080 |
| 罇                                      | 6157      | FB90    | 7F47  | I4WN0080 |
| 罇                                      | 6158      | E3A0    | 7F4C  | I4WO0080 |
| 罇                                      | 6159      | E3A2    | 7F4E  | I4WP0080 |
| 罇                                      | 615A      | E3A4    | 7F51  | I4WQ0080 |
| 罇                                      | 615B      | E3A5    | 7F55  | I4WR0080 |
| 罇                                      | 615C      | E3A6    | 7F54  | I4WS0080 |
| 罇                                      | 615D      | E3A7    | 7F58  | I4WT0080 |
| 罇                                      | 615E      | E3A8    | 7F5F  | I4WU0080 |
| 罇                                      | 615F      | E3A9    | 7F60  | I4WV0080 |
| 罇                                      | 6160      | E3AA    | 7F68  | I4WW0080 |
| 罇                                      | 6161      | E3AC    | 7F67  | I4WX0080 |
| 罇                                      | 6162      | E3AB    | 7F69  | I4WY0080 |
| 罇                                      | 6163      | E3AD    | 7F78  | I4WZ0080 |
| 罇                                      | 6164      | E3AE    | 7F82  | I4X00080 |
| 罇                                      | 6165      | E3AF    | 7F86  | I4X10080 |
| 罇                                      | 6166      | E3B0    | 7F83  | I4X20080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 羈                                      | 6167      | E3B2    | 7F87  | I4X30080 |
| 羈                                      | 6168      | E3B1    | 7F88  | I4X40080 |
| 羈                                      | 6169      | E3B3    | 7F8C  | I4X50080 |
| 羈                                      | 616A      | E3B4    | 7F94  | I4X60080 |
| 羈                                      | 616B      | E3B5    | 7F9E  | I4X70080 |
| 羈                                      | 616C      | E3B6    | 7F9D  | I4X80080 |
| 羈                                      | 616D      | E3B7    | 7F9A  | I4X90080 |
| 羈                                      | 616E      | FB91    | 7FA1  | I4XA0080 |
| 羈                                      | 616F      | E3B8    | 7FA3  | I4XB0080 |
| 羈                                      | 6170      | E3B9    | 7FAF  | I4XC0080 |
| 羈                                      | 6171      | E3BC    | 7FAE  | I4XD0080 |
| 羈                                      | 6172      | E3BA    | 7FB2  | I4XE0080 |
| 羈                                      | 6173      | E3BB    | 7FB9  | I4XF0080 |
| 羈                                      | 6174      | E3BD    | 7FB6  | I4XG0080 |
| 羈                                      | 6175      | E3BE    | 7FB8  | I4XH0080 |
| 羈                                      | 6176      | E3BF    | 8B71  | I4XI0080 |
| 羈                                      | 6177      | FB92    | FA1E  | I4XJ0080 |
| 羈                                      | 6178      | E3C0    | 7FC5  | I4XK0080 |
| 羈                                      | 6179      | E3C1    | 7FC6  | I4XL0080 |
| 羈                                      | 617A      | E3C2    | 7FCA  | I4XM0080 |
| 羈                                      | 617B      | E3C3    | 7FD5  | I4XN0080 |
| 羈                                      | 617C      | E3C5    | 7FE1  | I4XO0080 |
| 羈                                      | 617D      | E3C6    | 7FE6  | I4XP0080 |
| 羈                                      | 617E      | E3C7    | 7FE9  | I4XQ0080 |
| 羈                                      | 617F      | E3C8    | 7FF3  | I4XR0080 |
| 羈                                      | 6180      | E3C9    | 7FF9  | I4XS0080 |
| 羈                                      | 6181      | E3CC    | 8004  | I4XT0080 |
| 羈                                      | 6182      | E3CD    | 800B  | I4XU0080 |
| 羈                                      | 6183      | E3CE    | 8012  | I4XV0080 |
| 羈                                      | 6184      | E3D0    | 8019  | I4XW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 耜                                      | 6185      | E3D1    | 801C  | I4XX0080 |
| 耒                                      | 6186      | E3D2    | 8021  | I4XY0080 |
| 耨                                      | 6187      | E3D3    | 8028  | I4XZ0080 |
| 耿                                      | 6188      | E3D4    | 803F  | I4Y00080 |
| 耻                                      | 6189      | E3D5    | 803B  | I4Y10080 |
| 聊                                      | 618A      | E3D6    | 804A  | I4Y20080 |
| 聆                                      | 618B      | E3D7    | 8046  | I4Y30080 |
| 聒                                      | 618C      | E3D8    | 8052  | I4Y40080 |
| 聘                                      | 618D      | E3D9    | 8058  | I4Y50080 |
| 聒                                      | 618E      | E3DB    | 805F  | I4Y60080 |
| 聒                                      | 618F      | E3DC    | 8062  | I4Y70080 |
| 聒                                      | 6190      | E3DD    | 8068  | I4Y80080 |
| 聒                                      | 6191      | E3DE    | 8073  | I4Y90080 |
| 聒                                      | 6192      | E3DF    | 8072  | I4YA0080 |
| 聒                                      | 6193      | E3E0    | 8070  | I4YB0080 |
| 聒                                      | 6194      | E3E1    | 8076  | I4YC0080 |
| 聒                                      | 6195      | E3E2    | 8079  | I4YD0080 |
| 聒                                      | 6196      | E3E3    | 807D  | I4YE0080 |
| 聒                                      | 6197      | E3E4    | 807F  | I4YF0080 |
| 聒                                      | 6198      | E3E5    | 8084  | I4YG0080 |
| 聒                                      | 6199      | E3E7    | 8085  | I4YH0080 |
| 聒                                      | 619A      | E3E9    | 8093  | I4YI0080 |
| 聒                                      | 619B      | E3EA    | 809A  | I4YJ0080 |
| 聒                                      | 619C      | E3EB    | 80AD  | I4YK0080 |
| 聒                                      | 619D      | E3EC    | 5190  | I4YL0080 |
| 聒                                      | 619E      | E3ED    | 80AC  | I4YM0080 |
| 聒                                      | 619F      | E3EE    | 80DB  | I4YN0080 |
| 聒                                      | 61A0      | E3EF    | 80E5  | I4YO0080 |
| 聒                                      | 61A1      | E3F0    | 80D9  | I4YP0080 |
| 聒                                      | 61A2      | E3F1    | 80DD  | I4YQ0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 胄                                      | 61A3      | E3F2    | 80C4  | I4YR0080 |
| 胚                                      | 61A4      | E3F3    | 80DA  | I4YS0080 |
| 脉                                      | 61A5      | E3F5    | 8109  | I4YT0080 |
| 胯                                      | 61A6      | E3F6    | 80EF  | I4YU0080 |
| 胱                                      | 61A7      | E3F7    | 80F1  | I4YV0080 |
| 脛                                      | 61A8      | E3F8    | 811B  | I4YW0080 |
| 脣                                      | 61A9      | E3FA    | 8123  | I4YX0080 |
| 脯                                      | 61AA      | E3FB    | 812F  | I4YY0080 |
| 腋                                      | 61AB      | E3FC    | 814B  | I4YZ0080 |
| 腆                                      | 61AC      | E441    | 8146  | I4Z00080 |
| 脾                                      | 61AD      | E442    | 813E  | I4Z10080 |
| 腓                                      | 61AE      | E443    | 8153  | I4Z20080 |
| 腑                                      | 61AF      | E444    | 8151  | I4Z30080 |
| 胼                                      | 61B0      | E445    | 80FC  | I4Z40080 |
| 腱                                      | 61B1      | E446    | 8171  | I4Z50080 |
| 腮                                      | 61B2      | E447    | 816E  | I4Z60080 |
| 脛                                      | 61B3      | E448    | 8165  | I4Z70080 |
| 腔                                      | 61B4      | E454    | 815F  | I4Z80080 |
| 腦                                      | 61B5      | E449    | 8166  | I4Z90080 |
| 腴                                      | 61B6      | E44A    | 8174  | I4ZA0080 |
| 脛                                      | 61B7      | E44B    | 8183  | I4ZB0080 |
| 膈                                      | 61B8      | E44C    | 8188  | I4ZC0080 |
| 膊                                      | 61B9      | E44D    | 818A  | I4ZD0080 |
| 膀                                      | 61BA      | E44E    | 8180  | I4ZE0080 |
| 膂                                      | 61BB      | E44F    | 8182  | I4ZF0080 |
| 膠                                      | 61BC      | E450    | 81A0  | I4ZG0080 |
| 膈                                      | 61BD      | E451    | 8195  | I4ZH0080 |
| 腔                                      | 61BE      | E453    | 81A3  | I4ZI0080 |
| 腸                                      | 61BF      | E455    | 8193  | I4ZJ0080 |
| 腓                                      | 61C0      | E458    | 81B5  | I4ZK0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 膾                                      | 61C1      | E452    | 81A4  | I4ZL0080 |
| 膩                                      | 61C2      | E456    | 81A9  | I4ZM0080 |
| 髓                                      | 61C3      | E45A    | 81B8  | I4ZN0080 |
| 膾                                      | 61C4      | E457    | 81B0  | I4ZO0080 |
| 膾                                      | 61C5      | E464    | 81C8  | I4ZP0080 |
| 膾                                      | 61C6      | E459    | 81BE  | I4ZQ0080 |
| 膾                                      | 61C7      | E45B    | 81BD  | I4ZR0080 |
| 臀                                      | 61C8      | E45C    | 81C0  | I4ZS0080 |
| 臂                                      | 61C9      | E45D    | 81C2  | I4ZT0080 |
| 膾                                      | 61CA      | E45E    | 81BA  | I4ZU0080 |
| 臉                                      | 61CB      | E45F    | 81C9  | I4ZV0080 |
| 臍                                      | 61CC      | E460    | 81CD  | I4ZW0080 |
| 臍                                      | 61CD      | E461    | 81D1  | I4ZX0080 |
| 臘                                      | 61CE      | E463    | 81D8  | I4ZY0080 |
| 臍                                      | 61CF      | E462    | 81D9  | I4ZZ0080 |
| 臍                                      | 61D0      | E465    | 81DA  | I5000080 |
| 臍                                      | 61D1      | E466    | 81DF  | I5010080 |
| 臍                                      | 61D2      | E467    | 81E0  | I5020080 |
| 臺                                      | 61D3      | E469    | 81FA  | I5030080 |
| 臻                                      | 61D4      | E46A    | 81FB  | I5040080 |
| 臍                                      | 61D5      | E46B    | 81FE  | I5050080 |
| 臍                                      | 61D6      | E46C    | 8201  | I5060080 |
| 春                                      | 61D7      | E46D    | 8202  | I5070080 |
| 舅                                      | 61D8      | E46E    | 8205  | I5080080 |
| 舍                                      | 61D9      | E471    | 820D  | I5090080 |
| 舐                                      | 61DA      | E472    | 8210  | I50A0080 |
| 舒                                      | 61DB      | 98AE    | 8212  | I50B0080 |
| 舖                                      | 61DC      | E473    | 8216  | I50C0080 |
| 舩                                      | 61DD      | E474    | 8229  | I50D0080 |
| 舩                                      | 61DE      | E475    | 822B  | I50E0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 舩                                      | 61DF      | E484    | 822E  | I50F0080 |
| 舩                                      | 61E0      | E476    | 8238  | I50G0080 |
| 舩                                      | 61E1      | E477    | 8233  | I50H0080 |
| 舩                                      | 61E2      | E478    | 8240  | I50I0080 |
| 舩                                      | 61E3      | E479    | 8259  | I50J0080 |
| 舩                                      | 61E4      | E47C    | 825A  | I50K0080 |
| 舩                                      | 61E5      | E47B    | 825D  | I50L0080 |
| 舩                                      | 61E6      | E47D    | 825F  | I50M0080 |
| 舩                                      | 61E7      | E47E    | 8264  | I50N0080 |
| 舩                                      | 61E8      | E480    | 8262  | I50O0080 |
| 舩                                      | 61E9      | E481    | 8268  | I50P0080 |
| 舩                                      | 61EA      | E482    | 826A  | I50Q0080 |
| 舩                                      | 61EB      | E483    | 826B  | I50R0080 |
| 艱                                      | 61EC      | E485    | 8271  | I50S0080 |
| 艷                                      | 61ED      | E486    | 8277  | I50T0080 |
| 艾                                      | 61EE      | E488    | 827E  | I50U0080 |
| 芍                                      | 61EF      | E489    | 828D  | I50V0080 |
| 芒                                      | 61F0      | E48A    | 8292  | I50W0080 |
| 芫                                      | 61F1      | E48B    | 82AB  | I50X0080 |
| 芫                                      | 61F2      | E48C    | 829F  | I50Y0080 |
| 芫                                      | 61F3      | E48D    | 82BB  | I50Z0080 |
| 芬                                      | 61F4      | E48E    | 82AC  | I5100080 |
| 苒                                      | 61F5      | E48F    | 82E1  | I5110080 |
| 苒                                      | 61F6      | E490    | 82E3  | I5120080 |
| 苟                                      | 61F7      | E491    | 82DF  | I5130080 |
| 茁                                      | 61F8      | FB93    | 8301  | I5140080 |
| 苒                                      | 61F9      | E492    | 82D2  | I5150080 |
| 苒                                      | 61FA      | E493    | 82F4  | I5160080 |
| 苒                                      | 61FB      | E494    | 82F3  | I5170080 |
| 范                                      | 61FC      | E497    | 8303  | I5180080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 苻                                      | 61FD      | E498    | 82FB  | I5190080 |
| 萃                                      | 61FE      | E499    | 82F9  | I51A0080 |
| 苞                                      | 6241      | E49A    | 82DE  | I51D0080 |
| 茆                                      | 6242      | E49B    | 8306  | I51E0080 |
| 苜                                      | 6243      | E49C    | 82DC  | I51F0080 |
| 莓                                      | 6244      | E495    | 82FA  | I51G0080 |
| 茱                                      | 6245      | E49D    | 8309  | I51H0080 |
| 荳                                      | 6246      | E49E    | 82D9  | I51I0080 |
| 茵                                      | 6247      | E49F    | 8335  | I51J0080 |
| 苧                                      | 6248      | FB94    | 8362  | I51K0080 |
| 茴                                      | 6249      | E4A0    | 8334  | I51L0080 |
| 茗                                      | 624A      | E4A1    | 8316  | I51M0080 |
| 茱                                      | 624B      | E4A3    | 8331  | I51N0080 |
| 荀                                      | 624C      | E4A4    | 8340  | I51O0080 |
| 茹                                      | 624D      | E4A5    | 8339  | I51P0080 |
| 荐                                      | 624E      | E4A6    | 8350  | I51Q0080 |
| 苔                                      | 624F      | E4A7    | 8345  | I51R0080 |
| 茯                                      | 6250      | E4A8    | 832F  | I51S0080 |
| 茫                                      | 6251      | E4A9    | 832B  | I51T0080 |
| 荔                                      | 6252      | E4AB    | 8318  | I51U0080 |
| 蕤                                      | 6253      | E4AD    | 839A  | I51V0080 |
| 莪                                      | 6254      | E4AE    | 83AA  | I51W0080 |
| 苔                                      | 6255      | E4AF    | 839F  | I51X0080 |
| 莢                                      | 6256      | E4B0    | 83A2  | I51Y0080 |
| 莖                                      | 6257      | E4B1    | 8396  | I51Z0080 |
| 莫                                      | 6258      | E4B2    | 8323  | I5200080 |
| 莎                                      | 6259      | E4B3    | 838E  | I5210080 |
| 葱                                      | 625A      | E4B9    | 8375  | I5220080 |
| 葳                                      | 625B      | FB95    | 837F  | I5230080 |
| 莊                                      | 625C      | E4B5    | 838A  | I5240080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 茶                                      | 625D      | E4B6    | 837C  | I5250080 |
| 菟                                      | 625E      | E4B7    | 83B5  | I5260080 |
| 荳                                      | 625F      | E4B8    | 8373  | I5270080 |
| 莓                                      | 6260      | E496    | 8393  | I5280080 |
| 莠                                      | 6261      | E4BA    | 83A0  | I5290080 |
| 莅                                      | 6262      | E4AC    | 8385  | I52A0080 |
| 莉                                      | 6263      | E4BB    | 8389  | I52B0080 |
| 莨                                      | 6264      | E4BC    | 83A8  | I52C0080 |
| 菴                                      | 6265      | E4BD    | 83F4  | I52D0080 |
| 萱                                      | 6266      | E4BE    | 8413  | I52E0080 |
| 菇                                      | 6267      | FB96    | 83C7  | I52F0080 |
| 崑                                      | 6268      | E4C0    | 83CE  | I52G0080 |
| 蒔                                      | 6269      | E4C6    | 83F7  | I52H0080 |
| 菽                                      | 626A      | E4C1    | 83FD  | I52I0080 |
| 萃                                      | 626B      | E4C2    | 8403  | I52J0080 |
| 菘                                      | 626C      | E4C3    | 83D8  | I52K0080 |
| 萋                                      | 626D      | E4C4    | 840B  | I52L0080 |
| 菁                                      | 626E      | E4C5    | 83C1  | I52M0080 |
| 蕘                                      | 626F      | E4C7    | 8407  | I52N0080 |
| 菠                                      | 6270      | E4C8    | 83E0  | I52O0080 |
| 菲                                      | 6271      | E4C9    | 83F2  | I52P0080 |
| 萍                                      | 6272      | E4CA    | 840D  | I52Q0080 |
| 萌                                      | 6273      | E4CC    | 8420  | I52R0080 |
| 葶                                      | 6274      | FB97    | 83F6  | I52S0080 |
| 莽                                      | 6275      | E4CD    | 83BD  | I52T0080 |
| 蕨                                      | 6276      | E4D0    | 83FB  | I52U0080 |
| 葍                                      | 6277      | E4D2    | 842A  | I52V0080 |
| 葢                                      | 6278      | E4E2    | 8462  | I52W0080 |
| 萼                                      | 6279      | E4D3    | 843C  | I52X0080 |
| 寇                                      | 627A      | E4D5    | 8484  | I52Y0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 葷                                      | 627B      | E4D6    | 8477  | I52Z0080 |
| 葫                                      | 627C      | E4D7    | 846B  | I5300080 |
| 蒹                                      | 627D      | E4DF    | 8479  | I5310080 |
| 藁                                      | 627E      | FB98    | 8448  | I5320080 |
| 蔴                                      | 627F      | E4D9    | 846E  | I5330080 |
| 蒂                                      | 6280      | E4DA    | 8482  | I5340080 |
| 葩                                      | 6281      | E4DB    | 8469  | I5350080 |
| 葆                                      | 6282      | E4DC    | 8446  | I5360080 |
| 葯                                      | 6283      | E4DE    | 846F  | I5370080 |
| 蕙                                      | 6284      | E4CE    | 8438  | I5380080 |
| 蒿                                      | 6285      | E4E0    | 8435  | I5390080 |
| 蒨                                      | 6286      | E4E1    | 84CA  | I53A0080 |
| 蒹                                      | 6287      | E4E3    | 84B9  | I53B0080 |
| 蒿                                      | 6288      | E4E4    | 84BF  | I53C0080 |
| 蒨                                      | 6289      | E4E5    | 849F  | I53D0080 |
| 蒨                                      | 628A      | FB99    | 84B4  | I53E0080 |
| 蓍                                      | 628B      | E4E7    | 84CD  | I53F0080 |
| 蒨                                      | 628C      | E4E8    | 84BB  | I53G0080 |
| 蓍                                      | 628D      | E4E9    | 84DA  | I53H0080 |
| 蓍                                      | 628E      | E4EA    | 84D0  | I53I0080 |
| 蓍                                      | 628F      | E4EB    | 84C1  | I53J0080 |
| 蒨                                      | 6290      | E4D8    | 84AD  | I53K0080 |
| 蓍                                      | 6291      | E4EC    | 84C6  | I53L0080 |
| 蒨                                      | 6292      | E4ED    | 84D6  | I53M0080 |
| 蒨                                      | 6293      | E4EE    | 84A1  | I53N0080 |
| 蒨                                      | 6294      | E4E6    | 84D9  | I53O0080 |
| 蒨                                      | 6295      | E4F0    | 84FF  | I53P0080 |
| 蒨                                      | 6296      | E4F1    | 84F4  | I53Q0080 |
| 蒨                                      | 6297      | E4F2    | 8517  | I53R0080 |
| 蒨                                      | 6298      | E4F3    | 8518  | I53S0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 蔬                                      | 6299      | E4F4    | 852C  | I53T0080 |
| 蒨                                      | 629A      | E4F5    | 851F  | I53U0080 |
| 蒨                                      | 629B      | E4F6    | 8515  | I53V0080 |
| 蒨                                      | 629C      | E4F7    | 8514  | I53W0080 |
| 蒨                                      | 629D      | E4CF    | 8506  | I53X0080 |
| 蒨                                      | 629E      | FB9A    | 8553  | I53Y0080 |
| 蒨                                      | 629F      | E4D4    | 855A  | I53Z0080 |
| 蒨                                      | 62A0      | E4F9    | 8540  | I5400080 |
| 蒨                                      | 62A1      | FB9B    | 8559  | I5410080 |
| 蒨                                      | 62A2      | E4FA    | 8563  | I5420080 |
| 蒨                                      | 62A3      | E4FB    | 8558  | I5430080 |
| 蒨                                      | 62A4      | E4FC    | 8548  | I5440080 |
| 蒨                                      | 62A5      | E540    | 8541  | I5450080 |
| 蒨                                      | 62A6      | E541    | 854A  | I5460080 |
| 蒨                                      | 62A7      | E542    | 854B  | I5470080 |
| 蒨                                      | 62A8      | FB9C    | 856B  | I5480080 |
| 蒨                                      | 62A9      | E543    | 8555  | I5490080 |
| 蒨                                      | 62AA      | E544    | 8580  | I54A0080 |
| 蒨                                      | 62AB      | E545    | 85A4  | I54B0080 |
| 蒨                                      | 62AC      | E546    | 8588  | I54C0080 |
| 蒨                                      | 62AD      | E547    | 8591  | I54D0080 |
| 蒨                                      | 62AE      | E548    | 858A  | I54E0080 |
| 蒨                                      | 62AF      | E549    | 85A8  | I54F0080 |
| 蒨                                      | 62B0      | E54A    | 856D  | I54G0080 |
| 蒨                                      | 62B1      | E54B    | 8594  | I54H0080 |
| 蒨                                      | 62B2      | E54C    | 859B  | I54I0080 |
| 蒨                                      | 62B3      | E54D    | 85AE  | I54J0080 |
| 蒨                                      | 62B4      | E54E    | 8587  | I54K0080 |
| 蒨                                      | 62B5      | E54F    | 859C  | I54L0080 |
| 蒨                                      | 62B6      | E550    | 8577  | I54M0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 蓄       | 62B7      | E551    | 857E  | I54N0080 |
| 稜       | 62B8      | E552    | 8590  | I54O0080 |
| 藪       | 62B9      | FB9D    | FA1F  | I54P0080 |
| 舊       | 62BA      | E470    | 820A  | I54Q0080 |
| 薰       | 62BB      | FB9E    | 85B0  | I54R0080 |
| 藉       | 62BC      | E553    | 85C9  | I54S0080 |
| 薺       | 62BD      | E554    | 85BA  | I54T0080 |
| 藏       | 62BE      | E555    | 85CF  | I54U0080 |
| 臺       | 62BF      | E556    | 85B9  | I54V0080 |
| 藐       | 62C0      | E557    | 85D0  | I54W0080 |
| 藕       | 62C1      | E558    | 85D5  | I54X0080 |
| 藝       | 62C2      | E559    | 85DD  | I54Y0080 |
| 藥       | 62C3      | E55A    | 85E5  | I54Z0080 |
| 藜       | 62C4      | E55B    | 85DC  | I5500080 |
| 藹       | 62C5      | E55C    | 85F9  | I5510080 |
| 蘊       | 62C6      | E55D    | 860A  | I5520080 |
| 蘓       | 62C7      | E55E    | 8613  | I5530080 |
| 蘋       | 62C8      | E55F    | 860B  | I5540080 |
| 賴       | 62C9      | E560    | 85FE  | I5550080 |
| 龍       | 62CA      | E563    | 8622  | I5560080 |
| 蘚       | 62CB      | E564    | 861A  | I5570080 |
| 縵       | 62CC      | E565    | 8630  | I5580080 |
| 蘿       | 62CD      | E566    | 863F  | I5590080 |
| 蘊       | 62CE      | FB9F    | FA20  | I55A0080 |
| 虺       | 62CF      | E567    | 864D  | I55B0080 |
| 帛       | 62D0      | E568    | 4E55  | I55C0080 |
| 處       | 62D1      | 997C    | 8655  | I55D0080 |
| 號       | 62D2      | E56A    | 865F  | I55E0080 |
| 虧       | 62D3      | E56B    | 8667  | I55F0080 |
| 虱       | 62D4      | E56C    | 8671  | I55G0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 蚧       | 62D5      | E56D    | 8693  | I55H0080 |
| 蚣       | 62D6      | E56E    | 86A3  | I55I0080 |
| 蚩       | 62D7      | E56F    | 86A9  | I55J0080 |
| 蚋       | 62D8      | E571    | 868B  | I55K0080 |
| 蚪       | 62D9      | E570    | 86AA  | I55L0080 |
| 蚌       | 62DA      | E572    | 868C  | I55M0080 |
| 蚶       | 62DB      | E573    | 86B6  | I55N0080 |
| 蚯       | 62DC      | E574    | 86AF  | I55O0080 |
| 蛄       | 62DD      | E575    | 86C4  | I55P0080 |
| 蛆       | 62DE      | E576    | 86C6  | I55Q0080 |
| 蚰       | 62DF      | E577    | 86B0  | I55R0080 |
| 蛉       | 62E0      | E578    | 86C9  | I55S0080 |
| 蚱       | 62E1      | E579    | 86CE  | I55T0080 |
| 蛀       | 62E2      | FBA0    | FA21  | I55U0080 |
| 蝮       | 62E3      | E57A    | 86AB  | I55V0080 |
| 蛔       | 62E4      | E57B    | 86D4  | I55W0080 |
| 蛞       | 62E5      | E57C    | 86DE  | I55X0080 |
| 蝥       | 62E6      | E57D    | 86E9  | I55Y0080 |
| 蝱       | 62E7      | E57E    | 86EC  | I55Z0080 |
| 蛟       | 62E8      | E580    | 86DF  | I5600080 |
| 蛛       | 62E9      | E581    | 86DB  | I5610080 |
| 蜒       | 62EA      | E583    | 8712  | I5620080 |
| 蜆       | 62EB      | E584    | 8706  | I5630080 |
| 蜈       | 62EC      | E585    | 8708  | I5640080 |
| 蜀       | 62ED      | E586    | 8700  | I5650080 |
| 蜃       | 62EE      | E587    | 8703  | I5660080 |
| 蛻       | 62EF      | E588    | 86FB  | I5670080 |
| 蝻       | 62F0      | E589    | 8711  | I5680080 |
| 蜉       | 62F1      | E58A    | 8709  | I5690080 |
| 蝻       | 62F2      | E58B    | 870D  | I56A0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 蛹       | 62F3      | E58C    | 86F9  | I56B0080 |
| 蛭       | 62F4      | E58D    | 870A  | I56C0080 |
| 蛎       | 62F5      | E58E    | 8734  | I56D0080 |
| 蛞       | 62F6      | E58F    | 873F  | I56E0080 |
| 蜻       | 62F7      | E591    | 873B  | I56F0080 |
| 蛸       | 62F8      | E592    | 8725  | I56G0080 |
| 蛴       | 62F9      | E593    | 8729  | I56H0080 |
| 蜚       | 62FA      | E594    | 871A  | I56I0080 |
| 蛴       | 62FB      | E596    | 875F  | I56J0080 |
| 蛴       | 62FC      | E597    | 8778  | I56K0080 |
| 蛴       | 62FD      | E598    | 874C  | I56L0080 |
| 蛴       | 62FE      | E599    | 874E  | I56M0080 |
| 蛴       | 6341      | E59A    | 8774  | I56P0080 |
| 蝗       | 6342      | E59B    | 8757  | I56Q0080 |
| 蝻       | 6343      | E59C    | 8768  | I56R0080 |
| 螂       | 6344      | E5A5    | 8782  | I56S0080 |
| 蛴       | 6345      | E5A1    | 876A  | I56T0080 |
| 蝠       | 6346      | E595    | 8760  | I56U0080 |
| 蝮       | 6347      | E59D    | 876E  | I56V0080 |
| 蝠       | 6348      | E59E    | 8759  | I56W0080 |
| 蝮       | 6349      | E59F    | 8753  | I56X0080 |
| 蝮       | 634A      | E5A0    | 8763  | I56Y0080 |
| 蝮       | 634B      | E5A2    | 877F  | I56Z0080 |
| 蝮       | 634C      | E5A3    | 87A2  | I5700080 |
| 蝮       | 634D      | E5B0    | 87C6  | I5710080 |
| 蝮       | 634E      | E5A4    | 879F  | I5720080 |
| 蝮       | 634F      | E5A6    | 87AF  | I5730080 |
| 蝮       | 6350      | E5A7    | 87CB  | I5740080 |
| 蝮       | 6351      | E5A8    | 87BD  | I5750080 |
| 蝮       | 6352      | E5A9    | 87C0  | I5760080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 蝮       | 6353      | E5AA    | 87D0  | I5770080 |
| 蝮       | 6354      | E5AB    | 96D6  | I5780080 |
| 蝮       | 6355      | E5AC    | 87AB  | I5790080 |
| 蝮       | 6356      | E5AD    | 87C4  | I57A0080 |
| 蝮       | 6357      | E5AE    | 87B3  | I57B0080 |
| 蝮       | 6358      | E5BB    | 87D2  | I57C0080 |
| 蝮       | 6359      | E5B1    | 87BB  | I57D0080 |
| 蝮       | 635A      | E5B2    | 87EF  | I57E0080 |
| 蝮       | 635B      | E5B3    | 87F2  | I57F0080 |
| 蝮       | 635C      | E5B4    | 87E0  | I57G0080 |
| 蝮       | 635D      | E5BA    | 880E  | I57H0080 |
| 蝮       | 635E      | FBA1    | 8807  | I57I0080 |
| 蝮       | 635F      | E5B5    | 880F  | I57J0080 |
| 蝮       | 6360      | E5BD    | 8816  | I57K0080 |
| 蝮       | 6361      | E5B6    | 880D  | I57L0080 |
| 蝮       | 6362      | E5B7    | 87FE  | I57M0080 |
| 蝮       | 6363      | E5B8    | 87F6  | I57N0080 |
| 蝮       | 6364      | E5B9    | 87F7  | I57O0080 |
| 蝮       | 6365      | E5BC    | 8811  | I57P0080 |
| 蝮       | 6366      | E5BE    | 8815  | I57Q0080 |
| 蝮       | 6367      | E5BF    | 8822  | I57R0080 |
| 蝮       | 6368      | E5C0    | 8821  | I57S0080 |
| 蝮       | 6369      | E5C4    | 8827  | I57T0080 |
| 蝮       | 636A      | E5C1    | 8831  | I57U0080 |
| 蝮       | 636B      | E5C2    | 8836  | I57V0080 |
| 蝮       | 636C      | E5C3    | 8839  | I57W0080 |
| 蝮       | 636D      | E5C5    | 883B  | I57X0080 |
| 蝮       | 636E      | E5C7    | 8842  | I57Y0080 |
| 蝮       | 636F      | E5C6    | 8844  | I57Z0080 |
| 蝮       | 6370      | 9FA5    | 884D  | I5800080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 衞                                      | 6371      | E5C8    | 8852  | I5810080 |
| 衞                                      | 6372      | E5C9    | 8859  | I5820080 |
| 衞                                      | 6373      | E5CA    | 885E  | I5830080 |
| 衞                                      | 6374      | E5CB    | 8862  | I5840080 |
| 衫                                      | 6375      | E5CC    | 886B  | I5850080 |
| 袁                                      | 6376      | E5CD    | 8881  | I5860080 |
| 衾                                      | 6377      | E5CE    | 887E  | I5870080 |
| 衿                                      | 6378      | E5D0    | 8875  | I5880080 |
| 衿                                      | 6379      | E5D1    | 887D  | I5890080 |
| 衿                                      | 637A      | E5D3    | 8872  | I58A0080 |
| 袂                                      | 637B      | E5D4    | 8882  | I58B0080 |
| 袂                                      | 637C      | E5CF    | 889E  | I58C0080 |
| 袷                                      | 637D      | E5D5    | 8897  | I58D0080 |
| 袒                                      | 637E      | E5D6    | 8892  | I58E0080 |
| 衤                                      | 637F      | E5D7    | 88AE  | I58F0080 |
| 衤                                      | 6380      | E5D8    | 8899  | I58G0080 |
| 衤                                      | 6381      | E5D9    | 88A2  | I58H0080 |
| 袍                                      | 6382      | E5DA    | 888D  | I58I0080 |
| 袂                                      | 6383      | E5DB    | 88A4  | I58J0080 |
| 袷                                      | 6384      | E5DD    | 88BF  | I58K0080 |
| 衤                                      | 6385      | E5D2    | 88B5  | I58L0080 |
| 袂                                      | 6386      | E5DE    | 88B1  | I58M0080 |
| 袷                                      | 6387      | E5DF    | 88C3  | I58N0080 |
| 衤                                      | 6388      | E5E0    | 88C4  | I58O0080 |
| 衤                                      | 6389      | E5E1    | 88D4  | I58P0080 |
| 袂                                      | 638A      | E5E2    | 88D8  | I58Q0080 |
| 裙                                      | 638B      | E5E3    | 88D9  | I58R0080 |
| 裝                                      | 638C      | E5E4    | 88DD  | I58S0080 |
| 裏                                      | 638D      | E5E5    | 88F9  | I58T0080 |
| 褂                                      | 638E      | E5E6    | 8902  | I58U0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 裊                                      | 638F      | E5E7    | 88FC  | I58V0080 |
| 裊                                      | 6390      | FBA2    | 88F5  | I58W0080 |
| 裊                                      | 6391      | E5E9    | 88E8  | I58X0080 |
| 裊                                      | 6392      | E5EA    | 88F2  | I58Y0080 |
| 裊                                      | 6393      | E5EB    | 8904  | I58Z0080 |
| 禪                                      | 6394      | E5EC    | 890C  | I5900080 |
| 裊                                      | 6395      | E5F2    | 892A  | I5910080 |
| 禪                                      | 6396      | E5FA    | 891D  | I5920080 |
| 褊                                      | 6397      | E5ED    | 890A  | I5930080 |
| 褊                                      | 6398      | E5EE    | 8913  | I5940080 |
| 褊                                      | 6399      | E5F0    | 891E  | I5950080 |
| 禡                                      | 639A      | E5F1    | 8925  | I5960080 |
| 禡                                      | 639B      | E5F3    | 892B  | I5970080 |
| 褊                                      | 639C      | E5F4    | 8941  | I5980080 |
| 褊                                      | 639D      | E5F6    | 893B  | I5990080 |
| 褶                                      | 639E      | E5F7    | 8936  | I59A0080 |
| 褊                                      | 639F      | E5EF    | 8943  | I59B0080 |
| 褊                                      | 63A0      | E5F8    | 8938  | I59C0080 |
| 褊                                      | 63A1      | E8B5    | 894D  | I59D0080 |
| 禪                                      | 63A2      | E5F9    | 894C  | I59E0080 |
| 褊                                      | 63A3      | E5FB    | 8960  | I59F0080 |
| 褊                                      | 63A4      | E5FC    | 895E  | I59G0080 |
| 褊                                      | 63A5      | E640    | 8966  | I59H0080 |
| 褊                                      | 63A6      | E643    | 896A  | I59I0080 |
| 褊                                      | 63A7      | E641    | 8964  | I59J0080 |
| 褊                                      | 63A8      | E642    | 896D  | I59K0080 |
| 褊                                      | 63A9      | E644    | 896F  | I59L0080 |
| 褊                                      | 63AA      | E645    | 8974  | I59M0080 |
| 褊                                      | 63AB      | E646    | 8977  | I59N0080 |
| 𦑔                                      | 63AC      | E647    | 897E  | I59O0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 覃                                      | 63AD      | E648    | 8983  | I59P0080 |
| 覈                                      | 63AE      | E649    | 8988  | I59Q0080 |
| 羈                                      | 63AF      | E64A    | 898A  | I59R0080 |
| 覓                                      | 63B0      | E64B    | 8993  | I59S0080 |
| 覘                                      | 63B1      | E64C    | 8998  | I59T0080 |
| 覘                                      | 63B2      | E64D    | 89A1  | I59U0080 |
| 覘                                      | 63B3      | E64E    | 89A9  | I59V0080 |
| 覘                                      | 63B4      | E64F    | 89A6  | I59W0080 |
| 覘                                      | 63B5      | E650    | 89AC  | I59X0080 |
| 覘                                      | 63B6      | E651    | 89AF  | I59Y0080 |
| 覘                                      | 63B7      | E652    | 89B2  | I59Z0080 |
| 覺                                      | 63B8      | E653    | 89BA  | I5A00080 |
| 覘                                      | 63B9      | E655    | 89BF  | I5A10080 |
| 覽                                      | 63BA      | E654    | 89BD  | I5A20080 |
| 觀                                      | 63BB      | E656    | 89C0  | I5A30080 |
| 觚                                      | 63BC      | E657    | 89DA  | I5A40080 |
| 觥                                      | 63BD      | E659    | 89DD  | I5A50080 |
| 觥                                      | 63BE      | E65A    | 89E7  | I5A60080 |
| 觥                                      | 63BF      | E65B    | 89F4  | I5A70080 |
| 觸                                      | 63C0      | E65C    | 89F8  | I5A80080 |
| 訃                                      | 63C1      | E65D    | 8A03  | I5A90080 |
| 訖                                      | 63C2      | E65E    | 8A16  | I5AA0080 |
| 訖                                      | 63C3      | E65F    | 8A10  | I5AB0080 |
| 訖                                      | 63C4      | E660    | 8A0C  | I5AC0080 |
| 訖                                      | 63C5      | FBA3    | 8A12  | I5AD0080 |
| 訖                                      | 63C6      | E661    | 8A1B  | I5AE0080 |
| 訝                                      | 63C7      | E662    | 8A1D  | I5AF0080 |
| 訥                                      | 63C8      | E663    | 8A25  | I5AG0080 |
| 訶                                      | 63C9      | E664    | 8A36  | I5AH0080 |
| 詰                                      | 63CA      | E665    | 8A41  | I5AI0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 諄                                      | 63CB      | FBA4    | 8A37  | I5AJ0080 |
| 詛                                      | 63CC      | E666    | 8A5B  | I5AK0080 |
| 詒                                      | 63CD      | E667    | 8A52  | I5AL0080 |
| 詆                                      | 63CE      | E668    | 8A46  | I5AM0080 |
| 詈                                      | 63CF      | E669    | 8A48  | I5AN0080 |
| 詵                                      | 63D0      | E66A    | 8A7C  | I5AO0080 |
| 詵                                      | 63D1      | E66B    | 8A6D  | I5AP0080 |
| 詵                                      | 63D2      | E66C    | 8A6C  | I5AQ0080 |
| 詢                                      | 63D3      | E66D    | 8A62  | I5AR0080 |
| 詹                                      | 63D4      | FBA5    | 8A79  | I5AS0080 |
| 誅                                      | 63D5      | E66E    | 8A85  | I5AT0080 |
| 誅                                      | 63D6      | E66F    | 8A82  | I5AU0080 |
| 誅                                      | 63D7      | E670    | 8A84  | I5AV0080 |
| 誨                                      | 63D8      | E671    | 8AA8  | I5AW0080 |
| 誡                                      | 63D9      | E672    | 8AA1  | I5AX0080 |
| 誑                                      | 63DA      | E673    | 8A91  | I5AY0080 |
| 誑                                      | 63DB      | E674    | 8AA5  | I5AZ0080 |
| 誑                                      | 63DC      | E675    | 8AA6  | I5B00080 |
| 誑                                      | 63DD      | E676    | 8A9A  | I5B10080 |
| 誑                                      | 63DE      | E677    | 8AA3  | I5B20080 |
| 誑                                      | 63DF      | FBA6    | 8AA7  | I5B30080 |
| 諫                                      | 63E0      | E67C    | 8ACC  | I5B40080 |
| 闇                                      | 63E1      | FBA7    | 8ABE  | I5B50080 |
| 諍                                      | 63E2      | E679    | 8ACD  | I5B60080 |
| 諂                                      | 63E3      | E67A    | 8AC2  | I5B70080 |
| 諂                                      | 63E4      | E67B    | 8ADA  | I5B80080 |
| 諂                                      | 63E5      | E67D    | 8AF3  | I5B90080 |
| 諧                                      | 63E6      | E67E    | 8AE7  | I5BA0080 |
| 諤                                      | 63E7      | E680    | 8AE4  | I5BB0080 |
| 諱                                      | 63E8      | E681    | 8AF1  | I5BC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 諛                                      | 63E9      | E682    | 8B14  | I5BD0080 |
| 誼                                      | 63EA      | E683    | 8AE0  | I5BE0080 |
| 諱                                      | 63EB      | E684    | 8AE2  | I5BF0080 |
| 諡                                      | 63EC      | E68B    | 8AE1  | I5BG0080 |
| 諷                                      | 63ED      | FBA8    | 8ADF  | I5BH0080 |
| 諸                                      | 63EE      | FBA9    | FA22  | I5BI0080 |
| 諶                                      | 63EF      | FBAA    | 8AF6  | I5BJ0080 |
| 諷                                      | 63F0      | E685    | 8AF7  | I5BK0080 |
| 編                                      | 63F1      | E686    | 8ADE  | I5BL0080 |
| 諛                                      | 63F2      | E687    | 8ADB  | I5BM0080 |
| 諤                                      | 63F3      | E688    | 8B0C  | I5BN0080 |
| 謔                                      | 63F4      | E689    | 8B07  | I5BO0080 |
| 諡                                      | 63F5      | E68A    | 8B1A  | I5BP0080 |
| 謔                                      | 63F6      | E68C    | 8B16  | I5BQ0080 |
| 諡                                      | 63F7      | E68D    | 8B10  | I5BR0080 |
| 謔                                      | 63F8      | E68E    | 8B17  | I5BS0080 |
| 謔                                      | 63F9      | E68F    | 8B20  | I5BT0080 |
| 謔                                      | 63FA      | E690    | 8B33  | I5BU0080 |
| 諱                                      | 63FB      | E696    | 8B41  | I5BV0080 |
| 鞫                                      | 63FC      | E691    | 97AB  | I5BW0080 |
| 警                                      | 63FD      | E692    | 8B26  | I5BX0080 |
| 謫                                      | 63FE      | E693    | 8B2B  | I5BY0080 |
| 謔                                      | 6441      | E694    | 8B3E  | I5C10080 |
| 謔                                      | 6442      | E697    | 8B4C  | I5C20080 |
| 謔                                      | 6443      | E698    | 8B4F  | I5C30080 |
| 謔                                      | 6444      | E699    | 8B4E  | I5C40080 |
| 謔                                      | 6445      | FBAB    | 8B53  | I5C50080 |
| 證                                      | 6446      | E69A    | 8B49  | I5C60080 |
| 譖                                      | 6447      | E69B    | 8B56  | I5C70080 |
| 譖                                      | 6448      | E69C    | 8B5B  | I5C80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 譚                                      | 6449      | E69D    | 8B5A  | I5C90080 |
| 譚                                      | 644A      | E6A2    | 8B74  | I5CA0080 |
| 譚                                      | 644B      | E69E    | 8B6B  | I5CB0080 |
| 譚                                      | 644C      | E69F    | 8B5F  | I5CC0080 |
| 警                                      | 644D      | E6A0    | 8B6C  | I5CD0080 |
| 譚                                      | 644E      | E6A1    | 8B6F  | I5CE0080 |
| 譽                                      | 644F      | E6A3    | 8B7D  | I5CF0080 |
| 譚                                      | 6450      | FBAC    | 8B7F  | I5CG0080 |
| 讀                                      | 6451      | E6A4    | 8B80  | I5CH0080 |
| 譚                                      | 6452      | E6A5    | 8B8C  | I5CI0080 |
| 譚                                      | 6453      | E6A6    | 8B8E  | I5CJ0080 |
| 譚                                      | 6454      | E6AA    | 8B99  | I5CK0080 |
| 譚                                      | 6455      | E6A7    | 8B92  | I5CL0080 |
| 讓                                      | 6456      | E6A8    | 8B93  | I5CM0080 |
| 譚                                      | 6457      | E6A9    | 8B96  | I5CN0080 |
| 譚                                      | 6458      | E6AB    | 8B9A  | I5CO0080 |
| 訝                                      | 6459      | E6AC    | 8C3A  | I5CP0080 |
| 谿                                      | 645A      | E6AD    | 8C41  | I5CQ0080 |
| 谿                                      | 645B      | E6AE    | 8C3F  | I5CR0080 |
| 豈                                      | 645C      | E6AF    | 8C48  | I5CS0080 |
| 腕                                      | 645D      | E6B0    | 8C4C  | I5CT0080 |
| 豎                                      | 645E      | E6B1    | 8C4E  | I5CU0080 |
| 豐                                      | 645F      | E6B2    | 8C50  | I5CV0080 |
| 豕                                      | 6460      | E6B3    | 8C55  | I5CW0080 |
| 豕                                      | 6461      | E6B4    | 8C62  | I5CX0080 |
| 豕                                      | 6462      | E6B5    | 8C6C  | I5CY0080 |
| 豕                                      | 6463      | E6B6    | 8C78  | I5CZ0080 |
| 豕                                      | 6464      | E6B7    | 8C7A  | I5D00080 |
| 豕                                      | 6465      | E6BF    | 8C7C  | I5D10080 |
| 豕                                      | 6466      | E6B8    | 8C82  | I5D20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 貉                                      | 6467      | E6B9    | 8C89  | I5D30080 |
| 貅                                      | 6468      | E6BA    | 8C85  | I5D40080 |
| 貉                                      | 6469      | E6BB    | 8C8A  | I5D50080 |
| 狸                                      | 646A      | E6BC    | 8C8D  | I5D60080 |
| 貌                                      | 646B      | E6BD    | 8C8E  | I5D70080 |
| 貌                                      | 646C      | E6C0    | 8C98  | I5D80080 |
| 貌                                      | 646D      | E6BE    | 8C94  | I5D90080 |
| 賤                                      | 646E      | E6C1    | 621D  | I5DA0080 |
| 賈                                      | 646F      | E6C2    | 8CAD  | I5DB0080 |
| 貪                                      | 6470      | E6C3    | 8CAA  | I5DC0080 |
| 貳                                      | 6471      | E6C7    | 8CAE  | I5DD0080 |
| 貽                                      | 6472      | E6C4    | 8CBD  | I5DE0080 |
| 貲                                      | 6473      | E6C5    | 8CB2  | I5DF0080 |
| 貳                                      | 6474      | E6C6    | 8CB3  | I5DG0080 |
| 賁                                      | 6475      | E6CA    | 8CC1  | I5DH0080 |
| 貶                                      | 6476      | E6C8    | 8CB6  | I5DI0080 |
| 賈                                      | 6477      | E6C9    | 8CC8  | I5DJ0080 |
| 賤                                      | 6478      | E6CB    | 8CCE  | I5DK0080 |
| 賍                                      | 6479      | E6DA    | 8CCD  | I5DL0080 |
| 賈                                      | 647A      | E6CC    | 8CE3  | I5DM0080 |
| 賈                                      | 647B      | E6CD    | 8CDA  | I5DN0080 |
| 賈                                      | 647C      | FBAD    | 8CF0  | I5DO0080 |
| 賴                                      | 647D      | FBAE    | 8CF4  | I5DP0080 |
| 賽                                      | 647E      | E6CE    | 8CFD  | I5DQ0080 |
| 賺                                      | 647F      | E6CF    | 8CFA  | I5DR0080 |
| 賻                                      | 6480      | E6D0    | 8CFB  | I5DS0080 |
| 贊                                      | 6481      | E6D4    | 8D07  | I5DT0080 |
| 贊                                      | 6482      | E6D3    | 8D0A  | I5DU0080 |
| 贏                                      | 6483      | E6D5    | 8D0F  | I5DV0080 |
| 贍                                      | 6484      | E6D6    | 8D0D  | I5DW0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 贄                                      | 6485      | FBAF    | 8D12  | I5DX0080 |
| 贄                                      | 6486      | E6D7    | 8D10  | I5DY0080 |
| 贄                                      | 6487      | E6D9    | 8D13  | I5DZ0080 |
| 贄                                      | 6488      | E6DB    | 8D14  | I5E00080 |
| 贄                                      | 6489      | E6DC    | 8D16  | I5E10080 |
| 赧                                      | 648A      | E6DD    | 8D67  | I5E20080 |
| 赧                                      | 648B      | E6DE    | 8D6D  | I5E30080 |
| 赧                                      | 648C      | E6DF    | 8D71  | I5E40080 |
| 赧                                      | 648D      | FBB0    | 8D76  | I5E50080 |
| 赧                                      | 648E      | FBB1    | FA23  | I5E60080 |
| 赧                                      | 648F      | E6E1    | 8D81  | I5E70080 |
| 赧                                      | 6490      | E6E3    | 8DC2  | I5E80080 |
| 赧                                      | 6491      | E6E4    | 8DBE  | I5E90080 |
| 赧                                      | 6492      | E6E5    | 8DBA  | I5EA0080 |
| 赧                                      | 6493      | E6E6    | 8DCF  | I5EB0080 |
| 赧                                      | 6494      | E6E7    | 8DDA  | I5EC0080 |
| 赧                                      | 6495      | E6E8    | 8DD6  | I5ED0080 |
| 赧                                      | 6496      | E6E9    | 8DCC  | I5EE0080 |
| 赧                                      | 6497      | E6EA    | 8DDB  | I5EF0080 |
| 赧                                      | 6498      | E6EB    | 8DCB  | I5EG0080 |
| 赧                                      | 6499      | E6EC    | 8DEA  | I5EH0080 |
| 赧                                      | 649A      | E6ED    | 8DEB  | I5EI0080 |
| 赧                                      | 649B      | E6EE    | 8DDF  | I5EJ0080 |
| 赧                                      | 649C      | E6EF    | 8DE3  | I5EK0080 |
| 赧                                      | 649D      | E6F0    | 8DFC  | I5EL0080 |
| 赧                                      | 649E      | E6F1    | 8E08  | I5EM0080 |
| 赧                                      | 649F      | E6F3    | 8DFF  | I5EN0080 |
| 赧                                      | 64A0      | E6F2    | 8E09  | I5EO0080 |
| 赧                                      | 64A1      | E6F4    | 8E1D  | I5EP0080 |
| 赧                                      | 64A2      | E6F5    | 8E1E  | I5EQ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 踐                                      | 64A3      | E6F6    | 8E10  | I5ER0080 |
| 踮                                      | 64A4      | E6F7    | 8E1F  | I5ES0080 |
| 蹂                                      | 64A5      | E6F8    | 8E42  | I5ET0080 |
| 踵                                      | 64A6      | E6F9    | 8E35  | I5EU0080 |
| 踰                                      | 64A7      | E6FA    | 8E30  | I5EV0080 |
| 踴                                      | 64A8      | E6FB    | 8E34  | I5EW0080 |
| 蹊                                      | 64A9      | E6FC    | 8E4A  | I5EX0080 |
| 蹇                                      | 64AA      | E740    | 8E47  | I5EY0080 |
| 蹉                                      | 64AB      | E741    | 8E49  | I5EZ0080 |
| 踰                                      | 64AC      | E742    | 8E4C  | I5F00080 |
| 躋                                      | 64AD      | E743    | 8E50  | I5F10080 |
| 蹈                                      | 64AE      | E744    | 8E48  | I5F20080 |
| 蹙                                      | 64AF      | E745    | 8E59  | I5F30080 |
| 蹤                                      | 64B0      | E746    | 8E64  | I5F40080 |
| 蹠                                      | 64B1      | E747    | 8E60  | I5F50080 |
| 躡                                      | 64B2      | E74A    | 8E55  | I5F60080 |
| 躡                                      | 64B3      | E749    | 8E63  | I5F70080 |
| 蹠                                      | 64B4      | E74B    | 8E76  | I5F80080 |
| 躡                                      | 64B5      | E74C    | 8E72  | I5F90080 |
| 躡                                      | 64B6      | E74F    | 8E87  | I5FA0080 |
| 躡                                      | 64B7      | E74D    | 8E7C  | I5FB0080 |
| 躡                                      | 64B8      | E74E    | 8E81  | I5FC0080 |
| 躡                                      | 64B9      | E750    | 8E85  | I5FD0080 |
| 蹙                                      | 64BA      | E751    | 8E84  | I5FE0080 |
| 躡                                      | 64BB      | E752    | 8E8B  | I5FF0080 |
| 躡                                      | 64BC      | E753    | 8E8A  | I5FG0080 |
| 躡                                      | 64BD      | E754    | 8E93  | I5FH0080 |
| 躡                                      | 64BE      | E755    | 8E91  | I5FI0080 |
| 躡                                      | 64BF      | E756    | 8E94  | I5FJ0080 |
| 躡                                      | 64C0      | E757    | 8E99  | I5FK0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 躡                                      | 64C1      | E759    | 8EA1  | I5FL0080 |
| 躡                                      | 64C2      | E758    | 8EAA  | I5FM0080 |
| 躡                                      | 64C3      | E75D    | 8EB1  | I5FN0080 |
| 躡                                      | 64C4      | E75E    | 8EBE  | I5FO0080 |
| 躡                                      | 64C5      | E75C    | 8EC6  | I5FP0080 |
| 躡                                      | 64C6      | E75F    | 8EC5  | I5FQ0080 |
| 躡                                      | 64C7      | E760    | 8EC8  | I5FR0080 |
| 軋                                      | 64C8      | E761    | 8ECB  | I5FS0080 |
| 軋                                      | 64C9      | FBB2    | 8ECF  | I5FT0080 |
| 軋                                      | 64CA      | E762    | 8EDB  | I5FU0080 |
| 軋                                      | 64CB      | E763    | 8EE3  | I5FV0080 |
| 軋                                      | 64CC      | E764    | 8EFC  | I5FW0080 |
| 軋                                      | 64CD      | E765    | 8EFB  | I5FX0080 |
| 軋                                      | 64CE      | E766    | 8EEB  | I5FY0080 |
| 軋                                      | 64CF      | E767    | 8EFE  | I5FZ0080 |
| 軋                                      | 64D0      | E768    | 8F0A  | I5G00080 |
| 軋                                      | 64D1      | E771    | 8F0C  | I5G10080 |
| 軋                                      | 64D2      | E769    | 8F05  | I5G20080 |
| 軋                                      | 64D3      | E76A    | 8F15  | I5G30080 |
| 軋                                      | 64D4      | E76B    | 8F12  | I5G40080 |
| 軋                                      | 64D5      | E76D    | 8F13  | I5G50080 |
| 軋                                      | 64D6      | E76E    | 8F1C  | I5G60080 |
| 軋                                      | 64D7      | E76C    | 8F19  | I5G70080 |
| 軋                                      | 64D8      | E76F    | 8F1F  | I5G80080 |
| 軋                                      | 64D9      | E772    | 8F26  | I5G90080 |
| 軋                                      | 64DA      | E773    | 8F33  | I5GA0080 |
| 軋                                      | 64DB      | E774    | 8F3B  | I5GB0080 |
| 軋                                      | 64DC      | E775    | 8F39  | I5GC0080 |
| 軋                                      | 64DD      | E776    | 8F45  | I5GD0080 |
| 軋                                      | 64DE      | E777    | 8F42  | I5GE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 輾                                      | 64DF      | E778    | 8F3E  | I5GF0080 |
| 轉                                      | 64E0      | E77A    | 8F49  | I5GG0080 |
| 輓                                      | 64E1      | E77B    | 8F46  | I5GH0080 |
| 轉                                      | 64E2      | E779    | 8F4C  | I5GI0080 |
| 轎                                      | 64E3      | E77C    | 8F4E  | I5GJ0080 |
| 輓                                      | 64E4      | E77D    | 8F57  | I5GK0080 |
| 轎                                      | 64E5      | E77E    | 8F5C  | I5GL0080 |
| 轎                                      | 64E6      | E780    | 8F62  | I5GM0080 |
| 輓                                      | 64E7      | E781    | 8F63  | I5GN0080 |
| 轎                                      | 64E8      | E782    | 8F64  | I5GO0080 |
| 辜                                      | 64E9      | E783    | 8F9C  | I5GP0080 |
| 辟                                      | 64EA      | E784    | 8F9F  | I5GQ0080 |
| 辣                                      | 64EB      | E785    | 8FA3  | I5GR0080 |
| 辨                                      | 64EC      | 999E    | 8FA8  | I5GS0080 |
| 辨                                      | 64ED      | 999F    | 8FA7  | I5GT0080 |
| 辭                                      | 64EE      | E786    | 8FAD  | I5GU0080 |
| 辯                                      | 64EF      | E787    | 8FAF  | I5GV0080 |
| 𠂇                                      | 64F0      | E788    | 8FB7  | I5GW0080 |
| 返                                      | 64F1      | FBB3    | FA24  | I5GX0080 |
| 迥                                      | 64F2      | E789    | 8FDA  | I5GY0080 |
| 迴                                      | 64F3      | E78A    | 8FE5  | I5GZ0080 |
| 迢                                      | 64F4      | E78B    | 8FE2  | I5H00080 |
| 逖                                      | 64F5      | E78D    | 8FEF  | I5H10080 |
| 迖                                      | 64F6      | E78E    | 8FE9  | I5H20080 |
| 迴                                      | 64F7      | E78F    | 8FF4  | I5H30080 |
| 迓                                      | 64F8      | E790    | 9005  | I5H40080 |
| 迹                                      | 64F9      | E791    | 8FF9  | I5H50080 |
| 迸                                      | 64FA      | E79E    | 8FF8  | I5H60080 |
| 逖                                      | 64FB      | E793    | 9011  | I5H70080 |
| 逖                                      | 64FC      | E794    | 9015  | I5H80080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 酒                                      | 64FD      | E7A3    | 900E  | I5H90080 |
| 逖                                      | 64FE      | E795    | 9021  | I5HA0080 |
| 逖                                      | 6541      | E796    | 900D  | I5HD0080 |
| 逖                                      | 6542      | E797    | 901E  | I5HE0080 |
| 逖                                      | 6543      | E798    | 9016  | I5HF0080 |
| 逖                                      | 6544      | E799    | 900B  | I5HG0080 |
| 逖                                      | 6545      | E79A    | 9027  | I5HH0080 |
| 逖                                      | 6546      | E79B    | 9036  | I5HI0080 |
| 逖                                      | 6547      | E79D    | 9039  | I5HJ0080 |
| 逖                                      | 6548      | E79F    | 904F  | I5HK0080 |
| 逸                                      | 6549      | FBB4    | FA25  | I5HL0080 |
| 遐                                      | 654A      | E7A0    | 9050  | I5HM0080 |
| 遐                                      | 654B      | E7A1    | 9051  | I5HN0080 |
| 遐                                      | 654C      | E7A2    | 9052  | I5HO0080 |
| 遐                                      | 654D      | E7A4    | 9049  | I5HP0080 |
| 逾                                      | 654E      | E7A5    | 903E  | I5HQ0080 |
| 適                                      | 654F      | E7A6    | 9056  | I5HR0080 |
| 適                                      | 6550      | E7A7    | 9058  | I5HS0080 |
| 遞                                      | 6551      | E7A8    | 905E  | I5HT0080 |
| 遨                                      | 6552      | E7A9    | 9068  | I5HU0080 |
| 遑                                      | 6553      | FBB5    | 9067  | I5HV0080 |
| 遑                                      | 6554      | E7AA    | 906F  | I5HW0080 |
| 遑                                      | 6555      | E7AB    | 9076  | I5HX0080 |
| 隨                                      | 6556      | E7AC    | 96A8  | I5HY0080 |
| 遲                                      | 6557      | E7AD    | 9072  | I5HZ0080 |
| 遲                                      | 6558      | E7AE    | 9082  | I5I00080 |
| 遽                                      | 6559      | E7AF    | 907D  | I5I10080 |
| 邊                                      | 655A      | E7B3    | 9089  | I5I20080 |
| 邀                                      | 655B      | E7B1    | 9080  | I5I30080 |
| 邏                                      | 655C      | E7B4    | 908F  | I5I40080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 扈                                      | 655D      | E7BB    | 6248  | I5I50080 |
| 邯                                      | 655E      | E7B6    | 90AF  | I5I60080 |
| 邱                                      | 655F      | E7B7    | 90B1  | I5I70080 |
| 邵                                      | 6560      | E7B8    | 90B5  | I5I80080 |
| 郢                                      | 6561      | E7B9    | 90E2  | I5I90080 |
| 郤                                      | 6562      | E7BA    | 90E4  | I5IA0080 |
| 郢                                      | 6563      | E7BC    | 90DB  | I5IB0080 |
| 郎                                      | 6564      | FBB6    | 90DE  | I5IC0080 |
| 鄂                                      | 6565      | E7BD    | 9102  | I5ID0080 |
| 都                                      | 6566      | FBB7    | FA26  | I5IE0080 |
| 郷                                      | 6567      | FBB8    | 9115  | I5IF0080 |
| 鄒                                      | 6568      | E7BE    | 9112  | I5IG0080 |
| 鄙                                      | 6569      | E7BF    | 9119  | I5IH0080 |
| 鄆                                      | 656A      | E7C0    | 9132  | I5II0080 |
| 鄧                                      | 656B      | FBB9    | 9127  | I5IJ0080 |
| 鄰                                      | 656C      | E7C1    | 9130  | I5IK0080 |
| 酊                                      | 656D      | E7C2    | 914A  | I5IL0080 |
| 酖                                      | 656E      | E7C3    | 9156  | I5IM0080 |
| 酞                                      | 656F      | E7C4    | 9158  | I5IN0080 |
| 酡                                      | 6570      | E7C5    | 9163  | I5IO0080 |
| 酥                                      | 6571      | E7C6    | 9165  | I5IP0080 |
| 酪                                      | 6572      | E7C7    | 9169  | I5IQ0080 |
| 醇                                      | 6573      | E7C8    | 9173  | I5IR0080 |
| 醒                                      | 6574      | E7C9    | 9172  | I5IS0080 |
| 醋                                      | 6575      | E7CA    | 918B  | I5IT0080 |
| 醉                                      | 6576      | E7CB    | 9189  | I5IU0080 |
| 醃                                      | 6577      | E7CC    | 9182  | I5IV0080 |
| 醞                                      | 6578      | E7CD    | 91A2  | I5IW0080 |
| 醫                                      | 6579      | E7CE    | 91AB  | I5IX0080 |
| 醜                                      | 657A      | E7CF    | 91AF  | I5IY0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 醜                                      | 657B      | E7D0    | 91AA  | I5IZ0080 |
| 醜                                      | 657C      | E7D1    | 91B5  | I5J00080 |
| 醜                                      | 657D      | E7D2    | 91B4  | I5J10080 |
| 醜                                      | 657E      | E7D3    | 91BA  | I5J20080 |
| 醜                                      | 657F      | E7D4    | 91C0  | I5J30080 |
| 釁                                      | 6580      | E7D5    | 91C1  | I5J40080 |
| 釋                                      | 6581      | E7D7    | 91CB  | I5J50080 |
| 釐                                      | 6582      | E7D8    | 91D0  | I5J60080 |
| 釐                                      | 6583      | FBBA    | 91DA  | I5J70080 |
| 釐                                      | 6584      | E7DC    | 91DB  | I5J80080 |
| 釐                                      | 6585      | FBBB    | 91D7  | I5J90080 |
| 釐                                      | 6586      | FBBC    | 91DE  | I5JA0080 |
| 釐                                      | 6587      | E7D9    | 91D6  | I5JB0080 |
| 釐                                      | 6588      | E7DA    | 91DF  | I5JC0080 |
| 釐                                      | 6589      | E7DB    | 91E1  | I5JD0080 |
| 釐                                      | 658A      | FBBD    | 91ED  | I5JE0080 |
| 釐                                      | 658B      | E7DE    | 91F5  | I5JF0080 |
| 釐                                      | 658C      | FBBE    | 91EE  | I5JG0080 |
| 釐                                      | 658D      | FBBF    | 91E4  | I5JH0080 |
| 釐                                      | 658E      | E7DF    | 91F6  | I5JI0080 |
| 釐                                      | 658F      | FBC0    | 91E5  | I5JJ0080 |
| 釐                                      | 6590      | FBC1    | 9206  | I5JK0080 |
| 釐                                      | 6591      | E7E0    | 921E  | I5JL0080 |
| 釐                                      | 6592      | E7E1    | 91FF  | I5JM0080 |
| 釐                                      | 6593      | FBC2    | 9210  | I5JN0080 |
| 釐                                      | 6594      | E7E2    | 9214  | I5JO0080 |
| 釐                                      | 6595      | FBC3    | 920A  | I5JP0080 |
| 釐                                      | 6596      | E7E3    | 922C  | I5JQ0080 |
| 釐                                      | 6597      | E7E4    | 9215  | I5JR0080 |
| 釐                                      | 6598      | E86E    | 9229  | I5JS0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鉗                                      | 6599      | E7E7    | 9257  | I5JT0080 |
| 鉅                                      | 659A      | E7E8    | 9245  | I5JU0080 |
| 鉃                                      | 659B      | FBC4    | 923A  | I5JV0080 |
| 鉇                                      | 659C      | E7E9    | 9249  | I5JW0080 |
| 鉈                                      | 659D      | E7EA    | 9264  | I5JX0080 |
| 鉉                                      | 659E      | FBC5    | 9240  | I5JY0080 |
| 鉊                                      | 659F      | FBC6    | 923C  | I5JZ0080 |
| 鉋                                      | 65A0      | E7EB    | 9248  | I5K00080 |
| 鉌                                      | 65A1      | FBC7    | 924E  | I5K10080 |
| 鉍                                      | 65A2      | E7EF    | 9250  | I5K20080 |
| 鉎                                      | 65A3      | FBC8    | 9259  | I5K30080 |
| 鉏                                      | 65A4      | E7ED    | 923F  | I5K40080 |
| 鉑                                      | 65A5      | FBC9    | 9251  | I5K50080 |
| 鉒                                      | 65A6      | FBCA    | 9239  | I5K60080 |
| 鉓                                      | 65A7      | E7EE    | 924B  | I5K70080 |
| 鉔                                      | 65A8      | FBCB    | 9267  | I5K80080 |
| 鉕                                      | 65A9      | E7F4    | 925A  | I5K90080 |
| 鉖                                      | 65AA      | E7F0    | 929C  | I5KA0080 |
| 鉗                                      | 65AB      | FBCB    | 92A7  | I5KB0080 |
| 鉘                                      | 65AC      | FBCD    | 9277  | I5KC0080 |
| 鉙                                      | 65AD      | FBCE    | 9278  | I5KD0080 |
| 鉚                                      | 65AE      | E7F1    | 9296  | I5KE0080 |
| 鉛                                      | 65AF      | E7F2    | 9293  | I5KF0080 |
| 鉜                                      | 65B0      | E7F3    | 929B  | I5KG0080 |
| 鉝                                      | 65B1      | E7EC    | 9295  | I5KH0080 |
| 鉞                                      | 65B2      | E7F8    | 92E9  | I5KI0080 |
| 鉟                                      | 65B3      | E7F5    | 92CF  | I5KJ0080 |
| 鉠                                      | 65B4      | FBCF    | 92E7  | I5KK0080 |
| 鉡                                      | 65B5      | FBD0    | 92D7  | I5KL0080 |
| 鉢                                      | 65B6      | FBD1    | 92D9  | I5KM0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鉣                                      | 65B7      | FBD2    | 92D0  | I5KN0080 |
| 鉤                                      | 65B8      | FBD3    | FA27  | I5KO0080 |
| 鉥                                      | 65B9      | FBD4    | 92D5  | I5KP0080 |
| 鉦                                      | 65BA      | E7F6    | 92B9  | I5KQ0080 |
| 鉧                                      | 65BB      | E7F7    | 92B7  | I5KR0080 |
| 鉨                                      | 65BC      | FBD5    | 92E0  | I5KS0080 |
| 鉩                                      | 65BD      | FBD6    | 92D3  | I5KT0080 |
| 鉪                                      | 65BE      | E844    | 933A  | I5KU0080 |
| 鉫                                      | 65BF      | E845    | 9335  | I5KV0080 |
| 鉬                                      | 65C0      | E7F9    | 930F  | I5KW0080 |
| 鉭                                      | 65C1      | FBD7    | 9325  | I5KX0080 |
| 鉮                                      | 65C2      | E7FA    | 92FA  | I5KY0080 |
| 鉯                                      | 65C3      | FBD8    | 9321  | I5KZ0080 |
| 鉰                                      | 65C4      | E7FB    | 9344  | I5L00080 |
| 鉱                                      | 65C5      | FBD9    | 92FB  | I5L10080 |
| 鉲                                      | 65C6      | FBDA    | FA28  | I5L20080 |
| 鉳                                      | 65C7      | E840    | 9319  | I5L30080 |
| 鉴                                      | 65C8      | FBDB    | 931E  | I5L40080 |
| 鉵                                      | 65C9      | FBDC    | 92FF  | I5L50080 |
| 鉶                                      | 65CA      | E841    | 9322  | I5L60080 |
| 鉷                                      | 65CB      | E842    | 931A  | I5L70080 |
| 鉸                                      | 65CC      | FBDD    | 931D  | I5L80080 |
| 鉹                                      | 65CD      | E843    | 9323  | I5L90080 |
| 鉺                                      | 65CE      | FBDE    | 9302  | I5LA0080 |
| 鉻                                      | 65CF      | E846    | 933B  | I5LB0080 |
| 鉼                                      | 65D0      | FBDF    | 9370  | I5LC0080 |
| 鉽                                      | 65D1      | E848    | 9360  | I5LD0080 |
| 鉿                                      | 65D2      | E849    | 937C  | I5LE0080 |
| 鉾                                      | 65D3      | E84A    | 936E  | I5LF0080 |
| 鉿                                      | 65D4      | E84B    | 9356  | I5LG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 銻                                      | 65D5      | FBE0    | 9357  | I5LH0080 |
| 銼                                      | 65D6      | E850    | 93B9  | I5LI0080 |
| 銇                                      | 65D7      | E84C    | 93B0  | I5LJ0080 |
| 銈                                      | 65D8      | FBE1    | 93A4  | I5LK0080 |
| 銉                                      | 65D9      | E84E    | 93AD  | I5LL0080 |
| 銊                                      | 65DA      | E84F    | 9394  | I5LM0080 |
| 銋                                      | 65DB      | E859    | 93C8  | I5LN0080 |
| 銌                                      | 65DC      | E851    | 93D6  | I5LO0080 |
| 銍                                      | 65DD      | FBE2    | 93C6  | I5LP0080 |
| 銎                                      | 65DE      | E852    | 93D7  | I5LQ0080 |
| 銏                                      | 65DF      | E853    | 93E8  | I5LR0080 |
| 銐                                      | 65E0      | E854    | 93E5  | I5LS0080 |
| 銑                                      | 65E1      | E855    | 93D8  | I5LT0080 |
| 銒                                      | 65E2      | E856    | 93C3  | I5LU0080 |
| 銓                                      | 65E3      | E857    | 93DD  | I5LV0080 |
| 銔                                      | 65E4      | FBE3    | 93DE  | I5LW0080 |
| 銕                                      | 65E5      | E858    | 93D0  | I5LX0080 |
| 銖                                      | 65E6      | E85A    | 93E4  | I5LY0080 |
| 銗                                      | 65E7      | E85B    | 941A  | I5LZ0080 |
| 銘                                      | 65E8      | FBE4    | 93F8  | I5M00080 |
| 銙                                      | 65E9      | E85C    | 9414  | I5M10080 |
| 銚                                      | 65EA      | E85D    | 9413  | I5M20080 |
| 銛                                      | 65EB      | E864    | 9421  | I5M30080 |
| 銜                                      | 65EC      | E85E    | 9403  | I5M40080 |
| 銝                                      | 65ED      | E85F    | 9407  | I5M50080 |
| 銞                                      | 65EE      | E861    | 9436  | I5M60080 |
| 銟                                      | 65EF      | E862    | 942B  | I5M70080 |
| 銠                                      | 65F0      | FBE5    | 9431  | I5M80080 |
| 銡                                      | 65F1      | E865    | 943A  | I5M90080 |
| 銢                                      | 65F2      | E866    | 9441  | I5MA0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 銣                                      | 65F3      | E867    | 9452  | I5MB0080 |
| 銤                                      | 65F4      | FBE6    | 9445  | I5MC0080 |
| 銥                                      | 65F5      | E868    | 9444  | I5MD0080 |
| 銦                                      | 65F6      | FBE7    | 9448  | I5ME0080 |
| 銧                                      | 65F7      | E869    | 945B  | I5MF0080 |
| 銨                                      | 65F8      | E873    | 945A  | I5MG0080 |
| 銩                                      | 65F9      | E86A    | 9460  | I5MH0080 |
| 銪                                      | 65FA      | E86B    | 9462  | I5MI0080 |
| 銫                                      | 65FB      | E86C    | 945E  | I5MJ0080 |
| 銬                                      | 65FC      | E86D    | 946A  | I5MK0080 |
| 銭                                      | 65FD      | E870    | 9475  | I5ML0080 |
| 銮                                      | 65FE      | E86F    | 9470  | I5MM0080 |
| 銯                                      | 6641      | E871    | 9477  | I5MP0080 |
| 銰                                      | 6642      | E877    | 947F  | I5MQ0080 |
| 銱                                      | 6643      | E872    | 947D  | I5MR0080 |
| 銲                                      | 6644      | E874    | 947C  | I5MS0080 |
| 銳                                      | 6645      | E875    | 947E  | I5MT0080 |
| 銴                                      | 6646      | E876    | 9481  | I5MU0080 |
| 𠄎                                      | 6647      | E878    | 9582  | I5MV0080 |
| 𠄏                                      | 6648      | E879    | 9587  | I5MW0080 |
| 𠄐                                      | 6649      | E87A    | 958A  | I5MX0080 |
| 𠄑                                      | 664A      | FBE8    | 9592  | I5MY0080 |
| 𠄒                                      | 664B      | E87B    | 9594  | I5MZ0080 |
| 𠄓                                      | 664C      | E87C    | 9596  | I5N00080 |
| 𠄔                                      | 664D      | E87D    | 9598  | I5N10080 |
| 𠄕                                      | 664E      | E87E    | 9599  | I5N20080 |
| 𠄖                                      | 664F      | E880    | 95A0  | I5N30080 |
| 𠄗                                      | 6650      | E881    | 95A8  | I5N40080 |
| 𠄘                                      | 6651      | E882    | 95A7  | I5N50080 |
| 𠄙                                      | 6652      | E883    | 95AD  | I5N60080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 闕                                      | 6653      | E884    | 95BC  | I5N70080 |
| 閻                                      | 6654      | E885    | 95BB  | I5N80080 |
| 闞                                      | 6655      | E886    | 95B9  | I5N90080 |
| 闕                                      | 6656      | E887    | 95BE  | I5NA0080 |
| 闕                                      | 6657      | E888    | 95CA  | I5NB0080 |
| 潤                                      | 6658      | E889    | 6FF6  | I5NC0080 |
| 闕                                      | 6659      | E88A    | 95C3  | I5ND0080 |
| 闕                                      | 665A      | E88B    | 95CD  | I5NE0080 |
| 闕                                      | 665B      | E88C    | 95CC  | I5NF0080 |
| 闕                                      | 665C      | E88D    | 95D5  | I5NG0080 |
| 闕                                      | 665D      | E88E    | 95D4  | I5NH0080 |
| 闕                                      | 665E      | E88F    | 95D6  | I5NI0080 |
| 關                                      | 665F      | E890    | 95DC  | I5NJ0080 |
| 闕                                      | 6660      | E891    | 95E1  | I5NK0080 |
| 闕                                      | 6661      | E892    | 95E5  | I5NL0080 |
| 闕                                      | 6662      | E893    | 95E2  | I5NM0080 |
| 阡                                      | 6663      | E894    | 9621  | I5NN0080 |
| 阨                                      | 6664      | E895    | 9628  | I5NO0080 |
| 阮                                      | 6665      | E896    | 962E  | I5NP0080 |
| 阨                                      | 6666      | E897    | 962F  | I5NQ0080 |
| 陂                                      | 6667      | E898    | 9642  | I5NR0080 |
| 隋                                      | 6668      | E89A    | 964F  | I5NS0080 |
| 陌                                      | 6669      | E899    | 964C  | I5NT0080 |
| 陋                                      | 666A      | E89B    | 964B  | I5NU0080 |
| 陝                                      | 666B      | E89D    | 965C  | I5NV0080 |
| 陝                                      | 666C      | E89F    | 965D  | I5NW0080 |
| 陟                                      | 666D      | E8A0    | 965F  | I5NX0080 |
| 踴                                      | 666E      | E8A1    | 9666  | I5NY0080 |
| 陷                                      | 666F      | E89C    | 9677  | I5NZ0080 |
| 陞                                      | 6670      | E8A2    | 9672  | I5O00080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 陞                                      | 6671      | E8A3    | 966C  | I5O10080 |
| 隍                                      | 6672      | E8A4    | 968D  | I5O20080 |
| 隋                                      | 6673      | E440    | 968B  | I5O30080 |
| 隆                                      | 6674      | FBE9    | F9DC  | I5O40080 |
| 隘                                      | 6675      | E8A5    | 9698  | I5O50080 |
| 隕                                      | 6676      | E8A6    | 9695  | I5O60080 |
| 隗                                      | 6677      | E8A7    | 9697  | I5O70080 |
| 隗                                      | 6678      | FBEA    | FA29  | I5O80080 |
| 隗                                      | 6679      | FBEB    | 969D  | I5O90080 |
| 隧                                      | 667A      | E8A9    | 96A7  | I5OA0080 |
| 險                                      | 667B      | E8A8    | 96AA  | I5OB0080 |
| 隱                                      | 667C      | E8AA    | 96B1  | I5OC0080 |
| 隲                                      | 667D      | E8AB    | 96B2  | I5OD0080 |
| 隲                                      | 667E      | E8AC    | 96B0  | I5OE0080 |
| 隲                                      | 667F      | FBEC    | 96AF  | I5OF0080 |
| 隲                                      | 6680      | E8AD    | 96B4  | I5OG0080 |
| 隲                                      | 6681      | E8AE    | 96B6  | I5OH0080 |
| 隲                                      | 6682      | E8AF    | 96B8  | I5OI0080 |
| 隲                                      | 6683      | E8B0    | 96B9  | I5OJ0080 |
| 隲                                      | 6684      | E8B1    | 96CE  | I5OK0080 |
| 隲                                      | 6685      | E8B2    | 96CB  | I5OL0080 |
| 隲                                      | 6686      | E8B8    | 96D5  | I5OM0080 |
| 隲                                      | 6687      | E8B6    | 96DC  | I5ON0080 |
| 隲                                      | 6688      | 99D4    | 96D9  | I5OO0080 |
| 隲                                      | 6689      | E8B9    | 96F9  | I5OP0080 |
| 霄                                      | 668A      | E8BA    | 9704  | I5OQ0080 |
| 霆                                      | 668B      | E8BB    | 9706  | I5OR0080 |
| 霽                                      | 668C      | E8BC    | 9708  | I5OS0080 |
| 霽                                      | 668D      | E8C2    | 9719  | I5OT0080 |
| 霍                                      | 668E      | E8B7    | 970D  | I5OU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 霓                                      | 668F      | E8BD    | 9713  | I5OV0080 |
| 霎                                      | 6690      | E8BE    | 970E  | I5OW0080 |
| 霑                                      | 6691      | E8BF    | 9711  | I5OX0080 |
| 霏                                      | 6692      | E8C0    | 970F  | I5OY0080 |
| 霖                                      | 6693      | E8C1    | 9716  | I5OZ0080 |
| 雷                                      | 6694      | E8C3    | 9724  | I5P00080 |
| 霑                                      | 6695      | E8C4    | 972A  | I5P10080 |
| 霰                                      | 6696      | E8C5    | 9730  | I5P20080 |
| 霽                                      | 6697      | FBED    | 9733  | I5P30080 |
| 霽                                      | 6698      | E8C6    | 9739  | I5P40080 |
| 靈                                      | 6699      | FBEE    | 973B  | I5P50080 |
| 霽                                      | 669A      | E8C7    | 973D  | I5P60080 |
| 霽                                      | 669B      | E8C8    | 973E  | I5P70080 |
| 霽                                      | 669C      | E8CA    | 9746  | I5P80080 |
| 霽                                      | 669D      | E8C9    | 9744  | I5P90080 |
| 霽                                      | 669E      | FBEF    | 9743  | I5PA0080 |
| 靈                                      | 669F      | E8CB    | 9748  | I5PB0080 |
| 霽                                      | 66A0      | E8CC    | 9742  | I5PC0080 |
| 霽                                      | 66A1      | E8CD    | 9749  | I5PD0080 |
| 霽                                      | 66A2      | FBF0    | 974D  | I5PE0080 |
| 霽                                      | 66A3      | FBF1    | 974F  | I5PF0080 |
| 青                                      | 66A4      | FBF2    | 9751  | I5PG0080 |
| 靖                                      | 66A5      | FBF3    | 9755  | I5PH0080 |
| 靜                                      | 66A6      | E8CE    | 975C  | I5PI0080 |
| 靠                                      | 66A7      | E8CF    | 9760  | I5PJ0080 |
| 砲                                      | 66A8      | E8D0    | 9764  | I5PK0080 |
| 靦                                      | 66A9      | E8D1    | 9766  | I5PL0080 |
| 靨                                      | 66AA      | E8D2    | 9768  | I5PM0080 |
| 靨                                      | 66AB      | E8D5    | 976D  | I5PN0080 |
| 靨                                      | 66AC      | E8D6    | 9779  | I5PO0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鞅                                      | 66AD      | E8D7    | 9785  | I5PP0080 |
| 鞅                                      | 66AE      | E8D8    | 977C  | I5PQ0080 |
| 鞅                                      | 66AF      | E8D9    | 9781  | I5PR0080 |
| 鞅                                      | 66B0      | E8DA    | 977A  | I5PS0080 |
| 鞋                                      | 66B1      | E8DC    | 978B  | I5PT0080 |
| 鞅                                      | 66B2      | E8DD    | 978F  | I5PU0080 |
| 鞅                                      | 66B3      | E8DE    | 9790  | I5PV0080 |
| 鞅                                      | 66B4      | E8DF    | 979C  | I5PW0080 |
| 鞅                                      | 66B5      | E8E0    | 97A8  | I5PX0080 |
| 鞅                                      | 66B6      | E8E1    | 97A6  | I5PY0080 |
| 鞅                                      | 66B7      | E8E2    | 97A3  | I5PZ0080 |
| 鞅                                      | 66B8      | E8E3    | 97B3  | I5Q00080 |
| 鞅                                      | 66B9      | E8E4    | 97B4  | I5Q10080 |
| 鞅                                      | 66BA      | E8E5    | 97C3  | I5Q20080 |
| 鞅                                      | 66BB      | E8E6    | 97C6  | I5Q30080 |
| 鞅                                      | 66BC      | E8E7    | 97C8  | I5Q40080 |
| 韋                                      | 66BD      | E8E8    | 97CB  | I5Q50080 |
| 韋                                      | 66BE      | E8E9    | 97DC  | I5Q60080 |
| 韋                                      | 66BF      | E8EA    | 97ED  | I5Q70080 |
| 韋                                      | 66C0      | E8EC    | 97F2  | I5Q80080 |
| 竟                                      | 66C1      | E8ED    | 7ADF  | I5Q90080 |
| 韻                                      | 66C2      | E8EF    | 97F5  | I5QA0080 |
| 韻                                      | 66C3      | E8F0    | 980F  | I5QB0080 |
| 韻                                      | 66C4      | E8F2    | 981A  | I5QC0080 |
| 韻                                      | 66C5      | E8F3    | 9824  | I5QD0080 |
| 韻                                      | 66C6      | E8F4    | 9821  | I5QE0080 |
| 韻                                      | 66C7      | E8F5    | 9837  | I5QF0080 |
| 韻                                      | 66C8      | E8F6    | 983D  | I5QG0080 |
| 韻                                      | 66C9      | E8F8    | 984F  | I5QH0080 |
| 韻                                      | 66CA      | E8F9    | 984B  | I5QI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 顛                                      | 66CB      | FBF4    | 9857  | I5QJ0080 |
| 顛                                      | 66CC      | FBF5    | 9865  | I5QK0080 |
| 顛                                      | 66CD      | E8FA    | 986B  | I5QL0080 |
| 顛                                      | 66CE      | E8FB    | 986F  | I5QM0080 |
| 顛                                      | 66CF      | E8FC    | 9870  | I5QN0080 |
| 顛                                      | 66D0      | E940    | 9871  | I5QO0080 |
| 顛                                      | 66D1      | E941    | 9874  | I5QP0080 |
| 顛                                      | 66D2      | E942    | 9873  | I5QQ0080 |
| 顛                                      | 66D3      | E943    | 98AA  | I5QR0080 |
| 顛                                      | 66D4      | E944    | 98AF  | I5QS0080 |
| 顛                                      | 66D5      | E945    | 98B1  | I5QT0080 |
| 顛                                      | 66D6      | E946    | 98B6  | I5QU0080 |
| 顛                                      | 66D7      | E947    | 98C4  | I5QV0080 |
| 顛                                      | 66D8      | E948    | 98C3  | I5QW0080 |
| 顛                                      | 66D9      | E949    | 98C6  | I5QX0080 |
| 顛                                      | 66DA      | E3CA    | 98DC  | I5QY0080 |
| 飭                                      | 66DB      | 99AA    | 98ED  | I5QZ0080 |
| 飰                                      | 66DC      | E94A    | 98E9  | I5R00080 |
| 飯                                      | 66DD      | FBF6    | FA2A  | I5R10080 |
| 飮                                      | 66DE      | E94B    | 98EB  | I5R20080 |
| 飼                                      | 66DF      | FBF7    | FA2B  | I5R30080 |
| 餃                                      | 66E0      | E94C    | 9903  | I5R40080 |
| 飭                                      | 66E1      | E952    | 991D  | I5R50080 |
| 餛                                      | 66E2      | E94E    | 9912  | I5R60080 |
| 餹                                      | 66E3      | E94F    | 9914  | I5R70080 |
| 餘                                      | 66E4      | E950    | 9918  | I5R80080 |
| 餞                                      | 66E5      | FBF8    | 9927  | I5R90080 |
| 館                                      | 66E6      | FBF9    | FA2C  | I5RA0080 |
| 餡                                      | 66E7      | E951    | 9921  | I5RB0080 |
| 餞                                      | 66E8      | E953    | 991E  | I5RC0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 餸                                      | 66E9      | E954    | 9924  | I5RD0080 |
| 餅                                      | 66EA      | E955    | 9920  | I5RE0080 |
| 餹                                      | 66EB      | E956    | 992C  | I5RF0080 |
| 餹                                      | 66EC      | E957    | 992E  | I5RG0080 |
| 餹                                      | 66ED      | E958    | 993D  | I5RH0080 |
| 餹                                      | 66EE      | E959    | 993E  | I5RI0080 |
| 餹                                      | 66EF      | E95A    | 9942  | I5RJ0080 |
| 餹                                      | 66F0      | E95B    | 9949  | I5RK0080 |
| 餹                                      | 66F1      | E95C    | 9945  | I5RL0080 |
| 餹                                      | 66F2      | E95D    | 9950  | I5RM0080 |
| 餹                                      | 66F3      | E95E    | 994B  | I5RN0080 |
| 餹                                      | 66F4      | E95F    | 9951  | I5RO0080 |
| 餹                                      | 66F5      | E961    | 994C  | I5RP0080 |
| 饗                                      | 66F6      | E962    | 9955  | I5RQ0080 |
| 馮                                      | 66F7      | E963    | 9997  | I5RR0080 |
| 馮                                      | 66F8      | E964    | 9998  | I5RS0080 |
| 馮                                      | 66F9      | FBFA    | 999E  | I5RT0080 |
| 馮                                      | 66FA      | E965    | 99A5  | I5RU0080 |
| 馮                                      | 66FB      | E966    | 99AD  | I5RV0080 |
| 馮                                      | 66FC      | E967    | 99AE  | I5RW0080 |
| 馮                                      | 66FD      | E968    | 99BC  | I5RX0080 |
| 馮                                      | 66FE      | E969    | 99DF  | I5RY0080 |
| 馮                                      | 6741      | E96A    | 99DB  | I5S10080 |
| 馮                                      | 6742      | E96B    | 99DD  | I5S20080 |
| 馮                                      | 6743      | E96C    | 99D8  | I5S30080 |
| 馮                                      | 6744      | E96D    | 99D1  | I5S40080 |
| 馮                                      | 6745      | E96E    | 99ED  | I5S50080 |
| 馮                                      | 6746      | E96F    | 99EE  | I5S60080 |
| 馮                                      | 6747      | E977    | 99E2  | I5S70080 |
| 馮                                      | 6748      | E970    | 99F1  | I5S80080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 駟                                      | 6749      | E971    | 99F2  | I5S90080 |
| 駟                                      | 674A      | E972    | 99FB  | I5SA0080 |
| 駟                                      | 674B      | E973    | 99F8  | I5SB0080 |
| 駟                                      | 674C      | E974    | 9A01  | I5SC0080 |
| 駟                                      | 674D      | E975    | 9A0F  | I5SD0080 |
| 駟                                      | 674E      | E976    | 9A05  | I5SE0080 |
| 駟                                      | 674F      | E978    | 9A19  | I5SF0080 |
| 騫                                      | 6750      | E979    | 9A2B  | I5SG0080 |
| 騫                                      | 6751      | E97A    | 9A37  | I5SH0080 |
| 騫                                      | 6752      | E97D    | 9A40  | I5SI0080 |
| 驅                                      | 6753      | E97B    | 9A45  | I5SJ0080 |
| 驂                                      | 6754      | E97C    | 9A42  | I5SK0080 |
| 驃                                      | 6755      | E97E    | 9A43  | I5SL0080 |
| 騾                                      | 6756      | E980    | 9A3E  | I5SM0080 |
| 驕                                      | 6757      | E981    | 9A55  | I5SN0080 |
| 驍                                      | 6758      | E982    | 9A4D  | I5SO0080 |
| 驎                                      | 6759      | FBFB    | 9A4E  | I5SP0080 |
| 驛                                      | 675A      | E983    | 9A5B  | I5SQ0080 |
| 驗                                      | 675B      | E984    | 9A57  | I5SR0080 |
| 驟                                      | 675C      | E985    | 9A5F  | I5SS0080 |
| 驢                                      | 675D      | E986    | 9A62  | I5ST0080 |
| 驢                                      | 675E      | E989    | 9A69  | I5SU0080 |
| 驢                                      | 675F      | E987    | 9A65  | I5SV0080 |
| 驢                                      | 6760      | E988    | 9A64  | I5SW0080 |
| 驢                                      | 6761      | E98B    | 9A6A  | I5SX0080 |
| 羴                                      | 6762      | E98A    | 9A6B  | I5SY0080 |
| 𠂔                                      | 6763      | E98C    | 9AAD  | I5SZ0080 |
| 𠂔                                      | 6764      | E98D    | 9AB0  | I5T00080 |
| 𠂔                                      | 6765      | E98E    | 9ABC  | I5T10080 |
| 𠂔                                      | 6766      | E98F    | 9AC0  | I5T20080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 體                                      | 6767      | E990    | 9ACF  | I5T30080 |
| 髓                                      | 6768      | E992    | 9AD3  | I5T40080 |
| 體                                      | 6769      | E993    | 9AD4  | I5T50080 |
| 髑                                      | 676A      | E991    | 9AD1  | I5T60080 |
| 高                                      | 676B      | FBFC    | 9AD9  | I5T70080 |
| 髑                                      | 676C      | FC40    | 9ADC  | I5T80080 |
| 髑                                      | 676D      | E994    | 9ADE  | I5T90080 |
| 髑                                      | 676E      | E995    | 9ADF  | I5TA0080 |
| 髑                                      | 676F      | E996    | 9AE2  | I5TB0080 |
| 髑                                      | 6770      | E997    | 9AE3  | I5TC0080 |
| 髑                                      | 6771      | E998    | 9AE6  | I5TD0080 |
| 髑                                      | 6772      | E999    | 9AEF  | I5TE0080 |
| 髑                                      | 6773      | E99A    | 9AEB  | I5TF0080 |
| 髑                                      | 6774      | E99B    | 9AEE  | I5TG0080 |
| 髑                                      | 6775      | E99C    | 9AF4  | I5TH0080 |
| 髑                                      | 6776      | E99D    | 9AF1  | I5TI0080 |
| 髑                                      | 6777      | E99E    | 9AF7  | I5TJ0080 |
| 髑                                      | 6778      | E99F    | 9AFB  | I5TK0080 |
| 髑                                      | 6779      | E9A0    | 9B06  | I5TL0080 |
| 髑                                      | 677A      | E9A1    | 9B18  | I5TM0080 |
| 髑                                      | 677B      | E9A2    | 9B1A  | I5TN0080 |
| 髑                                      | 677C      | E9A3    | 9B1F  | I5TO0080 |
| 髑                                      | 677D      | E9A4    | 9B22  | I5TP0080 |
| 髑                                      | 677E      | E9A5    | 9B23  | I5TQ0080 |
| 鬪                                      | 677F      | E9A6    | 9B25  | I5TR0080 |
| 鬪                                      | 6780      | E9A7    | 9B27  | I5TS0080 |
| 鬪                                      | 6781      | E9A8    | 9B28  | I5TT0080 |
| 鬪                                      | 6782      | E9A9    | 9B29  | I5TU0080 |
| 鬪                                      | 6783      | E9AA    | 9B2A  | I5TV0080 |
| 鬪                                      | 6784      | E9AB    | 9B2E  | I5TW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 𪗇                                      | 6785      | E9AC    | 9B2F  | I5TX0080 |
| 鬱                                      | 6786      | 9F54    | 9B31  | I5TY0080 |
| 鬲                                      | 6787      | E9AD    | 9B32  | I5TZ0080 |
| 鬻                                      | 6788      | E2F6    | 9B3B  | I5U00080 |
| 魄                                      | 6789      | E9AE    | 9B44  | I5U10080 |
| 魃                                      | 678A      | E9AF    | 9B43  | I5U20080 |
| 魍                                      | 678B      | E9B1    | 9B4D  | I5U30080 |
| 魎                                      | 678C      | E9B2    | 9B4E  | I5U40080 |
| 魑                                      | 678D      | E9B3    | 9B51  | I5U50080 |
| 魍                                      | 678E      | E9B4    | 9B58  | I5U60080 |
| 魎                                      | 678F      | FC41    | 9B75  | I5U70080 |
| 魑                                      | 6790      | E9B5    | 9B74  | I5U80080 |
| 魍                                      | 6791      | FC42    | 9B72  | I5U90080 |
| 魎                                      | 6792      | E9B6    | 9B93  | I5UA0080 |
| 魑                                      | 6793      | FC43    | 9B8F  | I5UB0080 |
| 魍                                      | 6794      | E9B7    | 9B83  | I5UC0080 |
| 魌                                      | 6795      | E9B8    | 9B91  | I5UD0080 |
| 魍                                      | 6796      | E9B9    | 9B96  | I5UE0080 |
| 魎                                      | 6797      | E9BA    | 9B97  | I5UF0080 |
| 魑                                      | 6798      | E9BB    | 9B9F  | I5UG0080 |
| 魍                                      | 6799      | E9BC    | 9BA0  | I5UH0080 |
| 魌                                      | 679A      | E9BD    | 9BA8  | I5UI0080 |
| 魍                                      | 679B      | FC44    | 9BB1  | I5UJ0080 |
| 魎                                      | 679C      | E9BE    | 9BB4  | I5UK0080 |
| 魑                                      | 679D      | E9BF    | 9BC0  | I5UL0080 |
| 魍                                      | 679E      | E9C0    | 9BCA  | I5UM0080 |
| 魌                                      | 679F      | FC45    | 9BBB  | I5UN0080 |
| 魍                                      | 67A0      | E9C1    | 9BB9  | I5UO0080 |
| 魎                                      | 67A1      | E9C2    | 9BC6  | I5UP0080 |
| 魑                                      | 67A2      | E9C3    | 9BCF  | I5UQ0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鯀                                      | 67A3      | E9C4    | 9BD1  | I5UR0080 |
| 鯁                                      | 67A4      | E9C5    | 9BD2  | I5US0080 |
| 鯂                                      | 67A5      | E9C6    | 9BE3  | I5UT0080 |
| 鯃                                      | 67A6      | E9C7    | 9BE2  | I5UU0080 |
| 鯄                                      | 67A7      | E9C8    | 9BE4  | I5UV0080 |
| 鯅                                      | 67A8      | E9C9    | 9BD4  | I5UW0080 |
| 鯆                                      | 67A9      | E9CA    | 9BE1  | I5UX0080 |
| 鯇                                      | 67AA      | E9CB    | 9BF5  | I5UY0080 |
| 鯈                                      | 67AB      | E9CD    | 9BF1  | I5UZ0080 |
| 鯉                                      | 67AC      | E9CC    | 9BF2  | I5V00080 |
| 鯊                                      | 67AD      | E9D8    | 9C04  | I5V10080 |
| 鯋                                      | 67AE      | E9DA    | 9C1B  | I5V20080 |
| 鯌                                      | 67AF      | E9CF    | 9C15  | I5V30080 |
| 鯍                                      | 67B0      | E9D0    | 9C14  | I5V40080 |
| 鯎                                      | 67B1      | FC46    | 9C00  | I5V50080 |
| 鯏                                      | 67B2      | E9D1    | 9C09  | I5V60080 |
| 鯐                                      | 67B3      | E9D2    | 9C13  | I5V70080 |
| 鯑                                      | 67B4      | E9D3    | 9C0C  | I5V80080 |
| 鯒                                      | 67B5      | E9D4    | 9C06  | I5V90080 |
| 鯓                                      | 67B6      | E9D5    | 9C08  | I5VA0080 |
| 鯔                                      | 67B7      | E9D6    | 9C12  | I5VB0080 |
| 鯕                                      | 67B8      | E9D7    | 9C0A  | I5VC0080 |
| 鯖                                      | 67B9      | E9D9    | 9C2E  | I5VD0080 |
| 鯗                                      | 67BA      | E9DB    | 9C25  | I5VE0080 |
| 鯘                                      | 67BB      | E9DC    | 9C24  | I5VF0080 |
| 鯙                                      | 67BC      | E9DD    | 9C21  | I5VG0080 |
| 鯚                                      | 67BD      | E9DE    | 9C30  | I5VH0080 |
| 鯛                                      | 67BE      | E9DF    | 9C47  | I5VI0080 |
| 鯜                                      | 67BF      | E9E0    | 9C32  | I5VJ0080 |
| 鯝                                      | 67C0      | E9E1    | 9C46  | I5VK0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鰐                                      | 67C1      | E9E2    | 9C3E  | I5VL0080 |
| 鱈                                      | 67C2      | E9E3    | 9C5A  | I5VM0080 |
| 鱈                                      | 67C3      | E9E4    | 9C60  | I5VN0080 |
| 鱈                                      | 67C4      | E9E5    | 9C67  | I5VO0080 |
| 鱈                                      | 67C5      | E9E6    | 9C76  | I5VP0080 |
| 鱈                                      | 67C6      | E9E7    | 9C78  | I5VQ0080 |
| 鳶                                      | 67C7      | E9ED    | 9CEB  | I5VR0080 |
| 鳶                                      | 67C8      | E9E8    | 9CE7  | I5VS0080 |
| 鳶                                      | 67C9      | E9E9    | 9CEC  | I5VT0080 |
| 鵠                                      | 67CA      | E9EA    | 9CF0  | I5VU0080 |
| 鵠                                      | 67CB      | E9EB    | 9D09  | I5VV0080 |
| 鵠                                      | 67CC      | E9EE    | 9D03  | I5VW0080 |
| 鵠                                      | 67CD      | E9EF    | 9D06  | I5VX0080 |
| 鵠                                      | 67CE      | E9F0    | 9D2A  | I5VY0080 |
| 鵠                                      | 67CF      | E9F1    | 9D26  | I5VZ0080 |
| 鵠                                      | 67D0      | E9F2    | 9D2C  | I5W00080 |
| 鵠                                      | 67D1      | E9F3    | 9D23  | I5W10080 |
| 鵠                                      | 67D2      | E9F4    | 9D1F  | I5W20080 |
| 鵠                                      | 67D3      | E9F6    | 9D15  | I5W30080 |
| 鵠                                      | 67D4      | E9F7    | 9D12  | I5W40080 |
| 鵠                                      | 67D5      | E9F8    | 9D41  | I5W50080 |
| 鵠                                      | 67D6      | E9F9    | 9D3F  | I5W60080 |
| 鵠                                      | 67D7      | E9F5    | 9D44  | I5W70080 |
| 鵠                                      | 67D8      | E9FA    | 9D3E  | I5W80080 |
| 鵠                                      | 67D9      | E9FB    | 9D46  | I5W90080 |
| 鵠                                      | 67DA      | E9FC    | 9D48  | I5WA0080 |
| 鵠                                      | 67DB      | EA40    | 9D5D  | I5WB0080 |
| 鵠                                      | 67DC      | EA41    | 9D5E  | I5WC0080 |
| 鵠                                      | 67DD      | EA45    | 9D59  | I5WD0080 |
| 鵠                                      | 67DE      | EA43    | 9D51  | I5WE0080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鵠                                      | 67DF      | EA44    | 9D50  | I5WF0080 |
| 鵠                                      | 67E0      | EA42    | 9D64  | I5WG0080 |
| 鵠                                      | 67E1      | EA46    | 9D72  | I5WH0080 |
| 鵠                                      | 67E2      | FC47    | 9D70  | I5WI0080 |
| 鵠                                      | 67E3      | EA48    | 9D87  | I5WJ0080 |
| 鵠                                      | 67E4      | FC48    | 9D6B  | I5WK0080 |
| 鵠                                      | 67E5      | EA4A    | 9D6F  | I5WL0080 |
| 鵠                                      | 67E6      | EA4B    | 9D7A  | I5WM0080 |
| 鵠                                      | 67E7      | EA4C    | 9D9A  | I5WN0080 |
| 鵠                                      | 67E8      | EA4D    | 9DA4  | I5WO0080 |
| 鵠                                      | 67E9      | EA4E    | 9DA9  | I5WP0080 |
| 鵠                                      | 67EA      | EA49    | 9DAB  | I5WQ0080 |
| 鵠                                      | 67EB      | EA4F    | 9DB2  | I5WR0080 |
| 鵠                                      | 67EC      | EA50    | 9DC4  | I5WS0080 |
| 鵠                                      | 67ED      | EA51    | 9DC1  | I5WT0080 |
| 鵠                                      | 67EE      | EA52    | 9DBB  | I5WU0080 |
| 鵠                                      | 67EF      | EA53    | 9DB8  | I5WV0080 |
| 鵠                                      | 67F0      | EA54    | 9DBA  | I5WW0080 |
| 鵠                                      | 67F1      | EA55    | 9DC6  | I5WX0080 |
| 鵠                                      | 67F2      | EA56    | 9DCF  | I5WY0080 |
| 鵠                                      | 67F3      | EA57    | 9DC2  | I5WZ0080 |
| 鵠                                      | 67F4      | FC49    | FA2D  | I5X00080 |
| 鵠                                      | 67F5      | EA58    | 9DD9  | I5X10080 |
| 鵠                                      | 67F6      | EA59    | 9DD3  | I5X20080 |
| 鵠                                      | 67F7      | EA5A    | 9DF8  | I5X30080 |
| 鵠                                      | 67F8      | EA5B    | 9DE6  | I5X40080 |
| 鵠                                      | 67F9      | EA5C    | 9DED  | I5X50080 |
| 鵠                                      | 67FA      | EA5D    | 9DEF  | I5X60080 |
| 鵠                                      | 67FB      | EA5E    | 9DFD  | I5X70080 |
| 鵠                                      | 67FC      | EA5F    | 9E1A  | I5X80080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 鶴                                      | 67FD      | EA60    | 9E1B  | I5X90080 |
| 鷗                                      | 67FE      | FC4A    | 9E19  | I5XA0080 |
| 鸞                                      | 6841      | EA61    | 9E1E  | I5XD0080 |
| 鹵                                      | 6842      | EA62    | 9E75  | I5XE0080 |
| 鹹                                      | 6843      | EA63    | 9E79  | I5XF0080 |
| 鹽                                      | 6844      | EA64    | 9E7D  | I5XG0080 |
| 麤                                      | 6845      | EA65    | 9E81  | I5XH0080 |
| 塵                                      | 6846      | EA66    | 9E88  | I5XI0080 |
| 麩                                      | 6847      | EA67    | 9E8B  | I5XJ0080 |
| 麩                                      | 6848      | EA68    | 9E8C  | I5XK0080 |
| 麩                                      | 6849      | EA6A    | 9E95  | I5XL0080 |
| 麩                                      | 684A      | EA6B    | 9E91  | I5XM0080 |
| 麩                                      | 684B      | EA6C    | 9E9D  | I5XN0080 |
| 麥                                      | 684C      | EA6D    | 9EA5  | I5XO0080 |
| 麩                                      | 684D      | EA6F    | 9EB8  | I5XP0080 |
| 麩                                      | 684E      | EA70    | 9EAA  | I5XQ0080 |
| 麩                                      | 684F      | EA71    | 9EAD  | I5XR0080 |
| 麼                                      | 6850      | 9BF5    | 9EBC  | I5XS0080 |
| 麼                                      | 6851      | 9F80    | 9EBE  | I5XT0080 |
| 麼                                      | 6852      | EA72    | 9761  | I5XU0080 |
| 麩                                      | 6853      | EA73    | 9ECC  | I5XV0080 |
| 黏                                      | 6854      | EA75    | 9ECF  | I5XW0080 |
| 麩                                      | 6855      | EA76    | 9ED0  | I5XX0080 |
| 黑                                      | 6856      | FC4B    | 9ED1  | I5XY0080 |
| 黔                                      | 6857      | EA77    | 9ED4  | I5XZ0080 |
| 黜                                      | 6858      | EA78    | 9EDC  | I5Y00080 |
| 黜                                      | 6859      | EA79    | 9EDE  | I5Y10080 |
| 黝                                      | 685A      | EA7A    | 9EDD  | I5Y20080 |
| 黠                                      | 685B      | EA7B    | 9EE0  | I5Y30080 |
| 黠                                      | 685C      | EA7C    | 9EE5  | I5Y40080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 黨                                      | 685D      | EA7D    | 9EE8  | I5Y50080 |
| 黠                                      | 685E      | EA7E    | 9EEF  | I5Y60080 |
| 黠                                      | 685F      | EA80    | 9EF4  | I5Y70080 |
| 黠                                      | 6860      | EA81    | 9EF6  | I5Y80080 |
| 黠                                      | 6861      | EA82    | 9EF7  | I5Y90080 |
| 黠                                      | 6862      | EA83    | 9EF9  | I5YA0080 |
| 黠                                      | 6863      | EA84    | 9EFB  | I5YB0080 |
| 黠                                      | 6864      | EA85    | 9EFC  | I5YC0080 |
| 黠                                      | 6865      | EA86    | 9EFD  | I5YD0080 |
| 黠                                      | 6866      | EA87    | 9F07  | I5YE0080 |
| 黠                                      | 6867      | EA88    | 9F08  | I5YF0080 |
| 鼓                                      | 6868      | EA89    | 76B7  | I5YG0080 |
| 琴                                      | 6869      | EA8A    | 9F15  | I5YH0080 |
| 兕                                      | 686A      | EA8B    | 9F21  | I5YI0080 |
| 鼬                                      | 686B      | EA8C    | 9F2C  | I5YJ0080 |
| 鼬                                      | 686C      | EA8D    | 9F3E  | I5YK0080 |
| 齊                                      | 686D      | EA8E    | 9F4A  | I5YL0080 |
| 齋                                      | 686E      | E6D8    | 9F4E  | I5YM0080 |
| 齋                                      | 686F      | E8EB    | 9F4F  | I5YN0080 |
| 齒                                      | 6870      | EA8F    | 9F52  | I5YO0080 |
| 齧                                      | 6871      | EA90    | 9F54  | I5YP0080 |
| 齧                                      | 6872      | EA91    | 9F63  | I5YQ0080 |
| 齧                                      | 6873      | EA92    | 9F5F  | I5YR0080 |
| 齧                                      | 6874      | EA93    | 9F60  | I5YS0080 |
| 齧                                      | 6875      | EA94    | 9F61  | I5YT0080 |
| 齧                                      | 6876      | EA95    | 9F66  | I5YU0080 |
| 齧                                      | 6877      | EA96    | 9F67  | I5YV0080 |
| 齧                                      | 6878      | EA97    | 9F6C  | I5YW0080 |
| 齧                                      | 6879      | EA98    | 9F6A  | I5YX0080 |
| 齧                                      | 687A      | EA99    | 9F77  | I5YY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 齧                                      | 687B      | EA9A    | 9F72  | I5YZ0080 |
| 齧                                      | 687C      | EA9B    | 9F76  | I5Z00080 |
| 龕                                      | 687D      | EA9C    | 9F95  | I5Z10080 |
| 龜                                      | 687E      | EA9D    | 9F9C  | I5Z20080 |
| 龕                                      | 687F      | EA9E    | 9FA0  | I5Z30080 |
| 堯                                      | 6880      | EA9F    | 5C2D  | I5Z40080 |

| Table 7. Extended Kanji Set, DBCS-Host |           |         |       |          |
|--|-----------|---------|-------|----------|
| Graphic                                | Host Code | PC Code | UCS-2 | GCGID    |
| 楨                                      | 6881      | EAA0    | 69D9  | I5Z50080 |
| 遙                                      | 6882      | EAA1    | 9065  | I5Z60080 |
| 瑤                                      | 6883      | EAA2    | 7476  | I5Z70080 |
| 凜                                      | 6884      | EAA3    | 51DC  | I5Z80080 |
| 熙                                      | 6885      | EAA4    | 7155  | I5Z90080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

8.5 New Extended Non-Kanji Set

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| A                                   | D641      | ----    | 00A0  | SP300080     |
| ı                                   | D642      | ----    | 00A1  | SP030080     |
| ∕                                   | D643      | ----    | 00A4  | SC010080     |
| ©                                   | D644      | ----    | 00A9  | SM520080     |
| ā                                   | D645      | ----    | 00AA  | SM210080     |
| «                                   | D646      | ----    | 00AB  | SP170080     |
| B                                   | D647      | ----    | 00AD  | SP320080     |
| ®                                   | D648      | ----    | 00AE  | SM530080     |
| —                                   | D649      | ----    | 00AF  | SD310080     |
| ²                                   | D64A      | ----    | 00B2  | ND021080     |
| ³                                   | D64B      | ----    | 00B3  | ND031080     |
| μ                                   | D64C      | ----    | 00B5  | SM170080     |
| ·                                   | D64D      | ----    | 00B7  | SD630080     |
| ˙                                   | D64E      | ----    | 00B8  | SD410080     |
| ¹                                   | D64F      | ----    | 00B9  | ND011080     |
| Ω                                   | D650      | ----    | 00BA  | SM200080     |
| »                                   | D651      | ----    | 00BB  | SP180080     |
| ¼                                   | D652      | ----    | 00BC  | NF040080     |
| ½                                   | D653      | ----    | 00BD  | NF010080     |
| ¾                                   | D654      | ----    | 00BE  | NF050080     |
| ı                                   | D655      | ----    | 00BF  | SP160080     |
| À                                   | D656      | ----    | 00C0  | LA140080     |
| Á                                   | D657      | ----    | 00C1  | LA120080     |
| Â                                   | D658      | ----    | 00C2  | LA160080     |
| Ã                                   | D659      | ----    | 00C3  | LA200080     |
| Ä                                   | D65A      | ----    | 00C4  | LA180080     |
| Å                                   | D65B      | ----    | 00C5  | LA280080     |
| Æ                                   | D65C      | ----    | 00C6  | LA520080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ç                                   | D65D      | ----    | 00C7  | LC420080     |
| È                                   | D65E      | ----    | 00C8  | LE140080     |
| É                                   | D65F      | ----    | 00C9  | LE120080     |
| Ê                                   | D660      | ----    | 00CA  | LE160080     |
| Ë                                   | D661      | ----    | 00CB  | LE180080     |
| Ì                                   | D662      | ----    | 00CC  | LI140080     |
| Í                                   | D663      | ----    | 00CD  | LI120080     |
| Î                                   | D664      | ----    | 00CE  | LI160080     |
| Ï                                   | D665      | ----    | 00CF  | LI180080     |
| Ð                                   | D666      | ----    | 00D0  | LD640080     |
| Ñ                                   | D667      | ----    | 00D1  | LN200080     |
| Ò                                   | D668      | ----    | 00D2  | LO140080     |
| Ó                                   | D669      | ----    | 00D3  | LO120080     |
| Ô                                   | D66A      | ----    | 00D4  | LO160080     |
| Õ                                   | D66B      | ----    | 00D5  | LO200080     |
| Ö                                   | D66C      | ----    | 00D6  | LO180080     |
| Ø                                   | D66D      | ----    | 00D8  | LO620080     |
| Û                                   | D66E      | ----    | 00D9  | LU140080     |
| Ü                                   | D66F      | ----    | 00DA  | LU120080     |
| Û                                   | D670      | ----    | 00DB  | LU160080     |
| Ü                                   | D671      | ----    | 00DC  | LU180080     |
| Ý                                   | D672      | ----    | 00DD  | LY120080     |
| Þ                                   | D673      | ----    | 00DE  | LT640080     |
| ß                                   | D674      | ----    | 00DF  | LS610080     |
| à                                   | D675      | ----    | 00E0  | LA130080     |
| á                                   | D676      | ----    | 00E1  | LA110080     |
| â                                   | D677      | ----    | 00E2  | LA150080     |
| ã                                   | D678      | ----    | 00E3  | LA190080     |
| ä                                   | D679      | ----    | 00E4  | LA170080     |
| å                                   | D67A      | ----    | 00E5  | LA270080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| æ                                   | D67B      | ----    | 00E6  | LA510080     |
| ç                                   | D67C      | ----    | 00E7  | LC410080     |
| è                                   | D67D      | ----    | 00E8  | LE130080     |
| é                                   | D67E      | ----    | 00E9  | LE110080     |
| ê                                   | D67F      | ----    | 00EA  | LE150080     |
| ë                                   | D680      | ----    | 00EB  | LE170080     |
| ì                                   | D681      | ----    | 00EC  | LI130080     |
| í                                   | D682      | ----    | 00ED  | LI110080     |
| î                                   | D683      | ----    | 00EE  | LI150080     |
| ï                                   | D684      | ----    | 00EF  | LI170080     |
| ð                                   | D685      | ----    | 00F0  | LD630080     |
| ñ                                   | D686      | ----    | 00F1  | LN190080     |
| ò                                   | D687      | ----    | 00F2  | LO130080     |
| ó                                   | D688      | ----    | 00F3  | LO110080     |
| ô                                   | D689      | ----    | 00F4  | LO150080     |
| õ                                   | D68A      | ----    | 00F5  | LO190080     |
| ö                                   | D68B      | ----    | 00F6  | LO170080     |
| ø                                   | D68C      | ----    | 00F8  | LO610080     |
| ù                                   | D68D      | ----    | 00F9  | LU130080     |
| ú                                   | D68E      | ----    | 00FA  | LU110080     |
| û                                   | D68F      | ----    | 00FB  | LU150080     |
| ü                                   | D690      | ----    | 00FC  | LU170080     |
| ý                                   | D691      | ----    | 00FD  | LY110080     |
| þ                                   | D692      | ----    | 00FE  | LT630080     |
| ÿ                                   | D693      | ----    | 00FF  | LY170080     |
| Ā                                   | D6B8      | ----    | 0100  | LA320080     |
| ā                                   | D6B9      | ----    | 0101  | LA310080     |
| Ă                                   | D6BA      | ----    | 0102  | LA240080     |
| ă                                   | D6BB      | ----    | 0103  | LA230080     |
| Ą                                   | D6BC      | ----    | 0104  | LA440080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ą                                   | D6BD      | ----    | 0105  | LA430080     |
| Ć                                   | D6BE      | ----    | 0106  | LC120080     |
| ć                                   | D6BF      | ----    | 0107  | LC110080     |
| Ĉ                                   | D6C0      | ----    | 0108  | LC160080     |
| ĉ                                   | D6C1      | ----    | 0109  | LC150080     |
| Ċ                                   | D6C2      | ----    | 010A  | LC300080     |
| ċ                                   | D6C3      | ----    | 010B  | LC290080     |
| Č                                   | D6C4      | ----    | 010C  | LC220080     |
| č                                   | D6C5      | ----    | 010D  | LC210080     |
| Ď                                   | D6C6      | ----    | 010E  | LD220080     |
| ď                                   | D6C7      | ----    | 010F  | LD210080     |
| Đ                                   | D6C8      | ----    | 0110  | LD600080     |
| đ                                   | D6C9      | ----    | 0111  | LD610080     |
| Ē                                   | D6CA      | ----    | 0112  | LE320080     |
| ē                                   | D6CB      | ----    | 0113  | LE310080     |
| Ĕ                                   | D6CC      | ----    | 0114  | LE240080     |
| ĕ                                   | D6CD      | ----    | 0115  | LE230080     |
| Ė                                   | D6CE      | ----    | 0116  | LE300080     |
| ė                                   | D6CF      | ----    | 0117  | LE290080     |
| Ę                                   | D6D0      | ----    | 0118  | LE440080     |
| ę                                   | D6D1      | ----    | 0119  | LE430080     |
| Ě                                   | D6D2      | ----    | 011A  | LE220080     |
| ě                                   | D6D3      | ----    | 011B  | LE210080     |
| Ĝ                                   | D6D4      | ----    | 011C  | LG160080     |
| ĝ                                   | D6D5      | ----    | 011D  | LG150080     |
| Ǧ                                   | D6D6      | ----    | 011E  | LG240080     |
| ǧ                                   | D6D7      | ----    | 011F  | LG230080     |
| Ġ                                   | D6D8      | ----    | 0120  | LG300080     |
| ġ                                   | D6D9      | ----    | 0121  | LG290080     |
| Ģ                                   | D6DA      | ----    | 0122  | LG420080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ġ                                   | D6DB      | ----    | 0123  | LG410080     |
| Ĥ                                   | D6DC      | ----    | 0124  | LH160080     |
| ĥ                                   | D6DD      | ----    | 0125  | LH150080     |
| H                                   | D6DE      | ----    | 0126  | LH620080     |
| ĥ                                   | D6DF      | ----    | 0127  | LH610080     |
| Ĩ                                   | D6E0      | ----    | 0128  | LI200080     |
| ĩ                                   | D6E1      | ----    | 0129  | LI190080     |
| Ī                                   | D6E2      | ----    | 012A  | LI320080     |
| ī                                   | D6E3      | ----    | 012B  | LI310080     |
| Ĭ                                   | D6E4      | ----    | 012C  | LI240080     |
| ĭ                                   | D6E5      | ----    | 012D  | LI230080     |
| Į                                   | D6E6      | ----    | 012E  | LI440080     |
| į                                   | D6E7      | ----    | 012F  | LI430080     |
| İ                                   | D6E8      | ----    | 0130  | LI300080     |
| ı                                   | D6E9      | ----    | 0131  | LI610080     |
| Ĳ                                   | D6EA      | ----    | 0132  | LI520080     |
| ij                                  | D6EB      | ----    | 0133  | LI510080     |
| Ĵ                                   | D6EC      | ----    | 0134  | LJ160080     |
| ĵ                                   | D6ED      | ----    | 0135  | LJ150080     |
| Ķ                                   | D6EE      | ----    | 0136  | LK420080     |
| ķ                                   | D6EF      | ----    | 0137  | LK410080     |
| κ                                   | D6F0      | ----    | 0138  | LK610080     |
| Ĺ                                   | D6F1      | ----    | 0139  | LL120080     |
| ĺ                                   | D6F2      | ----    | 013A  | LL110080     |
| Ł                                   | D6F3      | ----    | 013B  | LL420080     |
| ł                                   | D6F4      | ----    | 013C  | LL410080     |
| Ľ                                   | D6F5      | ----    | 013D  | LL220080     |
| ľ                                   | D6F6      | ----    | 013E  | LL210080     |
| Ł                                   | D6F7      | ----    | 013F  | LL640080     |
| ł                                   | D6F8      | ----    | 0140  | LL630080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ł                                   | D6F9      | ----    | 0141  | LL620080     |
| ł                                   | D6FA      | ----    | 0142  | LL610080     |
| Ń                                   | D6FB      | ----    | 0143  | LN120080     |
| ń                                   | D6FC      | ----    | 0144  | LN110080     |
| Ņ                                   | D6FD      | ----    | 0145  | LN420080     |
| ņ                                   | D6FE      | ----    | 0146  | LN410080     |
| Ň                                   | D741      | ----    | 0147  | LN220080     |
| ň                                   | D742      | ----    | 0148  | LN210080     |
| ˆn                                  | D743      | ----    | 0149  | LN630080     |
| Ŋ                                   | D744      | ----    | 014A  | LN620080     |
| ŋ                                   | D745      | ----    | 014B  | LN610080     |
| Ō                                   | D746      | ----    | 014C  | LO320080     |
| ō                                   | D747      | ----    | 014D  | LO310080     |
| Ö                                   | D748      | ----    | 014E  | LO240080     |
| ö                                   | D749      | ----    | 014F  | LO230080     |
| Ő                                   | D74A      | ----    | 0150  | LO260080     |
| ő                                   | D74B      | ----    | 0151  | LO250080     |
| Ɔ                                   | D74C      | ----    | 0152  | LO520080     |
| œ                                   | D74D      | ----    | 0153  | LO510080     |
| Ŕ                                   | D74E      | ----    | 0154  | LR120080     |
| ř                                   | D74F      | ----    | 0155  | LR110080     |
| Ŗ                                   | D750      | ----    | 0156  | LR420080     |
| ŗ                                   | D751      | ----    | 0157  | LR410080     |
| Ř                                   | D752      | ----    | 0158  | LR220080     |
| ř                                   | D753      | ----    | 0159  | LR210080     |
| Ś                                   | D754      | ----    | 015A  | LS120080     |
| ś                                   | D755      | ----    | 015B  | LS110080     |
| Ŝ                                   | D756      | ----    | 015C  | LS160080     |
| ŝ                                   | D757      | ----    | 015D  | LS150080     |
| Ş                                   | D758      | ----    | 015E  | LS420080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| §                                   | D759      | ----    | 015F  | LS410080     |
| Š                                   | D75A      | ----    | 0160  | LS220080     |
| š                                   | D75B      | ----    | 0161  | LS210080     |
| Ţ                                   | D75C      | ----    | 0162  | LT420080     |
| ţ                                   | D75D      | ----    | 0163  | LT410080     |
| Ť                                   | D75E      | ----    | 0164  | LT220080     |
| ť                                   | D75F      | ----    | 0165  | LT210080     |
| Ʀ                                   | D760      | ----    | 0166  | LT620080     |
| Ƨ                                   | D761      | ----    | 0167  | LT610080     |
| Ū                                   | D762      | ----    | 0168  | LU200080     |
| ū                                   | D763      | ----    | 0169  | LU190080     |
| Ū                                   | D764      | ----    | 016A  | LU320080     |
| ū                                   | D765      | ----    | 016B  | LU310080     |
| Ŭ                                   | D766      | ----    | 016C  | LU240080     |
| ū                                   | D767      | ----    | 016D  | LU230080     |
| Ů                                   | D768      | ----    | 016E  | LU280080     |
| ů                                   | D769      | ----    | 016F  | LU270080     |
| Ů                                   | D76A      | ----    | 0170  | LU260080     |
| ů                                   | D76B      | ----    | 0171  | LU250080     |
| Ů                                   | D76C      | ----    | 0172  | LU440080     |
| ů                                   | D76D      | ----    | 0173  | LU430080     |
| Ű                                   | D76E      | ----    | 0174  | LW160080     |
| ű                                   | D76F      | ----    | 0175  | LW150080     |
| Ŷ                                   | D770      | ----    | 0176  | LY160080     |
| ŷ                                   | D771      | ----    | 0177  | LY150080     |
| Ÿ                                   | D772      | ----    | 0178  | LY180080     |
| Ž                                   | D773      | ----    | 0179  | LZ120080     |
| ž                                   | D774      | ----    | 017A  | LZ110080     |
| Ž                                   | D775      | ----    | 017B  | LZ300080     |
| ž                                   | D776      | ----    | 017C  | LZ290080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ž                                   | D777      | ----    | 017D  | LZ220080     |
| ž                                   | D778      | ----    | 017E  | LZ210080     |
| ƒ                                   | D779      | ----    | 017F  | U000017F     |
| f                                   | D77A      | ----    | 0192  | SC070080     |
| ≠                                   | D77B      | ----    | 01C2  | U00001C2     |
| Ǻ                                   | D77C      | ----    | 01CD  | LA220080     |
| ǻ                                   | D77D      | ----    | 01CE  | LA210080     |
| Ǫ                                   | D77E      | ----    | 01CF  | LI220080     |
| ǫ                                   | D77F      | ----    | 01D0  | LI210080     |
| Ǿ                                   | D780      | ----    | 01D1  | LO220080     |
| ǿ                                   | D781      | ----    | 01D2  | LO210080     |
| Ǿ                                   | D782      | ----    | 01D3  | LU220080     |
| ǿ                                   | D783      | ----    | 01D4  | LU210080     |
| Ǿ                                   | D784      | ----    | 01D5  | LU780080     |
| ǿ                                   | D785      | ----    | 01D6  | LU770080     |
| Ǿ                                   | D786      | ----    | 01D7  | LU740080     |
| ǿ                                   | D787      | ----    | 01D8  | LU730080     |
| Ǿ                                   | D788      | ----    | 01D9  | LU800080     |
| ǿ                                   | D789      | ----    | 01DA  | LU790080     |
| Ǿ                                   | D78A      | ----    | 01DB  | LU760080     |
| ǿ                                   | D78B      | ----    | 01DC  | LU750080     |
| ǿ                                   | D78C      | ----    | 01F5  | LG110080     |
| Ǻ                                   | D78D      | ----    | 01FA  | U00001FA     |
| ǻ                                   | D78E      | ----    | 01FB  | U00001FB     |
| Ǽ                                   | D78F      | ----    | 01FC  | U00001FC     |
| ǽ                                   | D790      | ----    | 01FD  | U00001FD     |
| Ǿ                                   | D791      | ----    | 01FE  | U00001FE     |
| ǿ                                   | D792      | ----    | 01FF  | U00001FF     |
| Ɔ                                   | D793**    | ----    | 0193  | U0000193     |
| Ɔ                                   | D794**    | ----    | 01F8  | U00001F8     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ḥ                                   | D795**    | ----    | 01F9  | U00001F9     |
| ɸ                                   | D88C      | ----    | 0250  | U0000250     |
| ɑ                                   | D88D      | ----    | 0251  | LA010081     |
| ɒ                                   | D88E      | ----    | 0252  | U0000252     |
| β                                   | D88F      | ----    | 0253  | LB910080     |
| ɔ                                   | D890      | ----    | 0254  | U0000254     |
| ϙ                                   | D891      | ----    | 0255  | U0000255     |
| ɔ̇                                  | D892      | ----    | 0256  | U0000256     |
| ɔ̈                                  | D893      | ----    | 0257  | LD910080     |
| ə                                   | D894      | ----    | 0258  | U0000258     |
| ə̇                                  | D895      | ----    | 0259  | U0000259     |
| ə̈                                  | D896      | ----    | 025A  | U000025A     |
| ε                                   | D897      | ----    | 025B  | U000025B     |
| ɜ                                   | D898      | ----    | 025C  | U000025C     |
| ɜ̇                                  | D899      | ----    | 025D  | U000025D     |
| ɞ                                   | D89A      | ----    | 025E  | U000025E     |
| ɟ                                   | D89B      | ----    | 025F  | U000025F     |
| ɠ                                   | D89C      | ----    | 0260  | LG910080     |
| ɢ                                   | D89D      | ----    | 0261  | LG010081     |
| ɣ                                   | D89E      | ----    | 0262  | U0000262     |
| γ                                   | D89F      | ----    | 0263  | U0000263     |
| ɣ̇                                  | D8A0      | ----    | 0264  | U0000264     |
| ɥ                                   | D8A1      | ----    | 0265  | U0000265     |
| ɦ                                   | D8A2      | ----    | 0266  | LH910080     |
| ɦ̇                                  | D8A3      | ----    | 0267  | U0000267     |
| ɨ                                   | D8A4      | ----    | 0268  | U0000268     |
| ɩ                                   | D8A5      | ----    | 0269  | U0000269     |
| ɪ                                   | D8A6      | ----    | 026A  | U000026A     |
| ɪ̇                                  | D8A7      | ----    | 026B  | U000026B     |
| ɪ̈                                  | D8A8      | ----    | 026C  | U000026C     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ɰ                                   | D8A9      | ----    | 026D  | U000026D     |
| ɱ                                   | D8AA      | ----    | 026E  | U000026E     |
| ɲ                                   | D8AB      | ----    | 026F  | U000026F     |
| ɳ                                   | D8AC      | ----    | 0270  | U0000270     |
| ɴ                                   | D8AD      | ----    | 0271  | LM910080     |
| ɵ                                   | D8AE      | ----    | 0272  | U0000272     |
| ɶ                                   | D8AF      | ----    | 0273  | U0000273     |
| ɷ                                   | D8B0      | ----    | 0274  | U0000274     |
| ɸ                                   | D8B1      | ----    | 0275  | U0000275     |
| ɹ                                   | D8B2      | ----    | 0276  | U0000276     |
| ɺ                                   | D8B3      | ----    | 0277  | U0000277     |
| ɻ                                   | D8B4      | ----    | 0278  | U0000278     |
| ɼ                                   | D8B5      | ----    | 0279  | U0000279     |
| ɽ                                   | D8B6      | ----    | 027A  | U000027A     |
| ɾ                                   | D8B7      | ----    | 027B  | U000027B     |
| ɿ                                   | D8B8      | ----    | 027C  | U000027C     |
| ʀ                                   | D8B9      | ----    | 027D  | U000027D     |
| ʁ                                   | D8BA      | ----    | 027E  | U000027E     |
| ʂ                                   | D8BB      | ----    | 027F  | U000027F     |
| ʃ                                   | D8BC      | ----    | 0280  | U0000280     |
| ʄ                                   | D8BD      | ----    | 0281  | U0000281     |
| ʅ                                   | D8BE      | ----    | 0282  | LS910080     |
| ʆ                                   | D8BF      | ----    | 0283  | U0000283     |
| ʇ                                   | D8C0      | ----    | 0284  | U0000284     |
| ʈ                                   | D8C1      | ----    | 0285  | U0000285     |
| ʉ                                   | D8C2      | ----    | 0286  | U0000286     |
| ʊ                                   | D8C3      | ----    | 0287  | U0000287     |
| ʋ                                   | D8C4      | ----    | 0288  | U0000288     |
| ʌ                                   | D8C5      | ----    | 0289  | U0000289     |
| ʍ                                   | D8C6      | ----    | 028A  | U000028A     |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| υ                                   | D8C7      | ----    | 028B  | LV910080     |
| Λ                                   | D8C8      | ----    | 028C  | U000028C     |
| Μ                                   | D8C9      | ----    | 028D  | U000028D     |
| Λ                                   | D8CA      | ----    | 028E  | U000028E     |
| Υ                                   | D8CB      | ----    | 028F  | U000028F     |
| Ϝ                                   | D8CC      | ----    | 0290  | U0000290     |
| ϝ                                   | D8CD      | ----    | 0291  | U0000291     |
| Ϟ                                   | D8CE      | ----    | 0292  | U0000292     |
| ϟ                                   | D8CF      | ----    | 0293  | U0000293     |
| Ϡ                                   | D8D0      | ----    | 0294  | U0000294     |
| ϡ                                   | D8D1      | ----    | 0295  | U0000295     |
| Ϣ                                   | D8D2      | ----    | 0296  | U0000296     |
| ϣ                                   | D8D3      | ----    | 0297  | U0000297     |
| Ϥ                                   | D8D4      | ----    | 0298  | U0000298     |
| ϥ                                   | D8D5      | ----    | 0299  | U0000299     |
| Ϧ                                   | D8D6      | ----    | 029A  | U000029A     |
| ϧ                                   | D8D7      | ----    | 029B  | U000029B     |
| Ϩ                                   | D8D8      | ----    | 029C  | U000029C     |
| ϩ                                   | D8D9      | ----    | 029D  | U000029D     |
| Ϫ                                   | D8DA      | ----    | 029E  | U000029E     |
| ϫ                                   | D8DB      | ----    | 029F  | U000029F     |
| Ϭ                                   | D8DC      | ----    | 02A0  | U00002A0     |
| ϭ                                   | D8DD      | ----    | 02A1  | U00002A1     |
| Ϯ                                   | D8DE      | ----    | 02A2  | U00002A2     |
| ϯ                                   | D8DF      | ----    | 02A3  | U00002A3     |
| ϰ                                   | D8E0      | ----    | 02A4  | U00002A4     |
| ϱ                                   | D8E1      | ----    | 02A5  | U00002A5     |
| ϲ                                   | D8E2      | ----    | 02A6  | U00002A6     |
| ϳ                                   | D8E3      | ----    | 02A7  | U00002A7     |
| ϴ                                   | D8E4      | ----    | 02A8  | U00002A8     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ˆ                                   | D8EC      | ----    | 02C6  | SD150180     |
| ˘                                   | D8ED      | ----    | 02C7  | SD210080     |
| ˙                                   | D8EE      | ----    | 02C8  | U00002C8     |
| ˚                                   | D8EF      | ----    | 02C9  | SB420080     |
| ˛                                   | D8F0      | ----    | 02CC  | U00002CC     |
| ˜                                   | D8F1      | ----    | 02CD  | SD470080     |
| ˚                                   | D8F2      | ----    | 02D0  | U00002D0     |
| ˛                                   | D8F3      | ----    | 02D1  | U00002D1     |
| ˜                                   | D8F4      | ----    | 02D2  | U00002D2     |
| ˚                                   | D8F5      | ----    | 02D3  | U00002D3     |
| ˛                                   | D8F6      | ----    | 02D4  | U00002D4     |
| ˜                                   | D8F7      | ----    | 02D5  | U00002D5     |
| ˚                                   | D8F8      | ----    | 02D6  | U00002D6     |
| ˛                                   | D8F9      | ----    | 02D8  | SD230080     |
| ˚                                   | D8FA      | ----    | 02D9  | SD290080     |
| ˚                                   | D8FB      | ----    | 02DA  | SD270080     |
| ˚                                   | D8FC      | ----    | 02DB  | SD430080     |
| ˚                                   | D8FD      | ----    | 02DC  | SD190180     |
| ˚                                   | D8FE      | ----    | 02DD  | SD250080     |
| ˚                                   | D941      | ----    | 02DE  | U00002DE     |
| ˚                                   | D942      | ----    | 02E5  | U00002E5     |
| ˚                                   | D943      | ----    | 02E6  | U00002E6     |
| ˚                                   | D944      | ----    | 02E7  | U00002E7     |
| ˚                                   | D945      | ----    | 02E8  | U00002E8     |
| ˚                                   | D946      | ----    | 02E9  | U00002E9     |
| ˚                                   | D97E      | ----    | 0374  | U0000374     |
| ˚                                   | D97F      | ----    | 0375  | U0000375     |
| ˚                                   | D980      | ----    | 037A  | U000037A     |
| ˚                                   | D981      | ----    | 037E  | U000037E     |
| ˚                                   | D982      | ----    | 0384  | SD110980     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ㇰ                                   | D983      | ----    | 0385  | SD730080     |
| À                                   | D984      | ----    | 0386  | GA120080     |
| ·                                   | D985      | ----    | 0387  | SD630980     |
| È                                   | D986      | ----    | 0388  | GE120080     |
| Ĥ                                   | D987      | ----    | 0389  | GE720080     |
| Ì                                   | D988      | ----    | 038A  | GI120080     |
| Ò                                   | D989      | ----    | 038C  | GO120080     |
| Ŧ                                   | D98A      | ----    | 038E  | GU120080     |
| Œ                                   | D98B      | ----    | 038F  | GO720080     |
| Ĭ                                   | D98C      | ----    | 0390  | GI730080     |
| Ï                                   | D98D      | ----    | 03AA  | GI180080     |
| Ŧ̇                                  | D98E      | ----    | 03AB  | GU180080     |
| Ǻ                                   | D98F      | ----    | 03AC  | GA110080     |
| É                                   | D990      | ----    | 03AD  | GE110080     |
| Ħ                                   | D991      | ----    | 03AE  | GE710080     |
| Ĭ̇                                  | D992      | ----    | 03AF  | GI110080     |
| Û                                   | D993      | ----    | 03B0  | GU730080     |
| Ş                                   | D994      | ----    | 03C2  | GS610080     |
| İ̇                                  | D995      | ----    | 03CA  | GI170080     |
| Ü                                   | D996      | ----    | 03CB  | GU170080     |
| Ó                                   | D997      | ----    | 03CC  | GO110080     |
| Û̇                                  | D998      | ----    | 03CD  | GU110080     |
| Ô                                   | D999      | ----    | 03CE  | GO710080     |
| Ɔ                                   | D9DE      | ----    | 0402  | KD620080     |
| Í̇                                  | D9DF      | ----    | 0403  | KG120080     |
| €                                   | D9E0      | ----    | 0404  | KE160080     |
| Š                                   | D9E1      | ----    | 0405  | KZ160080     |
| İ                                   | D9E2      | ----    | 0406  | KI120080     |
| Ï̇                                  | D9E3      | ----    | 0407  | KI180080     |
| Ɔ̇                                  | D9E4      | ----    | 0408  | KJ020080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ɔ̇                                  | D9E5      | ----    | 0409  | KL420080     |
| Ɔ̈                                  | D9E6      | ----    | 040A  | KN120080     |
| Ɔ̇̈                                 | D9E7      | ----    | 040B  | KC120080     |
| Ɔ̈̇                                 | D9E8      | ----    | 040C  | KK120080     |
| ÿ̇                                  | D9E9      | ----    | 040E  | KU240080     |
| Ɔ̈̈                                 | D9EA      | ----    | 040F  | KG220080     |
| Ɔ̈̇                                 | D9EB      | ----    | 0452  | KD610080     |
| í̇                                  | D9EC      | ----    | 0453  | KG110080     |
| €̇                                  | D9ED      | ----    | 0454  | KE150080     |
| ṧ                                  | D9EE      | ----    | 0455  | KZ150080     |
| ı̇                                  | D9EF      | ----    | 0456  | KI110080     |
| ï̇                                  | D9F0      | ----    | 0457  | KI170080     |
| Ɔ̈̈̇                                | D9F1      | ----    | 0458  | KJ010080     |
| Ɔ̈̈̈                                | D9F2      | ----    | 0459  | KL410080     |
| Ɔ̈̈̇                                | D9F3      | ----    | 045A  | KN110080     |
| Ɔ̈̈̈̇                               | D9F4      | ----    | 045B  | KC110080     |
| Ɔ̈̈̈̈̇                              | D9F5      | ----    | 045C  | KK110080     |
| ÿ̈̇                                 | D9F6      | ----    | 045E  | KU230080     |
| Ɔ̈̈̈̈̈̇                             | D9F7      | ----    | 045F  | KG210080     |
| Ɔ̈̈̈̈̈̈̇                            | D9F8      | ----    | 0460  | U0000460     |
| Ɔ̈̈̈̈̈̈̈̇                           | D9F9      | ----    | 0461  | U0000461     |
| Ɔ̈̈̈̈̈̈̈̈̇                          | D9FA      | ----    | 0462  | U0000462     |
| Ɔ̈̈̈̈̈̈̈̈̈̇                         | D9FB      | ----    | 0463  | U0000463     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̇                        | D9FC      | ----    | 0464  | U0000464     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̇                       | D9FD      | ----    | 0465  | U0000465     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̈̇                      | D9FE      | ----    | 0466  | U0000466     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̈̈̇                     | DA41      | ----    | 0467  | U0000467     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̈̈̈̇                    | DA42      | ----    | 0468  | U0000468     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̈̈̈̈̇                   | DA43      | ----    | 0469  | U0000469     |
| Ɔ̈̈̈̈̈̈̈̈̈̈̈̈̈̈̈̈̇                  | DA44      | ----    | 046A  | U000046A     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ⌘                                   | DA45      | ----    | 046B  | U000046B     |
| ⌘                                   | DA46      | ----    | 046C  | U000046C     |
| ⌘                                   | DA47      | ----    | 046D  | U000046D     |
| ⌘                                   | DA48      | ----    | 046E  | U000046E     |
| ⌘                                   | DA49      | ----    | 046F  | U000046F     |
| Ψ                                   | DA4A      | ----    | 0470  | U0000470     |
| ψ                                   | DA4B      | ----    | 0471  | U0000471     |
| Θ                                   | DA4C      | ----    | 0472  | U0000472     |
| θ                                   | DA4D      | ----    | 0473  | U0000473     |
| V                                   | DA4E      | ----    | 0474  | U0000474     |
| v                                   | DA4F      | ----    | 0475  | U0000475     |
| Û                                   | DA50      | ----    | 0476  | U0000476     |
| û                                   | DA51      | ----    | 0477  | U0000477     |
| Ōy                                  | DA52      | ----    | 0478  | U0000478     |
| ōy                                  | DA53      | ----    | 0479  | U0000479     |
| ⊙                                   | DA54      | ----    | 047A  | U000047A     |
| ⊙                                   | DA55      | ----    | 047B  | U000047B     |
| ⊙                                   | DA56      | ----    | 047C  | U000047C     |
| ⊙                                   | DA57      | ----    | 047D  | U000047D     |
| ⊙                                   | DA58      | ----    | 047E  | U000047E     |
| ⊙                                   | DA59      | ----    | 047F  | U000047F     |
| Ç                                   | DA5A      | ----    | 0480  | U0000480     |
| ç                                   | DA5B      | ----    | 0481  | U0000481     |
| ⌘                                   | DA5C      | ----    | 0482  | U0000482     |
| ⌘                                   | DA5D      | ----    | 0483  | U0000483     |
| ˘                                   | DA5E      | ----    | 0484  | U0000484     |
| ˘                                   | DA5F      | ----    | 0485  | U0000485     |
| ˘                                   | DA60      | ----    | 0486  | U0000486     |
| ǀ                                   | DA61      | ----    | 0490  | KG300080     |
| ǀ                                   | DA62      | ----    | 0491  | KG290080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| F                                   | DA63      | ----    | 0492  | U0000492     |
| f                                   | DA64      | ----    | 0493  | U0000493     |
| Ɔ                                   | DA65      | ----    | 0494  | U0000494     |
| Ɇ                                   | DA66      | ----    | 0495  | U0000495     |
| Ж                                   | DA67      | ----    | 0496  | U0000496     |
| ж                                   | DA68      | ----    | 0497  | U0000497     |
| Ɔ                                   | DA69      | ----    | 0498  | U0000498     |
| Ɇ                                   | DA6A      | ----    | 0499  | U0000499     |
| Ɔ                                   | DA6B      | ----    | 049A  | U000049A     |
| Ɔ                                   | DA6C      | ----    | 049B  | U000049B     |
| Ɔ                                   | DA6D      | ----    | 049C  | U000049C     |
| Ɔ                                   | DA6E      | ----    | 049D  | U000049D     |
| Ɔ                                   | DA6F      | ----    | 049E  | U000049E     |
| Ɔ                                   | DA70      | ----    | 049F  | U000049F     |
| Ɔ                                   | DA71      | ----    | 04A0  | U00004A0     |
| Ɔ                                   | DA72      | ----    | 04A1  | U00004A1     |
| Ɔ                                   | DA73      | ----    | 04A2  | U00004A2     |
| Ɔ                                   | DA74      | ----    | 04A3  | U00004A3     |
| Ɔ                                   | DA75      | ----    | 04A4  | U00004A4     |
| Ɔ                                   | DA76      | ----    | 04A5  | U00004A5     |
| Ɔ                                   | DA77      | ----    | 04A6  | U00004A6     |
| Ɔ                                   | DA78      | ----    | 04A7  | U00004A7     |
| Ɔ                                   | DA79      | ----    | 04A8  | U00004A8     |
| Ɔ                                   | DA7A      | ----    | 04A9  | U00004A9     |
| Ɔ                                   | DA7B      | ----    | 04AA  | U00004AA     |
| Ɔ                                   | DA7C      | ----    | 04AB  | U00004AB     |
| Ɔ                                   | DA7D      | ----    | 04AC  | U00004AC     |
| Ɔ                                   | DA7E      | ----    | 04AD  | U00004AD     |
| Ɔ                                   | DA7F      | ----    | 04AE  | U00004AE     |
| Ɔ                                   | DA80      | ----    | 04AF  | U00004AF     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ÿ                                   | DA81      | ----    | 04B0  | U00004B0     |
| Ƴ                                   | DA82      | ----    | 04B1  | U00004B1     |
| Ʒ                                   | DA83      | ----    | 04B2  | U00004B2     |
| ɣ                                   | DA84      | ----    | 04B3  | U00004B3     |
| Ƨ                                   | DA85      | ----    | 04B4  | U00004B4     |
| ƨ                                   | DA86      | ----    | 04B5  | U00004B5     |
| Ʃ                                   | DA87      | ----    | 04B6  | U00004B6     |
| ƪ                                   | DA88      | ----    | 04B7  | U00004B7     |
| ƫ                                   | DA89      | ----    | 04B8  | U00004B8     |
| Ƭ                                   | DA8A      | ----    | 04B9  | U00004B9     |
| Ʒ                                   | DA8B      | ----    | 04BA  | U00004BA     |
| Ƹ                                   | DA8C      | ----    | 04BB  | U00004BB     |
| ƹ                                   | DA8D      | ----    | 04BC  | U00004BC     |
| ƺ                                   | DA8E      | ----    | 04BD  | U00004BD     |
| ƻ                                   | DA8F      | ----    | 04BE  | U00004BE     |
| Ƽ                                   | DA90      | ----    | 04BF  | U00004BF     |
| ƾ                                   | DA91      | ----    | 04C0  | U00004C0     |
| ƿ                                   | DA92      | ----    | 04C1  | U00004C1     |
| ɀ                                   | DA93      | ----    | 04C2  | U00004C2     |
| Ɂ                                   | DA94      | ----    | 04C3  | U00004C3     |
| ɂ                                   | DA95      | ----    | 04C4  | U00004C4     |
| Ƀ                                   | DA96      | ----    | 04C7  | U00004C7     |
| Ʉ                                   | DA97      | ----    | 04C8  | U00004C8     |
| Ʌ                                   | DA98      | ----    | 04CB  | U00004CB     |
| Ɇ                                   | DA99      | ----    | 04CC  | U00004CC     |
| Ǻ                                   | DA9A      | ----    | 04D0  | U00004D0     |
| ǻ                                   | DA9B      | ----    | 04D1  | U00004D1     |
| Ǽ                                   | DA9C      | ----    | 04D2  | U00004D2     |
| ǽ                                   | DA9D      | ----    | 04D3  | U00004D3     |
| Ǿ                                   | DA9E      | ----    | 04D4  | U00004D4     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| æ                                   | DA9F      | ----    | 04D5  | U00004D5     |
| Ě                                   | DAA0      | ----    | 04D6  | U00004D6     |
| ě                                   | DAA1      | ----    | 04D7  | U00004D7     |
| Ǝ                                   | DAA2      | ----    | 04D8  | U00004D8     |
| Ɛ                                   | DAA3      | ----    | 04D9  | U00004D9     |
| Ɔ                                   | DAA4      | ----    | 04DA  | U00004DA     |
| ö                                   | DAA5      | ----    | 04DB  | U00004DB     |
| Ӗ                                   | DAA6      | ----    | 04DC  | U00004DC     |
| Ә                                   | DAA7      | ----    | 04DD  | U00004DD     |
| ә                                   | DAA8      | ----    | 04DE  | U00004DE     |
| Ӛ                                   | DAA9      | ----    | 04DF  | U00004DF     |
| ӛ                                   | DAAA      | ----    | 04E0  | U00004E0     |
| Ӝ                                   | DAAB      | ----    | 04E1  | U00004E1     |
| ӝ                                   | DAAC      | ----    | 04E2  | U00004E2     |
| Ӟ                                   | DAAD      | ----    | 04E3  | U00004E3     |
| ӟ                                   | DAAE      | ----    | 04E4  | U00004E4     |
| Ӡ                                   | DAAF      | ----    | 04E5  | U00004E5     |
| ӡ                                   | DAB0      | ----    | 04E6  | U00004E6     |
| Ӣ                                   | DAB1      | ----    | 04E7  | U00004E7     |
| ӣ                                   | DAB2      | ----    | 04E8  | U00004E8     |
| Ӥ                                   | DAB3      | ----    | 04E9  | U00004E9     |
| ӥ                                   | DAB4      | ----    | 04EA  | U00004EA     |
| Ӧ                                   | DAB5      | ----    | 04EB  | U00004EB     |
| ӧ                                   | DAB6      | ----    | 04EE  | U00004EE     |
| Ө                                   | DAB7      | ----    | 04EF  | U00004EF     |
| ө                                   | DAB8      | ----    | 04F0  | U00004F0     |
| Ӫ                                   | DAB9      | ----    | 04F1  | U00004F1     |
| ӫ                                   | DABA      | ----    | 04F2  | U00004F2     |
| Ӭ                                   | DABB      | ----    | 04F3  | U00004F3     |
| ӭ                                   | DABC      | ----    | 04F4  | U00004F4     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| č                                   | DABD      | ----    | 04F5  | U00004F5     |
| č̇                                  | DABE      | ----    | 04F8  | U00004F8     |
| č̈                                  | DABF      | ----    | 04F9  | U00004F9     |
| č̄                                  | DADE      | ----    | 1E3E  | LM120080     |
| č̇                                  | DADF      | ----    | 1E3F  | LM110080     |
| č̈                                  | DAE0      | ----    | 1E80  | LW140080     |
| č̇                                  | DAE1      | ----    | 1E81  | LW130080     |
| č̈                                  | DAE2      | ----    | 1E82  | LW120080     |
| č̇                                  | DAE3      | ----    | 1E83  | LW110080     |
| č̈                                  | DAE4      | ----    | 1E84  | LW180080     |
| č̇                                  | DAE5      | ----    | 1E85  | LW179989     |
| č̄                                  | DAE6      | ----    | 1EBE  | U0001EBE     |
| č̇                                  | DAE7      | ----    | 1EBF  | U0001EBF     |
| č̈                                  | DAE8      | ----    | 1EC0  | U0001EC0     |
| č̇                                  | DAE9      | ----    | 1EC1  | U0001EC1     |
| č̈                                  | DAEA      | ----    | 1EF2  | LY140080     |
| č̇                                  | DAEB      | ----    | 1EF3  | LY130080     |
| č̈                                  | DC62      | ----    | 1F72  | U0001F72     |
| č̇                                  | DC63**    | ----    | 1F70  | U0001F70     |
| č̈                                  | DC64**    | ----    | 1F71  | U0001F71     |
| č̇                                  | DC65**    | ----    | 1F73  | U0001F73     |
| C                                   | DDA4      | ----    | 2000  | U0002000     |
| D                                   | DDA5      | ----    | 2001  | U0002001     |
| E                                   | DDA6      | ----    | 2002  | U0002002     |
| F                                   | DDA7      | ----    | 2003  | U0002003     |
| G                                   | DDA8      | ----    | 2004  | U0002004     |
| H                                   | DDA9      | ----    | 2005  | U0002005     |
| I                                   | DDAA      | ----    | 2006  | U0002006     |
| J                                   | DDAB      | ----    | 2007  | SP310080     |
| K                                   | DDAC      | ----    | 2008  | U0002008     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| L                                   | DDAD      | ----    | 2009  | U0002009     |
| M                                   | DDAE      | ----    | 200A  | U000200A     |
| N                                   | DDAF      | ----    | 200B  | SP010080     |
| O                                   | DDB0      | ----    | 200C  | SP530080     |
| P                                   | DDB1      | ----    | 200D  | SP540080     |
| Q                                   | DDB2      | ----    | 200E  | SP550080     |
| R                                   | DDB3      | ----    | 200F  | SP560080     |
| –                                   | DDB4      | ----    | 2011  | U0002011     |
| –                                   | DDB5      | ----    | 2012  | SF880080     |
| –                                   | DDB6      | ----    | 2013  | SS680080     |
| –                                   | DDB7      | ----    | 2015  | SM120080     |
| ==                                  | DDB8      | ----    | 2017  | SM100080     |
| ,                                   | DDB9      | ----    | 201A  | SP260080     |
| ‘                                   | DDBA      | ----    | 201B  | U000201B     |
| „                                   | DDBB      | ----    | 201E  | SP230080     |
| “                                   | DDBC      | ----    | 201F  | U000201F     |
| •                                   | DDBD      | ----    | 2022  | SM570080     |
| ►                                   | DDBE      | ----    | 2023  | U0002023     |
| ·                                   | DDBF      | ----    | 2024  | U0002024     |
| ·                                   | DDC0      | ----    | 2027  | U0002027     |
| S                                   | DDC1      | ----    | 2028  | U0002028     |
| T                                   | DDC2      | ----    | 2029  | U0002029     |
| U                                   | DDC3      | ----    | 202A  | SP570080     |
| V                                   | DDC4      | ----    | 202B  | SP580080     |
| W                                   | DDC5      | ----    | 202C  | SP590080     |
| X                                   | DDC6      | ----    | 202D  | SP600080     |
| Y                                   | DDC7      | ----    | 202E  | SP610080     |
| ‰                                   | DDC8      | ----    | 2031  | U0002031     |
| ”                                   | DDC9      | ----    | 2034  | U0002034     |
| `                                   | DDCA      | ----    | 2035  | SM800080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| “                                   | DDCB      | ----    | 2036  | U0002036     |
| ”                                   | DDCC      | ----    | 2037  | U0002037     |
| ^                                   | DDCD      | ----    | 2038  | SS390080     |
| <                                   | DDCE      | ----    | 2039  | SP270080     |
| >                                   | DDCF      | ----    | 203A  | SP280080     |
| !!                                  | DDD0      | ----    | 203C  | SP330080     |
| ?’                                  | DDD1      | ----    | 203D  | U000203D     |
| ’                                   | DDD2      | ----    | 203F  | U000203F     |
| （                                   | DDD3      | ----    | 2040  | U0002040     |
| ）                                   | DDD4      | ----    | 2041  | U0002041     |
| **                                  | DDD5      | ----    | 2042  | U0002042     |
| -                                   | DDD6      | ----    | 2043  | U0002043     |
| /                                   | DDD7      | ----    | 2044  | SP120081     |
| {                                   | DDD8      | ----    | 2045  | U0002045     |
| }                                   | DDD9      | ----    | 2046  | U0002046     |
| ??                                  | DDDA**    | ----    | 2047  | U0002047     |
| ?!                                  | DDDB**    | ----    | 2048  | U0002048     |
| !?’                                 | DDDC**    | ----    | 2049  | U0002049     |
| *                                   | DDDD**    | ----    | 2051  | U0002051     |
| 0                                   | DE47      | ----    | 2070  | ND101080     |
| 4                                   | DE48      | ----    | 2074  | ND041080     |
| 5                                   | DE49      | ----    | 2075  | ND051080     |
| 6                                   | DE4A      | ----    | 2076  | ND061080     |
| 7                                   | DE4B      | ----    | 2077  | ND071080     |
| 8                                   | DE4C      | ----    | 2078  | ND081080     |
| 9                                   | DE4D      | ----    | 2079  | ND091080     |
| +                                   | DE4E      | ----    | 207A  | SA011080     |
| -                                   | DE4F      | ----    | 207B  | SA001080     |
| =                                   | DE50      | ----    | 207C  | SA041080     |
| (                                   | DE51      | ----    | 207D  | SP061080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| )                                   | DE52      | ----    | 207E  | SP071080     |
| n                                   | DE53      | ----    | 207F  | LN011080     |
| o                                   | DE54      | ----    | 2080  | ND102080     |
| 1                                   | DE55      | ----    | 2081  | ND012080     |
| 2                                   | DE56      | ----    | 2082  | ND022080     |
| 3                                   | DE57      | ----    | 2083  | ND032080     |
| 4                                   | DE58      | ----    | 2084  | ND042080     |
| 5                                   | DE59      | ----    | 2085  | ND052080     |
| 6                                   | DE5A      | ----    | 2086  | ND062080     |
| 7                                   | DE5B      | ----    | 2087  | ND072080     |
| 8                                   | DE5C      | ----    | 2088  | ND082080     |
| 9                                   | DE5D      | ----    | 2089  | ND092080     |
| +                                   | DE5E      | ----    | 208A  | SA012080     |
| -                                   | DE5F      | ----    | 208B  | SP102080     |
| =                                   | DE60      | ----    | 208C  | SA042080     |
| (                                   | DE61      | ----    | 208D  | SP062080     |
| )                                   | DE62      | ----    | 208E  | SP072080     |
| €                                   | DE77      | ----    | 20A0  | U00020A0     |
| ⊘                                   | DE78      | ----    | 20A1  | SC110080     |
| ⊙                                   | DE79      | ----    | 20A2  | SC090080     |
| ₣                                   | DE7A      | ----    | 20A3  | U00020A3     |
| £                                   | DE7B      | ----    | 20A4  | U00020A4     |
| ₤                                   | DE7C      | ----    | 20A5  | U00020A5     |
| ₦                                   | DE7D      | ----    | 20A6  | U00020A6     |
| ₧                                   | DE7E      | ----    | 20A7  | SC060080     |
| ₨                                   | DE7F      | ----    | 20A8  | U00020A8     |
| ₩                                   | DE80      | ----    | 20A9  | SC140080     |
| ₪                                   | DE81      | ----    | 20AA  | SC170080     |
| ‰                                   | DEA7      | ----    | 2100  | SS650080     |
| ‱                                   | DEA8      | ----    | 2101  | SS660080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ©                                   | DEA9      | ----    | 2102  | SS520080     |
| €                                   | DEAA      | ----    | 2104  | SV080080     |
| ‰                                   | DEAB      | ----    | 2105  | SS640080     |
| ‰ <sub>u</sub>                      | DEAC      | ----    | 2106  | U0002106     |
| ε                                   | DEAD      | ----    | 2107  | SS420080     |
| ∂                                   | DEAE      | ----    | 2108  | U0002108     |
| °F                                  | DEAF      | ----    | 2109  | SM850080     |
| g                                   | DEB0      | ----    | 210A  | SS460080     |
| ℋ                                   | DEB1      | ----    | 210B  | SS490080     |
| ℑ                                   | DEB2      | ----    | 210C  | U000210C     |
| ℋ                                   | DEB3      | ----    | 210D  | U000210D     |
| h                                   | DEB4      | ----    | 210E  | U000210E     |
| ħ                                   | DEB5      | ----    | 210F  | SS410080     |
| ℑ                                   | DEB6      | ----    | 2110  | SS500080     |
| ℑ                                   | DEB7      | ----    | 2111  | SS370080     |
| ℒ                                   | DEB8      | ----    | 2112  | SS480080     |
| ℓ                                   | DEB9      | ----    | 2113  | SM160080     |
| ℋ                                   | DEBA      | ----    | 2114  | U0002114     |
| ℕ                                   | DEBB      | ----    | 2115  | SS530080     |
| ®                                   | DEBC      | ----    | 2117  | U0002117     |
| ℔                                   | DEBD      | ----    | 2118  | SS450080     |
| ℙ                                   | DEBE      | ----    | 2119  | SS550080     |
| ℚ                                   | DEBF      | ----    | 211A  | SS690080     |
| ℞                                   | DEC0      | ----    | 211B  | SS470080     |
| ℞                                   | DEC1      | ----    | 211C  | SS380080     |
| ℞                                   | DEC2      | ----    | 211D  | SS510080     |
| ℞                                   | DEC3      | ----    | 211E  | SM550080     |
| ℞                                   | DEC4      | ----    | 211F  | U000211F     |
| <sup>SM</sup>                       | DEC5      | ----    | 2120  | U0002120     |
| <sup>TM</sup>                       | DEC6      | ----    | 2122  | SM540080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ¥                                   | DEC7      | ----    | 2123  | U0002123     |
| ℤ                                   | DEC8      | ----    | 2124  | SS560080     |
| ℤ                                   | DEC9      | ----    | 2125  | U0002125     |
| Ω                                   | DECA      | ----    | 2126  | SM180080     |
| ∅                                   | DECB      | ----    | 2127  | U0002127     |
| ∫                                   | DECC      | ----    | 2128  | U0002128     |
| ι                                   | DECD      | ----    | 2129  | U0002129     |
| κ                                   | DECE      | ----    | 212A  | U000212A     |
| ℬ                                   | DECF      | ----    | 212C  | U000212C     |
| ℄                                   | DED0      | ----    | 212D  | U000212D     |
| e                                   | DED1      | ----    | 212E  | U000212E     |
| e                                   | DED2      | ----    | 212F  | U000212F     |
| ε                                   | DED3      | ----    | 2130  | U0002130     |
| ℑ                                   | DED4      | ----    | 2131  | U0002131     |
| ℑ                                   | DED5      | ----    | 2132  | U0002132     |
| ℓ                                   | DED6      | ----    | 2133  | U0002133     |
| σ                                   | DED7      | ----    | 2134  | U0002134     |
| κ                                   | DED8      | ----    | 2135  | U0002135     |
| ∩                                   | DED9      | ----    | 2136  | U0002136     |
| λ                                   | DEDA      | ----    | 2137  | U0002137     |
| γ                                   | DEDB      | ----    | 2138  | U0002138     |
| 1/3                                 | DEF3      | ----    | 2153  | NF020080     |
| 2/3                                 | DEF4      | ----    | 2154  | NF030080     |
| 1/5                                 | DEF5      | ----    | 2155  | NF060080     |
| 2/5                                 | DEF6      | ----    | 2156  | NF070080     |
| 3/5                                 | DEF7      | ----    | 2157  | NF080080     |
| 4/5                                 | DEF8      | ----    | 2158  | NF090080     |
| 1/6                                 | DEF9      | ----    | 2159  | NF100080     |
| 5/6                                 | DEFA      | ----    | 215A  | NF110080     |
| 1/8                                 | DEFB      | ----    | 215B  | NF180080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ⅜                                   | DEFC      | ----    | 215C  | NF190080     |
| ⅝                                   | DEFD      | ----    | 215D  | NF200080     |
| ⅞                                   | DEFE      | ----    | 215E  | NF210080     |
| 1/                                  | DF41      | ----    | 215F  | NF000080     |
| XI                                  | DF42      | ----    | 216A  | NR310080     |
| XII                                 | DF43      | ----    | 216B  | NR320080     |
| L                                   | DF44      | ----    | 216C  | NR900080     |
| C                                   | DF45      | ----    | 216D  | NR910080     |
| D                                   | DF46      | ----    | 216E  | NR920080     |
| M                                   | DF47      | ----    | 216F  | NR930080     |
| xi                                  | DF48      | ----    | 217A  | NR210080     |
| xii                                 | DF49      | ----    | 217B  | NR220080     |
| l                                   | DF4A      | ----    | 217C  | U000217C     |
| c                                   | DF4B      | ----    | 217D  | U000217D     |
| d                                   | DF4C      | ----    | 217E  | U000217E     |
| m                                   | DF4D      | ----    | 217F  | U000217F     |
| Ⓒ                                   | DF4E      | ----    | 2180  | U0002180     |
| Ⓓ                                   | DF4F      | ----    | 2181  | U0002181     |
| Ⓔ                                   | DF50      | ----    | 2182  | U0002182     |
| ↔                                   | DF61      | ----    | 2194  | SM780080     |
| ↕                                   | DF62      | ----    | 2195  | SM760080     |
| ↘                                   | DF63      | ----    | 2196  | SM970080     |
| ↗                                   | DF64      | ----    | 2197  | SM950080     |
| ↙                                   | DF65      | ----    | 2198  | SM990080     |
| ↘                                   | DF66      | ----    | 2199  | SM980080     |
| ↖                                   | DF67      | ----    | 219A  | U000219A     |
| ↗                                   | DF68      | ----    | 219B  | U000219B     |
| ↘                                   | DF69      | ----    | 219C  | U000219C     |
| ↗                                   | DF6A      | ----    | 219D  | U000219D     |
| ←                                   | DF6B      | ----    | 219E  | U000219E     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ↑                                   | DF6C      | ----    | 219F  | U000219F     |
| →                                   | DF6D      | ----    | 21A0  | U00021A0     |
| ↓                                   | DF6E      | ----    | 21A1  | U00021A1     |
| ←                                   | DF6F      | ----    | 21A2  | U00021A2     |
| ↔                                   | DF70      | ----    | 21A3  | U00021A3     |
| ↔                                   | DF71      | ----    | 21A4  | U00021A4     |
| ↑                                   | DF72      | ----    | 21A5  | U00021A5     |
| ↔                                   | DF73      | ----    | 21A6  | SM400080     |
| ↓                                   | DF74      | ----    | 21A7  | U00021A7     |
| ↕                                   | DF75      | ----    | 21A8  | SM770080     |
| ↔                                   | DF76      | ----    | 21A9  | U00021A9     |
| ↔                                   | DF77      | ----    | 21AA  | U00021AA     |
| ↔                                   | DF78      | ----    | 21AB  | U00021AB     |
| ↔                                   | DF79      | ----    | 21AC  | U00021AC     |
| ↔                                   | DF7A      | ----    | 21AD  | U00021AD     |
| ↔                                   | DF7B      | ----    | 21AE  | U00021AE     |
| ↘                                   | DF7C      | ----    | 21AF  | U00021AF     |
| ↖                                   | DF7D      | ----    | 21B0  | U00021B0     |
| ↗                                   | DF7E      | ----    | 21B1  | U00021B1     |
| ↓                                   | DF7F      | ----    | 21B2  | U00021B2     |
| ↘                                   | DF80      | ----    | 21B3  | U00021B3     |
| ↘                                   | DF81      | ----    | 21B4  | U00021B4     |
| ↖                                   | DF82      | ----    | 21B5  | SM720080     |
| ↖                                   | DF83      | ----    | 21B6  | U00021B6     |
| ↖                                   | DF84      | ----    | 21B7  | U00021B7     |
| ↖                                   | DF85      | ----    | 21B8  | SS070080     |
| ↖                                   | DF86      | ----    | 21B9  | SS060080     |
| ↖                                   | DF87      | ----    | 21BA  | U00021BA     |
| ↖                                   | DF88      | ----    | 21BB  | U00021BB     |
| ←                                   | DF89      | ----    | 21BC  | SM380080     |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ←                                   | DF8A      | ----    | 21BD  | U00021BD     |
| ↑                                   | DF8B      | ----    | 21BE  | SM360080     |
| ↑                                   | DF8C      | ----    | 21BF  | SM370080     |
| →                                   | DF8D      | ----    | 21C0  | SM390080     |
| →                                   | DF8E      | ----    | 21C1  | U00021C1     |
| ↓                                   | DF8F      | ----    | 21C2  | U00021C2     |
| ↓                                   | DF90      | ----    | 21C3  | U00021C3     |
| ↔                                   | DF91      | ----    | 21C4  | U00021C4     |
| ↕                                   | DF92      | ----    | 21C5  | U00021C5     |
| ↔                                   | DF93      | ----    | 21C6  | U00021C6     |
| ↔                                   | DF94      | ----    | 21C7  | U00021C7     |
| ↑↑                                  | DF95      | ----    | 21C8  | U00021C8     |
| ⇒                                   | DF96      | ----    | 21C9  | U00021C9     |
| ⇓                                   | DF97      | ----    | 21CA  | U00021CA     |
| ⇐                                   | DF98      | ----    | 21CB  | U00021CB     |
| ⇐                                   | DF99      | ----    | 21CC  | U00021CC     |
| ⇐                                   | DF9A      | ----    | 21CD  | U00021CD     |
| ⇐                                   | DF9B      | ----    | 21CE  | U00021CE     |
| ⇒                                   | DF9C      | ----    | 21CF  | U00021CF     |
| ←                                   | DF9D      | ----    | 21D0  | SM430080     |
| ↑                                   | DF9E      | ----    | 21D1  | SM820080     |
| ↓                                   | DF9F      | ----    | 21D3  | SM830080     |
| ↕                                   | DFA0      | ----    | 21D5  | U00021D5     |
| ↖                                   | DFA1      | ----    | 21D6  | U00021D6     |
| ↗                                   | DFA2      | ----    | 21D7  | U00021D7     |
| ↘                                   | DFA3      | ----    | 21D8  | U00021D8     |
| ↙                                   | DFA4      | ----    | 21D9  | U00021D9     |
| ⇐                                   | DFA5      | ----    | 21DA  | U00021DA     |
| ⇒                                   | DFA6      | ----    | 21DB  | U00021DB     |
| ↔                                   | DFA7      | ----    | 21DC  | U00021DC     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ↔                                   | DFA8      | ----    | 21DD  | U00021DD     |
| ↕                                   | DFA9      | ----    | 21DE  | U00021DE     |
| ↕                                   | DFAA      | ----    | 21DF  | U00021DF     |
| ←                                   | DFAB      | ----    | 21E0  | U00021E0     |
| ↑                                   | DFAC      | ----    | 21E1  | U00021E1     |
| →                                   | DFAD      | ----    | 21E2  | U00021E2     |
| ↓                                   | DFAE      | ----    | 21E3  | U00021E3     |
| ←                                   | DFAF      | ----    | 21E4  | U00021E4     |
| →                                   | DFB0      | ----    | 21E5  | U00021E5     |
| ←                                   | DFB1      | ----    | 21E6  | U00021E6     |
| ↑                                   | DFB2      | ----    | 21E7  | SM460080     |
| ⇐                                   | DFB3      | ----    | 21E8  | U00021E8     |
| ⇓                                   | DFB4      | ----    | 21E9  | U00021E9     |
| ⇐                                   | DFB5      | ----    | 21EA  | U00021EA     |
| ∩                                   | DFCB      | ----    | 2201  | U0002201     |
| ≠                                   | DFCC      | ----    | 2204  | SA220080     |
| ∅                                   | DFCD      | ----    | 2205  | SA870080     |
| △                                   | DFCE      | ----    | 2206  | SL060080     |
| €                                   | DFCF      | ----    | 2209  | SA360081     |
| €                                   | DFD0      | ----    | 220A  | SL720080     |
| ⊕                                   | DFD1      | ----    | 220C  | U000220C     |
| ⊃                                   | DFD2      | ----    | 220D  | U000220D     |
| ■                                   | DFD3      | ----    | 220E  | U000220E     |
| ∏                                   | DFD4      | ----    | 220F  | SA810080     |
| ∏                                   | DFD5      | ----    | 2210  | U0002210     |
| ∑                                   | DFD6      | ----    | 2211  | SS400080     |
| ±                                   | DFD7      | ----    | 2213  | SA170080     |
| ±                                   | DFD8      | ----    | 2214  | U0002214     |
| /                                   | DFD9      | ----    | 2215  | U0002215     |
| ∖                                   | DFDA      | ----    | 2216  | U0002216     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| *                                   | DFDB      | ----    | 2217  | SM040082     |
| ◦                                   | DFDC      | ----    | 2218  | SL250080     |
| •                                   | DFDD      | ----    | 2219  | SA790080     |
| √                                   | DFDE      | ----    | 221B  | U000221B     |
| √                                   | DFDF      | ----    | 221C  | U000221C     |
| ┌                                   | DFE0      | ----    | 221F  | SA420080     |
| ∠                                   | DFE1      | ----    | 2221  | U0002221     |
| ◁                                   | DFE2      | ----    | 2222  | SA350089     |
|                                     | DFE3      | ----    | 2223  | U0002223     |
| └                                   | DFE4      | ----    | 2224  | U0002224     |
| //                                  | DFE5      | ----    | 2225  | SA340080     |
| ∕                                   | DFE6      | ----    | 2226  | U0002226     |
| ∞                                   | DFE7      | ----    | 222D  | U000222D     |
| §                                   | DFE8      | ----    | 222E  | SA720080     |
| §                                   | DFE9      | ----    | 222F  | U000222F     |
| §                                   | DFEA      | ----    | 2230  | U0002230     |
| ƒ                                   | DFEB      | ----    | 2231  | U0002231     |
| §                                   | DFEC      | ----    | 2232  | U0002232     |
| §                                   | DFED      | ----    | 2233  | U0002233     |
| :                                   | DFEE      | ----    | 2236  | SS430080     |
| ::                                  | DFEF      | ----    | 2237  | SA080080     |
| ÷                                   | DFF0      | ----    | 2238  | U0002238     |
| -:                                  | DFF1      | ----    | 2239  | U0002239     |
| ∴                                   | DFF2      | ----    | 223A  | U000223A     |
| ≈                                   | DFF3      | ----    | 223B  | U000223B     |
| ~                                   | DFF4      | ----    | 223C  | SA160080     |
| ∞                                   | DFF5      | ----    | 223E  | U000223E     |
| ∞                                   | DFF6      | ----    | 223F  | SA300080     |
| ∞                                   | DFF7      | ----    | 2240  | U0002240     |
| ∞                                   | DFF8      | ----    | 2241  | U0002241     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ≈                                   | DFF9      | ----    | 2242  | U0002242     |
| ≈                                   | DFFA      | ----    | 2243  | SA440080     |
| ≠                                   | DFFB      | ----    | 2244  | U0002244     |
| ≅                                   | DFFC      | ----    | 2245  | SA430080     |
| ≅                                   | DFFD      | ----    | 2246  | U0002246     |
| ≅                                   | DFFE      | ----    | 2247  | U0002247     |
| ≈                                   | E041      | ----    | 2248  | SA700080     |
| ≈                                   | E042      | ----    | 2249  | SA690080     |
| ≈                                   | E043      | ----    | 224A  | U000224A     |
| ≈                                   | E044      | ----    | 224B  | SA710080     |
| ≅                                   | E045      | ----    | 224C  | U000224C     |
| ×                                   | E046      | ----    | 224D  | U000224D     |
| ÷                                   | E047      | ----    | 224E  | U000224E     |
| ÷                                   | E048      | ----    | 224F  | U000224F     |
| ÷                                   | E049      | ----    | 2250  | U0002250     |
| ÷                                   | E04A      | ----    | 2251  | U0002251     |
| ÷                                   | E04B      | ----    | 2253  | U0002253     |
| ∴                                   | E04C      | ----    | 2254  | U0002254     |
| ∴                                   | E04D      | ----    | 2255  | U0002255     |
| ≅                                   | E04E      | ----    | 2256  | U0002256     |
| ≅                                   | E04F      | ----    | 2257  | U0002257     |
| ≅                                   | E050      | ----    | 2258  | U0002258     |
| ≅                                   | E051      | ----    | 2259  | U0002259     |
| ≅                                   | E052      | ----    | 225A  | U000225A     |
| ≅                                   | E053      | ----    | 225B  | U000225B     |
| ≅                                   | E054      | ----    | 225C  | U000225C     |
| ≅                                   | E055      | ----    | 225D  | U000225D     |
| ≅                                   | E056      | ----    | 225E  | U000225E     |
| ≅                                   | E057      | ----    | 225F  | U000225F     |
| ≅                                   | E058      | ----    | 2262  | SA460080     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ≡                                   | E059      | ----    | 2263  | U0002263     |
| ≤                                   | E05A      | ----    | 2264  | SA520080     |
| ≥                                   | E05B      | ----    | 2265  | SA530080     |
| ≦                                   | E05C      | ----    | 2268  | U0002268     |
| ≧                                   | E05D      | ----    | 2269  | U0002269     |
| ∩                                   | E05E      | ----    | 226C  | SS610080     |
| ∗                                   | E05F      | ----    | 226D  | U000226D     |
| ↙                                   | E060      | ----    | 226E  | SA090080     |
| ↘                                   | E061      | ----    | 226F  | SA100080     |
| ≠                                   | E062      | ----    | 2270  | U0002270     |
| ≠                                   | E063      | ----    | 2271  | U0002271     |
| ≈                                   | E064      | ----    | 2272  | SA760080     |
| ≈                                   | E065      | ----    | 2273  | SA770080     |
| ≠                                   | E066      | ----    | 2274  | U0002274     |
| ≠                                   | E067      | ----    | 2275  | U0002275     |
| ≦                                   | E068      | ----    | 2276  | U0002276     |
| ≧                                   | E069      | ----    | 2277  | SA200080     |
| ≠                                   | E06A      | ----    | 2278  | U0002278     |
| ≠                                   | E06B      | ----    | 2279  | U0002279     |
| <                                   | E06C      | ----    | 227A  | SA600080     |
| >                                   | E06D      | ----    | 227B  | SA610080     |
| ≦                                   | E06E      | ----    | 227C  | SA630080     |
| ≧                                   | E06F      | ----    | 227D  | SA650080     |
| ≈                                   | E070      | ----    | 227E  | U000227E     |
| ≈                                   | E071      | ----    | 227F  | U000227F     |
| ↙                                   | E072      | ----    | 2280  | SA620080     |
| ↘                                   | E073      | ----    | 2281  | U0002281     |
| ∟                                   | E074      | ----    | 2284  | SA250080     |
| ∟                                   | E075      | ----    | 2285  | SA290080     |
| ∟                                   | E076      | ----    | 2288  | SA260080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ∟                                   | E077      | ----    | 2289  | SA280080     |
| ∟                                   | E078      | ----    | 228A  | U000228A     |
| ∟                                   | E079      | ----    | 228B  | U000228B     |
| ∟                                   | E07A      | ----    | 228C  | U000228C     |
| ∟                                   | E07B      | ----    | 228D  | U000228D     |
| ∟                                   | E07C      | ----    | 228E  | U000228E     |
| ∟                                   | E07D      | ----    | 228F  | U000228F     |
| ∟                                   | E07E      | ----    | 2290  | U0002290     |
| ∟                                   | E07F      | ----    | 2291  | U0002291     |
| ∟                                   | E080      | ----    | 2292  | U0002292     |
| ∟                                   | E081      | ----    | 2293  | U0002293     |
| ∟                                   | E082      | ----    | 2294  | U0002294     |
| ⊕                                   | E083      | ----    | 2295  | SA550080     |
| ⊖                                   | E084      | ----    | 2296  | SL120080     |
| ⊗                                   | E085      | ----    | 2297  | SA560080     |
| ⊘                                   | E086      | ----    | 2298  | U0002298     |
| ⊙                                   | E087      | ----    | 2299  | SA590080     |
| ⊙                                   | E088      | ----    | 229A  | U000229A     |
| ⊛                                   | E089      | ----    | 229B  | U000229B     |
| ⊖                                   | E08A      | ----    | 229C  | SA580080     |
| ⊖                                   | E08B      | ----    | 229D  | U000229D     |
| ⊞                                   | E08C      | ----    | 229E  | U000229E     |
| ⊞                                   | E08D      | ----    | 229F  | U000229F     |
| ⊞                                   | E08E      | ----    | 22A0  | U00022A0     |
| ⊞                                   | E08F      | ----    | 22A1  | U00022A1     |
| ┌                                   | E090      | ----    | 22A2  | SL340080     |
| ┐                                   | E091      | ----    | 22A3  | SL350080     |
| ┌                                   | E092      | ----    | 22A4  | SL220080     |
| ┌                                   | E093      | ----    | 22A6  | U00022A6     |
| ┌                                   | E094      | ----    | 22A7  | U00022A7     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| 𠄎                                   | E095      | ----    | 22A8  | U00022A8     |
| 𠄏                                   | E096      | ----    | 22A9  | U00022A9     |
| 𠄐                                   | E097      | ----    | 22AA  | U00022AA     |
| 𠄑                                   | E098      | ----    | 22AB  | U00022AB     |
| 𠄒                                   | E099      | ----    | 22AC  | U00022AC     |
| 𠄓                                   | E09A      | ----    | 22AD  | U00022AD     |
| 𠄔                                   | E09B      | ----    | 22AE  | U00022AE     |
| 𠄕                                   | E09C      | ----    | 22AF  | U00022AF     |
| 𠄖                                   | E09D      | ----    | 22B0  | U00022B0     |
| 𠄗                                   | E09E      | ----    | 22B1  | U00022B1     |
| 𠄘                                   | E09F      | ----    | 22B2  | U00022B2     |
| 𠄙                                   | E0A0      | ----    | 22B3  | U00022B3     |
| 𠄚                                   | E0A1      | ----    | 22B4  | U00022B4     |
| 𠄛                                   | E0A2      | ----    | 22B5  | U00022B5     |
| 𠄜                                   | E0A3      | ----    | 22B6  | U00022B6     |
| 𠄝                                   | E0A4      | ----    | 22B7  | U00022B7     |
| 𠄞                                   | E0A5      | ----    | 22B8  | U00022B8     |
| 𠄟                                   | E0A6      | ----    | 22B9  | U00022B9     |
| 𠄠                                   | E0A7      | ----    | 22BA  | U00022BA     |
| 𠄡                                   | E0A8      | ----    | 22BB  | U00022BB     |
| 𠄢                                   | E0A9      | ----    | 22BC  | U00022BC     |
| 𠄣                                   | E0AA      | ----    | 22BD  | U00022BD     |
| 𠄤                                   | E0AB      | ----    | 22BE  | U00022BE     |
| 𠄥                                   | E0AC      | ----    | 22BF  | SA850080     |
| 𠄦                                   | E0AD      | ----    | 22C0  | SA330080     |
| 𠄧                                   | E0AE      | ----    | 22C1  | SA320080     |
| 𠄨                                   | E0AF      | ----    | 22C2  | SA140080     |
| 𠄩                                   | E0B0      | ----    | 22C3  | SA130080     |
| 𠄪                                   | E0B1      | ----    | 22C4  | U00022C4     |
| •                                   | E0B2      | ----    | 22C5  | SA790081     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ★                                   | E0B3      | ----    | 22C6  | U00022C6     |
| ✳                                   | E0B4      | ----    | 22C7  | U00022C7     |
| ✴                                   | E0B5      | ----    | 22C8  | U00022C8     |
| ✵                                   | E0B6      | ----    | 22C9  | U00022C9     |
| ✶                                   | E0B7      | ----    | 22CA  | U00022CA     |
| ✷                                   | E0B8      | ----    | 22CB  | U00022CB     |
| ✸                                   | E0B9      | ----    | 22CC  | U00022CC     |
| ✹                                   | E0BA      | ----    | 22CD  | U00022CD     |
| ✺                                   | E0BB      | ----    | 22CE  | U00022CE     |
| ✻                                   | E0BC      | ----    | 22CF  | U00022CF     |
| ✼                                   | E0BD      | ----    | 22D0  | U00022D0     |
| ✽                                   | E0BE      | ----    | 22D1  | U00022D1     |
| ✾                                   | E0BF      | ----    | 22D2  | U00022D2     |
| ✿                                   | E0C0      | ----    | 22D3  | U00022D3     |
| ♠                                   | E0C1      | ----    | 22D4  | U00022D4     |
| ♣                                   | E0C2      | ----    | 22D5  | U00022D5     |
| ♠                                   | E0C3      | ----    | 22D6  | U00022D6     |
| ♠                                   | E0C4      | ----    | 22D7  | U00022D7     |
| ♠                                   | E0C5      | ----    | 22D8  | U00022D8     |
| ♠                                   | E0C6      | ----    | 22D9  | U00022D9     |
| ♠                                   | E0C7      | ----    | 22DA  | U00022DA     |
| ♠                                   | E0C8      | ----    | 22DB  | U00022DB     |
| ♠                                   | E0C9      | ----    | 22DC  | SA520081     |
| ♠                                   | E0CA      | ----    | 22DD  | SA530081     |
| ♠                                   | E0CB      | ----    | 22DE  | U00022DE     |
| ♠                                   | E0CC      | ----    | 22DF  | U00022DF     |
| ♠                                   | E0CD      | ----    | 22E0  | SA640080     |
| ♠                                   | E0CE      | ----    | 22E1  | U00022E1     |
| ♠                                   | E0CF      | ----    | 22E2  | U00022E2     |
| ♠                                   | E0D0      | ----    | 22E3  | U00022E3     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| 𠄎                                   | E0D1      | ----    | 22E4  | U00022E4     |
| 𠄏                                   | E0D2      | ----    | 22E5  | U00022E5     |
| 𠄐                                   | E0D3      | ----    | 22E6  | U00022E6     |
| 𠄑                                   | E0D4      | ----    | 22E7  | U00022E7     |
| 𠄒                                   | E0D5      | ----    | 22E8  | U00022E8     |
| 𠄓                                   | E0D6      | ----    | 22E9  | U00022E9     |
| 𠄔                                   | E0D7      | ----    | 22EA  | U00022EA     |
| 𠄕                                   | E0D8      | ----    | 22EB  | U00022EB     |
| 𠄖                                   | E0D9      | ----    | 22EC  | U00022EC     |
| 𠄗                                   | E0DA      | ----    | 22ED  | U00022ED     |
| ⋮                                   | E0DB      | ----    | 22EE  | U00022EE     |
| ⋯                                   | E0DC      | ----    | 22EF  | SV440080     |
| ⋰                                   | E0DD      | ----    | 22F0  | U00022F0     |
| ⋱                                   | E0DE      | ----    | 22F1  | U00022F1     |
| △                                   | E0ED      | ----    | 2302  | SM790080     |
| ⋲                                   | E0EE      | ----    | 2305  | U0002305     |
| ⋳                                   | E0EF      | ----    | 2306  | U0002306     |
| ┌                                   | E0F0      | ----    | 2310  | SM680080     |
| ⋴                                   | E0F1      | ----    | 2318  | SS300080     |
| /                                   | E0F2      | ----    | 2320  | SS260080     |
| └                                   | E0F3      | ----    | 2321  | SS270080     |
| ◎                                   | E0F4      | ----    | 232C  | U000232C     |
| ┌                                   | E0F5**    | ----    | 23BE  | U00023BE     |
| └                                   | E0F6**    | ----    | 23BF  | U00023BF     |
| ⊕                                   | E0F7**    | ----    | 23C0  | U00023C0     |
| ⊖                                   | E0F8**    | ----    | 23C1  | U00023C1     |
| ⊗                                   | E0F9**    | ----    | 23C2  | U00023C2     |
| △                                   | E0FA**    | ----    | 23C3  | U00023C3     |
| △                                   | E0FB**    | ----    | 23C4  | U00023C4     |
| △                                   | E0FC**    | ----    | 23C5  | U00023C5     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ↵                                   | E0FD**    | ----    | 23C6  | U00023C6     |
| ↶                                   | E0FE**    | ----    | 23C7  | U00023C7     |
| ±                                   | E141**    | ----    | 23C8  | U00023C8     |
| ┘                                   | E142**    | ----    | 23C9  | U00023C9     |
| ┙                                   | E143**    | ----    | 23CA  | U00023CA     |
| ┚                                   | E144**    | ----    | 23CB  | U00023CB     |
| ┛                                   | E145**    | ----    | 23CC  | U00023CC     |
| ↵                                   | E146**    | ----    | 23CE  | U00023CE     |
| ①                                   | E270      | ----    | 2460  | NO010080     |
| ②                                   | E271      | ----    | 2461  | NO020080     |
| ③                                   | E272      | ----    | 2462  | NO030080     |
| ④                                   | E273      | ----    | 2463  | NO040080     |
| ⑤                                   | E274      | ----    | 2464  | NO050080     |
| ⑥                                   | E275      | ----    | 2465  | NO060080     |
| ⑦                                   | E276      | ----    | 2466  | NO070080     |
| ⑧                                   | E277      | ----    | 2467  | NO080080     |
| ⑨                                   | E278      | ----    | 2468  | NO090080     |
| ⑩                                   | E279      | ----    | 2469  | NO100080     |
| ⑪                                   | E27A      | ----    | 246A  | NO110080     |
| ⑫                                   | E27B      | ----    | 246B  | NO120080     |
| ⑬                                   | E27C      | ----    | 246C  | NO130080     |
| ⑭                                   | E27D      | ----    | 246D  | NO140080     |
| ⑮                                   | E27E      | ----    | 246E  | NO150080     |
| ⑯                                   | E27F      | ----    | 246F  | NO160080     |
| ⑰                                   | E280      | ----    | 2470  | NO170080     |
| ⑱                                   | E281      | ----    | 2471  | NO180080     |
| ⑲                                   | E282      | ----    | 2472  | NO190080     |
| ⑳                                   | E283      | ----    | 2473  | NO200080     |
| (1)                                 | E284      | ----    | 2474  | NO010081     |
| (2)                                 | E285      | ----    | 2475  | NO020081     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| (3)                                 | E286      | ----    | 2476  | NO030081     |
| (4)                                 | E287      | ----    | 2477  | NO040081     |
| (5)                                 | E288      | ----    | 2478  | NO050081     |
| (6)                                 | E289      | ----    | 2479  | NO060081     |
| (7)                                 | E28A      | ----    | 247A  | NO070081     |
| (8)                                 | E28B      | ----    | 247B  | NO080081     |
| (9)                                 | E28C      | ----    | 247C  | NO090081     |
| (10)                                | E28D      | ----    | 247D  | NO100081     |
| (11)                                | E28E      | ----    | 247E  | NO110081     |
| (12)                                | E28F      | ----    | 247F  | NO120081     |
| (13)                                | E290      | ----    | 2480  | NO130081     |
| (14)                                | E291      | ----    | 2481  | NO140081     |
| (15)                                | E292      | ----    | 2482  | NO150081     |
| (16)                                | E293      | ----    | 2483  | NO160081     |
| (17)                                | E294      | ----    | 2484  | NO170081     |
| (18)                                | E295      | ----    | 2485  | NO180081     |
| (19)                                | E296      | ----    | 2486  | NO190081     |
| (20)                                | E297      | ----    | 2487  | NO200081     |
| 1.                                  | E298      | ----    | 2488  | NO010082     |
| 2.                                  | E299      | ----    | 2489  | NO020082     |
| 3.                                  | E29A      | ----    | 248A  | NO030082     |
| 4.                                  | E29B      | ----    | 248B  | NO040082     |
| 5.                                  | E29C      | ----    | 248C  | NO050082     |
| 6.                                  | E29D      | ----    | 248D  | NO060082     |
| 7.                                  | E29E      | ----    | 248E  | NO070082     |
| 8.                                  | E29F      | ----    | 248F  | NO080082     |
| 9.                                  | E2A0      | ----    | 2490  | NO090082     |
| 10.                                 | E2A1      | ----    | 2491  | NO100082     |
| 11.                                 | E2A2      | ----    | 2492  | NO110082     |
| 12.                                 | E2A3      | ----    | 2493  | NO120082     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| 13.                                 | E2A4      | ----    | 2494  | NO130082     |
| 14.                                 | E2A5      | ----    | 2495  | NO140082     |
| 15.                                 | E2A6      | ----    | 2496  | NO150082     |
| 16.                                 | E2A7      | ----    | 2497  | NO160082     |
| 17.                                 | E2A8      | ----    | 2498  | NO170082     |
| 18.                                 | E2A9      | ----    | 2499  | NO180082     |
| 19.                                 | E2AA      | ----    | 249A  | NO190082     |
| 20.                                 | E2AB      | ----    | 249B  | NO200082     |
| (a)                                 | E2AC      | ----    | 249C  | U000249C     |
| (b)                                 | E2AD      | ----    | 249D  | U000249D     |
| (c)                                 | E2AE      | ----    | 249E  | U000249E     |
| (d)                                 | E2AF      | ----    | 249F  | U000249F     |
| (e)                                 | E2B0      | ----    | 24A0  | U00024A0     |
| (f)                                 | E2B1      | ----    | 24A1  | U00024A1     |
| (g)                                 | E2B2      | ----    | 24A2  | U00024A2     |
| (h)                                 | E2B3      | ----    | 24A3  | U00024A3     |
| (i)                                 | E2B4      | ----    | 24A4  | U00024A4     |
| (j)                                 | E2B5      | ----    | 24A5  | U00024A5     |
| (k)                                 | E2B6      | ----    | 24A6  | U00024A6     |
| (l)                                 | E2B7      | ----    | 24A7  | U00024A7     |
| (m)                                 | E2B8      | ----    | 24A8  | U00024A8     |
| (n)                                 | E2B9      | ----    | 24A9  | U00024A9     |
| (o)                                 | E2BA      | ----    | 24AA  | U00024AA     |
| (p)                                 | E2BB      | ----    | 24AB  | U00024AB     |
| (q)                                 | E2BC      | ----    | 24AC  | U00024AC     |
| (r)                                 | E2BD      | ----    | 24AD  | U00024AD     |
| (s)                                 | E2BE      | ----    | 24AE  | U00024AE     |
| (t)                                 | E2BF      | ----    | 24AF  | U00024AF     |
| (u)                                 | E2C0      | ----    | 24B0  | U00024B0     |
| (v)                                 | E2C1      | ----    | 24B1  | U00024B1     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| (w)                                 | E2C2      | ----    | 24B2  | U00024B2     |
| (x)                                 | E2C3      | ----    | 24B3  | U00024B3     |
| (y)                                 | E2C4      | ----    | 24B4  | U00024B4     |
| (z)                                 | E2C5      | ----    | 24B5  | U00024B5     |
| Ⓐ                                   | E2C6      | ----    | 24B6  | U00024B6     |
| Ⓑ                                   | E2C7      | ----    | 24B7  | U00024B7     |
| Ⓒ                                   | E2C8      | ----    | 24B8  | U00024B8     |
| Ⓓ                                   | E2C9      | ----    | 24B9  | U00024B9     |
| Ⓔ                                   | E2CA      | ----    | 24BA  | U00024BA     |
| Ⓕ                                   | E2CB      | ----    | 24BB  | U00024BB     |
| Ⓖ                                   | E2CC      | ----    | 24BC  | U00024BC     |
| Ⓖ                                   | E2CD      | ----    | 24BD  | U00024BD     |
| Ⓘ                                   | E2CE      | ----    | 24BE  | U00024BE     |
| Ⓙ                                   | E2CF      | ----    | 24BF  | U00024BF     |
| Ⓚ                                   | E2D0      | ----    | 24C0  | U00024C0     |
| Ⓛ                                   | E2D1      | ----    | 24C1  | U00024C1     |
| Ⓜ                                   | E2D2      | ----    | 24C2  | U00024C2     |
| Ⓝ                                   | E2D3      | ----    | 24C3  | U00024C3     |
| Ⓖ                                   | E2D4      | ----    | 24C4  | U00024C4     |
| Ⓟ                                   | E2D5      | ----    | 24C5  | U00024C5     |
| Ⓠ                                   | E2D6      | ----    | 24C6  | U00024C6     |
| Ⓡ                                   | E2D7      | ----    | 24C7  | U00024C7     |
| Ⓢ                                   | E2D8      | ----    | 24C8  | U00024C8     |
| Ⓣ                                   | E2D9      | ----    | 24C9  | U00024C9     |
| Ⓤ                                   | E2DA      | ----    | 24CA  | U00024CA     |
| Ⓥ                                   | E2DB      | ----    | 24CB  | U00024CB     |
| Ⓦ                                   | E2DC      | ----    | 24CC  | U00024CC     |
| Ⓧ                                   | E2DD      | ----    | 24CD  | U00024CD     |
| Ⓨ                                   | E2DE      | ----    | 24CE  | U00024CE     |
| Ⓩ                                   | E2DF      | ----    | 24CF  | U00024CF     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| Ⓐ                                   | E2E0      | ----    | 24D0  | U00024D0     |
| Ⓑ                                   | E2E1      | ----    | 24D1  | U00024D1     |
| Ⓒ                                   | E2E2      | ----    | 24D2  | U00024D2     |
| Ⓓ                                   | E2E3      | ----    | 24D3  | U00024D3     |
| Ⓔ                                   | E2E4      | ----    | 24D4  | U00024D4     |
| Ⓕ                                   | E2E5      | ----    | 24D5  | U00024D5     |
| Ⓖ                                   | E2E6      | ----    | 24D6  | U00024D6     |
| Ⓖ                                   | E2E7      | ----    | 24D7  | U00024D7     |
| Ⓘ                                   | E2E8      | ----    | 24D8  | U00024D8     |
| Ⓙ                                   | E2E9      | ----    | 24D9  | U00024D9     |
| Ⓚ                                   | E2EA      | ----    | 24DA  | U00024DA     |
| Ⓛ                                   | E2EB      | ----    | 24DB  | U00024DB     |
| Ⓜ                                   | E2EC      | ----    | 24DC  | U00024DC     |
| Ⓝ                                   | E2ED      | ----    | 24DD  | U00024DD     |
| Ⓖ                                   | E2EE      | ----    | 24DE  | U00024DE     |
| Ⓟ                                   | E2EF      | ----    | 24DF  | U00024DF     |
| Ⓠ                                   | E2F0      | ----    | 24E0  | U00024E0     |
| Ⓡ                                   | E2F1      | ----    | 24E1  | U00024E1     |
| Ⓢ                                   | E2F2      | ----    | 24E2  | U00024E2     |
| Ⓣ                                   | E2F3      | ----    | 24E3  | U00024E3     |
| Ⓤ                                   | E2F4      | ----    | 24E4  | U00024E4     |
| Ⓥ                                   | E2F5      | ----    | 24E5  | U00024E5     |
| Ⓦ                                   | E2F6      | ----    | 24E6  | U00024E6     |
| Ⓧ                                   | E2F7      | ----    | 24E7  | U00024E7     |
| Ⓨ                                   | E2F8      | ----    | 24E8  | U00024E8     |
| Ⓩ                                   | E2F9      | ----    | 24E9  | U00024E9     |
| ⓐ                                   | E2FA      | ----    | 24EA  | U00024EA     |
| ⓑ                                   | E2FB**    | ----    | 24EB  | U00024EB     |
| ⓒ                                   | E2FC**    | ----    | 24EC  | U00024EC     |
| ⓓ                                   | E2FD**    | ----    | 24ED  | U00024ED     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ㊦                                   | E2FE**    | ----    | 24EE  | U00024EE     |
| ㊧                                   | E341**    | ----    | 24EF  | U00024EF     |
| ㊨                                   | E342**    | ----    | 24F0  | U00024F0     |
| ㊩                                   | E343**    | ----    | 24F1  | U00024F1     |
| ㊪                                   | E344**    | ----    | 24F2  | U00024F2     |
| ㊫                                   | E345**    | ----    | 24F3  | U00024F3     |
| ㊬                                   | E346**    | ----    | 24F4  | U00024F4     |
| ㊭                                   | E347**    | ----    | 24F5  | U00024F5     |
| ㊮                                   | E348**    | ----    | 24F6  | U00024F6     |
| ㊯                                   | E349**    | ----    | 24F7  | U00024F7     |
| ㊰                                   | E34A**    | ----    | 24F8  | U00024F8     |
| ㊱                                   | E34B**    | ----    | 24F9  | U00024F9     |
| ㊲                                   | E34C**    | ----    | 24FA  | U00024FA     |
| ㊳                                   | E34D**    | ----    | 24FB  | U00024FB     |
| ㊴                                   | E34E**    | ----    | 24FC  | U00024FC     |
| ㊵                                   | E34F**    | ----    | 24FD  | U00024FD     |
| ㊶                                   | E350**    | ----    | 24FE  | U00024FE     |
| ...                                 | E352      | ----    | 2504  | SF940080     |
| ...                                 | E353      | ----    | 2505  | SF940081     |
| ⋮                                   | E354      | ----    | 2506  | SF960080     |
| ⋮                                   | E355      | ----    | 2507  | SF960081     |
| ....                                | E356      | ----    | 2508  | SF950080     |
| ....                                | E357      | ----    | 2509  | SF950081     |
| ⋮                                   | E358      | ----    | 250A  | SF970080     |
| ⋮                                   | E359      | ----    | 250B  | SF970081     |
| ┌                                   | E35A      | ----    | 250D  | SF010081     |
| ┌                                   | E35B      | ----    | 250E  | SF010083     |
| ┐                                   | E35C      | ----    | 2511  | SF030081     |
| ┐                                   | E35D      | ----    | 2512  | SF030083     |
| └                                   | E35E      | ----    | 2515  | SF020081     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| └                                   | E35F      | ----    | 2516  | SF020083     |
| ┘                                   | E360      | ----    | 2519  | SF040081     |
| ┘                                   | E361      | ----    | 251A  | SF040083     |
| ┐                                   | E362      | ----    | 251E  | SF080087     |
| ┐                                   | E363      | ----    | 251F  | SF080088     |
| ┐                                   | E364      | ----    | 2521  | SF080089     |
| ┐                                   | E365      | ----    | 2522  | SF08008A     |
| ┐                                   | E366      | ----    | 2526  | SF090087     |
| ┐                                   | E367      | ----    | 2527  | SF090088     |
| ┐                                   | E368      | ----    | 2529  | SF090089     |
| ┐                                   | E369      | ----    | 252A  | SF09008A     |
| ┐                                   | E36A      | ----    | 252D  | SF060087     |
| ┐                                   | E36B      | ----    | 252E  | SF060088     |
| ┐                                   | E36C      | ----    | 2531  | SF060089     |
| ┐                                   | E36D      | ----    | 2532  | SF06008A     |
| ┐                                   | E36E      | ----    | 2535  | SF070087     |
| ┐                                   | E36F      | ----    | 2536  | SF070088     |
| ┐                                   | E370      | ----    | 2539  | SF070089     |
| ┐                                   | E371      | ----    | 253A  | SF07008A     |
| ┐                                   | E372      | ----    | 253D  | SF05008A     |
| ┐                                   | E373      | ----    | 253E  | SF05008B     |
| ┐                                   | E374      | ----    | 2540  | SF05008C     |
| ┐                                   | E375      | ----    | 2541  | SF05008D     |
| ┐                                   | E376      | ----    | 2543  | SF05008E     |
| ┐                                   | E377      | ----    | 2544  | SF05008F     |
| ┐                                   | E378      | ----    | 2545  | SF05008G     |
| ┐                                   | E379      | ----    | 2546  | SF05008H     |
| ┐                                   | E37A      | ----    | 2547  | SF050087     |
| ┐                                   | E37B      | ----    | 2548  | SF050089     |
| ┐                                   | E37C      | ----    | 2549  | SF050086     |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| +                                   | E37D      | ----    | 254A  | SF050088     |
| --                                  | E37E      | ----    | 254C  | SF890080     |
| ..                                  | E37F      | ----    | 254D  | U000254D     |
| :                                   | E380      | ----    | 254E  | U000254E     |
| :                                   | E381      | ----    | 254F  | U000254F     |
| ==                                  | E382      | ----    | 2550  | SF430080     |
|                                     | E383      | ----    | 2551  | SF240080     |
| ┌                                   | E384      | ----    | 2552  | SF510080     |
| ┐                                   | E385      | ----    | 2553  | SF520080     |
| └                                   | E386      | ----    | 2554  | SF390080     |
| ┘                                   | E387      | ----    | 2555  | SF220080     |
| ┙                                   | E388      | ----    | 2556  | SF210080     |
| ┚                                   | E389      | ----    | 2557  | SF250080     |
| ┛                                   | E38A      | ----    | 2558  | SF500080     |
| ├                                   | E38B      | ----    | 2559  | SF490080     |
| ┤                                   | E38C      | ----    | 255A  | SF380080     |
| ┥                                   | E38D      | ----    | 255B  | SF280080     |
| ┦                                   | E38E      | ----    | 255C  | SF270080     |
| ┧                                   | E38F      | ----    | 255D  | SF260080     |
| ┨                                   | E390      | ----    | 255E  | SF360080     |
| ┩                                   | E391      | ----    | 255F  | SF370080     |
| ┪                                   | E392      | ----    | 2560  | SF420080     |
| ┫                                   | E393      | ----    | 2561  | SF190080     |
| ┬                                   | E394      | ----    | 2562  | SF200080     |
| ┭                                   | E395      | ----    | 2563  | SF230080     |
| ┮                                   | E396      | ----    | 2564  | SF470080     |
| ┯                                   | E397      | ----    | 2565  | SF480080     |
| ┰                                   | E398      | ----    | 2566  | SF410080     |
| ┱                                   | E399      | ----    | 2567  | SF450080     |
| ┲                                   | E39A      | ----    | 2568  | SF460080     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ┳                                   | E39B      | ----    | 2569  | SF400080     |
| ┴                                   | E39C      | ----    | 256A  | SF540080     |
| ┵                                   | E39D      | ----    | 256B  | SF530080     |
| ┶                                   | E39E      | ----    | 256C  | SF440080     |
| ┷                                   | E39F      | ----    | 256D  | SS160080     |
| ┸                                   | E3A0      | ----    | 256E  | SS180080     |
| ┹                                   | E3A1      | ----    | 256F  | SS190080     |
| ┺                                   | E3A2      | ----    | 2570  | SS170080     |
| ┻                                   | E3A3      | ----    | 2571  | SH020080     |
| ┼                                   | E3A4      | ----    | 2572  | SH030080     |
| ┽                                   | E3A5      | ----    | 2573  | SH040080     |
| ┾                                   | E3A6      | ----    | 2574  | U0002574     |
| ┿                                   | E3A7      | ----    | 2575  | U0002575     |
| ┐                                   | E3A8      | ----    | 2576  | U0002576     |
| ┑                                   | E3A9      | ----    | 2577  | U0002577     |
| ┒                                   | E3AA      | ----    | 2578  | U0002578     |
| ┓                                   | E3AB      | ----    | 2579  | U0002579     |
| └                                   | E3AC      | ----    | 257A  | U000257A     |
| ┕                                   | E3AD      | ----    | 257B  | U000257B     |
| ┖                                   | E3AE      | ----    | 257C  | U000257C     |
| ┗                                   | E3AF      | ----    | 257D  | U000257D     |
| ┘                                   | E3B0      | ----    | 257E  | U000257E     |
| ┙                                   | E3B1      | ----    | 257F  | U000257F     |
| ■                                   | E3B2      | ----    | 2580  | SF600080     |
| ■                                   | E3B3      | ----    | 2581  | SF700081     |
| ■                                   | E3B4      | ----    | 2582  | SF710081     |
| ■                                   | E3B5      | ----    | 2583  | SF720081     |
| ■                                   | E3B6      | ----    | 2584  | SF570080     |
| ■                                   | E3B7      | ----    | 2585  | SF740081     |
| ■                                   | E3B8      | ----    | 2586  | SF750081     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E3B9      | ----    | 2587  | SF760081     |
|                                     | E3BA      | ----    | 2588  | SF610080     |
|                                     | E3BB      | ----    | 2589  | SF830081     |
|                                     | E3BC      | ----    | 258A  | SF820081     |
|                                     | E3BD      | ----    | 258B  | SF810081     |
|                                     | E3BE      | ----    | 258C  | SF580080     |
|                                     | E3BF      | ----    | 258D  | SF790081     |
|                                     | E3C0      | ----    | 258E  | SF780081     |
|                                     | E3C1      | ----    | 258F  | SF770081     |
|                                     | E3C2      | ----    | 2590  | SF590080     |
|                                     | E3C3      | ----    | 2591  | SF140080     |
|                                     | E3C4      | ----    | 2592  | SF150080     |
|                                     | E3C5      | ----    | 2593  | SF160080     |
|                                     | E3C6      | ----    | 2594  | SF670080     |
|                                     | E3C7      | ----    | 2595  | SF650080     |
|                                     | E3D2      | ----    | 25A2  | U00025A2     |
|                                     | E3D3      | ----    | 25A3  | U00025A3     |
|                                     | E3D4      | ----    | 25A4  | U00025A4     |
|                                     | E3D5      | ----    | 25A5  | U00025A5     |
|                                     | E3D6      | ----    | 25A6  | SV240080     |
|                                     | E3D7      | ----    | 25A7  | U00025A7     |
|                                     | E3D8      | ----    | 25A8  | U00025A8     |
|                                     | E3D9      | ----    | 25A9  | U00025A9     |
|                                     | E3DA      | ----    | 25AA  | SV180080     |
|                                     | E3DB      | ----    | 25AB  | SV190080     |
|                                     | E3DC      | ----    | 25AC  | SM700080     |
|                                     | E3DD      | ----    | 25AD  | U00025AD     |
|                                     | E3DE      | ----    | 25AE  | U00025AE     |
|                                     | E3DF      | ----    | 25AF  | SL360080     |
|                                     | E3E0      | ----    | 25B0  | U00025B0     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E3E1      | ----    | 25B1  | U00025B1     |
|                                     | E3E2      | ----    | 25B4  | U00025B4     |
|                                     | E3E3      | ----    | 25B5  | U00025B5     |
|                                     | E3E4      | ----    | 25B6  | SM600081     |
|                                     | E3E5      | ----    | 25B7  | U00025B7     |
|                                     | E3E6      | ----    | 25B8  | U00025B8     |
|                                     | E3E7      | ----    | 25B9  | U00025B9     |
|                                     | E3E8      | ----    | 25BA  | SM590080     |
|                                     | E3E9      | ----    | 25BB  | U00025BB     |
|                                     | E3EA      | ----    | 25BE  | U00025BE     |
|                                     | E3EB      | ----    | 25BF  | U00025BF     |
|                                     | E3EC      | ----    | 25C0  | U00025C0     |
|                                     | E3ED      | ----    | 25C1  | U00025C1     |
|                                     | E3EE      | ----    | 25C2  | U00025C2     |
|                                     | E3EF      | ----    | 25C3  | U00025C3     |
|                                     | E3F0      | ----    | 25C4  | SM630080     |
|                                     | E3F1      | ----    | 25C5  | U00025C5     |
|                                     | E3F2      | ----    | 25C8  | U00025C8     |
|                                     | E3F3      | ----    | 25C9  | U00025C9     |
|                                     | E3F4      | ----    | 25CA  | SL370080     |
|                                     | E3F5      | ----    | 25CC  | U00025CC     |
|                                     | E3F6      | ----    | 25CD  | U00025CD     |
|                                     | E3F7      | ----    | 25D0  | U00025D0     |
|                                     | E3F8      | ----    | 25D1  | U00025D1     |
|                                     | E3F9      | ----    | 25D2  | U00025D2     |
|                                     | E3FA      | ----    | 25D3  | U00025D3     |
|                                     | E3FB      | ----    | 25D4  | U00025D4     |
|                                     | E3FC      | ----    | 25D5  | U00025D5     |
|                                     | E3FD      | ----    | 25D6  | U00025D6     |
|                                     | E3FE      | ----    | 25D7  | U00025D7     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E441      | ----    | 25D8  | SM570081     |
|                                     | E442      | ----    | 25D9  | SM750082     |
|                                     | E443      | ----    | 25DA  | SS140081     |
|                                     | E444      | ----    | 25DB  | SS150081     |
|                                     | E445      | ----    | 25DC  | SS200080     |
|                                     | E446      | ----    | 25DD  | SS220080     |
|                                     | E447      | ----    | 25DE  | SS230080     |
|                                     | E448      | ----    | 25DF  | SS210080     |
|                                     | E449      | ----    | 25E0  | SS140080     |
|                                     | E44A      | ----    | 25E1  | SS150080     |
|                                     | E44B      | ----    | 25E2  | SF840080     |
|                                     | E44C      | ----    | 25E3  | SF850080     |
|                                     | E44D      | ----    | 25E4  | SF870080     |
|                                     | E44E      | ----    | 25E5  | SF860080     |
|                                     | E44F      | ----    | 25E6  | U00025E6     |
|                                     | E450      | ----    | 25E7  | U00025E7     |
|                                     | E451      | ----    | 25E8  | U00025E8     |
|                                     | E452      | ----    | 25E9  | U00025E9     |
|                                     | E453      | ----    | 25EA  | U00025EA     |
|                                     | E454      | ----    | 25EB  | U00025EB     |
|                                     | E455      | ----    | 25EC  | U00025EC     |
|                                     | E456      | ----    | 25ED  | U00025ED     |
|                                     | E457      | ----    | 25EE  | U00025EE     |
|                                     | E468      | ----    | 2600  | U0002600     |
|                                     | E469      | ----    | 2601  | U0002601     |
|                                     | E46A      | ----    | 2602  | U0002602     |
|                                     | E46B      | ----    | 2603  | U0002603     |
|                                     | E46C      | ----    | 2604  | U0002604     |
|                                     | E46D      | ----    | 2607  | U0002607     |
|                                     | E46E      | ----    | 2608  | U0002608     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E46F      | ----    | 2609  | U0002609     |
|                                     | E470      | ----    | 260A  | U000260A     |
|                                     | E471      | ----    | 260B  | U000260B     |
|                                     | E472      | ----    | 260C  | U000260C     |
|                                     | E473      | ----    | 260D  | U000260D     |
|                                     | E474      | ----    | 260E  | SS700081     |
|                                     | E475      | ----    | 260F  | SS670081     |
|                                     | E476      | ----    | 2610  | U0002610     |
|                                     | E477      | ----    | 2611  | U0002611     |
|                                     | E478      | ----    | 2612  | U0002612     |
|                                     | E479      | ----    | 2613  | SV270080     |
|                                     | E47A      | ----    | 261A  | U000261A     |
|                                     | E47B      | ----    | 261B  | U000261B     |
|                                     | E47C      | ----    | 261C  | U000261C     |
|                                     | E47D      | ----    | 261D  | U000261D     |
|                                     | E47E      | ----    | 261E  | U000261E     |
|                                     | E47F      | ----    | 261F  | U000261F     |
|                                     | E480      | ----    | 2620  | U0002620     |
|                                     | E481      | ----    | 2621  | U0002621     |
|                                     | E482      | ----    | 2622  | U0002622     |
|                                     | E483      | ----    | 2623  | U0002623     |
|                                     | E484      | ----    | 2624  | U0002624     |
|                                     | E485      | ----    | 2625  | U0002625     |
|                                     | E486      | ----    | 2626  | U0002626     |
|                                     | E487      | ----    | 2627  | U0002627     |
|                                     | E488      | ----    | 2628  | U0002628     |
|                                     | E489      | ----    | 2629  | U0002629     |
|                                     | E48A      | ----    | 262A  | U000262A     |
|                                     | E48B      | ----    | 262B  | U000262B     |
|                                     | E48C      | ----    | 262C  | U000262C     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E48D      | ----    | 262D  | U000262D     |
|                                     | E48E      | ----    | 262E  | U000262E     |
|                                     | E48F      | ----    | 262F  | U000262F     |
|                                     | E490      | ----    | 2630  | U0002630     |
|                                     | E491      | ----    | 2631  | U0002631     |
|                                     | E492      | ----    | 2632  | U0002632     |
|                                     | E493      | ----    | 2633  | U0002633     |
|                                     | E494      | ----    | 2634  | U0002634     |
|                                     | E495      | ----    | 2635  | U0002635     |
|                                     | E496      | ----    | 2636  | U0002636     |
|                                     | E497      | ----    | 2637  | U0002637     |
|                                     | E498      | ----    | 2638  | U0002638     |
|                                     | E499      | ----    | 2639  | U0002639     |
|                                     | E49A      | ----    | 263A  | SS000080     |
|                                     | E49B      | ----    | 263B  | SS010080     |
|                                     | E49C      | ----    | 263C  | SM690080     |
|                                     | E49D      | ----    | 263D  | U000263D     |
|                                     | E49E      | ----    | 263E  | U000263E     |
|                                     | E49F      | ----    | 263F  | U000263F     |
|                                     | E4A0      | ----    | 2641  | U0002641     |
|                                     | E4A1      | ----    | 2643  | U0002643     |
|                                     | E4A2      | ----    | 2644  | U0002644     |
|                                     | E4A3      | ----    | 2645  | U0002645     |
|                                     | E4A4      | ----    | 2646  | U0002646     |
|                                     | E4A5      | ----    | 2647  | U0002647     |
|                                     | E4A6      | ----    | 2648  | U0002648     |
|                                     | E4A7      | ----    | 2649  | U0002649     |
|                                     | E4A8      | ----    | 264A  | U000264A     |
|                                     | E4A9      | ----    | 264B  | U000264B     |
|                                     | E4AA      | ----    | 264C  | U000264C     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E4AB      | ----    | 264D  | U000264D     |
|                                     | E4AC      | ----    | 264E  | U000264E     |
|                                     | E4AD      | ----    | 264F  | U000264F     |
|                                     | E4AE      | ----    | 2650  | U0002650     |
|                                     | E4AF      | ----    | 2651  | U0002651     |
|                                     | E4B0      | ----    | 2652  | U0002652     |
|                                     | E4B1      | ----    | 2653  | U0002653     |
|                                     | E4B2      | ----    | 2654  | U0002654     |
|                                     | E4B3      | ----    | 2655  | U0002655     |
|                                     | E4B4      | ----    | 2656  | U0002656     |
|                                     | E4B5      | ----    | 2657  | U0002657     |
|                                     | E4B6      | ----    | 2658  | U0002658     |
|                                     | E4B7      | ----    | 2659  | U0002659     |
|                                     | E4B8      | ----    | 265A  | U000265A     |
|                                     | E4B9      | ----    | 265B  | U000265B     |
|                                     | E4BA      | ----    | 265C  | U000265C     |
|                                     | E4BB      | ----    | 265D  | U000265D     |
|                                     | E4BC      | ----    | 265E  | U000265E     |
|                                     | E4BD      | ----    | 265F  | U000265F     |
|                                     | E4BE      | ----    | 2660  | SS050080     |
|                                     | E4BF      | ----    | 2661  | U0002661     |
|                                     | E4C0      | ----    | 2662  | U0002662     |
|                                     | E4C1      | ----    | 2663  | SS040080     |
|                                     | E4C2      | ----    | 2664  | U0002664     |
|                                     | E4C3      | ----    | 2665  | SS020080     |
|                                     | E4C4      | ----    | 2666  | SS030080     |
|                                     | E4C5      | ----    | 2667  | U0002667     |
|                                     | E4C6      | ----    | 2668  | U0002668     |
|                                     | E4C7      | ----    | 2669  | U0002669     |
|                                     | E4C8      | ----    | 266B  | U000266B     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E4C9      | ----    | 266C  | SM910080     |
|                                     | E4CA      | ----    | 266E  | U000266E     |
|                                     | E4CB**    | ----    | 2616  | U0002616     |
|                                     | E4CC**    | ----    | 2617  | U0002617     |
|                                     | E5A3      | ----    | 2701  | U0002701     |
|                                     | E5A4      | ----    | 2702  | U0002702     |
|                                     | E5A5      | ----    | 2703  | U0002703     |
|                                     | E5A6      | ----    | 2704  | U0002704     |
|                                     | E5A7      | ----    | 2706  | U0002706     |
|                                     | E5A8      | ----    | 2707  | U0002707     |
|                                     | E5A9      | ----    | 2708  | U0002708     |
|                                     | E5AA      | ----    | 2709  | U0002709     |
|                                     | E5AB      | ----    | 270C  | U000270C     |
|                                     | E5AC      | ----    | 270D  | U000270D     |
|                                     | E5AD      | ----    | 270E  | U000270E     |
|                                     | E5AE      | ----    | 270F  | U000270F     |
|                                     | E5AF      | ----    | 2710  | U0002710     |
|                                     | E5B0      | ----    | 2711  | U0002711     |
|                                     | E5B1      | ----    | 2712  | U0002712     |
|                                     | E5B2      | ----    | 2713  | SV010080     |
|                                     | E5B3      | ----    | 2714  | U0002714     |
|                                     | E5B4      | ----    | 2715  | U0002715     |
|                                     | E5B5      | ----    | 2716  | U0002716     |
|                                     | E5B6      | ----    | 2717  | U0002717     |
|                                     | E5B7      | ----    | 2718  | U0002718     |
|                                     | E5B8      | ----    | 2719  | U0002719     |
|                                     | E5B9      | ----    | 271A  | SV030080     |
|                                     | E5BA      | ----    | 271B  | U000271B     |
|                                     | E5BB      | ----    | 271C  | U000271C     |
|                                     | E5BC      | ----    | 271D  | U000271D     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
|                                     | E5BD      | ----    | 271E  | U000271E     |
|                                     | E5BE      | ----    | 271F  | U000271F     |
|                                     | E5BF      | ----    | 2720  | U0002720     |
|                                     | E5C0      | ----    | 2721  | U0002721     |
|                                     | E5C1      | ----    | 2722  | U0002722     |
|                                     | E5C2      | ----    | 2723  | U0002723     |
|                                     | E5C3      | ----    | 2724  | U0002724     |
|                                     | E5C4      | ----    | 2725  | U0002725     |
|                                     | E5C5      | ----    | 2726  | U0002726     |
|                                     | E5C6      | ----    | 2727  | U0002727     |
|                                     | E5C7      | ----    | 2729  | U0002729     |
|                                     | E5C8      | ----    | 272A  | U000272A     |
|                                     | E5C9      | ----    | 272B  | U000272B     |
|                                     | E5CA      | ----    | 272C  | U000272C     |
|                                     | E5CB      | ----    | 272D  | U000272D     |
|                                     | E5CC      | ----    | 272E  | U000272E     |
|                                     | E5CD      | ----    | 272F  | U000272F     |
|                                     | E5CE      | ----    | 2730  | U0002730     |
|                                     | E5CF      | ----    | 2731  | U0002731     |
|                                     | E5D0      | ----    | 2732  | U0002732     |
|                                     | E5D1      | ----    | 2733  | U0002733     |
|                                     | E5D2      | ----    | 2734  | U0002734     |
|                                     | E5D3      | ----    | 2735  | U0002735     |
|                                     | E5D4      | ----    | 2736  | U0002736     |
|                                     | E5D5      | ----    | 2737  | U0002737     |
|                                     | E5D6      | ----    | 2738  | U0002738     |
|                                     | E5D7      | ----    | 2739  | U0002739     |
|                                     | E5D8      | ----    | 273A  | U000273A     |
|                                     | E5D9      | ----    | 273B  | U000273B     |
|                                     | E5DA      | ----    | 273C  | U000273C     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| *                                   | E5DB      | ----    | 273D  | U000273D     |
| *                                   | E5DC      | ----    | 273E  | U000273E     |
| ✿                                   | E5DD      | ----    | 273F  | U000273F     |
| ✿                                   | E5DE      | ----    | 2740  | U0002740     |
| ✿                                   | E5DF      | ----    | 2741  | U0002741     |
| ✿                                   | E5E0      | ----    | 2742  | U0002742     |
| *                                   | E5E1      | ----    | 2743  | U0002743     |
| *                                   | E5E2      | ----    | 2744  | U0002744     |
| *                                   | E5E3      | ----    | 2745  | U0002745     |
| *                                   | E5E4      | ----    | 2746  | U0002746     |
| *                                   | E5E5      | ----    | 2747  | U0002747     |
| *                                   | E5E6      | ----    | 2748  | U0002748     |
| *                                   | E5E7      | ----    | 2749  | U0002749     |
| *                                   | E5E8      | ----    | 274A  | U000274A     |
| *                                   | E5E9      | ----    | 274B  | U000274B     |
| ○                                   | E5EA      | ----    | 274D  | U000274D     |
| □                                   | E5EB      | ----    | 274F  | U000274F     |
| □                                   | E5EC      | ----    | 2750  | U0002750     |
| □                                   | E5ED      | ----    | 2751  | U0002751     |
| □                                   | E5EE      | ----    | 2752  | U0002752     |
| ❖                                   | E5EF      | ----    | 2756  | U0002756     |
|                                     | E5F0      | ----    | 2758  | U0002758     |
| ┃                                   | E5F1      | ----    | 2759  | U0002759     |
| ┃                                   | E5F2      | ----    | 275A  | U000275A     |
| •                                   | E5F3      | ----    | 275B  | U000275B     |
| •                                   | E5F4      | ----    | 275C  | U000275C     |
| “                                   | E5F5      | ----    | 275D  | U000275D     |
| ”                                   | E5F6      | ----    | 275E  | U000275E     |
| ♪                                   | E5F7      | ----    | 2761  | U0002761     |
| •                                   | E5F8      | ----    | 2762  | U0002762     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| •                                   | E5F9      | ----    | 2763  | U0002763     |
| ♥                                   | E5FA      | ----    | 2764  | U0002764     |
| ♠                                   | E5FB      | ----    | 2765  | U0002765     |
| ♣                                   | E5FC      | ----    | 2766  | U0002766     |
| ♠                                   | E5FD      | ----    | 2767  | U0002767     |
| ①                                   | E5FE      | ----    | 2776  | U0002776     |
| ②                                   | E641      | ----    | 2777  | U0002777     |
| ③                                   | E642      | ----    | 2778  | U0002778     |
| ④                                   | E643      | ----    | 2779  | U0002779     |
| ⑤                                   | E644      | ----    | 277A  | U000277A     |
| ⑥                                   | E645      | ----    | 277B  | U000277B     |
| ⑦                                   | E646      | ----    | 277C  | U000277C     |
| ⑧                                   | E647      | ----    | 277D  | U000277D     |
| ⑨                                   | E648      | ----    | 277E  | U000277E     |
| ⑩                                   | E649      | ----    | 277F  | U000277F     |
| ①                                   | E64A      | ----    | 2780  | U0002780     |
| ②                                   | E64B      | ----    | 2781  | U0002781     |
| ③                                   | E64C      | ----    | 2782  | U0002782     |
| ④                                   | E64D      | ----    | 2783  | U0002783     |
| ⑤                                   | E64E      | ----    | 2784  | U0002784     |
| ⑥                                   | E64F      | ----    | 2785  | U0002785     |
| ⑦                                   | E650      | ----    | 2786  | U0002786     |
| ⑧                                   | E651      | ----    | 2787  | U0002787     |
| ⑨                                   | E652      | ----    | 2788  | U0002788     |
| ⑩                                   | E653      | ----    | 2789  | U0002789     |
| ①                                   | E654      | ----    | 278A  | U000278A     |
| ②                                   | E655      | ----    | 278B  | U000278B     |
| ③                                   | E656      | ----    | 278C  | U000278C     |
| ④                                   | E657      | ----    | 278D  | U000278D     |
| ⑤                                   | E658      | ----    | 278E  | U000278E     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ⑥                                   | E659      | ----    | 278F  | U000278F     |
| ⑦                                   | E65A      | ----    | 2790  | U0002790     |
| ⑧                                   | E65B      | ----    | 2791  | U0002791     |
| ⑨                                   | E65C      | ----    | 2792  | U0002792     |
| ⑩                                   | E65D      | ----    | 2793  | U0002793     |
| ➔                                   | E65E      | ----    | 2794  | U0002794     |
| ↘                                   | E65F      | ----    | 2798  | U0002798     |
| ➔                                   | E660      | ----    | 2799  | U0002799     |
| ↗                                   | E661      | ----    | 279A  | U000279A     |
| ➤                                   | E662      | ----    | 279B  | U000279B     |
| ➔                                   | E663      | ----    | 279C  | U000279C     |
| ➔                                   | E664      | ----    | 279D  | U000279D     |
| ➔                                   | E665      | ----    | 279E  | U000279E     |
| ➔                                   | E666      | ----    | 279F  | U000279F     |
| ➔                                   | E667      | ----    | 27A0  | U00027A0     |
| ➔                                   | E668      | ----    | 27A1  | U00027A1     |
| ➤                                   | E669      | ----    | 27A2  | U00027A2     |
| ➤                                   | E66A      | ----    | 27A3  | U00027A3     |
| ➤                                   | E66B      | ----    | 27A4  | U00027A4     |
| ➤                                   | E66C      | ----    | 27A5  | U00027A5     |
| ➤                                   | E66D      | ----    | 27A6  | U00027A6     |
| ➤                                   | E66E      | ----    | 27A7  | U00027A7     |
| ➤                                   | E66F      | ----    | 27A8  | U00027A8     |
| ➤                                   | E670      | ----    | 27A9  | U00027A9     |
| ➤                                   | E671      | ----    | 27AA  | U00027AA     |
| ➤                                   | E672      | ----    | 27AB  | U00027AB     |
| ➤                                   | E673      | ----    | 27AC  | U00027AC     |
| ➤                                   | E674      | ----    | 27AD  | U00027AD     |
| ➤                                   | E675      | ----    | 27AE  | U00027AE     |
| ➤                                   | E676      | ----    | 27AF  | U00027AF     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ➤                                   | E677      | ----    | 27B1  | U00027B1     |
| ➤                                   | E678      | ----    | 27B2  | U00027B2     |
| ➤                                   | E679      | ----    | 27B3  | U00027B3     |
| ➤                                   | E67A      | ----    | 27B4  | U00027B4     |
| ➤                                   | E67B      | ----    | 27B5  | U00027B5     |
| ➤                                   | E67C      | ----    | 27B6  | U00027B6     |
| ➤                                   | E67D      | ----    | 27B7  | U00027B7     |
| ➤                                   | E67E      | ----    | 27B8  | U00027B8     |
| ➤                                   | E67F      | ----    | 27B9  | U00027B9     |
| ➤                                   | E680      | ----    | 27BA  | U00027BA     |
| ➤                                   | E681      | ----    | 27BB  | U00027BB     |
| ➤                                   | E682      | ----    | 27BC  | U00027BC     |
| ➤                                   | E683      | ----    | 27BD  | U00027BD     |
| ➤                                   | E684      | ----    | 27BE  | U00027BE     |
| Ⓜ                                   | E6A5      | ----    | 3004  | U0003004     |
| Ⓜ                                   | E6A6      | ----    | 3016  | U0003016     |
| Ⓜ                                   | E6A7      | ----    | 3017  | U0003017     |
| Ⓜ                                   | E6A8      | ----    | 3018  | U0003018     |
| Ⓜ                                   | E6A9      | ----    | 3019  | U0003019     |
| Ⓜ                                   | E6AA      | ----    | 301A  | U000301A     |
| Ⓜ                                   | E6AB      | ----    | 301B  | U000301B     |
| ”                                   | E6AC      | ----    | 301D  | SP210082     |
| ”                                   | E6AD      | ----    | 301E  | SP220081     |
| ”                                   | E6AE      | ----    | 301F  | SP230081     |
| Ⓜ                                   | E6AF      | ----    | 3020  | U0003020     |
| 〰                                   | E6B0      | ----    | 3030  | U0003030     |
| ◁                                   | E6B1      | ----    | 3031  | U0003031     |
| ◁                                   | E6B2      | ----    | 3032  | U0003032     |
| ↗                                   | E6B3      | ----    | 3033  | U0003033     |
| ↗                                   | E6B4      | ----    | 3034  | U0003034     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| \                                   | E6B5      | ----    | 3035  | U0003035     |
| ㊤                                   | E6B6      | ----    | 3036  | U0003036     |
| XX                                  | E6B7      | ----    | 3037  | U0003037     |
| 々                                   | E6B8**    | ----    | 303B  | U000303B     |
| ㊦                                   | E6B9**    | ----    | 303C  | U000303C     |
| ゝ                                   | E6BA**    | ----    | 303D  | U000303D     |
| ㊧                                   | E6CF      | ----    | 3094  | U0003094     |
| か                                   | E6D0**    | ----    | 3095  | U0003095     |
| け                                   | E6D1**    | ----    | 3096  | U0003096     |
| か                                   | E6D2**    | ----    | 309F  | U000309F     |
| ㊨                                   | E6D8      | ----    | 30F7  | U00030F7     |
| ㊩                                   | E6D9      | ----    | 30F8  | U00030F8     |
| ㊪                                   | E6DA      | ----    | 30F9  | U00030F9     |
| ㊫                                   | E6DB      | ----    | 30FA  | U00030FA     |
| =                                   | E6DC**    | ----    | 30A0  | U00030A0     |
| ㊬                                   | E6DD**    | ----    | 30FF  | U00030FF     |
| (一)                                 | E6DE      | ----    | 3220  | U0003220     |
| (二)                                 | E6DF      | ----    | 3221  | U0003221     |
| (三)                                 | E6E0      | ----    | 3222  | U0003222     |
| (四)                                 | E6E1      | ----    | 3223  | U0003223     |
| (五)                                 | E6E2      | ----    | 3224  | U0003224     |
| (六)                                 | E6E3      | ----    | 3225  | U0003225     |
| (七)                                 | E6E4      | ----    | 3226  | U0003226     |
| (八)                                 | E6E5      | ----    | 3227  | U0003227     |
| (九)                                 | E6E6      | ----    | 3228  | U0003228     |
| (十)                                 | E6E7      | ----    | 3229  | U0003229     |
| (月)                                 | E6E8      | ----    | 322A  | U000322A     |
| (火)                                 | E6E9      | ----    | 322B  | U000322B     |
| (水)                                 | E6EA      | ----    | 322C  | U000322C     |
| (木)                                 | E6EB      | ----    | 322D  | U000322D     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| (金)                                 | E6EC      | ----    | 322E  | U000322E     |
| (土)                                 | E6ED      | ----    | 322F  | U000322F     |
| (日)                                 | E6EE      | ----    | 3230  | U0003230     |
| (有)                                 | E6EF      | ----    | 3232  | U0003232     |
| (社)                                 | E6F0      | ----    | 3233  | U0003233     |
| (名)                                 | E6F1      | ----    | 3234  | U0003234     |
| (特)                                 | E6F2      | ----    | 3235  | U0003235     |
| (財)                                 | E6F3      | ----    | 3236  | U0003236     |
| (祝)                                 | E6F4      | ----    | 3237  | U0003237     |
| (労)                                 | E6F5      | ----    | 3238  | U0003238     |
| (代)                                 | E6F6      | ----    | 3239  | U0003239     |
| (呼)                                 | E6F7      | ----    | 323A  | U000323A     |
| (学)                                 | E6F8      | ----    | 323B  | U000323B     |
| (監)                                 | E6F9      | ----    | 323C  | U000323C     |
| (企)                                 | E6FA      | ----    | 323D  | U000323D     |
| (資)                                 | E6FB      | ----    | 323E  | U000323E     |
| (協)                                 | E6FC      | ----    | 323F  | U000323F     |
| (祭)                                 | E6FD      | ----    | 3240  | U0003240     |
| (休)                                 | E6FE      | ----    | 3241  | U0003241     |
| (自)                                 | E741      | ----    | 3242  | U0003242     |
| (至)                                 | E742      | ----    | 3243  | U0003243     |
| ㊭                                   | E743      | ----    | 3280  | U0003280     |
| ㊮                                   | E744      | ----    | 3281  | U0003281     |
| ㊯                                   | E745      | ----    | 3282  | U0003282     |
| ㊰                                   | E746      | ----    | 3283  | U0003283     |
| ㊱                                   | E747      | ----    | 3284  | U0003284     |
| ㊲                                   | E748      | ----    | 3285  | U0003285     |
| ㊳                                   | E749      | ----    | 3286  | U0003286     |
| ㊴                                   | E74A      | ----    | 3287  | U0003287     |
| ㊵                                   | E74B      | ----    | 3288  | U0003288     |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ⊕                                   | E74C      | ----    | 3289  | U0003289     |
| ⊕                                   | E74D      | ----    | 328A  | U000328A     |
| ⊕                                   | E74E      | ----    | 328B  | U000328B     |
| ⊕                                   | E74F      | ----    | 328C  | U000328C     |
| ⊕                                   | E750      | ----    | 328D  | U000328D     |
| ⊕                                   | E751      | ----    | 328E  | U000328E     |
| ⊕                                   | E752      | ----    | 328F  | U000328F     |
| ⊕                                   | E753      | ----    | 3290  | U0003290     |
| ⊕                                   | E754      | ----    | 3291  | U0003291     |
| ⊕                                   | E755      | ----    | 3292  | U0003292     |
| ⊕                                   | E756      | ----    | 3293  | U0003293     |
| ⊕                                   | E757      | ----    | 3294  | U0003294     |
| ⊕                                   | E758      | ----    | 3295  | U0003295     |
| ⊕                                   | E759      | ----    | 3296  | U0003296     |
| ⊕                                   | E75A      | ----    | 3297  | U0003297     |
| ⊕                                   | E75B      | ----    | 3298  | U0003298     |
| ⊕                                   | E75C      | ----    | 3299  | U0003299     |
| ⊕                                   | E75D      | ----    | 329A  | U000329A     |
| ⊕                                   | E75E      | ----    | 329B  | U000329B     |
| ⊕                                   | E75F      | ----    | 329C  | U000329C     |
| ⊕                                   | E760      | ----    | 329D  | U000329D     |
| ⊕                                   | E761      | ----    | 329E  | U000329E     |
| ⊕                                   | E762      | ----    | 329F  | U000329F     |
| ⊕                                   | E763      | ----    | 32A0  | U00032A0     |
| ⊕                                   | E764      | ----    | 32A1  | U00032A1     |
| ⊕                                   | E765      | ----    | 32A2  | U00032A2     |
| ⊕                                   | E766      | ----    | 32A3  | SS780080     |
| ⊕                                   | E767      | ----    | 32A4  | U00032A4     |
| ⊕                                   | E768      | ----    | 32A5  | U00032A5     |
| ⊕                                   | E769      | ----    | 32A6  | U00032A6     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ⊕                                   | E76A      | ----    | 32A7  | U00032A7     |
| ⊕                                   | E76B      | ----    | 32A8  | U00032A8     |
| ⊕                                   | E76C      | ----    | 32A9  | U00032A9     |
| ⊕                                   | E76D      | ----    | 32AA  | U00032AA     |
| ⊕                                   | E76E      | ----    | 32AB  | U00032AB     |
| ⊕                                   | E76F      | ----    | 32AC  | U00032AC     |
| ⊕                                   | E770      | ----    | 32AD  | U00032AD     |
| ⊕                                   | E771      | ----    | 32AE  | U00032AE     |
| ⊕                                   | E772      | ----    | 32AF  | U00032AF     |
| ⊕                                   | E773      | ----    | 32B0  | U00032B0     |
| 1月                                  | E774      | ----    | 32C0  | U00032C0     |
| 2月                                  | E775      | ----    | 32C1  | U00032C1     |
| 3月                                  | E776      | ----    | 32C2  | U00032C2     |
| 4月                                  | E777      | ----    | 32C3  | U00032C3     |
| 5月                                  | E778      | ----    | 32C4  | U00032C4     |
| 6月                                  | E779      | ----    | 32C5  | U00032C5     |
| 7月                                  | E77A      | ----    | 32C6  | U00032C6     |
| 8月                                  | E77B      | ----    | 32C7  | U00032C7     |
| 9月                                  | E77C      | ----    | 32C8  | U00032C8     |
| 10月                                 | E77D      | ----    | 32C9  | U00032C9     |
| 11月                                 | E77E      | ----    | 32CA  | U00032CA     |
| 12月                                 | E77F      | ----    | 32CB  | U00032CB     |
| ㊦                                   | E780      | ----    | 32D0  | U00032D0     |
| ㊧                                   | E781      | ----    | 32D1  | U00032D1     |
| ㊨                                   | E782      | ----    | 32D2  | U00032D2     |
| ㊩                                   | E783      | ----    | 32D3  | U00032D3     |
| ㊪                                   | E784      | ----    | 32D4  | U00032D4     |
| ㊫                                   | E785      | ----    | 32D5  | U00032D5     |
| ㊬                                   | E786      | ----    | 32D6  | U00032D6     |
| ㊭                                   | E787      | ----    | 32D7  | U00032D7     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ㊦                                   | E788      | ----    | 32D8  | U00032D8     |
| ㊧                                   | E789      | ----    | 32D9  | U00032D9     |
| ㊨                                   | E78A      | ----    | 32DA  | U00032DA     |
| ㊩                                   | E78B      | ----    | 32DB  | U00032DB     |
| ㊪                                   | E78C      | ----    | 32DC  | U00032DC     |
| ㊫                                   | E78D      | ----    | 32DD  | U00032DD     |
| ㊬                                   | E78E      | ----    | 32DE  | U00032DE     |
| ㊭                                   | E78F      | ----    | 32DF  | U00032DF     |
| ㊮                                   | E790      | ----    | 32E0  | U00032E0     |
| ㊯                                   | E791      | ----    | 32E1  | U00032E1     |
| ㊰                                   | E792      | ----    | 32E2  | U00032E2     |
| ㊱                                   | E793      | ----    | 32E3  | U00032E3     |
| ㊲                                   | E794      | ----    | 32E4  | U00032E4     |
| ㊳                                   | E795      | ----    | 32E5  | U00032E5     |
| ㊴                                   | E796      | ----    | 32E6  | U00032E6     |
| ㊵                                   | E797      | ----    | 32E7  | U00032E7     |
| ㊶                                   | E798      | ----    | 32E8  | U00032E8     |
| ㊷                                   | E799      | ----    | 32E9  | U00032E9     |
| ㊸                                   | E79A      | ----    | 32EA  | U00032EA     |
| ㊹                                   | E79B      | ----    | 32EB  | U00032EB     |
| ㊺                                   | E79C      | ----    | 32EC  | U00032EC     |
| ㊻                                   | E79D      | ----    | 32ED  | U00032ED     |
| ㊼                                   | E79E      | ----    | 32EE  | U00032EE     |
| ㊽                                   | E79F      | ----    | 32EF  | U00032EF     |
| ㊾                                   | E7A0      | ----    | 32F0  | U00032F0     |
| ㊿                                   | E7A1      | ----    | 32F1  | U00032F1     |
| ㉀                                   | E7A2      | ----    | 32F2  | U00032F2     |
| ㉁                                   | E7A3      | ----    | 32F3  | U00032F3     |
| ㉂                                   | E7A4      | ----    | 32F4  | U00032F4     |
| ㉃                                   | E7A5      | ----    | 32F5  | U00032F5     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ㉄                                   | E7A6      | ----    | 32F6  | U00032F6     |
| ㉅                                   | E7A7      | ----    | 32F7  | U00032F7     |
| ㉆                                   | E7A8      | ----    | 32F8  | U00032F8     |
| ㉇                                   | E7A9      | ----    | 32F9  | U00032F9     |
| ㉈                                   | E7AA      | ----    | 32FA  | U00032FA     |
| ㉉                                   | E7AB      | ----    | 32FB  | U00032FB     |
| ㊀                                   | E7AC      | ----    | 32FC  | U00032FC     |
| ㊁                                   | E7AD      | ----    | 32FD  | U00032FD     |
| ㊂                                   | E7AE      | ----    | 32FE  | U00032FE     |
| ㊃                                   | E7AF**    | ----    | 3251  | U0003251     |
| ㊄                                   | E7B0**    | ----    | 3252  | U0003252     |
| ㊅                                   | E7B1**    | ----    | 3253  | U0003253     |
| ㊆                                   | E7B2**    | ----    | 3254  | U0003254     |
| ㊇                                   | E7B3**    | ----    | 3255  | U0003255     |
| ㊈                                   | E7B4**    | ----    | 3256  | U0003256     |
| ㊉                                   | E7B5**    | ----    | 3257  | U0003257     |
| ㊊                                   | E7B6**    | ----    | 3258  | U0003258     |
| ㊋                                   | E7B7**    | ----    | 3259  | U0003259     |
| ㊌                                   | E7B8**    | ----    | 325A  | U000325A     |
| ㊍                                   | E7B9**    | ----    | 325B  | U000325B     |
| ㊎                                   | E7BA**    | ----    | 325C  | U000325C     |
| ㊏                                   | E7BB**    | ----    | 325D  | U000325D     |
| ㊐                                   | E7BC**    | ----    | 325E  | U000325E     |
| ㊑                                   | E7BD**    | ----    | 325F  | U000325F     |
| ㊒                                   | E7BE**    | ----    | 32B1  | U00032B1     |
| ㊓                                   | E7BF**    | ----    | 32B2  | U00032B2     |
| ㊔                                   | E7C0**    | ----    | 32B3  | U00032B3     |
| ㊕                                   | E7C1**    | ----    | 32B4  | U00032B4     |
| ㊖                                   | E7C2**    | ----    | 32B5  | U00032B5     |
| ㊗                                   | E7C3**    | ----    | 32B6  | U00032B6     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ㊼                                   | E7C4**    | ----    | 32B7  | U00032B7     |
| ㊽                                   | E7C5**    | ----    | 32B8  | U00032B8     |
| ㊾                                   | E7C6**    | ----    | 32B9  | U00032B9     |
| ㊿                                   | E7C7**    | ----    | 32BA  | U00032BA     |
| ㋀                                   | E7C8**    | ----    | 32BB  | U00032BB     |
| ㋁                                   | E7C9**    | ----    | 32BC  | U00032BC     |
| ㋂                                   | E7CA**    | ----    | 32BD  | U00032BD     |
| ㋃                                   | E7CB**    | ----    | 32BE  | U00032BE     |
| ㋄                                   | E7CC**    | ----    | 32BF  | U00032BF     |
| アバ                                  | E861      | ----    | 3300  | U0003300     |
| アル                                  | E862      | ----    | 3301  | U0003301     |
| アバ                                  | E863      | ----    | 3302  | U0003302     |
| アル                                  | E864      | ----    | 3303  | U0003303     |
| イバ                                  | E865      | ----    | 3304  | U0003304     |
| イル                                  | E866      | ----    | 3305  | U0003305     |
| ウオ                                  | E867      | ----    | 3306  | U0003306     |
| エウ                                  | E868      | ----    | 3307  | U0003307     |
| エカ                                  | E869      | ----    | 3308  | U0003308     |
| オン                                  | E86A      | ----    | 3309  | U0003309     |
| オム                                  | E86B      | ----    | 330A  | U000330A     |
| カイ                                  | E86C      | ----    | 330B  | U000330B     |
| カク                                  | E86D      | ----    | 330C  | U000330C     |
| カリ                                  | E86E      | ----    | 330D  | U000330D     |
| ガロ                                  | E86F      | ----    | 330E  | U000330E     |
| ガマ                                  | E870      | ----    | 330F  | U000330F     |
| ギカ                                  | E871      | ----    | 3310  | U0003310     |
| ギニ                                  | E872      | ----    | 3311  | U0003311     |
| キリ                                  | E873      | ----    | 3312  | U0003312     |
| ギル                                  | E874      | ----    | 3313  | U0003313     |
| キロ                                  | E875      | ----    | 3314  | U0003314     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| キロ                                  | E876      | ----    | 3315  | U0003315     |
| キル                                  | E877      | ----    | 3316  | U0003316     |
| キロ                                  | E878      | ----    | 3317  | U0003317     |
| グラム                                 | E879      | ----    | 3318  | U0003318     |
| グラム                                 | E87A      | ----    | 3319  | U0003319     |
| クル                                  | E87B      | ----    | 331A  | U000331A     |
| クネ                                  | E87C      | ----    | 331B  | U000331B     |
| ケース                                 | E87D      | ----    | 331C  | U000331C     |
| コル                                  | E87E      | ----    | 331D  | U000331D     |
| コボ                                  | E87F      | ----    | 331E  | U000331E     |
| サカ                                  | E880      | ----    | 331F  | U000331F     |
| サン                                  | E881      | ----    | 3320  | U0003320     |
| シク                                  | E882      | ----    | 3321  | U0003321     |
| セン                                  | E883      | ----    | 3322  | U0003322     |
| セント                                 | E884      | ----    | 3323  | U0003323     |
| ダス                                  | E885      | ----    | 3324  | U0003324     |
| デシ                                  | E886      | ----    | 3325  | U0003325     |
| ドル                                  | E887      | ----    | 3326  | U0003326     |
| トン                                  | E888      | ----    | 3327  | U0003327     |
| ナノ                                  | E889      | ----    | 3328  | U0003328     |
| ノツ                                  | E88A      | ----    | 3329  | U0003329     |
| ハイ                                  | E88B      | ----    | 332A  | U000332A     |
| ゲート                                 | E88C      | ----    | 332B  | U000332B     |
| グー                                  | E88D      | ----    | 332C  | U000332C     |
| バル                                  | E88E      | ----    | 332D  | U000332D     |
| ピアル                                 | E88F      | ----    | 332E  | U000332E     |
| ピル                                  | E890      | ----    | 332F  | U000332F     |
| ピコ                                  | E891      | ----    | 3330  | U0003330     |
| ビル                                  | E892      | ----    | 3331  | U0003331     |
| フラ                                  | E893      | ----    | 3332  | U0003332     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| フイ<br>ト                             | E894      | ----    | 3333  | U0003333     |
| フ<br>シ                              | E895      | ----    | 3334  | U0003334     |
| フ<br>ラ                              | E896      | ----    | 3335  | U0003335     |
| フ<br>タ                              | E897      | ----    | 3336  | U0003336     |
| フ<br>ソ                              | E898      | ----    | 3337  | U0003337     |
| フ<br>ビ                              | E899      | ----    | 3338  | U0003338     |
| フ<br>ツ                              | E89A      | ----    | 3339  | U0003339     |
| フ<br>ス                              | E89B      | ----    | 333A  | U000333A     |
| フ<br>ジ                              | E89C      | ----    | 333B  | U000333B     |
| フ<br>タ                              | E89D      | ----    | 333C  | U000333C     |
| フ<br>ト                              | E89E      | ----    | 333D  | U000333D     |
| フ<br>ト                              | E89F      | ----    | 333E  | U000333E     |
| フ<br>ン                              | E8A0      | ----    | 333F  | U000333F     |
| フ<br>ト                              | E8A1      | ----    | 3340  | U0003340     |
| フ<br>ル                              | E8A2      | ----    | 3341  | U0003341     |
| フ<br>ン                              | E8A3      | ----    | 3342  | U0003342     |
| フ<br>ロ                              | E8A4      | ----    | 3343  | U0003343     |
| フ<br>ル                              | E8A5      | ----    | 3344  | U0003344     |
| フ<br>ハ                              | E8A6      | ----    | 3345  | U0003345     |
| フ<br>ル                              | E8A7      | ----    | 3346  | U0003346     |
| フ<br>シ                              | E8A8      | ----    | 3347  | U0003347     |
| フ<br>シ                              | E8A9      | ----    | 3348  | U0003348     |
| フ<br>リ                              | E8AA      | ----    | 3349  | U0003349     |
| フ<br>ル                              | E8AB      | ----    | 334A  | U000334A     |
| フ<br>ガ                              | E8AC      | ----    | 334B  | U000334B     |
| フ<br>ガ                              | E8AD      | ----    | 334C  | U000334C     |
| フ<br>ト                              | E8AE      | ----    | 334D  | U000334D     |
| フ<br>ト                              | E8AF      | ----    | 334E  | U000334E     |
| フ<br>ル                              | E8B0      | ----    | 334F  | U000334F     |
| フ<br>ン                              | E8B1      | ----    | 3350  | U0003350     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| リ<br>ツ                              | E8B2      | ----    | 3351  | U0003351     |
| リ<br>ラ                              | E8B3      | ----    | 3352  | U0003352     |
| リ<br>ビ                              | E8B4      | ----    | 3353  | U0003353     |
| リ<br>ル                              | E8B5      | ----    | 3354  | U0003354     |
| リ<br>ム                              | E8B6      | ----    | 3355  | U0003355     |
| リ<br>ン                              | E8B7      | ----    | 3356  | U0003356     |
| リ<br>ツ                              | E8B8      | ----    | 3357  | U0003357     |
| 0<br>点                              | E8B9      | ----    | 3358  | U0003358     |
| 1<br>点                              | E8BA      | ----    | 3359  | U0003359     |
| 2<br>点                              | E8BB      | ----    | 335A  | U000335A     |
| 3<br>点                              | E8BC      | ----    | 335B  | U000335B     |
| 4<br>点                              | E8BD      | ----    | 335C  | U000335C     |
| 5<br>点                              | E8BE      | ----    | 335D  | U000335D     |
| 6<br>点                              | E8BF      | ----    | 335E  | U000335E     |
| 7<br>点                              | E8C0      | ----    | 335F  | U000335F     |
| 8<br>点                              | E8C1      | ----    | 3360  | U0003360     |
| 9<br>点                              | E8C2      | ----    | 3361  | U0003361     |
| 10<br>点                             | E8C3      | ----    | 3362  | U0003362     |
| 11<br>点                             | E8C4      | ----    | 3363  | U0003363     |
| 12<br>点                             | E8C5      | ----    | 3364  | U0003364     |
| 13<br>点                             | E8C6      | ----    | 3365  | U0003365     |
| 14<br>点                             | E8C7      | ----    | 3366  | U0003366     |
| 15<br>点                             | E8C8      | ----    | 3367  | U0003367     |
| 16<br>点                             | E8C9      | ----    | 3368  | U0003368     |
| 17<br>点                             | E8CA      | ----    | 3369  | U0003369     |
| 18<br>点                             | E8CB      | ----    | 336A  | U000336A     |
| 19<br>点                             | E8CC      | ----    | 336B  | U000336B     |
| 20<br>点                             | E8CD      | ----    | 336C  | U000336C     |
| 21<br>点                             | E8CE      | ----    | 336D  | U000336D     |
| 22<br>点                             | E8CF      | ----    | 336E  | U000336E     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| 23点                                 | E8D0      | ----    | 336F  | U000336F     |
| 24点                                 | E8D1      | ----    | 3370  | U0003370     |
| hPa                                 | E8D2      | ----    | 3371  | U0003371     |
| da                                  | E8D3      | ----    | 3372  | U0003372     |
| AU                                  | E8D4      | ----    | 3373  | U0003373     |
| bar                                 | E8D5      | ----    | 3374  | U0003374     |
| oV                                  | E8D6      | ----    | 3375  | U0003375     |
| pC                                  | E8D7      | ----    | 3376  | U0003376     |
| 穰                                   | E8D8      | ----    | 337B  | U000337B     |
| 昭和                                  | E8D9      | ----    | 337C  | U000337C     |
| 大正                                  | E8DA      | ----    | 337D  | U000337D     |
| 明治                                  | E8DB      | ----    | 337E  | U000337E     |
| 株式会社                                | E8DC      | ----    | 337F  | U000337F     |
| pA                                  | E8DD      | ----    | 3380  | U0003380     |
| nA                                  | E8DE      | ----    | 3381  | U0003381     |
| μA                                  | E8DF      | ----    | 3382  | U0003382     |
| mA                                  | E8E0      | ----    | 3383  | U0003383     |
| kA                                  | E8E1      | ----    | 3384  | U0003384     |
| KB                                  | E8E2      | ----    | 3385  | U0003385     |
| MB                                  | E8E3      | ----    | 3386  | U0003386     |
| GB                                  | E8E4      | ----    | 3387  | U0003387     |
| cal                                 | E8E5      | ----    | 3388  | U0003388     |
| kcal                                | E8E6      | ----    | 3389  | U0003389     |
| pF                                  | E8E7      | ----    | 338A  | U000338A     |
| nF                                  | E8E8      | ----    | 338B  | U000338B     |
| μF                                  | E8E9      | ----    | 338C  | U000338C     |
| μg                                  | E8EA      | ----    | 338D  | U000338D     |
| mg                                  | E8EB      | ----    | 338E  | SS850080     |
| kg                                  | E8EC      | ----    | 338F  | SS860080     |
| Hz                                  | E8ED      | ----    | 3390  | U0003390     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| kHz                                 | E8EE      | ----    | 3391  | U0003391     |
| MHz                                 | E8EF      | ----    | 3392  | U0003392     |
| GHz                                 | E8F0      | ----    | 3393  | U0003393     |
| THz                                 | E8F1      | ----    | 3394  | U0003394     |
| μℓ                                  | E8F2      | ----    | 3395  | U0003395     |
| mℓ                                  | E8F3      | ----    | 3396  | U0003396     |
| dℓ                                  | E8F4      | ----    | 3397  | U0003397     |
| kℓ                                  | E8F5      | ----    | 3398  | U0003398     |
| fm                                  | E8F6      | ----    | 3399  | U0003399     |
| nm                                  | E8F7      | ----    | 339A  | U000339A     |
| μm                                  | E8F8      | ----    | 339B  | U000339B     |
| mm                                  | E8F9      | ----    | 339C  | SS810080     |
| cm                                  | E8FA      | ----    | 339D  | SS820080     |
| km                                  | E8FB      | ----    | 339E  | SS830080     |
| mm <sup>2</sup>                     | E8FC      | ----    | 339F  | U000339F     |
| cm <sup>2</sup>                     | E8FD      | ----    | 33A0  | U00033A0     |
| m <sup>2</sup>                      | E8FE      | ----    | 33A1  | SS840080     |
| km <sup>2</sup>                     | E941      | ----    | 33A2  | U00033A2     |
| mm <sup>3</sup>                     | E942      | ----    | 33A3  | U00033A3     |
| cm <sup>3</sup>                     | E943      | ----    | 33A4  | U00033A4     |
| m <sup>3</sup>                      | E944      | ----    | 33A5  | U00033A5     |
| km <sup>3</sup>                     | E945      | ----    | 33A6  | U00033A6     |
| m/s                                 | E946      | ----    | 33A7  | U00033A7     |
| m/s <sup>2</sup>                    | E947      | ----    | 33A8  | U00033A8     |
| Pa                                  | E948      | ----    | 33A9  | U00033A9     |
| kPa                                 | E949      | ----    | 33AA  | U00033AA     |
| MPa                                 | E94A      | ----    | 33AB  | U00033AB     |
| GPa                                 | E94B      | ----    | 33AC  | U00033AC     |
| rad                                 | E94C      | ----    | 33AD  | U00033AD     |
| rad/s                               | E94D      | ----    | 33AE  | U00033AE     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| rad <sub>g</sub>                    | E94E      | ----    | 33AF  | U00033AF     |
| ps                                  | E94F      | ----    | 33B0  | U00033B0     |
| ns                                  | E950      | ----    | 33B1  | U00033B1     |
| μs                                  | E951      | ----    | 33B2  | U00033B2     |
| ms                                  | E952      | ----    | 33B3  | U00033B3     |
| pV                                  | E953      | ----    | 33B4  | U00033B4     |
| nV                                  | E954      | ----    | 33B5  | U00033B5     |
| μV                                  | E955      | ----    | 33B6  | U00033B6     |
| mV                                  | E956      | ----    | 33B7  | U00033B7     |
| kV                                  | E957      | ----    | 33B8  | U00033B8     |
| MV                                  | E958      | ----    | 33B9  | U00033B9     |
| pW                                  | E959      | ----    | 33BA  | U00033BA     |
| nW                                  | E95A      | ----    | 33BB  | U00033BB     |
| μW                                  | E95B      | ----    | 33BC  | U00033BC     |
| mW                                  | E95C      | ----    | 33BD  | U00033BD     |
| kW                                  | E95D      | ----    | 33BE  | SS790080     |
| MW                                  | E95E      | ----    | 33BF  | U00033BF     |
| kΩ                                  | E95F      | ----    | 33C0  | U00033C0     |
| MΩ                                  | E960      | ----    | 33C1  | U00033C1     |
| a.m.                                | E961      | ----    | 33C2  | U00033C2     |
| Bq                                  | E962      | ----    | 33C3  | U00033C3     |
| cc                                  | E963      | ----    | 33C4  | SS870080     |
| cd                                  | E964      | ----    | 33C5  | U00033C5     |
| Clkg                                | E965      | ----    | 33C6  | U00033C6     |
| Co.                                 | E966      | ----    | 33C7  | U00033C7     |
| dB                                  | E967      | ----    | 33C8  | U00033C8     |
| Gy                                  | E968      | ----    | 33C9  | U00033C9     |
| ha                                  | E969      | ----    | 33CA  | U00033CA     |
| HP                                  | E96A      | ----    | 33CB  | U00033CB     |
| in                                  | E96B      | ----    | 33CC  | U00033CC     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| KK.                                 | E96C      | ----    | 33CD  | U00033CD     |
| KM                                  | E96D      | ----    | 33CE  | SS830081     |
| kt                                  | E96E      | ----    | 33CF  | U00033CF     |
| lm                                  | E96F      | ----    | 33D0  | U00033D0     |
| ln                                  | E970      | ----    | 33D1  | SS890080     |
| log                                 | E971      | ----    | 33D2  | SS880080     |
| lx                                  | E972      | ----    | 33D3  | U00033D3     |
| mb                                  | E973      | ----    | 33D4  | U00033D4     |
| mil                                 | E974      | ----    | 33D5  | SS800080     |
| mol                                 | E975      | ----    | 33D6  | U00033D6     |
| pH                                  | E976      | ----    | 33D7  | U00033D7     |
| p.m.                                | E977      | ----    | 33D8  | U00033D8     |
| PPM                                 | E978      | ----    | 33D9  | U00033D9     |
| PR                                  | E979      | ----    | 33DA  | U00033DA     |
| sr                                  | E97A      | ----    | 33DB  | U00033DB     |
| Sv                                  | E97B      | ----    | 33DC  | U00033DC     |
| Wb                                  | E97C      | ----    | 33DD  | U00033DD     |
| 1H                                  | E97D      | ----    | 33E0  | U00033E0     |
| 2H                                  | E97E      | ----    | 33E1  | U00033E1     |
| 3H                                  | E97F      | ----    | 33E2  | U00033E2     |
| 4H                                  | E980      | ----    | 33E3  | U00033E3     |
| 5H                                  | E981      | ----    | 33E4  | U00033E4     |
| 6H                                  | E982      | ----    | 33E5  | U00033E5     |
| 7H                                  | E983      | ----    | 33E6  | U00033E6     |
| 8H                                  | E984      | ----    | 33E7  | U00033E7     |
| 9H                                  | E985      | ----    | 33E8  | U00033E8     |
| 10H                                 | E986      | ----    | 33E9  | U00033E9     |
| 11H                                 | E987      | ----    | 33EA  | U00033EA     |
| 12H                                 | E988      | ----    | 33EB  | U00033EB     |
| 13H                                 | E989      | ----    | 33EC  | U00033EC     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| 14H                                 | E98A      | ----    | 33ED  | U00033ED     |
| 15H                                 | E98B      | ----    | 33EE  | U00033EE     |
| 16H                                 | E98C      | ----    | 33EF  | U00033EF     |
| 17H                                 | E98D      | ----    | 33F0  | U00033F0     |
| 18H                                 | E98E      | ----    | 33F1  | U00033F1     |
| 19H                                 | E98F      | ----    | 33F2  | U00033F2     |
| 20H                                 | E990      | ----    | 33F3  | U00033F3     |
| 21H                                 | E991      | ----    | 33F4  | U00033F4     |
| 22H                                 | E992      | ----    | 33F5  | U00033F5     |
| 23H                                 | E993      | ----    | 33F6  | U00033F6     |
| 24H                                 | E994      | ----    | 33F7  | U00033F7     |
| 25H                                 | E995      | ----    | 33F8  | U00033F8     |
| 26H                                 | E996      | ----    | 33F9  | U00033F9     |
| 27H                                 | E997      | ----    | 33FA  | U00033FA     |
| 28H                                 | E998      | ----    | 33FB  | U00033FB     |
| 29H                                 | E999      | ----    | 33FC  | U00033FC     |
| 30H                                 | E99A      | ----    | 33FD  | U00033FD     |
| 31H                                 | E99B      | ----    | 33FE  | U00033FE     |
| f1                                  | E9A3      | ----    | FB01  | LF530080     |
| f1                                  | E9A4      | ----    | FB02  | LF550080     |
| —                                   | E9F3      | ----    | FF0D  | U000FF0D     |
| ~                                   | E9F4      | ----    | FF5E  | U000FF5E     |
|                                     | E9F5      | ----    | FFE4  | U000FFE4     |
| ((                                  | E9F7**    | ----    | FF5F  | U000FF5F     |
| ))                                  | E9F8**    | ----    | FF60  | U000FF60     |
| ˘                                   | EA51**    | ----    | 0300  | U0000300     |
| ˙                                   | EA52**    | ----    | 0301  | U0000301     |
| ˚                                   | EA53**    | ----    | 0302  | U0000302     |
| ˛                                   | EA54**    | ----    | 0303  | U0000303     |
| ˜                                   | EA55**    | ----    | 0304  | U0000304     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ˘                                   | EA57**    | ----    | 0306  | U0000306     |
| ˙                                   | EA59**    | ----    | 0308  | U0000308     |
| ˚                                   | EA5C**    | ----    | 030B  | U000030B     |
| ˛                                   | EA5D**    | ----    | 030C  | U000030C     |
| ˜                                   | EA60**    | ----    | 030F  | U000030F     |
| ˚                                   | EA69**    | ----    | 0318  | U0000318     |
| ˚                                   | EA6A**    | ----    | 0319  | U0000319     |
| ˚                                   | EA6B**    | ----    | 031A  | U000031A     |
| ˚                                   | EA6D**    | ----    | 031C  | U000031C     |
| ˚                                   | EA6E**    | ----    | 031D  | U000031D     |
| ˚                                   | EA6F**    | ----    | 031E  | U000031E     |
| ˚                                   | EA70**    | ----    | 031F  | U000031F     |
| ˚                                   | EA71**    | ----    | 0320  | U0000320     |
| ˚                                   | EA75**    | ----    | 0324  | U0000324     |
| ˚                                   | EA76**    | ----    | 0325  | U0000325     |
| ˚                                   | EA7A**    | ----    | 0329  | U0000329     |
| ˚                                   | EA7B**    | ----    | 032A  | U000032A     |
| ˚                                   | EA7D**    | ----    | 032C  | U000032C     |
| ˚                                   | EA80**    | ----    | 032F  | U000032F     |
| ˚                                   | EA81**    | ----    | 0330  | U0000330     |
| ˚                                   | EA85**    | ----    | 0334  | U0000334     |
| ˚                                   | EA8A**    | ----    | 0339  | U0000339     |
| ˚                                   | EA8B**    | ----    | 033A  | U000033A     |
| ˚                                   | EA8C**    | ----    | 033B  | U000033B     |
| ˚                                   | EA8D**    | ----    | 033C  | U000033C     |
| ˚                                   | EA8E**    | ----    | 033D  | U000033D     |
| ˚                                   | EAB2**    | ----    | 0361  | U0000361     |
| ˚                                   | EAE4**    | ----    | 2423  | U0002423     |
| ˚                                   | EB77**    | ----    | 2934  | U0002934     |
| ˚                                   | EB78**    | ----    | 2935  | U0002935     |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ◎                                   | EC44**    | ----    | 29BF  | U00029BF     |
| 卅                                   | EC7F**    | ----    | 29FA  | U00029FA     |
| 卍                                   | EC80**    | ----    | 29FB  | U00029FB     |
| ㄥ                                   | EC85**    | ----    | 31F0  | U00031F0     |
| シ                                   | EC86**    | ----    | 31F1  | U00031F1     |
| ス                                   | EC87**    | ----    | 31F2  | U00031F2     |
| ト                                   | EC88**    | ----    | 31F3  | U00031F3     |
| ヌ                                   | EC89**    | ----    | 31F4  | U00031F4     |
| ハ                                   | EC8A**    | ----    | 31F5  | U00031F5     |
| ヒ                                   | EC8B**    | ----    | 31F6  | U00031F6     |
| フ                                   | EC8C**    | ----    | 31F7  | U00031F7     |
| ヘ                                   | EC8D**    | ----    | 31F8  | U00031F8     |
| ホ                                   | EC8E**    | ----    | 31F9  | U00031F9     |
| ム                                   | EC8F**    | ----    | 31FA  | U00031FA     |
| ラ                                   | EC90**    | ----    | 31FB  | U00031FB     |
| リ                                   | EC91**    | ----    | 31FC  | U00031FC     |
| ル                                   | EC92**    | ----    | 31FD  | U00031FD     |
| レ                                   | EC93**    | ----    | 31FE  | U00031FE     |
| ロ                                   | EC94**    | ----    | 31FF  | U00031FF     |
| ゝ                                   | ECAA**    | ----    | FE45  | U000FE45     |
| ゞ                                   | ECAB**    | ----    | FE46  | U000FE46     |
| が                                   | ECB5***   | ----    | ----  | U0FF0025     |
| ぎ                                   | ECB6***   | ----    | ----  | U0FF0026     |
| ぐ                                   | ECB7***   | ----    | ----  | U0FF0027     |
| げ                                   | ECB8***   | ----    | ----  | U0FF0028     |
| ご                                   | ECB9***   | ----    | ----  | U0FF0029     |

| Table 8. New Extended Non-Kanji Set |           |         |       |              |
|-------------------------------------|-----------|---------|-------|--------------|
| Graphic                             | Host Code | PC Code | UCS-2 | GCGID/GCUID* |
| ガ                                   | ECBA***   | ----    | ----  | U0FF002A     |
| ギ                                   | ECBB***   | ----    | ----  | U0FF002B     |
| グ                                   | ECBC***   | ----    | ----  | U0FF002C     |
| ゲ                                   | ECBD***   | ----    | ----  | U0FF002D     |
| ゴ                                   | ECBE***   | ----    | ----  | U0FF002E     |
| ゼ                                   | ECBF***   | ----    | ----  | U0FF002F     |
| ヅ                                   | ECC0***   | ----    | ----  | U0FF0030     |
| ヅ                                   | ECC1***   | ----    | ----  | U0FF0031     |
| ヅ                                   | ECC2***   | ----    | ----  | U0FF0032     |
| ヅ                                   | ECC3***   | ----    | ----  | U0FF0033     |
| ヅ                                   | ECC4***   | ----    | ----  | U0FF0034     |
| ヅ                                   | ECC5***   | ----    | ----  | U0FF0035     |
| ヅ                                   | ECC6***   | ----    | ----  | U0FF0036     |
| ヅ                                   | ECC7***   | ----    | ----  | U0FF0037     |
| ヅ                                   | ECC8***   | ----    | ----  | U0FF0038     |
| ヅ                                   | ECC9***   | ----    | ----  | U0FF0039     |
| ヅ                                   | ECCA***   | ----    | ----  | U0FF003A     |
| ヅ                                   | ECCB***   | ----    | ----  | U0FF003B     |
| ヅ                                   | ECCC***   | ----    | ----  | U0FF003C     |
| ヅ                                   | ECCD***   | ----    | ----  | U0FF003D     |

Notes:  
 \* GCUID is represented by “Uxxxxxxx.”  
 \*\* 144 characters added on 2002-11 revision.  
 \*\*\* 25 characters added on 2002-11 revision which are represented by composite sequence on ISO 10646.





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

8.6 New Extended Kanji Set

| Graphic | Host Code | PC Code | UCS-4* | GCGID    |
|---------|-----------|---------|--------|----------|
| 𠄎       | B341      | ----    | 04E0F  | IH1D0080 |
| 𠄎       | B342      | ----    | 2000B  | IH1E0080 |
| 𠄎       | B343      | ----    | 03402  | IH1F0080 |
| 𠄎       | B344      | ----    | 04E29  | IH1G0080 |
| 𠄎       | B345      | ----    | 04E2C  | IH1H0080 |
| 𠄎       | B346      | ----    | 20089  | IH1I0080 |
| 𠄎       | B347      | ----    | 04E48  | IH1J0080 |
| 𠄎       | B348      | ----    | 200A2  | IH1K0080 |
| 𠄎       | B349      | ----    | 200A4  | IH1L0080 |
| 𠄎       | B34A      | ----    | 03406  | IH1M0080 |
| 𠄎       | B34B      | ----    | 0342C  | IH1N0080 |
| 𠄎       | B34C      | ----    | 0342E  | IH1O0080 |
| 𠄎       | B34D      | ----    | 04EBB  | IH1P0080 |
| 𠄎       | B34E      | ----    | 201A2  | IH1Q0080 |
| 𠄎       | B34F      | ----    | 04EBC  | IH1R0080 |
| 𠄎       | B350      | ----    | 04EC8  | IH1S0080 |
| 𠄎       | B351      | ----    | 04EEB  | IH1T0080 |
| 𠄎       | B352      | ----    | 04F64  | IH1U0080 |
| 𠄎       | B353      | ----    | 20213  | IH1V0080 |
| 𠄎       | B354      | ----    | 0FA30  | IH1W0080 |
| 𠄎       | B355      | ----    | 04FE6  | IH1X0080 |
| 俱**     | B356      | ----    | 04FF1  | IH1Y0080 |
| 併       | B357      | ----    | 05002  | IH1Z0080 |
| 俣       | B358      | ----    | 03468  | IH200080 |
| 倅       | B359      | ----    | 0346A  | IH210080 |
| 僂       | B35A      | ----    | 05088  | IH220080 |
| 僃       | B35B      | ----    | 05095  | IH230080 |
| 僄       | B35C      | ----    | 050A3  | IH240080 |

| Graphic | Host Code | PC Code | UCS-4* | GCGID    |
|---------|-----------|---------|--------|----------|
| 僆       | B35D      | ----    | 2032B  | IH250080 |
| 僇       | B35E      | ----    | 050B1  | IH260080 |
| 僈       | B35F      | ----    | 050BB  | IH270080 |
| 僉       | B360      | ----    | 20371  | IH280080 |
| 僊       | B361      | ----    | 050D9  | IH290080 |
| 僋       | B362      | ----    | 050E1  | IH2A0080 |
| 僌       | B363      | ----    | 0FA31  | IH2B0080 |
| 働       | B364      | ----    | 20381  | IH2C0080 |
| 僎       | B365      | ----    | 050F3  | IH2D0080 |
| 像       | B366      | ----    | 03492  | IH2E0080 |
| 僐       | B367      | ----    | 203F9  | IH2F0080 |
| 僑       | B368      | ----    | 2044A  | IH2G0080 |
| 僒       | B369      | ----    | 0FA32  | IH2H0080 |
| 僓       | B36A      | ----    | 05160  | IH2I0080 |
| 僔       | B36B      | ----    | 20509  | IH2J0080 |
| 僕       | B36C      | ----    | 034B5  | IH2K0080 |
| 僖       | B36D      | ----    | 034BC  | IH2L0080 |
| 僗       | B36E      | ----    | 034C1  | IH2M0080 |
| 僘       | B36F      | ----    | 034C7  | IH2N0080 |
| 浴       | B370      | ----    | 205D6  | IH2O0080 |
| 涂       | B371      | ----    | 051C3  | IH2P0080 |
| 清       | B372      | ----    | 051CA  | IH2Q0080 |
| 几       | B373      | ----    | 20628  | IH2R0080 |
| 功       | B374      | ----    | 034DB  | IH2S0080 |
| 剝**     | B375      | ----    | 0525D  | IH2T0080 |
| 劔       | B376      | ----    | 2074F  | IH2U0080 |
| 劓       | B377      | ----    | 0526C  | IH2V0080 |
| 劓       | B378      | ----    | 05284  | IH2W0080 |
| 劓       | B379      | ----    | 20807  | IH2X0080 |
| 劓       | B37A      | ----    | 2083A  | IH2Y0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 勉  | B37B      | ----    | 0FA33  | IH2Z0080 |
| 尅  | B37C      | ----    | 052CA  | IH300080 |
| 勢  | B37D      | ----    | 0351F  | IH310080 |
| 勳  | B37E      | ----    | 052D0  | IH320080 |
| 勤  | B37F      | ----    | 0FA34  | IH330080 |
| 勸  | B380      | ----    | 208B9  | IH340080 |
| 勻  | B381      | ----    | 052FB  | IH350080 |
| 斗  | B382      | ----    | 2097C  | IH360080 |
| 卑  | B383      | ----    | 0FA35  | IH370080 |
| 卓  | B384      | ----    | 2099D  | IH380080 |
| 卧  | B385      | ----    | 05367  | IH390080 |
| 喬  | B386      | ----    | 0537A  | IH3A0080 |
| 卽  | B387      | ----    | 0537D  | IH3B0080 |
| 宀  | B388      | ----    | 20AD3  | IH3C0080 |
| 良  | B389      | ----    | 20B1D  | IH3D0080 |
| 亼  | B38A      | ----    | 0355D  | IH3E0080 |
| 廠  | B38B      | ----    | 0355E  | IH3F0080 |
| 谷  | B38C      | ----    | 03563  | IH3G0080 |
| 叱**                                      | B38D      | ----    | 20B9F  | IH3H0080 |
| 吞  | B38E      | ----    | 053F4  | IH3I0080 |
| 吒  | B38F      | ----    | 05412  | IH3J0080 |
| 吞**                                      | B390      | ----    | 0541E  | IH3K0080 |
| 价  | B391      | ----    | 05424  | IH3L0080 |
| 咬  | B392      | ----    | 0356E  | IH3M0080 |
| 呕  | B393      | ----    | 05455  | IH3N0080 |
| 咽  | B394      | ----    | 0546C  | IH3O0080 |
| 聃  | B395      | ----    | 054A0  | IH3P0080 |
| 响  | B396      | ----    | 054C3  | IH3Q0080 |
| 哮  | B397      | ----    | 054F1  | IH3R0080 |
| 嘶  | B398      | ----    | 054F3  | IH3S0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 唵  | B399      | ----    | 035A6  | IH3T0080 |
| 喙  | B39A      | ----    | 035A8  | IH3U0080 |
| 吒  | B39B      | ----    | 20D45  | IH3V0080 |
| 唵  | B39C      | ----    | 0557D  | IH3W0080 |
| 嘲  | B39D      | ----    | 035C5  | IH3X0080 |
| 喝  | B39E      | ----    | 0FA36  | IH3Y0080 |
| 晷  | B39F      | ----    | 20DE1  | IH3Z0080 |
| 囁  | B3A0      | ----    | 055DD  | IH400080 |
| 唵  | B3A1      | ----    | 035DA  | IH410080 |
| 噤  | B3A2      | ----    | 20E64  | IH420080 |
| 噤  | B3A3      | ----    | 20E6D  | IH430080 |
| 啾  | B3A4      | ----    | 20E95  | IH440080 |
| 嘆  | B3A5      | ----    | 0FA37  | IH450080 |
| 嗔  | B3A6      | ----    | 05607  | IH460080 |
| 嘯  | B3A7      | ----    | 05628  | IH470080 |
| 噉  | B3A8      | ----    | 20F5F  | IH480080 |
| 囁  | B3A9      | ----    | 035F4  | IH490080 |
| 噉  | B3AA      | ----    | 05647  | IH4A0080 |
| 噓**                                      | B3AB      | ----    | 05653  | IH4B0080 |
| 噓  | B3AC      | ----    | 0FA38  | IH4C0080 |
| 噓  | B3AD      | ----    | 05676  | IH4D0080 |
| 噓  | B3AE      | ----    | 03605  | IH4E0080 |
| 鞞  | B3AF      | ----    | 056B2  | IH4F0080 |
| 圍  | B3B0      | ----    | 21201  | IH4G0080 |
| 土  | B3B1      | ----    | 2123D  | IH4H0080 |
| 土  | B3B2      | ----    | 05721  | IH4I0080 |
| 坳  | B3B3      | ----    | 21255  | IH4J0080 |
| 坳  | B3B4      | ----    | 21274  | IH4K0080 |
| 埤  | B3B5      | ----    | 2127B  | IH4L0080 |
| 埤  | B3B6      | ----    | 212D7  | IH4M0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 堰  | B3B7      | ----    | 212E4  | IH4N0080 |
| 埒  | B3B8      | ----    | 212FD  | IH4O0080 |
| 埒  | B3B9      | ----    | 057D7  | IH4P0080 |
| 塹  | B3BA      | ----    | 2131B  | IH4Q0080 |
| 塹  | B3BB      | ----    | 0364A  | IH4R0080 |
| 塹  | B3BC      | ----    | 057FB  | IH4S0080 |
| 埕  | B3BD      | ----    | 21336  | IH4T0080 |
| 塹  | B3BE      | ----    | 21344  | IH4U0080 |
| 塹  | B3BF      | ----    | 0FA39  | IH4V0080 |
| 塹  | B3C0      | ----    | 213C4  | IH4W0080 |
| 塹  | B3C1      | ----    | 0588B  | IH4X0080 |
| 墨  | B3C2      | ----    | 0FA3A  | IH4Y0080 |
| 塹  | B3C3      | ----    | 058AA  | IH4Z0080 |
| 塹  | B3C4      | ----    | 058C3  | IH500080 |
| 塹  | B3C5      | ----    | 2146D  | IH510080 |
| 塹  | B3C6      | ----    | 2146E  | IH520080 |
| 塹  | B3C7      | ----    | 058E0  | IH530080 |
| 壹  | B3C8      | ----    | 058F4  | IH540080 |
| 复  | B3C9      | ----    | 0590D  | IH550080 |
| 夬  | B3CA      | ----    | 215D7  | IH560080 |
| 夬  | B3CB      | ----    | 03691  | IH570080 |
| 夬  | B3CC      | ----    | 05173  | IH580080 |
| 夬  | B3CD      | ----    | 0593D  | IH590080 |
| 臭  | B3CE      | ----    | 03696  | IH5A0080 |
| 夬  | B3CF      | ----    | 03699  | IH5B0080 |
| 夬  | B3D0      | ----    | 21647  | IH5C0080 |
| 夬  | B3D1      | ----    | 216B4  | IH5D0080 |
| 夬  | B3D2      | ----    | 21706  | IH5E0080 |
| 妍**                                      | B3D3      | ----    | 059F8  | IH5F0080 |
| 夬  | B3D4      | ----    | 036CF  | IH5G0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 姪  | B3D5      | ----    | 05A17  | IH5H0080 |
| 姪  | B3D6      | ----    | 21742  | IH5I0080 |
| 姪  | B3D7      | ----    | 05A84  | IH5J0080 |
| 嫩  | B3D8      | ----    | 05AF0  | IH5K0080 |
| 孀  | B3D9      | ----    | 218BD  | IH5L0080 |
| 孀  | B3DA      | ----    | 219C3  | IH5M0080 |
| 孀  | B3DB      | ----    | 03761  | IH5N0080 |
| 病  | B3DC      | ----    | 05BCE  | IH5O0080 |
| 寓  | B3DD      | ----    | 03762  | IH5P0080 |
| 窿  | B3DE      | ----    | 0376B  | IH5Q0080 |
| 馱  | B3DF      | ----    | 0376C  | IH5R0080 |
| 导  | B3E0      | ----    | 03775  | IH5S0080 |
| 尊  | B3E1      | ----    | 05C03  | IH5T0080 |
| 尔  | B3E2      | ----    | 05C12  | IH5U0080 |
| 屎  | B3E3      | ----    | 0378D  | IH5V0080 |
| 屎  | B3E4      | ----    | 21C56  | IH5W0080 |
| 屏**                                      | B3E5      | ----    | 05C5B  | IH5X0080 |
| 屨  | B3E6      | ----    | 05C5F  | IH5Y0080 |
| 屨  | B3E7      | ----    | 0FA3B  | IH5Z0080 |
| 屨  | B3E8      | ----    | 0FA3C  | IH600080 |
| 屨  | B3E9      | ----    | 21D2D  | IH610080 |
| 屨  | B3EA      | ----    | 21D45  | IH620080 |
| 岌  | B3EB      | ----    | 21D62  | IH630080 |
| 岌  | B3EC      | ----    | 21D78  | IH640080 |
| 岌  | B3ED      | ----    | 05CA7  | IH650080 |
| 岌  | B3EE      | ----    | 05CAD  | IH660080 |
| 岌  | B3EF      | ----    | 21D92  | IH670080 |
| 岌  | B3F0      | ----    | 21D9C  | IH680080 |
| 岌  | B3F1      | ----    | 037C1  | IH690080 |
| 岌  | B3F2      | ----    | 21DA1  | IH6A0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 咳  | B3F3      | ----    | 05CD0  | IH6B0080 |
| 焱  | B3F4      | ----    | 21DB7  | IH6C0080 |
| 焱  | B3F5      | ----    | 21DE0  | IH6D0080 |
| 焱  | B3F6      | ----    | 05D10  | IH6E0080 |
| 焱  | B3F7      | ----    | 05D1D  | IH6F0080 |
| 焱  | B3F8      | ----    | 05D20  | IH6G0080 |
| 焱  | B3F9      | ----    | 21E33  | IH6H0080 |
| 焱  | B3FA      | ----    | 21E34  | IH6I0080 |
| 寄  | B3FB      | ----    | 037E2  | IH6J0080 |
| 嵇  | B3FC      | ----    | 05D47  | IH6K0080 |
| 喘  | B3FD      | ----    | 037E8  | IH6L0080 |
| 魄  | B3FE      | ----    | 037F4  | IH6M0080 |
| 標  | B441      | ----    | 037FD  | IH6P0080 |
| 嶷  | B442      | ----    | 03800  | IH6Q0080 |
| 嶷  | B443      | ----    | 05D97  | IH6R0080 |
| 嶷  | B444      | ----    | 21F1E  | IH6S0080 |
| 嶷  | B445      | ----    | 05DA4  | IH6T0080 |
| 嶷  | B446      | ----    | 21F76  | IH6U0080 |
| 嶷  | B447      | ----    | 05DD1  | IH6V0080 |
| 嶷  | B448      | ----    | 05DD7  | IH6W0080 |
| 嶷  | B449      | ----    | 21FFA  | IH6X0080 |
| 巢  | B44A      | ----    | 05DE2  | IH6Y0080 |
| 吕  | B44B      | ----    | 0382F  | IH6Z0080 |
| 帆  | B44C      | ----    | 03836  | IH700080 |
| 帛  | B44D      | ----    | 03840  | IH710080 |
| 帛  | B44E      | ----    | 0385C  | IH720080 |
| 帛  | B44F      | ----    | 03861  | IH730080 |
| 幞  | B450      | ----    | 2217B  | IH740080 |
| 幞**                                      | B451      | ----    | 05E77  | IH750080 |
| 廉  | B452      | ----    | 22218  | IH760080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 庚  | B453      | ----    | 05EB9  | IH770080 |
| 廊  | B454      | ----    | 0F928  | IH780080 |
| 廩  | B455      | ----    | 05ED9  | IH790080 |
| 廻  | B456      | ----    | 2231E  | IH7A0080 |
| 迫  | B457      | ----    | 05EF9  | IH7B0080 |
| 廻  | B458      | ----    | 05EFD  | IH7C0080 |
| 开  | B459      | ----    | 05F00  | IH7D0080 |
| 弇  | B45A      | ----    | 223AD  | IH7E0080 |
| 攷  | B45B      | ----    | 05F1E  | IH7F0080 |
| 徵  | B45C      | ----    | 05FB5  | IH7G0080 |
| 小  | B45D      | ----    | 038FA  | IH7H0080 |
| 快  | B45E      | ----    | 06022  | IH7I0080 |
| 泰  | B45F      | ----    | 03917  | IH7J0080 |
| 恂  | B460      | ----    | 0391A  | IH7K0080 |
| 悔  | B461      | ----    | 0FA3D  | IH7L0080 |
| 惠  | B462      | ----    | 226F3  | IH7M0080 |
| 憚  | B463      | ----    | 060EE  | IH7N0080 |
| 憊  | B464      | ----    | 0396F  | IH7O0080 |
| 悼  | B465      | ----    | 0613A  | IH7P0080 |
| 慨  | B466      | ----    | 0FA3E  | IH7Q0080 |
| 憎  | B467      | ----    | 0FA3F  | IH7R0080 |
| 懣  | B468      | ----    | 2285B  | IH7S0080 |
| 懣  | B469      | ----    | 228AB  | IH7T0080 |
| 懲  | B46A      | ----    | 0FA40  | IH7U0080 |
| 惜  | B46B      | ----    | 061F5  | IH7V0080 |
| 戕  | B46C      | ----    | 2298F  | IH7W0080 |
| 戾  | B46D      | ----    | 0623E  | IH7X0080 |
| 地  | B46E      | ----    | 06261  | IH7Y0080 |
| 坎  | B46F      | ----    | 0627B  | IH7Z0080 |
| 拘  | B470      | ----    | 06285  | IH800080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 扌  | B471      | ----    | 06299  | IH810080 |
| 𠂇  | B472      | ----    | 22AB8  | IH820080 |
| 𠂈  | B473      | ----    | 06332  | IH830080 |
| 扌  | B474      | ----    | 0633B  | IH840080 |
| 扌  | B475      | ----    | 22B46  | IH850080 |
| 扌  | B476      | ----    | 06359  | IH860080 |
| 扌  | B477      | ----    | 22B4F  | IH870080 |
| 扌  | B478      | ----    | 22B50  | IH880080 |
| 扌  | B479      | ----    | 22BA6  | IH890080 |
| 扌  | B47A      | ----    | 063EB  | IH8A0080 |
| 扌  | B47B      | ----    | 063ED  | IH8B0080 |
| 扌  | B47C      | ----    | 22C1D  | IH8C0080 |
| 扌  | B47D      | ----    | 22C24  | IH8D0080 |
| 扌  | B47E      | ----    | 063F7  | IH8E0080 |
| 扌  | B47F      | ----    | 06479  | IH8F0080 |
| 扌  | B480      | ----    | 22DE1  | IH8G0080 |
| 扌  | B481      | ----    | 03A6E  | IH8H0080 |
| 扌  | B482      | ----    | 03A73  | IH8I0080 |
| 扌  | B483      | ----    | 06532  | IH8J0080 |
| 扌  | B484      | ----    | 06544  | IH8K0080 |
| 扌  | B485      | ----    | 0FA41  | IH8L0080 |
| 扌  | B486      | ----    | 06584  | IH8M0080 |
| 扌  | B487      | ----    | 065B5  | IH8N0080 |
| 扌  | B488      | ----    | 065B8  | IH8O0080 |
| 扌  | B489      | ----    | 0FA42  | IH8P0080 |
| 扌  | B48A      | ----    | 03AD6  | IH8Q0080 |
| 扌  | B48B      | ----    | 03AD7  | IH8R0080 |
| 扌  | B48C      | ----    | 065FC  | IH8S0080 |
| 扌  | B48D      | ----    | 0663A  | IH8T0080 |
| 扌  | B48E      | ----    | 06648  | IH8U0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 春  | B48F      | ----    | 03AEA  | IH8V0080 |
| 晚  | B490      | ----    | 0665A  | IH8W0080 |
| 𠂇  | B491      | ----    | 231B6  | IH8X0080 |
| 𠂇  | B492      | ----    | 06663  | IH8Y0080 |
| 𠂇  | B493      | ----    | 231C3  | IH8Z0080 |
| 𠂇  | B494      | ----    | 231C4  | IH900080 |
| 𠂇  | B495      | ----    | 0666D  | IH910080 |
| 𠂇  | B496      | ----    | 231F5  | IH920080 |
| 𠂇  | B497      | ----    | 0FA43  | IH930080 |
| 𠂇  | B498      | ----    | 03B0E  | IH940080 |
| 𠂇  | B499      | ----    | 03B1A  | IH950080 |
| 𠂇  | B49A      | ----    | 03B1C  | IH960080 |
| 𠂇  | B49B      | ----    | 066C6  | IH970080 |
| 𠂇  | B49C      | ----    | 03B22  | IH980080 |
| 𠂇  | B49D      | ----    | 06701  | IH990080 |
| 𠂇  | B49E      | ----    | 06712  | IH9A0080 |
| 𠂇  | B49F      | ----    | 23372  | IH9B0080 |
| 𠂇  | B4A0      | ----    | 0674D  | IH9C0080 |
| 𠂇  | B4A1      | ----    | 233D0  | IH9D0080 |
| 𠂇  | B4A2      | ----    | 233D2  | IH9E0080 |
| 𠂇  | B4A3      | ----    | 233D3  | IH9F0080 |
| 𠂇  | B4A4      | ----    | 233D5  | IH9G0080 |
| 𠂇  | B4A5      | ----    | 233DA  | IH9H0080 |
| 𠂇  | B4A6      | ----    | 06792  | IH9I0080 |
| 𠂇  | B4A7      | ----    | 233DF  | IH9J0080 |
| 𠂇  | B4A8      | ----    | 233E4  | IH9K0080 |
| 𠂇  | B4A9      | ----    | 067DB  | IH9L0080 |
| 𠂇  | B4AA      | ----    | 06810  | IH9M0080 |
| 𠂇  | B4AB      | ----    | 067FC  | IH9N0080 |
| 𠂇  | B4AC      | ----    | 06818  | IH9O0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 栾  | B4AD      | ----    | 0683E  | IH9P0080 |
| 桉  | B4AE      | ----    | 06849  | IH9Q0080 |
| 栢  | B4AF      | ----    | 2344A  | IH9R0080 |
| 杼  | B4B0      | ----    | 2344B  | IH9S0080 |
| 杼  | B4B1      | ----    | 23451  | IH9T0080 |
| 杼  | B4B2      | ----    | 23465  | IH9U0080 |
| 梅  | B4B3      | ----    | 0FA44  | IH9V0080 |
| 桤  | B4B4      | ----    | 06890  | IH9W0080 |
| 榭  | B4B5      | ----    | 03B6D  | IH9X0080 |
| 榭  | B4B6      | ----    | 06899  | IH9Y0080 |
| 榎  | B4B7      | ----    | 068AB  | IH9Z0080 |
| 榭  | B4B8      | ----    | 068B4  | IHA00080 |
| 榭  | B4B9      | ----    | 03B77  | IHA10080 |
| 梨  | B4BA      | ----    | 068C3  | IHA20080 |
| 榭  | B4BB      | ----    | 068E4  | IHA30080 |
| 榭  | B4BC      | ----    | 068F7  | IHA40080 |
| 榭  | B4BD      | ----    | 06903  | IHA50080 |
| 榭  | B4BE      | ----    | 06907  | IHA60080 |
| 榭  | B4BF      | ----    | 234E4  | IHA70080 |
| 榭  | B4C0      | ----    | 03B88  | IHA80080 |
| 榭  | B4C1      | ----    | 03B87  | IHA90080 |
| 榭  | B4C2      | ----    | 03B8D  | IHAA0080 |
| 榭  | B4C3      | ----    | 06946  | IHAB0080 |
| 榭  | B4C4      | ----    | 2355A  | IHAC0080 |
| 榭  | B4C5      | ----    | 23594  | IHAD0080 |
| 榭  | B4C6      | ----    | 03BA4  | IHAE0080 |
| 榭  | B4C7      | ----    | 069B0  | IHAF0080 |
| 榭  | B4C8      | ----    | 069C0  | IHAG0080 |
| 榭  | B4C9      | ----    | 069CF  | IHAH0080 |
| 榭  | B4CA      | ----    | 03BB6  | IHA10080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 榭  | B4CB      | ----    | 235C4  | IHAJ0080 |
| 榭  | B4CC      | ----    | 069E3  | IHAK0080 |
| 榭  | B4CD      | ----    | 069E9  | IHAL0080 |
| 榭  | B4CE      | ----    | 069EA  | IHAM0080 |
| 榭  | B4CF      | ----    | 069F4  | IHAN0080 |
| 榭  | B4D0      | ----    | 069F6  | IHAO0080 |
| 榭  | B4D1      | ----    | 03BC3  | IHAP0080 |
| 榭  | B4D2      | ----    | 23638  | IHAQ0080 |
| 榭  | B4D3      | ----    | 23639  | IHAR0080 |
| 榭  | B4D4      | ----    | 2363A  | IHAS0080 |
| 榭  | B4D5      | ----    | 23647  | IHAT0080 |
| 榭  | B4D6      | ----    | 03BCD  | IHAU0080 |
| 榭  | B4D7      | ----    | 06A33  | IHAV0080 |
| 榭  | B4D8      | ----    | 06A7A  | IHAW0080 |
| 榭  | B4D9      | ----    | 03BF0  | IHAX0080 |
| 榭  | B4DA      | ----    | 06A94  | IHAY0080 |
| 榭  | B4DB      | ----    | 06AA1  | IHAZ0080 |
| 榭  | B4DC      | ----    | 2370C  | IHB00080 |
| 榭  | B4DD      | ----    | 2371C  | IHB10080 |
| 榭  | B4DE      | ----    | 2373F  | IHB20080 |
| 榭  | B4DF      | ----    | 23763  | IHB30080 |
| 榭  | B4E0      | ----    | 23764  | IHB40080 |
| 榭  | B4E1      | ----    | 06AF3  | IHB50080 |
| 榭  | B4E2      | ----    | 03C0F  | IHB60080 |
| 榭  | B4E3      | ----    | 237E7  | IHB70080 |
| 榭  | B4E4      | ----    | 0F91D  | IHB80080 |
| 榭  | B4E5      | ----    | 237FF  | IHB90080 |
| 榭  | B4E6      | ----    | 06B0B  | IHBA0080 |
| 榭  | B4E7      | ----    | 23824  | IHBB0080 |
| 榭  | B4E8      | ----    | 2383D  | IHBC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 欸  | B4E9      | ----    | 03C26  | IHBD0080 |
| 步  | B4EA      | ----    | 06B65  | IHBE0080 |
| 壽  | B4EB      | ----    | 06B6C  | IHBF0080 |
| 歷  | B4EC      | ----    | 06B77  | IHBG0080 |
| 歩  | B4ED      | ----    | 06B7A  | IHBH0080 |
| 歿  | B4EE      | ----    | 06B81  | IHBI0080 |
| 殺  | B4EF      | ----    | 0F970  | IHBJ0080 |
| 毆  | B4F0      | ----    | 23A98  | IHBK0080 |
| 毆  | B4F1      | ----    | 06BC7  | IHBL0080 |
| 毆  | B4F2      | ----    | 06BC8  | IHBM0080 |
| 每  | B4F3      | ----    | 06BCF  | IHBN0080 |
| 毗  | B4F4      | ----    | 06BD7  | IHBO0080 |
| 羶  | B4F5      | ----    | 06C0A  | IHBP0080 |
| 汜  | B4F6      | ----    | 23C7F  | IHBQ0080 |
| 汙  | B4F7      | ----    | 06C84  | IHBR0080 |
| 淖  | B4F8      | ----    | 03CC3  | IHBS0080 |
| 汙  | B4F9      | ----    | 06CAA  | IHBT0080 |
| 流  | B4FA      | ----    | 06CAD  | IHBU0080 |
| 洊  | B4FB      | ----    | 06CED  | IHBV0080 |
| 淙  | B4FC      | ----    | 03CD2  | IHBW0080 |
| 泻  | B4FD      | ----    | 06CFB  | IHBX0080 |
| 滂  | B4FE      | ----    | 06D00  | IHBY0080 |
| 淦  | B541      | ----    | 06D24  | IHC10080 |
| 滂  | B542      | ----    | 06D34  | IHC20080 |
| 淦  | B543      | ----    | 23CFE  | IHC30080 |
| 淦  | B544      | ----    | 23D00  | IHC40080 |
| 淦  | B545      | ----    | 23D0E  | IHC50080 |
| 滂  | B546      | ----    | 06D58  | IHC60080 |
| 滂  | B547      | ----    | 06D5B  | IHC70080 |
| 滂  | B548      | ----    | 06D60  | IHC80080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 海  | B549      | ----    | 0FA45  | IHC90080 |
| 滂  | B54A      | ----    | 06D80  | IHCA0080 |
| 滂  | B54B      | ----    | 06D81  | IHCB0080 |
| 涉  | B54C      | ----    | 06D89  | IHCC0080 |
| 忍  | B54D      | ----    | 06D8A  | IHCD0080 |
| 淙  | B54E      | ----    | 06D8D  | IHCE0080 |
| 滂  | B54F      | ----    | 23D40  | IHCF0080 |
| 滂  | B550      | ----    | 06DAB  | IHCG0080 |
| 滂  | B551      | ----    | 06DAE  | IHCH0080 |
| 滂  | B552      | ----    | 06DC2  | IHCI0080 |
| 滂  | B553      | ----    | 06DD0  | IHCJ0080 |
| 滂  | B554      | ----    | 06DDA  | IHCK0080 |
| 滂  | B555      | ----    | 23DD3  | IHCL0080 |
| 滂  | B556      | ----    | 06E17  | IHCM0080 |
| 滂  | B557      | ----    | 23DF9  | IHCN0080 |
| 滂  | B558      | ----    | 23DFA  | IHCO0080 |
| 滂  | B559      | ----    | 0FA46  | IHCP0080 |
| 滂  | B55A      | ----    | 03D11  | IHCQ0080 |
| 滂  | B55B      | ----    | 06E34  | IHCR0080 |
| 滂  | B55C      | ----    | 06E4C  | IHCS0080 |
| 滂  | B55D      | ----    | 03D1E  | IHCT0080 |
| 滂  | B55E      | ----    | 06EAB  | IHCU0080 |
| 滂  | B55F      | ----    | 06EB4  | IHCV0080 |
| 滂  | B560      | ----    | 06ED9  | IHCW0080 |
| 滂  | B561      | ----    | 06F10  | IHCX0080 |
| 滂  | B562      | ----    | 0FA47  | IHCY0080 |
| 滂  | B563      | ----    | 06F25  | IHCZ0080 |
| 滂  | B564      | ----    | 06F35  | IHD00080 |
| 滂  | B565      | ----    | 06F60  | IHD10080 |
| 滂  | B566      | ----    | 23F7E  | IHD20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 潜  | B567      | ----    | 06F98  | IHD30080 |
| 溪  | B568      | ----    | 03D64  | IHD40080 |
| 澆  | B569      | ----    | 06FBE  | IHD50080 |
| 灘  | B56A      | ----    | 06FC9  | IHD60080 |
| 澧  | B56B      | ----    | 0700A  | IHD70080 |
| 滂  | B56C      | ----    | 24096  | IHD80080 |
| 滂  | B56D      | ----    | 0703A  | IHD90080 |
| 濶  | B56E      | ----    | 24103  | IHDA0080 |
| 濃  | B56F      | ----    | 07047  | IHDB0080 |
| 灞  | B570      | ----    | 03D9A  | IHDC0080 |
| 灑  | B571      | ----    | 07069  | IHDD0080 |
| 烜  | B572      | ----    | 0709F  | IHDE0080 |
| 烜  | B573      | ----    | 241C6  | IHDF0080 |
| 焄  | B574      | ----    | 241FE  | IHDG0080 |
| 焜  | B575      | ----    | 070EC  | IHDH0080 |
| 熨  | B576      | ----    | 07108  | IHDI0080 |
| 熨  | B577      | ----    | 03DC0  | IHDJ0080 |
| 焞  | B578      | ----    | 0712E  | IHDK0080 |
| 焟  | B579      | ----    | 07151  | IHDL0080 |
| 焠  | B57A      | ----    | 07153  | IHDM0080 |
| 無  | B57B      | ----    | 03DD4  | IHDN0080 |
| 焢  | B57C      | ----    | 0FA48  | IHDO0080 |
| 焣  | B57D      | ----    | 07196  | IHDP0080 |
| 焤  | B57E      | ----    | 071AE  | IHDQ0080 |
| 焥  | B57F      | ----    | 243BC  | IHDR0080 |
| 焦  | B580      | ----    | 03E05  | IHDS0080 |
| 焧  | B581      | ----    | 07215  | IHDT0080 |
| 焨  | B582      | ----    | 0FA49  | IHDU0080 |
| 焩  | B583      | ----    | 07257  | IHDV0080 |
| 焪  | B584      | ----    | 24629  | IHDW0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 犛  | B585      | ----    | 03E3F  | IHDX0080 |
| 犛  | B586      | ----    | 246A5  | IHDY0080 |
| 犛  | B587      | ----    | 072B0  | IHDZ0080 |
| 狀  | B588      | ----    | 072C0  | IHE00080 |
| 犛  | B589      | ----    | 03E60  | IHE10080 |
| 犛  | B58A      | ----    | 03E66  | IHE20080 |
| 犛  | B58B      | ----    | 03E68  | IHE30080 |
| 犛  | B58C      | ----    | 03E83  | IHE40080 |
| 犛  | B58D      | ----    | 07333  | IHE50080 |
| 復  | B58E      | ----    | 247F1  | IHE60080 |
| 犛  | B58F      | ----    | 07339  | IHE70080 |
| 犛  | B590      | ----    | 03E94  | IHE80080 |
| 犛  | B591      | ----    | 24896  | IHE90080 |
| 王  | B592      | ----    | 0738A  | IHEA0080 |
| 玠  | B593      | ----    | 07394  | IHEB0080 |
| 玠  | B594      | ----    | 073A8  | IHEC0080 |
| 琬  | B595      | ----    | 07413  | IHED0080 |
| 琢  | B596      | ----    | 0FA4A  | IHEE0080 |
| 琿  | B597      | ----    | 07453  | IHEF0080 |
| 璈  | B598      | ----    | 07488  | IHEG0080 |
| 璉  | B599      | ----    | 07497  | IHEH0080 |
| 璊  | B59A      | ----    | 24A4D  | IHEI0080 |
| 璋  | B59B      | ----    | 074A5  | IHEJ0080 |
| 璌  | B59C      | ----    | 074BA  | IHEK0080 |
| 璍  | B59D      | ----    | 074D6  | IHEL0080 |
| 璎  | B59E      | ----    | 24B56  | IHEM0080 |
| 璏  | B59F      | ----    | 24B6F  | IHEN0080 |
| 呶  | B5A0      | ----    | 24C16  | IHEO0080 |
| 呷  | B5A1      | ----    | 03F57  | IHEP0080 |
| 畚  | B5A2      | ----    | 0756C  | IHEQ0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 畚  | B5A3      | ----    | 07572  | IHER0080 |
| 𪗇  | B5A4      | ----    | 24D14  | IHES0080 |
| 𪗈  | B5A5      | ----    | 0758C  | IHET0080 |
| 疔  | B5A6      | ----    | 03F72  | IHEU0080 |
| 疔  | B5A7      | ----    | 03F75  | IHEV0080 |
| 疥  | B5A8      | ----    | 03F77  | IHEW0080 |
| 疔  | B5A9      | ----    | 075B0  | IHEX0080 |
| 疔  | B5AA      | ----    | 075B7  | IHEY0080 |
| 瘡  | B5AB      | ----    | 075D3  | IHEZ0080 |
| 瘡  | B5AC      | ----    | 075DD  | IHF00080 |
| 瘡  | B5AD      | ----    | 03FAE  | IHF10080 |
| 癩  | B5AE      | ----    | 24E0E  | IHF20080 |
| 癩  | B5AF      | ----    | 07618  | IHF30080 |
| 癩  | B5B0      | ----    | 24E37  | IHF40080 |
| 癩  | B5B1      | ----    | 07628  | IHF50080 |
| 癩  | B5B2      | ----    | 24E6A  | IHF60080 |
| 癩  | B5B3      | ----    | 03FC9  | IHF70080 |
| 癩  | B5B4      | ----    | 24E8B  | IHF80080 |
| 癩  | B5B5      | ----    | 03FD7  | IHF90080 |
| 皦  | B5B6      | ----    | 076A1  | IHFA0080 |
| 皦  | B5B7      | ----    | 076AF  | IHFB0080 |
| 皦  | B5B8      | ----    | 076B6  | IHFC0080 |
| 盍  | B5B9      | ----    | 2504A  | IHFD0080 |
| 盍  | B5BA      | ----    | 25055  | IHFE0080 |
| 眈  | B5BB      | ----    | 25122  | IHFF0080 |
| 眈  | B5BC      | ----    | 04039  | IHFG0080 |
| 睨  | B5BD      | ----    | 251A9  | IHFH0080 |
| 眇  | B5BE      | ----    | 251CD  | IHFI0080 |
| 眇  | B5BF      | ----    | 07758  | IHFJ0080 |
| 睨  | B5C0      | ----    | 251E5  | IHFK0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 睨  | B5C1      | ----    | 0777C  | IHFL0080 |
| 瞞  | B5C2      | ----    | 2521E  | IHFM0080 |
| 瞞  | B5C3      | ----    | 04058  | IHFN0080 |
| 瞞  | B5C4      | ----    | 2524C  | IHFO0080 |
| 瞞  | B5C5      | ----    | 077A4  | IHFP0080 |
| 瞞  | B5C6      | ----    | 077A9  | IHFQ0080 |
| 規  | B5C7      | ----    | 04093  | IHFR0080 |
| 碛  | B5C8      | ----    | 2542E  | IHFS0080 |
| 碛  | B5C9      | ----    | 0782C  | IHFT0080 |
| 碛  | B5CA      | ----    | 07819  | IHFU0080 |
| 研  | B5CB      | ----    | 0784F  | IHFV0080 |
| 研  | B5CC      | ----    | 07851  | IHFW0080 |
| 碛  | B5CD      | ----    | 2548E  | IHFX0080 |
| 碑  | B5CE      | ----    | 0FA4B  | IHFY0080 |
| 碛  | B5CF      | ----    | 254D9  | IHFZ0080 |
| 碛  | B5D0      | ----    | 2550E  | IHG00080 |
| 礮  | B5D1      | ----    | 078F9  | IHG10080 |
| 礮  | B5D2      | ----    | 078FE  | IHG20080 |
| 礮  | B5D3      | ----    | 255A7  | IHG30080 |
| 礮  | B5D4      | ----    | 0791B  | IHG40080 |
| 礮  | B5D5      | ----    | 0792E  | IHG50080 |
| 社  | B5D6      | ----    | 0FA4C  | IHG60080 |
| 祈  | B5D7      | ----    | 0FA4E  | IHG70080 |
| 社  | B5D8      | ----    | 0FA4D  | IHG80080 |
| 祐  | B5D9      | ----    | 0FA4F  | IHG90080 |
| 祖  | B5DA      | ----    | 0FA50  | IHGA0080 |
| 祝  | B5DB      | ----    | 0FA51  | IHGB0080 |
| 奏  | B5DC      | ----    | 04105  | IHGC0080 |
| 禍  | B5DD      | ----    | 0FA52  | IHGD0080 |
| 禎  | B5DE      | ----    | 0FA53  | IHGE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 焮  | B5DF      | ----    | 079CC  | IHGF0080 |
| 种  | B5E0      | ----    | 079CD  | IHGG0080 |
| 籽  | B5E1      | ----    | 25771  | IHGH0080 |
| 秦  | B5E2      | ----    | 04148  | IHGI0080 |
| 稭  | B5E3      | ----    | 257A9  | IHGJ0080 |
| 稭  | B5E4      | ----    | 257B4  | IHGK0080 |
| 稭  | B5E5      | ----    | 0414F  | IHGL0080 |
| 稭  | B5E6      | ----    | 04163  | IHGM0080 |
| 穀  | B5E7      | ----    | 0FA54  | IHGN0080 |
| 突  | B5E8      | ----    | 0FA55  | IHGO0080 |
| 竈  | B5E9      | ----    | 259C4  | IHGP0080 |
| 竈  | B5EA      | ----    | 259D4  | IHQ0080  |
| 竈  | B5EB      | ----    | 041B4  | IHGR0080 |
| 竈  | B5EC      | ----    | 07ABE  | IHGS0080 |
| 竈  | B5ED      | ----    | 041BF  | IHGT0080 |
| 筭  | B5EE      | ----    | 25AE3  | IHGU0080 |
| 筭  | B5EF      | ----    | 25AE4  | IHGV0080 |
| 筭  | B5F0      | ----    | 25AF1  | IHGW0080 |
| 筭  | B5F1      | ----    | 07B12  | IHGX0080 |
| 筭  | B5F2      | ----    | 041E6  | IHGY0080 |
| 筭  | B5F3      | ----    | 07B3B  | IHGZ0080 |
| 筭  | B5F4      | ----    | 041EE  | IHH00080 |
| 筭  | B5F5      | ----    | 041F3  | IHH10080 |
| 筭  | B5F6      | ----    | 07B79  | IHH20080 |
| 筭  | B5F7      | ----    | 07B7F  | IHH30080 |
| 筭  | B5F8      | ----    | 04207  | IHH40080 |
| 筭  | B5F9      | ----    | 25BB2  | IHH50080 |
| 筭  | B5FA      | ----    | 0420E  | IHH60080 |
| 筭  | B5FB      | ----    | 0FA56  | IHH70080 |
| 筭  | B5FC      | ----    | 25C4B  | IHH80080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 籐  | B5FD      | ----    | 25C64  | IHH90080 |
| 籐  | B5FE      | ----    | 07BF0  | IHHA0080 |
| 籐  | B641      | ----    | 07C1E  | IHHD0080 |
| 籐  | B642      | ----    | 04264  | IHHE0080 |
| 籐  | B643      | ----    | 07C45  | IHHF0080 |
| 籐  | B644      | ----    | 25DA1  | IHHG0080 |
| 籐  | B645      | ----    | 07C57  | IHHH0080 |
| 籐  | B646      | ----    | 07C6F  | IHHI0080 |
| 籐  | B647      | ----    | 25E2E  | IHHJ0080 |
| 籐  | B648      | ----    | 25E56  | IHHK0080 |
| 籐  | B649      | ----    | 25E62  | IHHL0080 |
| 籐  | B64A      | ----    | 25E65  | IHHM0080 |
| 籐  | B64B      | ----    | 25EC2  | IHHN0080 |
| 籐  | B64C      | ----    | 25ED8  | IHHO0080 |
| 籐  | B64D      | ----    | 25EE8  | IHHP0080 |
| 籐  | B64E      | ----    | 25F23  | IHHQ0080 |
| 籐  | B64F      | ----    | 25F5C  | IHHR0080 |
| 籐  | B650      | ----    | 042C6  | IHHS0080 |
| 籐  | B651      | ----    | 25FD4  | IHHT0080 |
| 籐  | B652      | ----    | 25FE0  | IHHU0080 |
| 籐  | B653      | ----    | 042D6  | IHHV0080 |
| 籐  | B654      | ----    | 25FFB  | IHHW0080 |
| 籐  | B655      | ----    | 042DD  | IHHX0080 |
| 籐  | B656      | ----    | 2600C  | IHHY0080 |
| 籐  | B657      | ----    | 26017  | IHHZ0080 |
| 籐  | B658      | ----    | 07DC0  | IHI00080 |
| 籐  | B659      | ----    | 26060  | IHI10080 |
| 籐  | B65A      | ----    | 07DE3  | IHI20080 |
| 籐  | B65B      | ----    | 0FA57  | IHI30080 |
| 籐  | B65C      | ----    | 04302  | IHI40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 縉  | B65D      | ----    | 0FA58  | IHI50080 |
| 縞  | B65E      | ----    | 260ED  | IHI60080 |
| 縵  | B65F      | ----    | 0FA59  | IHI70080 |
| 纒  | B660      | ----    | 07E75  | IHI80080 |
| 纜  | B661      | ----    | 0432B  | IHI90080 |
| 𪗇  | B662      | ----    | 04343  | IHIA0080 |
| 𪗈  | B663      | ----    | 26270  | IHIB0080 |
| 𪗉  | B664      | ----    | 26286  | IHIC0080 |
| 署  | B665      | ----    | 0FA5A  | IHID0080 |
| 𪗋  | B666      | ----    | 2634C  | IHIE0080 |
| 𪗌  | B667      | ----    | 0517B  | IHIF0080 |
| 猥  | B668      | ----    | 26402  | IHIG0080 |
| 𪗎  | B669      | ----    | 08002  | IHIH0080 |
| 者  | B66A      | ----    | 0FA5B  | IHII0080 |
| 聃  | B66B      | ----    | 08043  | IHIJ0080 |
| 聒  | B66C      | ----    | 0807B  | IHIK0080 |
| 𪗑  | B66D      | ----    | 08099  | IHIL0080 |
| 肤  | B66E      | ----    | 080A4  | IHIM0080 |
| 𪗓  | B66F      | ----    | 080C5  | IHIN0080 |
| 胸  | B670      | ----    | 080CA  | IHIO0080 |
| 𪗕  | B671      | ----    | 080E6  | IHIP0080 |
| 脛  | B672      | ----    | 2667E  | IHIQ0080 |
| 脛  | B673      | ----    | 080F5  | IHIR0080 |
| 脛  | B674      | ----    | 080FB  | IHIS0080 |
| 脇  | B675      | ----    | 266B0  | IHIT0080 |
| 脛  | B676      | ----    | 043EE  | IHIU0080 |
| 脛  | B677      | ----    | 0810D  | IHIV0080 |
| 脛  | B678      | ----    | 043F0  | IHIW0080 |
| 脛  | B679      | ----    | 0813D  | IHIX0080 |
| 脛  | B67A      | ----    | 04408  | IHIY0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 脛  | B67B      | ----    | 2671D  | IHZ0080  |
| 脛  | B67C      | ----    | 04417  | IHJ00080 |
| 脛  | B67D      | ----    | 0441C  | IHJ10080 |
| 脛  | B67E      | ----    | 04422  | IHJ20080 |
| 脛  | B67F      | ----    | 081C1  | IHJ30080 |
| 脛  | B680      | ----    | 081D6  | IHJ40080 |
| 脛  | B681      | ----    | 268DD  | IHJ50080 |
| 脛  | B682      | ----    | 268EA  | IHJ60080 |
| 臭  | B683      | ----    | 0FA5C  | IHJ70080 |
| 𪗙  | B684      | ----    | 04453  | IHJ80080 |
| 𪗚  | B685      | ----    | 26951  | IHJ90080 |
| 𪗛  | B686      | ----    | 2696F  | IHJA0080 |
| 𪗜  | B687      | ----    | 08204  | IHJB0080 |
| 𪗝  | B688      | ----    | 0445B  | IHJC0080 |
| 𪗞  | B689      | ----    | 269DD  | IHJD0080 |
| 航  | B68A      | ----    | 26A1E  | IHJE0080 |
| 𪗟  | B68B      | ----    | 0823C  | IHJF0080 |
| 𪗠  | B68C      | ----    | 08249  | IHJG0080 |
| 𪗡  | B68D      | ----    | 04476  | IHJH0080 |
| 𪗢  | B68E      | ----    | 26A58  | IHJI0080 |
| 𪗣  | B68F      | ----    | 0447A  | IHJJ0080 |
| 𪗤  | B690      | ----    | 08257  | IHJK0080 |
| 𪗥  | B691      | ----    | 26A8C  | IHJL0080 |
| 𪗦  | B692      | ----    | 26AB7  | IHJM0080 |
| 𪗧  | B693      | ----    | 04491  | IHJN0080 |
| 𪗨  | B694      | ----    | 0FA5D  | IHJO0080 |
| 𪗩  | B695      | ----    | 0FA5E  | IHJP0080 |
| 𪗪  | B696      | ----    | 08279  | IHJQ0080 |
| 艾  | B697      | ----    | 26AFF  | IHJR0080 |
| 苧  | B698      | ----    | 08293  | IHJS0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 苳  | B699      | ----    | 0830C  | IHJT0080 |
| 菜  | B69A      | ----    | 044B3  | IHJU0080 |
| 表  | B69B      | ----    | 044BE  | IHJV0080 |
| 荣  | B69C      | ----    | 08363  | IHJW0080 |
| 莩  | B69D      | ----    | 044D4  | IHJX0080 |
| 萸  | B69E      | ----    | 26C29  | IHJY0080 |
| 菡  | B69F      | ----    | 083E1  | IHJZ0080 |
| 荥  | B6A0      | ----    | 083E5  | IHK00080 |
| 鹵  | B6A1      | ----    | 26C73  | IHK10080 |
| 崇  | B6A2      | ----    | 08417  | IHK20080 |
| 著  | B6A3      | ----    | 0FA5F  | IHK30080 |
| 莧  | B6A4      | ----    | 26CDD  | IHK40080 |
| 萁  | B6A5      | ----    | 0845F  | IHK50080 |
| 菘  | B6A6      | ----    | 08497  | IHK60080 |
| 蕒  | B6A7      | ----    | 04508  | IHK70080 |
| 蓆  | B6A8      | ----    | 084CE  | IHK80080 |
| 薦  | B6A9      | ----    | 0450D  | IHK90080 |
| 薺  | B6AA      | ----    | 0851B  | IHKA0080 |
| 蒹  | B6AB      | ----    | 26E40  | IHKB0080 |
| 藎  | B6AC      | ----    | 26E65  | IHKC0080 |
| 蕭  | B6AD      | ----    | 04525  | IHKD0080 |
| 藜  | B6AE      | ----    | 0853E  | IHKE0080 |
| 蔭  | B6AF      | ----    | 04543  | IHKF0080 |
| 舊  | B6B0      | ----    | 26F94  | IHKG0080 |
| 蒴  | B6B1      | ----    | 26FF6  | IHKH0080 |
| 藎  | B6B2      | ----    | 26FF7  | IHKI0080 |
| 藿  | B6B3      | ----    | 26FF8  | IHKJ0080 |
| 藜  | B6B4      | ----    | 085D9  | IHKK0080 |
| 藎  | B6B5      | ----    | 085E1  | IHKL0080 |
| 藎  | B6B6      | ----    | 08624  | IHKM0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 繡  | B6B7      | ----    | 270F4  | IHKN0080 |
| 繡  | B6B8      | ----    | 2710D  | IHKO0080 |
| 懷  | B6B9      | ----    | 08639  | IHKP0080 |
| 識  | B6BA      | ----    | 27139  | IHKQ0080 |
| 虛  | B6BB      | ----    | 0865B  | IHKR0080 |
| 虜  | B6BC      | ----    | 0F936  | IHKS0080 |
| 虫  | B6BD      | ----    | 0459D  | IHKT0080 |
| 虱  | B6BE      | ----    | 08687  | IHKU0080 |
| 蚤  | B6BF      | ----    | 08689  | IHKV0080 |
| 蚝  | B6C0      | ----    | 0869D  | IHKW0080 |
| 蟻  | B6C1      | ----    | 086E6  | IHKX0080 |
| 蝨  | B6C2      | ----    | 045B8  | IHKY0080 |
| 蟬  | B6C3      | ----    | 08751  | IHKZ0080 |
| 蝼  | B6C4      | ----    | 0877C  | IHL00080 |
| 蝮  | B6C5      | ----    | 273DA  | IHL10080 |
| 蝮  | B6C6      | ----    | 273DB  | IHL20080 |
| 蝮  | B6C7      | ----    | 273FE  | IHL30080 |
| 蝮  | B6C8      | ----    | 045E5  | IHL40080 |
| 蝮  | B6C9      | ----    | 27410  | IHL50080 |
| 蝮  | B6CA      | ----    | 045EA  | IHL60080 |
| 蝮  | B6CB      | ----    | 27449  | IHL70080 |
| 蝮  | B6CC      | ----    | 087E5  | IHL80080 |
| 蝮  | B6CD      | ----    | 087E6  | IHL90080 |
| 蝮  | B6CE      | ----    | 087EC  | IHLA0080 |
| 蝮  | B6CF      | ----    | 087F5  | IHLB0080 |
| 卹  | B6D0      | ----    | 0460F  | IHLC0080 |
| 卹  | B6D1      | ----    | 27614  | IHLD0080 |
| 社  | B6D2      | ----    | 27615  | IHLE0080 |
| 粉  | B6D3      | ----    | 0886F  | IHLF0080 |
| 枇  | B6D4      | ----    | 27631  | IHLG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 裕  | B6D5      | ----    | 088BC  | IHLH0080 |
| 襪  | B6D6      | ----    | 27684  | IHLI0080 |
| 襦  | B6D7      | ----    | 27693  | IHLJ0080 |
| 襪  | B6D8      | ----    | 04641  | IHLK0080 |
| 褐  | B6D9      | ----    | 0FA60  | IHLL0080 |
| 襻  | B6DA      | ----    | 2770E  | IHLM0080 |
| 襪  | B6DB      | ----    | 08937  | IHLN0080 |
| 襪  | B6DC      | ----    | 27723  | IHLO0080 |
| 襪  | B6DD      | ----    | 27752  | IHLP0080 |
| 襪  | B6DE      | ----    | 04665  | IHLQ0080 |
| 西  | B6DF      | ----    | 08980  | IHLR0080 |
| 視  | B6E0      | ----    | 0FA61  | IHLS0080 |
| 鯉  | B6E1      | ----    | 046A1  | IHLT0080 |
| 訶  | B6E2      | ----    | 046AF  | IHLU0080 |
| 訶  | B6E3      | ----    | 08A21  | IHLV0080 |
| 訶  | B6E4      | ----    | 27985  | IHLW0080 |
| 譽  | B6E5      | ----    | 08AD0  | IHLX0080 |
| 謁  | B6E6      | ----    | 0FA62  | IHLY0080 |
| 詭  | B6E7      | ----    | 27A84  | IHLZ0080 |
| 營  | B6E8      | ----    | 08B0D  | IHM00080 |
| 謹  | B6E9      | ----    | 0FA63  | IHM10080 |
| 繡  | B6EA      | ----    | 0470C  | IHM20080 |
| 譎  | B6EB      | ----    | 08B51  | IHM30080 |
| 諷  | B6EC      | ----    | 08B69  | IHM40080 |
| 讖  | B6ED      | ----    | 08B9D  | IHM50080 |
| 紺  | B6EE      | ----    | 27BB3  | IHM60080 |
| 谿  | B6EF      | ----    | 27BBE  | IHM70080 |
| 籊  | B6F0      | ----    | 27BC7  | IHM80080 |
| 黏  | B6F1      | ----    | 27CB8  | IHM90080 |
| 獠  | B6F2      | ----    | 04764  | IHMA0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 賓  | B6F3      | ----    | 0FA64  | IHMB0080 |
| 賣  | B6F4      | ----    | 27DA0  | IHMC0080 |
| 暉  | B6F5      | ----    | 08CF1  | IHMD0080 |
| 贈  | B6F6      | ----    | 0FA65  | IHME0080 |
| 賦  | B6F7      | ----    | 27E10  | IHMF0080 |
| 購  | B6F8      | ----    | 08D0E  | IHMG0080 |
| 躄  | B6F9      | ----    | 27FB7  | IHMH0080 |
| 踣  | B6FA      | ----    | 08E0C  | IHMI0080 |
| 踣  | B6FB      | ----    | 047FD  | IHMJ0080 |
| 踣  | B6FC      | ----    | 2808A  | IHMK0080 |
| 蹈  | B6FD      | ----    | 280BB  | IHML0080 |
| 踣  | B6FE      | ----    | 04816  | IHMM0080 |
| 躡  | B741      | ----    | 08E98  | IHMP0080 |
| 躡  | B742      | ----    | 08EB6  | IHMQ0080 |
| 躡  | B743      | ----    | 28277  | IHMR0080 |
| 躡  | B744      | ----    | 28282  | IHMS0080 |
| 軌  | B745      | ----    | 04844  | IHMT0080 |
| 軀  | B746      | ----    | 0484E  | IHMU0080 |
| 軀  | B747      | ----    | 282F3  | IHMV0080 |
| 軀  | B748      | ----    | 08F2B  | IHMW0080 |
| 軀  | B749      | ----    | 08F4A  | IHMX0080 |
| 轆  | B74A      | ----    | 283CD  | IHMY0080 |
| 辛  | B74B      | ----    | 2840C  | IHMZ0080 |
| 軀  | B74C      | ----    | 08FB4  | IHN00080 |
| 讎  | B74D      | ----    | 0FA66  | IHN10080 |
| 讎  | B74E      | ----    | 28455  | IHN20080 |
| 逸  | B74F      | ----    | 0FA67  | IHN30080 |
| 遯  | B750      | ----    | 2856B  | IHN40080 |
| 遯  | B751      | ----    | 285C8  | IHN50080 |
| 遯  | B752      | ----    | 285C9  | IHN60080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 邳  | B753      | ----    | 048B5  | IHN70080 |
| 郇  | B754      | ----    | 286D7  | IHN80080 |
| 邲  | B755      | ----    | 090F2  | IHN90080 |
| 邳  | B756      | ----    | 286FA  | IHNA0080 |
| 豐  | B757      | ----    | 09146  | IHNB0080 |
| 釅  | B758      | ----    | 091C4  | IHNC0080 |
| 釅  | B759      | ----    | 28946  | IHND0080 |
| 釅  | B75A      | ----    | 28949  | IHNE0080 |
| 釅  | B75B      | ----    | 09217  | IHNF0080 |
| 釅  | B75C      | ----    | 09256  | IHNG0080 |
| 釅  | B75D      | ----    | 2896B  | IHNH0080 |
| 釅  | B75E      | ----    | 28987  | IHNI0080 |
| 釅  | B75F      | ----    | 28988  | IHNJ0080 |
| 鉅  | B760      | ----    | 289BA  | IHNK0080 |
| 鉅  | B761      | ----    | 289BB  | IHNL0080 |
| 鉅  | B762      | ----    | 092F7  | IHNM0080 |
| 錄  | B763      | ----    | 09304  | IHNN0080 |
| 鏹  | B764      | ----    | 28A1E  | IHNO0080 |
| 鏹  | B765      | ----    | 28A29  | IHNP0080 |
| 鏹  | B766      | ----    | 0934A  | IHNQ0080 |
| 鏹  | B767      | ----    | 0936B  | IHNR0080 |
| 鏹  | B768      | ----    | 28A43  | IHNS0080 |
| 鏹  | B769      | ----    | 28A71  | IHNT0080 |
| 鏹  | B76A      | ----    | 28A99  | IHNU0080 |
| 鏹  | B76B      | ----    | 28ACD  | IHNV0080 |
| 鏹  | B76C      | ----    | 28ADD  | IHNW0080 |
| 鏹  | B76D      | ----    | 28AE4  | IHNX0080 |
| 鏹  | B76E      | ----    | 093F1  | IHNY0080 |
| 鏹  | B76F      | ----    | 093F5  | IHNZ0080 |
| 鏹  | B770      | ----    | 28BC1  | IHO00080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 鏹  | B771      | ----    | 28BEF  | IHO10080 |
| 閏  | B772      | ----    | 09586  | IHO20080 |
| 閏  | B773      | ----    | 28D10  | IHO30080 |
| 閏  | B774      | ----    | 28D71  | IHO40080 |
| 閏  | B775      | ----    | 049B0  | IHO50080 |
| 閏  | B776      | ----    | 28DFB  | IHO60080 |
| 陰  | B777      | ----    | 09634  | IHO70080 |
| 陜  | B778      | ----    | 28E1F  | IHO80080 |
| 陜  | B779      | ----    | 28E36  | IHO90080 |
| 陜  | B77A      | ----    | 28E89  | IHOA0080 |
| 陜  | B77B      | ----    | 28EEB  | IHOB0080 |
| 儀  | B77C      | ----    | 049E7  | IHOC0080 |
| 隆  | B77D      | ----    | 28F32  | IHOD0080 |
| 隼  | B77E      | ----    | 096BD  | IHOE0080 |
| 雄  | B77F      | ----    | 049FA  | IHOF0080 |
| 雞  | B780      | ----    | 28FF8  | IHOG0080 |
| 雛  | B781      | ----    | 04A04  | IHOH0080 |
| 難  | B782      | ----    | 0FA68  | IHOI0080 |
| 霍  | B783      | ----    | 09714  | IHOJ0080 |
| 霽  | B784      | ----    | 04A29  | IHOK0080 |
| 霧  | B785      | ----    | 09736  | IHOL0080 |
| 霽  | B786      | ----    | 09747  | IHOM0080 |
| 靴  | B787      | ----    | 292A0  | IHON0080 |
| 鞞  | B788      | ----    | 292B1  | IHOO0080 |
| 響  | B789      | ----    | 0FA69  | IHOP0080 |
| 頰  | B78A      | ----    | 09804  | IHOQ0080 |
| 頰  | B78B      | ----    | 04ABC  | IHOR0080 |
| 頰  | B78C      | ----    | 29490  | IHOS0080 |
| 頰  | B78D      | ----    | 0FA6A  | IHOT0080 |
| 類  | B78E      | ----    | 0F9D0  | IHOU0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |          |
|--|-----------|---------|--------|----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID    |
| 𪗇  | B78F      | ----    | 295CF  | IHOV0080 |
| 𪗈  | B790      | ----    | 098BC  | IHOW0080 |
| 𪗉  | B791      | ----    | 098C7  | IHOX0080 |
| 𪗊  | B792      | ----    | 098CB  | IHOY0080 |
| 𪗋  | B793      | ----    | 2967F  | IHOZ0080 |
| 𪗌  | B794      | ----    | 098E0  | IHP00080 |
| 𪗍  | B795      | ----    | 098F0  | IHP10080 |
| 𪗎  | B796      | ----    | 098F1  | IHP20080 |
| 𪗏  | B797      | ----    | 04B3B  | IHP30080 |
| 𪗐  | B798      | ----    | 296F0  | IHP40080 |
| 𪗑  | B799      | ----    | 29719  | IHP50080 |
| 𪗒  | B79A      | ----    | 29750  | IHP60080 |
| 𪗓  | B79B      | ----    | 099A3  | IHP70080 |
| 𪗔  | B79C      | ----    | 298C6  | IHP80080 |
| 𪗕  | B79D      | ----    | 099FC  | IHP90080 |
| 𪗖  | B79E      | ----    | 09A0A  | IHPA0080 |
| 𪗗  | B79F      | ----    | 09A1A  | IHPB0080 |
| 𪗘  | B7A0      | ----    | 09A31  | IHPC0080 |
| 𪗙  | B7A1      | ----    | 09A52  | IHPD0080 |
| 𪗚  | B7A2      | ----    | 09A58  | IHPE0080 |
| 𪗛  | B7A3      | ----    | 04BC2  | IHPF0080 |
| 𪗜  | B7A4      | ----    | 04BCA  | IHPG0080 |
| 𪗝  | B7A5      | ----    | 09AB7  | IHPH0080 |
| 𪗞  | B7A6      | ----    | 04BD2  | IHPI0080 |
| 𪗟  | B7A7      | ----    | 29A72  | IHPJ0080 |
| 𪗠  | B7A8      | ----    | 04BE8  | IHPK0080 |
| 𪗡  | B7A9      | ----    | 04C17  | IHPL0080 |
| 𪗢  | B7AA      | ----    | 04C20  | IHPM0080 |
| 𪗣  | B7AB      | ----    | 09B76  | IHPN0080 |
| 𪗤  | B7AC      | ----    | 29DDB  | IHPO0080 |

| Table 9. New Extended Kanji Set – Part 1 |           |         |        |           |
|--|-----------|---------|--------|-----------|
| Graphic                                  | Host Code | PC Code | UCS-4* | GCGID     |
| 𪗥  | B7AD      | ----    | 09BEE  | IHPP0080  |
| 𪗦  | B7AE      | ----    | 29E15  | IHPQ0080  |
| 𪗧  | B7AF      | ----    | 29E3D  | IHPR0080  |
| 𪗨  | B7B0      | ----    | 29E49  | IHPS0080  |
| 𪗩  | B7B1      | ----    | 09C1D  | IHPT0080  |
| 𪗪  | B7B2      | ----    | 29E8A  | IHPU0080  |
| 𪗫  | B7B3      | ----    | 29EC4  | IHPV0080  |
| 𪗬  | B7B4      | ----    | 29EDB  | IHPW0080  |
| 𪗭  | B7B5      | ----    | 29EE9  | IHPX0080  |
| 𪗮  | B7B6      | ----    | 09C65  | IHPY0080  |
| 𪗯  | B7B7      | ----    | 09C6D  | IHPZ0080  |
| 𪗰  | B7B8      | ----    | 09C7A  | IHQ00080  |
| 𪗱  | B7B9      | ----    | 29FCE  | IHQ10080  |
| 𪗲  | B7BA      | ----    | 04CC4  | IHQ20080  |
| 𪗳  | B7BB      | ----    | 2A01A  | IHQ30080  |
| 𪗴  | B7BC      | ----    | 04CD1  | IHQ40080  |
| 𪗵  | B7BD      | ----    | 2A02F  | IHQ50080  |
| 𪗶  | B7BE      | ----    | 09D52  | IHQ60080  |
| 𪗷  | B7BF      | ----    | 2A082  | IHQ70080  |
| 𪗸  | B7C0      | ----    | 09D73  | IHQ80080  |
| 𪗹  | B7C1      | ----    | 09D99  | IHQ90080  |
| 𪗺  | B7C2      | ----    | 2A0F9  | IHQ A0080 |
| 𪗻  | B7C3      | ----    | 09DBD  | IHQ B0080 |
| 𪗼  | B7C4      | ----    | 09DC0  | IHQ C0080 |
| 𪗽  | B7C5      | ----    | 09DE3  | IHQ D0080 |
| 𪗾  | B7C6      | ----    | 2A190  | IHQ E0080 |
| 𪗿  | B7C7      | ----    | 04D07  | IHQ F0080 |
| 𪗿  | B7C8      | ----    | 09E0D  | IHQ G0080 |
| 𪗿  | B7C9      | ----    | 2A38C  | IHQ H0080 |
| 𪗿  | B7CA      | ----    | 09EBD  | IHQ I0080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-4* | GCGID    |
|---------|-----------|---------|--------|----------|
| 黄       | B7CB      | ----    | 09EC3  | IHQJ0080 |
| 黠       | B7CC      | ----    | 2A437  | IHQK0080 |
| 蠅       | B7CD      | ----    | 04D77  | IHQL0080 |
| 齟       | B7CE      | ----    | 2A5F1  | IHQM0080 |
| 齧       | B7CF      | ----    | 2A602  | IHQN0080 |
| 齟       | B7D0      | ----    | 2A61A  | IHQO0080 |

| Graphic | Host Code | PC Code | UCS-4* | GCGID    |
|---------|-----------|---------|--------|----------|
| 臙       | B7D1      | ----    | 2A6B2  | IHQP0080 |

Note:

- \* This column shows last 5 hex digits of ISO 10646 UCS-4 notation since some Kanji characters encoded in ISO 10646 Plane-2 / Unicode surrogates area are included.
- \*\* They are newly added for the future revision of JIS X0213 to support the standard Kanji Forms for Printing (“HYOUGAI KANJI JITAIHYOU”).





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 𠄎       | B841      | ----    | 4E02  | IHS10080 |
| 𠄏       | B842      | ----    | 4E04  | IHS20080 |
| 𠄐       | B843      | ----    | 4E05  | IHS30080 |
| 𠄑       | B844      | ----    | 4E0C  | IHS40080 |
| 𠄒       | B845      | ----    | 4E12  | IHS50080 |
| 𠄓       | B846      | ----    | 4E1F  | IHS60080 |
| 𠄔       | B847      | ----    | 4E23  | IHS70080 |
| 𠄕       | B848      | ----    | 4E24  | IHS80080 |
| 𠄖       | B849      | ----    | 4E2B  | IHS90080 |
| 𠄗       | B84A      | ----    | 4E2E  | IHSA0080 |
| 𠄘       | B84B      | ----    | 4E2F  | IHSB0080 |
| 𠄙       | B84C      | ----    | 4E30  | IHSC0080 |
| 𠄚       | B84D      | ----    | 4E35  | IHSD0080 |
| 𠄛       | B84E      | ----    | 4E40  | IHSE0080 |
| 𠄜       | B84F      | ----    | 4E41  | IHSF0080 |
| 𠄝       | B850      | ----    | 4E44  | IHSG0080 |
| 𠄞       | B851      | ----    | 4E47  | IHSH0080 |
| 𠄟       | B852      | ----    | 4E51  | IHSI0080 |
| 𠄠       | B853      | ----    | 4E5A  | IHSJ0080 |
| 𠄡       | B854      | ----    | 4E5C  | IHSK0080 |
| 𠄢       | B855      | ----    | 4E63  | IHSL0080 |
| 𠄣       | B856      | ----    | 4E68  | IHSM0080 |
| 𠄤       | B857      | ----    | 4E69  | IHSN0080 |
| 𠄥       | B858      | ----    | 4E74  | IHSO0080 |
| 𠄦       | B859      | ----    | 4E75  | IHSP0080 |
| 𠄧       | B85A      | ----    | 4E79  | IHSQ0080 |
| 𠄨       | B85B      | ----    | 4E7F  | IHSR0080 |
| 𠄩       | B85C      | ----    | 4E8D  | IHSS0080 |
| 𠄪       | B85D      | ----    | 4E96  | IHST0080 |

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| 𠄫       | B85E      | ----    | 4E97  | IHSU0080 |
| 𠄬       | B85F      | ----    | 4E9D  | IHSV0080 |
| 𠄭       | B860      | ----    | 4EAF  | IHSW0080 |
| 𠄮       | B861      | ----    | 4EB9  | IHSX0080 |
| 𠄯       | B862      | ----    | 4EC3  | IHSY0080 |
| 𠄰       | B863      | ----    | 4ED0  | IHSZ0080 |
| 𠄱       | B864      | ----    | 4EDA  | IHT00080 |
| 𠄲       | B865      | ----    | 4EDB  | IHT10080 |
| 𠄳       | B866      | ----    | 4EE0  | IHT20080 |
| 𠄴       | B867      | ----    | 4EE2  | IHT30080 |
| 𠄵       | B868      | ----    | 4EE8  | IHT40080 |
| 𠄶       | B869      | ----    | 4EEF  | IHT50080 |
| 𠄷       | B86A      | ----    | 4EF1  | IHT60080 |
| 𠄸       | B86B      | ----    | 4EF3  | IHT70080 |
| 𠄹       | B86C      | ----    | 4EF5  | IHT80080 |
| 𠄺       | B86D      | ----    | 4EFD  | IHT90080 |
| 𠄻       | B86E      | ----    | 4EFE  | IHTA0080 |
| 𠄼       | B86F      | ----    | 4EFF  | IHTB0080 |
| 𠄽       | B870      | ----    | 4F02  | IHTC0080 |
| 𠄾       | B871      | ----    | 4F08  | IHTD0080 |
| 𠄿       | B872      | ----    | 4F0B  | IHTE0080 |
| 𠅀       | B873      | ----    | 4F0C  | IHTF0080 |
| 𠅁       | B874      | ----    | 4F12  | IHTG0080 |
| 𠅂       | B875      | ----    | 4F15  | IHTH0080 |
| 𠅃       | B876      | ----    | 4F16  | IHTI0080 |
| 𠅄       | B877      | ----    | 4F17  | IHTJ0080 |
| 𠅅       | B878      | ----    | 4F19  | IHTK0080 |
| 𠅆       | B879      | ----    | 4F2E  | IHTL0080 |
| 𠅇       | B87A      | ----    | 4F31  | IHTM0080 |
| 𠅈       | B87B      | ----    | 4F33  | IHTN0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮑   | B87C      | ----    | 4F35  | IHTO0080 |
| 𨮒   | B87D      | ----    | 4F37  | IHTP0080 |
| 𨮓   | B87E      | ----    | 4F3B  | IHTQ0080 |
| 𨮔   | B87F      | ----    | 4F3E  | IHTR0080 |
| 𨮕   | B880      | ----    | 4F40  | IHTS0080 |
| 征   | B881      | ----    | 4F42  | IHTT0080 |
| 佈   | B882      | ----    | 4F48  | IHTU0080 |
| 佉   | B883      | ----    | 4F49  | IHTV0080 |
| 召   | B884      | ----    | 4F4B  | IHTW0080 |
| 𨮖   | B885      | ----    | 4F4C  | IHTX0080 |
| 𨮗   | B886      | ----    | 4F52  | IHTY0080 |
| 𨮘   | B887      | ----    | 4F54  | IHTZ0080 |
| 𨮙   | B888      | ----    | 4F58  | IHU00080 |
| 𨮚   | B889      | ----    | 4F5F  | IHU10080 |
| 你   | B88A      | ----    | 4F60  | IHU20080 |
| 佣   | B88B      | ----    | 4F63  | IHU30080 |
| 𨮛   | B88C      | ----    | 4F6A  | IHU40080 |
| 佬   | B88D      | ----    | 4F6C  | IHU50080 |
| 佻   | B88E      | ----    | 4F6E  | IHU60080 |
| 佥   | B88F      | ----    | 4F71  | IHU70080 |
| 佞   | B890      | ----    | 4F77  | IHU80080 |
| 𨮜   | B891      | ----    | 4F78  | IHU90080 |
| 佻   | B892      | ----    | 4F79  | IHUA0080 |
| 佻   | B893      | ----    | 4F7A  | IHUB0080 |
| 佻   | B894      | ----    | 4F7D  | IHUC0080 |
| 佻   | B895      | ----    | 4F7E  | IHUD0080 |
| 佻   | B896      | ----    | 4F81  | IHUE0080 |
| 佻   | B897      | ----    | 4F82  | IHUF0080 |
| 佻   | B898      | ----    | 4F84  | IHUG0080 |
| 佻   | B899      | ----    | 4F85  | IHUH0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 佻   | B89A      | ----    | 4F89  | IHUI0080 |
| 佻   | B89B      | ----    | 4F8C  | IHUJ0080 |
| 佻   | B89C      | ----    | 4F8E  | IHUK0080 |
| 佻   | B89D      | ----    | 4F90  | IHUL0080 |
| 佻   | B89E      | ----    | 4F93  | IHUM0080 |
| 佻   | B89F      | ----    | 4F97  | IHUN0080 |
| 佻   | B8A0      | ----    | 4F99  | IHUO0080 |
| 佻   | B8A1      | ----    | 4F9E  | IHUP0080 |
| 佻   | B8A2      | ----    | 4F9F  | IHUQ0080 |
| 佻   | B8A3      | ----    | 4FB2  | IHUR0080 |
| 佻   | B8A4      | ----    | 4FB7  | IHUS0080 |
| 佻   | B8A5      | ----    | 4FB9  | IHUT0080 |
| 佻   | B8A6      | ----    | 4FBB  | IHUU0080 |
| 佻   | B8A7      | ----    | 4FBC  | IHUV0080 |
| 佻   | B8A8      | ----    | 4FBD  | IHUW0080 |
| 佻   | B8A9      | ----    | 4FBE  | IHUX0080 |
| 佻   | B8AA      | ----    | 4FC0  | IHUY0080 |
| 佻   | B8AB      | ----    | 4FC1  | IHUZ0080 |
| 佻   | B8AC      | ----    | 4FC5  | IHV00080 |
| 佻   | B8AD      | ----    | 4FC6  | IHV10080 |
| 佻   | B8AE      | ----    | 4FC8  | IHV20080 |
| 佻   | B8AF      | ----    | 4FCB  | IHV30080 |
| 佻   | B8B0      | ----    | 4FCC  | IHV40080 |
| 佻   | B8B1      | ----    | 4FCF  | IHV50080 |
| 佻   | B8B2      | ----    | 4FD2  | IHV60080 |
| 佻   | B8B3      | ----    | 4FDC  | IHV70080 |
| 佻   | B8B4      | ----    | 4FE0  | IHV80080 |
| 佻   | B8B5      | ----    | 4FE2  | IHV90080 |
| 佻   | B8B6      | ----    | 4FF0  | IHVA0080 |
| 佻   | B8B7      | ----    | 4FF2  | IHVB0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 脩   | B8B8      | ----    | 4FFC  | IHVC0080 |
| 愀   | B8B9      | ----    | 4FFD  | IHVD0080 |
| 俵   | B8BA      | ----    | 5000  | IHVE0080 |
| 倂   | B8BB      | ----    | 5001  | IHVF0080 |
| 脩   | B8BC      | ----    | 5004  | IHVG0080 |
| 俵   | B8BD      | ----    | 5007  | IHVG0080 |
| 倂   | B8BE      | ----    | 500A  | IHVI0080 |
| 倂   | B8BF      | ----    | 500C  | IHVJ0080 |
| 倂   | B8C0      | ----    | 500E  | IHVK0080 |
| 倂   | B8C1      | ----    | 5010  | IHVL0080 |
| 倂   | B8C2      | ----    | 5013  | IHVM0080 |
| 倂   | B8C3      | ----    | 5017  | IHVN0080 |
| 倂   | B8C4      | ----    | 5018  | IHVO0080 |
| 倂   | B8C5      | ----    | 501B  | IHVP0080 |
| 倂   | B8C6      | ----    | 501C  | IHVQ0080 |
| 倂   | B8C7      | ----    | 501D  | IHVR0080 |
| 倂   | B8C8      | ----    | 5027  | IHVS0080 |
| 倂   | B8C9      | ----    | 502E  | IHVT0080 |
| 倂   | B8CA      | ----    | 5030  | IHVU0080 |
| 倂   | B8CB      | ----    | 5032  | IHVV0080 |
| 倂   | B8CC      | ----    | 5033  | IHVW0080 |
| 倂   | B8CD      | ----    | 5035  | IHVX0080 |
| 倂   | B8CE      | ----    | 503B  | IHVV0080 |
| 倂   | B8CF      | ----    | 5041  | IHVZ0080 |
| 倂   | B8D0      | ----    | 5045  | IHW00080 |
| 倂   | B8D1      | ----    | 504A  | IHW10080 |
| 倂   | B8D2      | ----    | 504C  | IHW20080 |
| 倂   | B8D3      | ----    | 504E  | IHW30080 |
| 倂   | B8D4      | ----    | 5051  | IHW40080 |
| 倂   | B8D5      | ----    | 5052  | IHW50080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 倂   | B8D6      | ----    | 5053  | IHW60080 |
| 倂   | B8D7      | ----    | 5057  | IHW70080 |
| 倂   | B8D8      | ----    | 5059  | IHW80080 |
| 倂   | B8D9      | ----    | 505F  | IHW90080 |
| 倂   | B8DA      | ----    | 5060  | IHWA0080 |
| 倂   | B8DB      | ----    | 5062  | IHWB0080 |
| 倂   | B8DC      | ----    | 5063  | IHWC0080 |
| 倂   | B8DD      | ----    | 5066  | IHWD0080 |
| 倂   | B8DE      | ----    | 5067  | IHWE0080 |
| 倂   | B8DF      | ----    | 506A  | IHWF0080 |
| 倂   | B8E0      | ----    | 506D  | IHWG0080 |
| 倂   | B8E1      | ----    | 5071  | IHWH0080 |
| 倂   | B8E2      | ----    | 5081  | IHWI0080 |
| 倂   | B8E3      | ----    | 5083  | IHWJ0080 |
| 倂   | B8E4      | ----    | 5084  | IHWK0080 |
| 倂   | B8E5      | ----    | 5086  | IHWL0080 |
| 倂   | B8E6      | ----    | 508A  | IHWM0080 |
| 倂   | B8E7      | ----    | 508E  | IHWN0080 |
| 倂   | B8E8      | ----    | 508F  | IHWO0080 |
| 倂   | B8E9      | ----    | 5090  | IHWP0080 |
| 倂   | B8EA      | ----    | 5092  | IHWQ0080 |
| 倂   | B8EB      | ----    | 5093  | IHWR0080 |
| 倂   | B8EC      | ----    | 5096  | IHWS0080 |
| 倂   | B8ED      | ----    | 509B  | IHWT0080 |
| 倂   | B8EE      | ----    | 509C  | IHWU0080 |
| 倂   | B8EF      | ----    | 509E  | IHWV0080 |
| 倂   | B8F0      | ----    | 509F  | IHWW0080 |
| 倂   | B8F1      | ----    | 50A0  | IHWX0080 |
| 倂   | B8F2      | ----    | 50A1  | IHWY0080 |
| 倂   | B8F3      | ----    | 50A2  | IHWZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 慘   | B8F4      | ----    | 50AA  | IHX00080 |
| 德   | B8F5      | ----    | 50AF  | IHX10080 |
| 崩   | B8F6      | ----    | 50B0  | IHX20080 |
| 僇   | B8F7      | ----    | 50B9  | IHX30080 |
| 祭   | B8F8      | ----    | 50BA  | IHX40080 |
| 璋   | B8F9      | ----    | 50BD  | IHX50080 |
| 帶   | B8FA      | ----    | 50C0  | IHX60080 |
| 備   | B8FB      | ----    | 50C3  | IHX70080 |
| 標   | B8FC      | ----    | 50C4  | IHX80080 |
| 繆   | B8FD      | ----    | 50C7  | IHX90080 |
| 徹   | B8FE      | ----    | 50CC  | IHXA0080 |
| 僂   | B941      | ----    | 50CE  | IHXD0080 |
| 僓   | B942      | ----    | 50D0  | IHXE0080 |
| 債   | B943      | ----    | 50D3  | IHXF0080 |
| 尊   | B944      | ----    | 50D4  | IHXG0080 |
| 澄   | B945      | ----    | 50DC  | IHXH0080 |
| 僣   | B946      | ----    | 50DD  | IHXI0080 |
| 機   | B947      | ----    | 50DF  | IHXJ0080 |
| 僥   | B948      | ----    | 50E2  | IHXK0080 |
| 僥   | B949      | ----    | 50E4  | IHXL0080 |
| 僞   | B94A      | ----    | 50E6  | IHXM0080 |
| 債   | B94B      | ----    | 50E8  | IHXN0080 |
| 備   | B94C      | ----    | 50E9  | IHXO0080 |
| 僦   | B94D      | ----    | 50EF  | IHXP0080 |
| 僧   | B94E      | ----    | 50F1  | IHXQ0080 |
| 僨   | B94F      | ----    | 50F2  | IHXR0080 |
| 僩   | B950      | ----    | 50F6  | IHXS0080 |
| 僪   | B951      | ----    | 50FA  | IHXT0080 |
| 僫   | B952      | ----    | 50FE  | IHXU0080 |
| 僬   | B953      | ----    | 5103  | IHXV0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 僭   | B954      | ----    | 5106  | IHXW0080 |
| 僮   | B955      | ----    | 5107  | IHXX0080 |
| 僯   | B956      | ----    | 5108  | IHXY0080 |
| 僯   | B957      | ----    | 510B  | IHXZ0080 |
| 僯   | B958      | ----    | 510C  | IHY00080 |
| 僯   | B959      | ----    | 510D  | IHY10080 |
| 僯   | B95A      | ----    | 510E  | IHY20080 |
| 僯   | B95B      | ----    | 5110  | IHY30080 |
| 僯   | B95C      | ----    | 5117  | IHY40080 |
| 僯   | B95D      | ----    | 5119  | IHY50080 |
| 僯   | B95E      | ----    | 511B  | IHY60080 |
| 僯   | B95F      | ----    | 511C  | IHY70080 |
| 僯   | B960      | ----    | 511D  | IHY80080 |
| 僯   | B961      | ----    | 511E  | IHY90080 |
| 僯   | B962      | ----    | 5123  | IHYA0080 |
| 僯   | B963      | ----    | 5127  | IHYB0080 |
| 僯   | B964      | ----    | 5128  | IHYC0080 |
| 僯   | B965      | ----    | 512C  | IHYD0080 |
| 僯   | B966      | ----    | 512D  | IHYE0080 |
| 僯   | B967      | ----    | 512F  | IHYF0080 |
| 僯   | B968      | ----    | 5131  | IHYG0080 |
| 僯   | B969      | ----    | 5133  | IHYH0080 |
| 僯   | B96A      | ----    | 5134  | IHYI0080 |
| 僯   | B96B      | ----    | 5135  | IHYJ0080 |
| 僯   | B96C      | ----    | 5138  | IHYK0080 |
| 僯   | B96D      | ----    | 5139  | IHYL0080 |
| 兂   | B96E      | ----    | 5142  | IHYM0080 |
| 兂   | B96F      | ----    | 514F  | IHYN0080 |
| 兂   | B970      | ----    | 5153  | IHYO0080 |
| 兂   | B971      | ----    | 5155  | IHYP0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 亮   | B972      | ----    | 5157  | IHYQ0080 |
| 尪   | B973      | ----    | 5158  | IHYR0080 |
| 𪛗   | B974      | ----    | 515F  | IHYS0080 |
| 亾   | B975      | ----    | 5166  | IHYT0080 |
| 𪛘   | B976      | ----    | 517E  | IHYU0080 |
| 冂   | B977      | ----    | 5183  | IHYV0080 |
| 冂   | B978      | ----    | 5184  | IHYW0080 |
| 冂   | B979      | ----    | 518B  | IHYX0080 |
| 冂   | B97A      | ----    | 518E  | IHYZ0080 |
| 尢   | B97B      | ----    | 5198  | IHYZ0080 |
| 冢   | B97C      | ----    | 51A1  | IHZ00080 |
| 冢   | B97D      | ----    | 51A3  | IHZ10080 |
| 𪛙   | B97E      | ----    | 51AD  | IHZ20080 |
| 泮   | B97F      | ----    | 51B8  | IHZ30080 |
| 泯   | B980      | ----    | 51BA  | IHZ40080 |
| 洗   | B981      | ----    | 51BC  | IHZ50080 |
| 津   | B982      | ----    | 51BF  | IHZ60080 |
| 浼   | B983      | ----    | 51C2  | IHZ70080 |
| 淨   | B984      | ----    | 51C8  | IHZ80080 |
| 減   | B985      | ----    | 51CF  | IHZ90080 |
| 湊   | B986      | ----    | 51D1  | IHZA0080 |
| 澧   | B987      | ----    | 51D2  | IHZB0080 |
| 溧   | B988      | ----    | 51D3  | IHZC0080 |
| 溟   | B989      | ----    | 51D5  | IHZD0080 |
| 澌   | B98A      | ----    | 51D8  | IHZE0080 |
| 灑   | B98B      | ----    | 51DE  | IHZF0080 |
| 𪛚   | B98C      | ----    | 51E2  | IHZG0080 |
| 𪛛   | B98D      | ----    | 51E5  | IHZH0080 |
| 𪛜   | B98E      | ----    | 51EE  | IHZI0080 |
| 𪛝   | B98F      | ----    | 51F2  | IHZJ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪛞   | B990      | ----    | 51F3  | IHZK0080 |
| 𪛟   | B991      | ----    | 51F4  | IHZL0080 |
| 𪛠   | B992      | ----    | 51F7  | IHZM0080 |
| 𪛡   | B993      | ----    | 5201  | IHZN0080 |
| 𪛢   | B994      | ----    | 5202  | IHZO0080 |
| 𪛣   | B995      | ----    | 5205  | IHZP0080 |
| 𪛤   | B996      | ----    | 5212  | IHZQ0080 |
| 𪛥   | B997      | ----    | 5213  | IHZR0080 |
| 𪛦   | B998      | ----    | 5216  | IHZS0080 |
| 𪛧   | B999      | ----    | 5218  | IHZT0080 |
| 𪛨   | B99A      | ----    | 5222  | IHZU0080 |
| 𪛩   | B99B      | ----    | 5228  | IHZV0080 |
| 𪛪   | B99C      | ----    | 5231  | IHZW0080 |
| 𪛫   | B99D      | ----    | 5232  | IHZX0080 |
| 𪛬   | B99E      | ----    | 5235  | IHZY0080 |
| 𪛭   | B99F      | ----    | 523C  | IHZZ0080 |
| 𪛮   | B9A0      | ----    | 5245  | I1000080 |
| 𪛯   | B9A1      | ----    | 5249  | I1010080 |
| 𪛰   | B9A2      | ----    | 5255  | I1020080 |
| 𪛱   | B9A3      | ----    | 5257  | I1030080 |
| 𪛲   | B9A4      | ----    | 5258  | I1040080 |
| 𪛳   | B9A5      | ----    | 525A  | I1050080 |
| 𪛴   | B9A6      | ----    | 525C  | I1060080 |
| 𪛵   | B9A7      | ----    | 525F  | I1070080 |
| 𪛶   | B9A8      | ----    | 5260  | I1080080 |
| 𪛷   | B9A9      | ----    | 5261  | I1090080 |
| 𪛸   | B9AA      | ----    | 5266  | I10A0080 |
| 𪛹   | B9AB      | ----    | 526E  | I10B0080 |
| 𪛺   | B9AC      | ----    | 5277  | I10C0080 |
| 𪛻   | B9AD      | ----    | 5278  | I10D0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪛱   | B9AE      | ----    | 5279  | I10E0080 |
| 𪛲   | B9AF      | ----    | 5280  | I10F0080 |
| 𪛳   | B9B0      | ----    | 5282  | I10G0080 |
| 𪛴   | B9B1      | ----    | 5285  | I10H0080 |
| 𪛵   | B9B2      | ----    | 528A  | I10I0080 |
| 𪛶   | B9B3      | ----    | 528C  | I10J0080 |
| 𪛷   | B9B4      | ----    | 5293  | I10K0080 |
| 𪛸   | B9B5      | ----    | 5295  | I10L0080 |
| 𪛹   | B9B6      | ----    | 5296  | I10M0080 |
| 𪛺   | B9B7      | ----    | 5297  | I10N0080 |
| 𪛻   | B9B8      | ----    | 5298  | I10O0080 |
| 𪛼   | B9B9      | ----    | 529A  | I10P0080 |
| 𪛽   | B9BA      | ----    | 52A4  | I10Q0080 |
| 𪛾   | B9BB      | ----    | 52A5  | I10R0080 |
| 𪛿   | B9BC      | ----    | 52A7  | I10S0080 |
| 𪜀   | B9BD      | ----    | 52B0  | I10T0080 |
| 𪜁   | B9BE      | ----    | 52B6  | I10U0080 |
| 𪜂   | B9BF      | ----    | 52B7  | I10V0080 |
| 𪜃   | B9C0      | ----    | 52B8  | I10W0080 |
| 𪜄   | B9C1      | ----    | 52BA  | I10X0080 |
| 𪜅   | B9C2      | ----    | 52BB  | I10Y0080 |
| 𪜆   | B9C3      | ----    | 52BD  | I10Z0080 |
| 𪜇   | B9C4      | ----    | 52C4  | I1100080 |
| 𪜈   | B9C5      | ----    | 52C6  | I1110080 |
| 𪜉   | B9C6      | ----    | 52C8  | I1120080 |
| 𪜊   | B9C7      | ----    | 52CC  | I1130080 |
| 𪜋   | B9C8      | ----    | 52CF  | I1140080 |
| 𪜌   | B9C9      | ----    | 52D1  | I1150080 |
| 𪜍   | B9CA      | ----    | 52D4  | I1160080 |
| 𪜎   | B9CB      | ----    | 52D6  | I1170080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪜏   | B9CC      | ----    | 52DC  | I1180080 |
| 𪜐   | B9CD      | ----    | 52E1  | I1190080 |
| 𪜑   | B9CE      | ----    | 52E5  | I11A0080 |
| 𪜒   | B9CF      | ----    | 52E8  | I11B0080 |
| 𪜓   | B9D0      | ----    | 52E9  | I11C0080 |
| 𪜔   | B9D1      | ----    | 52EA  | I11D0080 |
| 𪜕   | B9D2      | ----    | 52EC  | I11E0080 |
| 𪜖   | B9D3      | ----    | 52F0  | I11F0080 |
| 𪜗   | B9D4      | ----    | 52F1  | I11G0080 |
| 𪜘   | B9D5      | ----    | 52F4  | I11H0080 |
| 𪜙   | B9D6      | ----    | 52F6  | I11I0080 |
| 𪜚   | B9D7      | ----    | 52F7  | I11J0080 |
| 𪜛   | B9D8      | ----    | 5303  | I11K0080 |
| 𪜜   | B9D9      | ----    | 530A  | I11L0080 |
| 𪜝   | B9DA      | ----    | 530B  | I11M0080 |
| 𪜞   | B9DB      | ----    | 530C  | I11N0080 |
| 𪜟   | B9DC      | ----    | 5311  | I11O0080 |
| 𪜠   | B9DD      | ----    | 5313  | I11P0080 |
| 𪜡   | B9DE      | ----    | 5318  | I11Q0080 |
| 𪜢   | B9DF      | ----    | 531B  | I11R0080 |
| 𪜣   | B9E0      | ----    | 531C  | I11S0080 |
| 𪜤   | B9E1      | ----    | 531E  | I11T0080 |
| 𪜥   | B9E2      | ----    | 531F  | I11U0080 |
| 𪜦   | B9E3      | ----    | 5325  | I11V0080 |
| 𪜧   | B9E4      | ----    | 5327  | I11W0080 |
| 𪜨   | B9E5      | ----    | 5328  | I11X0080 |
| 𪜩   | B9E6      | ----    | 5329  | I11Y0080 |
| 𪜪   | B9E7      | ----    | 532B  | I11Z0080 |
| 𪜫   | B9E8      | ----    | 532C  | I1200080 |
| 𪜬   | B9E9      | ----    | 532D  | I1210080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 厩   | B9EA      | ----    | 5330  | I1220080 |
| 厩   | B9EB      | ----    | 5332  | I1230080 |
| 厩   | B9EC      | ----    | 5335  | I1240080 |
| 厩   | B9ED      | ----    | 533C  | I1250080 |
| 厩   | B9EE      | ----    | 533D  | I1260080 |
| 厩   | B9EF      | ----    | 533E  | I1270080 |
| 𠂔   | B9F0      | ----    | 5342  | I1280080 |
| 𠂔   | B9F1      | ----    | 534B  | I1290080 |
| 𠂔   | B9F2      | ----    | 534C  | I12A0080 |
| 𠂔   | B9F3      | ----    | 5359  | I12B0080 |
| 𠂔   | B9F4      | ----    | 535B  | I12C0080 |
| 𠂔   | B9F5      | ----    | 5361  | I12D0080 |
| 𠂔   | B9F6      | ----    | 5363  | I12E0080 |
| 𠂔   | B9F7      | ----    | 5365  | I12F0080 |
| 𠂔   | B9F8      | ----    | 536C  | I12G0080 |
| 𠂔   | B9F9      | ----    | 536D  | I12H0080 |
| 𠂔   | B9FA      | ----    | 5379  | I12I0080 |
| 𠂔   | B9FB      | ----    | 537E  | I12J0080 |
| 𠂔   | B9FC      | ----    | 5383  | I12K0080 |
| 𠂔   | B9FD      | ----    | 5387  | I12L0080 |
| 𠂔   | B9FE      | ----    | 5388  | I12M0080 |
| 𠂔   | BA41      | ----    | 538E  | I12P0080 |
| 𠂔   | BA42      | ----    | 5394  | I12Q0080 |
| 𠂔   | BA43      | ----    | 5399  | I12R0080 |
| 𠂔   | BA44      | ----    | 539D  | I12S0080 |
| 𠂔   | BA45      | ----    | 53A1  | I12T0080 |
| 𠂔   | BA46      | ----    | 53A4  | I12U0080 |
| 𠂔   | BA47      | ----    | 53AA  | I12V0080 |
| 𠂔   | BA48      | ----    | 53AB  | I12W0080 |
| 𠂔   | BA49      | ----    | 53AF  | I12X0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𠂔   | BA4A      | ----    | 53B4  | I12Y0080 |
| 𠂔   | BA4B      | ----    | 53B5  | I12Z0080 |
| 𠂔   | BA4C      | ----    | 53B7  | I1300080 |
| 𠂔   | BA4D      | ----    | 53B8  | I1310080 |
| 𠂔   | BA4E      | ----    | 53BA  | I1320080 |
| 𠂔   | BA4F      | ----    | 53BD  | I1330080 |
| 𠂔   | BA50      | ----    | 53C0  | I1340080 |
| 𠂔   | BA51      | ----    | 53C5  | I1350080 |
| 𠂔   | BA52      | ----    | 53CF  | I1360080 |
| 𠂔   | BA53      | ----    | 53D2  | I1370080 |
| 𠂔   | BA54      | ----    | 53D3  | I1380080 |
| 𠂔   | BA55      | ----    | 53D5  | I1390080 |
| 𠂔   | BA56      | ----    | 53DA  | I13A0080 |
| 𠂔   | BA57      | ----    | 53DE  | I13B0080 |
| 𠂔   | BA58      | ----    | 53E0  | I13C0080 |
| 𠂔   | BA59      | ----    | 53E6  | I13D0080 |
| 𠂔   | BA5A      | ----    | 53E7  | I13E0080 |
| 𠂔   | BA5B      | ----    | 53F5  | I13F0080 |
| 𠂔   | BA5C      | ----    | 5402  | I13G0080 |
| 𠂔   | BA5D      | ----    | 5413  | I13H0080 |
| 𠂔   | BA5E      | ----    | 541A  | I13I0080 |
| 𠂔   | BA5F      | ----    | 5421  | I13J0080 |
| 𠂔   | BA60      | ----    | 5427  | I13K0080 |
| 𠂔   | BA61      | ----    | 5428  | I13L0080 |
| 𠂔   | BA62      | ----    | 542A  | I13M0080 |
| 𠂔   | BA63      | ----    | 542F  | I13N0080 |
| 𠂔   | BA64      | ----    | 5431  | I13O0080 |
| 𠂔   | BA65      | ----    | 5434  | I13P0080 |
| 𠂔   | BA66      | ----    | 5435  | I13Q0080 |
| 𠂔   | BA67      | ----    | 5443  | I13R0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪛗   | BA68      | ----    | 5444  | I13S0080 |
| 𪛘   | BA69      | ----    | 5447  | I13T0080 |
| 𪛙   | BA6A      | ----    | 544D  | I13U0080 |
| 𪛚   | BA6B      | ----    | 544F  | I13V0080 |
| 𪛛   | BA6C      | ----    | 545E  | I13W0080 |
| 𪛜   | BA6D      | ----    | 5462  | I13X0080 |
| 𪛝   | BA6E      | ----    | 5464  | I13Y0080 |
| 𪛞   | BA6F      | ----    | 5466  | I13Z0080 |
| 𪛟   | BA70      | ----    | 5467  | I1400080 |
| 𪛠   | BA71      | ----    | 5469  | I1410080 |
| 𪛡   | BA72      | ----    | 546B  | I1420080 |
| 𪛢   | BA73      | ----    | 546D  | I1430080 |
| 𪛣   | BA74      | ----    | 546E  | I1440080 |
| 𪛤   | BA75      | ----    | 5474  | I1450080 |
| 𪛥   | BA76      | ----    | 547F  | I1460080 |
| 𪛦   | BA77      | ----    | 5481  | I1470080 |
| 𪛧   | BA78      | ----    | 5483  | I1480080 |
| 𪛨   | BA79      | ----    | 5485  | I1490080 |
| 𪛩   | BA7A      | ----    | 5488  | I14A0080 |
| 𪛪   | BA7B      | ----    | 5489  | I14B0080 |
| 𪛫   | BA7C      | ----    | 548D  | I14C0080 |
| 𪛬   | BA7D      | ----    | 5491  | I14D0080 |
| 𪛭   | BA7E      | ----    | 5495  | I14E0080 |
| 𪛮   | BA7F      | ----    | 5496  | I14F0080 |
| 𪛯   | BA80      | ----    | 549F  | I14G0080 |
| 𪛰   | BA81      | ----    | 54A1  | I14H0080 |
| 𪛱   | BA82      | ----    | 54A6  | I14I0080 |
| 𪛲   | BA83      | ----    | 54A7  | I14J0080 |
| 𪛳   | BA84      | ----    | 54AA  | I14K0080 |
| 𪛴   | BA85      | ----    | 54AD  | I14L0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪛵   | BA86      | ----    | 54AE  | I14M0080 |
| 𪛶   | BA87      | ----    | 54B1  | I14N0080 |
| 𪛷   | BA88      | ----    | 54B7  | I14O0080 |
| 𪛸   | BA89      | ----    | 54B9  | I14P0080 |
| 𪛹   | BA8A      | ----    | 54BA  | I14Q0080 |
| 𪛺   | BA8B      | ----    | 54BB  | I14R0080 |
| 𪛻   | BA8C      | ----    | 54BF  | I14S0080 |
| 𪛼   | BA8D      | ----    | 54C6  | I14T0080 |
| 𪛽   | BA8E      | ----    | 54CA  | I14U0080 |
| 𪛾   | BA8F      | ----    | 54CD  | I14V0080 |
| 𪛿   | BA90      | ----    | 54CE  | I14W0080 |
| 𪜀   | BA91      | ----    | 54E0  | I14X0080 |
| 𪜁   | BA92      | ----    | 54EA  | I14Y0080 |
| 𪜂   | BA93      | ----    | 54EC  | I14Z0080 |
| 𪜃   | BA94      | ----    | 54EF  | I1500080 |
| 𪜄   | BA95      | ----    | 54F6  | I1510080 |
| 𪜅   | BA96      | ----    | 54FC  | I1520080 |
| 𪜆   | BA97      | ----    | 54FE  | I1530080 |
| 𪜇   | BA98      | ----    | 5500  | I1540080 |
| 𪜈   | BA99      | ----    | 5501  | I1550080 |
| 𪜉   | BA9A      | ----    | 5505  | I1560080 |
| 𪜊   | BA9B      | ----    | 5508  | I1570080 |
| 𪜋   | BA9C      | ----    | 5509  | I1580080 |
| 𪜌   | BA9D      | ----    | 550C  | I1590080 |
| 𪜍   | BA9E      | ----    | 550D  | I15A0080 |
| 𪜎   | BA9F      | ----    | 550E  | I15B0080 |
| 𪜏   | BAA0      | ----    | 5515  | I15C0080 |
| 𪜐   | BAA1      | ----    | 552A  | I15D0080 |
| 𪜑   | BAA2      | ----    | 552B  | I15E0080 |
| 𪜒   | BAA3      | ----    | 5532  | I15F0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 唵   | BAA4      | ----    | 5535  | I15G0080 |
| 喞   | BAA5      | ----    | 5536  | I15H0080 |
| 唻   | BAA6      | ----    | 553B  | I15I0080 |
| 唼   | BAA7      | ----    | 553C  | I15J0080 |
| 唽   | BAA8      | ----    | 553D  | I15K0080 |
| 唿   | BAA9      | ----    | 5541  | I15L0080 |
| 商   | BAAA      | ----    | 5547  | I15M0080 |
| 唼   | BAAB      | ----    | 5549  | I15N0080 |
| 啊   | BAAC      | ----    | 554A  | I15O0080 |
| 啍   | BAAD      | ----    | 554D  | I15P0080 |
| 啐   | BAAE      | ----    | 5550  | I15Q0080 |
| 嚏   | BAAF      | ----    | 5551  | I15R0080 |
| 碗   | BAB0      | ----    | 5558  | I15S0080 |
| 𪛗   | BAB1      | ----    | 555A  | I15T0080 |
| 唼   | BAB2      | ----    | 555B  | I15U0080 |
| 啞   | BAB3      | ----    | 555E  | I15V0080 |
| 𪛘   | BAB4      | ----    | 5560  | I15W0080 |
| 啡   | BAB5      | ----    | 5561  | I15X0080 |
| 啤   | BAB6      | ----    | 5564  | I15Y0080 |
| 啦   | BAB7      | ----    | 5566  | I15Z0080 |
| 嘍   | BAB8      | ----    | 557F  | I1600080 |
| 喞   | BAB9      | ----    | 5581  | I1610080 |
| 喂   | BABA      | ----    | 5582  | I1620080 |
| 啞   | BABB      | ----    | 5588  | I1630080 |
| 喞   | BABC      | ----    | 558E  | I1640080 |
| 啞   | BABD      | ----    | 558F  | I1650080 |
| 啞   | BABE      | ----    | 5591  | I1660080 |
| 啞   | BABF      | ----    | 5592  | I1670080 |
| 嚶   | BAC0      | ----    | 5593  | I1680080 |
| 嚶   | BAC1      | ----    | 5594  | I1690080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𪛙   | BAC2      | ----    | 5597  | I16A0080 |
| 𪛚   | BAC3      | ----    | 55A3  | I16B0080 |
| 𪛛   | BAC4      | ----    | 55A4  | I16C0080 |
| 𪛜   | BAC5      | ----    | 55AD  | I16D0080 |
| 𪛝   | BAC6      | ----    | 55B2  | I16E0080 |
| 𪛞   | BAC7      | ----    | 55BF  | I16F0080 |
| 𪛟   | BAC8      | ----    | 55C1  | I16G0080 |
| 𪛠   | BAC9      | ----    | 55C3  | I16H0080 |
| 𪛡   | BACA      | ----    | 55C6  | I16I0080 |
| 𪛢   | BACB      | ----    | 55C9  | I16J0080 |
| 𪛣   | BACC      | ----    | 55CB  | I16K0080 |
| 𪛤   | BACD      | ----    | 55CC  | I16L0080 |
| 𪛥   | BACE      | ----    | 55CE  | I16M0080 |
| 𪛦   | BACF      | ----    | 55D1  | I16N0080 |
| 𪛧   | BAD0      | ----    | 55D2  | I16O0080 |
| 𪛨   | BAD1      | ----    | 55D3  | I16P0080 |
| 𪛩   | BAD2      | ----    | 55D7  | I16Q0080 |
| 𪛪   | BAD3      | ----    | 55D8  | I16R0080 |
| 𪛫   | BAD4      | ----    | 55DB  | I16S0080 |
| 𪛬   | BAD5      | ----    | 55DE  | I16T0080 |
| 𪛭   | BAD6      | ----    | 55E2  | I16U0080 |
| 𪛮   | BAD7      | ----    | 55E9  | I16V0080 |
| 𪛯   | BAD8      | ----    | 55F6  | I16W0080 |
| 𪛰   | BAD9      | ----    | 55FF  | I16X0080 |
| 𪛱   | BADA      | ----    | 5605  | I16Y0080 |
| 𪛲   | BADB      | ----    | 5608  | I16Z0080 |
| 𪛳   | BADC      | ----    | 560A  | I1700080 |
| 𪛴   | BADD      | ----    | 560D  | I1710080 |
| 𪛵   | BADE      | ----    | 560E  | I1720080 |
| 𪛶   | BADF      | ----    | 560F  | I1730080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 嚶   | BAE0      | ----    | 5610  | I1740080 |
| 嚷   | BAE1      | ----    | 5611  | I1750080 |
| 嚸   | BAE2      | ----    | 5612  | I1760080 |
| 嚹   | BAE3      | ----    | 5619  | I1770080 |
| 嚺   | BAE4      | ----    | 562C  | I1780080 |
| 嚻   | BAE5      | ----    | 5630  | I1790080 |
| 嚼   | BAE6      | ----    | 5633  | I17A0080 |
| 嚽   | BAE7      | ----    | 5635  | I17B0080 |
| 嚾   | BAE8      | ----    | 5637  | I17C0080 |
| 嚿   | BAE9      | ----    | 5639  | I17D0080 |
| 嚿   | BAEA      | ----    | 563B  | I17E0080 |
| 嚿   | BAEB      | ----    | 563C  | I17F0080 |
| 嚿   | BAEC      | ----    | 563D  | I17G0080 |
| 嚿   | BAED      | ----    | 563F  | I17H0080 |
| 嚿   | BAEE      | ----    | 5640  | I17I0080 |
| 嚿   | BAEF      | ----    | 5641  | I17J0080 |
| 嚿   | BAF0      | ----    | 5643  | I17K0080 |
| 嚿   | BAF1      | ----    | 5644  | I17L0080 |
| 嚿   | BAF2      | ----    | 5646  | I17M0080 |
| 嚿   | BAF3      | ----    | 5649  | I17N0080 |
| 嚿   | BAF4      | ----    | 564B  | I17O0080 |
| 嚿   | BAF5      | ----    | 564D  | I17P0080 |
| 嚿   | BAF6      | ----    | 564F  | I17Q0080 |
| 嚿   | BAF7      | ----    | 5654  | I17R0080 |
| 嚿   | BAF8      | ----    | 565E  | I17S0080 |
| 嚿   | BAF9      | ----    | 5660  | I17T0080 |
| 嚿   | BAFA      | ----    | 5661  | I17U0080 |
| 嚿   | BAFB      | ----    | 5662  | I17V0080 |
| 嚿   | BAFC      | ----    | 5663  | I17W0080 |
| 嚿   | BAFD      | ----    | 5666  | I17X0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 嚿   | BAFE      | ----    | 5669  | I17Y0080 |
| 嚿   | BB41      | ----    | 566D  | I1810080 |
| 嚿   | BB42      | ----    | 566F  | I1820080 |
| 嚿   | BB43      | ----    | 5671  | I1830080 |
| 嚿   | BB44      | ----    | 5672  | I1840080 |
| 嚿   | BB45      | ----    | 5675  | I1850080 |
| 嚿   | BB46      | ----    | 5684  | I1860080 |
| 嚿   | BB47      | ----    | 5685  | I1870080 |
| 嚿   | BB48      | ----    | 5688  | I1880080 |
| 嚿   | BB49      | ----    | 568B  | I1890080 |
| 嚿   | BB4A      | ----    | 568C  | I18A0080 |
| 嚿   | BB4B      | ----    | 5695  | I18B0080 |
| 嚿   | BB4C      | ----    | 5699  | I18C0080 |
| 嚿   | BB4D      | ----    | 569A  | I18D0080 |
| 嚿   | BB4E      | ----    | 569D  | I18E0080 |
| 嚿   | BB4F      | ----    | 569E  | I18F0080 |
| 嚿   | BB50      | ----    | 569F  | I18G0080 |
| 嚿   | BB51      | ----    | 56A6  | I18H0080 |
| 嚿   | BB52      | ----    | 56A7  | I18I0080 |
| 嚿   | BB53      | ----    | 56A8  | I18J0080 |
| 嚿   | BB54      | ----    | 56A9  | I18K0080 |
| 嚿   | BB55      | ----    | 56AB  | I18L0080 |
| 嚿   | BB56      | ----    | 56AC  | I18M0080 |
| 嚿   | BB57      | ----    | 56AD  | I18N0080 |
| 嚿   | BB58      | ----    | 56B1  | I18O0080 |
| 嚿   | BB59      | ----    | 56B3  | I18P0080 |
| 嚿   | BB5A      | ----    | 56B7  | I18Q0080 |
| 嚿   | BB5B      | ----    | 56BE  | I18R0080 |
| 嚿   | BB5C      | ----    | 56C5  | I18S0080 |
| 嚿   | BB5D      | ----    | 56C9  | I18T0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 囊   | BB5E      | ----    | 56CA  | I18U0080 |
| 噴   | BB5F      | ----    | 56CB  | I18V0080 |
| 嚙   | BB60      | ----    | 56CC  | I18W0080 |
| 嚙   | BB61      | ----    | 56CD  | I18X0080 |
| 嚙   | BB62      | ----    | 56CF  | I18Y0080 |
| 嚙   | BB63      | ----    | 56D0  | I18Z0080 |
| 囧   | BB64      | ----    | 56D9  | I1900080 |
| 囧   | BB65      | ----    | 56DC  | I1910080 |
| 囧   | BB66      | ----    | 56DD  | I1920080 |
| 囧   | BB67      | ----    | 56DF  | I1930080 |
| 囧   | BB68      | ----    | 56E1  | I1940080 |
| 囧   | BB69      | ----    | 56E4  | I1950080 |
| 囧   | BB6A      | ----    | 56E5  | I1960080 |
| 囧   | BB6B      | ----    | 56E6  | I1970080 |
| 囧   | BB6C      | ----    | 56E7  | I1980080 |
| 囧   | BB6D      | ----    | 56E8  | I1990080 |
| 囧   | BB6E      | ----    | 56EB  | I19A0080 |
| 囧   | BB6F      | ----    | 56ED  | I19B0080 |
| 囧   | BB70      | ----    | 56F1  | I19C0080 |
| 囧   | BB71      | ----    | 56F6  | I19D0080 |
| 囧   | BB72      | ----    | 56F7  | I19E0080 |
| 囧   | BB73      | ----    | 5701  | I19F0080 |
| 囧   | BB74      | ----    | 5702  | I19G0080 |
| 囧   | BB75      | ----    | 5707  | I19H0080 |
| 囧   | BB76      | ----    | 570A  | I19I0080 |
| 囧   | BB77      | ----    | 570C  | I19J0080 |
| 囧   | BB78      | ----    | 5711  | I19K0080 |
| 囧   | BB79      | ----    | 5715  | I19L0080 |
| 囧   | BB7A      | ----    | 571A  | I19M0080 |
| 囧   | BB7B      | ----    | 571B  | I19N0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 囧   | BB7C      | ----    | 571D  | I19O0080 |
| 圪   | BB7D      | ----    | 5720  | I19P0080 |
| 圪   | BB7E      | ----    | 5722  | I19Q0080 |
| 圪   | BB7F      | ----    | 5723  | I19R0080 |
| 圪   | BB80      | ----    | 5724  | I19S0080 |
| 圪   | BB81      | ----    | 5725  | I19T0080 |
| 圪   | BB82      | ----    | 5729  | I19U0080 |
| 圪   | BB83      | ----    | 572A  | I19V0080 |
| 圪   | BB84      | ----    | 572C  | I19W0080 |
| 圪   | BB85      | ----    | 572E  | I19X0080 |
| 圪   | BB86      | ----    | 572F  | I19Y0080 |
| 圪   | BB87      | ----    | 5733  | I19Z0080 |
| 圪   | BB88      | ----    | 5734  | I1A00080 |
| 圪   | BB89      | ----    | 573D  | I1A10080 |
| 圪   | BB8A      | ----    | 573E  | I1A20080 |
| 圪   | BB8B      | ----    | 573F  | I1A30080 |
| 圪   | BB8C      | ----    | 5745  | I1A40080 |
| 圪   | BB8D      | ----    | 5746  | I1A50080 |
| 圪   | BB8E      | ----    | 574C  | I1A60080 |
| 圪   | BB8F      | ----    | 574D  | I1A70080 |
| 圪   | BB90      | ----    | 5752  | I1A80080 |
| 圪   | BB91      | ----    | 5762  | I1A90080 |
| 圪   | BB92      | ----    | 5767  | I1AA0080 |
| 圪   | BB93      | ----    | 5768  | I1AB0080 |
| 圪   | BB94      | ----    | 576B  | I1AC0080 |
| 圪   | BB95      | ----    | 576D  | I1AD0080 |
| 圪   | BB96      | ----    | 576E  | I1AE0080 |
| 圪   | BB97      | ----    | 576F  | I1AF0080 |
| 圪   | BB98      | ----    | 5770  | I1AG0080 |
| 圪   | BB99      | ----    | 5771  | I1AH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |           |
|---|-----------|---------|-------|-----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID     |
| 坳   | BB9A      | ----    | 5773  | IIAI0080  |
| 壘   | BB9B      | ----    | 5774  | IIAJ0080  |
| 坵   | BB9C      | ----    | 5775  | IIAK0080  |
| 坳   | BB9D      | ----    | 5777  | IIAL0080  |
| 坎   | BB9E      | ----    | 5779  | IIAM0080  |
| 坡   | BB9F      | ----    | 577A  | IIAN0080  |
| 坻   | BBA0      | ----    | 577B  | IIAO0080  |
| 坻   | BBA1      | ----    | 577C  | IIP0080   |
| 埤   | BBA2      | ----    | 577E  | IIAQ0080  |
| 埃   | BBA3      | ----    | 5781  | IIR0080   |
| 埧   | BBA4      | ----    | 5783  | IIS0080   |
| 坳   | BBA5      | ----    | 578C  | IIT0080   |
| 壘   | BBA6      | ----    | 5794  | IIAU0080  |
| 屋   | BBA7      | ----    | 5795  | IIAV0080  |
| 洮   | BBA8      | ----    | 5797  | IIAW0080  |
| 洮   | BBA9      | ----    | 5799  | IIX0080   |
| 壺   | BBAA      | ----    | 579A  | I IAY0080 |
| 堦   | BBAB      | ----    | 579C  | I IAZ0080 |
| 堦   | BBAC      | ----    | 579D  | IIB00080  |
| 堦   | BBAD      | ----    | 579E  | IIB10080  |
| 埤   | BBAE      | ----    | 579F  | IIB20080  |
| 堡   | BBAF      | ----    | 57A1  | IIB30080  |
| 响   | BBB0      | ----    | 57A7  | IIB40080  |
| 埤   | BBB1      | ----    | 57A8  | IIB50080  |
| 壘   | BBB2      | ----    | 57A9  | IIB60080  |
| 埤   | BBB3      | ----    | 57B8  | IIB70080  |
| 埤   | BBB4      | ----    | 57BD  | IIB80080  |
| 埤   | BBB5      | ----    | 57CC  | IIB90080  |
| 埤   | BBB6      | ----    | 57CF  | IIBA0080  |
| 埤   | BBB7      | ----    | 57D5  | IIBB0080  |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 埤   | BBB8      | ----    | 57DD  | IIBC0080 |
| 埤   | BBB9      | ----    | 57DE  | IIBD0080 |
| 埤   | BBBA      | ----    | 57E1  | IIBE0080 |
| 埤   | BBBB      | ----    | 57E4  | IIBF0080 |
| 埤   | BBBC      | ----    | 57E6  | IIBG0080 |
| 埤   | BBBD      | ----    | 57E7  | IIBH0080 |
| 埤   | BBBE      | ----    | 57E9  | IIBI0080 |
| 埤   | BBBF      | ----    | 57ED  | IIBJ0080 |
| 埤   | BBC0      | ----    | 57F0  | IIBK0080 |
| 埤   | BBC1      | ----    | 57F5  | IIBL0080 |
| 埤   | BBC2      | ----    | 57F6  | IIBM0080 |
| 埤   | BBC3      | ----    | 57F8  | IIBN0080 |
| 埤   | BBC4      | ----    | 57FD  | IIBO0080 |
| 埤   | BBC5      | ----    | 57FE  | IIBP0080 |
| 埤   | BBC6      | ----    | 57FF  | IIBQ0080 |
| 埤   | BBC7      | ----    | 5803  | IIBR0080 |
| 埤   | BBC8      | ----    | 5804  | IIBS0080 |
| 埤   | BBC9      | ----    | 5808  | IIBT0080 |
| 埤   | BBCA      | ----    | 5809  | IIBU0080 |
| 埤   | BBCB      | ----    | 580C  | IIBV0080 |
| 埤   | BBCC      | ----    | 580D  | IIBW0080 |
| 埤   | BBCD      | ----    | 581B  | IIBX0080 |
| 埤   | BBCE      | ----    | 581E  | IIBY0080 |
| 埤   | BBCF      | ----    | 581F  | IIBZ0080 |
| 埤   | BBD0      | ----    | 5820  | IIC00080 |
| 埤   | BBD1      | ----    | 5826  | IIC10080 |
| 埤   | BBD2      | ----    | 5827  | IIC20080 |
| 埤   | BBD3      | ----    | 582D  | IIC30080 |
| 埤   | BBD4      | ----    | 5832  | IIC40080 |
| 埤   | BBD5      | ----    | 5839  | IIC50080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 城   | BBD6      | ----    | 583F  | IIC60080 |
| 堵   | BBD7      | ----    | 5849  | IIC70080 |
| 場   | BBD8      | ----    | 584C  | IIC80080 |
| 塍   | BBD9      | ----    | 584D  | IIC90080 |
| 塹   | BBDA      | ----    | 584F  | IICA0080 |
| 壕   | BBDB      | ----    | 5850  | IICB0080 |
| 塹   | BBDC      | ----    | 5855  | IICC0080 |
| 塹   | BBDD      | ----    | 585F  | IICD0080 |
| 塹   | BBDE      | ----    | 5861  | IICE0080 |
| 塹   | BBDF      | ----    | 5864  | IICF0080 |
| 塹   | BBE0      | ----    | 5867  | IICG0080 |
| 塹   | BBE1      | ----    | 5868  | IICH0080 |
| 塹   | BBE2      | ----    | 5878  | IICJ0080 |
| 塹   | BBE3      | ----    | 587C  | IICJ0080 |
| 塹   | BBE4      | ----    | 587F  | IICK0080 |
| 塹   | BBE5      | ----    | 5880  | IICL0080 |
| 塹   | BBE6      | ----    | 5881  | IICM0080 |
| 塹   | BBE7      | ----    | 5887  | IICN0080 |
| 塹   | BBE8      | ----    | 5888  | IICO0080 |
| 塹   | BBE9      | ----    | 5889  | IICP0080 |
| 塹   | BBEA      | ----    | 588A  | IICQ0080 |
| 塹   | BBEB      | ----    | 588C  | IICR0080 |
| 塹   | BBEC      | ----    | 588D  | IICS0080 |
| 塹   | BBED      | ----    | 588F  | IICT0080 |
| 塹   | BBEE      | ----    | 5890  | IICU0080 |
| 塹   | BBEF      | ----    | 5894  | IICV0080 |
| 塹   | BBF0      | ----    | 5896  | IICW0080 |
| 塹   | BBF1      | ----    | 589D  | IICX0080 |
| 塹   | BBF2      | ----    | 58A0  | IICY0080 |
| 塹   | BBF3      | ----    | 58A1  | IICZ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 塹   | BBF4      | ----    | 58A2  | IID00080 |
| 塹   | BBF5      | ----    | 58A6  | IID10080 |
| 塹   | BBF6      | ----    | 58A9  | IID20080 |
| 塹   | BBF7      | ----    | 58B1  | IID30080 |
| 塹   | BBF8      | ----    | 58BC  | IID40080 |
| 塹   | BBF9      | ----    | 58C2  | IID50080 |
| 塹   | BBFA      | ----    | 58C4  | IID60080 |
| 塹   | BBFB      | ----    | 58C8  | IID70080 |
| 塹   | BBFC      | ----    | 58CD  | IID80080 |
| 塹   | BBFD      | ----    | 58CE  | IID90080 |
| 塹   | BBFE      | ----    | 58D0  | IIDA0080 |
| 塹   | BC41      | ----    | 58D2  | IIDD0080 |
| 塹   | BC42      | ----    | 58D4  | IIDE0080 |
| 塹   | BC43      | ----    | 58D6  | IIDF0080 |
| 塹   | BC44      | ----    | 58DA  | IIDG0080 |
| 塹   | BC45      | ----    | 58DD  | IIDH0080 |
| 塹   | BC46      | ----    | 58E1  | IIDI0080 |
| 塹   | BC47      | ----    | 58E2  | IIDJ0080 |
| 塹   | BC48      | ----    | 58E9  | IIDK0080 |
| 塹   | BC49      | ----    | 58F3  | IIDL0080 |
| 塹   | BC4A      | ----    | 5905  | IIDM0080 |
| 塹   | BC4B      | ----    | 5906  | IIDN0080 |
| 塹   | BC4C      | ----    | 590C  | IIDO0080 |
| 塹   | BC4D      | ----    | 5912  | IIDP0080 |
| 塹   | BC4E      | ----    | 5913  | IIDQ0080 |
| 塹   | BC4F      | ----    | 5914  | IIDR0080 |
| 塹   | BC50      | ----    | 591D  | IIDS0080 |
| 塹   | BC51      | ----    | 5921  | IIDT0080 |
| 塹   | BC52      | ----    | 5923  | IIDU0080 |
| 塹   | BC53      | ----    | 5924  | IIDV0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |           |
|---|-----------|---------|-------|-----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID     |
| 𠂇   | BC54      | ----    | 5928  | IIDW0080  |
| 𠂈   | BC55      | ----    | 592F  | IIDX0080  |
| 𠂉   | BC56      | ----    | 5930  | IIDY0080  |
| 𠂊   | BC57      | ----    | 5933  | IIDZ0080  |
| 𠂋   | BC58      | ----    | 5935  | IIE00080  |
| 𠂌   | BC59      | ----    | 5936  | IIE10080  |
| 𠂍   | BC5A      | ----    | 593F  | IIE20080  |
| 𠂎   | BC5B      | ----    | 5943  | IIE30080  |
| 𠂏   | BC5C      | ----    | 5946  | IIE40080  |
| 𠂐   | BC5D      | ----    | 5952  | IIE50080  |
| 𠂑   | BC5E      | ----    | 5959  | IIE60080  |
| 𠂒   | BC5F      | ----    | 595E  | IIE70080  |
| 𠂓   | BC60      | ----    | 595F  | IIE80080  |
| 𠂔   | BC61      | ----    | 5961  | IIE90080  |
| 𠂕   | BC62      | ----    | 596B  | IIEA0080  |
| 𠂖   | BC63      | ----    | 596D  | IIEB0080  |
| 𠂗   | BC64      | ----    | 596F  | IIEC0080  |
| 𠂘   | BC65      | ----    | 5972  | IIED0080  |
| 𠂙   | BC66      | ----    | 5975  | IIEE0080  |
| 𠂚   | BC67      | ----    | 5976  | IIEF0080  |
| 𠂛   | BC68      | ----    | 5979  | IIEG0080  |
| 𠂜   | BC69      | ----    | 597B  | IIEH0080  |
| 𠂝   | BC6A      | ----    | 597C  | IIEI0080  |
| 𠂞   | BC6B      | ----    | 598B  | IIEJ0080  |
| 𠂟   | BC6C      | ----    | 598C  | IIEK0080  |
| 𠂠   | BC6D      | ----    | 598E  | IIEL0080  |
| 𠂡   | BC6E      | ----    | 5992  | IIE M0080 |
| 𠂢   | BC6F      | ----    | 5995  | I IEN0080 |
| 𠂣   | BC70      | ----    | 5997  | I IEO0080 |
| 𠂤   | BC71      | ----    | 599F  | I IEP0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |            |
|---|-----------|---------|-------|------------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID      |
| 𠂥   | BC72      | ----    | 59A7  | IIEQ0080   |
| 𠂦   | BC73      | ----    | 59AD  | I IER0080  |
| 𠂧   | BC74      | ----    | 59AE  | I IES0080  |
| 𠂨   | BC75      | ----    | 59AF  | I IET0080  |
| 𠂩   | BC76      | ----    | 59B0  | I IEU0080  |
| 𠂪   | BC77      | ----    | 59B3  | I IEV0080  |
| 𠂫   | BC78      | ----    | 59B7  | I IEW0080  |
| 𠂬   | BC79      | ----    | 59BC  | I IEX0080  |
| 𠂭   | BC7A      | ----    | 59C1  | I I EY0080 |
| 𠂮   | BC7B      | ----    | 59C3  | I I EZ0080 |
| 𠂯   | BC7C      | ----    | 59C4  | I I F00080 |
| 𠂰   | BC7D      | ----    | 59C8  | I I F10080 |
| 𠂱   | BC7E      | ----    | 59CA  | I I F20080 |
| 𠂲   | BC7F      | ----    | 59CD  | I I F30080 |
| 𠂳   | BC80      | ----    | 59D2  | I I F40080 |
| 𠂴   | BC81      | ----    | 59DD  | I I F50080 |
| 𠂵   | BC82      | ----    | 59DE  | I I F60080 |
| 𠂶   | BC83      | ----    | 59DF  | I I F70080 |
| 𠂷   | BC84      | ----    | 59E3  | I I F80080 |
| 𠂸   | BC85      | ----    | 59E4  | I I F90080 |
| 𠂹   | BC86      | ----    | 59E7  | I I FA0080 |
| 𠂺   | BC87      | ----    | 59EE  | I I FB0080 |
| 𠂻   | BC88      | ----    | 59EF  | I I FC0080 |
| 𠂼   | BC89      | ----    | 59F1  | I I FD0080 |
| 𠂽   | BC8A      | ----    | 59F2  | I I FE0080 |
| 𠂾   | BC8B      | ----    | 59F4  | I I FF0080 |
| 𠂿   | BC8C      | ----    | 59F7  | I I FG0080 |
| 𠃀   | BC8D      | ----    | 5A00  | I I FH0080 |
| 𠃁   | BC8E      | ----    | 5A04  | I I FI0080 |
| 𠃂   | BC8F      | ----    | 5A0C  | I I FJ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 媾   | BC90      | ----    | 5A0D  | IIFK0080 |
| 媿   | BC91      | ----    | 5A0E  | IIFL0080 |
| 媿   | BC92      | ----    | 5A12  | IIFM0080 |
| 媿   | BC93      | ----    | 5A13  | IIFN0080 |
| 媿   | BC94      | ----    | 5A1E  | IIFO0080 |
| 媿   | BC95      | ----    | 5A23  | IIFP0080 |
| 媿   | BC96      | ----    | 5A24  | IIFQ0080 |
| 媿   | BC97      | ----    | 5A27  | IIFR0080 |
| 媿   | BC98      | ----    | 5A28  | IIFS0080 |
| 媿   | BC99      | ----    | 5A2A  | IIFT0080 |
| 媿   | BC9A      | ----    | 5A2D  | IIFU0080 |
| 媿   | BC9B      | ----    | 5A30  | IIFV0080 |
| 媿   | BC9C      | ----    | 5A44  | IIFW0080 |
| 媿   | BC9D      | ----    | 5A45  | IIFX0080 |
| 媿   | BC9E      | ----    | 5A47  | IIFY0080 |
| 媿   | BC9F      | ----    | 5A48  | IIFZ0080 |
| 媿   | BCA0      | ----    | 5A4C  | IIG00080 |
| 媿   | BCA1      | ----    | 5A50  | IIG10080 |
| 媿   | BCA2      | ----    | 5A55  | IIG20080 |
| 媿   | BCA3      | ----    | 5A5E  | IIG30080 |
| 媿   | BCA4      | ----    | 5A63  | IIG40080 |
| 媿   | BCA5      | ----    | 5A65  | IIG50080 |
| 媿   | BCA6      | ----    | 5A67  | IIG60080 |
| 媿   | BCA7      | ----    | 5A6D  | IIG70080 |
| 媿   | BCA8      | ----    | 5A77  | IIG80080 |
| 媿   | BCA9      | ----    | 5A7A  | IIG90080 |
| 媿   | BCAA      | ----    | 5A7B  | IIGA0080 |
| 媿   | BCAB      | ----    | 5A7E  | IIGB0080 |
| 媿   | BCAC      | ----    | 5A8B  | IIGC0080 |
| 媿   | BCAD      | ----    | 5A90  | IIGD0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 媿   | BCAE      | ----    | 5A93  | IIGE0080 |
| 媿   | BCAF      | ----    | 5A96  | IIGF0080 |
| 媿   | BCB0      | ----    | 5A99  | IIGG0080 |
| 媿   | BCB1      | ----    | 5A9C  | IIGH0080 |
| 媿   | BCB2      | ----    | 5A9E  | IIGI0080 |
| 媿   | BCB3      | ----    | 5A9F  | IIGJ0080 |
| 媿   | BCB4      | ----    | 5AA0  | IIGK0080 |
| 媿   | BCB5      | ----    | 5AA2  | IIGL0080 |
| 媿   | BCB6      | ----    | 5AA7  | IIGM0080 |
| 媿   | BCB7      | ----    | 5AAC  | IIGN0080 |
| 媿   | BCB8      | ----    | 5AB1  | IIGO0080 |
| 媿   | BCB9      | ----    | 5AB2  | IIGP0080 |
| 媿   | BCBA      | ----    | 5AB3  | IIGQ0080 |
| 媿   | BCBB      | ----    | 5AB5  | IIGR0080 |
| 媿   | BCBC      | ----    | 5AB8  | IIGS0080 |
| 媿   | BCBD      | ----    | 5ABA  | IIGT0080 |
| 媿   | BCBE      | ----    | 5ABB  | IIGU0080 |
| 媿   | BCBF      | ----    | 5ABF  | IIGV0080 |
| 媿   | BCC0      | ----    | 5AC4  | IIGW0080 |
| 媿   | BCC1      | ----    | 5AC6  | IIGX0080 |
| 媿   | BCC2      | ----    | 5AC8  | IIGY0080 |
| 媿   | BCC3      | ----    | 5ACF  | IIGZ0080 |
| 媿   | BCC4      | ----    | 5ADA  | IIH00080 |
| 媿   | BCC5      | ----    | 5ADC  | IIH10080 |
| 媿   | BCC6      | ----    | 5AE0  | IIH20080 |
| 媿   | BCC7      | ----    | 5AE5  | IIH30080 |
| 媿   | BCC8      | ----    | 5AEA  | IIH40080 |
| 媿   | BCC9      | ----    | 5AEE  | IIH50080 |
| 媿   | BCCA      | ----    | 5AF5  | IIH60080 |
| 媿   | BCCB      | ----    | 5AF6  | IIH70080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 嫖   | BCCC      | ----    | 5AFD  | IIH80080 |
| 嫖   | BCCD      | ----    | 5B00  | IIH90080 |
| 燈   | BCCE      | ----    | 5B01  | IIHA0080 |
| 嫖   | BCCF      | ----    | 5B08  | IIHB0080 |
| 嬪   | BCD0      | ----    | 5B17  | IIHC0080 |
| 嬪   | BCD1      | ----    | 5B19  | IIHD0080 |
| 嬪   | BCD2      | ----    | 5B1B  | IIHE0080 |
| 嬪   | BCD3      | ----    | 5B1D  | IIHF0080 |
| 嬪   | BCD4      | ----    | 5B21  | IIHG0080 |
| 嬪   | BCD5      | ----    | 5B25  | IIHH0080 |
| 嬪   | BCD6      | ----    | 5B2D  | IIHI0080 |
| 嬴   | BCD7      | ----    | 5B34  | IIHJ0080 |
| 嬪   | BCD8      | ----    | 5B38  | IIHK0080 |
| 嬪   | BCD9      | ----    | 5B41  | IIHL0080 |
| 嬪   | BCDA      | ----    | 5B4B  | IIHM0080 |
| 嬪   | BCDB      | ----    | 5B4C  | IIHN0080 |
| 子   | BCDC      | ----    | 5B52  | IIHO0080 |
| 忒   | BCDD      | ----    | 5B5E  | IIHP0080 |
| 弄   | BCDE      | ----    | 5B68  | IIHQ0080 |
| 綜   | BCDF      | ----    | 5B6E  | IIHR0080 |
| 擘   | BCE0      | ----    | 5B6F  | IIHS0080 |
| 擘   | BCE1      | ----    | 5B7C  | IIHT0080 |
| 擘   | BCE2      | ----    | 5B7D  | IIHU0080 |
| 櫻   | BCE3      | ----    | 5B7E  | IIHV0080 |
| 孿   | BCE4      | ----    | 5B7F  | IIHW0080 |
| 宁   | BCE5      | ----    | 5B81  | IIHX0080 |
| 宄   | BCE6      | ----    | 5B84  | IIHY0080 |
| 穹   | BCE7      | ----    | 5B86  | IIHZ0080 |
| 宄   | BCE8      | ----    | 5B8A  | III00080 |
| 宄   | BCE9      | ----    | 5B8E  | III10080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 互   | BCEA      | ----    | 5B90  | III20080 |
| 弃   | BCEB      | ----    | 5B91  | III30080 |
| 宄   | BCEC      | ----    | 5B93  | III40080 |
| 宄   | BCED      | ----    | 5B94  | III50080 |
| 宄   | BCEE      | ----    | 5B96  | III60080 |
| 宄   | BCEF      | ----    | 5BA8  | III70080 |
| 宄   | BCF0      | ----    | 5BA9  | III80080 |
| 宄   | BCF1      | ----    | 5BAC  | III90080 |
| 宄   | BCF2      | ----    | 5BAD  | IIIA0080 |
| 宄   | BCF3      | ----    | 5BAF  | IIIB0080 |
| 宄   | BCF4      | ----    | 5BB1  | IIIC0080 |
| 宄   | BCF5      | ----    | 5BB2  | IIID0080 |
| 宄   | BCF6      | ----    | 5BB7  | IIIE0080 |
| 宄   | BCF7      | ----    | 5BBA  | IIIF0080 |
| 宄   | BCF8      | ----    | 5BBC  | IIIG0080 |
| 宄   | BCF9      | ----    | 5BC1  | IIIH0080 |
| 宄   | BCFA      | ----    | 5BCD  | IIII0080 |
| 宄   | BCFB      | ----    | 5BCF  | IIIJ0080 |
| 宄   | BCFC      | ----    | 5BD6  | IIIK0080 |
| 宄   | BCFD      | ----    | 5BD7  | IIIL0080 |
| 宄   | BCFE      | ----    | 5BD9  | IIIM0080 |
| 宄   | BD41      | ----    | 5BDA  | IIIP0080 |
| 宄   | BD42      | ----    | 5BE0  | IIIQ0080 |
| 宄   | BD43      | ----    | 5BEF  | IIIR0080 |
| 宄   | BD44      | ----    | 5BF1  | IIIS0080 |
| 親   | BD45      | ----    | 5BF4  | IIIT0080 |
| 守   | BD46      | ----    | 5BFD  | IIIU0080 |
| 封   | BD47      | ----    | 5C0C  | IIIV0080 |
| 未   | BD48      | ----    | 5C17  | IIIW0080 |
| 匙   | BD49      | ----    | 5C1F  | IIIX0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |         |
|---|-----------|---------|-------|---------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID   |
| 允   | BD4A      | ----    | 5C23  | IIY0080 |
| 匏   | BD4B      | ----    | 5C26  | IIZ0080 |
| 甗   | BD4C      | ----    | 5C29  | IJ00080 |
| 甗   | BD4D      | ----    | 5C2B  | IJ10080 |
| 尪   | BD4E      | ----    | 5C2C  | IJ20080 |
| 尪   | BD4F      | ----    | 5C2E  | IJ30080 |
| 尪   | BD50      | ----    | 5C30  | IJ40080 |
| 尪   | BD51      | ----    | 5C32  | IJ50080 |
| 尪   | BD52      | ----    | 5C35  | IJ60080 |
| 尪   | BD53      | ----    | 5C36  | IJ70080 |
| 尪   | BD54      | ----    | 5C59  | IJ80080 |
| 尪   | BD55      | ----    | 5C5A  | IJ90080 |
| 屮   | BD56      | ----    | 5C5C  | IJA0080 |
| 屮   | BD57      | ----    | 5C62  | IJB0080 |
| 屮   | BD58      | ----    | 5C63  | IJC0080 |
| 屮   | BD59      | ----    | 5C67  | IJD0080 |
| 屮   | BD5A      | ----    | 5C68  | IJE0080 |
| 屮   | BD5B      | ----    | 5C69  | IJF0080 |
| 屮   | BD5C      | ----    | 5C6D  | IJG0080 |
| 屮   | BD5D      | ----    | 5C70  | IJH0080 |
| 屮   | BD5E      | ----    | 5C74  | IJI0080 |
| 屮   | BD5F      | ----    | 5C75  | IJJ0080 |
| 屮   | BD60      | ----    | 5C7A  | IJK0080 |
| 屮   | BD61      | ----    | 5C7B  | IJL0080 |
| 屮   | BD62      | ----    | 5C7C  | IJM0080 |
| 屮   | BD63      | ----    | 5C7D  | IJN0080 |
| 屮   | BD64      | ----    | 5C87  | IJO0080 |
| 屮   | BD65      | ----    | 5C88  | IJP0080 |
| 屮   | BD66      | ----    | 5C8A  | IJQ0080 |
| 屮   | BD67      | ----    | 5C8F  | IJR0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |         |
|---|-----------|---------|-------|---------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID   |
| 嶺   | BD68      | ----    | 5C92  | IJS0080 |
| 嶺   | BD69      | ----    | 5C9D  | IJT0080 |
| 峽   | BD6A      | ----    | 5C9F  | IJU0080 |
| 峽   | BD6B      | ----    | 5CA0  | IJV0080 |
| 岨   | BD6C      | ----    | 5CA2  | IJW0080 |
| 岨   | BD6D      | ----    | 5CA3  | IJX0080 |
| 嶺   | BD6E      | ----    | 5CAA  | IJY0080 |
| 峴   | BD6F      | ----    | 5CB2  | IJZ0080 |
| 岨   | BD70      | ----    | 5CB4  | IK00080 |
| 岨   | BD71      | ----    | 5CB5  | IK10080 |
| 峯   | BD72      | ----    | 5CC9  | IK20080 |
| 岨   | BD73      | ----    | 5CCB  | IK30080 |
| 岨   | BD74      | ----    | 5CD2  | IK40080 |
| 嶺   | BD75      | ----    | 5CD7  | IK50080 |
| 岨   | BD76      | ----    | 5CDD  | IK60080 |
| 岨   | BD77      | ----    | 5CEE  | IK70080 |
| 嶺   | BD78      | ----    | 5CF1  | IK80080 |
| 嶺   | BD79      | ----    | 5CF2  | IK90080 |
| 岨   | BD7A      | ----    | 5CF4  | IKA0080 |
| 嶺   | BD7B      | ----    | 5D01  | IKB0080 |
| 嶺   | BD7C      | ----    | 5D06  | IKC0080 |
| 嶺   | BD7D      | ----    | 5D0D  | IKD0080 |
| 嶺   | BD7E      | ----    | 5D12  | IKE0080 |
| 嶺   | BD7F      | ----    | 5D23  | IKF0080 |
| 嶺   | BD80      | ----    | 5D24  | IKG0080 |
| 嶺   | BD81      | ----    | 5D26  | IKH0080 |
| 嶺   | BD82      | ----    | 5D2B  | IKI0080 |
| 嶺   | BD83      | ----    | 5D31  | IKJ0080 |
| 嶺   | BD84      | ----    | 5D34  | IKK0080 |
| 嶺   | BD85      | ----    | 5D39  | IKL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 崑   | BD86      | ----    | 5D3D  | IIKM0080 |
| 嶠   | BD87      | ----    | 5D3F  | IIKN0080 |
| 嶲   | BD88      | ----    | 5D43  | IIKO0080 |
| 嵒   | BD89      | ----    | 5D46  | IIKP0080 |
| 峻   | BD8A      | ----    | 5D48  | IIKQ0080 |
| 嶲   | BD8B      | ----    | 5D4A  | IIKR0080 |
| 嶲   | BD8C      | ----    | 5D51  | IIKS0080 |
| 嶲   | BD8D      | ----    | 5D55  | IIKT0080 |
| 崱   | BD8E      | ----    | 5D59  | IIKU0080 |
| 崖   | BD8F      | ----    | 5D5F  | IIKV0080 |
| 嶲   | BD90      | ----    | 5D60  | IIKW0080 |
| 嶲   | BD91      | ----    | 5D61  | IIKX0080 |
| 嶲   | BD92      | ----    | 5D62  | IIKY0080 |
| 崱   | BD93      | ----    | 5D64  | IIKZ0080 |
| 嶲   | BD94      | ----    | 5D6A  | IIL00080 |
| 嶲   | BD95      | ----    | 5D70  | IIL10080 |
| 嶲   | BD96      | ----    | 5D79  | IIL20080 |
| 嶲   | BD97      | ----    | 5D7A  | IIL30080 |
| 嶲   | BD98      | ----    | 5D7E  | IIL40080 |
| 嶲   | BD99      | ----    | 5D7F  | IIL50080 |
| 嶲   | BD9A      | ----    | 5D81  | IIL60080 |
| 嶲   | BD9B      | ----    | 5D83  | IIL70080 |
| 嶲   | BD9C      | ----    | 5D88  | IIL80080 |
| 嶲   | BD9D      | ----    | 5D8A  | IIL90080 |
| 嶲   | BD9E      | ----    | 5D92  | IILA0080 |
| 嶲   | BD9F      | ----    | 5D93  | IILB0080 |
| 嶲   | BDA0      | ----    | 5D94  | IILC0080 |
| 嶲   | BDA1      | ----    | 5D95  | IILD0080 |
| 嶲   | BDA2      | ----    | 5D99  | IILE0080 |
| 嶲   | BDA3      | ----    | 5D9B  | IILF0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 嶲   | BDA4      | ----    | 5D9F  | IILG0080 |
| 嶲   | BDA5      | ----    | 5DA0  | IILH0080 |
| 嶲   | BDA6      | ----    | 5DA7  | IILI0080 |
| 嶲   | BDA7      | ----    | 5DAB  | IILJ0080 |
| 嶲   | BDA8      | ----    | 5DB0  | IILK0080 |
| 嶲   | BDA9      | ----    | 5DB2  | IILL0080 |
| 嶲   | BDA A     | ----    | 5DB4  | IILM0080 |
| 嶲   | BDAB      | ----    | 5DC3  | IILN0080 |
| 嶲   | BDAC      | ----    | 5DC7  | IILO0080 |
| 嶲   | BDAD      | ----    | 5DCB  | IILP0080 |
| 嶲   | BDAE      | ----    | 5DCE  | IILQ0080 |
| 嶲   | BDAF      | ----    | 5DD8  | IILR0080 |
| 嶲   | BDB0      | ----    | 5DD9  | IILS0080 |
| 嶲   | BDB1      | ----    | 5DE0  | IILT0080 |
| 嶲   | BDB2      | ----    | 5DE4  | IILU0080 |
| 嶲   | BDB3      | ----    | 5DE9  | IILV0080 |
| 嶲   | BDB4      | ----    | 5DF8  | IILW0080 |
| 嶲   | BDB5      | ----    | 5DF9  | IILX0080 |
| 嶲   | BDB6      | ----    | 5E00  | IILY0080 |
| 嶲   | BDB7      | ----    | 5E07  | IILZ0080 |
| 嶲   | BDB8      | ----    | 5E0D  | IIM00080 |
| 嶲   | BDB9      | ----    | 5E12  | IIM10080 |
| 嶲   | BDBA      | ----    | 5E14  | IIM20080 |
| 嶲   | BDBB      | ----    | 5E15  | IIM30080 |
| 嶲   | BDBC      | ----    | 5E18  | IIM40080 |
| 嶲   | BDBD      | ----    | 5E1F  | IIM50080 |
| 嶲   | BDBE      | ----    | 5E20  | IIM60080 |
| 嶲   | BDBF      | ----    | 5E28  | IIM70080 |
| 嶲   | BDC0      | ----    | 5E2E  | IIM80080 |
| 嶲   | BDC1      | ----    | 5E32  | IIM90080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 幌   | BDC2      | ----    | 5E35  | IIMA0080 |
| 桴   | BDC3      | ----    | 5E3E  | IIMB0080 |
| 蝶   | BDC4      | ----    | 5E49  | IIMC0080 |
| 幣   | BDC5      | ----    | 5E4B  | IIMD0080 |
| 勝   | BDC6      | ----    | 5E50  | IIME0080 |
| 徽   | BDC7      | ----    | 5E51  | IIMF0080 |
| 標   | BDC8      | ----    | 5E56  | IIMG0080 |
| 幘   | BDC9      | ----    | 5E58  | IIMH0080 |
| 幘   | BDCA      | ----    | 5E5B  | IIMI0080 |
| 幘   | BDCB      | ----    | 5E5C  | IIMJ0080 |
| 幘   | BDCD      | ----    | 5E5E  | IIMK0080 |
| 幘   | BDCD      | ----    | 5E68  | IIML0080 |
| 幘   | BDCE      | ----    | 5E6A  | IIMM0080 |
| 幫   | BDCF      | ----    | 5E6B  | IIMN0080 |
| 幘   | BDD0      | ----    | 5E6C  | IIMO0080 |
| 幘   | BDD1      | ----    | 5E6D  | IIMP0080 |
| 幘   | BDD2      | ----    | 5E6E  | IIMQ0080 |
| 幘   | BDD3      | ----    | 5E70  | IIMR0080 |
| 庀   | BDD4      | ----    | 5E80  | IIMS0080 |
| 庀   | BDD5      | ----    | 5E8B  | IIMT0080 |
| 庀   | BDD6      | ----    | 5E8E  | IIMU0080 |
| 庀   | BDD7      | ----    | 5EA2  | IIMV0080 |
| 庀   | BDD8      | ----    | 5EA4  | IIMW0080 |
| 庀   | BDD9      | ----    | 5EA5  | IIMX0080 |
| 庀   | BDDA      | ----    | 5EA8  | IIMY0080 |
| 庀   | Bddb      | ----    | 5EAA  | IIMZ0080 |
| 庀   | BDDC      | ----    | 5EAC  | IIN00080 |
| 庀   | BDDD      | ----    | 5EB1  | IIN10080 |
| 庀   | BDDE      | ----    | 5EB3  | IIN20080 |
| 庀   | BDDF      | ----    | 5EBD  | IIN30080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 庀   | BDE0      | ----    | 5EBE  | IIN40080 |
| 庀   | BDE1      | ----    | 5EBF  | IIN50080 |
| 庀   | BDE2      | ----    | 5EC6  | IIN60080 |
| 庀   | BDE3      | ----    | 5ECB  | IIN70080 |
| 庀   | BDE4      | ----    | 5ECC  | IIN80080 |
| 庀   | BDE5      | ----    | 5ECE  | IIN90080 |
| 庀   | BDE6      | ----    | 5ED1  | IINA0080 |
| 庀   | BDE7      | ----    | 5ED2  | IINB0080 |
| 庀   | BDE8      | ----    | 5ED4  | IINC0080 |
| 庀   | BDE9      | ----    | 5ED5  | IIND0080 |
| 庀   | BDEA      | ----    | 5EDC  | IINE0080 |
| 庀   | BDEB      | ----    | 5EDE  | IINF0080 |
| 庀   | BDEC      | ----    | 5EE5  | IING0080 |
| 庀   | BDED      | ----    | 5EEB  | IINH0080 |
| 𠄎   | BDEE      | ----    | 5F02  | IINI0080 |
| 𠄎   | BDEF      | ----    | 5F06  | IINJ0080 |
| 𠄎   | BDF0      | ----    | 5F07  | IINK0080 |
| 𠄎   | BDF1      | ----    | 5F08  | IINL0080 |
| 𠄎   | BDF2      | ----    | 5F0E  | IINM0080 |
| 𠄎   | BDF3      | ----    | 5F19  | IINN0080 |
| 𠄎   | BDF4      | ----    | 5F1C  | IINO0080 |
| 𠄎   | BDF5      | ----    | 5F1D  | IINP0080 |
| 𠄎   | BDF6      | ----    | 5F22  | IINQ0080 |
| 𠄎   | BDF7      | ----    | 5F23  | IINR0080 |
| 𠄎   | BDF8      | ----    | 5F24  | IINS0080 |
| 𠄎   | BDF9      | ----    | 5F28  | IINT0080 |
| 𠄎   | BDFa      | ----    | 5F2B  | IINU0080 |
| 𠄎   | BDFB      | ----    | 5F2C  | IINV0080 |
| 𠄎   | BDFC      | ----    | 5F2E  | IINW0080 |
| 𠄎   | BDFD      | ----    | 5F30  | IINX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |           |
|---|-----------|---------|-------|-----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID     |
| 涼   | BDFE      | ----    | 5F36  | IINY0080  |
| 彌   | BE41      | ----    | 5F3B  | IIO10080  |
| 躑   | BE42      | ----    | 5F3D  | IIO20080  |
| 騫   | BE43      | ----    | 5F3F  | IIO30080  |
| 穀   | BE44      | ----    | 5F40  | IIO40080  |
| 疆   | BE45      | ----    | 5F44  | IIO50080  |
| 彌   | BE46      | ----    | 5F47  | IIO60080  |
| 曠   | BE47      | ----    | 5F4D  | IIO70080  |
| 𠂇   | BE48      | ----    | 5F50  | IIO80080  |
| 𠂈   | BE49      | ----    | 5F54  | IIO90080  |
| 𠂉   | BE4A      | ----    | 5F58  | IIOA0080  |
| 𠂊   | BE4B      | ----    | 5F5B  | IIOB0080  |
| 護   | BE4C      | ----    | 5F60  | IIOC0080  |
| 𠂋   | BE4D      | ----    | 5F63  | IIOD0080  |
| 𠂌   | BE4E      | ----    | 5F64  | IIOE0080  |
| 𠂍   | BE4F      | ----    | 5F6F  | IIOF0080  |
| 𠂎   | BE50      | ----    | 5F72  | IIOG0080  |
| 𠂏   | BE51      | ----    | 5F74  | IIOH0080  |
| 𠂐   | BE52      | ----    | 5F75  | IIOI0080  |
| 𠂑   | BE53      | ----    | 5F78  | IIOJ0080  |
| 𠂒   | BE54      | ----    | 5F7A  | IIOK0080  |
| 𠂓   | BE55      | ----    | 5F7D  | IIO L0080 |
| 𠂔   | BE56      | ----    | 5F7E  | IIO M0080 |
| 𠂕   | BE57      | ----    | 5F89  | IION0080  |
| 𠂖   | BE58      | ----    | 5F8D  | IIOO0080  |
| 𠂗   | BE59      | ----    | 5F8F  | IIO P0080 |
| 𠂘   | BE5A      | ----    | 5F96  | IIOQ0080  |
| 𠂙   | BE5B      | ----    | 5F9C  | IIOR0080  |
| 𠂚   | BE5C      | ----    | 5F9D  | IIOS0080  |
| 𠂛   | BE5D      | ----    | 5FA2  | IIO T0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |           |
|---|-----------|---------|-------|-----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID     |
| 健   | BE5E      | ----    | 5FA4  | IIOU0080  |
| 徧   | BE5F      | ----    | 5FA7  | IIOV0080  |
| 徠   | BE60      | ----    | 5FAB  | IIO W0080 |
| 徢   | BE61      | ----    | 5FAC  | IIOX0080  |
| 徣   | BE62      | ----    | 5FAF  | IIOY0080  |
| 徤   | BE63      | ----    | 5FB0  | IIOZ0080  |
| 徥   | BE64      | ----    | 5FB1  | IIP00080  |
| 徦   | BE65      | ----    | 5FB8  | IIP10080  |
| 𠂜   | BE66      | ----    | 5FC4  | IIP20080  |
| 𠂝   | BE67      | ----    | 5FC7  | IIP30080  |
| 𠂞   | BE68      | ----    | 5FC8  | IIP40080  |
| 𠂟   | BE69      | ----    | 5FC9  | IIP50080  |
| 𠂠   | BE6A      | ----    | 5FCB  | IIP60080  |
| 𠂡   | BE6B      | ----    | 5FD0  | IIP70080  |
| 𠂢   | BE6C      | ----    | 5FD1  | IIP80080  |
| 𠂣   | BE6D      | ----    | 5FD2  | IIP90080  |
| 𠂤   | BE6E      | ----    | 5FD3  | IIPA0080  |
| 𠂥   | BE6F      | ----    | 5FD4  | IIPB0080  |
| 𠂦   | BE70      | ----    | 5FE1  | IIPC0080  |
| 𠂧   | BE71      | ----    | 5FE2  | IIPD0080  |
| 𠂨   | BE72      | ----    | 5FE8  | IIP E0080 |
| 𠂩   | BE73      | ----    | 5FE9  | IIPF0080  |
| 𠂪   | BE74      | ----    | 5FEA  | IIPG0080  |
| 𠂫   | BE75      | ----    | 5FEC  | IIPH0080  |
| 𠂬   | BE76      | ----    | 5FED  | IIP I0080 |
| 𠂭   | BE77      | ----    | 5FEE  | IIPJ0080  |
| 𠂮   | BE78      | ----    | 5FEF  | IIPK0080  |
| 𠂯   | BE79      | ----    | 5FF2  | IIP L0080 |
| 𠂰   | BE7A      | ----    | 5FF3  | IIP M0080 |
| 𠂱   | BE7B      | ----    | 5FF6  | IIPN0080  |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 忒   | BE7C      | ----    | 5FFA  | IIPO0080 |
| 忒   | BE7D      | ----    | 5FFC  | IIPP0080 |
| 恒   | BE7E      | ----    | 6007  | IIPQ0080 |
| 招   | BE7F      | ----    | 600A  | IIPR0080 |
| 忒   | BE80      | ----    | 600D  | IIPS0080 |
| 忒   | BE81      | ----    | 6013  | IIPT0080 |
| 忒   | BE82      | ----    | 6014  | IIPU0080 |
| 忒   | BE83      | ----    | 6017  | IIPV0080 |
| 忒   | BE84      | ----    | 6018  | IIPW0080 |
| 恒   | BE85      | ----    | 601A  | IIPX0080 |
| 忒   | BE86      | ----    | 601F  | IIPY0080 |
| 忒   | BE87      | ----    | 6024  | IIPZ0080 |
| 忒   | BE88      | ----    | 602D  | IIQ00080 |
| 忒   | BE89      | ----    | 6033  | IIQ10080 |
| 忒   | BE8A      | ----    | 6035  | IIQ20080 |
| 忒   | BE8B      | ----    | 6040  | IIQ30080 |
| 恒   | BE8C      | ----    | 6047  | IIQ40080 |
| 忒   | BE8D      | ----    | 6048  | IIQ50080 |
| 忒   | BE8E      | ----    | 6049  | IIQ60080 |
| 忒   | BE8F      | ----    | 604C  | IIQ70080 |
| 忒   | BE90      | ----    | 6051  | IIQ80080 |
| 忒   | BE91      | ----    | 6054  | IIQ90080 |
| 忒   | BE92      | ----    | 6056  | IIQA0080 |
| 忒   | BE93      | ----    | 6057  | IIQB0080 |
| 忒   | BE94      | ----    | 6061  | IIQC0080 |
| 忒   | BE95      | ----    | 6067  | IIQD0080 |
| 忒   | BE96      | ----    | 6071  | IIQE0080 |
| 忒   | BE97      | ----    | 607E  | IIQF0080 |
| 忒   | BE98      | ----    | 607F  | IIQG0080 |
| 忒   | BE99      | ----    | 6082  | IIQH0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 忒   | BE9A      | ----    | 6086  | IIQI0080 |
| 忒   | BE9B      | ----    | 6088  | IIQJ0080 |
| 忒   | BE9C      | ----    | 608E  | IIQK0080 |
| 忒   | BE9D      | ----    | 6091  | IIQL0080 |
| 忒   | BE9E      | ----    | 6093  | IIQM0080 |
| 忒   | BE9F      | ----    | 6095  | IIQN0080 |
| 忒   | BEA0      | ----    | 6098  | IIQO0080 |
| 忒   | BEA1      | ----    | 609D  | IIQP0080 |
| 忒   | BEA2      | ----    | 609E  | IIQQ0080 |
| 恒   | BEA3      | ----    | 60A2  | IIQR0080 |
| 忒   | BEA4      | ----    | 60A4  | IIQS0080 |
| 忒   | BEA5      | ----    | 60A5  | IIQT0080 |
| 忒   | BEA6      | ----    | 60A8  | IQU00080 |
| 忒   | BEA7      | ----    | 60B0  | IQV00080 |
| 忒   | BEA8      | ----    | 60B1  | IQW00080 |
| 忒   | BEA9      | ----    | 60B7  | IQX00080 |
| 忒   | BEAA      | ----    | 60BB  | IQY00080 |
| 忒   | BEAB      | ----    | 60BE  | IQZ00080 |
| 忒   | BEAC      | ----    | 60C2  | IIR00080 |
| 忒   | BEAD      | ----    | 60C4  | IIR10080 |
| 忒   | BEAE      | ----    | 60C8  | IIR20080 |
| 忒   | BEAF      | ----    | 60C9  | IIR30080 |
| 惊   | BEB0      | ----    | 60CA  | IIR40080 |
| 忒   | BEB1      | ----    | 60CB  | IIR50080 |
| 忒   | BEB2      | ----    | 60CE  | IIR60080 |
| 忒   | BEB3      | ----    | 60CF  | IIR70080 |
| 忒   | BEB4      | ----    | 60D4  | IIR80080 |
| 忒   | BEB5      | ----    | 60D9  | IIR90080 |
| 忒   | BEB6      | ----    | 60DB  | IIRA0080 |
| 忒   | BEB7      | ----    | 60DD  | IIRB0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 忒   | BEB8      | ----    | 60E2  | IIRC0080 |
| 悃   | BEB9      | ----    | 60E5  | IIRD0080 |
| 懞   | BEBA      | ----    | 60F5  | IIRE0080 |
| 悞   | BEBB      | ----    | 60F8  | IIRF0080 |
| 偏   | BEBC      | ----    | 60FC  | IIRG0080 |
| 悞   | BEBD      | ----    | 60FD  | IIRH0080 |
| 悞   | BEBE      | ----    | 6102  | IIRI0080 |
| 悞   | BEBF      | ----    | 6107  | IIRJ0080 |
| 悞   | BEC0      | ----    | 610A  | IIRK0080 |
| 悞   | BEC1      | ----    | 610C  | IIRL0080 |
| 悞   | BEC2      | ----    | 6110  | IIRM0080 |
| 悞   | BEC3      | ----    | 6112  | IIRN0080 |
| 悞   | BEC4      | ----    | 6113  | IIRO0080 |
| 悞   | BEC5      | ----    | 6114  | IIRP0080 |
| 悞   | BEC6      | ----    | 6116  | IIRQ0080 |
| 悞   | BEC7      | ----    | 6117  | IIRR0080 |
| 悞   | BEC8      | ----    | 6119  | IIRS0080 |
| 悞   | BEC9      | ----    | 611C  | IIRT0080 |
| 悞   | BECA      | ----    | 611E  | IIRU0080 |
| 悞   | BECB      | ----    | 6122  | IIRV0080 |
| 悞   | BECC      | ----    | 612A  | IIRW0080 |
| 悞   | BECD      | ----    | 612B  | IIRX0080 |
| 悞   | BECE      | ----    | 6131  | IIRY0080 |
| 悞   | BECF      | ----    | 6135  | IIRZ0080 |
| 悞   | BED0      | ----    | 6136  | IIS00080 |
| 悞   | BED1      | ----    | 6139  | IIS10080 |
| 悞   | BED2      | ----    | 6141  | IIS20080 |
| 悞   | BED3      | ----    | 6145  | IIS30080 |
| 悞   | BED4      | ----    | 6146  | IIS40080 |
| 悞   | BED5      | ----    | 6149  | IIS50080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 悞   | BED6      | ----    | 615E  | IIS60080 |
| 悞   | BED7      | ----    | 6160  | IIS70080 |
| 悞   | BED8      | ----    | 616C  | IIS80080 |
| 悞   | BED9      | ----    | 6172  | IIS90080 |
| 悞   | BEDA      | ----    | 6178  | IISA0080 |
| 悞   | BEDB      | ----    | 617B  | IISB0080 |
| 悞   | BEDC      | ----    | 617C  | IISC0080 |
| 悞   | BEDD      | ----    | 617F  | IISD0080 |
| 悞   | BEDE      | ----    | 6180  | IISE0080 |
| 悞   | BEDF      | ----    | 6181  | IISF0080 |
| 悞   | BEE0      | ----    | 6183  | IISG0080 |
| 悞   | BEE1      | ----    | 6184  | IISH0080 |
| 悞   | BEE2      | ----    | 618B  | IISI0080 |
| 悞   | BEE3      | ----    | 618D  | IISJ0080 |
| 悞   | BEE4      | ----    | 6192  | IISK0080 |
| 悞   | BEE5      | ----    | 6193  | IISL0080 |
| 悞   | BEE6      | ----    | 6197  | IISM0080 |
| 悞   | BEE7      | ----    | 619C  | IISN0080 |
| 悞   | BEE8      | ----    | 619D  | IISO0080 |
| 悞   | BEE9      | ----    | 619F  | IISP0080 |
| 悞   | BEEA      | ----    | 61A0  | IISQ0080 |
| 悞   | BEEB      | ----    | 61A5  | IISR0080 |
| 悞   | BEEC      | ----    | 61A8  | IISS0080 |
| 悞   | BEED      | ----    | 61AA  | IIST0080 |
| 悞   | BEEE      | ----    | 61AD  | IISU0080 |
| 悞   | BEEF      | ----    | 61B8  | IISV0080 |
| 悞   | BEF0      | ----    | 61B9  | IISW0080 |
| 悞   | BEF1      | ----    | 61BC  | IISX0080 |
| 悞   | BEF2      | ----    | 61C0  | IISY0080 |
| 悞   | BEF3      | ----    | 61C1  | IISZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 懂   | BEF4      | ----    | 61C2  | IIT00080 |
| 慥   | BEF5      | ----    | 61CE  | IIT10080 |
| 慥   | BEF6      | ----    | 61CF  | IIT20080 |
| 慥   | BEF7      | ----    | 61D5  | IIT30080 |
| 慥   | BEF8      | ----    | 61DC  | IIT40080 |
| 慥   | BEF9      | ----    | 61DD  | IIT50080 |
| 慥   | BEFA      | ----    | 61DE  | IIT60080 |
| 慥   | BEFB      | ----    | 61DF  | IIT70080 |
| 慥   | BEFC      | ----    | 61E1  | IIT80080 |
| 慥   | BEFD      | ----    | 61E2  | IIT90080 |
| 慥   | BEFE      | ----    | 61E5  | IITA0080 |
| 慥   | BF41      | ----    | 61E7  | IITD0080 |
| 慥   | BF42      | ----    | 61E9  | IITE0080 |
| 慥   | BF43      | ----    | 61EC  | IITF0080 |
| 慥   | BF44      | ----    | 61ED  | IITG0080 |
| 慥   | BF45      | ----    | 61EF  | IITH0080 |
| 慥   | BF46      | ----    | 6201  | IITI0080 |
| 慥   | BF47      | ----    | 6203  | IITJ0080 |
| 慥   | BF48      | ----    | 6204  | IITK0080 |
| 慥   | BF49      | ----    | 6207  | IITL0080 |
| 戕   | BF4A      | ----    | 6215  | IITM0080 |
| 或   | BF4B      | ----    | 621C  | IITN0080 |
| 戠   | BF4C      | ----    | 6220  | IITO0080 |
| 戠   | BF4D      | ----    | 6222  | IITP0080 |
| 戠   | BF4E      | ----    | 6223  | IITQ0080 |
| 戠   | BF4F      | ----    | 6227  | IITR0080 |
| 戠   | BF50      | ----    | 6229  | IITS0080 |
| 戠   | BF51      | ----    | 622B  | IITT0080 |
| 戠   | BF52      | ----    | 6239  | IITU0080 |
| 戠   | BF53      | ----    | 623D  | IITV0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 扃   | BF54      | ----    | 6242  | IITW0080 |
| 扃   | BF55      | ----    | 6243  | IITX0080 |
| 扃   | BF56      | ----    | 6244  | IITY0080 |
| 扃   | BF57      | ----    | 6246  | IITZ0080 |
| 扃   | BF58      | ----    | 624C  | IIU00080 |
| 扃   | BF59      | ----    | 6250  | IIU10080 |
| 扃   | BF5A      | ----    | 6251  | IIU20080 |
| 扃   | BF5B      | ----    | 6252  | IIU30080 |
| 扃   | BF5C      | ----    | 6254  | IIU40080 |
| 扃   | BF5D      | ----    | 6256  | IIU50080 |
| 扃   | BF5E      | ----    | 625A  | IIU60080 |
| 扃   | BF5F      | ----    | 625C  | IIU70080 |
| 扃   | BF60      | ----    | 6264  | IIU80080 |
| 扃   | BF61      | ----    | 626D  | IIU90080 |
| 扃   | BF62      | ----    | 626F  | IiUA0080 |
| 扃   | BF63      | ----    | 6273  | IiUB0080 |
| 扃   | BF64      | ----    | 627A  | IiUC0080 |
| 扃   | BF65      | ----    | 627D  | IiUD0080 |
| 扃   | BF66      | ----    | 628D  | IiUE0080 |
| 扃   | BF67      | ----    | 628E  | IiUF0080 |
| 扃   | BF68      | ----    | 628F  | IiUG0080 |
| 扃   | BF69      | ----    | 6290  | IiUH0080 |
| 扃   | BF6A      | ----    | 62A8  | IiUI0080 |
| 扃   | BF6B      | ----    | 62B3  | IiUJ0080 |
| 扃   | BF6C      | ----    | 62B6  | IiUK0080 |
| 扃   | BF6D      | ----    | 62B7  | IiUL0080 |
| 扃   | BF6E      | ----    | 62BA  | IiUM0080 |
| 扃   | BF6F      | ----    | 62BE  | IiUN0080 |
| 扃   | BF70      | ----    | 62BF  | IiUO0080 |
| 扃   | BF71      | ----    | 62C4  | IiUP0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 拾   | BF72      | ----    | 62CE  | IIUQ0080 |
| 挖   | BF73      | ----    | 62D5  | IUR0080  |
| 拖   | BF74      | ----    | 62D6  | IUS0080  |
| 拵   | BF75      | ----    | 62DA  | IUT0080  |
| 拵   | BF76      | ----    | 62EA  | IUU0080  |
| 拵   | BF77      | ----    | 62F2  | IUV0080  |
| 拵   | BF78      | ----    | 62F4  | IUW0080  |
| 拵   | BF79      | ----    | 62FC  | IUX0080  |
| 拵   | BF7A      | ----    | 62FD  | IUY0080  |
| 拵   | BF7B      | ----    | 6303  | IUZ0080  |
| 拵   | BF7C      | ----    | 6304  | IIV0080  |
| 拵   | BF7D      | ----    | 630A  | IIV10080 |
| 拵   | BF7E      | ----    | 630B  | IIV20080 |
| 拵   | BF7F      | ----    | 630D  | IIV30080 |
| 拵   | BF80      | ----    | 6310  | IIV40080 |
| 拵   | BF81      | ----    | 6313  | IIV50080 |
| 拵   | BF82      | ----    | 6316  | IIV60080 |
| 拵   | BF83      | ----    | 6318  | IIV70080 |
| 拵   | BF84      | ----    | 6329  | IIV80080 |
| 拵   | BF85      | ----    | 632A  | IIV90080 |
| 拵   | BF86      | ----    | 632D  | IIVA0080 |
| 拵   | BF87      | ----    | 6335  | IIVB0080 |
| 拵   | BF88      | ----    | 6336  | IIVC0080 |
| 拵   | BF89      | ----    | 6339  | IIVD0080 |
| 拵   | BF8A      | ----    | 633C  | IIVE0080 |
| 拵   | BF8B      | ----    | 6341  | IIVF0080 |
| 拵   | BF8C      | ----    | 6342  | IIVG0080 |
| 拵   | BF8D      | ----    | 6343  | IIVH0080 |
| 拵   | BF8E      | ----    | 6344  | IIVI0080 |
| 拵   | BF8F      | ----    | 6346  | IIVJ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 拵   | BF90      | ----    | 634A  | IIVK0080 |
| 拵   | BF91      | ----    | 634B  | IIVL0080 |
| 拵   | BF92      | ----    | 634E  | IIVM0080 |
| 拵   | BF93      | ----    | 6352  | IIVN0080 |
| 拵   | BF94      | ----    | 6353  | IIVO0080 |
| 拵   | BF95      | ----    | 6354  | IIVP0080 |
| 拵   | BF96      | ----    | 6358  | IIVQ0080 |
| 拵   | BF97      | ----    | 635B  | IIVR0080 |
| 拵   | BF98      | ----    | 6365  | IIVS0080 |
| 拵   | BF99      | ----    | 6366  | IIVT0080 |
| 拵   | BF9A      | ----    | 636C  | IIVU0080 |
| 拵   | BF9B      | ----    | 636D  | IIVV0080 |
| 拵   | BF9C      | ----    | 6371  | IIVW0080 |
| 拵   | BF9D      | ----    | 6374  | IIVX0080 |
| 拵   | BF9E      | ----    | 6375  | IIVY0080 |
| 拵   | BF9F      | ----    | 6378  | IIVZ0080 |
| 拵   | BFA0      | ----    | 637C  | IIW00080 |
| 拵   | BFA1      | ----    | 637D  | IIW10080 |
| 拵   | BFA2      | ----    | 637F  | IIW20080 |
| 拵   | BFA3      | ----    | 6382  | IIW30080 |
| 拵   | BFA4      | ----    | 6384  | IIW40080 |
| 拵   | BFA5      | ----    | 6387  | IIW50080 |
| 拵   | BFA6      | ----    | 638A  | IIW60080 |
| 拵   | BFA7      | ----    | 6390  | IIW70080 |
| 拵   | BFA8      | ----    | 6394  | IIW80080 |
| 拵   | BFA9      | ----    | 6395  | IIW90080 |
| 拵   | BFAA      | ----    | 6399  | IIWA0080 |
| 拵   | BFAB      | ----    | 639A  | IIVB0080 |
| 拵   | BFAC      | ----    | 639E  | IIVC0080 |
| 拵   | BFAD      | ----    | 63A4  | IIVD0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 揚   | BFAE      | ----    | 63A6  | IIWE0080 |
| 捺   | BFAF      | ----    | 63AD  | IIWF0080 |
| 捐   | BFB0      | ----    | 63AE  | IIWG0080 |
| 捐   | BFB1      | ----    | 63AF  | IIWH0080 |
| 撞   | BFB2      | ----    | 63BD  | IIWI0080 |
| 撞   | BFB3      | ----    | 63C1  | IIWJ0080 |
| 擘   | BFB4      | ----    | 63C5  | IIWK0080 |
| 搆   | BFB5      | ----    | 63C8  | IIWL0080 |
| 撞   | BFB6      | ----    | 63CE  | IIWM0080 |
| 捏   | BFB7      | ----    | 63D1  | IIWN0080 |
| 搥   | BFB8      | ----    | 63D3  | IIWO0080 |
| 搥   | BFB9      | ----    | 63D4  | IIWP0080 |
| 搥   | BFBA      | ----    | 63D5  | IIWQ0080 |
| 揜   | BFBB      | ----    | 63DC  | IIWR0080 |
| 揜   | BFBC      | ----    | 63E0  | IIWS0080 |
| 揜   | BFBD      | ----    | 63E5  | IIWT0080 |
| 揜   | BFBE      | ----    | 63EA  | IIWU0080 |
| 揜   | BFBF      | ----    | 63EC  | IIWV0080 |
| 揜   | BFC0      | ----    | 63F2  | IIWW0080 |
| 揜   | BFC1      | ----    | 63F3  | IIWX0080 |
| 揜   | BFC2      | ----    | 63F8  | IIWY0080 |
| 揜   | BFC3      | ----    | 63F9  | IIWZ0080 |
| 揜   | BFC4      | ----    | 6409  | IIX00080 |
| 揜   | BFC5      | ----    | 640A  | IIX10080 |
| 揜   | BFC6      | ----    | 6410  | IIX20080 |
| 揜   | BFC7      | ----    | 6412  | IIX30080 |
| 揜   | BFC8      | ----    | 6414  | IIX40080 |
| 揜   | BFC9      | ----    | 6418  | IIX50080 |
| 揜   | BFCA      | ----    | 641E  | IIX60080 |
| 揜   | BFCB      | ----    | 6420  | IIX70080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 揜   | BFCC      | ----    | 6422  | IIX80080 |
| 揜   | BFCD      | ----    | 6424  | IIX90080 |
| 揜   | BFCE      | ----    | 6425  | IIXA0080 |
| 揜   | BFCF      | ----    | 6429  | IIXB0080 |
| 揜   | BFD0      | ----    | 642A  | IIXC0080 |
| 揜   | BFD1      | ----    | 642F  | IIXD0080 |
| 揜   | BFD2      | ----    | 6430  | IIXE0080 |
| 揜   | BFD3      | ----    | 6435  | IIXF0080 |
| 揜   | BFD4      | ----    | 643D  | IIXG0080 |
| 揜   | BFD5      | ----    | 643F  | IIXH0080 |
| 揜   | BFD6      | ----    | 644B  | IIXI0080 |
| 揜   | BFD7      | ----    | 644F  | IIXJ0080 |
| 揜   | BFD8      | ----    | 6451  | IIXK0080 |
| 揜   | BFD9      | ----    | 6452  | IIXL0080 |
| 揜   | BFDA      | ----    | 6453  | IIXM0080 |
| 揜   | BFDB      | ----    | 6454  | IIXN0080 |
| 揜   | BFDC      | ----    | 645A  | IIXO0080 |
| 揜   | BFDD      | ----    | 645B  | IIXP0080 |
| 揜   | BFDE      | ----    | 645C  | IIXQ0080 |
| 揜   | BFDF      | ----    | 645D  | IIXR0080 |
| 揜   | BFE0      | ----    | 645F  | IIXS0080 |
| 揜   | BFE1      | ----    | 6461  | IIXT0080 |
| 揜   | BFE2      | ----    | 6463  | IIXU0080 |
| 揜   | BFE3      | ----    | 646D  | IIXV0080 |
| 揜   | BFE4      | ----    | 6473  | IIXW0080 |
| 揜   | BFE5      | ----    | 6474  | IIXX0080 |
| 揜   | BFE6      | ----    | 647B  | IIXY0080 |
| 揜   | BFE7      | ----    | 647D  | IIXZ0080 |
| 揜   | BFE8      | ----    | 6485  | IYY00080 |
| 揜   | BFE9      | ----    | 6487  | IYY10080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 擣   | BFEA      | ----    | 648F  | I1Y20080 |
| 擣   | BFEB      | ----    | 6490  | I1Y30080 |
| 擣   | BFEC      | ----    | 6491  | I1Y40080 |
| 擣   | BFED      | ----    | 6498  | I1Y50080 |
| 擣   | BFEE      | ----    | 6499  | I1Y60080 |
| 擣   | BFEF      | ----    | 649B  | I1Y70080 |
| 擣   | BFF0      | ----    | 649F  | I1Y80080 |
| 擣   | BFF1      | ----    | 64A1  | I1Y90080 |
| 擣   | BFF2      | ----    | 64A3  | I1YA0080 |
| 擣   | BFF3      | ----    | 64A6  | I1YB0080 |
| 擣   | BFF4      | ----    | 64A8  | I1YC0080 |
| 擣   | BFF5      | ----    | 64AC  | I1YD0080 |
| 擣   | BFF6      | ----    | 64B3  | I1YE0080 |
| 擣   | BFF7      | ----    | 64BD  | I1YF0080 |
| 擣   | BFF8      | ----    | 64BE  | I1YG0080 |
| 擣   | BFF9      | ----    | 64BF  | I1YH0080 |
| 擣   | BFFA      | ----    | 64C4  | I1YI0080 |
| 擣   | BFFB      | ----    | 64C9  | I1YJ0080 |
| 擣   | BFFC      | ----    | 64CA  | I1YK0080 |
| 擣   | BFFD      | ----    | 64CB  | I1YL0080 |
| 擣   | BFFE      | ----    | 64CC  | I1YM0080 |
| 擣   | C041      | ----    | 64D0  | I1YP0080 |
| 擣   | C042      | ----    | 64D1  | I1YQ0080 |
| 擣   | C043      | ----    | 64D5  | I1YR0080 |
| 擣   | C044      | ----    | 64D7  | I1YS0080 |
| 擣   | C045      | ----    | 64E4  | I1YT0080 |
| 擣   | C046      | ----    | 64E5  | I1YU0080 |
| 擣   | C047      | ----    | 64E9  | I1YV0080 |
| 擣   | C048      | ----    | 64EA  | I1YW0080 |
| 擣   | C049      | ----    | 64ED  | I1YX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 擣   | C04A      | ----    | 64F0  | I1YY0080 |
| 擣   | C04B      | ----    | 64F5  | I1YZ0080 |
| 擣   | C04C      | ----    | 64F7  | I1Z00080 |
| 擣   | C04D      | ----    | 64FB  | I1Z10080 |
| 擣   | C04E      | ----    | 64FF  | I1Z20080 |
| 擣   | C04F      | ----    | 6501  | I1Z30080 |
| 擣   | C050      | ----    | 6504  | I1Z40080 |
| 擣   | C051      | ----    | 6508  | I1Z50080 |
| 擣   | C052      | ----    | 6509  | I1Z60080 |
| 擣   | C053      | ----    | 650A  | I1Z70080 |
| 擣   | C054      | ----    | 650F  | I1Z80080 |
| 擣   | C055      | ----    | 6513  | I1Z90080 |
| 擣   | C056      | ----    | 6514  | I1ZA0080 |
| 擣   | C057      | ----    | 6516  | I1ZB0080 |
| 擣   | C058      | ----    | 6519  | I1ZC0080 |
| 擣   | C059      | ----    | 651B  | I1ZD0080 |
| 擣   | C05A      | ----    | 651E  | I1ZE0080 |
| 擣   | C05B      | ----    | 651F  | I1ZF0080 |
| 擣   | C05C      | ----    | 6522  | I1ZG0080 |
| 擣   | C05D      | ----    | 6526  | I1ZH0080 |
| 擣   | C05E      | ----    | 6529  | I1ZI0080 |
| 擣   | C05F      | ----    | 652E  | I1ZJ0080 |
| 擣   | C060      | ----    | 6531  | I1ZK0080 |
| 擣   | C061      | ----    | 653A  | I1ZL0080 |
| 擣   | C062      | ----    | 653C  | I1ZM0080 |
| 擣   | C063      | ----    | 653D  | I1ZN0080 |
| 擣   | C064      | ----    | 6543  | I1ZO0080 |
| 擣   | C065      | ----    | 6547  | I1ZP0080 |
| 擣   | C066      | ----    | 6549  | I1ZQ0080 |
| 擣   | C067      | ----    | 6550  | I1ZR0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 倣   | C068      | ----    | 6552  | IIZS0080 |
| 敌   | C069      | ----    | 6554  | IIZT0080 |
| 敷   | C06A      | ----    | 655F  | IIZU0080 |
| 敷   | C06B      | ----    | 6560  | IIZV0080 |
| 敲   | C06C      | ----    | 6567  | IIZW0080 |
| 敷   | C06D      | ----    | 656B  | IIZX0080 |
| 毳   | C06E      | ----    | 657A  | IIZY0080 |
| 敲   | C06F      | ----    | 657D  | IIZZ0080 |
| 斲   | C070      | ----    | 6581  | IJ000080 |
| 斲   | C071      | ----    | 6585  | IJ010080 |
| 斲   | C072      | ----    | 658A  | IJ020080 |
| 斲   | C073      | ----    | 6592  | IJ030080 |
| 斲   | C074      | ----    | 6595  | IJ040080 |
| 斲   | C075      | ----    | 6598  | IJ050080 |
| 斲   | C076      | ----    | 659D  | IJ060080 |
| 斲   | C077      | ----    | 65A0  | IJ070080 |
| 斲   | C078      | ----    | 65A3  | IJ080080 |
| 斲   | C079      | ----    | 65A6  | IJ090080 |
| 斲   | C07A      | ----    | 65AE  | IJ0A0080 |
| 斲   | C07B      | ----    | 65B2  | IJ0B0080 |
| 斲   | C07C      | ----    | 65B3  | IJ0C0080 |
| 斲   | C07D      | ----    | 65B4  | IJ0D0080 |
| 斲   | C07E      | ----    | 65BF  | IJ0E0080 |
| 斲   | C07F      | ----    | 65C2  | IJ0F0080 |
| 斲   | C080      | ----    | 65C8  | IJ0G0080 |
| 斲   | C081      | ----    | 65C9  | IJ0H0080 |
| 斲   | C082      | ----    | 65CE  | IJ0I0080 |
| 斲   | C083      | ----    | 65D0  | IJ0J0080 |
| 斲   | C084      | ----    | 65D4  | IJ0K0080 |
| 斲   | C085      | ----    | 65D6  | IJ0L0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 斲   | C086      | ----    | 65D8  | IJ0M0080 |
| 斲   | C087      | ----    | 65DF  | IJ0N0080 |
| 斲   | C088      | ----    | 65F0  | IJ0O0080 |
| 斲   | C089      | ----    | 65F2  | IJ0P0080 |
| 斲   | C08A      | ----    | 65F4  | IJ0Q0080 |
| 斲   | C08B      | ----    | 65F5  | IJ0R0080 |
| 斲   | C08C      | ----    | 65F9  | IJ0S0080 |
| 斲   | C08D      | ----    | 65FE  | IJ0T0080 |
| 斲   | C08E      | ----    | 65FF  | IJ0U0080 |
| 斲   | C08F      | ----    | 6604  | IJ0V0080 |
| 斲   | C090      | ----    | 6608  | IJ0W0080 |
| 斲   | C091      | ----    | 660D  | IJ0X0080 |
| 斲   | C092      | ----    | 6611  | IJ0Y0080 |
| 斲   | C093      | ----    | 6612  | IJ0Z0080 |
| 斲   | C094      | ----    | 6616  | IJ100080 |
| 斲   | C095      | ----    | 661D  | IJ110080 |
| 斲   | C096      | ----    | 6621  | IJ120080 |
| 斲   | C097      | ----    | 6622  | IJ130080 |
| 斲   | C098      | ----    | 6623  | IJ140080 |
| 斲   | C099      | ----    | 6626  | IJ150080 |
| 斲   | C09A      | ----    | 6629  | IJ160080 |
| 斲   | C09B      | ----    | 662A  | IJ170080 |
| 斲   | C09C      | ----    | 662B  | IJ180080 |
| 斲   | C09D      | ----    | 662C  | IJ190080 |
| 斲   | C09E      | ----    | 6630  | IJ1A0080 |
| 斲   | C09F      | ----    | 6633  | IJ1B0080 |
| 斲   | C0A0      | ----    | 6637  | IJ1C0080 |
| 斲   | C0A1      | ----    | 6639  | IJ1D0080 |
| 斲   | C0A2      | ----    | 6640  | IJ1E0080 |
| 斲   | C0A3      | ----    | 6645  | IJ1F0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 哇   | C0A4      | ----    | 6646  | IJ1G0080 |
| 啞   | C0A5      | ----    | 664A  | IJ1H0080 |
| 晌   | C0A6      | ----    | 664C  | IJ1I0080 |
| 哄   | C0A7      | ----    | 664E  | IJ1J0080 |
| 髙   | C0A8      | ----    | 6651  | IJ1K0080 |
| 睥   | C0A9      | ----    | 6658  | IJ1L0080 |
| 睨   | C0AA      | ----    | 665B  | IJ1M0080 |
| 晷   | C0AB      | ----    | 665C  | IJ1N0080 |
| 臧   | C0AC      | ----    | 6660  | IJ1O0080 |
| 晡   | C0AD      | ----    | 6661  | IJ1P0080 |
| 曷   | C0AE      | ----    | 666A  | IJ1Q0080 |
| 晧   | C0AF      | ----    | 666B  | IJ1R0080 |
| 晧   | C0B0      | ----    | 666C  | IJ1S0080 |
| 啓   | C0B1      | ----    | 6675  | IJ1T0080 |
| 晷   | C0B2      | ----    | 6677  | IJ1U0080 |
| 晷   | C0B3      | ----    | 6678  | IJ1V0080 |
| 暘   | C0B4      | ----    | 6679  | IJ1W0080 |
| 晡   | C0B5      | ----    | 667B  | IJ1X0080 |
| 晡   | C0B6      | ----    | 667C  | IJ1Y0080 |
| 晡   | C0B7      | ----    | 667E  | IJ1Z0080 |
| 唱   | C0B8      | ----    | 667F  | IJ200080 |
| 睽   | C0B9      | ----    | 6680  | IJ210080 |
| 啓   | C0BA      | ----    | 668B  | IJ220080 |
| 睽   | C0BB      | ----    | 668C  | IJ230080 |
| 喝   | C0BC      | ----    | 668D  | IJ240080 |
| 晧   | C0BD      | ----    | 6690  | IJ250080 |
| 晧   | C0BE      | ----    | 6692  | IJ260080 |
| 晧   | C0BF      | ----    | 669A  | IJ270080 |
| 嗟   | C0C0      | ----    | 669B  | IJ280080 |
| 普   | C0C1      | ----    | 669C  | IJ290080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 晧   | C0C2      | ----    | 669F  | IJ2A0080 |
| 晧   | C0C3      | ----    | 66A4  | IJ2B0080 |
| 晧   | C0C4      | ----    | 66AD  | IJ2C0080 |
| 晧   | C0C5      | ----    | 66B1  | IJ2D0080 |
| 晧   | C0C6      | ----    | 66B5  | IJ2E0080 |
| 晧   | C0C7      | ----    | 66BB  | IJ2F0080 |
| 晧   | C0C8      | ----    | 66C0  | IJ2G0080 |
| 晧   | C0C9      | ----    | 66C2  | IJ2H0080 |
| 晧   | C0CA      | ----    | 66C3  | IJ2I0080 |
| 晧   | C0CB      | ----    | 66C8  | IJ2J0080 |
| 晧   | C0CC      | ----    | 66CC  | IJ2K0080 |
| 晧   | C0CD      | ----    | 66CE  | IJ2L0080 |
| 晧   | C0CE      | ----    | 66CF  | IJ2M0080 |
| 晧   | C0CF      | ----    | 66D4  | IJ2N0080 |
| 晧   | C0D0      | ----    | 66DB  | IJ2O0080 |
| 晧   | C0D1      | ----    | 66DF  | IJ2P0080 |
| 晧   | C0D2      | ----    | 66E8  | IJ2Q0080 |
| 晧   | C0D3      | ----    | 66EB  | IJ2R0080 |
| 晧   | C0D4      | ----    | 66EC  | IJ2S0080 |
| 晧   | C0D5      | ----    | 66EE  | IJ2T0080 |
| 晧   | C0D6      | ----    | 6705  | IJ2U0080 |
| 晧   | C0D7      | ----    | 6707  | IJ2V0080 |
| 晧   | C0D8      | ----    | 6713  | IJ2W0080 |
| 晧   | C0D9      | ----    | 6719  | IJ2X0080 |
| 晧   | C0DA      | ----    | 671C  | IJ2Y0080 |
| 晧   | C0DB      | ----    | 6720  | IJ2Z0080 |
| 晧   | C0DC      | ----    | 6722  | IJ300080 |
| 晧   | C0DD      | ----    | 6733  | IJ310080 |
| 晧   | C0DE      | ----    | 673E  | IJ320080 |
| 晧   | C0DF      | ----    | 6745  | IJ330080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 朽   | C0E0      | ----    | 6747  | IJ340080 |
| 杈   | C0E1      | ----    | 6748  | IJ350080 |
| 机   | C0E2      | ----    | 674C  | IJ360080 |
| 托   | C0E3      | ----    | 6754  | IJ370080 |
| 杖   | C0E4      | ----    | 6755  | IJ380080 |
| 柀   | C0E5      | ----    | 675D  | IJ390080 |
| 杭   | C0E6      | ----    | 676C  | IJ3A0080 |
| 柿   | C0E7      | ----    | 676E  | IJ3B0080 |
| 欸   | C0E8      | ----    | 6774  | IJ3C0080 |
| 椴   | C0E9      | ----    | 6776  | IJ3D0080 |
| 柷   | C0EA      | ----    | 677B  | IJ3E0080 |
| 极   | C0EB      | ----    | 6781  | IJ3F0080 |
| 枸   | C0EC      | ----    | 6784  | IJ3G0080 |
| 扶   | C0ED      | ----    | 678E  | IJ3H0080 |
| 柾   | C0EE      | ----    | 678F  | IJ3I0080 |
| 栢   | C0EF      | ----    | 6791  | IJ3J0080 |
| 科   | C0F0      | ----    | 6793  | IJ3K0080 |
| 朽   | C0F1      | ----    | 6796  | IJ3L0080 |
| 柄   | C0F2      | ----    | 6798  | IJ3M0080 |
| 柅   | C0F3      | ----    | 6799  | IJ3N0080 |
| 爪   | C0F4      | ----    | 679B  | IJ3O0080 |
| 枰   | C0F5      | ----    | 67B0  | IJ3P0080 |
| 枱   | C0F6      | ----    | 67B1  | IJ3Q0080 |
| 桌   | C0F7      | ----    | 67B2  | IJ3R0080 |
| 柶   | C0F8      | ----    | 67B5  | IJ3S0080 |
| 桌   | C0F9      | ----    | 67BC  | IJ3T0080 |
| 桌   | C0FA      | ----    | 67BD  | IJ3U0080 |
| 枵   | C0FB      | ----    | 67C2  | IJ3V0080 |
| 枱   | C0FC      | ----    | 67C3  | IJ3W0080 |
| 柶   | C0FD      | ----    | 67C5  | IJ3X0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 枰   | C0FE      | ----    | 67C8  | IJ3Y0080 |
| 枱   | C141      | ----    | 67C9  | IJ410080 |
| 桌   | C142      | ----    | 67D2  | IJ420080 |
| 枱   | C143      | ----    | 67D7  | IJ430080 |
| 枱   | C144      | ----    | 67D9  | IJ440080 |
| 枱   | C145      | ----    | 67DC  | IJ450080 |
| 枱   | C146      | ----    | 67E1  | IJ460080 |
| 枱   | C147      | ----    | 67E6  | IJ470080 |
| 柶   | C148      | ----    | 67F0  | IJ480080 |
| 枱   | C149      | ----    | 67F2  | IJ490080 |
| 枱   | C14A      | ----    | 67F6  | IJ4A0080 |
| 枱   | C14B      | ----    | 67F7  | IJ4B0080 |
| 枱   | C14C      | ----    | 67F9  | IJ4C0080 |
| 枱   | C14D      | ----    | 6814  | IJ4D0080 |
| 枱   | C14E      | ----    | 6819  | IJ4E0080 |
| 枱   | C14F      | ----    | 681D  | IJ4F0080 |
| 枱   | C150      | ----    | 681F  | IJ4G0080 |
| 枱   | C151      | ----    | 6827  | IJ4H0080 |
| 枱   | C152      | ----    | 6828  | IJ4I0080 |
| 枱   | C153      | ----    | 682C  | IJ4J0080 |
| 枱   | C154      | ----    | 682D  | IJ4K0080 |
| 枱   | C155      | ----    | 682F  | IJ4L0080 |
| 枱   | C156      | ----    | 6830  | IJ4M0080 |
| 枱   | C157      | ----    | 6831  | IJ4N0080 |
| 枱   | C158      | ----    | 6833  | IJ4O0080 |
| 枱   | C159      | ----    | 683B  | IJ4P0080 |
| 枱   | C15A      | ----    | 683F  | IJ4Q0080 |
| 枱   | C15B      | ----    | 6845  | IJ4R0080 |
| 枱   | C15C      | ----    | 684A  | IJ4S0080 |
| 枱   | C15D      | ----    | 684C  | IJ4T0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 柏   | C15E      | ----    | 6855  | IJ4U0080 |
| 樑   | C15F      | ----    | 6857  | IJ4V0080 |
| 栢   | C160      | ----    | 6858  | IJ4W0080 |
| 栳   | C161      | ----    | 685B  | IJ4X0080 |
| 杪   | C162      | ----    | 686B  | IJ4Y0080 |
| 栝   | C163      | ----    | 686E  | IJ4Z0080 |
| 程   | C164      | ----    | 686F  | IJ500080 |
| 栝   | C165      | ----    | 6870  | IJ510080 |
| 徑   | C166      | ----    | 6871  | IJ520080 |
| 棹   | C167      | ----    | 6872  | IJ530080 |
| 梭   | C168      | ----    | 6875  | IJ540080 |
| 棖   | C169      | ----    | 6879  | IJ550080 |
| 柳   | C16A      | ----    | 687A  | IJ560080 |
| 棖   | C16B      | ----    | 687B  | IJ570080 |
| 棖   | C16C      | ----    | 687C  | IJ580080 |
| 棖   | C16D      | ----    | 6882  | IJ590080 |
| 栝   | C16E      | ----    | 6884  | IJ5A0080 |
| 柳   | C16F      | ----    | 6886  | IJ5B0080 |
| 棖   | C170      | ----    | 6888  | IJ5C0080 |
| 棖   | C171      | ----    | 6896  | IJ5D0080 |
| 棖   | C172      | ----    | 6898  | IJ5E0080 |
| 棖   | C173      | ----    | 689A  | IJ5F0080 |
| 棖   | C174      | ----    | 689C  | IJ5G0080 |
| 栝   | C175      | ----    | 68A1  | IJ5H0080 |
| 棖   | C176      | ----    | 68A3  | IJ5I0080 |
| 案   | C177      | ----    | 68A5  | IJ5J0080 |
| 棖   | C178      | ----    | 68A9  | IJ5K0080 |
| 棖   | C179      | ----    | 68AA  | IJ5L0080 |
| 栝   | C17A      | ----    | 68AE  | IJ5M0080 |
| 棖   | C17B      | ----    | 68B2  | IJ5N0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 栝   | C17C      | ----    | 68BB  | IJ5O0080 |
| 栝   | C17D      | ----    | 68C5  | IJ5P0080 |
| 栝   | C17E      | ----    | 68CC  | IJ5Q0080 |
| 栝   | C17F      | ----    | 68D0  | IJ5R0080 |
| 栝   | C180      | ----    | 68D1  | IJ5S0080 |
| 栝   | C181      | ----    | 68D3  | IJ5T0080 |
| 栝   | C182      | ----    | 68D6  | IJ5U0080 |
| 栝   | C183      | ----    | 68D9  | IJ5V0080 |
| 栝   | C184      | ----    | 68DC  | IJ5W0080 |
| 栝   | C185      | ----    | 68DD  | IJ5X0080 |
| 栝   | C186      | ----    | 68E5  | IJ5Y0080 |
| 栝   | C187      | ----    | 68E8  | IJ5Z0080 |
| 栝   | C188      | ----    | 68EA  | IJ600080 |
| 栝   | C189      | ----    | 68EB  | IJ610080 |
| 栝   | C18A      | ----    | 68EC  | IJ620080 |
| 栝   | C18B      | ----    | 68ED  | IJ630080 |
| 栝   | C18C      | ----    | 68F0  | IJ640080 |
| 栝   | C18D      | ----    | 68F1  | IJ650080 |
| 栝   | C18E      | ----    | 68F5  | IJ660080 |
| 栝   | C18F      | ----    | 68F6  | IJ670080 |
| 栝   | C190      | ----    | 68FB  | IJ680080 |
| 栝   | C191      | ----    | 68FC  | IJ690080 |
| 栝   | C192      | ----    | 68FD  | IJ6A0080 |
| 栝   | C193      | ----    | 6906  | IJ6B0080 |
| 栝   | C194      | ----    | 6909  | IJ6C0080 |
| 栝   | C195      | ----    | 690A  | IJ6D0080 |
| 栝   | C196      | ----    | 6910  | IJ6E0080 |
| 栝   | C197      | ----    | 6911  | IJ6F0080 |
| 栝   | C198      | ----    | 6913  | IJ6G0080 |
| 栝   | C199      | ----    | 6916  | IJ6H0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 椀   | C19A      | ----    | 6917  | IJ6I0080 |
| 椈   | C19B      | ----    | 6931  | IJ6J0080 |
| 椉   | C19C      | ----    | 6933  | IJ6K0080 |
| 椊   | C19D      | ----    | 6935  | IJ6L0080 |
| 椋   | C19E      | ----    | 6938  | IJ6M0080 |
| 椌   | C19F      | ----    | 693B  | IJ6N0080 |
| 植   | C1A0      | ----    | 6942  | IJ6O0080 |
| 椔   | C1A1      | ----    | 6945  | IJ6P0080 |
| 椕   | C1A2      | ----    | 6949  | IJ6Q0080 |
| 椙   | C1A3      | ----    | 694E  | IJ6R0080 |
| 椚   | C1A4      | ----    | 6957  | IJ6S0080 |
| 椛   | C1A5      | ----    | 695B  | IJ6T0080 |
| 検   | C1A6      | ----    | 6963  | IJ6U0080 |
| 椝   | C1A7      | ----    | 6964  | IJ6V0080 |
| 椞   | C1A8      | ----    | 6965  | IJ6W0080 |
| 椟   | C1A9      | ----    | 6966  | IJ6X0080 |
| 椠   | C1AA      | ----    | 6969  | IJ6Y0080 |
| 椡   | C1AB      | ----    | 696C  | IJ6Z0080 |
| 椢   | C1AC      | ----    | 6970  | IJ700080 |
| 椣   | C1AD      | ----    | 6971  | IJ710080 |
| 椥   | C1AE      | ----    | 6972  | IJ720080 |
| 椦   | C1AF      | ----    | 697A  | IJ730080 |
| 椨   | C1B0      | ----    | 697B  | IJ740080 |
| 椩   | C1B1      | ----    | 697F  | IJ750080 |
| 椪   | C1B2      | ----    | 6980  | IJ760080 |
| 椫   | C1B3      | ----    | 698D  | IJ770080 |
| 椬   | C1B4      | ----    | 6992  | IJ780080 |
| 椭   | C1B5      | ----    | 6996  | IJ790080 |
| 椮   | C1B6      | ----    | 69A1  | IJ7A0080 |
| 椯   | C1B7      | ----    | 69A5  | IJ7B0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 榦   | C1B8      | ----    | 69A6  | IJ7C0080 |
| 榧   | C1B9      | ----    | 69A8  | IJ7D0080 |
| 榧   | C1BA      | ----    | 69AB  | IJ7E0080 |
| 榧   | C1BB      | ----    | 69AD  | IJ7F0080 |
| 榧   | C1BC      | ----    | 69AF  | IJ7G0080 |
| 榧   | C1BD      | ----    | 69B7  | IJ7H0080 |
| 榧   | C1BE      | ----    | 69B8  | IJ7I0080 |
| 榧   | C1BF      | ----    | 69BA  | IJ7J0080 |
| 榧   | C1C0      | ----    | 69BC  | IJ7K0080 |
| 榧   | C1C1      | ----    | 69C5  | IJ7L0080 |
| 榧   | C1C2      | ----    | 69C8  | IJ7M0080 |
| 榧   | C1C3      | ----    | 69D1  | IJ7N0080 |
| 榧   | C1C4      | ----    | 69D6  | IJ7O0080 |
| 榧   | C1C5      | ----    | 69D7  | IJ7P0080 |
| 榧   | C1C6      | ----    | 69E5  | IJ7Q0080 |
| 榧   | C1C7      | ----    | 69EE  | IJ7R0080 |
| 榧   | C1C8      | ----    | 69EF  | IJ7S0080 |
| 榧   | C1C9      | ----    | 69F1  | IJ7T0080 |
| 榧   | C1CA      | ----    | 69F3  | IJ7U0080 |
| 榧   | C1CB      | ----    | 69F5  | IJ7V0080 |
| 榧   | C1CC      | ----    | 69FE  | IJ7W0080 |
| 榧   | C1CD      | ----    | 6A00  | IJ7X0080 |
| 榧   | C1CE      | ----    | 6A01  | IJ7Y0080 |
| 榧   | C1CF      | ----    | 6A03  | IJ7Z0080 |
| 榧   | C1D0      | ----    | 6A0F  | IJ800080 |
| 榧   | C1D1      | ----    | 6A11  | IJ810080 |
| 榧   | C1D2      | ----    | 6A15  | IJ820080 |
| 榧   | C1D3      | ----    | 6A1A  | IJ830080 |
| 榧   | C1D4      | ----    | 6A1D  | IJ840080 |
| 榧   | C1D5      | ----    | 6A20  | IJ850080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 櫛   | C1D6      | ----    | 6A24  | IJ860080 |
| 櫛   | C1D7      | ----    | 6A28  | IJ870080 |
| 櫛   | C1D8      | ----    | 6A32  | IJ880080 |
| 櫛   | C1D9      | ----    | 6A34  | IJ890080 |
| 櫛   | C1DA      | ----    | 6A37  | IJ8A0080 |
| 櫛   | C1DB      | ----    | 6A3B  | IJ8B0080 |
| 櫛   | C1DC      | ----    | 6A3E  | IJ8C0080 |
| 櫛   | C1DD      | ----    | 6A3F  | IJ8D0080 |
| 櫛   | C1DE      | ----    | 6A45  | IJ8E0080 |
| 櫛   | C1DF      | ----    | 6A49  | IJ8F0080 |
| 櫛   | C1E0      | ----    | 6A4A  | IJ8G0080 |
| 櫛   | C1E1      | ----    | 6A4E  | IJ8H0080 |
| 櫛   | C1E2      | ----    | 6A50  | IJ8I0080 |
| 櫛   | C1E3      | ----    | 6A51  | IJ8J0080 |
| 櫛   | C1E4      | ----    | 6A52  | IJ8K0080 |
| 櫛   | C1E5      | ----    | 6A55  | IJ8L0080 |
| 櫛   | C1E6      | ----    | 6A56  | IJ8M0080 |
| 櫛   | C1E7      | ----    | 6A5B  | IJ8N0080 |
| 櫛   | C1E8      | ----    | 6A64  | IJ8O0080 |
| 櫛   | C1E9      | ----    | 6A67  | IJ8P0080 |
| 櫛   | C1EA      | ----    | 6A6A  | IJ8Q0080 |
| 櫛   | C1EB      | ----    | 6A71  | IJ8R0080 |
| 櫛   | C1EC      | ----    | 6A81  | IJ8S0080 |
| 櫛   | C1ED      | ----    | 6A83  | IJ8T0080 |
| 櫛   | C1EE      | ----    | 6A86  | IJ8U0080 |
| 櫛   | C1EF      | ----    | 6A87  | IJ8V0080 |
| 櫛   | C1F0      | ----    | 6A89  | IJ8W0080 |
| 櫛   | C1F1      | ----    | 6A8B  | IJ8X0080 |
| 櫛   | C1F2      | ----    | 6A91  | IJ8Y0080 |
| 櫛   | C1F3      | ----    | 6A9B  | IJ8Z0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 櫛   | C1F4      | ----    | 6A9D  | IJ900080 |
| 櫛   | C1F5      | ----    | 6A9E  | IJ910080 |
| 櫛   | C1F6      | ----    | 6A9F  | IJ920080 |
| 櫛   | C1F7      | ----    | 6AA5  | IJ930080 |
| 櫛   | C1F8      | ----    | 6AAB  | IJ940080 |
| 櫛   | C1F9      | ----    | 6AAF  | IJ950080 |
| 櫛   | C1FA      | ----    | 6AB0  | IJ960080 |
| 櫛   | C1FB      | ----    | 6AB1  | IJ970080 |
| 櫛   | C1FC      | ----    | 6AB4  | IJ980080 |
| 櫛   | C1FD      | ----    | 6ABD  | IJ990080 |
| 櫛   | C1FE      | ----    | 6ABE  | IJ9A0080 |
| 櫛   | C241      | ----    | 6ABF  | IJ9D0080 |
| 櫛   | C242      | ----    | 6AC6  | IJ9E0080 |
| 櫛   | C243      | ----    | 6AC8  | IJ9F0080 |
| 櫛   | C244      | ----    | 6AC9  | IJ9G0080 |
| 櫛   | C245      | ----    | 6ACC  | IJ9H0080 |
| 櫛   | C246      | ----    | 6AD0  | IJ9I0080 |
| 櫛   | C247      | ----    | 6AD4  | IJ9J0080 |
| 櫛   | C248      | ----    | 6AD5  | IJ9K0080 |
| 櫛   | C249      | ----    | 6AD6  | IJ9L0080 |
| 櫛   | C24A      | ----    | 6ADC  | IJ9M0080 |
| 櫛   | C24B      | ----    | 6ADD  | IJ9N0080 |
| 櫛   | C24C      | ----    | 6AE7  | IJ9O0080 |
| 櫛   | C24D      | ----    | 6AEC  | IJ9P0080 |
| 櫛   | C24E      | ----    | 6AF0  | IJ9Q0080 |
| 櫛   | C24F      | ----    | 6AF1  | IJ9R0080 |
| 櫛   | C250      | ----    | 6AF2  | IJ9S0080 |
| 櫛   | C251      | ----    | 6AFC  | IJ9T0080 |
| 櫛   | C252      | ----    | 6AFD  | IJ9U0080 |
| 櫛   | C253      | ----    | 6B02  | IJ9V0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 櫓   | C254      | ----    | 6B03  | IJ9W0080 |
| 櫓   | C255      | ----    | 6B06  | IJ9X0080 |
| 櫓   | C256      | ----    | 6B07  | IJ9Y0080 |
| 櫓   | C257      | ----    | 6B09  | IJ9Z0080 |
| 櫓   | C258      | ----    | 6B0F  | IJA00080 |
| 櫓   | C259      | ----    | 6B10  | IJA10080 |
| 櫓   | C25A      | ----    | 6B11  | IJA20080 |
| 櫓   | C25B      | ----    | 6B17  | IJA30080 |
| 櫓   | C25C      | ----    | 6B1B  | IJA40080 |
| 櫓   | C25D      | ----    | 6B1E  | IJA50080 |
| 坎   | C25E      | ----    | 6B24  | IJA60080 |
| 欵   | C25F      | ----    | 6B28  | IJA70080 |
| 欵   | C260      | ----    | 6B2B  | IJA80080 |
| 欵   | C261      | ----    | 6B2C  | IJA90080 |
| 欵   | C262      | ----    | 6B2F  | IJAA0080 |
| 欵   | C263      | ----    | 6B35  | IJAB0080 |
| 欵   | C264      | ----    | 6B36  | IJAC0080 |
| 欵   | C265      | ----    | 6B3B  | IJAD0080 |
| 欵   | C266      | ----    | 6B3F  | IJAE0080 |
| 欵   | C267      | ----    | 6B46  | IJAF0080 |
| 欵   | C268      | ----    | 6B4A  | IJAG0080 |
| 欵   | C269      | ----    | 6B4D  | IJAH0080 |
| 敵   | C26A      | ----    | 6B52  | IJAI0080 |
| 敵   | C26B      | ----    | 6B56  | IJAJ0080 |
| 敵   | C26C      | ----    | 6B58  | IJAK0080 |
| 敵   | C26D      | ----    | 6B5D  | IJAL0080 |
| 敵   | C26E      | ----    | 6B60  | IJAM0080 |
| 歧   | C26F      | ----    | 6B67  | IJAN0080 |
| 距   | C270      | ----    | 6B6B  | IJAO0080 |
| 齒   | C271      | ----    | 6B6E  | IJAP0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 躑   | C272      | ----    | 6B70  | IJAQ0080 |
| 躑   | C273      | ----    | 6B75  | IJAR0080 |
| 斫   | C274      | ----    | 6B7D  | IJAS0080 |
| 斫   | C275      | ----    | 6B7E  | IJAT0080 |
| 殂   | C276      | ----    | 6B82  | IJAU0080 |
| 殂   | C277      | ----    | 6B85  | IJAV0080 |
| 殂   | C278      | ----    | 6B97  | IJAW0080 |
| 殂   | C279      | ----    | 6B9B  | IJAX0080 |
| 殂   | C27A      | ----    | 6B9F  | IJAY0080 |
| 殂   | C27B      | ----    | 6BA0  | IJAZ0080 |
| 殂   | C27C      | ----    | 6BA2  | IJB00080 |
| 殂   | C27D      | ----    | 6BA3  | IJB10080 |
| 殂   | C27E      | ----    | 6BA8  | IJB20080 |
| 殂   | C27F      | ----    | 6BA9  | IJB30080 |
| 殂   | C280      | ----    | 6BAC  | IJB40080 |
| 殂   | C281      | ----    | 6BAD  | IJB50080 |
| 殂   | C282      | ----    | 6BAE  | IJB60080 |
| 殂   | C283      | ----    | 6BB0  | IJB70080 |
| 殂   | C284      | ----    | 6BB8  | IJB80080 |
| 殂   | C285      | ----    | 6BB9  | IJB90080 |
| 殂   | C286      | ----    | 6BBD  | IJBA0080 |
| 殂   | C287      | ----    | 6BBE  | IJBB0080 |
| 殂   | C288      | ----    | 6BC3  | IJBC0080 |
| 殂   | C289      | ----    | 6BC4  | IJBD0080 |
| 殂   | C28A      | ----    | 6BC9  | IJBE0080 |
| 卍   | C28B      | ----    | 6BCC  | IJBF0080 |
| 髡   | C28C      | ----    | 6BDA  | IJBG0080 |
| 毡   | C28D      | ----    | 6BE1  | IJBH0080 |
| 髡   | C28E      | ----    | 6BE3  | IJBI0080 |
| 髡   | C28F      | ----    | 6BE6  | IJB0080  |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 毳   | C290      | ----    | 6BE7  | IJBK0080 |
| 撚   | C291      | ----    | 6BEE  | IJBL0080 |
| 毳   | C292      | ----    | 6BF1  | IJBM0080 |
| 毳   | C293      | ----    | 6BF7  | IJBN0080 |
| 毳   | C294      | ----    | 6BF9  | IJBO0080 |
| 毳   | C295      | ----    | 6BFF  | IJBP0080 |
| 氂   | C296      | ----    | 6C02  | IJBQ0080 |
| 氂   | C297      | ----    | 6C04  | IJBR0080 |
| 氂   | C298      | ----    | 6C05  | IJBS0080 |
| 氂   | C299      | ----    | 6C09  | IJBT0080 |
| 氂   | C29A      | ----    | 6C0D  | IJBU0080 |
| 氂   | C29B      | ----    | 6C0E  | IJBV0080 |
| 氂   | C29C      | ----    | 6C10  | IJBW0080 |
| 氂   | C29D      | ----    | 6C12  | IJBX0080 |
| 氂   | C29E      | ----    | 6C19  | IJBY0080 |
| 氂   | C29F      | ----    | 6C1F  | IJBZ0080 |
| 氂   | C2A0      | ----    | 6C26  | IJC00080 |
| 氂   | C2A1      | ----    | 6C27  | IJC10080 |
| 氂   | C2A2      | ----    | 6C28  | IJC20080 |
| 氂   | C2A3      | ----    | 6C2C  | IJC30080 |
| 氂   | C2A4      | ----    | 6C2E  | IJC40080 |
| 氂   | C2A5      | ----    | 6C33  | IJC50080 |
| 氂   | C2A6      | ----    | 6C35  | IJC60080 |
| 氂   | C2A7      | ----    | 6C36  | IJC70080 |
| 氂   | C2A8      | ----    | 6C3A  | IJC80080 |
| 氂   | C2A9      | ----    | 6C3B  | IJC90080 |
| 氂   | C2AA      | ----    | 6C4A  | IJCA0080 |
| 氂   | C2AB      | ----    | 6C4B  | IJCB0080 |
| 氂   | C2AC      | ----    | 6C4D  | IJCC0080 |
| 氂   | C2AD      | ----    | 6C4F  | IJCD0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 汙   | C2AE      | ----    | 6C52  | IJCE0080 |
| 汙   | C2AF      | ----    | 6C54  | IJCF0080 |
| 汙   | C2B0      | ----    | 6C59  | IJCG0080 |
| 汙   | C2B1      | ----    | 6C5B  | IJCH0080 |
| 汙   | C2B2      | ----    | 6C67  | IJCI0080 |
| 汙   | C2B3      | ----    | 6C6B  | IJCJ0080 |
| 汙   | C2B4      | ----    | 6C6D  | IJCK0080 |
| 汙   | C2B5      | ----    | 6C74  | IJCL0080 |
| 汙   | C2B6      | ----    | 6C76  | IJCM0080 |
| 汙   | C2B7      | ----    | 6C78  | IJCN0080 |
| 汙   | C2B8      | ----    | 6C79  | IJCO0080 |
| 汙   | C2B9      | ----    | 6C7B  | IJCP0080 |
| 汙   | C2BA      | ----    | 6C85  | IJCQ0080 |
| 汙   | C2BB      | ----    | 6C87  | IJCR0080 |
| 汙   | C2BC      | ----    | 6C89  | IJCS0080 |
| 汙   | C2BD      | ----    | 6C94  | IJCT0080 |
| 汙   | C2BE      | ----    | 6C95  | IJCU0080 |
| 汙   | C2BF      | ----    | 6C97  | IJCV0080 |
| 汙   | C2C0      | ----    | 6C98  | IJCW0080 |
| 汙   | C2C1      | ----    | 6C9C  | IJCX0080 |
| 汙   | C2C2      | ----    | 6C9F  | IJCY0080 |
| 汙   | C2C3      | ----    | 6CB0  | IJCZ0080 |
| 汙   | C2C4      | ----    | 6CB2  | IJD00080 |
| 汙   | C2C5      | ----    | 6CB4  | IJD10080 |
| 汙   | C2C6      | ----    | 6CC2  | IJD20080 |
| 汙   | C2C7      | ----    | 6CC6  | IJD30080 |
| 汙   | C2C8      | ----    | 6CCD  | IJD40080 |
| 汙   | C2C9      | ----    | 6CCF  | IJD50080 |
| 汙   | C2CA      | ----    | 6CD0  | IJD60080 |
| 汙   | C2CB      | ----    | 6CD1  | IJD70080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 派   | C2CC      | ----    | 6CD2  | IJD80080 |
| 泔   | C2CD      | ----    | 6CD4  | IJD90080 |
| 泖   | C2CE      | ----    | 6CD6  | IJDA0080 |
| 泔   | C2CF      | ----    | 6CDC  | IJDB0080 |
| 泔   | C2D0      | ----    | 6CE0  | IJDC0080 |
| 泔   | C2D1      | ----    | 6CE7  | IJDD0080 |
| 泔   | C2D2      | ----    | 6CE9  | IJDE0080 |
| 泔   | C2D3      | ----    | 6CEB  | IJDF0080 |
| 泔   | C2D4      | ----    | 6CEC  | IJDG0080 |
| 泔   | C2D5      | ----    | 6CEE  | IJDH0080 |
| 泔   | C2D6      | ----    | 6CF2  | IJDI0080 |
| 泔   | C2D7      | ----    | 6CF4  | IJDJ0080 |
| 泔   | C2D8      | ----    | 6D07  | IJDK0080 |
| 泔   | C2D9      | ----    | 6D0A  | IJDL0080 |
| 泔   | C2DA      | ----    | 6D0E  | IJDM0080 |
| 泔   | C2DB      | ----    | 6D0F  | IJDN0080 |
| 泔   | C2DC      | ----    | 6D11  | IJDO0080 |
| 泔   | C2DD      | ----    | 6D13  | IJDP0080 |
| 泔   | C2DE      | ----    | 6D1A  | IJDQ0080 |
| 泔   | C2DF      | ----    | 6D26  | IJDR0080 |
| 泔   | C2E0      | ----    | 6D27  | IJDS0080 |
| 泔   | C2E1      | ----    | 6D28  | IJDT0080 |
| 泔   | C2E2      | ----    | 6D2E  | IJDU0080 |
| 泔   | C2E3      | ----    | 6D2F  | IJDV0080 |
| 泔   | C2E4      | ----    | 6D31  | IJDW0080 |
| 泔   | C2E5      | ----    | 6D39  | IJDX0080 |
| 泔   | C2E6      | ----    | 6D3C  | IJDY0080 |
| 泔   | C2E7      | ----    | 6D3F  | IJDZ0080 |
| 泔   | C2E8      | ----    | 6D57  | IJE00080 |
| 泔   | C2E9      | ----    | 6D5E  | IJE10080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 泔   | C2EA      | ----    | 6D5F  | IJE20080 |
| 泔   | C2EB      | ----    | 6D61  | IJE30080 |
| 泔   | C2EC      | ----    | 6D65  | IJE40080 |
| 泔   | C2ED      | ----    | 6D67  | IJE50080 |
| 泔   | C2EE      | ----    | 6D70  | IJE60080 |
| 泔   | C2EF      | ----    | 6D7C  | IJE70080 |
| 泔   | C2F0      | ----    | 6D82  | IJE80080 |
| 泔   | C2F1      | ----    | 6D91  | IJE90080 |
| 泔   | C2F2      | ----    | 6D92  | IJEA0080 |
| 泔   | C2F3      | ----    | 6D94  | IJEB0080 |
| 泔   | C2F4      | ----    | 6D97  | IJEC0080 |
| 泔   | C2F5      | ----    | 6D98  | IJED0080 |
| 泔   | C2F6      | ----    | 6DAA  | IJEE0080 |
| 泔   | C2F7      | ----    | 6DB4  | IJEF0080 |
| 泔   | C2F8      | ----    | 6DB7  | IJEG0080 |
| 泔   | C2F9      | ----    | 6DB9  | IJEH0080 |
| 泔   | C2FA      | ----    | 6DBD  | IJEI0080 |
| 泔   | C2FB      | ----    | 6DBF  | IJEJ0080 |
| 泔   | C2FC      | ----    | 6DC4  | IJEK0080 |
| 泔   | C2FD      | ----    | 6DC8  | IJEL0080 |
| 泔   | C2FE      | ----    | 6DCA  | IJEM0080 |
| 泔   | C341      | ----    | 6DCE  | IJEP0080 |
| 泔   | C342      | ----    | 6DD6  | IJEQ0080 |
| 泔   | C343      | ----    | 6DDB  | IJER0080 |
| 泔   | C344      | ----    | 6DDD  | IJES0080 |
| 泔   | C345      | ----    | 6DDF  | IJET0080 |
| 泔   | C346      | ----    | 6DE0  | IJEU0080 |
| 泔   | C347      | ----    | 6DE2  | IJEV0080 |
| 泔   | C348      | ----    | 6DE5  | IJEW0080 |
| 泔   | C349      | ----    | 6DE9  | IJEX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 涓   | C34A      | ----    | 6DEF  | IJEY0080 |
| 滄   | C34B      | ----    | 6DF0  | IJEZ0080 |
| 恣   | C34C      | ----    | 6DF4  | IJF00080 |
| 涑   | C34D      | ----    | 6DF6  | IJF10080 |
| 澇   | C34E      | ----    | 6E00  | IJF20080 |
| 洩   | C34F      | ----    | 6E04  | IJF30080 |
| 涓   | C350      | ----    | 6E1E  | IJF40080 |
| 颯   | C351      | ----    | 6E22  | IJF50080 |
| 渲   | C352      | ----    | 6E32  | IJF60080 |
| 漢   | C353      | ----    | 6E36  | IJF70080 |
| 涓   | C354      | ----    | 6E3B  | IJF80080 |
| 涓   | C355      | ----    | 6E44  | IJF90080 |
| 涑   | C356      | ----    | 6E45  | IJFA0080 |
| 漑   | C357      | ----    | 6E48  | IJFB0080 |
| 涓   | C358      | ----    | 6E49  | IJFC0080 |
| 涓   | C359      | ----    | 6E4B  | IJFD0080 |
| 涓   | C35A      | ----    | 6E4F  | IJFE0080 |
| 涓   | C35B      | ----    | 6E51  | IJFF0080 |
| 涓   | C35C      | ----    | 6E52  | IJFG0080 |
| 涓   | C35D      | ----    | 6E53  | IJFH0080 |
| 涓   | C35E      | ----    | 6E54  | IJFI0080 |
| 涓   | C35F      | ----    | 6E57  | IJFJ0080 |
| 涓   | C360      | ----    | 6E5D  | IJFK0080 |
| 涓   | C361      | ----    | 6E5E  | IJFL0080 |
| 涓   | C362      | ----    | 6E62  | IJFM0080 |
| 涓   | C363      | ----    | 6E63  | IJFN0080 |
| 涓   | C364      | ----    | 6E68  | IJFO0080 |
| 涓   | C365      | ----    | 6E73  | IJFP0080 |
| 涓   | C366      | ----    | 6E7B  | IJFQ0080 |
| 涓   | C367      | ----    | 6E7D  | IJFR0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 涓   | C368      | ----    | 6E8D  | IJFS0080 |
| 涓   | C369      | ----    | 6E93  | IJFT0080 |
| 涓   | C36A      | ----    | 6E99  | IJFU0080 |
| 涓   | C36B      | ----    | 6EA0  | IJFV0080 |
| 涓   | C36C      | ----    | 6EA7  | IJFW0080 |
| 涓   | C36D      | ----    | 6EAD  | IJFX0080 |
| 涓   | C36E      | ----    | 6EAE  | IJFY0080 |
| 涓   | C36F      | ----    | 6EB1  | IJFZ0080 |
| 涓   | C370      | ----    | 6EB3  | IJG00080 |
| 涓   | C371      | ----    | 6EBB  | IJG10080 |
| 涓   | C372      | ----    | 6EC0  | IJG20080 |
| 涓   | C373      | ----    | 6EC1  | IJG30080 |
| 涓   | C374      | ----    | 6EC3  | IJG40080 |
| 涓   | C375      | ----    | 6EC7  | IJG50080 |
| 涓   | C376      | ----    | 6EC8  | IJG60080 |
| 涓   | C377      | ----    | 6ECA  | IJG70080 |
| 涓   | C378      | ----    | 6ECD  | IJG80080 |
| 涓   | C379      | ----    | 6ECE  | IJG90080 |
| 涓   | C37A      | ----    | 6ECF  | IJGA0080 |
| 涓   | C37B      | ----    | 6EEB  | IJGB0080 |
| 涓   | C37C      | ----    | 6EED  | IJGC0080 |
| 涓   | C37D      | ----    | 6EEE  | IJGD0080 |
| 涓   | C37E      | ----    | 6EF9  | IJGE0080 |
| 涓   | C37F      | ----    | 6EFB  | IJGF0080 |
| 涓   | C380      | ----    | 6EFD  | IJGG0080 |
| 涓   | C381      | ----    | 6F04  | IJGH0080 |
| 涓   | C382      | ----    | 6F08  | IJGI0080 |
| 涓   | C383      | ----    | 6F0A  | IJGJ0080 |
| 涓   | C384      | ----    | 6F0C  | IJGK0080 |
| 涓   | C385      | ----    | 6F0D  | IJGL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 激   | C386      | ----    | 6F16  | IJGM0080 |
| 湍   | C387      | ----    | 6F18  | IJGN0080 |
| 漚   | C388      | ----    | 6F1A  | IJGO0080 |
| 漆   | C389      | ----    | 6F1B  | IJGP0080 |
| 漦   | C38A      | ----    | 6F26  | IJGQ0080 |
| 漩   | C38B      | ----    | 6F29  | IJGR0080 |
| 漪   | C38C      | ----    | 6F2A  | IJGS0080 |
| 漭   | C38D      | ----    | 6F2D  | IJGT0080 |
| 瀑   | C38E      | ----    | 6F2F  | IJGU0080 |
| 湍   | C38F      | ----    | 6F30  | IJGV0080 |
| 漳   | C390      | ----    | 6F33  | IJGW0080 |
| 湮   | C391      | ----    | 6F36  | IJGX0080 |
| 湮   | C392      | ----    | 6F3B  | IJGY0080 |
| 漕   | C393      | ----    | 6F3C  | IJGZ0080 |
| 滂   | C394      | ----    | 6F4F  | IJH00080 |
| 滂   | C395      | ----    | 6F51  | IJH10080 |
| 滂   | C396      | ----    | 6F52  | IJH20080 |
| 滂   | C397      | ----    | 6F53  | IJH30080 |
| 滂   | C398      | ----    | 6F57  | IJH40080 |
| 滂   | C399      | ----    | 6F59  | IJH50080 |
| 滂   | C39A      | ----    | 6F5A  | IJH60080 |
| 滂   | C39B      | ----    | 6F5D  | IJH70080 |
| 滂   | C39C      | ----    | 6F5E  | IJH80080 |
| 滂   | C39D      | ----    | 6F61  | IJH90080 |
| 滂   | C39E      | ----    | 6F62  | IJHA0080 |
| 滂   | C39F      | ----    | 6F68  | IJHB0080 |
| 滂   | C3A0      | ----    | 6F6C  | IJHC0080 |
| 滂   | C3A1      | ----    | 6F7D  | IJHD0080 |
| 滂   | C3A2      | ----    | 6F7E  | IJHE0080 |
| 滂   | C3A3      | ----    | 6F83  | IJHF0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 滂   | C3A4      | ----    | 6F87  | IJHG0080 |
| 滂   | C3A5      | ----    | 6F8B  | IJHH0080 |
| 滂   | C3A6      | ----    | 6F8C  | IJHI0080 |
| 滂   | C3A7      | ----    | 6F8D  | IJHJ0080 |
| 滂   | C3A8      | ----    | 6F90  | IJHK0080 |
| 滂   | C3A9      | ----    | 6F92  | IJHL0080 |
| 滂   | C3AA      | ----    | 6F93  | IJHM0080 |
| 滂   | C3AB      | ----    | 6F94  | IJHN0080 |
| 滂   | C3AC      | ----    | 6F96  | IJHO0080 |
| 滂   | C3AD      | ----    | 6F9A  | IJHP0080 |
| 滂   | C3AE      | ----    | 6F9F  | IJHQ0080 |
| 滂   | C3AF      | ----    | 6FA0  | IJHR0080 |
| 滂   | C3B0      | ----    | 6FA5  | IJHS0080 |
| 滂   | C3B1      | ----    | 6FA6  | IJHT0080 |
| 滂   | C3B2      | ----    | 6FA7  | IJHU0080 |
| 滂   | C3B3      | ----    | 6FA8  | IJHV0080 |
| 滂   | C3B4      | ----    | 6FAE  | IJHW0080 |
| 滂   | C3B5      | ----    | 6FAF  | IJHX0080 |
| 滂   | C3B6      | ----    | 6FB0  | IJHY0080 |
| 滂   | C3B7      | ----    | 6FB6  | IJHZ0080 |
| 滂   | C3B8      | ----    | 6FBC  | IJI00080 |
| 滂   | C3B9      | ----    | 6FC5  | IJI10080 |
| 滂   | C3BA      | ----    | 6FC7  | IJI20080 |
| 滂   | C3BB      | ----    | 6FC8  | IJI30080 |
| 滂   | C3BC      | ----    | 6FCA  | IJI40080 |
| 滂   | C3BD      | ----    | 6FDA  | IJI50080 |
| 滂   | C3BE      | ----    | 6FDE  | IJI60080 |
| 滂   | C3BF      | ----    | 6FE8  | IJI70080 |
| 滂   | C3C0      | ----    | 6FE9  | IJI80080 |
| 滂   | C3C1      | ----    | 6FF0  | IJI90080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 溼   | C3C2      | ----    | 6FF9  | IJIA0080 |
| 灤   | C3C3      | ----    | 6FFC  | IJIB0080 |
| 潰   | C3C4      | ----    | 6FFD  | IJIC0080 |
| 溲   | C3C5      | ----    | 7000  | IJID0080 |
| 瀆   | C3C6      | ----    | 7006  | IJIE0080 |
| 瀉   | C3C7      | ----    | 700D  | IJIF0080 |
| 漈   | C3C8      | ----    | 7017  | IJIG0080 |
| 滌   | C3C9      | ----    | 7020  | IJIH0080 |
| 漉   | C3CA      | ----    | 7023  | IJII0080 |
| 滄   | C3CB      | ----    | 702F  | IJIJ0080 |
| 漣   | C3CC      | ----    | 7034  | IJIK0080 |
| 瀆   | C3CD      | ----    | 7037  | IJIL0080 |
| 淪   | C3CE      | ----    | 7039  | IJIM0080 |
| 瀆   | C3CF      | ----    | 703C  | IJIN0080 |
| 漣   | C3D0      | ----    | 7043  | IJIO0080 |
| 漉   | C3D1      | ----    | 7044  | IJIP0080 |
| 漉   | C3D2      | ----    | 7048  | IJIQ0080 |
| 漉   | C3D3      | ----    | 7049  | IJIR0080 |
| 漉   | C3D4      | ----    | 704A  | IJIS0080 |
| 漉   | C3D5      | ----    | 704B  | IJIT0080 |
| 漉   | C3D6      | ----    | 704E  | IJIU0080 |
| 漉   | C3D7      | ----    | 7054  | IJIV0080 |
| 漉   | C3D8      | ----    | 7055  | IJIW0080 |
| 漉   | C3D9      | ----    | 705D  | IJIX0080 |
| 漉   | C3DA      | ----    | 705E  | IJIY0080 |
| 漉   | C3DB      | ----    | 7064  | IJIZ0080 |
| 漉   | C3DC      | ----    | 7065  | IJJ00080 |
| 灑   | C3DD      | ----    | 706C  | IJJ10080 |
| 灑   | C3DE      | ----    | 706E  | IJJ20080 |
| 灑   | C3DF      | ----    | 7075  | IJJ30080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 灶   | C3E0      | ----    | 7076  | IJJ40080 |
| 灾   | C3E1      | ----    | 707E  | IJJ50080 |
| 炆   | C3E2      | ----    | 7081  | IJJ60080 |
| 炆   | C3E3      | ----    | 7086  | IJJ70080 |
| 炆   | C3E4      | ----    | 7094  | IJJ80080 |
| 炆   | C3E5      | ----    | 7095  | IJJ90080 |
| 炆   | C3E6      | ----    | 7096  | IJJA0080 |
| 炆   | C3E7      | ----    | 7097  | IJJB0080 |
| 炆   | C3E8      | ----    | 7098  | IJJC0080 |
| 炆   | C3E9      | ----    | 709B  | IJJD0080 |
| 炆   | C3EA      | ----    | 70A4  | IJJE0080 |
| 炆   | C3EB      | ----    | 70B0  | IJJF0080 |
| 炆   | C3EC      | ----    | 70B1  | IJJG0080 |
| 炆   | C3ED      | ----    | 70B4  | IJJH0080 |
| 炆   | C3EE      | ----    | 70B7  | IJJI0080 |
| 炆   | C3EF      | ----    | 70CA  | IJJJ0080 |
| 炆   | C3F0      | ----    | 70D1  | IJJK0080 |
| 炆   | C3F1      | ----    | 70D3  | IJJL0080 |
| 炆   | C3F2      | ----    | 70D4  | IJJM0080 |
| 炆   | C3F3      | ----    | 70D5  | IJJN0080 |
| 炆   | C3F4      | ----    | 70D6  | IJJO0080 |
| 炆   | C3F5      | ----    | 70D8  | IJJP0080 |
| 炆   | C3F6      | ----    | 70DC  | IJJQ0080 |
| 炆   | C3F7      | ----    | 70E4  | IJJR0080 |
| 炆   | C3F8      | ----    | 70FA  | IJJS0080 |
| 炆   | C3F9      | ----    | 7103  | IJJT0080 |
| 炆   | C3FA      | ----    | 7105  | IJJU0080 |
| 炆   | C3FB      | ----    | 7106  | IJJV0080 |
| 炆   | C3FC      | ----    | 7107  | IJJW0080 |
| 炆   | C3FD      | ----    | 710B  | IJJX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 焮   | C3FE      | ----    | 710C  | IJJY0080 |
| 焯   | C441      | ----    | 711E  | IJK10080 |
| 焅   | C442      | ----    | 7120  | IJK20080 |
| 焆   | C443      | ----    | 712B  | IJK30080 |
| 焇   | C444      | ----    | 712D  | IJK40080 |
| 焈   | C445      | ----    | 712F  | IJK50080 |
| 焉   | C446      | ----    | 7130  | IJK60080 |
| 焊   | C447      | ----    | 7131  | IJK70080 |
| 焋   | C448      | ----    | 7138  | IJK80080 |
| 焌   | C449      | ----    | 7141  | IJK90080 |
| 焍   | C44A      | ----    | 7145  | IJKA0080 |
| 焎   | C44B      | ----    | 714A  | IJKB0080 |
| 焏   | C44C      | ----    | 714B  | IJKC0080 |
| 焐   | C44D      | ----    | 7150  | IJKD0080 |
| 焑   | C44E      | ----    | 7152  | IJKE0080 |
| 焒   | C44F      | ----    | 7157  | IJKF0080 |
| 焓   | C450      | ----    | 715A  | IJKG0080 |
| 焔   | C451      | ----    | 715E  | IJKH0080 |
| 焕   | C452      | ----    | 7160  | IJKI0080 |
| 焖   | C453      | ----    | 7168  | IJKJ0080 |
| 焗   | C454      | ----    | 7179  | IJKK0080 |
| 焘   | C455      | ----    | 7180  | IJKL0080 |
| 焙   | C456      | ----    | 7185  | IJKM0080 |
| 焚   | C457      | ----    | 7187  | IJKN0080 |
| 焛   | C458      | ----    | 718C  | IJKO0080 |
| 焜   | C459      | ----    | 7192  | IJKP0080 |
| 焝   | C45A      | ----    | 719A  | IJKQ0080 |
| 焞   | C45B      | ----    | 719B  | IJKR0080 |
| 焟   | C45C      | ----    | 71A0  | IJKS0080 |
| 焠   | C45D      | ----    | 71A2  | IJKT0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 無   | C45E      | ----    | 71AF  | IJKU0080 |
| 焢   | C45F      | ----    | 71B0  | IJKV0080 |
| 焣   | C460      | ----    | 71B2  | IJKW0080 |
| 焤   | C461      | ----    | 71B3  | IJKX0080 |
| 焥   | C462      | ----    | 71BA  | IJKY0080 |
| 焦   | C463      | ----    | 71BF  | IJKZ0080 |
| 焧   | C464      | ----    | 71C0  | IJL00080 |
| 焨   | C465      | ----    | 71C4  | IJL10080 |
| 焩   | C466      | ----    | 71CB  | IJL20080 |
| 焪   | C467      | ----    | 71CC  | IJL30080 |
| 焫   | C468      | ----    | 71D3  | IJL40080 |
| 焬   | C469      | ----    | 71D6  | IJL50080 |
| 焭   | C46A      | ----    | 71D9  | IJL60080 |
| 焮   | C46B      | ----    | 71DA  | IJL70080 |
| 焯   | C46C      | ----    | 71DC  | IJL80080 |
| 焅   | C46D      | ----    | 71F8  | IJL90080 |
| 焆   | C46E      | ----    | 7200  | IJLA0080 |
| 焇   | C46F      | ----    | 7207  | IJLB0080 |
| 焈   | C470      | ----    | 7208  | IJLC0080 |
| 焉   | C471      | ----    | 7209  | IJLD0080 |
| 焊   | C472      | ----    | 7213  | IJLE0080 |
| 焋   | C473      | ----    | 7217  | IJLF0080 |
| 焌   | C474      | ----    | 721A  | IJLG0080 |
| 焍   | C475      | ----    | 721D  | IJLH0080 |
| 焎   | C476      | ----    | 721F  | IJLI0080 |
| 焏   | C477      | ----    | 7224  | IJLJ0080 |
| 焐   | C478      | ----    | 722B  | IJLK0080 |
| 焑   | C479      | ----    | 722F  | IJLL0080 |
| 焒   | C47A      | ----    | 7234  | IJLM0080 |
| 焓   | C47B      | ----    | 7238  | IJLN0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 爹   | C47C      | ----    | 7239  | IJLO0080 |
| 疴   | C47D      | ----    | 7241  | IJLP0080 |
| 牂   | C47E      | ----    | 7242  | IJLQ0080 |
| 牒   | C47F      | ----    | 7243  | IJLR0080 |
| 牖   | C480      | ----    | 7245  | IJLS0080 |
| 牚   | C481      | ----    | 724E  | IJLT0080 |
| 牛   | C482      | ----    | 724F  | IJLU0080 |
| 插   | C483      | ----    | 7250  | IJLV0080 |
| 榜   | C484      | ----    | 7253  | IJLW0080 |
| 牝   | C485      | ----    | 7255  | IJLX0080 |
| 牞   | C486      | ----    | 7256  | IJLY0080 |
| 掌   | C487      | ----    | 725A  | IJLZ0080 |
| 牛   | C488      | ----    | 725C  | IJM00080 |
| 牝   | C489      | ----    | 725E  | IJM10080 |
| 牝   | C48A      | ----    | 7260  | IJM20080 |
| 牝   | C48B      | ----    | 7263  | IJM30080 |
| 牝   | C48C      | ----    | 7268  | IJM40080 |
| 牝   | C48D      | ----    | 726B  | IJM50080 |
| 犂   | C48E      | ----    | 726E  | IJM60080 |
| 牝   | C48F      | ----    | 726F  | IJM70080 |
| 牝   | C490      | ----    | 7271  | IJM80080 |
| 牝   | C491      | ----    | 7277  | IJM90080 |
| 牝   | C492      | ----    | 7278  | IJMA0080 |
| 牝   | C493      | ----    | 727B  | IJMB0080 |
| 牝   | C494      | ----    | 727C  | IJMC0080 |
| 牝   | C495      | ----    | 727F  | IJMD0080 |
| 牝   | C496      | ----    | 7284  | IJME0080 |
| 牝   | C497      | ----    | 7289  | IJMF0080 |
| 牝   | C498      | ----    | 728D  | IJMG0080 |
| 犂   | C499      | ----    | 728E  | IJMH0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 犂   | C49A      | ----    | 7293  | IJMI0080 |
| 犂   | C49B      | ----    | 729B  | IJMJ0080 |
| 犂   | C49C      | ----    | 72A8  | IJMK0080 |
| 犂   | C49D      | ----    | 72AD  | IJML0080 |
| 犂   | C49E      | ----    | 72AE  | IJMM0080 |
| 犂   | C49F      | ----    | 72B4  | IJMN0080 |
| 犂   | C4A0      | ----    | 72C1  | IJMO0080 |
| 犂   | C4A1      | ----    | 72C7  | IJMP0080 |
| 犂   | C4A2      | ----    | 72C9  | IJMQ0080 |
| 犂   | C4A3      | ----    | 72CC  | IJMR0080 |
| 犂   | C4A4      | ----    | 72D5  | IJMS0080 |
| 犂   | C4A5      | ----    | 72D6  | IJMT0080 |
| 犂   | C4A6      | ----    | 72D8  | IJMU0080 |
| 犂   | C4A7      | ----    | 72DF  | IJMV0080 |
| 犂   | C4A8      | ----    | 72E5  | IJMW0080 |
| 犂   | C4A9      | ----    | 72F3  | IJMX0080 |
| 犂   | C4AA      | ----    | 72F4  | IJMY0080 |
| 犂   | C4AB      | ----    | 72FA  | IJMZ0080 |
| 犂   | C4AC      | ----    | 72FB  | IJN00080 |
| 犂   | C4AD      | ----    | 72FE  | IJN10080 |
| 犂   | C4AE      | ----    | 7302  | IJN20080 |
| 犂   | C4AF      | ----    | 7304  | IJN30080 |
| 犂   | C4B0      | ----    | 7305  | IJN40080 |
| 犂   | C4B1      | ----    | 7307  | IJN50080 |
| 犂   | C4B2      | ----    | 730B  | IJN60080 |
| 犂   | C4B3      | ----    | 730D  | IJN70080 |
| 犂   | C4B4      | ----    | 7312  | IJN80080 |
| 犂   | C4B5      | ----    | 7313  | IJN90080 |
| 犂   | C4B6      | ----    | 7318  | IJNA0080 |
| 犂   | C4B7      | ----    | 7319  | IJNB0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 猯   | C4B8      | ----    | 731E  | IJNC0080 |
| 猷   | C4B9      | ----    | 7322  | IJND0080 |
| 猫   | C4BA      | ----    | 7327  | IJNE0080 |
| 猬   | C4BB      | ----    | 7328  | IJNF0080 |
| 猭   | C4BC      | ----    | 732C  | IJNG0080 |
| 猫   | C4BD      | ----    | 7331  | IJNH0080 |
| 猭   | C4BE      | ----    | 7332  | IJNI0080 |
| 献   | C4BF      | ----    | 7335  | IJNJ0080 |
| 猯   | C4C0      | ----    | 733A  | IJNK0080 |
| 猰   | C4C1      | ----    | 733B  | IJNL0080 |
| 猱   | C4C2      | ----    | 733D  | IJNM0080 |
| 猲   | C4C3      | ----    | 7343  | IJNN0080 |
| 猳   | C4C4      | ----    | 734D  | IJNO0080 |
| 猴   | C4C5      | ----    | 7350  | IJNP0080 |
| 猵   | C4C6      | ----    | 7352  | IJNQ0080 |
| 猶   | C4C7      | ----    | 7356  | IJNR0080 |
| 猷   | C4C8      | ----    | 7358  | IJNS0080 |
| 猫   | C4C9      | ----    | 735D  | IJNT0080 |
| 猬   | C4CA      | ----    | 735E  | IJNU0080 |
| 猭   | C4CB      | ----    | 735F  | IJNV0080 |
| 献   | C4CC      | ----    | 7360  | IJNW0080 |
| 猩   | C4CD      | ----    | 7366  | IJNX0080 |
| 猪   | C4CE      | ----    | 7367  | IJNY0080 |
| 猫   | C4CF      | ----    | 7369  | IJNZ0080 |
| 猬   | C4D0      | ----    | 736B  | IJO00080 |
| 猭   | C4D1      | ----    | 736C  | IJO10080 |
| 献   | C4D2      | ----    | 736E  | IJO20080 |
| 猩   | C4D3      | ----    | 736F  | IJO30080 |
| 猪   | C4D4      | ----    | 7371  | IJO40080 |
| 猫   | C4D5      | ----    | 7379  | IJO50080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 献   | C4D6      | ----    | 737C  | IJO60080 |
| 猩   | C4D7      | ----    | 7380  | IJO70080 |
| 猪   | C4D8      | ----    | 7381  | IJO80080 |
| 猫   | C4D9      | ----    | 7383  | IJO90080 |
| 猬   | C4DA      | ----    | 7385  | IJOA0080 |
| 猭   | C4DB      | ----    | 7386  | IJOB0080 |
| 献   | C4DC      | ----    | 738E  | IJOC0080 |
| 猩   | C4DD      | ----    | 7390  | IJOD0080 |
| 猪   | C4DE      | ----    | 7393  | IJOE0080 |
| 猫   | C4DF      | ----    | 7395  | IJOF0080 |
| 猬   | C4E0      | ----    | 7397  | IJOG0080 |
| 猭   | C4E1      | ----    | 7398  | IJOH0080 |
| 献   | C4E2      | ----    | 739C  | IJOI0080 |
| 猩   | C4E3      | ----    | 739E  | IJOJ0080 |
| 猪   | C4E4      | ----    | 739F  | IJOK0080 |
| 猫   | C4E5      | ----    | 73A0  | IJOL0080 |
| 猬   | C4E6      | ----    | 73A2  | IJOM0080 |
| 猭   | C4E7      | ----    | 73A5  | IJON0080 |
| 献   | C4E8      | ----    | 73A6  | IJOO0080 |
| 猩   | C4E9      | ----    | 73AA  | IJOP0080 |
| 猪   | C4EA      | ----    | 73AB  | IJOQ0080 |
| 猫   | C4EB      | ----    | 73AD  | IJOR0080 |
| 猬   | C4EC      | ----    | 73B5  | IJOS0080 |
| 猭   | C4ED      | ----    | 73B7  | IJOT0080 |
| 献   | C4EE      | ----    | 73B9  | IJOU0080 |
| 猩   | C4EF      | ----    | 73BC  | IJOV0080 |
| 猪   | C4F0      | ----    | 73BF  | IJOW0080 |
| 猫   | C4F1      | ----    | 73C5  | IJOX0080 |
| 猬   | C4F2      | ----    | 73C6  | IJOY0080 |
| 猭   | C4F3      | ----    | 73CB  | IJOZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 秘   | C4F4      | ----    | 73CC  | IJP00080 |
| 珏   | C4F5      | ----    | 73CF  | IJP10080 |
| 琰   | C4F6      | ----    | 73D3  | IJP20080 |
| 珙   | C4F7      | ----    | 73D9  | IJP30080 |
| 珘   | C4F8      | ----    | 73DD  | IJP40080 |
| 玗   | C4F9      | ----    | 73E1  | IJP50080 |
| 珞   | C4FA      | ----    | 73E6  | IJP60080 |
| 珛   | C4FB      | ----    | 73E7  | IJP70080 |
| 珞   | C4FC      | ----    | 73E9  | IJP80080 |
| 玑   | C4FD      | ----    | 73F4  | IJP90080 |
| 玒   | C4FE      | ----    | 73F7  | IJPA0080 |
| 城   | C541      | ----    | 73F9  | IJPD0080 |
| 珞   | C542      | ----    | 73FA  | IJPE0080 |
| 珞   | C543      | ----    | 73FB  | IJPF0080 |
| 珞   | C544      | ----    | 73FD  | IJPG0080 |
| 玑   | C545      | ----    | 73FF  | IJPH0080 |
| 珞   | C546      | ----    | 7400  | IJPI0080 |
| 珞   | C547      | ----    | 7401  | IJPJ0080 |
| 珞   | C548      | ----    | 7404  | IJPK0080 |
| 珞   | C549      | ----    | 740A  | IJPL0080 |
| 珞   | C54A      | ----    | 7411  | IJPM0080 |
| 珞   | C54B      | ----    | 741A  | IJPN0080 |
| 玑   | C54C      | ----    | 741B  | IJPO0080 |
| 珞   | C54D      | ----    | 7424  | IJPP0080 |
| 玑   | C54E      | ----    | 7428  | IJPQ0080 |
| 珞   | C54F      | ----    | 742B  | IJPR0080 |
| 珞   | C550      | ----    | 742C  | IJPS0080 |
| 玑   | C551      | ----    | 742D  | IJPT0080 |
| 珞   | C552      | ----    | 742F  | IJPU0080 |
| 玑   | C553      | ----    | 7430  | IJPV0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 琰   | C554      | ----    | 7431  | IJPW0080 |
| 琰   | C555      | ----    | 7439  | IJPX0080 |
| 琰   | C556      | ----    | 7440  | IJPY0080 |
| 琰   | C557      | ----    | 7443  | IJPZ0080 |
| 琰   | C558      | ----    | 7444  | IJQ00080 |
| 琰   | C559      | ----    | 7446  | IJQ10080 |
| 琰   | C55A      | ----    | 7447  | IJQ20080 |
| 琰   | C55B      | ----    | 744B  | IJQ30080 |
| 琰   | C55C      | ----    | 744D  | IJQ40080 |
| 琰   | C55D      | ----    | 7451  | IJQ50080 |
| 琰   | C55E      | ----    | 7452  | IJQ60080 |
| 琰   | C55F      | ----    | 7457  | IJQ70080 |
| 琰   | C560      | ----    | 745D  | IJQ80080 |
| 琰   | C561      | ----    | 7466  | IJQ90080 |
| 琰   | C562      | ----    | 7467  | IJQA0080 |
| 琰   | C563      | ----    | 7468  | IJQB0080 |
| 琰   | C564      | ----    | 746B  | IJQC0080 |
| 琰   | C565      | ----    | 746D  | IJQD0080 |
| 琰   | C566      | ----    | 746E  | IJQE0080 |
| 琰   | C567      | ----    | 7471  | IJQF0080 |
| 琰   | C568      | ----    | 7472  | IJQG0080 |
| 琰   | C569      | ----    | 7480  | IJQH0080 |
| 琰   | C56A      | ----    | 7481  | IJQI0080 |
| 琰   | C56B      | ----    | 7485  | IJQJ0080 |
| 琰   | C56C      | ----    | 7486  | IJQK0080 |
| 琰   | C56D      | ----    | 7487  | IJQL0080 |
| 琰   | C56E      | ----    | 748F  | IJQM0080 |
| 琰   | C56F      | ----    | 7490  | IJQN0080 |
| 琰   | C570      | ----    | 7491  | IJQO0080 |
| 琰   | C571      | ----    | 7492  | IJQP0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 璘   | C572      | ----    | 7498  | IJQQ0080 |
| 璏   | C573      | ----    | 7499  | IJQR0080 |
| 璘   | C574      | ----    | 749A  | IJQS0080 |
| 璙   | C575      | ----    | 749C  | IJQT0080 |
| 璚   | C576      | ----    | 74A0  | IJQU0080 |
| 璛   | C577      | ----    | 74A1  | IJQV0080 |
| 璜   | C578      | ----    | 74A3  | IJQW0080 |
| 璜   | C579      | ----    | 74A6  | IJQX0080 |
| 璜   | C57A      | ----    | 74A8  | IJQY0080 |
| 璜   | C57B      | ----    | 74A9  | IJQZ0080 |
| 璜   | C57C      | ----    | 74AA  | IJR00080 |
| 璜   | C57D      | ----    | 74AB  | IJR10080 |
| 璜   | C57E      | ----    | 74AE  | IJR20080 |
| 璜   | C57F      | ----    | 74AF  | IJR30080 |
| 璜   | C580      | ----    | 74B1  | IJR40080 |
| 璜   | C581      | ----    | 74B2  | IJR50080 |
| 璜   | C582      | ----    | 74B5  | IJR60080 |
| 璜   | C583      | ----    | 74B9  | IJR70080 |
| 璜   | C584      | ----    | 74BB  | IJR80080 |
| 璜   | C585      | ----    | 74BF  | IJR90080 |
| 璜   | C586      | ----    | 74C8  | IJRA0080 |
| 璜   | C587      | ----    | 74C9  | IJRB0080 |
| 璜   | C588      | ----    | 74CC  | IJRC0080 |
| 璜   | C589      | ----    | 74D0  | IJRD0080 |
| 璜   | C58A      | ----    | 74D3  | IJRE0080 |
| 璜   | C58B      | ----    | 74D8  | IJRF0080 |
| 璜   | C58C      | ----    | 74DA  | IJRG0080 |
| 璜   | C58D      | ----    | 74DB  | IJRH0080 |
| 璜   | C58E      | ----    | 74DE  | IJRI0080 |
| 璜   | C58F      | ----    | 74DF  | IJRJ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 瓠   | C590      | ----    | 74E4  | IJRK0080 |
| 瓠   | C591      | ----    | 74E8  | IJRL0080 |
| 瓠   | C592      | ----    | 74EA  | IJRM0080 |
| 瓠   | C593      | ----    | 74EB  | IJRN0080 |
| 瓠   | C594      | ----    | 74EF  | IJRO0080 |
| 瓠   | C595      | ----    | 74F4  | IJRP0080 |
| 瓠   | C596      | ----    | 74FA  | IJRQ0080 |
| 瓠   | C597      | ----    | 74FB  | IJRR0080 |
| 瓠   | C598      | ----    | 74FC  | IJRS0080 |
| 瓠   | C599      | ----    | 74FF  | IJRT0080 |
| 瓠   | C59A      | ----    | 7506  | IJRU0080 |
| 瓠   | C59B      | ----    | 7512  | IJRV0080 |
| 瓠   | C59C      | ----    | 7516  | IJRW0080 |
| 瓠   | C59D      | ----    | 7517  | IJRX0080 |
| 瓠   | C59E      | ----    | 7520  | IJRY0080 |
| 瓠   | C59F      | ----    | 7521  | IJRZ0080 |
| 瓠   | C5A0      | ----    | 7524  | IJS00080 |
| 瓠   | C5A1      | ----    | 7527  | IJS10080 |
| 瓠   | C5A2      | ----    | 7529  | IJS20080 |
| 瓠   | C5A3      | ----    | 752A  | IJS30080 |
| 瓠   | C5A4      | ----    | 7536  | IJS40080 |
| 瓠   | C5A5      | ----    | 7539  | IJS50080 |
| 瓠   | C5A6      | ----    | 753D  | IJS60080 |
| 瓠   | C5A7      | ----    | 753E  | IJS70080 |
| 瓠   | C5A8      | ----    | 753F  | IJS80080 |
| 瓠   | C5A9      | ----    | 7540  | IJS90080 |
| 瓠   | C5AA      | ----    | 7543  | IJSA0080 |
| 瓠   | C5AB      | ----    | 7547  | IJSB0080 |
| 瓠   | C5AC      | ----    | 7548  | IJSC0080 |
| 瓠   | C5AD      | ----    | 754E  | IJSD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 畐   | C5AE      | ----    | 7550  | IJSE0080 |
| 畝   | C5AF      | ----    | 7552  | IJSF0080 |
| 富   | C5B0      | ----    | 7557  | IJSG0080 |
| 畝   | C5B1      | ----    | 755E  | IJSH0080 |
| 畷   | C5B2      | ----    | 755F  | IJSI0080 |
| 咳   | C5B3      | ----    | 7561  | IJSJ0080 |
| 雷   | C5B4      | ----    | 7571  | IJSK0080 |
| 畹   | C5B5      | ----    | 7579  | IJSL0080 |
| 畺   | C5B6      | ----    | 757A  | IJSM0080 |
| 畻   | C5B7      | ----    | 757B  | IJSN0080 |
| 暘   | C5B8      | ----    | 757C  | IJSO0080 |
| 暉   | C5B9      | ----    | 757D  | IJSP0080 |
| 畹   | C5BA      | ----    | 757E  | IJSQ0080 |
| 畺   | C5BB      | ----    | 7581  | IJSR0080 |
| 畻   | C5BC      | ----    | 7585  | IJSS0080 |
| 暉   | C5BD      | ----    | 7590  | IJST0080 |
| 疒   | C5BE      | ----    | 7592  | IJSU0080 |
| 疔   | C5BF      | ----    | 7593  | IJSV0080 |
| 疖   | C5C0      | ----    | 7595  | IJSW0080 |
| 疖   | C5C1      | ----    | 7599  | IJSX0080 |
| 疖   | C5C2      | ----    | 759C  | IJSY0080 |
| 疖   | C5C3      | ----    | 75A2  | IJSZ0080 |
| 疤   | C5C4      | ----    | 75A4  | IJT00080 |
| 痂   | C5C5      | ----    | 75B4  | IJT10080 |
| 疖   | C5C6      | ----    | 75BA  | IJT20080 |
| 痂   | C5C7      | ----    | 75BF  | IJT30080 |
| 痂   | C5C8      | ----    | 75C0  | IJT40080 |
| 疖   | C5C9      | ----    | 75C1  | IJT50080 |
| 疖   | C5CA      | ----    | 75C4  | IJT60080 |
| 疤   | C5CB      | ----    | 75C6  | IJT70080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 痂   | C5CC      | ----    | 75CC  | IJT80080 |
| 痂   | C5CD      | ----    | 75CE  | IJT90080 |
| 痂   | C5CE      | ----    | 75CF  | IJTA0080 |
| 痂   | C5CF      | ----    | 75D7  | IJTB0080 |
| 痂   | C5D0      | ----    | 75DC  | IJTC0080 |
| 痂   | C5D1      | ----    | 75DF  | IJTD0080 |
| 痂   | C5D2      | ----    | 75E0  | IJTE0080 |
| 痂   | C5D3      | ----    | 75E1  | IJTF0080 |
| 痂   | C5D4      | ----    | 75E4  | IJTG0080 |
| 痂   | C5D5      | ----    | 75E7  | IJTH0080 |
| 痂   | C5D6      | ----    | 75EC  | IJTI0080 |
| 痂   | C5D7      | ----    | 75EE  | IJTJ0080 |
| 痂   | C5D8      | ----    | 75EF  | IJTK0080 |
| 痂   | C5D9      | ----    | 75F1  | IJTL0080 |
| 痂   | C5DA      | ----    | 75F9  | IJTM0080 |
| 痂   | C5DB      | ----    | 7600  | IJTN0080 |
| 痂   | C5DC      | ----    | 7602  | IJTO0080 |
| 痂   | C5DD      | ----    | 7603  | IJTP0080 |
| 痂   | C5DE      | ----    | 7604  | IJTQ0080 |
| 痂   | C5DF      | ----    | 7607  | IJTR0080 |
| 痂   | C5E0      | ----    | 7608  | IJTS0080 |
| 痂   | C5E1      | ----    | 760A  | IJTT0080 |
| 痂   | C5E2      | ----    | 760C  | IJTU0080 |
| 痂   | C5E3      | ----    | 760F  | IJTV0080 |
| 痂   | C5E4      | ----    | 7612  | IJTW0080 |
| 痂   | C5E5      | ----    | 7613  | IJTX0080 |
| 痂   | C5E6      | ----    | 7615  | IJTY0080 |
| 痂   | C5E7      | ----    | 7616  | IJTZ0080 |
| 痂   | C5E8      | ----    | 7619  | IJU00080 |
| 痂   | C5E9      | ----    | 761B  | IJU10080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 瘰   | C5EA      | ----    | 761C  | IJU20080 |
| 瘰   | C5EB      | ----    | 761D  | IJU30080 |
| 瘰   | C5EC      | ----    | 761E  | IJU40080 |
| 瘰   | C5ED      | ----    | 7623  | IJU50080 |
| 瘰   | C5EE      | ----    | 7625  | IJU60080 |
| 瘰   | C5EF      | ----    | 7626  | IJU70080 |
| 瘰   | C5F0      | ----    | 7629  | IJU80080 |
| 瘰   | C5F1      | ----    | 762D  | IJU90080 |
| 瘰   | C5F2      | ----    | 7632  | IJUA0080 |
| 瘰   | C5F3      | ----    | 7633  | IJUB0080 |
| 瘰   | C5F4      | ----    | 7635  | IJUC0080 |
| 瘰   | C5F5      | ----    | 7638  | IJUD0080 |
| 瘰   | C5F6      | ----    | 7639  | IJUE0080 |
| 瘰   | C5F7      | ----    | 763A  | IJUF0080 |
| 瘰   | C5F8      | ----    | 763C  | IJUG0080 |
| 瘰   | C5F9      | ----    | 7640  | IJUH0080 |
| 瘰   | C5FA      | ----    | 7641  | IJUI0080 |
| 瘰   | C5FB      | ----    | 7643  | IJUJ0080 |
| 瘰   | C5FC      | ----    | 7644  | IJUK0080 |
| 瘰   | C5FD      | ----    | 7645  | IJUL0080 |
| 瘰   | C5FE      | ----    | 7649  | IJUM0080 |
| 瘰   | C641      | ----    | 764A  | IJUP0080 |
| 瘰   | C642      | ----    | 764B  | IJUQ0080 |
| 瘰   | C643      | ----    | 7655  | IJUR0080 |
| 瘰   | C644      | ----    | 7659  | IJUS0080 |
| 瘰   | C645      | ----    | 765F  | IJUT0080 |
| 瘰   | C646      | ----    | 7664  | IJUU0080 |
| 瘰   | C647      | ----    | 7665  | IJUV0080 |
| 瘰   | C648      | ----    | 766D  | IJUW0080 |
| 瘰   | C649      | ----    | 766E  | IJUX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 瘰   | C64A      | ----    | 766F  | IJUY0080 |
| 瘰   | C64B      | ----    | 7671  | IJUZ0080 |
| 瘰   | C64C      | ----    | 7674  | IJV00080 |
| 阜   | C64D      | ----    | 7681  | IJV10080 |
| 肥   | C64E      | ----    | 7685  | IJV20080 |
| 昧   | C64F      | ----    | 768C  | IJV30080 |
| 阜   | C650      | ----    | 768D  | IJV40080 |
| 冫   | C651      | ----    | 7695  | IJV50080 |
| 冫   | C652      | ----    | 769D  | IJV60080 |
| 冫   | C653      | ----    | 769F  | IJV70080 |
| 冫   | C654      | ----    | 76A0  | IJV80080 |
| 冫   | C655      | ----    | 76A2  | IJV90080 |
| 冫   | C656      | ----    | 76A3  | IJVA0080 |
| 冫   | C657      | ----    | 76A4  | IJVB0080 |
| 冫   | C658      | ----    | 76A5  | IJVC0080 |
| 冫   | C659      | ----    | 76A7  | IJVD0080 |
| 冫   | C65A      | ----    | 76A8  | IJVE0080 |
| 冫   | C65B      | ----    | 76AA  | IJVF0080 |
| 冫   | C65C      | ----    | 76AD  | IJVG0080 |
| 冫   | C65D      | ----    | 76BD  | IJVH0080 |
| 冫   | C65E      | ----    | 76C1  | IJVI0080 |
| 冫   | C65F      | ----    | 76C5  | IJVJ0080 |
| 冫   | C660      | ----    | 76C9  | IJVK0080 |
| 冫   | C661      | ----    | 76CB  | IJVL0080 |
| 冫   | C662      | ----    | 76CC  | IJVM0080 |
| 冫   | C663      | ----    | 76CE  | IJVN0080 |
| 冫   | C664      | ----    | 76D4  | IJVO0080 |
| 冫   | C665      | ----    | 76D9  | IJVP0080 |
| 冫   | C666      | ----    | 76E0  | IJVQ0080 |
| 冫   | C667      | ----    | 76E6  | IJVR0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 盪   | C668      | ----    | 76E8  | IJVS0080 |
| 盪   | C669      | ----    | 76EC  | IJVT0080 |
| 盪   | C66A      | ----    | 76F0  | IJVU0080 |
| 盪   | C66B      | ----    | 76F1  | IJVV0080 |
| 盪   | C66C      | ----    | 76F6  | IJVV0080 |
| 盪   | C66D      | ----    | 76F9  | IJVX0080 |
| 盪   | C66E      | ----    | 76FC  | IJVV0080 |
| 盪   | C66F      | ----    | 7700  | IJVZ0080 |
| 盪   | C670      | ----    | 7706  | IJW00080 |
| 盪   | C671      | ----    | 770A  | IJW10080 |
| 盪   | C672      | ----    | 770E  | IJW20080 |
| 盪   | C673      | ----    | 7712  | IJW30080 |
| 盪   | C674      | ----    | 7714  | IJW40080 |
| 盪   | C675      | ----    | 7715  | IJW50080 |
| 盪   | C676      | ----    | 7717  | IJW60080 |
| 盪   | C677      | ----    | 7719  | IJW70080 |
| 盪   | C678      | ----    | 771A  | IJW80080 |
| 盪   | C679      | ----    | 771C  | IJW90080 |
| 盪   | C67A      | ----    | 7722  | IJWA0080 |
| 盪   | C67B      | ----    | 7728  | IJWB0080 |
| 盪   | C67C      | ----    | 772D  | IJWC0080 |
| 盪   | C67D      | ----    | 772E  | IJWD0080 |
| 盪   | C67E      | ----    | 772F  | IJWE0080 |
| 盪   | C67F      | ----    | 7734  | IJWF0080 |
| 盪   | C680      | ----    | 7735  | IJWG0080 |
| 盪   | C681      | ----    | 7736  | IJWH0080 |
| 盪   | C682      | ----    | 7739  | IJWI0080 |
| 盪   | C683      | ----    | 773D  | IJWJ0080 |
| 盪   | C684      | ----    | 773E  | IJWK0080 |
| 盪   | C685      | ----    | 7742  | IJWL0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 盪   | C686      | ----    | 7745  | IJWM0080 |
| 盪   | C687      | ----    | 774A  | IJWN0080 |
| 盪   | C688      | ----    | 774D  | IJWO0080 |
| 盪   | C689      | ----    | 774E  | IJWP0080 |
| 盪   | C68A      | ----    | 774F  | IJWQ0080 |
| 盪   | C68B      | ----    | 7752  | IJWR0080 |
| 盪   | C68C      | ----    | 7756  | IJWS0080 |
| 盪   | C68D      | ----    | 7757  | IJWT0080 |
| 盪   | C68E      | ----    | 775C  | IJWU0080 |
| 盪   | C68F      | ----    | 775E  | IJWV0080 |
| 盪   | C690      | ----    | 775F  | IJWW0080 |
| 盪   | C691      | ----    | 7760  | IJWX0080 |
| 盪   | C692      | ----    | 7762  | IJWY0080 |
| 盪   | C693      | ----    | 7764  | IJWZ0080 |
| 盪   | C694      | ----    | 7767  | IJX00080 |
| 盪   | C695      | ----    | 776A  | IJX10080 |
| 盪   | C696      | ----    | 776C  | IJX20080 |
| 盪   | C697      | ----    | 7770  | IJX30080 |
| 盪   | C698      | ----    | 7772  | IJX40080 |
| 盪   | C699      | ----    | 7773  | IJX50080 |
| 盪   | C69A      | ----    | 7774  | IJX60080 |
| 盪   | C69B      | ----    | 777A  | IJX70080 |
| 盪   | C69C      | ----    | 777D  | IJX80080 |
| 盪   | C69D      | ----    | 7780  | IJX90080 |
| 盪   | C69E      | ----    | 7784  | IJXA0080 |
| 盪   | C69F      | ----    | 778C  | IJXB0080 |
| 盪   | C6A0      | ----    | 778D  | IJXC0080 |
| 盪   | C6A1      | ----    | 7794  | IJXD0080 |
| 盪   | C6A2      | ----    | 7795  | IJXE0080 |
| 盪   | C6A3      | ----    | 7796  | IJXF0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 曠   | C6A4      | ----    | 779A  | IJXG0080 |
| 瞞   | C6A5      | ----    | 779F  | IJXH0080 |
| 瞞   | C6A6      | ----    | 77A2  | IJXI0080 |
| 瞞   | C6A7      | ----    | 77A7  | IJXJ0080 |
| 瞞   | C6A8      | ----    | 77AA  | IJXK0080 |
| 瞞   | C6A9      | ----    | 77AE  | IJXL0080 |
| 瞞   | C6AA      | ----    | 77AF  | IJXM0080 |
| 瞞   | C6AB      | ----    | 77B1  | IJXN0080 |
| 瞞   | C6AC      | ----    | 77B5  | IJXO0080 |
| 瞞   | C6AD      | ----    | 77BE  | IJXP0080 |
| 瞞   | C6AE      | ----    | 77C3  | IJXQ0080 |
| 曠   | C6AF      | ----    | 77C9  | IJXR0080 |
| 瞞   | C6B0      | ----    | 77D1  | IJXS0080 |
| 瞞   | C6B1      | ----    | 77D2  | IJXT0080 |
| 瞞   | C6B2      | ----    | 77D5  | IJXU0080 |
| 瞞   | C6B3      | ----    | 77D9  | IJXV0080 |
| 瞞   | C6B4      | ----    | 77DE  | IJXW0080 |
| 稍   | C6B5      | ----    | 77DF  | IJXX0080 |
| 猎   | C6B6      | ----    | 77E0  | IJXY0080 |
| 𠂔   | C6B7      | ----    | 77E4  | IJXZ0080 |
| 俟   | C6B8      | ----    | 77E6  | IJY00080 |
| 𠂔   | C6B9      | ----    | 77EA  | IJY10080 |
| 𠂔   | C6BA      | ----    | 77EC  | IJY20080 |
| 𠂔   | C6BB      | ----    | 77F0  | IJY30080 |
| 𠂔   | C6BC      | ----    | 77F1  | IJY40080 |
| 𠂔   | C6BD      | ----    | 77F4  | IJY50080 |
| 𠂔   | C6BE      | ----    | 77F8  | IJY60080 |
| 𠂔   | C6BF      | ----    | 77FB  | IJY70080 |
| 𠂔   | C6C0      | ----    | 7805  | IJY80080 |
| 𠂔   | C6C1      | ----    | 7806  | IJY90080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𠂔   | C6C2      | ----    | 7809  | IJYA0080 |
| 𠂔   | C6C3      | ----    | 780D  | IJYB0080 |
| 𠂔   | C6C4      | ----    | 780E  | IJYC0080 |
| 𠂔   | C6C5      | ----    | 7811  | IJYD0080 |
| 𠂔   | C6C6      | ----    | 781D  | IJYE0080 |
| 𠂔   | C6C7      | ----    | 7822  | IJYF0080 |
| 𠂔   | C6C8      | ----    | 7823  | IJYG0080 |
| 𠂔   | C6C9      | ----    | 782D  | IJYH0080 |
| 𠂔   | C6CA      | ----    | 782E  | IJYI0080 |
| 𠂔   | C6CB      | ----    | 7830  | IJYJ0080 |
| 𠂔   | C6CC      | ----    | 7835  | IJYK0080 |
| 𠂔   | C6CD      | ----    | 7837  | IJYL0080 |
| 𠂔   | C6CE      | ----    | 7843  | IJYM0080 |
| 𠂔   | C6CF      | ----    | 7844  | IJYN0080 |
| 𠂔   | C6D0      | ----    | 7847  | IJYO0080 |
| 𠂔   | C6D1      | ----    | 7848  | IJYP0080 |
| 𠂔   | C6D2      | ----    | 784C  | IJYQ0080 |
| 𠂔   | C6D3      | ----    | 7852  | IJYR0080 |
| 𠂔   | C6D4      | ----    | 785C  | IJYS0080 |
| 𠂔   | C6D5      | ----    | 785E  | IJYT0080 |
| 𠂔   | C6D6      | ----    | 7860  | IJYU0080 |
| 𠂔   | C6D7      | ----    | 7861  | IJYV0080 |
| 𠂔   | C6D8      | ----    | 7863  | IJYW0080 |
| 𠂔   | C6D9      | ----    | 7868  | IJYX0080 |
| 𠂔   | C6DA      | ----    | 786A  | IJYY0080 |
| 𠂔   | C6DB      | ----    | 786E  | IJYZ0080 |
| 𠂔   | C6DC      | ----    | 787E  | IJZ00080 |
| 𠂔   | C6DD      | ----    | 788A  | IJZ10080 |
| 𠂔   | C6DE      | ----    | 788F  | IJZ20080 |
| 𠂔   | C6DF      | ----    | 7894  | IJZ30080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 碇   | C6E0      | ----    | 7898  | IJZ40080 |
| 碇   | C6E1      | ----    | 789D  | IJZ50080 |
| 碇   | C6E2      | ----    | 789E  | IJZ60080 |
| 碇   | C6E3      | ----    | 789F  | IJZ70080 |
| 碇   | C6E4      | ----    | 78A1  | IJZ80080 |
| 碇   | C6E5      | ----    | 78A4  | IJZ90080 |
| 碇   | C6E6      | ----    | 78A8  | IJZA0080 |
| 碇   | C6E7      | ----    | 78AC  | IJZB0080 |
| 碇   | C6E8      | ----    | 78AD  | IJZC0080 |
| 碇   | C6E9      | ----    | 78B0  | IJZD0080 |
| 碇   | C6EA      | ----    | 78B1  | IJZE0080 |
| 碇   | C6EB      | ----    | 78B2  | IJZF0080 |
| 碇   | C6EC      | ----    | 78B3  | IJZG0080 |
| 碇   | C6ED      | ----    | 78BB  | IJZH0080 |
| 碇   | C6EE      | ----    | 78BD  | IJZI0080 |
| 碇   | C6EF      | ----    | 78BF  | IJZJ0080 |
| 碇   | C6F0      | ----    | 78C7  | IJZK0080 |
| 碇   | C6F1      | ----    | 78C8  | IJZL0080 |
| 碇   | C6F2      | ----    | 78C9  | IJZM0080 |
| 碇   | C6F3      | ----    | 78CC  | IJZN0080 |
| 碇   | C6F4      | ----    | 78CE  | IJZO0080 |
| 碇   | C6F5      | ----    | 78D2  | IJZP0080 |
| 碇   | C6F6      | ----    | 78D3  | IJZQ0080 |
| 碇   | C6F7      | ----    | 78D5  | IJZR0080 |
| 碇   | C6F8      | ----    | 78D6  | IJZS0080 |
| 碇   | C6F9      | ----    | 78DB  | IJZT0080 |
| 碇   | C6FA      | ----    | 78DF  | IJZU0080 |
| 碇   | C6FB      | ----    | 78E0  | IJZV0080 |
| 碇   | C6FC      | ----    | 78E1  | IJZW0080 |
| 碇   | C6FD      | ----    | 78E4  | IJZX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 礮   | C6FE      | ----    | 78E6  | IJZY0080 |
| 礮   | C741      | ----    | 78EA  | IK010080 |
| 礮   | C742      | ----    | 78F2  | IK020080 |
| 礮   | C743      | ----    | 78F3  | IK030080 |
| 礮   | C744      | ----    | 78F6  | IK040080 |
| 礮   | C745      | ----    | 78F7  | IK050080 |
| 礮   | C746      | ----    | 78FA  | IK060080 |
| 礮   | C747      | ----    | 78FB  | IK070080 |
| 礮   | C748      | ----    | 78FF  | IK080080 |
| 礮   | C749      | ----    | 7900  | IK090080 |
| 礮   | C74A      | ----    | 7906  | IK0A0080 |
| 礮   | C74B      | ----    | 790C  | IK0B0080 |
| 礮   | C74C      | ----    | 7910  | IK0C0080 |
| 礮   | C74D      | ----    | 791A  | IK0D0080 |
| 礮   | C74E      | ----    | 791C  | IK0E0080 |
| 礮   | C74F      | ----    | 791E  | IK0F0080 |
| 礮   | C750      | ----    | 791F  | IK0G0080 |
| 礮   | C751      | ----    | 7920  | IK0H0080 |
| 礮   | C752      | ----    | 7925  | IK0I0080 |
| 礮   | C753      | ----    | 7927  | IK0J0080 |
| 礮   | C754      | ----    | 7929  | IK0K0080 |
| 礮   | C755      | ----    | 792D  | IK0L0080 |
| 礮   | C756      | ----    | 7931  | IK0M0080 |
| 礮   | C757      | ----    | 7934  | IK0N0080 |
| 礮   | C758      | ----    | 7935  | IK0O0080 |
| 礮   | C759      | ----    | 793B  | IK0P0080 |
| 礮   | C75A      | ----    | 793D  | IK0Q0080 |
| 礮   | C75B      | ----    | 793F  | IK0R0080 |
| 礮   | C75C      | ----    | 7944  | IK0S0080 |
| 礮   | C75D      | ----    | 7945  | IK0T0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 祆   | C75E      | ----    | 7946  | IK0U0080 |
| 祆   | C75F      | ----    | 794A  | IK0V0080 |
| 祆   | C760      | ----    | 794B  | IK0W0080 |
| 祆   | C761      | ----    | 794F  | IK0X0080 |
| 祆   | C762      | ----    | 7951  | IK0Y0080 |
| 祆   | C763      | ----    | 7954  | IK0Z0080 |
| 祆   | C764      | ----    | 7958  | IK100080 |
| 祆   | C765      | ----    | 795B  | IK110080 |
| 祆   | C766      | ----    | 795C  | IK120080 |
| 祆   | C767      | ----    | 7967  | IK130080 |
| 祆   | C768      | ----    | 7969  | IK140080 |
| 祆   | C769      | ----    | 796B  | IK150080 |
| 祆   | C76A      | ----    | 7972  | IK160080 |
| 祆   | C76B      | ----    | 7979  | IK170080 |
| 祆   | C76C      | ----    | 797B  | IK180080 |
| 祆   | C76D      | ----    | 797C  | IK190080 |
| 祆   | C76E      | ----    | 797E  | IK1A0080 |
| 祆   | C76F      | ----    | 798B  | IK1B0080 |
| 祆   | C770      | ----    | 798C  | IK1C0080 |
| 祆   | C771      | ----    | 7991  | IK1D0080 |
| 祆   | C772      | ----    | 7993  | IK1E0080 |
| 祆   | C773      | ----    | 7995  | IK1F0080 |
| 祆   | C774      | ----    | 7996  | IK1G0080 |
| 祆   | C775      | ----    | 7998  | IK1H0080 |
| 祆   | C776      | ----    | 799C  | IK1I0080 |
| 祆   | C777      | ----    | 79A1  | IK1J0080 |
| 祆   | C778      | ----    | 79A8  | IK1K0080 |
| 祆   | C779      | ----    | 79A9  | IK1L0080 |
| 祆   | C77A      | ----    | 79AB  | IK1M0080 |
| 祆   | C77B      | ----    | 79AF  | IK1N0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 禱   | C77C      | ----    | 79B1  | IK1O0080 |
| 禱   | C77D      | ----    | 79B4  | IK1P0080 |
| 禱   | C77E      | ----    | 79B8  | IK1Q0080 |
| 禱   | C77F      | ----    | 79BB  | IK1R0080 |
| 禱   | C780      | ----    | 79C2  | IK1S0080 |
| 禱   | C781      | ----    | 79C4  | IK1T0080 |
| 禱   | C782      | ----    | 79C7  | IK1U0080 |
| 禱   | C783      | ----    | 79C8  | IK1V0080 |
| 禱   | C784      | ----    | 79CA  | IK1W0080 |
| 禱   | C785      | ----    | 79CF  | IK1X0080 |
| 禱   | C786      | ----    | 79D4  | IK1Y0080 |
| 禱   | C787      | ----    | 79D6  | IK1Z0080 |
| 禱   | C788      | ----    | 79DA  | IK200080 |
| 禱   | C789      | ----    | 79DD  | IK210080 |
| 禱   | C78A      | ----    | 79DE  | IK220080 |
| 禱   | C78B      | ----    | 79E0  | IK230080 |
| 禱   | C78C      | ----    | 79E2  | IK240080 |
| 禱   | C78D      | ----    | 79E5  | IK250080 |
| 禱   | C78E      | ----    | 79EA  | IK260080 |
| 禱   | C78F      | ----    | 79EB  | IK270080 |
| 禱   | C790      | ----    | 79ED  | IK280080 |
| 禱   | C791      | ----    | 79F1  | IK290080 |
| 禱   | C792      | ----    | 79F8  | IK2A0080 |
| 禱   | C793      | ----    | 79FC  | IK2B0080 |
| 禱   | C794      | ----    | 7A02  | IK2C0080 |
| 禱   | C795      | ----    | 7A03  | IK2D0080 |
| 禱   | C796      | ----    | 7A07  | IK2E0080 |
| 禱   | C797      | ----    | 7A09  | IK2F0080 |
| 禱   | C798      | ----    | 7A0A  | IK2G0080 |
| 禱   | C799      | ----    | 7A0C  | IK2H0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 稯   | C79A      | ----    | 7A11  | IK2I0080 |
| 稰   | C79B      | ----    | 7A15  | IK2J0080 |
| 稱   | C79C      | ----    | 7A1B  | IK2K0080 |
| 稲   | C79D      | ----    | 7A1E  | IK2L0080 |
| 稳   | C79E      | ----    | 7A21  | IK2M0080 |
| 稴   | C79F      | ----    | 7A27  | IK2N0080 |
| 稵   | C7A0      | ----    | 7A2B  | IK2O0080 |
| 稶   | C7A1      | ----    | 7A2D  | IK2P0080 |
| 稷   | C7A2      | ----    | 7A2F  | IK2Q0080 |
| 稸   | C7A3      | ----    | 7A30  | IK2R0080 |
| 稹   | C7A4      | ----    | 7A34  | IK2S0080 |
| 稺   | C7A5      | ----    | 7A35  | IK2T0080 |
| 稻   | C7A6      | ----    | 7A38  | IK2U0080 |
| 稼   | C7A7      | ----    | 7A39  | IK2V0080 |
| 稽   | C7A8      | ----    | 7A3A  | IK2W0080 |
| 稾   | C7A9      | ----    | 7A44  | IK2X0080 |
| 稿   | C7AA      | ----    | 7A45  | IK2Y0080 |
| 稻   | C7AB      | ----    | 7A47  | IK2Z0080 |
| 糜   | C7AC      | ----    | 7A48  | IK300080 |
| 稣   | C7AD      | ----    | 7A4C  | IK310080 |
| 稻   | C7AE      | ----    | 7A55  | IK320080 |
| 穉   | C7AF      | ----    | 7A56  | IK330080 |
| 穊   | C7B0      | ----    | 7A59  | IK340080 |
| 穋   | C7B1      | ----    | 7A5C  | IK350080 |
| 穌   | C7B2      | ----    | 7A5D  | IK360080 |
| 積   | C7B3      | ----    | 7A5F  | IK370080 |
| 穎   | C7B4      | ----    | 7A60  | IK380080 |
| 穏   | C7B5      | ----    | 7A65  | IK390080 |
| 穑   | C7B6      | ----    | 7A67  | IK3A0080 |
| 穒   | C7B7      | ----    | 7A6A  | IK3B0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 穓   | C7B8      | ----    | 7A6D  | IK3C0080 |
| 穔   | C7B9      | ----    | 7A75  | IK3D0080 |
| 穕   | C7BA      | ----    | 7A78  | IK3E0080 |
| 穖   | C7BB      | ----    | 7A7E  | IK3F0080 |
| 穗   | C7BC      | ----    | 7A80  | IK3G0080 |
| 穘   | C7BD      | ----    | 7A82  | IK3H0080 |
| 穙   | C7BE      | ----    | 7A85  | IK3I0080 |
| 穚   | C7BF      | ----    | 7A86  | IK3J0080 |
| 穛   | C7C0      | ----    | 7A8A  | IK3K0080 |
| 穜   | C7C1      | ----    | 7A8B  | IK3L0080 |
| 穝   | C7C2      | ----    | 7A90  | IK3M0080 |
| 穞   | C7C3      | ----    | 7A91  | IK3N0080 |
| 穟   | C7C4      | ----    | 7A94  | IK3O0080 |
| 穠   | C7C5      | ----    | 7A9E  | IK3P0080 |
| 穡   | C7C6      | ----    | 7AA0  | IK3Q0080 |
| 穢   | C7C7      | ----    | 7AA3  | IK3R0080 |
| 穣   | C7C8      | ----    | 7AAC  | IK3S0080 |
| 穤   | C7C9      | ----    | 7AB3  | IK3T0080 |
| 穥   | C7CA      | ----    | 7AB5  | IK3U0080 |
| 穦   | C7CB      | ----    | 7AB9  | IK3V0080 |
| 穧   | C7CC      | ----    | 7ABB  | IK3W0080 |
| 穨   | C7CD      | ----    | 7ABC  | IK3X0080 |
| 穩   | C7CE      | ----    | 7AC6  | IK3Y0080 |
| 穬   | C7CF      | ----    | 7AC9  | IK3Z0080 |
| 穭   | C7D0      | ----    | 7ACC  | IK400080 |
| 穫   | C7D1      | ----    | 7ACE  | IK410080 |
| 穬   | C7D2      | ----    | 7ADB  | IK420080 |
| 穭   | C7D3      | ----    | 7AE8  | IK430080 |
| 穰   | C7D4      | ----    | 7AE9  | IK440080 |
| 穑   | C7D5      | ----    | 7AEC  | IK450080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 罇   | C7D6      | ----    | 7AF1  | IK460080 |
| 罇   | C7D7      | ----    | 7AF4  | IK470080 |
| 笏   | C7D8      | ----    | 7AFB  | IK480080 |
| 笏   | C7D9      | ----    | 7AFD  | IK490080 |
| 筵   | C7DA      | ----    | 7AFE  | IK4A0080 |
| 竿   | C7DB      | ----    | 7B07  | IK4B0080 |
| 笔   | C7DC      | ----    | 7B14  | IK4C0080 |
| 筴   | C7DD      | ----    | 7B1F  | IK4D0080 |
| 筴   | C7DE      | ----    | 7B23  | IK4E0080 |
| 筴   | C7DF      | ----    | 7B27  | IK4F0080 |
| 笱   | C7E0      | ----    | 7B29  | IK4G0080 |
| 筴   | C7E1      | ----    | 7B2A  | IK4H0080 |
| 第   | C7E2      | ----    | 7B2B  | IK4I0080 |
| 笱   | C7E3      | ----    | 7B2D  | IK4J0080 |
| 笱   | C7E4      | ----    | 7B2E  | IK4K0080 |
| 笱   | C7E5      | ----    | 7B2F  | IK4L0080 |
| 第   | C7E6      | ----    | 7B30  | IK4M0080 |
| 笱   | C7E7      | ----    | 7B31  | IK4N0080 |
| 笱   | C7E8      | ----    | 7B34  | IK4O0080 |
| 筴   | C7E9      | ----    | 7B3D  | IK4P0080 |
| 笱   | C7EA      | ----    | 7B3F  | IK4Q0080 |
| 筴   | C7EB      | ----    | 7B40  | IK4R0080 |
| 笱   | C7EC      | ----    | 7B41  | IK4S0080 |
| 笱   | C7ED      | ----    | 7B47  | IK4T0080 |
| 笱   | C7EE      | ----    | 7B4E  | IK4U0080 |
| 笱   | C7EF      | ----    | 7B55  | IK4V0080 |
| 笱   | C7F0      | ----    | 7B60  | IK4W0080 |
| 筴   | C7F1      | ----    | 7B64  | IK4X0080 |
| 筴   | C7F2      | ----    | 7B66  | IK4Y0080 |
| 筴   | C7F3      | ----    | 7B69  | IK4Z0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 筴   | C7F4      | ----    | 7B6A  | IK500080 |
| 筴   | C7F5      | ----    | 7B6D  | IK510080 |
| 筴   | C7F6      | ----    | 7B6F  | IK520080 |
| 筴   | C7F7      | ----    | 7B72  | IK530080 |
| 筴   | C7F8      | ----    | 7B73  | IK540080 |
| 筴   | C7F9      | ----    | 7B77  | IK550080 |
| 筴   | C7FA      | ----    | 7B84  | IK560080 |
| 筴   | C7FB      | ----    | 7B89  | IK570080 |
| 筴   | C7FC      | ----    | 7B8E  | IK580080 |
| 筴   | C7FD      | ----    | 7B90  | IK590080 |
| 筴   | C7FE      | ----    | 7B91  | IK5A0080 |
| 筴   | C841      | ----    | 7B96  | IK5D0080 |
| 筴   | C842      | ----    | 7B9B  | IK5E0080 |
| 筴   | C843      | ----    | 7BA0  | IK5F0080 |
| 筴   | C844      | ----    | 7BA5  | IK5G0080 |
| 筴   | C845      | ----    | 7BAC  | IK5H0080 |
| 筴   | C846      | ----    | 7BAF  | IK5I0080 |
| 筴   | C847      | ----    | 7BB0  | IK5J0080 |
| 筴   | C848      | ----    | 7BB2  | IK5K0080 |
| 筴   | C849      | ----    | 7BB5  | IK5L0080 |
| 筴   | C84A      | ----    | 7BB6  | IK5M0080 |
| 筴   | C84B      | ----    | 7BBA  | IK5N0080 |
| 筴   | C84C      | ----    | 7BBB  | IK5O0080 |
| 筴   | C84D      | ----    | 7BBC  | IK5P0080 |
| 筴   | C84E      | ----    | 7BBD  | IK5Q0080 |
| 筴   | C84F      | ----    | 7BC2  | IK5R0080 |
| 筴   | C850      | ----    | 7BC5  | IK5S0080 |
| 筴   | C851      | ----    | 7BC8  | IK5T0080 |
| 筴   | C852      | ----    | 7BCA  | IK5U0080 |
| 筴   | C853      | ----    | 7BD4  | IK5V0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 簍   | C854      | ----    | 7BD6  | IK5W0080 |
| 篋   | C855      | ----    | 7BD7  | IK5X0080 |
| 篙   | C856      | ----    | 7BD9  | IK5Y0080 |
| 筐   | C857      | ----    | 7BDA  | IK5Z0080 |
| 箒   | C858      | ----    | 7BDB  | IK600080 |
| 籐   | C859      | ----    | 7BE8  | IK610080 |
| 篋   | C85A      | ----    | 7BEA  | IK620080 |
| 箒   | C85B      | ----    | 7BF2  | IK630080 |
| 箒   | C85C      | ----    | 7BF4  | IK640080 |
| 篋   | C85D      | ----    | 7BF5  | IK650080 |
| 籐   | C85E      | ----    | 7BF8  | IK660080 |
| 篋   | C85F      | ----    | 7BF9  | IK670080 |
| 箒   | C860      | ----    | 7BFA  | IK680080 |
| 篋   | C861      | ----    | 7BFC  | IK690080 |
| 篋   | C862      | ----    | 7BFE  | IK6A0080 |
| 篋   | C863      | ----    | 7C01  | IK6B0080 |
| 篋   | C864      | ----    | 7C02  | IK6C0080 |
| 篋   | C865      | ----    | 7C03  | IK6D0080 |
| 篋   | C866      | ----    | 7C04  | IK6E0080 |
| 篋   | C867      | ----    | 7C06  | IK6F0080 |
| 篋   | C868      | ----    | 7C09  | IK6G0080 |
| 篋   | C869      | ----    | 7C0B  | IK6H0080 |
| 篋   | C86A      | ----    | 7C0C  | IK6I0080 |
| 篋   | C86B      | ----    | 7C0E  | IK6J0080 |
| 篋   | C86C      | ----    | 7C0F  | IK6K0080 |
| 篋   | C86D      | ----    | 7C19  | IK6L0080 |
| 篋   | C86E      | ----    | 7C1B  | IK6M0080 |
| 篋   | C86F      | ----    | 7C20  | IK6N0080 |
| 籐   | C870      | ----    | 7C25  | IK6O0080 |
| 籐   | C871      | ----    | 7C26  | IK6P0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 篋   | C872      | ----    | 7C28  | IK6Q0080 |
| 籐   | C873      | ----    | 7C2C  | IK6R0080 |
| 籐   | C874      | ----    | 7C31  | IK6S0080 |
| 籐   | C875      | ----    | 7C33  | IK6T0080 |
| 籐   | C876      | ----    | 7C34  | IK6U0080 |
| 籐   | C877      | ----    | 7C36  | IK6V0080 |
| 籐   | C878      | ----    | 7C39  | IK6W0080 |
| 籐   | C879      | ----    | 7C3A  | IK6X0080 |
| 籐   | C87A      | ----    | 7C46  | IK6Y0080 |
| 籐   | C87B      | ----    | 7C4A  | IK6Z0080 |
| 籐   | C87C      | ----    | 7C51  | IK700080 |
| 籐   | C87D      | ----    | 7C52  | IK710080 |
| 籐   | C87E      | ----    | 7C53  | IK720080 |
| 籐   | C87F      | ----    | 7C55  | IK730080 |
| 籐   | C880      | ----    | 7C59  | IK740080 |
| 籐   | C881      | ----    | 7C5A  | IK750080 |
| 籐   | C882      | ----    | 7C5B  | IK760080 |
| 籐   | C883      | ----    | 7C5C  | IK770080 |
| 籐   | C884      | ----    | 7C5D  | IK780080 |
| 籐   | C885      | ----    | 7C5E  | IK790080 |
| 籐   | C886      | ----    | 7C61  | IK7A0080 |
| 籐   | C887      | ----    | 7C63  | IK7B0080 |
| 籐   | C888      | ----    | 7C67  | IK7C0080 |
| 籐   | C889      | ----    | 7C69  | IK7D0080 |
| 籐   | C88A      | ----    | 7C6D  | IK7E0080 |
| 籐   | C88B      | ----    | 7C6E  | IK7F0080 |
| 籐   | C88C      | ----    | 7C70  | IK7G0080 |
| 籐   | C88D      | ----    | 7C72  | IK7H0080 |
| 籐   | C88E      | ----    | 7C79  | IK7I0080 |
| 籐   | C88F      | ----    | 7C7C  | IK7J0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 籽   | C890      | ----    | 7C7D  | IK7K0080 |
| 炒   | C891      | ----    | 7C86  | IK7L0080 |
| 杭   | C892      | ----    | 7C87  | IK7M0080 |
| 欸   | C893      | ----    | 7C8F  | IK7N0080 |
| 柜   | C894      | ----    | 7C94  | IK7O0080 |
| 糶   | C895      | ----    | 7C9E  | IK7P0080 |
| 糗   | C896      | ----    | 7CA0  | IK7Q0080 |
| 粦   | C897      | ----    | 7CA6  | IK7R0080 |
| 桴   | C898      | ----    | 7CB0  | IK7S0080 |
| 綠   | C899      | ----    | 7CB6  | IK7T0080 |
| 糶   | C89A      | ----    | 7CB7  | IK7U0080 |
| 糗   | C89B      | ----    | 7CBA  | IK7V0080 |
| 糞   | C89C      | ----    | 7CBB  | IK7W0080 |
| 粼   | C89D      | ----    | 7CBC  | IK7X0080 |
| 糶   | C89E      | ----    | 7CBF  | IK7Y0080 |
| 編   | C89F      | ----    | 7CC4  | IK7Z0080 |
| 糶   | C8A0      | ----    | 7CC7  | IK800080 |
| 糶   | C8A1      | ----    | 7CC8  | IK810080 |
| 糶   | C8A2      | ----    | 7CC9  | IK820080 |
| 糶   | C8A3      | ----    | 7CCD  | IK830080 |
| 糶   | C8A4      | ----    | 7CCF  | IK840080 |
| 穀   | C8A5      | ----    | 7CD3  | IK850080 |
| 糶   | C8A6      | ----    | 7CD4  | IK860080 |
| 糶   | C8A7      | ----    | 7CD5  | IK870080 |
| 糶   | C8A8      | ----    | 7CD7  | IK880080 |
| 糶   | C8A9      | ----    | 7CD9  | IK890080 |
| 糶   | C8AA      | ----    | 7CDA  | IK8A0080 |
| 糶   | C8AB      | ----    | 7CDD  | IK8B0080 |
| 糶   | C8AC      | ----    | 7CE6  | IK8C0080 |
| 糶   | C8AD      | ----    | 7CE9  | IK8D0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 糶   | C8AE      | ----    | 7CEB  | IK8E0080 |
| 糶   | C8AF      | ----    | 7CF5  | IK8F0080 |
| 糶   | C8B0      | ----    | 7D03  | IK8G0080 |
| 糶   | C8B1      | ----    | 7D07  | IK8H0080 |
| 糶   | C8B2      | ----    | 7D08  | IK8I0080 |
| 糶   | C8B3      | ----    | 7D09  | IK8J0080 |
| 糶   | C8B4      | ----    | 7D0F  | IK8K0080 |
| 糶   | C8B5      | ----    | 7D11  | IK8L0080 |
| 糶   | C8B6      | ----    | 7D12  | IK8M0080 |
| 糶   | C8B7      | ----    | 7D13  | IK8N0080 |
| 糶   | C8B8      | ----    | 7D16  | IK8O0080 |
| 糶   | C8B9      | ----    | 7D1D  | IK8P0080 |
| 糶   | C8BA      | ----    | 7D1E  | IK8Q0080 |
| 糶   | C8BB      | ----    | 7D23  | IK8R0080 |
| 糶   | C8BC      | ----    | 7D26  | IK8S0080 |
| 糶   | C8BD      | ----    | 7D2A  | IK8T0080 |
| 糶   | C8BE      | ----    | 7D2D  | IK8U0080 |
| 糶   | C8BF      | ----    | 7D31  | IK8V0080 |
| 糶   | C8C0      | ----    | 7D3C  | IK8W0080 |
| 糶   | C8C1      | ----    | 7D3D  | IK8X0080 |
| 糶   | C8C2      | ----    | 7D3E  | IK8Y0080 |
| 糶   | C8C3      | ----    | 7D40  | IK8Z0080 |
| 糶   | C8C4      | ----    | 7D41  | IK900080 |
| 糶   | C8C5      | ----    | 7D47  | IK910080 |
| 糶   | C8C6      | ----    | 7D4D  | IK920080 |
| 糶   | C8C7      | ----    | 7D51  | IK930080 |
| 糶   | C8C8      | ----    | 7D53  | IK940080 |
| 糶   | C8C9      | ----    | 7D57  | IK950080 |
| 糶   | C8CA      | ----    | 7D59  | IK960080 |
| 糶   | C8CB      | ----    | 7D5A  | IK970080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 袴   | C8CC      | ----    | 7D5D  | IK980080 |
| 紬   | C8CD      | ----    | 7D65  | IK990080 |
| 絹   | C8CE      | ----    | 7D67  | IK9A0080 |
| 網   | C8CF      | ----    | 7D6A  | IK9B0080 |
| 経   | C8D0      | ----    | 7D70  | IK9C0080 |
| 絹   | C8D1      | ----    | 7D78  | IK9D0080 |
| 絨   | C8D2      | ----    | 7D7A  | IK9E0080 |
| 纈   | C8D3      | ----    | 7D7B  | IK9F0080 |
| 絨   | C8D4      | ----    | 7D7F  | IK9G0080 |
| 綁   | C8D5      | ----    | 7D81  | IK9H0080 |
| 統   | C8D6      | ----    | 7D82  | IK9I0080 |
| 綃   | C8D7      | ----    | 7D83  | IK9J0080 |
| 綾   | C8D8      | ----    | 7D85  | IK9K0080 |
| 纒   | C8D9      | ----    | 7D86  | IK9L0080 |
| 綈   | C8DA      | ----    | 7D88  | IK9M0080 |
| 紵   | C8DB      | ----    | 7D8B  | IK9N0080 |
| 綌   | C8DC      | ----    | 7D8C  | IK9O0080 |
| 袴   | C8DD      | ----    | 7D8D  | IK9P0080 |
| 網   | C8DE      | ----    | 7D91  | IK9Q0080 |
| 紵   | C8DF      | ----    | 7D96  | IK9R0080 |
| 網   | C8E0      | ----    | 7D97  | IK9S0080 |
| 紵   | C8E1      | ----    | 7D9D  | IK9T0080 |
| 絨   | C8E2      | ----    | 7D9E  | IK9U0080 |
| 綦   | C8E3      | ----    | 7DA6  | IK9V0080 |
| 綈   | C8E4      | ----    | 7DA7  | IK9W0080 |
| 綌   | C8E5      | ----    | 7DAA  | IK9X0080 |
| 綌   | C8E6      | ----    | 7DB3  | IK9Y0080 |
| 縲   | C8E7      | ----    | 7DB6  | IK9Z0080 |
| 縲   | C8E8      | ----    | 7DB9  | IKA00080 |
| 縲   | C8E9      | ----    | 7DC2  | IKA10080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 縦   | C8EA      | ----    | 7DC3  | IKA20080 |
| 緹   | C8EB      | ----    | 7DC4  | IKA30080 |
| 緹   | C8EC      | ----    | 7DC5  | IKA40080 |
| 緹   | C8ED      | ----    | 7DC6  | IKA50080 |
| 緹   | C8EE      | ----    | 7DCC  | IKA60080 |
| 緹   | C8EF      | ----    | 7DCD  | IKA70080 |
| 緹   | C8F0      | ----    | 7DCE  | IKA80080 |
| 緹   | C8F1      | ----    | 7DD7  | IKA90080 |
| 緹   | C8F2      | ----    | 7DD9  | IKAA0080 |
| 緹   | C8F3      | ----    | 7DE2  | IKAB0080 |
| 緹   | C8F4      | ----    | 7DE5  | IKAC0080 |
| 緹   | C8F5      | ----    | 7DE6  | IKAD0080 |
| 緹   | C8F6      | ----    | 7DEA  | IKAE0080 |
| 緹   | C8F7      | ----    | 7DEB  | IKAF0080 |
| 緹   | C8F8      | ----    | 7DED  | IKAG0080 |
| 緹   | C8F9      | ----    | 7DF1  | IKAH0080 |
| 緹   | C8FA      | ----    | 7DF5  | IKAI0080 |
| 緹   | C8FB      | ----    | 7DF6  | IKAJ0080 |
| 緹   | C8FC      | ----    | 7DF9  | IKAK0080 |
| 緹   | C8FD      | ----    | 7DFA  | IKAL0080 |
| 緹   | C8FE      | ----    | 7E00  | IKAM0080 |
| 縲   | C941      | ----    | 7E08  | IKAP0080 |
| 縲   | C942      | ----    | 7E10  | IKAQ0080 |
| 縲   | C943      | ----    | 7E11  | IKAR0080 |
| 縲   | C944      | ----    | 7E15  | IKAS0080 |
| 縲   | C945      | ----    | 7E17  | IKAT0080 |
| 縲   | C946      | ----    | 7E1C  | IKAU0080 |
| 縲   | C947      | ----    | 7E1D  | IKAV0080 |
| 縲   | C948      | ----    | 7E20  | IKAW0080 |
| 縲   | C949      | ----    | 7E27  | IKAX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 纈   | C94A      | ----    | 7E28  | IKAY0080 |
| 緘   | C94B      | ----    | 7E2C  | IKAZ0080 |
| 縞   | C94C      | ----    | 7E2D  | IKB00080 |
| 縝   | C94D      | ----    | 7E2F  | IKB10080 |
| 縛   | C94E      | ----    | 7E33  | IKB20080 |
| 紮   | C94F      | ----    | 7E36  | IKB30080 |
| 縵   | C950      | ----    | 7E3F  | IKB40080 |
| 紮   | C951      | ----    | 7E44  | IKB50080 |
| 縵   | C952      | ----    | 7E45  | IKB60080 |
| 繇   | C953      | ----    | 7E47  | IKB70080 |
| 縵   | C954      | ----    | 7E4E  | IKB80080 |
| 縵   | C955      | ----    | 7E50  | IKB90080 |
| 縵   | C956      | ----    | 7E58  | IKBA0080 |
| 縵   | C957      | ----    | 7E5F  | IKBB0080 |
| 縵   | C958      | ----    | 7E61  | IKBC0080 |
| 縵   | C959      | ----    | 7E62  | IKBD0080 |
| 縵   | C95A      | ----    | 7E65  | IKBE0080 |
| 紮   | C95B      | ----    | 7E6B  | IKBF0080 |
| 縵   | C95C      | ----    | 7E6E  | IKBG0080 |
| 縵   | C95D      | ----    | 7E6F  | IKBH0080 |
| 縵   | C95E      | ----    | 7E73  | IKBI0080 |
| 縵   | C95F      | ----    | 7E78  | IKBJ0080 |
| 縵   | C960      | ----    | 7E7E  | IKBK0080 |
| 縵   | C961      | ----    | 7E81  | IKBL0080 |
| 縵   | C962      | ----    | 7E86  | IKBM0080 |
| 縵   | C963      | ----    | 7E87  | IKBN0080 |
| 縵   | C964      | ----    | 7E8D  | IKBO0080 |
| 縵   | C965      | ----    | 7E91  | IKBP0080 |
| 縵   | C966      | ----    | 7E95  | IKBQ0080 |
| 縵   | C967      | ----    | 7E98  | IKBR0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 纈   | C968      | ----    | 7E9A  | IKBS0080 |
| 縵   | C969      | ----    | 7E9D  | IKBT0080 |
| 縵   | C96A      | ----    | 7E9E  | IKBU0080 |
| 縵   | C96B      | ----    | 7F3B  | IKBV0080 |
| 歛   | C96C      | ----    | 7F3C  | IKBW0080 |
| 鉢   | C96D      | ----    | 7F3D  | IKBX0080 |
| 餅   | C96E      | ----    | 7F3E  | IKBY0080 |
| 鋸   | C96F      | ----    | 7F3F  | IKBZ0080 |
| 磬   | C970      | ----    | 7F43  | IKC00080 |
| 磬   | C971      | ----    | 7F44  | IKC10080 |
| 鑪   | C972      | ----    | 7F4F  | IKC20080 |
| 𠂇   | C973      | ----    | 7F52  | IKC30080 |
| 𠂇   | C974      | ----    | 7F53  | IKC40080 |
| 𠂇   | C975      | ----    | 7F5B  | IKC50080 |
| 𠂇   | C976      | ----    | 7F5C  | IKC60080 |
| 𠂇   | C977      | ----    | 7F5D  | IKC70080 |
| 𠂇   | C978      | ----    | 7F61  | IKC80080 |
| 𠂇   | C979      | ----    | 7F63  | IKC90080 |
| 𠂇   | C97A      | ----    | 7F64  | IKCA0080 |
| 𠂇   | C97B      | ----    | 7F65  | IKCB0080 |
| 𠂇   | C97C      | ----    | 7F66  | IKCC0080 |
| 𠂇   | C97D      | ----    | 7F6D  | IKCD0080 |
| 𠂇   | C97E      | ----    | 7F71  | IKCE0080 |
| 𠂇   | C97F      | ----    | 7F7D  | IKCF0080 |
| 𠂇   | C980      | ----    | 7F7E  | IKCG0080 |
| 𠂇   | C981      | ----    | 7F7F  | IKCH0080 |
| 𠂇   | C982      | ----    | 7F80  | IKCI0080 |
| 𠂇   | C983      | ----    | 7F8B  | IKCJ0080 |
| 𠂇   | C984      | ----    | 7F8D  | IKCK0080 |
| 𠂇   | C985      | ----    | 7F8F  | IKCL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 菱   | C986      | ----    | 7F90  | IKCM0080 |
| 菱   | C987      | ----    | 7F91  | IKCN0080 |
| 殺   | C988      | ----    | 7F96  | IKCO0080 |
| 羴   | C989      | ----    | 7F97  | IKCP0080 |
| 犛   | C98A      | ----    | 7F9C  | IKCQ0080 |
| 羴   | C98B      | ----    | 7FA2  | IKCR0080 |
| 羴   | C98C      | ----    | 7FA6  | IKCS0080 |
| 羴   | C98D      | ----    | 7FAA  | IKCT0080 |
| 羴   | C98E      | ----    | 7FAD  | IKCU0080 |
| 善   | C98F      | ----    | 7FB4  | IKCV0080 |
| 羴   | C990      | ----    | 7FBC  | IKCW0080 |
| 羿   | C991      | ----    | 7FBF  | IKCX0080 |
| 狲   | C992      | ----    | 7FC0  | IKCY0080 |
| 翊   | C993      | ----    | 7FC3  | IKCZ0080 |
| 翊   | C994      | ----    | 7FC8  | IKD00080 |
| 翊   | C995      | ----    | 7FCE  | IKD10080 |
| 翊   | C996      | ----    | 7FCF  | IKD20080 |
| 翊   | C997      | ----    | 7FDB  | IKD30080 |
| 翊   | C998      | ----    | 7FDF  | IKD40080 |
| 翊   | C999      | ----    | 7FE3  | IKD50080 |
| 翊   | C99A      | ----    | 7FE5  | IKD60080 |
| 翊   | C99B      | ----    | 7FE8  | IKD70080 |
| 翊   | C99C      | ----    | 7FEC  | IKD80080 |
| 翊   | C99D      | ----    | 7FEE  | IKD90080 |
| 翊   | C99E      | ----    | 7FEF  | IKDA0080 |
| 翊   | C99F      | ----    | 7FF2  | IKDB0080 |
| 翊   | C9A0      | ----    | 7FFA  | IKDC0080 |
| 翊   | C9A1      | ----    | 7FFD  | IKDD0080 |
| 翊   | C9A2      | ----    | 7FFE  | IKDE0080 |
| 翊   | C9A3      | ----    | 7FFF  | IKDF0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 耇   | C9A4      | ----    | 8007  | IKDG0080 |
| 耇   | C9A5      | ----    | 8008  | IKDH0080 |
| 耇   | C9A6      | ----    | 800A  | IKDI0080 |
| 要   | C9A7      | ----    | 800D  | IKDJ0080 |
| 要   | C9A8      | ----    | 800E  | IKDK0080 |
| 𪛗   | C9A9      | ----    | 800F  | IKDL0080 |
| 耇   | C9AA      | ----    | 8011  | IKDM0080 |
| 耇   | C9AB      | ----    | 8013  | IKDN0080 |
| 耇   | C9AC      | ----    | 8014  | IKDO0080 |
| 秒   | C9AD      | ----    | 8016  | IKDP0080 |
| 粗   | C9AE      | ----    | 801D  | IKDQ0080 |
| 耇   | C9AF      | ----    | 801E  | IKDR0080 |
| 耇   | C9B0      | ----    | 801F  | IKDS0080 |
| 耇   | C9B1      | ----    | 8020  | IKDT0080 |
| 耇   | C9B2      | ----    | 8024  | IKDU0080 |
| 耇   | C9B3      | ----    | 8026  | IKDV0080 |
| 耇   | C9B4      | ----    | 802C  | IKDW0080 |
| 耇   | C9B5      | ----    | 802E  | IKDX0080 |
| 耇   | C9B6      | ----    | 8030  | IKDY0080 |
| 耇   | C9B7      | ----    | 8034  | IKDZ0080 |
| 耇   | C9B8      | ----    | 8035  | IKE00080 |
| 耇   | C9B9      | ----    | 8037  | IKE10080 |
| 耇   | C9BA      | ----    | 8039  | IKE20080 |
| 耇   | C9BB      | ----    | 803A  | IKE30080 |
| 耇   | C9BC      | ----    | 803C  | IKE40080 |
| 耇   | C9BD      | ----    | 803E  | IKE50080 |
| 耇   | C9BE      | ----    | 8040  | IKE60080 |
| 耇   | C9BF      | ----    | 8044  | IKE70080 |
| 耇   | C9C0      | ----    | 8060  | IKE80080 |
| 耇   | C9C1      | ----    | 8064  | IKE90080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 聰   | C9C2      | ----    | 8066  | IKEA0080 |
| 聰   | C9C3      | ----    | 806D  | IKEB0080 |
| 聾   | C9C4      | ----    | 8071  | IKEC0080 |
| 聾   | C9C5      | ----    | 8075  | IKED0080 |
| 聾   | C9C6      | ----    | 8081  | IKEE0080 |
| 聾   | C9C7      | ----    | 8088  | IKEF0080 |
| 冃   | C9C8      | ----    | 808E  | IKEG0080 |
| 彤   | C9C9      | ----    | 809C  | IKEH0080 |
| 朮   | C9CA      | ----    | 809E  | IKEI0080 |
| 朮   | C9CB      | ----    | 80A6  | IKEJ0080 |
| 朮   | C9CC      | ----    | 80A7  | IKEK0080 |
| 朮   | C9CD      | ----    | 80AB  | IKEL0080 |
| 朮   | C9CE      | ----    | 80B8  | IKEM0080 |
| 朮   | C9CF      | ----    | 80B9  | IKEN0080 |
| 朮   | C9D0      | ----    | 80C8  | IKEO0080 |
| 朮   | C9D1      | ----    | 80CD  | IKEP0080 |
| 朮   | C9D2      | ----    | 80CF  | IKEQ0080 |
| 朮   | C9D3      | ----    | 80D2  | IKER0080 |
| 朮   | C9D4      | ----    | 80D4  | IKES0080 |
| 朮   | C9D5      | ----    | 80D5  | IKET0080 |
| 朮   | C9D6      | ----    | 80D7  | IKEU0080 |
| 朮   | C9D7      | ----    | 80D8  | IKEV0080 |
| 朮   | C9D8      | ----    | 80E0  | IKEW0080 |
| 朮   | C9D9      | ----    | 80ED  | IKEX0080 |
| 朮   | C9DA      | ----    | 80EE  | IKEY0080 |
| 朮   | C9DB      | ----    | 80F0  | IKEZ0080 |
| 朮   | C9DC      | ----    | 80F2  | IKF00080 |
| 朮   | C9DD      | ----    | 80F3  | IKF10080 |
| 朮   | C9DE      | ----    | 80F6  | IKF20080 |
| 朮   | C9DF      | ----    | 80F9  | IKF30080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 朮   | C9E0      | ----    | 80FA  | IKF40080 |
| 朮   | C9E1      | ----    | 80FE  | IKF50080 |
| 朮   | C9E2      | ----    | 8103  | IKF60080 |
| 朮   | C9E3      | ----    | 810B  | IKF70080 |
| 朮   | C9E4      | ----    | 8116  | IKF80080 |
| 朮   | C9E5      | ----    | 8117  | IKF90080 |
| 朮   | C9E6      | ----    | 8118  | IKFA0080 |
| 朮   | C9E7      | ----    | 811C  | IKFB0080 |
| 朮   | C9E8      | ----    | 811E  | IKFC0080 |
| 朮   | C9E9      | ----    | 8120  | IKFD0080 |
| 朮   | C9EA      | ----    | 8124  | IKFE0080 |
| 朮   | C9EB      | ----    | 8127  | IKFF0080 |
| 朮   | C9EC      | ----    | 812C  | IKFG0080 |
| 朮   | C9ED      | ----    | 8130  | IKFH0080 |
| 朮   | C9EE      | ----    | 8135  | IKFI0080 |
| 朮   | C9EF      | ----    | 813A  | IKFJ0080 |
| 朮   | C9F0      | ----    | 813C  | IKFK0080 |
| 朮   | C9F1      | ----    | 8145  | IKFL0080 |
| 朮   | C9F2      | ----    | 8147  | IKFM0080 |
| 朮   | C9F3      | ----    | 814A  | IKFN0080 |
| 朮   | C9F4      | ----    | 814C  | IKFO0080 |
| 朮   | C9F5      | ----    | 8152  | IKFP0080 |
| 朮   | C9F6      | ----    | 8157  | IKFQ0080 |
| 朮   | C9F7      | ----    | 8160  | IKFR0080 |
| 朮   | C9F8      | ----    | 8161  | IKFS0080 |
| 朮   | C9F9      | ----    | 8167  | IKFT0080 |
| 朮   | C9FA      | ----    | 8168  | IKFU0080 |
| 朮   | C9FB      | ----    | 8169  | IKFV0080 |
| 朮   | C9FC      | ----    | 816D  | IKFW0080 |
| 朮   | C9FD      | ----    | 816F  | IKFX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 膈   | C9FE      | ----    | 8177  | IKFY0080 |
| 賺   | CA41      | ----    | 8181  | IKG10080 |
| 腴   | CA42      | ----    | 8184  | IKG20080 |
| 膳   | CA43      | ----    | 8185  | IKG30080 |
| 膝   | CA44      | ----    | 8186  | IKG40080 |
| 脊   | CA45      | ----    | 818B  | IKG50080 |
| 腓   | CA46      | ----    | 818E  | IKG60080 |
| 瘠   | CA47      | ----    | 8190  | IKG70080 |
| 臄   | CA48      | ----    | 8196  | IKG80080 |
| 臛   | CA49      | ----    | 8198  | IKG90080 |
| 臞   | CA4A      | ----    | 819B  | IKGA0080 |
| 膊   | CA4B      | ----    | 819E  | IKGB0080 |
| 臞   | CA4C      | ----    | 81A2  | IKGC0080 |
| 臞   | CA4D      | ----    | 81AE  | IKGD0080 |
| 臞   | CA4E      | ----    | 81B2  | IKGE0080 |
| 臞   | CA4F      | ----    | 81B4  | IKGF0080 |
| 臞   | CA50      | ----    | 81BB  | IKGG0080 |
| 臞   | CA51      | ----    | 81C3  | IKGH0080 |
| 臞   | CA52      | ----    | 81C5  | IKGI0080 |
| 臞   | CA53      | ----    | 81CA  | IKGJ0080 |
| 臞   | CA54      | ----    | 81CB  | IKGK0080 |
| 臞   | CA55      | ----    | 81CE  | IKGL0080 |
| 臞   | CA56      | ----    | 81CF  | IKGM0080 |
| 臞   | CA57      | ----    | 81D5  | IKGN0080 |
| 臞   | CA58      | ----    | 81D7  | IKGO0080 |
| 臞   | CA59      | ----    | 81DB  | IKGP0080 |
| 臞   | CA5A      | ----    | 81DD  | IKGQ0080 |
| 臞   | CA5B      | ----    | 81DE  | IKGR0080 |
| 臞   | CA5C      | ----    | 81E1  | IKGS0080 |
| 臞   | CA5D      | ----    | 81E4  | IKGT0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 臞   | CA5E      | ----    | 81EB  | IKGU0080 |
| 臞   | CA5F      | ----    | 81EC  | IKGV0080 |
| 臞   | CA60      | ----    | 81F0  | IKGW0080 |
| 臞   | CA61      | ----    | 81F1  | IKGX0080 |
| 臞   | CA62      | ----    | 81F2  | IKGY0080 |
| 臞   | CA63      | ----    | 81F5  | IKGZ0080 |
| 臞   | CA64      | ----    | 81F6  | IKH00080 |
| 臞   | CA65      | ----    | 81F8  | IKH10080 |
| 臞   | CA66      | ----    | 81F9  | IKH20080 |
| 臞   | CA67      | ----    | 81FD  | IKH30080 |
| 臞   | CA68      | ----    | 81FF  | IKH40080 |
| 臞   | CA69      | ----    | 8200  | IKH50080 |
| 臞   | CA6A      | ----    | 8203  | IKH60080 |
| 臞   | CA6B      | ----    | 820F  | IKH70080 |
| 臞   | CA6C      | ----    | 8213  | IKH80080 |
| 臞   | CA6D      | ----    | 8214  | IKH90080 |
| 臞   | CA6E      | ----    | 8219  | IKHA0080 |
| 臞   | CA6F      | ----    | 821A  | IKHB0080 |
| 臞   | CA70      | ----    | 821D  | IKHC0080 |
| 臞   | CA71      | ----    | 8221  | IKHD0080 |
| 臞   | CA72      | ----    | 8222  | IKHE0080 |
| 臞   | CA73      | ----    | 8228  | IKHF0080 |
| 臞   | CA74      | ----    | 8232  | IKHG0080 |
| 臞   | CA75      | ----    | 8234  | IKHH0080 |
| 臞   | CA76      | ----    | 823A  | IKHI0080 |
| 臞   | CA77      | ----    | 8243  | IKHJ0080 |
| 臞   | CA78      | ----    | 8244  | IKHK0080 |
| 臞   | CA79      | ----    | 8245  | IKHL0080 |
| 臞   | CA7A      | ----    | 8246  | IKHM0080 |
| 臞   | CA7B      | ----    | 824B  | IKHN0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 艫   | CA7C      | ----    | 824E  | IKHO0080 |
| 艬   | CA7D      | ----    | 824F  | IKHP0080 |
| 艭   | CA7E      | ----    | 8251  | IKHQ0080 |
| 艮   | CA7F      | ----    | 8256  | IKHR0080 |
| 良   | CA80      | ----    | 825C  | IKHS0080 |
| 艰   | CA81      | ----    | 8260  | IKHT0080 |
| 艱   | CA82      | ----    | 8263  | IKHU0080 |
| 艮   | CA83      | ----    | 8267  | IKHV0080 |
| 艮   | CA84      | ----    | 826D  | IKHW0080 |
| 艮   | CA85      | ----    | 8274  | IKHX0080 |
| 芳   | CA86      | ----    | 827B  | IKHY0080 |
| 芄   | CA87      | ----    | 827D  | IKHZ0080 |
| 芆   | CA88      | ----    | 827F  | IKI00080 |
| 芇   | CA89      | ----    | 8280  | IKI10080 |
| 芈   | CA8A      | ----    | 8281  | IKI20080 |
| 芉   | CA8B      | ----    | 8283  | IKI30080 |
| 芊   | CA8C      | ----    | 8284  | IKI40080 |
| 芋   | CA8D      | ----    | 8287  | IKI50080 |
| 芌   | CA8E      | ----    | 8289  | IKI60080 |
| 芍   | CA8F      | ----    | 828A  | IKI70080 |
| 芎   | CA90      | ----    | 828E  | IKI80080 |
| 芏   | CA91      | ----    | 8291  | IKI90080 |
| 芑   | CA92      | ----    | 8294  | IKIA0080 |
| 芒   | CA93      | ----    | 8296  | IKIB0080 |
| 芓   | CA94      | ----    | 8298  | IKIC0080 |
| 芔   | CA95      | ----    | 829A  | IKID0080 |
| 芕   | CA96      | ----    | 829B  | IKIE0080 |
| 芖   | CA97      | ----    | 82A0  | IKIF0080 |
| 芗   | CA98      | ----    | 82A1  | IKIG0080 |
| 芙   | CA99      | ----    | 82A3  | IKIH0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 芚   | CA9A      | ----    | 82A4  | IKII0080 |
| 芛   | CA9B      | ----    | 82A7  | IKIJ0080 |
| 芜   | CA9C      | ----    | 82A8  | IKIK0080 |
| 芝   | CA9D      | ----    | 82A9  | IKIL0080 |
| 芞   | CA9E      | ----    | 82AA  | IKIM0080 |
| 芟   | CA9F      | ----    | 82AE  | IKIN0080 |
| 芠   | CAA0      | ----    | 82B0  | IKIO0080 |
| 芡   | CAA1      | ----    | 82B2  | IKIP0080 |
| 芢   | CAA2      | ----    | 82B4  | IKIQ0080 |
| 芣   | CAA3      | ----    | 82B7  | IKIR0080 |
| 芧   | CAA4      | ----    | 82BA  | IKIS0080 |
| 芨   | CAA5      | ----    | 82BC  | IKIT0080 |
| 芩   | CAA6      | ----    | 82BE  | IKIU0080 |
| 芫   | CAA7      | ----    | 82BF  | IKIV0080 |
| 芬   | CAA8      | ----    | 82C6  | IKIW0080 |
| 芭   | CAA9      | ----    | 82D0  | IKIX0080 |
| 芮   | CAA       | ----    | 82D5  | IKIY0080 |
| 芯   | CAAB      | ----    | 82DA  | IKIZ0080 |
| 芰   | CAAC      | ----    | 82E0  | IKJ00080 |
| 芫   | CAAD      | ----    | 82E2  | IKJ10080 |
| 芻   | CAAE      | ----    | 82E4  | IKJ20080 |
| 芼   | CAAF      | ----    | 82E8  | IKJ30080 |
| 芽   | CAB0      | ----    | 82EA  | IKJ40080 |
| 芾   | CAB1      | ----    | 82ED  | IKJ50080 |
| 芿   | CAB2      | ----    | 82EF  | IKJ60080 |
| 茶   | CAB3      | ----    | 82F6  | IKJ70080 |
| 昔   | CAB4      | ----    | 82F7  | IKJ80080 |
| 苁   | CAB5      | ----    | 82FD  | IKJ90080 |
| 苂   | CAB6      | ----    | 82FE  | IKJA0080 |
| 苃   | CAB7      | ----    | 8300  | IKJB0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 芨   | CAB8      | ----    | 8307  | IKJC0080 |
| 苳   | CAB9      | ----    | 8308  | IKJD0080 |
| 苳   | CABA      | ----    | 830A  | IKJE0080 |
| 苳   | CABB      | ----    | 830B  | IKJF0080 |
| 苳   | CABC      | ----    | 831B  | IKJG0080 |
| 苳   | CABD      | ----    | 831D  | IKJH0080 |
| 苳   | CABE      | ----    | 831E  | IKJI0080 |
| 苳   | CABF      | ----    | 831F  | IKJJ0080 |
| 苳   | CAC0      | ----    | 8321  | IKJK0080 |
| 苳   | CAC1      | ----    | 8322  | IKJL0080 |
| 苳   | CAC2      | ----    | 832C  | IKJM0080 |
| 苳   | CAC3      | ----    | 832D  | IKJN0080 |
| 苳   | CAC4      | ----    | 832E  | IKJO0080 |
| 苳   | CAC5      | ----    | 8330  | IKJP0080 |
| 苳   | CAC6      | ----    | 8333  | IKJQ0080 |
| 苳   | CAC7      | ----    | 8337  | IKJR0080 |
| 苳   | CAC8      | ----    | 833A  | IKJS0080 |
| 苳   | CAC9      | ----    | 833C  | IKJT0080 |
| 苳   | CACA      | ----    | 833D  | IKJU0080 |
| 苳   | CACB      | ----    | 8342  | IKJV0080 |
| 苳   | CACC      | ----    | 8343  | IKJW0080 |
| 苳   | CACD      | ----    | 8344  | IKJX0080 |
| 苳   | CACE      | ----    | 8347  | IKJY0080 |
| 苳   | CACF      | ----    | 834D  | IKJZ0080 |
| 苳   | CAD0      | ----    | 834E  | IKK00080 |
| 苳   | CAD1      | ----    | 8351  | IKK10080 |
| 苳   | CAD2      | ----    | 8353  | IKK20080 |
| 苳   | CAD3      | ----    | 8354  | IKK30080 |
| 苳   | CAD4      | ----    | 8355  | IKK40080 |
| 苳   | CAD5      | ----    | 8356  | IKK50080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 苳   | CAD6      | ----    | 8357  | IKK60080 |
| 苳   | CAD7      | ----    | 8370  | IKK70080 |
| 苳   | CAD8      | ----    | 8378  | IKK80080 |
| 苳   | CAD9      | ----    | 837D  | IKK90080 |
| 苳   | CADA      | ----    | 8380  | IKKA0080 |
| 苳   | CADB      | ----    | 8382  | IKKB0080 |
| 苳   | CADC      | ----    | 8384  | IKKC0080 |
| 苳   | CADD      | ----    | 8386  | IKKD0080 |
| 苳   | CADE      | ----    | 838D  | IKKE0080 |
| 苳   | CADF      | ----    | 8392  | IKKF0080 |
| 苳   | CAE0      | ----    | 8394  | IKKG0080 |
| 苳   | CAE1      | ----    | 8395  | IKKH0080 |
| 苳   | CAE2      | ----    | 8398  | IKKI0080 |
| 苳   | CAE3      | ----    | 8399  | IKKJ0080 |
| 苳   | CAE4      | ----    | 839B  | IKKK0080 |
| 苳   | CAE5      | ----    | 839C  | IKKL0080 |
| 苳   | CAE6      | ----    | 839D  | IKKM0080 |
| 苳   | CAE7      | ----    | 83A6  | IKKN0080 |
| 苳   | CAE8      | ----    | 83A7  | IKKO0080 |
| 苳   | CAE9      | ----    | 83A9  | IKKP0080 |
| 苳   | CAEA      | ----    | 83AC  | IKKQ0080 |
| 苳   | CAEB      | ----    | 83AD  | IKKR0080 |
| 苳   | CAEC      | ----    | 83BE  | IKKS0080 |
| 苳   | CAED      | ----    | 83BF  | IKKT0080 |
| 苳   | CAEE      | ----    | 83C0  | IKKU0080 |
| 苳   | CAEF      | ----    | 83C9  | IKKV0080 |
| 苳   | CAF0      | ----    | 83CF  | IKKW0080 |
| 苳   | CAF1      | ----    | 83D0  | IKKX0080 |
| 苳   | CAF2      | ----    | 83D1  | IKKY0080 |
| 苳   | CAF3      | ----    | 83D4  | IKKZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 菝   | CAF4      | ----    | 83DD  | IKL00080 |
| 菱   | CAF5      | ----    | 83E8  | IKL10080 |
| 荇   | CAF6      | ----    | 83EA  | IKL20080 |
| 菸   | CAF7      | ----    | 83F8  | IKL30080 |
| 菹   | CAF8      | ----    | 83F9  | IKL40080 |
| 菹   | CAF9      | ----    | 83FC  | IKL50080 |
| 蕈   | CAFA      | ----    | 8401  | IKL60080 |
| 蕈   | CAFB      | ----    | 8406  | IKL70080 |
| 蕈   | CAFC      | ----    | 840A  | IKL80080 |
| 菘   | CAFD      | ----    | 840F  | IKL90080 |
| 菘   | CAFE      | ----    | 8411  | IKLA0080 |
| 蕈   | CB41      | ----    | 8415  | IKLD0080 |
| 蕈   | CB42      | ----    | 8419  | IKLE0080 |
| 蕈   | CB43      | ----    | 842F  | IKLF0080 |
| 蕈   | CB44      | ----    | 8439  | IKLG0080 |
| 蕈   | CB45      | ----    | 8445  | IKLH0080 |
| 蕈   | CB46      | ----    | 8447  | IKLI0080 |
| 蕈   | CB47      | ----    | 844A  | IKLJ0080 |
| 蕈   | CB48      | ----    | 844D  | IKLK0080 |
| 蕈   | CB49      | ----    | 844F  | IKLL0080 |
| 蕈   | CB4A      | ----    | 8451  | IKLM0080 |
| 蕈   | CB4B      | ----    | 8452  | IKLN0080 |
| 蕈   | CB4C      | ----    | 8456  | IKLO0080 |
| 蕈   | CB4D      | ----    | 8458  | IKLP0080 |
| 蕈   | CB4E      | ----    | 8459  | IKLQ0080 |
| 蕈   | CB4F      | ----    | 845A  | IKLR0080 |
| 蕈   | CB50      | ----    | 845C  | IKLS0080 |
| 蕈   | CB51      | ----    | 8460  | IKLT0080 |
| 蕈   | CB52      | ----    | 8464  | IKLU0080 |
| 蕈   | CB53      | ----    | 8465  | IKLV0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蕈   | CB54      | ----    | 8467  | IKLW0080 |
| 蕈   | CB55      | ----    | 846A  | IKLX0080 |
| 蕈   | CB56      | ----    | 8470  | IKLY0080 |
| 蕈   | CB57      | ----    | 8473  | IKLZ0080 |
| 蕈   | CB58      | ----    | 8474  | IKM00080 |
| 蕈   | CB59      | ----    | 8476  | IKM10080 |
| 蕈   | CB5A      | ----    | 8478  | IKM20080 |
| 蕈   | CB5B      | ----    | 847C  | IKM30080 |
| 蕈   | CB5C      | ----    | 847D  | IKM40080 |
| 蕈   | CB5D      | ----    | 8481  | IKM50080 |
| 蕈   | CB5E      | ----    | 8485  | IKM60080 |
| 蕈   | CB5F      | ----    | 8492  | IKM70080 |
| 蕈   | CB60      | ----    | 8493  | IKM80080 |
| 蕈   | CB61      | ----    | 8495  | IKM90080 |
| 蕈   | CB62      | ----    | 849E  | IKMA0080 |
| 蕈   | CB63      | ----    | 84A6  | IKMB0080 |
| 蕈   | CB64      | ----    | 84A8  | IKMC0080 |
| 蕈   | CB65      | ----    | 84A9  | IKMD0080 |
| 蕈   | CB66      | ----    | 84AA  | IKME0080 |
| 蕈   | CB67      | ----    | 84AF  | IKMF0080 |
| 蕈   | CB68      | ----    | 84B1  | IKMG0080 |
| 蕈   | CB69      | ----    | 84BA  | IKMH0080 |
| 蕈   | CB6A      | ----    | 84BD  | IKMI0080 |
| 蕈   | CB6B      | ----    | 84BE  | IKMJ0080 |
| 蕈   | CB6C      | ----    | 84C0  | IKMK0080 |
| 蕈   | CB6D      | ----    | 84C2  | IKML0080 |
| 蕈   | CB6E      | ----    | 84C7  | IKMM0080 |
| 蕈   | CB6F      | ----    | 84C8  | IKMN0080 |
| 蕈   | CB70      | ----    | 84CC  | IKMO0080 |
| 蕈   | CB71      | ----    | 84CF  | IKMP0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蓓   | CB72      | ----    | 84D3  | IKMQ0080 |
| 蓓   | CB73      | ----    | 84E7  | IKMR0080 |
| 蓓   | CB74      | ----    | 84EA  | IKMS0080 |
| 蓓   | CB75      | ----    | 84EF  | IKMT0080 |
| 蓓   | CB76      | ----    | 84F0  | IKMU0080 |
| 蓓   | CB77      | ----    | 84F1  | IKMV0080 |
| 蓓   | CB78      | ----    | 84F2  | IKMW0080 |
| 蓓   | CB79      | ----    | 84F7  | IKMX0080 |
| 蓓   | CB7A      | ----    | 84FA  | IKMY0080 |
| 蓓   | CB7B      | ----    | 84FB  | IKMZ0080 |
| 蓓   | CB7C      | ----    | 84FD  | IKN00080 |
| 蓓   | CB7D      | ----    | 8502  | IKN10080 |
| 蓓   | CB7E      | ----    | 8503  | IKN20080 |
| 蓓   | CB7F      | ----    | 8507  | IKN30080 |
| 蓓   | CB80      | ----    | 850C  | IKN40080 |
| 蓓   | CB81      | ----    | 850E  | IKN50080 |
| 蓓   | CB82      | ----    | 8510  | IKN60080 |
| 蓓   | CB83      | ----    | 851C  | IKN70080 |
| 蓓   | CB84      | ----    | 851E  | IKN80080 |
| 蓓   | CB85      | ----    | 8522  | IKN90080 |
| 蓓   | CB86      | ----    | 8523  | IKNA0080 |
| 蓓   | CB87      | ----    | 8524  | IKNB0080 |
| 蓓   | CB88      | ----    | 8525  | IKNC0080 |
| 蓓   | CB89      | ----    | 8527  | IKND0080 |
| 蓓   | CB8A      | ----    | 852A  | IKNE0080 |
| 蓓   | CB8B      | ----    | 852B  | IKNF0080 |
| 蓓   | CB8C      | ----    | 852F  | IKNG0080 |
| 蓓   | CB8D      | ----    | 8532  | IKNH0080 |
| 蓓   | CB8E      | ----    | 8533  | IKNI0080 |
| 蓓   | CB8F      | ----    | 8534  | IKNJ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蕒   | CB90      | ----    | 8536  | IKNK0080 |
| 蕒   | CB91      | ----    | 853F  | IKNL0080 |
| 蕒   | CB92      | ----    | 8546  | IKNM0080 |
| 蕒   | CB93      | ----    | 854F  | IKNN0080 |
| 蕒   | CB94      | ----    | 8550  | IKNO0080 |
| 蕒   | CB95      | ----    | 8551  | IKNP0080 |
| 蕒   | CB96      | ----    | 8552  | IKNQ0080 |
| 蕒   | CB97      | ----    | 8556  | IKNR0080 |
| 蕒   | CB98      | ----    | 855C  | IKNS0080 |
| 蕒   | CB99      | ----    | 855D  | IKNT0080 |
| 蕒   | CB9A      | ----    | 855E  | IKNU0080 |
| 蕒   | CB9B      | ----    | 855F  | IKNV0080 |
| 蕒   | CB9C      | ----    | 8560  | IKNW0080 |
| 蕒   | CB9D      | ----    | 8561  | IKNX0080 |
| 蕒   | CB9E      | ----    | 8562  | IKNY0080 |
| 蕒   | CB9F      | ----    | 8564  | IKNZ0080 |
| 蕒   | CBA0      | ----    | 856F  | IKO00080 |
| 蕒   | CBA1      | ----    | 8579  | IKO10080 |
| 蕒   | CBA2      | ----    | 857A  | IKO20080 |
| 蕒   | CBA3      | ----    | 857B  | IKO30080 |
| 蕒   | CBA4      | ----    | 857D  | IKO40080 |
| 蕒   | CBA5      | ----    | 857F  | IKO50080 |
| 蕒   | CBA6      | ----    | 8581  | IKO60080 |
| 蕒   | CBA7      | ----    | 8585  | IKO70080 |
| 蕒   | CBA8      | ----    | 8586  | IKO80080 |
| 蕒   | CBA9      | ----    | 8589  | IKO90080 |
| 蕒   | CBAA      | ----    | 858B  | IKOA0080 |
| 蕒   | CBAB      | ----    | 858C  | IKOB0080 |
| 蕒   | CBAC      | ----    | 858F  | IKOC0080 |
| 蕒   | CBAD      | ----    | 8593  | IKOD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蓬   | CBAE      | ----    | 8598  | IKOE0080 |
| 蒼   | CBAF      | ----    | 859D  | IKOF0080 |
| 蒨   | CBB0      | ----    | 859F  | IKOG0080 |
| 蒨   | CBB1      | ----    | 85A0  | IKOH0080 |
| 蒨   | CBB2      | ----    | 85A2  | IKOI0080 |
| 蒨   | CBB3      | ----    | 85A5  | IKOJ0080 |
| 蒨   | CBB4      | ----    | 85A7  | IKOK0080 |
| 蒨   | CBB5      | ----    | 85AD  | IKOL0080 |
| 蒨   | CBB6      | ----    | 85B4  | IKOM0080 |
| 蒨   | CBB7      | ----    | 85B6  | IKON0080 |
| 蒨   | CBB8      | ----    | 85B7  | IKOO0080 |
| 蒨   | CBB9      | ----    | 85B8  | IKOP0080 |
| 蒨   | CBBA      | ----    | 85BC  | IKOQ0080 |
| 蒨   | CBBB      | ----    | 85BD  | IKOR0080 |
| 蒨   | CBBC      | ----    | 85BE  | IKOS0080 |
| 蒨   | CBBD      | ----    | 85BF  | IKOT0080 |
| 蒨   | CBBE      | ----    | 85C2  | IKOU0080 |
| 蒨   | CBBF      | ----    | 85C7  | IKOV0080 |
| 蒨   | CBC0      | ----    | 85CA  | IKOW0080 |
| 蒨   | CBC1      | ----    | 85CB  | IKOX0080 |
| 蒨   | CBC2      | ----    | 85CE  | IKOY0080 |
| 蒨   | CBC3      | ----    | 85D8  | IKOZ0080 |
| 蒨   | CBC4      | ----    | 85DA  | IKP00080 |
| 蒨   | CBC5      | ----    | 85DF  | IKP10080 |
| 蒨   | CBC6      | ----    | 85E0  | IKP20080 |
| 蒨   | CBC7      | ----    | 85E6  | IKP30080 |
| 蒨   | CBC8      | ----    | 85E8  | IKP40080 |
| 蒨   | CBC9      | ----    | 85ED  | IKP50080 |
| 蒨   | CBCA      | ----    | 85F3  | IKP60080 |
| 蒨   | CBCB      | ----    | 85F6  | IKP70080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蒨   | CBCC      | ----    | 85FC  | IKP80080 |
| 蒨   | CBCD      | ----    | 85FF  | IKP90080 |
| 蒨   | CBCE      | ----    | 8600  | IKPA0080 |
| 蒨   | CBCF      | ----    | 8604  | IKPB0080 |
| 蒨   | CBD0      | ----    | 8605  | IKPC0080 |
| 蒨   | CBD1      | ----    | 860D  | IKPD0080 |
| 蒨   | CBD2      | ----    | 860E  | IKPE0080 |
| 蒨   | CBD3      | ----    | 8610  | IKPF0080 |
| 蒨   | CBD4      | ----    | 8611  | IKPG0080 |
| 蒨   | CBD5      | ----    | 8612  | IKPH0080 |
| 蒨   | CBD6      | ----    | 8618  | IKPI0080 |
| 蒨   | CBD7      | ----    | 8619  | IKPJ0080 |
| 蒨   | CBD8      | ----    | 861B  | IKPK0080 |
| 蒨   | CBD9      | ----    | 861E  | IKPL0080 |
| 蒨   | CBDA      | ----    | 8621  | IKPM0080 |
| 蒨   | CBDB      | ----    | 8627  | IKPN0080 |
| 蒨   | CBDC      | ----    | 8629  | IKPO0080 |
| 蒨   | CBDD      | ----    | 8636  | IKPP0080 |
| 蒨   | CBDE      | ----    | 8638  | IKPQ0080 |
| 蒨   | CBDF      | ----    | 863A  | IKPR0080 |
| 蒨   | CBE0      | ----    | 863C  | IKPS0080 |
| 蒨   | CBE1      | ----    | 863D  | IKPT0080 |
| 蒨   | CBE2      | ----    | 8640  | IKPU0080 |
| 蒨   | CBE3      | ----    | 8641  | IKPV0080 |
| 蒨   | CBE4      | ----    | 8642  | IKPW0080 |
| 蒨   | CBE5      | ----    | 8646  | IKPX0080 |
| 蒨   | CBE6      | ----    | 8652  | IKPY0080 |
| 蒨   | CBE7      | ----    | 8653  | IKPZ0080 |
| 蒨   | CBE8      | ----    | 8656  | IKQ00080 |
| 蒨   | CBE9      | ----    | 8657  | IKQ10080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 盧   | CBEA      | ----    | 8658  | IKQ20080 |
| 慮   | CBEB      | ----    | 8659  | IKQ30080 |
| 虬   | CBEC      | ----    | 865D  | IKQ40080 |
| 虢   | CBED      | ----    | 8660  | IKQ50080 |
| 虞   | CBEE      | ----    | 8661  | IKQ60080 |
| 虢   | CBEF      | ----    | 8662  | IKQ70080 |
| 虢   | CBF0      | ----    | 8663  | IKQ80080 |
| 虢   | CBF1      | ----    | 8664  | IKQ90080 |
| 虢   | CBF2      | ----    | 8669  | IKQA0080 |
| 虬   | CBF3      | ----    | 866C  | IKQB0080 |
| 虬   | CBF4      | ----    | 866F  | IKQC0080 |
| 虬   | CBF5      | ----    | 8675  | IKQD0080 |
| 虬   | CBF6      | ----    | 8676  | IKQE0080 |
| 虬   | CBF7      | ----    | 8677  | IKQF0080 |
| 虬   | CBF8      | ----    | 867A  | IKQG0080 |
| 虬   | CBF9      | ----    | 8688  | IKQH0080 |
| 虬   | CBFA      | ----    | 868D  | IKQI0080 |
| 虬   | CBFB      | ----    | 8691  | IKQJ0080 |
| 虬   | CBFC      | ----    | 8696  | IKQK0080 |
| 虬   | CBFD      | ----    | 8698  | IKQL0080 |
| 虬   | CBFE      | ----    | 869A  | IKQM0080 |
| 虬   | CC41      | ----    | 869C  | IKQP0080 |
| 虬   | CC42      | ----    | 86A1  | IKQQ0080 |
| 虬   | CC43      | ----    | 86A6  | IKQR0080 |
| 虬   | CC44      | ----    | 86A7  | IKQS0080 |
| 虬   | CC45      | ----    | 86A8  | IKQT0080 |
| 虬   | CC46      | ----    | 86AD  | IKQU0080 |
| 虬   | CC47      | ----    | 86B1  | IKQV0080 |
| 虬   | CC48      | ----    | 86B3  | IKQW0080 |
| 虬   | CC49      | ----    | 86B4  | IKQX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 虬   | CC4A      | ----    | 86B5  | IKQY0080 |
| 虬   | CC4B      | ----    | 86B7  | IKQZ0080 |
| 虬   | CC4C      | ----    | 86B8  | IKR00080 |
| 虬   | CC4D      | ----    | 86B9  | IKR10080 |
| 虬   | CC4E      | ----    | 86BF  | IKR20080 |
| 虬   | CC4F      | ----    | 86C0  | IKR30080 |
| 虬   | CC50      | ----    | 86C1  | IKR40080 |
| 虬   | CC51      | ----    | 86C3  | IKR50080 |
| 虬   | CC52      | ----    | 86C5  | IKR60080 |
| 虬   | CC53      | ----    | 86D1  | IKR70080 |
| 虬   | CC54      | ----    | 86D2  | IKR80080 |
| 虬   | CC55      | ----    | 86D5  | IKR90080 |
| 虬   | CC56      | ----    | 86D7  | IKRA0080 |
| 虬   | CC57      | ----    | 86DA  | IKRB0080 |
| 虬   | CC58      | ----    | 86DC  | IKRC0080 |
| 虬   | CC59      | ----    | 86E0  | IKRD0080 |
| 虬   | CC5A      | ----    | 86E3  | IKRE0080 |
| 虬   | CC5B      | ----    | 86E5  | IKRF0080 |
| 虬   | CC5C      | ----    | 86E7  | IKRG0080 |
| 虬   | CC5D      | ----    | 86FA  | IKRH0080 |
| 虬   | CC5E      | ----    | 86FC  | IKRI0080 |
| 虬   | CC5F      | ----    | 86FD  | IKRJ0080 |
| 虬   | CC60      | ----    | 8704  | IKRK0080 |
| 虬   | CC61      | ----    | 8705  | IKRL0080 |
| 虬   | CC62      | ----    | 8707  | IKRM0080 |
| 虬   | CC63      | ----    | 870B  | IKRN0080 |
| 虬   | CC64      | ----    | 870E  | IKRO0080 |
| 虬   | CC65      | ----    | 870F  | IKRP0080 |
| 虬   | CC66      | ----    | 8710  | IKRQ0080 |
| 虬   | CC67      | ----    | 8713  | IKRR0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蚶   | CC68      | ----    | 8714  | IKRS0080 |
| 蚣   | CC69      | ----    | 8719  | IKRT0080 |
| 琪   | CC6A      | ----    | 871E  | IKRU0080 |
| 蜻   | CC6B      | ----    | 871F  | IKRV0080 |
| 蜡   | CC6C      | ----    | 8721  | IKRW0080 |
| 蛭   | CC6D      | ----    | 8723  | IKRX0080 |
| 蜚   | CC6E      | ----    | 8728  | IKRY0080 |
| 蜮   | CC6F      | ----    | 872E  | IKRZ0080 |
| 蟀   | CC70      | ----    | 872F  | IKS00080 |
| 蟀   | CC71      | ----    | 8731  | IKS10080 |
| 蜷   | CC72      | ----    | 8732  | IKS20080 |
| 蛄   | CC73      | ----    | 8739  | IKS30080 |
| 蛄   | CC74      | ----    | 873A  | IKS40080 |
| 蝓   | CC75      | ----    | 873C  | IKS50080 |
| 蝓   | CC76      | ----    | 873D  | IKS60080 |
| 螺   | CC77      | ----    | 873E  | IKS70080 |
| 蝻   | CC78      | ----    | 8740  | IKS80080 |
| 蝻   | CC79      | ----    | 8743  | IKS90080 |
| 蝻   | CC7A      | ----    | 8745  | IKSA0080 |
| 蝻   | CC7B      | ----    | 874D  | IKSB0080 |
| 蝻   | CC7C      | ----    | 8758  | IKSC0080 |
| 蝻   | CC7D      | ----    | 875D  | IKSD0080 |
| 蝻   | CC7E      | ----    | 8761  | IKSE0080 |
| 蝻   | CC7F      | ----    | 8764  | IKSF0080 |
| 蝻   | CC80      | ----    | 8765  | IKSG0080 |
| 蝻   | CC81      | ----    | 876F  | IKSH0080 |
| 蝻   | CC82      | ----    | 8771  | IKSI0080 |
| 蝻   | CC83      | ----    | 8772  | IKSJ0080 |
| 蝻   | CC84      | ----    | 877B  | IKSK0080 |
| 蝻   | CC85      | ----    | 8783  | IKSL0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蝻   | CC86      | ----    | 8784  | IKSM0080 |
| 蝻   | CC87      | ----    | 8785  | IKSN0080 |
| 蝻   | CC88      | ----    | 8786  | IKSO0080 |
| 蝻   | CC89      | ----    | 8787  | IKSP0080 |
| 蝻   | CC8A      | ----    | 8788  | IKSQ0080 |
| 蝻   | CC8B      | ----    | 8789  | IKSR0080 |
| 蝻   | CC8C      | ----    | 878B  | IKSS0080 |
| 蝻   | CC8D      | ----    | 878C  | IKST0080 |
| 蝻   | CC8E      | ----    | 8790  | IKSU0080 |
| 蝻   | CC8F      | ----    | 8793  | IKSV0080 |
| 蝻   | CC90      | ----    | 8795  | IKSW0080 |
| 蝻   | CC91      | ----    | 8797  | IKSX0080 |
| 蝻   | CC92      | ----    | 8798  | IKSY0080 |
| 蝻   | CC93      | ----    | 8799  | IKSZ0080 |
| 蝻   | CC94      | ----    | 879E  | IKT00080 |
| 蝻   | CC95      | ----    | 87A0  | IKT10080 |
| 蝻   | CC96      | ----    | 87A3  | IKT20080 |
| 蝻   | CC97      | ----    | 87A7  | IKT30080 |
| 蝻   | CC98      | ----    | 87AC  | IKT40080 |
| 蝻   | CC99      | ----    | 87AD  | IKT50080 |
| 蝻   | CC9A      | ----    | 87AE  | IKT60080 |
| 蝻   | CC9B      | ----    | 87B1  | IKT70080 |
| 蝻   | CC9C      | ----    | 87B5  | IKT80080 |
| 蝻   | CC9D      | ----    | 87BE  | IKT90080 |
| 蝻   | CC9E      | ----    | 87BF  | IKTA0080 |
| 蝻   | CC9F      | ----    | 87C1  | IKTB0080 |
| 蝻   | CCA0      | ----    | 87C8  | IKTC0080 |
| 蝻   | CCA1      | ----    | 87C9  | IKTD0080 |
| 蝻   | CCA2      | ----    | 87CA  | IKTE0080 |
| 蝻   | CCA3      | ----    | 87CE  | IKTF0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 蟻   | CCA4      | ----    | 87D5  | IKTG0080 |
| 蜥   | CCA5      | ----    | 87D6  | IKTH0080 |
| 蟻   | CCA6      | ----    | 87D9  | IKTI0080 |
| 螫   | CCA7      | ----    | 87DA  | IKTJ0080 |
| 蟻   | CCA8      | ----    | 87DC  | IKTK0080 |
| 螳   | CCA9      | ----    | 87DF  | IKTL0080 |
| 螳   | CCAA      | ----    | 87E2  | IKTM0080 |
| 蟻   | CCAB      | ----    | 87E3  | IKTN0080 |
| 蟻   | CCAC      | ----    | 87E4  | IKTO0080 |
| 螳   | CCAD      | ----    | 87EA  | IKTP0080 |
| 蟬   | CCAE      | ----    | 87EB  | IKTQ0080 |
| 螭   | CCAF      | ----    | 87ED  | IKTR0080 |
| 螭   | CCB0      | ----    | 87F1  | IKTS0080 |
| 螭   | CCB1      | ----    | 87F3  | IKTT0080 |
| 螭   | CCB2      | ----    | 87F8  | IKTU0080 |
| 螭   | CCB3      | ----    | 87FA  | IKTV0080 |
| 螭   | CCB4      | ----    | 87FF  | IKTW0080 |
| 螭   | CCB5      | ----    | 8801  | IKTX0080 |
| 螭   | CCB6      | ----    | 8803  | IKTY0080 |
| 螭   | CCB7      | ----    | 8806  | IKTZ0080 |
| 螭   | CCB8      | ----    | 8809  | IKU00080 |
| 螭   | CCB9      | ----    | 880A  | IKU10080 |
| 螭   | CCBA      | ----    | 880B  | IKU20080 |
| 螭   | CCBB      | ----    | 8810  | IKU30080 |
| 螭   | CCBC      | ----    | 8812  | IKU40080 |
| 螭   | CCBD      | ----    | 8813  | IKU50080 |
| 螭   | CCBE      | ----    | 8814  | IKU60080 |
| 螭   | CCBF      | ----    | 8818  | IKU70080 |
| 螭   | CCC0      | ----    | 8819  | IKU80080 |
| 螭   | CCC1      | ----    | 881A  | IKU90080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 螭   | CCC2      | ----    | 881B  | IKUA0080 |
| 螭   | CCC3      | ----    | 881C  | IKUB0080 |
| 螭   | CCC4      | ----    | 881E  | IKUC0080 |
| 螭   | CCC5      | ----    | 881F  | IKUD0080 |
| 螭   | CCC6      | ----    | 8828  | IKUE0080 |
| 螭   | CCC7      | ----    | 882D  | IKUF0080 |
| 螭   | CCC8      | ----    | 882E  | IKUG0080 |
| 螭   | CCC9      | ----    | 8830  | IKUH0080 |
| 螭   | CCCA      | ----    | 8832  | IKUI0080 |
| 螭   | CCCB      | ----    | 8835  | IKUJ0080 |
| 螭   | CCCC      | ----    | 883A  | IKUK0080 |
| 螭   | CCCD      | ----    | 883C  | IKUL0080 |
| 螭   | CCCE      | ----    | 8841  | IKUM0080 |
| 螭   | CCCF      | ----    | 8843  | IKUN0080 |
| 螭   | CCD0      | ----    | 8845  | IKUO0080 |
| 螭   | CCD1      | ----    | 8848  | IKUP0080 |
| 螭   | CCD2      | ----    | 8849  | IKUQ0080 |
| 螭   | CCD3      | ----    | 884A  | IKUR0080 |
| 螭   | CCD4      | ----    | 884B  | IKUS0080 |
| 螭   | CCD5      | ----    | 884E  | IKUT0080 |
| 螭   | CCD6      | ----    | 8851  | IKUU0080 |
| 螭   | CCD7      | ----    | 8855  | IKUV0080 |
| 螭   | CCD8      | ----    | 8856  | IKUW0080 |
| 螭   | CCD9      | ----    | 8858  | IKUX0080 |
| 螭   | CCDA      | ----    | 885A  | IKUY0080 |
| 螭   | CCDB      | ----    | 885C  | IKUZ0080 |
| 螭   | CCDC      | ----    | 885F  | IKV00080 |
| 螭   | CCDD      | ----    | 8860  | IKV10080 |
| 𧈧   | CCDE      | ----    | 8864  | IKV20080 |
| 𧈧   | CCDF      | ----    | 8869  | IKV30080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 袂   | CCE0      | ----    | 8871  | IKV40080 |
| 祗   | CCE1      | ----    | 8879  | IKV50080 |
| 袈   | CCE2      | ----    | 887B  | IKV60080 |
| 袷   | CCE3      | ----    | 8880  | IKV70080 |
| 袹   | CCE4      | ----    | 8898  | IKV80080 |
| 袺   | CCE5      | ----    | 889A  | IKV90080 |
| 袻   | CCE6      | ----    | 889B  | IKVA0080 |
| 袼   | CCE7      | ----    | 889C  | IKVB0080 |
| 袽   | CCE8      | ----    | 889F  | IKVC0080 |
| 袾   | CCE9      | ----    | 88A0  | IKVD0080 |
| 袿   | CCEA      | ----    | 88A8  | IKVE0080 |
| 袼   | CCEB      | ----    | 88AA  | IKVF0080 |
| 袿   | CCEC      | ----    | 88BA  | IKVG0080 |
| 袽   | CCED      | ----    | 88BD  | IKVH0080 |
| 袿   | CCEE      | ----    | 88BE  | IKVI0080 |
| 袿   | CCEF      | ----    | 88C0  | IKVJ0080 |
| 袿   | CCF0      | ----    | 88CA  | IKVK0080 |
| 袿   | CCF1      | ----    | 88CB  | IKVL0080 |
| 袿   | CCF2      | ----    | 88CC  | IKVM0080 |
| 袿   | CCF3      | ----    | 88CD  | IKVN0080 |
| 袿   | CCF4      | ----    | 88CE  | IKVO0080 |
| 袿   | CCF5      | ----    | 88D1  | IKVP0080 |
| 袿   | CCF6      | ----    | 88D2  | IKVQ0080 |
| 袿   | CCF7      | ----    | 88D3  | IKVR0080 |
| 袿   | CCF8      | ----    | 88DB  | IKVS0080 |
| 袿   | CCF9      | ----    | 88DE  | IKVT0080 |
| 袿   | CCFA      | ----    | 88E7  | IKVU0080 |
| 袿   | CCFB      | ----    | 88EF  | IKVV0080 |
| 袿   | CCFC      | ----    | 88F0  | IKVW0080 |
| 袿   | CCFD      | ----    | 88F1  | IKVX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 袿   | CCFE      | ----    | 88F7  | IKVY0080 |
| 袿   | CD41      | ----    | 8901  | IKW10080 |
| 袿   | CD42      | ----    | 8906  | IKW20080 |
| 袿   | CD43      | ----    | 890D  | IKW30080 |
| 袿   | CD44      | ----    | 890E  | IKW40080 |
| 袿   | CD45      | ----    | 890F  | IKW50080 |
| 袿   | CD46      | ----    | 8915  | IKW60080 |
| 袿   | CD47      | ----    | 8916  | IKW70080 |
| 袿   | CD48      | ----    | 8918  | IKW80080 |
| 袿   | CD49      | ----    | 8919  | IKW90080 |
| 袿   | CD4A      | ----    | 891A  | IKWA0080 |
| 袿   | CD4B      | ----    | 8920  | IKWB0080 |
| 袿   | CD4C      | ----    | 8926  | IKWC0080 |
| 袿   | CD4D      | ----    | 8927  | IKWD0080 |
| 袿   | CD4E      | ----    | 8928  | IKWE0080 |
| 袿   | CD4F      | ----    | 8930  | IKWF0080 |
| 袿   | CD50      | ----    | 8931  | IKWG0080 |
| 袿   | CD51      | ----    | 8932  | IKWH0080 |
| 袿   | CD52      | ----    | 8935  | IKWI0080 |
| 袿   | CD53      | ----    | 8939  | IKWJ0080 |
| 袿   | CD54      | ----    | 893A  | IKWK0080 |
| 袿   | CD55      | ----    | 893E  | IKWL0080 |
| 袿   | CD56      | ----    | 8940  | IKWM0080 |
| 袿   | CD57      | ----    | 8942  | IKWN0080 |
| 袿   | CD58      | ----    | 8945  | IKWO0080 |
| 袿   | CD59      | ----    | 8946  | IKWP0080 |
| 袿   | CD5A      | ----    | 8949  | IKWQ0080 |
| 袿   | CD5B      | ----    | 894F  | IKWR0080 |
| 袿   | CD5C      | ----    | 8952  | IKWS0080 |
| 袿   | CD5D      | ----    | 8957  | IKWT0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 襴   | CD5E      | ----    | 895A  | IKWU0080 |
| 襷   | CD5F      | ----    | 895B  | IKWV0080 |
| 襴   | CD60      | ----    | 895C  | IKWW0080 |
| 襴   | CD61      | ----    | 8961  | IKWX0080 |
| 襴   | CD62      | ----    | 8962  | IKWY0080 |
| 襴   | CD63      | ----    | 8963  | IKWZ0080 |
| 襴   | CD64      | ----    | 896B  | IKX00080 |
| 襴   | CD65      | ----    | 896E  | IKX10080 |
| 襴   | CD66      | ----    | 8970  | IKX20080 |
| 襴   | CD67      | ----    | 8973  | IKX30080 |
| 襴   | CD68      | ----    | 8975  | IKX40080 |
| 襴   | CD69      | ----    | 897A  | IKX50080 |
| 襴   | CD6A      | ----    | 897B  | IKX60080 |
| 襴   | CD6B      | ----    | 897C  | IKX70080 |
| 襴   | CD6C      | ----    | 897D  | IKX80080 |
| 襴   | CD6D      | ----    | 8989  | IKX90080 |
| 覓   | CD6E      | ----    | 898D  | IKXA0080 |
| 覓   | CD6F      | ----    | 8990  | IKXB0080 |
| 覓   | CD70      | ----    | 8994  | IKXC0080 |
| 覓   | CD71      | ----    | 8995  | IKXD0080 |
| 覓   | CD72      | ----    | 899B  | IKXE0080 |
| 覓   | CD73      | ----    | 899C  | IKXF0080 |
| 覓   | CD74      | ----    | 899F  | IKXG0080 |
| 覓   | CD75      | ----    | 89A0  | IKXH0080 |
| 覓   | CD76      | ----    | 89A5  | IKXI0080 |
| 覓   | CD77      | ----    | 89B0  | IKXJ0080 |
| 覓   | CD78      | ----    | 89B4  | IKXK0080 |
| 覓   | CD79      | ----    | 89B5  | IKXL0080 |
| 覓   | CD7A      | ----    | 89B6  | IKXM0080 |
| 覓   | CD7B      | ----    | 89B7  | IKXN0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 覓   | CD7C      | ----    | 89BC  | IKXO0080 |
| 覓   | CD7D      | ----    | 89D4  | IKXP0080 |
| 覓   | CD7E      | ----    | 89D5  | IKXQ0080 |
| 覓   | CD7F      | ----    | 89D6  | IKXR0080 |
| 覓   | CD80      | ----    | 89D7  | IKXS0080 |
| 覓   | CD81      | ----    | 89D8  | IKXT0080 |
| 覓   | CD82      | ----    | 89E5  | IKXU0080 |
| 覓   | CD83      | ----    | 89E9  | IKXV0080 |
| 覓   | CD84      | ----    | 89EB  | IKXW0080 |
| 覓   | CD85      | ----    | 89ED  | IKXX0080 |
| 覓   | CD86      | ----    | 89F1  | IKXY0080 |
| 覓   | CD87      | ----    | 89F3  | IKXZ0080 |
| 覓   | CD88      | ----    | 89F6  | IKY00080 |
| 覓   | CD89      | ----    | 89F9  | IKY10080 |
| 覓   | CD8A      | ----    | 89FD  | IKY20080 |
| 覓   | CD8B      | ----    | 89FF  | IKY30080 |
| 覓   | CD8C      | ----    | 8A04  | IKY40080 |
| 覓   | CD8D      | ----    | 8A05  | IKY50080 |
| 覓   | CD8E      | ----    | 8A07  | IKY60080 |
| 覓   | CD8F      | ----    | 8A0F  | IKY70080 |
| 覓   | CD90      | ----    | 8A11  | IKY80080 |
| 覓   | CD91      | ----    | 8A14  | IKY90080 |
| 覓   | CD92      | ----    | 8A15  | IKYA0080 |
| 覓   | CD93      | ----    | 8A1E  | IKYB0080 |
| 覓   | CD94      | ----    | 8A20  | IKYC0080 |
| 覓   | CD95      | ----    | 8A22  | IKYD0080 |
| 覓   | CD96      | ----    | 8A24  | IKYE0080 |
| 覓   | CD97      | ----    | 8A26  | IKYF0080 |
| 覓   | CD98      | ----    | 8A2B  | IKYG0080 |
| 覓   | CD99      | ----    | 8A2C  | IKYH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 設   | CD9A      | ----    | 8A2F  | IKYI0080 |
| 誨   | CD9B      | ----    | 8A35  | IKYJ0080 |
| 詢   | CD9C      | ----    | 8A3D  | IKYK0080 |
| 訾   | CD9D      | ----    | 8A3E  | IKYL0080 |
| 詰   | CD9E      | ----    | 8A40  | IKYM0080 |
| 詿   | CD9F      | ----    | 8A43  | IKYN0080 |
| 詒   | CDA0      | ----    | 8A45  | IKYO0080 |
| 諛   | CDA1      | ----    | 8A47  | IKYP0080 |
| 諛   | CDA2      | ----    | 8A49  | IKYQ0080 |
| 誼   | CDA3      | ----    | 8A4D  | IKYR0080 |
| 詎   | CDA4      | ----    | 8A4E  | IKYS0080 |
| 詿   | CDA5      | ----    | 8A53  | IKYT0080 |
| 諛   | CDA6      | ----    | 8A56  | IKYU0080 |
| 誨   | CDA7      | ----    | 8A57  | IKYV0080 |
| 詘   | CDA8      | ----    | 8A58  | IKYW0080 |
| 諛   | CDA9      | ----    | 8A5C  | IKYX0080 |
| 諄   | CDAA      | ----    | 8A5D  | IKYY0080 |
| 詡   | CDAB      | ----    | 8A61  | IKYZ0080 |
| 詒   | CDAC      | ----    | 8A65  | IKZ00080 |
| 訾   | CDAD      | ----    | 8A67  | IKZ10080 |
| 誼   | CDAE      | ----    | 8A75  | IKZ20080 |
| 誨   | CDAF      | ----    | 8A76  | IKZ30080 |
| 誨   | CDB0      | ----    | 8A77  | IKZ40080 |
| 詔   | CDB1      | ----    | 8A7A  | IKZ50080 |
| 詔   | CDB2      | ----    | 8A7B  | IKZ60080 |
| 詢   | CDB3      | ----    | 8A7E  | IKZ70080 |
| 誼   | CDB4      | ----    | 8A7F  | IKZ80080 |
| 誨   | CDB5      | ----    | 8A80  | IKZ90080 |
| 諛   | CDB6      | ----    | 8A83  | IKZA0080 |
| 詎   | CDB7      | ----    | 8A86  | IKZB0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 詎   | CDB8      | ----    | 8A8B  | IKZC0080 |
| 諛   | CDB9      | ----    | 8A8F  | IKZD0080 |
| 諛   | CDBA      | ----    | 8A90  | IKZE0080 |
| 諛   | CDBB      | ----    | 8A92  | IKZF0080 |
| 諛   | CDBC      | ----    | 8A96  | IKZG0080 |
| 諛   | CDBD      | ----    | 8A97  | IKZH0080 |
| 誼   | CDBE      | ----    | 8A99  | IKZI0080 |
| 諛   | CDBF      | ----    | 8A9F  | IKZJ0080 |
| 誼   | CDC0      | ----    | 8AA9  | IKZK0080 |
| 詎   | CDC1      | ----    | 8AAE  | IKZL0080 |
| 詎   | CDC2      | ----    | 8AAF  | IKZM0080 |
| 誼   | CDC3      | ----    | 8AB3  | IKZN0080 |
| 諛   | CDC4      | ----    | 8AB6  | IKZO0080 |
| 誨   | CDC5      | ----    | 8AB7  | IKZP0080 |
| 諛   | CDC6      | ----    | 8ABB  | IKZQ0080 |
| 誼   | CDC7      | ----    | 8AC3  | IKZR0080 |
| 諛   | CDC8      | ----    | 8AC6  | IKZS0080 |
| 誼   | CDC9      | ----    | 8AC8  | IKZT0080 |
| 諛   | CDCA      | ----    | 8AC9  | IKZU0080 |
| 誨   | CDCB      | ----    | 8ACA  | IKZV0080 |
| 誼   | CDCC      | ----    | 8AD1  | IKZW0080 |
| 諛   | CDCD      | ----    | 8AD3  | IKZX0080 |
| 諛   | CDCE      | ----    | 8AD4  | IKZY0080 |
| 諛   | CDCF      | ----    | 8AD5  | IKZZ0080 |
| 詒   | CDD0      | ----    | 8AD7  | IL000080 |
| 誼   | CDD1      | ----    | 8ADD  | IL010080 |
| 諛   | CDD2      | ----    | 8AEC  | IL020080 |
| 誼   | CDD3      | ----    | 8AF0  | IL030080 |
| 諛   | CDD4      | ----    | 8AF4  | IL040080 |
| 誼   | CDD5      | ----    | 8AF5  | IL050080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 諛   | CDD6      | ----    | 8AFC  | IL060080 |
| 諚   | CDD7      | ----    | 8AFF  | IL070080 |
| 諛   | CDD8      | ----    | 8B05  | IL080080 |
| 諛   | CDD9      | ----    | 8B06  | IL090080 |
| 諛   | CDDA      | ----    | 8B0A  | IL0A0080 |
| 諛   | Cddb      | ----    | 8B0B  | IL0B0080 |
| 諛   | CDDC      | ----    | 8B11  | IL0C0080 |
| 諛   | CDDD      | ----    | 8B1C  | IL0D0080 |
| 諛   | CDDE      | ----    | 8B1E  | IL0E0080 |
| 諛   | CDDF      | ----    | 8B1F  | IL0F0080 |
| 諛   | CDE0      | ----    | 8B2D  | IL0G0080 |
| 諛   | CDE1      | ----    | 8B30  | IL0H0080 |
| 諛   | CDE2      | ----    | 8B37  | IL0I0080 |
| 諛   | CDE3      | ----    | 8B3C  | IL0J0080 |
| 諛   | CDE4      | ----    | 8B42  | IL0K0080 |
| 諛   | CDE5      | ----    | 8B43  | IL0L0080 |
| 諛   | CDE6      | ----    | 8B44  | IL0M0080 |
| 諛   | CDE7      | ----    | 8B45  | IL0N0080 |
| 諛   | CDE8      | ----    | 8B46  | IL0O0080 |
| 諛   | CDE9      | ----    | 8B48  | IL0P0080 |
| 諛   | CDEA      | ----    | 8B4D  | IL0Q0080 |
| 諛   | CDEB      | ----    | 8B52  | IL0R0080 |
| 諛   | CDEC      | ----    | 8B54  | IL0S0080 |
| 諛   | CDED      | ----    | 8B59  | IL0T0080 |
| 諛   | CDEE      | ----    | 8B5E  | IL0U0080 |
| 諛   | CDEF      | ----    | 8B63  | IL0V0080 |
| 諛   | CDF0      | ----    | 8B6D  | IL0W0080 |
| 諛   | CDF1      | ----    | 8B76  | IL0X0080 |
| 諛   | CDF2      | ----    | 8B78  | IL0Y0080 |
| 諛   | CDF3      | ----    | 8B79  | IL0Z0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 諛   | CDF4      | ----    | 8B7C  | IL100080 |
| 諛   | CDF5      | ----    | 8B7E  | IL110080 |
| 諛   | CDF6      | ----    | 8B81  | IL120080 |
| 諛   | CDF7      | ----    | 8B84  | IL130080 |
| 諛   | CDF8      | ----    | 8B85  | IL140080 |
| 諛   | CDF9      | ----    | 8B8B  | IL150080 |
| 諛   | CDFA      | ----    | 8B8D  | IL160080 |
| 諛   | CDFB      | ----    | 8B8F  | IL170080 |
| 諛   | CDFC      | ----    | 8B94  | IL180080 |
| 諛   | CDFD      | ----    | 8B95  | IL190080 |
| 諛   | CDFE      | ----    | 8B9C  | IL1A0080 |
| 諛   | CE41      | ----    | 8B9E  | IL1D0080 |
| 諛   | CE42      | ----    | 8B9F  | IL1E0080 |
| 諛   | CE43      | ----    | 8C38  | IL1F0080 |
| 諛   | CE44      | ----    | 8C39  | IL1G0080 |
| 諛   | CE45      | ----    | 8C3D  | IL1H0080 |
| 諛   | CE46      | ----    | 8C3E  | IL1I0080 |
| 諛   | CE47      | ----    | 8C45  | IL1J0080 |
| 諛   | CE48      | ----    | 8C47  | IL1K0080 |
| 諛   | CE49      | ----    | 8C49  | IL1L0080 |
| 諛   | CE4A      | ----    | 8C4B  | IL1M0080 |
| 諛   | CE4B      | ----    | 8C4F  | IL1N0080 |
| 諛   | CE4C      | ----    | 8C51  | IL1O0080 |
| 諛   | CE4D      | ----    | 8C53  | IL1P0080 |
| 諛   | CE4E      | ----    | 8C54  | IL1Q0080 |
| 諛   | CE4F      | ----    | 8C57  | IL1R0080 |
| 諛   | CE50      | ----    | 8C58  | IL1S0080 |
| 諛   | CE51      | ----    | 8C59  | IL1T0080 |
| 諛   | CE52      | ----    | 8C5B  | IL1U0080 |
| 諛   | CE53      | ----    | 8C5D  | IL1V0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 狎   | CE54      | ----    | 8C63  | IL1W0080 |
| 猥   | CE55      | ----    | 8C64  | IL1X0080 |
| 虞   | CE56      | ----    | 8C66  | IL1Y0080 |
| 豨   | CE57      | ----    | 8C68  | IL1Z0080 |
| 豨   | CE58      | ----    | 8C69  | IL200080 |
| 豨   | CE59      | ----    | 8C6D  | IL210080 |
| 豨   | CE5A      | ----    | 8C73  | IL220080 |
| 豨   | CE5B      | ----    | 8C75  | IL230080 |
| 豨   | CE5C      | ----    | 8C76  | IL240080 |
| 豨   | CE5D      | ----    | 8C7B  | IL250080 |
| 豨   | CE5E      | ----    | 8C7E  | IL260080 |
| 豨   | CE5F      | ----    | 8C86  | IL270080 |
| 豨   | CE60      | ----    | 8C87  | IL280080 |
| 豨   | CE61      | ----    | 8C8B  | IL290080 |
| 豨   | CE62      | ----    | 8C90  | IL2A0080 |
| 豨   | CE63      | ----    | 8C92  | IL2B0080 |
| 豨   | CE64      | ----    | 8C93  | IL2C0080 |
| 豨   | CE65      | ----    | 8C99  | IL2D0080 |
| 豨   | CE66      | ----    | 8C9B  | IL2E0080 |
| 豨   | CE67      | ----    | 8C9C  | IL2F0080 |
| 豨   | CE68      | ----    | 8CA4  | IL2G0080 |
| 豨   | CE69      | ----    | 8CB9  | IL2H0080 |
| 豨   | CE6A      | ----    | 8CBA  | IL2I0080 |
| 豨   | CE6B      | ----    | 8CC5  | IL2J0080 |
| 豨   | CE6C      | ----    | 8CC6  | IL2K0080 |
| 豨   | CE6D      | ----    | 8CC9  | IL2L0080 |
| 豨   | CE6E      | ----    | 8CCB  | IL2M0080 |
| 豨   | CE6F      | ----    | 8CCF  | IL2N0080 |
| 豨   | CE70      | ----    | 8CD5  | IL2O0080 |
| 豨   | CE71      | ----    | 8CD6  | IL2P0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 豨   | CE72      | ----    | 8CD9  | IL2Q0080 |
| 豨   | CE73      | ----    | 8CDD  | IL2R0080 |
| 豨   | CE74      | ----    | 8CE1  | IL2S0080 |
| 豨   | CE75      | ----    | 8CE8  | IL2T0080 |
| 豨   | CE76      | ----    | 8CEC  | IL2U0080 |
| 豨   | CE77      | ----    | 8CEF  | IL2V0080 |
| 豨   | CE78      | ----    | 8CF2  | IL2W0080 |
| 豨   | CE79      | ----    | 8CF5  | IL2X0080 |
| 豨   | CE7A      | ----    | 8CF7  | IL2Y0080 |
| 豨   | CE7B      | ----    | 8CF8  | IL2Z0080 |
| 豨   | CE7C      | ----    | 8CFE  | IL300080 |
| 豨   | CE7D      | ----    | 8CFF  | IL310080 |
| 豨   | CE7E      | ----    | 8D01  | IL320080 |
| 豨   | CE7F      | ----    | 8D03  | IL330080 |
| 豨   | CE80      | ----    | 8D09  | IL340080 |
| 豨   | CE81      | ----    | 8D17  | IL350080 |
| 豨   | CE82      | ----    | 8D1B  | IL360080 |
| 豨   | CE83      | ----    | 8D65  | IL370080 |
| 豨   | CE84      | ----    | 8D69  | IL380080 |
| 豨   | CE85      | ----    | 8D6C  | IL390080 |
| 豨   | CE86      | ----    | 8D6E  | IL3A0080 |
| 豨   | CE87      | ----    | 8D7F  | IL3B0080 |
| 豨   | CE88      | ----    | 8D82  | IL3C0080 |
| 豨   | CE89      | ----    | 8D84  | IL3D0080 |
| 豨   | CE8A      | ----    | 8D88  | IL3E0080 |
| 豨   | CE8B      | ----    | 8D8D  | IL3F0080 |
| 豨   | CE8C      | ----    | 8D90  | IL3G0080 |
| 豨   | CE8D      | ----    | 8D91  | IL3H0080 |
| 豨   | CE8E      | ----    | 8D95  | IL3I0080 |
| 豨   | CE8F      | ----    | 8D9E  | IL3J0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 趨   | CE90      | ----    | 8D9F  | IL3K0080 |
| 趨   | CE91      | ----    | 8DA0  | IL3L0080 |
| 趨   | CE92      | ----    | 8DA6  | IL3M0080 |
| 趨   | CE93      | ----    | 8DAB  | IL3N0080 |
| 趨   | CE94      | ----    | 8DAC  | IL3O0080 |
| 趨   | CE95      | ----    | 8DAF  | IL3P0080 |
| 趨   | CE96      | ----    | 8DB2  | IL3Q0080 |
| 趺   | CE97      | ----    | 8DB5  | IL3R0080 |
| 趺   | CE98      | ----    | 8DB7  | IL3S0080 |
| 趺   | CE99      | ----    | 8DB9  | IL3T0080 |
| 趺   | CE9A      | ----    | 8DBB  | IL3U0080 |
| 趺   | CE9B      | ----    | 8DBC  | IL3V0080 |
| 趺   | CE9C      | ----    | 8DC0  | IL3W0080 |
| 趺   | CE9D      | ----    | 8DC5  | IL3X0080 |
| 趺   | CE9E      | ----    | 8DC6  | IL3Y0080 |
| 趺   | CE9F      | ----    | 8DC7  | IL3Z0080 |
| 趺   | CEA0      | ----    | 8DC8  | IL400080 |
| 趺   | CEA1      | ----    | 8DCA  | IL410080 |
| 趺   | CEA2      | ----    | 8DCE  | IL420080 |
| 跑   | CEA3      | ----    | 8DD1  | IL430080 |
| 跑   | CEA4      | ----    | 8DD4  | IL440080 |
| 跑   | CEA5      | ----    | 8DD5  | IL450080 |
| 跑   | CEA6      | ----    | 8DD7  | IL460080 |
| 跑   | CEA7      | ----    | 8DD9  | IL470080 |
| 跑   | CEA8      | ----    | 8DE4  | IL480080 |
| 跑   | CEA9      | ----    | 8DE5  | IL490080 |
| 跑   | CEAA      | ----    | 8DE7  | IL4A0080 |
| 跑   | CEAB      | ----    | 8DEC  | IL4B0080 |
| 跑   | CEAC      | ----    | 8DF0  | IL4C0080 |
| 跑   | CEAD      | ----    | 8DF1  | IL4D0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 踏   | CEAE      | ----    | 8DF2  | IL4E0080 |
| 踏   | CEAF      | ----    | 8DF4  | IL4F0080 |
| 踏   | CEB0      | ----    | 8DFD  | IL4G0080 |
| 踏   | CEB1      | ----    | 8E01  | IL4H0080 |
| 踏   | CEB2      | ----    | 8E04  | IL4I0080 |
| 踏   | CEB3      | ----    | 8E05  | IL4J0080 |
| 踏   | CEB4      | ----    | 8E06  | IL4K0080 |
| 踏   | CEB5      | ----    | 8E0B  | IL4L0080 |
| 踏   | CEB6      | ----    | 8E11  | IL4M0080 |
| 踏   | CEB7      | ----    | 8E14  | IL4N0080 |
| 踏   | CEB8      | ----    | 8E16  | IL4O0080 |
| 踏   | CEB9      | ----    | 8E20  | IL4P0080 |
| 踏   | CEBA      | ----    | 8E21  | IL4Q0080 |
| 踏   | CEBB      | ----    | 8E22  | IL4R0080 |
| 踏   | CEBC      | ----    | 8E23  | IL4S0080 |
| 踏   | CEBD      | ----    | 8E26  | IL4T0080 |
| 踏   | CEBE      | ----    | 8E27  | IL4U0080 |
| 踏   | CEBF      | ----    | 8E31  | IL4V0080 |
| 踏   | CEC0      | ----    | 8E33  | IL4W0080 |
| 踏   | CEC1      | ----    | 8E36  | IL4X0080 |
| 踏   | CEC2      | ----    | 8E37  | IL4Y0080 |
| 踏   | CEC3      | ----    | 8E38  | IL4Z0080 |
| 踏   | CEC4      | ----    | 8E39  | IL500080 |
| 踏   | CEC5      | ----    | 8E3D  | IL510080 |
| 踏   | CEC6      | ----    | 8E40  | IL520080 |
| 踏   | CEC7      | ----    | 8E41  | IL530080 |
| 踏   | CEC8      | ----    | 8E4B  | IL540080 |
| 踏   | CEC9      | ----    | 8E4D  | IL550080 |
| 踏   | CECA      | ----    | 8E4E  | IL560080 |
| 踏   | CECB      | ----    | 8E4F  | IL570080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮑   | CECC      | ----    | 8E54  | IL580080 |
| 𨮒   | CECD      | ----    | 8E5B  | IL590080 |
| 𨮓   | CECE      | ----    | 8E5C  | IL5A0080 |
| 𨮔   | CECF      | ----    | 8E5D  | IL5B0080 |
| 𨮕   | CED0      | ----    | 8E5E  | IL5C0080 |
| 𨮖   | CED1      | ----    | 8E61  | IL5D0080 |
| 𨮗   | CED2      | ----    | 8E62  | IL5E0080 |
| 𨮘   | CED3      | ----    | 8E69  | IL5F0080 |
| 𨮙   | CED4      | ----    | 8E6C  | IL5G0080 |
| 𨮚   | CED5      | ----    | 8E6D  | IL5H0080 |
| 𨮛   | CED6      | ----    | 8E6F  | IL5I0080 |
| 𨮜   | CED7      | ----    | 8E70  | IL5J0080 |
| 𨮝   | CED8      | ----    | 8E71  | IL5K0080 |
| 𨮞   | CED9      | ----    | 8E79  | IL5L0080 |
| 𨮟   | CEDA      | ----    | 8E7A  | IL5M0080 |
| 𨮠   | CEDB      | ----    | 8E7B  | IL5N0080 |
| 𨮡   | CEDC      | ----    | 8E82  | IL5O0080 |
| 𨮢   | CEDD      | ----    | 8E83  | IL5P0080 |
| 𨮣   | CEDE      | ----    | 8E89  | IL5Q0080 |
| 𨮤   | CEDF      | ----    | 8E90  | IL5R0080 |
| 𨮥   | CEE0      | ----    | 8E92  | IL5S0080 |
| 𨮦   | CEE1      | ----    | 8E95  | IL5T0080 |
| 𨮧   | CEE2      | ----    | 8E9A  | IL5U0080 |
| 𨮨   | CEE3      | ----    | 8E9B  | IL5V0080 |
| 𨮩   | CEE4      | ----    | 8E9D  | IL5W0080 |
| 𨮪   | CEE5      | ----    | 8E9E  | IL5X0080 |
| 𨮫   | CEE6      | ----    | 8EA2  | IL5Y0080 |
| 𨮬   | CEE7      | ----    | 8EA7  | IL5Z0080 |
| 𨮭   | CEE8      | ----    | 8EA9  | IL600080 |
| 𨮮   | CEE9      | ----    | 8EAD  | IL610080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮯   | CEEA      | ----    | 8EAE  | IL620080 |
| 𨮰   | CEEB      | ----    | 8EB3  | IL630080 |
| 𨮱   | CEEC      | ----    | 8EB5  | IL640080 |
| 𨮲   | CEED      | ----    | 8EBA  | IL650080 |
| 𨮳   | CEEE      | ----    | 8EBB  | IL660080 |
| 𨮴   | CEEF      | ----    | 8EC0  | IL670080 |
| 𨮵   | CEF0      | ----    | 8EC1  | IL680080 |
| 𨮶   | CEF1      | ----    | 8EC3  | IL690080 |
| 𨮷   | CEF2      | ----    | 8EC4  | IL6A0080 |
| 𨮸   | CEF3      | ----    | 8EC7  | IL6B0080 |
| 𨮹   | CEF4      | ----    | 8ED1  | IL6C0080 |
| 𨺀   | CEF5      | ----    | 8ED4  | IL6D0080 |
| 𨺁   | CEF6      | ----    | 8EDC  | IL6E0080 |
| 𨺂   | CEF7      | ----    | 8EE8  | IL6F0080 |
| 𨺃   | CEF8      | ----    | 8EED  | IL6G0080 |
| 𨺄   | CEF9      | ----    | 8EEE  | IL6H0080 |
| 𨺅   | CEFA      | ----    | 8EF0  | IL6I0080 |
| 𨺆   | CEFB      | ----    | 8EF1  | IL6J0080 |
| 𨺇   | CEFC      | ----    | 8EF7  | IL6K0080 |
| 𨺈   | CEFD      | ----    | 8EF9  | IL6L0080 |
| 𨺉   | CEFE      | ----    | 8EFA  | IL6M0080 |
| 𨺊   | CF41      | ----    | 8F00  | IL6P0080 |
| 𨺋   | CF42      | ----    | 8F02  | IL6Q0080 |
| 𨺌   | CF43      | ----    | 8F07  | IL6R0080 |
| 𨺍   | CF44      | ----    | 8F08  | IL6S0080 |
| 𨺎   | CF45      | ----    | 8F0F  | IL6T0080 |
| 𨺏   | CF46      | ----    | 8F10  | IL6U0080 |
| 𨺐   | CF47      | ----    | 8F16  | IL6V0080 |
| 𨺑   | CF48      | ----    | 8F17  | IL6W0080 |
| 𨺒   | CF49      | ----    | 8F18  | IL6X0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 輞   | CF4A      | ----    | 8F1E  | IL6Y0080 |
| 輗   | CF4B      | ----    | 8F20  | IL6Z0080 |
| 輘   | CF4C      | ----    | 8F21  | IL700080 |
| 輙   | CF4D      | ----    | 8F23  | IL710080 |
| 輚   | CF4E      | ----    | 8F25  | IL720080 |
| 輛   | CF4F      | ----    | 8F27  | IL730080 |
| 輜   | CF50      | ----    | 8F28  | IL740080 |
| 輝   | CF51      | ----    | 8F2C  | IL750080 |
| 輞   | CF52      | ----    | 8F2D  | IL760080 |
| 輟   | CF53      | ----    | 8F2E  | IL770080 |
| 輠   | CF54      | ----    | 8F34  | IL780080 |
| 輡   | CF55      | ----    | 8F35  | IL790080 |
| 輢   | CF56      | ----    | 8F36  | IL7A0080 |
| 輣   | CF57      | ----    | 8F37  | IL7B0080 |
| 輤   | CF58      | ----    | 8F3A  | IL7C0080 |
| 輥   | CF59      | ----    | 8F40  | IL7D0080 |
| 輦   | CF5A      | ----    | 8F41  | IL7E0080 |
| 輧   | CF5B      | ----    | 8F43  | IL7F0080 |
| 輨   | CF5C      | ----    | 8F47  | IL7G0080 |
| 輩   | CF5D      | ----    | 8F4F  | IL7H0080 |
| 輫   | CF5E      | ----    | 8F51  | IL7I0080 |
| 輍   | CF5F      | ----    | 8F52  | IL7J0080 |
| 輎   | CF60      | ----    | 8F53  | IL7K0080 |
| 輏   | CF61      | ----    | 8F54  | IL7L0080 |
| 輐   | CF62      | ----    | 8F55  | IL7M0080 |
| 輑   | CF63      | ----    | 8F58  | IL7N0080 |
| 輒   | CF64      | ----    | 8F5D  | IL7O0080 |
| 輓   | CF65      | ----    | 8F5E  | IL7P0080 |
| 輔   | CF66      | ----    | 8F65  | IL7Q0080 |
| 輕   | CF67      | ----    | 8F9D  | IL7R0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 輖   | CF68      | ----    | 8FA0  | IL7S0080 |
| 輗   | CF69      | ----    | 8FA1  | IL7T0080 |
| 輘   | CF6A      | ----    | 8FA4  | IL7U0080 |
| 輙   | CF6B      | ----    | 8FA5  | IL7V0080 |
| 輚   | CF6C      | ----    | 8FA6  | IL7W0080 |
| 輛   | CF6D      | ----    | 8FB5  | IL7X0080 |
| 輜   | CF6E      | ----    | 8FB6  | IL7Y0080 |
| 輝   | CF6F      | ----    | 8FB8  | IL7Z0080 |
| 輞   | CF70      | ----    | 8FBE  | IL800080 |
| 輟   | CF71      | ----    | 8FC0  | IL810080 |
| 輠   | CF72      | ----    | 8FC1  | IL820080 |
| 輡   | CF73      | ----    | 8FC6  | IL830080 |
| 輢   | CF74      | ----    | 8FCA  | IL840080 |
| 輣   | CF75      | ----    | 8FCB  | IL850080 |
| 輤   | CF76      | ----    | 8FCD  | IL860080 |
| 輥   | CF77      | ----    | 8FD0  | IL870080 |
| 輦   | CF78      | ----    | 8FD2  | IL880080 |
| 輧   | CF79      | ----    | 8FD3  | IL890080 |
| 輨   | CF7A      | ----    | 8FD5  | IL8A0080 |
| 輩   | CF7B      | ----    | 8FE0  | IL8B0080 |
| 輫   | CF7C      | ----    | 8FE3  | IL8C0080 |
| 輍   | CF7D      | ----    | 8FE4  | IL8D0080 |
| 輎   | CF7E      | ----    | 8FE8  | IL8E0080 |
| 輏   | CF7F      | ----    | 8FEE  | IL8F0080 |
| 輐   | CF80      | ----    | 8FF1  | IL8G0080 |
| 輑   | CF81      | ----    | 8FF5  | IL8H0080 |
| 輒   | CF82      | ----    | 8FF6  | IL8I0080 |
| 輓   | CF83      | ----    | 8FFB  | IL8J0080 |
| 輔   | CF84      | ----    | 8FFE  | IL8K0080 |
| 輕   | CF85      | ----    | 9002  | IL8L0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 逢   | CF86      | ----    | 9004  | IL8M0080 |
| 洵   | CF87      | ----    | 9008  | IL8N0080 |
| 洵   | CF88      | ----    | 900C  | IL8O0080 |
| 逵   | CF89      | ----    | 9018  | IL8P0080 |
| 逵   | CF8A      | ----    | 901B  | IL8Q0080 |
| 逵   | CF8B      | ----    | 9028  | IL8R0080 |
| 逵   | CF8C      | ----    | 9029  | IL8S0080 |
| 逵   | CF8D      | ----    | 902A  | IL8T0080 |
| 逵   | CF8E      | ----    | 902C  | IL8U0080 |
| 逵   | CF8F      | ----    | 902D  | IL8V0080 |
| 逵   | CF90      | ----    | 902F  | IL8W0080 |
| 逵   | CF91      | ----    | 9033  | IL8X0080 |
| 逵   | CF92      | ----    | 9034  | IL8Y0080 |
| 逵   | CF93      | ----    | 9037  | IL8Z0080 |
| 逵   | CF94      | ----    | 903F  | IL900080 |
| 逵   | CF95      | ----    | 9043  | IL910080 |
| 逵   | CF96      | ----    | 9044  | IL920080 |
| 逵   | CF97      | ----    | 904C  | IL930080 |
| 逵   | CF98      | ----    | 905B  | IL940080 |
| 逵   | CF99      | ----    | 905D  | IL950080 |
| 逵   | CF9A      | ----    | 9062  | IL960080 |
| 逵   | CF9B      | ----    | 9066  | IL970080 |
| 逵   | CF9C      | ----    | 906C  | IL980080 |
| 逵   | CF9D      | ----    | 9070  | IL990080 |
| 逵   | CF9E      | ----    | 9074  | IL9A0080 |
| 逵   | CF9F      | ----    | 9079  | IL9B0080 |
| 逵   | CFA0      | ----    | 9085  | IL9C0080 |
| 逵   | CFA1      | ----    | 9088  | IL9D0080 |
| 逵   | CFA2      | ----    | 908B  | IL9E0080 |
| 逵   | CFA3      | ----    | 908C  | IL9F0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 邈   | CFA4      | ----    | 908E  | IL9G0080 |
| 邈   | CFA5      | ----    | 9090  | IL9H0080 |
| 邈   | CFA6      | ----    | 9095  | IL9I0080 |
| 邈   | CFA7      | ----    | 9097  | IL9J0080 |
| 邈   | CFA8      | ----    | 9098  | IL9K0080 |
| 邈   | CFA9      | ----    | 9099  | IL9L0080 |
| 邈   | CFAA      | ----    | 909B  | IL9M0080 |
| 邈   | CFAB      | ----    | 90A0  | IL9N0080 |
| 邈   | CFAC      | ----    | 90A1  | IL9O0080 |
| 邈   | CFAD      | ----    | 90A2  | IL9P0080 |
| 邈   | CFAE      | ----    | 90A5  | IL9Q0080 |
| 邈   | CFAF      | ----    | 90B0  | IL9R0080 |
| 邈   | CFB0      | ----    | 90B2  | IL9S0080 |
| 邈   | CFB1      | ----    | 90B3  | IL9T0080 |
| 邈   | CFB2      | ----    | 90B4  | IL9U0080 |
| 邈   | CFB3      | ----    | 90B6  | IL9V0080 |
| 邈   | CFB4      | ----    | 90BD  | IL9W0080 |
| 邈   | CFB5      | ----    | 90BE  | IL9X0080 |
| 邈   | CFB6      | ----    | 90C3  | IL9Y0080 |
| 邈   | CFB7      | ----    | 90C4  | IL9Z0080 |
| 邈   | CFB8      | ----    | 90C5  | ILA00080 |
| 邈   | CFB9      | ----    | 90C7  | ILA10080 |
| 邈   | CFBA      | ----    | 90C8  | ILA20080 |
| 邈   | CFBB      | ----    | 90CC  | ILA30080 |
| 邈   | CFBC      | ----    | 90D2  | ILA40080 |
| 邈   | CFBD      | ----    | 90D5  | ILA50080 |
| 邈   | CFBE      | ----    | 90D7  | ILA60080 |
| 邈   | CFBF      | ----    | 90D8  | ILA70080 |
| 邈   | CFC0      | ----    | 90D9  | ILA80080 |
| 邈   | CFC1      | ----    | 90DC  | ILA90080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 郝   | CFC2      | ----    | 90DD  | ILAA0080 |
| 邲   | CFC3      | ----    | 90DF  | ILAB0080 |
| 邳   | CFC4      | ----    | 90E5  | ILAC0080 |
| 邴   | CFC5      | ----    | 90EB  | ILAD0080 |
| 邶   | CFC6      | ----    | 90EF  | ILAE0080 |
| 邰   | CFC7      | ----    | 90F0  | ILAF0080 |
| 邲   | CFC8      | ----    | 90F4  | ILAG0080 |
| 邳   | CFC9      | ----    | 90F6  | ILAH0080 |
| 邴   | CFCA      | ----    | 90FE  | ILAI0080 |
| 邶   | CFCB      | ----    | 90FF  | ILAJ0080 |
| 邰   | CFCC      | ----    | 9100  | ILAK0080 |
| 邲   | CFCD      | ----    | 9104  | ILAL0080 |
| 邳   | CFCE      | ----    | 9105  | ILAM0080 |
| 邴   | CFCF      | ----    | 9106  | ILAN0080 |
| 邶   | CFD0      | ----    | 9108  | ILAO0080 |
| 邰   | CFD1      | ----    | 910D  | ILAP0080 |
| 邲   | CFD2      | ----    | 9110  | ILAQ0080 |
| 邳   | CFD3      | ----    | 9114  | ILAR0080 |
| 邴   | CFD4      | ----    | 9116  | ILAS0080 |
| 邶   | CFD5      | ----    | 9117  | ILAT0080 |
| 邰   | CFD6      | ----    | 9118  | ILAU0080 |
| 邲   | CFD7      | ----    | 911A  | ILAV0080 |
| 邳   | CFD8      | ----    | 911C  | ILAW0080 |
| 邴   | CFD9      | ----    | 911E  | ILAX0080 |
| 邶   | CFDA      | ----    | 9120  | ILAY0080 |
| 邰   | CFDB      | ----    | 9122  | ILAZ0080 |
| 邲   | CFDC      | ----    | 9123  | ILB00080 |
| 邳   | CFDD      | ----    | 9125  | ILB10080 |
| 邴   | CFDE      | ----    | 9129  | ILB20080 |
| 邶   | CFDF      | ----    | 912E  | ILB30080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 邶   | CFE0      | ----    | 912F  | ILB40080 |
| 邰   | CFE1      | ----    | 9131  | ILB50080 |
| 邲   | CFE2      | ----    | 9134  | ILB60080 |
| 邳   | CFE3      | ----    | 9136  | ILB70080 |
| 邴   | CFE4      | ----    | 9137  | ILB80080 |
| 邶   | CFE5      | ----    | 9139  | ILB90080 |
| 邰   | CFE6      | ----    | 913A  | ILBA0080 |
| 邲   | CFE7      | ----    | 913C  | ILBB0080 |
| 邳   | CFE8      | ----    | 913D  | ILBC0080 |
| 邴   | CFE9      | ----    | 9143  | ILBD0080 |
| 邶   | CFEA      | ----    | 9147  | ILBE0080 |
| 邰   | CFEB      | ----    | 9148  | ILBF0080 |
| 邲   | CFEC      | ----    | 914F  | ILBG0080 |
| 邳   | CFED      | ----    | 9153  | ILBH0080 |
| 邴   | CFEE      | ----    | 9157  | ILBI0080 |
| 邶   | CFEF      | ----    | 9159  | ILBJ0080 |
| 邰   | CFF0      | ----    | 915A  | ILBK0080 |
| 邲   | CFF1      | ----    | 915B  | ILBL0080 |
| 邳   | CFF2      | ----    | 9161  | ILBM0080 |
| 邴   | CFF3      | ----    | 9164  | ILBN0080 |
| 邶   | CFF4      | ----    | 9167  | ILBO0080 |
| 邰   | CFF5      | ----    | 916D  | ILBP0080 |
| 邲   | CFF6      | ----    | 9174  | ILBQ0080 |
| 邳   | CFF7      | ----    | 9179  | ILBR0080 |
| 邴   | CFF8      | ----    | 917A  | ILBS0080 |
| 邶   | CFF9      | ----    | 917B  | ILBT0080 |
| 邰   | CFFA      | ----    | 9181  | ILBU0080 |
| 邲   | CFFB      | ----    | 9183  | ILBV0080 |
| 邳   | CFFC      | ----    | 9185  | ILBW0080 |
| 邴   | CFFD      | ----    | 9186  | ILBX0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 醜   | CFFE      | ----    | 918A  | ILBY0080 |
| 醜   | D041      | ----    | 918E  | ILC10080 |
| 醜   | D042      | ----    | 9191  | ILC20080 |
| 醜   | D043      | ----    | 9193  | ILC30080 |
| 醜   | D044      | ----    | 9194  | ILC40080 |
| 醜   | D045      | ----    | 9195  | ILC50080 |
| 醜   | D046      | ----    | 9198  | ILC60080 |
| 醜   | D047      | ----    | 919E  | ILC70080 |
| 醜   | D048      | ----    | 91A1  | ILC80080 |
| 醜   | D049      | ----    | 91A6  | ILC90080 |
| 醜   | D04A      | ----    | 91A8  | ILCA0080 |
| 醜   | D04B      | ----    | 91AC  | ILCB0080 |
| 醜   | D04C      | ----    | 91AD  | ILCC0080 |
| 醜   | D04D      | ----    | 91AE  | ILCD0080 |
| 醜   | D04E      | ----    | 91B0  | ILCE0080 |
| 醜   | D04F      | ----    | 91B1  | ILCF0080 |
| 醜   | D050      | ----    | 91B2  | ILCG0080 |
| 醜   | D051      | ----    | 91B3  | ILCH0080 |
| 醜   | D052      | ----    | 91B6  | ILCI0080 |
| 醜   | D053      | ----    | 91BB  | ILCJ0080 |
| 醜   | D054      | ----    | 91BC  | ILCK0080 |
| 醜   | D055      | ----    | 91BD  | ILCL0080 |
| 醜   | D056      | ----    | 91BF  | ILCM0080 |
| 醜   | D057      | ----    | 91C2  | ILCN0080 |
| 醜   | D058      | ----    | 91C3  | ILCO0080 |
| 醜   | D059      | ----    | 91C5  | ILCP0080 |
| 釵   | D05A      | ----    | 91D3  | ILCQ0080 |
| 釵   | D05B      | ----    | 91D4  | ILCR0080 |
| 釵   | D05C      | ----    | 91D9  | ILCS0080 |
| 釵   | D05D      | ----    | 91E9  | ILCT0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 釵   | D05E      | ----    | 91EA  | ILCU0080 |
| 釵   | D05F      | ----    | 91EC  | ILCV0080 |
| 釵   | D060      | ----    | 91EF  | ILCW0080 |
| 釵   | D061      | ----    | 91F0  | ILCX0080 |
| 釵   | D062      | ----    | 91F1  | ILCY0080 |
| 釵   | D063      | ----    | 91F7  | ILCZ0080 |
| 釵   | D064      | ----    | 91F9  | ILD00080 |
| 釵   | D065      | ----    | 91FB  | ILD10080 |
| 釵   | D066      | ----    | 91FD  | ILD20080 |
| 釵   | D067      | ----    | 9200  | ILD30080 |
| 釵   | D068      | ----    | 9201  | ILD40080 |
| 釵   | D069      | ----    | 9204  | ILD50080 |
| 釵   | D06A      | ----    | 9205  | ILD60080 |
| 釵   | D06B      | ----    | 9207  | ILD70080 |
| 釵   | D06C      | ----    | 9209  | ILD80080 |
| 釵   | D06D      | ----    | 920C  | ILD90080 |
| 釵   | D06E      | ----    | 9212  | ILDA0080 |
| 釵   | D06F      | ----    | 9213  | ILDB0080 |
| 釵   | D070      | ----    | 9216  | ILDC0080 |
| 釵   | D071      | ----    | 9218  | ILDD0080 |
| 釵   | D072      | ----    | 921C  | ILDE0080 |
| 釵   | D073      | ----    | 921D  | ILDF0080 |
| 釵   | D074      | ----    | 9223  | ILDG0080 |
| 釵   | D075      | ----    | 9224  | ILDH0080 |
| 釵   | D076      | ----    | 9225  | ILDI0080 |
| 釵   | D077      | ----    | 9226  | ILDJ0080 |
| 釵   | D078      | ----    | 9228  | ILDK0080 |
| 釵   | D079      | ----    | 922E  | ILDL0080 |
| 釵   | D07A      | ----    | 922F  | ILDM0080 |
| 釵   | D07B      | ----    | 9230  | ILDN0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鈎   | D07C      | ----    | 9233  | ILDO0080 |
| 鈎   | D07D      | ----    | 9235  | ILDP0080 |
| 鈎   | D07E      | ----    | 9236  | ILDQ0080 |
| 鈎   | D07F      | ----    | 9238  | ILDR0080 |
| 鈎   | D080      | ----    | 923E  | ILDS0080 |
| 鈎   | D081      | ----    | 9242  | ILDT0080 |
| 鈎   | D082      | ----    | 9243  | ILDU0080 |
| 鈎   | D083      | ----    | 9246  | ILDV0080 |
| 鈎   | D084      | ----    | 9247  | ILDW0080 |
| 鈎   | D085      | ----    | 924A  | ILDY0080 |
| 鈎   | D086      | ----    | 924D  | ILDY0080 |
| 鈎   | D087      | ----    | 924F  | ILDZ0080 |
| 鈎   | D088      | ----    | 9258  | ILE00080 |
| 鈎   | D089      | ----    | 925C  | ILE10080 |
| 鈎   | D08A      | ----    | 925D  | ILE20080 |
| 鈎   | D08B      | ----    | 9260  | ILE30080 |
| 鈎   | D08C      | ----    | 9261  | ILE40080 |
| 鈎   | D08D      | ----    | 9265  | ILE50080 |
| 鈎   | D08E      | ----    | 9268  | ILE60080 |
| 鈎   | D08F      | ----    | 9269  | ILE70080 |
| 鈎   | D090      | ----    | 926E  | ILE80080 |
| 鈎   | D091      | ----    | 926F  | ILE90080 |
| 鈎   | D092      | ----    | 9270  | ILEA0080 |
| 鈎   | D093      | ----    | 9275  | ILEB0080 |
| 鈎   | D094      | ----    | 9276  | ILEC0080 |
| 鈎   | D095      | ----    | 9279  | ILED0080 |
| 鈎   | D096      | ----    | 927B  | ILEE0080 |
| 鈎   | D097      | ----    | 927C  | ILEF0080 |
| 鈎   | D098      | ----    | 927D  | ILEG0080 |
| 鈎   | D099      | ----    | 927F  | ILEH0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鈎   | D09A      | ----    | 9289  | ILEI0080 |
| 鈎   | D09B      | ----    | 928A  | ILEJ0080 |
| 鈎   | D09C      | ----    | 928D  | ILEK0080 |
| 鈎   | D09D      | ----    | 928E  | ILEL0080 |
| 鈎   | D09E      | ----    | 9292  | ILEM0080 |
| 鈎   | D09F      | ----    | 9297  | ILEN0080 |
| 鈎   | D0A0      | ----    | 9299  | ILEO0080 |
| 鈎   | D0A1      | ----    | 929F  | ILEP0080 |
| 鈎   | D0A2      | ----    | 92A0  | ILEQ0080 |
| 鈎   | D0A3      | ----    | 92A4  | ILER0080 |
| 鈎   | D0A4      | ----    | 92A5  | ILES0080 |
| 鈎   | D0A5      | ----    | 92A8  | ILET0080 |
| 鈎   | D0A6      | ----    | 92AB  | ILEU0080 |
| 鈎   | D0A7      | ----    | 92AF  | ILEV0080 |
| 鈎   | D0A8      | ----    | 92B2  | ILEW0080 |
| 鈎   | D0A9      | ----    | 92B6  | ILEX0080 |
| 鈎   | D0AA      | ----    | 92B8  | ILEY0080 |
| 鈎   | D0AB      | ----    | 92BA  | ILEZ0080 |
| 鈎   | D0AC      | ----    | 92BB  | ILF00080 |
| 鈎   | D0AD      | ----    | 92BC  | ILF10080 |
| 鈎   | D0AE      | ----    | 92BD  | ILF20080 |
| 鈎   | D0AF      | ----    | 92BF  | ILF30080 |
| 鈎   | D0B0      | ----    | 92C0  | ILF40080 |
| 鈎   | D0B1      | ----    | 92C1  | ILF50080 |
| 鈎   | D0B2      | ----    | 92C2  | ILF60080 |
| 鈎   | D0B3      | ----    | 92C3  | ILF70080 |
| 鈎   | D0B4      | ----    | 92C5  | ILF80080 |
| 鈎   | D0B5      | ----    | 92C6  | ILF90080 |
| 鈎   | D0B6      | ----    | 92C7  | ILFA0080 |
| 鈎   | D0B7      | ----    | 92C8  | ILFB0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鋌   | D0B8      | ----    | 92CB  | ILFC0080 |
| 鋌   | D0B9      | ----    | 92CC  | ILFD0080 |
| 鋆   | D0BA      | ----    | 92CD  | ILFE0080 |
| 鋇   | D0BB      | ----    | 92CE  | ILFF0080 |
| 鋈   | D0BC      | ----    | 92D8  | ILFG0080 |
| 鋉   | D0BD      | ----    | 92DC  | ILFH0080 |
| 鋊   | D0BE      | ----    | 92DD  | ILFI0080 |
| 鋋   | D0BF      | ----    | 92DF  | ILFJ0080 |
| 鋄   | D0C0      | ----    | 92E1  | ILFK0080 |
| 鋅   | D0C1      | ----    | 92E3  | ILFL0080 |
| 鋆   | D0C2      | ----    | 92E5  | ILFM0080 |
| 鋇   | D0C3      | ----    | 92E8  | ILFN0080 |
| 鋈   | D0C4      | ----    | 92EC  | ILFO0080 |
| 鋉   | D0C5      | ----    | 92EE  | ILFP0080 |
| 鋊   | D0C6      | ----    | 92F0  | ILFQ0080 |
| 鋋   | D0C7      | ----    | 9300  | ILFR0080 |
| 鋄   | D0C8      | ----    | 9308  | ILFS0080 |
| 鋅   | D0C9      | ----    | 930D  | ILFT0080 |
| 鋆   | D0CA      | ----    | 9311  | ILFU0080 |
| 鋇   | D0CB      | ----    | 9314  | ILFV0080 |
| 鋈   | D0CC      | ----    | 9315  | ILFW0080 |
| 鋉   | D0CD      | ----    | 931C  | ILFX0080 |
| 鋊   | D0CE      | ----    | 931F  | ILFY0080 |
| 鋋   | D0CF      | ----    | 9324  | ILFZ0080 |
| 鋄   | D0D0      | ----    | 9327  | ILG00080 |
| 鋅   | D0D1      | ----    | 9329  | ILG10080 |
| 鋆   | D0D2      | ----    | 932A  | ILG20080 |
| 鋇   | D0D3      | ----    | 9333  | ILG30080 |
| 鋈   | D0D4      | ----    | 9334  | ILG40080 |
| 鋉   | D0D5      | ----    | 9336  | ILG50080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鋊   | D0D6      | ----    | 9337  | ILG60080 |
| 鋋   | D0D7      | ----    | 9347  | ILG70080 |
| 鋄   | D0D8      | ----    | 9349  | ILG80080 |
| 鋅   | D0D9      | ----    | 9350  | ILG90080 |
| 鋆   | D0DA      | ----    | 9351  | ILGA0080 |
| 鋇   | D0DB      | ----    | 9352  | ILGB0080 |
| 鋈   | D0DC      | ----    | 9355  | ILGC0080 |
| 鋉   | D0DD      | ----    | 9358  | ILGD0080 |
| 鋊   | D0DE      | ----    | 935A  | ILGE0080 |
| 鋋   | D0DF      | ----    | 935E  | ILGF0080 |
| 鋄   | D0E0      | ----    | 9364  | ILGG0080 |
| 鋅   | D0E1      | ----    | 9365  | ILGH0080 |
| 鋆   | D0E2      | ----    | 9367  | ILGI0080 |
| 鋇   | D0E3      | ----    | 9369  | ILGJ0080 |
| 鋈   | D0E4      | ----    | 936A  | ILGK0080 |
| 鋉   | D0E5      | ----    | 936D  | ILGL0080 |
| 鋊   | D0E6      | ----    | 936F  | ILGM0080 |
| 鋋   | D0E7      | ----    | 9371  | ILGN0080 |
| 鋄   | D0E8      | ----    | 9373  | ILGO0080 |
| 鋅   | D0E9      | ----    | 9374  | ILGP0080 |
| 鋆   | D0EA      | ----    | 9376  | ILGQ0080 |
| 鋇   | D0EB      | ----    | 937A  | ILGR0080 |
| 鋈   | D0EC      | ----    | 937D  | ILGS0080 |
| 鋉   | D0ED      | ----    | 937F  | ILGT0080 |
| 鋊   | D0EE      | ----    | 9380  | ILGU0080 |
| 鋋   | D0EF      | ----    | 9381  | ILGV0080 |
| 鋄   | D0F0      | ----    | 9382  | ILGW0080 |
| 鋅   | D0F1      | ----    | 9388  | ILGX0080 |
| 鋆   | D0F2      | ----    | 938A  | ILGY0080 |
| 鋇   | D0F3      | ----    | 938B  | ILGZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鏝   | D0F4      | ----    | 938D  | ILH00080 |
| 鏝   | D0F5      | ----    | 938F  | ILH10080 |
| 鏝   | D0F6      | ----    | 9392  | ILH20080 |
| 鏝   | D0F7      | ----    | 9395  | ILH30080 |
| 鏝   | D0F8      | ----    | 9398  | ILH40080 |
| 鏝   | D0F9      | ----    | 939B  | ILH50080 |
| 鏝   | D0FA      | ----    | 939E  | ILH60080 |
| 鏝   | D0FB      | ----    | 93A1  | ILH70080 |
| 鏝   | D0FC      | ----    | 93A3  | ILH80080 |
| 鏝   | D0FD      | ----    | 93A6  | ILH90080 |
| 鏝   | D0FE      | ----    | 93A8  | ILHA0080 |
| 鏝   | D141      | ----    | 93A9  | ILHD0080 |
| 鏝   | D142      | ----    | 93AB  | ILHE0080 |
| 鏝   | D143      | ----    | 93B4  | ILHF0080 |
| 鏝   | D144      | ----    | 93B5  | ILHG0080 |
| 鏝   | D145      | ----    | 93B6  | ILHH0080 |
| 鏝   | D146      | ----    | 93BA  | ILHI0080 |
| 鏝   | D147      | ----    | 93C1  | ILHJ0080 |
| 鏝   | D148      | ----    | 93C4  | ILHK0080 |
| 鏝   | D149      | ----    | 93C5  | ILHL0080 |
| 鏝   | D14A      | ----    | 93C7  | ILHM0080 |
| 鏝   | D14B      | ----    | 93C9  | ILHN0080 |
| 鏝   | D14C      | ----    | 93CA  | ILHO0080 |
| 鏝   | D14D      | ----    | 93CB  | ILHP0080 |
| 鏝   | D14E      | ----    | 93CC  | ILHQ0080 |
| 鏝   | D14F      | ----    | 93CD  | ILHR0080 |
| 鏝   | D150      | ----    | 93D3  | ILHS0080 |
| 鏝   | D151      | ----    | 93D9  | ILHT0080 |
| 鏝   | D152      | ----    | 93DC  | ILHU0080 |
| 鏝   | D153      | ----    | 93DF  | ILHV0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鏝   | D154      | ----    | 93E2  | ILHW0080 |
| 鏝   | D155      | ----    | 93E6  | ILHX0080 |
| 鏝   | D156      | ----    | 93E7  | ILHY0080 |
| 鏝   | D157      | ----    | 93F7  | ILHZ0080 |
| 鏝   | D158      | ----    | 93F9  | ILI00080 |
| 鏝   | D159      | ----    | 93FA  | ILI10080 |
| 鏝   | D15A      | ----    | 93FB  | ILI20080 |
| 鏝   | D15B      | ----    | 93FD  | ILI30080 |
| 鏝   | D15C      | ----    | 9401  | ILI40080 |
| 鏝   | D15D      | ----    | 9402  | ILI50080 |
| 鏝   | D15E      | ----    | 9404  | ILI60080 |
| 鏝   | D15F      | ----    | 9408  | ILI70080 |
| 鏝   | D160      | ----    | 9409  | ILI80080 |
| 鏝   | D161      | ----    | 940D  | ILI90080 |
| 鏝   | D162      | ----    | 940E  | ILIA0080 |
| 鏝   | D163      | ----    | 940F  | ILIB0080 |
| 鏝   | D164      | ----    | 9415  | ILIC0080 |
| 鏝   | D165      | ----    | 9416  | ILID0080 |
| 鏝   | D166      | ----    | 9417  | ILIE0080 |
| 鏝   | D167      | ----    | 941F  | ILIF0080 |
| 鏝   | D168      | ----    | 942E  | ILIG0080 |
| 鏝   | D169      | ----    | 942F  | ILIH0080 |
| 鏝   | D16A      | ----    | 9432  | ILII0080 |
| 鏝   | D16B      | ----    | 9433  | ILIJ0080 |
| 鏝   | D16C      | ----    | 9434  | ILIK0080 |
| 鏝   | D16D      | ----    | 943B  | ILIL0080 |
| 鏝   | D16E      | ----    | 943D  | ILIM0080 |
| 鏝   | D16F      | ----    | 943F  | ILIN0080 |
| 鏝   | D170      | ----    | 9443  | ILIO0080 |
| 鏝   | D171      | ----    | 944A  | ILIP0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鑛   | D172      | ----    | 944C  | ILIQ0080 |
| 鑛   | D173      | ----    | 9455  | ILIR0080 |
| 鑛   | D174      | ----    | 9459  | ILIS0080 |
| 鑛   | D175      | ----    | 945C  | ILIT0080 |
| 鑛   | D176      | ----    | 945F  | ILIU0080 |
| 鑛   | D177      | ----    | 9461  | ILIV0080 |
| 鑛   | D178      | ----    | 9463  | ILIW0080 |
| 鑛   | D179      | ----    | 9468  | ILIX0080 |
| 鑛   | D17A      | ----    | 946B  | ILIY0080 |
| 鑛   | D17B      | ----    | 946D  | ILIZ0080 |
| 鑛   | D17C      | ----    | 946E  | ILJ00080 |
| 鑛   | D17D      | ----    | 946F  | ILJ10080 |
| 鑛   | D17E      | ----    | 9471  | ILJ20080 |
| 鑛   | D17F      | ----    | 9472  | ILJ30080 |
| 鑛   | D180      | ----    | 9483  | ILJ40080 |
| 鑛   | D181      | ----    | 9484  | ILJ50080 |
| 𠄎   | D182      | ----    | 9578  | ILJ60080 |
| 𠄎   | D183      | ----    | 9579  | ILJ70080 |
| 𠄎   | D184      | ----    | 957E  | ILJ80080 |
| 𠄎   | D185      | ----    | 9584  | ILJ90080 |
| 𠄎   | D186      | ----    | 9588  | ILJA0080 |
| 𠄎   | D187      | ----    | 958C  | ILJB0080 |
| 𠄎   | D188      | ----    | 958D  | ILJC0080 |
| 𠄎   | D189      | ----    | 958E  | ILJD0080 |
| 𠄎   | D18A      | ----    | 959D  | ILJE0080 |
| 𠄎   | D18B      | ----    | 959E  | ILJF0080 |
| 𠄎   | D18C      | ----    | 959F  | ILJG0080 |
| 𠄎   | D18D      | ----    | 95A1  | ILJH0080 |
| 𠄎   | D18E      | ----    | 95A6  | ILJI0080 |
| 𠄎   | D18F      | ----    | 95A9  | ILJJ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𠄎   | D190      | ----    | 95AB  | ILJK0080 |
| 𠄎   | D191      | ----    | 95AC  | ILJL0080 |
| 𠄎   | D192      | ----    | 95B4  | ILJM0080 |
| 𠄎   | D193      | ----    | 95B6  | ILJN0080 |
| 𠄎   | D194      | ----    | 95BA  | ILJO0080 |
| 𠄎   | D195      | ----    | 95BD  | ILJP0080 |
| 𠄎   | D196      | ----    | 95BF  | ILJQ0080 |
| 𠄎   | D197      | ----    | 95C6  | ILJR0080 |
| 𠄎   | D198      | ----    | 95C8  | ILJS0080 |
| 𠄎   | D199      | ----    | 95C9  | ILJT0080 |
| 𠄎   | D19A      | ----    | 95CB  | ILJU0080 |
| 𠄎   | D19B      | ----    | 95D0  | ILJV0080 |
| 𠄎   | D19C      | ----    | 95D1  | ILJW0080 |
| 𠄎   | D19D      | ----    | 95D2  | ILJX0080 |
| 𠄎   | D19E      | ----    | 95D3  | ILJY0080 |
| 𠄎   | D19F      | ----    | 95D9  | ILJZ0080 |
| 𠄎   | D1A0      | ----    | 95DA  | ILK00080 |
| 𠄎   | D1A1      | ----    | 95DD  | ILK10080 |
| 𠄎   | D1A2      | ----    | 95DE  | ILK20080 |
| 𠄎   | D1A3      | ----    | 95DF  | ILK30080 |
| 𠄎   | D1A4      | ----    | 95E0  | ILK40080 |
| 𠄎   | D1A5      | ----    | 95E4  | ILK50080 |
| 𠄎   | D1A6      | ----    | 95E6  | ILK60080 |
| 𠄎   | D1A7      | ----    | 961D  | ILK70080 |
| 𠄎   | D1A8      | ----    | 961E  | ILK80080 |
| 𠄎   | D1A9      | ----    | 9622  | ILK90080 |
| 𠄎   | D1AA      | ----    | 9624  | ILKA0080 |
| 𠄎   | D1AB      | ----    | 9625  | ILKB0080 |
| 𠄎   | D1AC      | ----    | 9626  | ILKC0080 |
| 𠄎   | D1AD      | ----    | 962C  | ILKD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 阱   | D1AE      | ----    | 9631  | ILKE0080 |
| 阳   | D1AF      | ----    | 9633  | ILKF0080 |
| 阨   | D1B0      | ----    | 9637  | ILKG0080 |
| 阨   | D1B1      | ----    | 9638  | ILKH0080 |
| 陆   | D1B2      | ----    | 9639  | ILKI0080 |
| 阨   | D1B3      | ----    | 963A  | ILKJ0080 |
| 阨   | D1B4      | ----    | 963C  | ILKK0080 |
| 陆   | D1B5      | ----    | 963D  | ILKL0080 |
| 阨   | D1B6      | ----    | 9641  | ILKM0080 |
| 阨   | D1B7      | ----    | 9652  | ILKN0080 |
| 阨   | D1B8      | ----    | 9654  | ILKO0080 |
| 阨   | D1B9      | ----    | 9656  | ILKP0080 |
| 阨   | D1BA      | ----    | 9657  | ILKQ0080 |
| 阨   | D1BB      | ----    | 9658  | ILKR0080 |
| 陡   | D1BC      | ----    | 9661  | ILKS0080 |
| 阨   | D1BD      | ----    | 966E  | ILKT0080 |
| 阨   | D1BE      | ----    | 9674  | ILKU0080 |
| 阨   | D1BF      | ----    | 967B  | ILKV0080 |
| 阨   | D1C0      | ----    | 967C  | ILKW0080 |
| 阨   | D1C1      | ----    | 967E  | ILKX0080 |
| 阨   | D1C2      | ----    | 967F  | ILKY0080 |
| 阨   | D1C3      | ----    | 9681  | ILKZ0080 |
| 陰   | D1C4      | ----    | 9682  | ILL00080 |
| 陰   | D1C5      | ----    | 9683  | ILL10080 |
| 陰   | D1C6      | ----    | 9684  | ILL20080 |
| 陰   | D1C7      | ----    | 9689  | ILL30080 |
| 陰   | D1C8      | ----    | 9691  | ILL40080 |
| 陰   | D1C9      | ----    | 9696  | ILL50080 |
| 陰   | D1CA      | ----    | 969A  | ILL60080 |
| 陰   | D1CB      | ----    | 969F  | ILL70080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 隕   | D1CC      | ----    | 96A4  | ILL80080 |
| 隕   | D1CD      | ----    | 96A5  | ILL90080 |
| 隕   | D1CE      | ----    | 96A6  | ILLA0080 |
| 隕   | D1CF      | ----    | 96A9  | ILLB0080 |
| 隕   | D1D0      | ----    | 96AE  | ILLC0080 |
| 隕   | D1D1      | ----    | 96B3  | ILLD0080 |
| 隕   | D1D2      | ----    | 96BA  | ILLE0080 |
| 隕   | D1D3      | ----    | 96CA  | ILLF0080 |
| 隕   | D1D4      | ----    | 96D2  | ILLG0080 |
| 隕   | D1D5      | ----    | 96D8  | ILLH0080 |
| 隕   | D1D6      | ----    | 96DA  | ILLI0080 |
| 隕   | D1D7      | ----    | 96DD  | ILLJ0080 |
| 隕   | D1D8      | ----    | 96DE  | ILLK0080 |
| 隕   | D1D9      | ----    | 96DF  | ILLL0080 |
| 隕   | D1DA      | ----    | 96E9  | ILLM0080 |
| 隕   | D1DB      | ----    | 96EF  | ILLN0080 |
| 隕   | D1DC      | ----    | 96F1  | ILLO0080 |
| 隕   | D1DD      | ----    | 96FA  | ILLP0080 |
| 隕   | D1DE      | ----    | 9702  | ILLQ0080 |
| 隕   | D1DF      | ----    | 9703  | ILLR0080 |
| 隕   | D1E0      | ----    | 9705  | ILLS0080 |
| 隕   | D1E1      | ----    | 9709  | ILLT0080 |
| 隕   | D1E2      | ----    | 971A  | ILLU0080 |
| 隕   | D1E3      | ----    | 971B  | ILLV0080 |
| 隕   | D1E4      | ----    | 971D  | ILLW0080 |
| 隕   | D1E5      | ----    | 9721  | ILLX0080 |
| 隕   | D1E6      | ----    | 9722  | ILLY0080 |
| 隕   | D1E7      | ----    | 9723  | ILLZ0080 |
| 隕   | D1E8      | ----    | 9728  | ILM00080 |
| 隕   | D1E9      | ----    | 9731  | ILM10080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 雷   | D1EA      | ----    | 9741  | ILM20080 |
| 靈   | D1EB      | ----    | 974A  | ILM30080 |
| 靄   | D1EC      | ----    | 974E  | ILM40080 |
| 靛   | D1ED      | ----    | 9757  | ILM50080 |
| 靚   | D1EE      | ----    | 9758  | ILM60080 |
| 靚   | D1EF      | ----    | 975A  | ILM70080 |
| 靛   | D1F0      | ----    | 975B  | ILM80080 |
| 靛   | D1F1      | ----    | 9763  | ILM90080 |
| 靛   | D1F2      | ----    | 9767  | ILMA0080 |
| 靛   | D1F3      | ----    | 976A  | ILMB0080 |
| 靛   | D1F4      | ----    | 976E  | ILMC0080 |
| 靛   | D1F5      | ----    | 9773  | ILMD0080 |
| 靛   | D1F6      | ----    | 9776  | ILME0080 |
| 靛   | D1F7      | ----    | 9777  | ILMF0080 |
| 靛   | D1F8      | ----    | 9778  | ILMG0080 |
| 靛   | D1F9      | ----    | 977B  | ILMH0080 |
| 靛   | D1FA      | ----    | 977D  | ILMI0080 |
| 靛   | D1FB      | ----    | 977F  | ILMJ0080 |
| 靛   | D1FC      | ----    | 9780  | ILMK0080 |
| 靛   | D1FD      | ----    | 9789  | ILML0080 |
| 靛   | D1FE      | ----    | 9795  | ILMM0080 |
| 靛   | D241      | ----    | 9796  | ILMP0080 |
| 靛   | D242      | ----    | 9797  | ILMQ0080 |
| 靛   | D243      | ----    | 9799  | ILMR0080 |
| 靛   | D244      | ----    | 979A  | ILMS0080 |
| 靛   | D245      | ----    | 979E  | ILMT0080 |
| 靛   | D246      | ----    | 979F  | ILMU0080 |
| 靛   | D247      | ----    | 97A2  | ILMV0080 |
| 靛   | D248      | ----    | 97AC  | ILMW0080 |
| 靛   | D249      | ----    | 97AE  | ILMX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 靛   | D24A      | ----    | 97B1  | ILMY0080 |
| 靛   | D24B      | ----    | 97B2  | ILMZ0080 |
| 靛   | D24C      | ----    | 97B5  | ILN00080 |
| 靛   | D24D      | ----    | 97B6  | ILN10080 |
| 靛   | D24E      | ----    | 97B8  | ILN20080 |
| 靛   | D24F      | ----    | 97B9  | ILN30080 |
| 靛   | D250      | ----    | 97BA  | ILN40080 |
| 靛   | D251      | ----    | 97BC  | ILN50080 |
| 靛   | D252      | ----    | 97BE  | ILN60080 |
| 靛   | D253      | ----    | 97BF  | ILN70080 |
| 靛   | D254      | ----    | 97C1  | ILN80080 |
| 靛   | D255      | ----    | 97C4  | ILN90080 |
| 靛   | D256      | ----    | 97C5  | ILNA0080 |
| 靛   | D257      | ----    | 97C7  | ILNB0080 |
| 靛   | D258      | ----    | 97C9  | ILNC0080 |
| 靛   | D259      | ----    | 97CA  | ILND0080 |
| 靛   | D25A      | ----    | 97CC  | ILNE0080 |
| 靛   | D25B      | ----    | 97CD  | ILNF0080 |
| 靛   | D25C      | ----    | 97CE  | ILNG0080 |
| 靛   | D25D      | ----    | 97D0  | ILNH0080 |
| 靛   | D25E      | ----    | 97D1  | ILNI0080 |
| 靛   | D25F      | ----    | 97D4  | ILNJ0080 |
| 靛   | D260      | ----    | 97D7  | ILNK0080 |
| 靛   | D261      | ----    | 97D8  | ILNL0080 |
| 靛   | D262      | ----    | 97D9  | ILNM0080 |
| 靛   | D263      | ----    | 97DB  | ILNN0080 |
| 靛   | D264      | ----    | 97DD  | ILNO0080 |
| 靛   | D265      | ----    | 97DE  | ILNP0080 |
| 靛   | D266      | ----    | 97E0  | ILNQ0080 |
| 靛   | D267      | ----    | 97E1  | ILNR0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮑   | D268      | ----    | 97E4  | ILNS0080 |
| 載   | D269      | ----    | 97EF  | ILNT0080 |
| 𨮒   | D26A      | ----    | 97F1  | ILNU0080 |
| 𨮓   | D26B      | ----    | 97F4  | ILNV0080 |
| 𨮔   | D26C      | ----    | 97F7  | ILNW0080 |
| 𨮕   | D26D      | ----    | 97F8  | ILNX0080 |
| 𨮖   | D26E      | ----    | 97FA  | ILNY0080 |
| 預   | D26F      | ----    | 9807  | ILNZ0080 |
| 頊   | D270      | ----    | 980A  | ILO00080 |
| 頋   | D271      | ----    | 980D  | ILO10080 |
| 頌   | D272      | ----    | 980E  | ILO20080 |
| 頎   | D273      | ----    | 9814  | ILO30080 |
| 頏   | D274      | ----    | 9816  | ILO40080 |
| 頑   | D275      | ----    | 9819  | ILO50080 |
| 頒   | D276      | ----    | 981C  | ILO60080 |
| 頓   | D277      | ----    | 981E  | ILO70080 |
| 頔   | D278      | ----    | 9820  | ILO80080 |
| 頕   | D279      | ----    | 9823  | ILO90080 |
| 頖   | D27A      | ----    | 9825  | ILOA0080 |
| 頗   | D27B      | ----    | 9826  | ILOB0080 |
| 領   | D27C      | ----    | 982B  | ILOC0080 |
| 頙   | D27D      | ----    | 982E  | ILOD0080 |
| 頚   | D27E      | ----    | 982F  | ILOE0080 |
| 頛   | D27F      | ----    | 9830  | ILOF0080 |
| 頜   | D280      | ----    | 9832  | ILOG0080 |
| 頝   | D281      | ----    | 9833  | ILOH0080 |
| 頞   | D282      | ----    | 9835  | ILOI0080 |
| 頟   | D283      | ----    | 983E  | ILOJ0080 |
| 頠   | D284      | ----    | 9844  | ILOK0080 |
| 頡   | D285      | ----    | 9847  | ILOL0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 頢   | D286      | ----    | 984A  | ILOM0080 |
| 頣   | D287      | ----    | 9851  | ILOO0080 |
| 頤   | D288      | ----    | 9852  | ILOO0080 |
| 頥   | D289      | ----    | 9853  | ILOP0080 |
| 頦   | D28A      | ----    | 9856  | ILOQ0080 |
| 頧   | D28B      | ----    | 9859  | ILOR0080 |
| 頨   | D28C      | ----    | 985A  | ILOS0080 |
| 頩   | D28D      | ----    | 9862  | ILOT0080 |
| 頪   | D28E      | ----    | 9863  | ILOU0080 |
| 頬   | D28F      | ----    | 9866  | ILOV0080 |
| 頭   | D290      | ----    | 986A  | ILOW0080 |
| 頮   | D291      | ----    | 986C  | ILOX0080 |
| 頯   | D292      | ----    | 98AB  | ILOY0080 |
| 頰   | D293      | ----    | 98AD  | ILOZ0080 |
| 頱   | D294      | ----    | 98AE  | ILP00080 |
| 頲   | D295      | ----    | 98B0  | ILP10080 |
| 頳   | D296      | ----    | 98B4  | ILP20080 |
| 頴   | D297      | ----    | 98B7  | ILP30080 |
| 頵   | D298      | ----    | 98B8  | ILP40080 |
| 頶   | D299      | ----    | 98BA  | ILP50080 |
| 頷   | D29A      | ----    | 98BB  | ILP60080 |
| 頸   | D29B      | ----    | 98BF  | ILP70080 |
| 頹   | D29C      | ----    | 98C2  | ILP80080 |
| 頺   | D29D      | ----    | 98C5  | ILP90080 |
| 頻   | D29E      | ----    | 98C8  | ILPA0080 |
| 頼   | D29F      | ----    | 98CC  | ILPB0080 |
| 飡   | D2A0      | ----    | 98E1  | ILPC0080 |
| 飣   | D2A1      | ----    | 98E3  | ILPD0080 |
| 飥   | D2A2      | ----    | 98E5  | ILPE0080 |
| 飦   | D2A3      | ----    | 98E6  | ILPF0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 飧   | D2A4      | ----    | 98E7  | ILPG0080 |
| 飨   | D2A5      | ----    | 98EA  | ILPH0080 |
| 飩   | D2A6      | ----    | 98F3  | ILPI0080 |
| 飪   | D2A7      | ----    | 98F6  | ILPJ0080 |
| 飫   | D2A8      | ----    | 9902  | ILPK0080 |
| 飬   | D2A9      | ----    | 9907  | ILPL0080 |
| 飷   | D2AA      | ----    | 9908  | ILPM0080 |
| 飸   | D2AB      | ----    | 9911  | ILPN0080 |
| 飹   | D2AC      | ----    | 9915  | ILPO0080 |
| 飺   | D2AD      | ----    | 9916  | ILPP0080 |
| 飻   | D2AE      | ----    | 9917  | ILPQ0080 |
| 飼   | D2AF      | ----    | 991A  | ILPR0080 |
| 飽   | D2B0      | ----    | 991B  | ILPS0080 |
| 飾   | D2B1      | ----    | 991C  | ILPT0080 |
| 飿   | D2B2      | ----    | 991F  | ILPU0080 |
| 饀   | D2B3      | ----    | 9922  | ILPV0080 |
| 饁   | D2B4      | ----    | 9926  | ILPW0080 |
| 饂   | D2B5      | ----    | 992B  | ILPX0080 |
| 饃   | D2B6      | ----    | 9931  | ILPY0080 |
| 饄   | D2B7      | ----    | 9932  | ILPZ0080 |
| 饅   | D2B8      | ----    | 9933  | ILQ00080 |
| 饆   | D2B9      | ----    | 9934  | ILQ10080 |
| 饇   | D2BA      | ----    | 9935  | ILQ20080 |
| 饈   | D2BB      | ----    | 9939  | ILQ30080 |
| 饉   | D2BC      | ----    | 993A  | ILQ40080 |
| 饊   | D2BD      | ----    | 993B  | ILQ50080 |
| 饋   | D2BE      | ----    | 993C  | ILQ60080 |
| 饌   | D2BF      | ----    | 9940  | ILQ70080 |
| 饍   | D2C0      | ----    | 9941  | ILQ80080 |
| 饎   | D2C1      | ----    | 9946  | ILQ90080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 饏   | D2C2      | ----    | 9947  | ILQA0080 |
| 饑   | D2C3      | ----    | 9948  | ILQB0080 |
| 饋   | D2C4      | ----    | 994D  | ILQC0080 |
| 饌   | D2C5      | ----    | 994E  | ILQD0080 |
| 饍   | D2C6      | ----    | 9954  | ILQE0080 |
| 饎   | D2C7      | ----    | 9958  | ILQF0080 |
| 饏   | D2C8      | ----    | 9959  | ILQG0080 |
| 饑   | D2C9      | ----    | 995B  | ILQH0080 |
| 饋   | D2CA      | ----    | 995C  | ILQI0080 |
| 饌   | D2CB      | ----    | 995E  | ILQJ0080 |
| 饍   | D2CC      | ----    | 995F  | ILQK0080 |
| 饎   | D2CD      | ----    | 9960  | ILQL0080 |
| 饏   | D2CE      | ----    | 999B  | ILQM0080 |
| 饑   | D2CF      | ----    | 999D  | ILQN0080 |
| 饋   | D2D0      | ----    | 999F  | ILQO0080 |
| 饌   | D2D1      | ----    | 99A6  | ILQP0080 |
| 饍   | D2D2      | ----    | 99B0  | ILQQ0080 |
| 饎   | D2D3      | ----    | 99B1  | ILQR0080 |
| 饏   | D2D4      | ----    | 99B2  | ILQS0080 |
| 饑   | D2D5      | ----    | 99B5  | ILQT0080 |
| 饋   | D2D6      | ----    | 99B9  | ILQU0080 |
| 饌   | D2D7      | ----    | 99BA  | ILQV0080 |
| 饍   | D2D8      | ----    | 99BD  | ILQW0080 |
| 饎   | D2D9      | ----    | 99BF  | ILQX0080 |
| 饏   | D2DA      | ----    | 99C3  | ILQY0080 |
| 饑   | D2DB      | ----    | 99C9  | ILQZ0080 |
| 饋   | D2DC      | ----    | 99D3  | ILR00080 |
| 饌   | D2DD      | ----    | 99D4  | ILR10080 |
| 饍   | D2DE      | ----    | 99D9  | ILR20080 |
| 饎   | D2DF      | ----    | 99DA  | ILR30080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 駉   | D2E0      | ----    | 99DC  | ILR40080 |
| 駊   | D2E1      | ----    | 99DE  | ILR50080 |
| 駎   | D2E2      | ----    | 99E7  | ILR60080 |
| 駏   | D2E3      | ----    | 99EA  | ILR70080 |
| 駏   | D2E4      | ----    | 99EB  | ILR80080 |
| 駏   | D2E5      | ----    | 99EC  | ILR90080 |
| 駏   | D2E6      | ----    | 99F0  | ILRA0080 |
| 駏   | D2E7      | ----    | 99F4  | ILRB0080 |
| 駏   | D2E8      | ----    | 99F5  | ILRC0080 |
| 駏   | D2E9      | ----    | 99F9  | ILRD0080 |
| 駏   | D2EA      | ----    | 99FD  | ILRE0080 |
| 駏   | D2EB      | ----    | 99FE  | ILRF0080 |
| 駏   | D2EC      | ----    | 9A02  | ILRG0080 |
| 駏   | D2ED      | ----    | 9A03  | ILRH0080 |
| 駏   | D2EE      | ----    | 9A04  | ILRI0080 |
| 駏   | D2EF      | ----    | 9A0B  | ILRJ0080 |
| 駏   | D2F0      | ----    | 9A0C  | ILRK0080 |
| 駏   | D2F1      | ----    | 9A10  | ILRL0080 |
| 駏   | D2F2      | ----    | 9A11  | ILRM0080 |
| 駏   | D2F3      | ----    | 9A16  | ILRN0080 |
| 駏   | D2F4      | ----    | 9A1E  | ILRO0080 |
| 駏   | D2F5      | ----    | 9A20  | ILRP0080 |
| 駏   | D2F6      | ----    | 9A22  | ILRQ0080 |
| 駏   | D2F7      | ----    | 9A23  | ILRR0080 |
| 駏   | D2F8      | ----    | 9A24  | ILRS0080 |
| 駏   | D2F9      | ----    | 9A27  | ILRT0080 |
| 駏   | D2FA      | ----    | 9A2D  | ILRU0080 |
| 駏   | D2FB      | ----    | 9A2E  | ILRV0080 |
| 駏   | D2FC      | ----    | 9A33  | ILRW0080 |
| 駏   | D2FD      | ----    | 9A35  | ILRX0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 駏   | D2FE      | ----    | 9A36  | ILRY0080 |
| 駏   | D341      | ----    | 9A38  | ILS10080 |
| 駏   | D342      | ----    | 9A41  | ILS20080 |
| 駏   | D343      | ----    | 9A44  | ILS30080 |
| 駏   | D344      | ----    | 9A47  | ILS40080 |
| 駏   | D345      | ----    | 9A4A  | ILS50080 |
| 駏   | D346      | ----    | 9A4B  | ILS60080 |
| 駏   | D347      | ----    | 9A4C  | ILS70080 |
| 駏   | D348      | ----    | 9A51  | ILS80080 |
| 駏   | D349      | ----    | 9A54  | ILS90080 |
| 駏   | D34A      | ----    | 9A56  | ILSA0080 |
| 駏   | D34B      | ----    | 9A5D  | ILSB0080 |
| 駏   | D34C      | ----    | 9AAA  | ILSC0080 |
| 駏   | D34D      | ----    | 9AAC  | ILSD0080 |
| 駏   | D34E      | ----    | 9AAE  | ILSE0080 |
| 駏   | D34F      | ----    | 9AAF  | ILSF0080 |
| 駏   | D350      | ----    | 9AB2  | ILSG0080 |
| 駏   | D351      | ----    | 9AB4  | ILSH0080 |
| 駏   | D352      | ----    | 9AB5  | ILSI0080 |
| 駏   | D353      | ----    | 9AB6  | ILSJ0080 |
| 駏   | D354      | ----    | 9AB9  | ILSK0080 |
| 駏   | D355      | ----    | 9ABB  | ILSL0080 |
| 駏   | D356      | ----    | 9ABE  | ILSM0080 |
| 駏   | D357      | ----    | 9ABF  | ILSN0080 |
| 駏   | D358      | ----    | 9AC1  | ILSO0080 |
| 駏   | D359      | ----    | 9AC3  | ILSP0080 |
| 駏   | D35A      | ----    | 9AC6  | ILSQ0080 |
| 駏   | D35B      | ----    | 9AC8  | ILSR0080 |
| 駏   | D35C      | ----    | 9ACE  | ILSS0080 |
| 駏   | D35D      | ----    | 9AD0  | ILST0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 髒   | D35E      | ----    | 9AD2  | ILSU0080 |
| 髒   | D35F      | ----    | 9AD5  | ILSV0080 |
| 髒   | D360      | ----    | 9AD6  | ILSW0080 |
| 髒   | D361      | ----    | 9AD7  | ILSX0080 |
| 髒   | D362      | ----    | 9ADB  | ILSY0080 |
| 髒   | D363      | ----    | 9AE0  | ILSZ0080 |
| 髒   | D364      | ----    | 9AE4  | ILT00080 |
| 髒   | D365      | ----    | 9AE5  | ILT10080 |
| 髒   | D366      | ----    | 9AE7  | ILT20080 |
| 髒   | D367      | ----    | 9AE9  | ILT30080 |
| 髒   | D368      | ----    | 9AEC  | ILT40080 |
| 髒   | D369      | ----    | 9AF2  | ILT50080 |
| 髒   | D36A      | ----    | 9AF3  | ILT60080 |
| 髒   | D36B      | ----    | 9AF5  | ILT70080 |
| 髒   | D36C      | ----    | 9AF9  | ILT80080 |
| 髒   | D36D      | ----    | 9AFA  | ILT90080 |
| 髒   | D36E      | ----    | 9AFD  | ILTA0080 |
| 髒   | D36F      | ----    | 9AFF  | ILTB0080 |
| 髒   | D370      | ----    | 9B00  | ILTC0080 |
| 髒   | D371      | ----    | 9B01  | ILTD0080 |
| 髒   | D372      | ----    | 9B02  | ILTE0080 |
| 髒   | D373      | ----    | 9B03  | ILTF0080 |
| 髒   | D374      | ----    | 9B04  | ILTG0080 |
| 髒   | D375      | ----    | 9B05  | ILTH0080 |
| 髒   | D376      | ----    | 9B08  | ILTI0080 |
| 髒   | D377      | ----    | 9B09  | ILTJ0080 |
| 髒   | D378      | ----    | 9B0B  | ILTK0080 |
| 髒   | D379      | ----    | 9B0C  | ILTL0080 |
| 髒   | D37A      | ----    | 9B0D  | ILTM0080 |
| 髒   | D37B      | ----    | 9B0E  | ILTN0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 髒   | D37C      | ----    | 9B10  | ILTO0080 |
| 髒   | D37D      | ----    | 9B12  | ILTP0080 |
| 髒   | D37E      | ----    | 9B16  | ILTQ0080 |
| 髒   | D37F      | ----    | 9B19  | ILTR0080 |
| 髒   | D380      | ----    | 9B1B  | ILTS0080 |
| 髒   | D381      | ----    | 9B1C  | ILTT0080 |
| 髒   | D382      | ----    | 9B20  | ILTU0080 |
| 髒   | D383      | ----    | 9B26  | ILTV0080 |
| 髒   | D384      | ----    | 9B2B  | ILTW0080 |
| 髒   | D385      | ----    | 9B2D  | ILTX0080 |
| 髒   | D386      | ----    | 9B33  | ILTY0080 |
| 髒   | D387      | ----    | 9B34  | ILTZ0080 |
| 髒   | D388      | ----    | 9B35  | ILU00080 |
| 髒   | D389      | ----    | 9B37  | ILU10080 |
| 髒   | D38A      | ----    | 9B39  | ILU20080 |
| 髒   | D38B      | ----    | 9B3A  | ILU30080 |
| 髒   | D38C      | ----    | 9B3D  | ILU40080 |
| 髒   | D38D      | ----    | 9B48  | ILU50080 |
| 髒   | D38E      | ----    | 9B4B  | ILU60080 |
| 髒   | D38F      | ----    | 9B4C  | ILU70080 |
| 髒   | D390      | ----    | 9B55  | ILU80080 |
| 髒   | D391      | ----    | 9B56  | ILU90080 |
| 髒   | D392      | ----    | 9B57  | ILUA0080 |
| 髒   | D393      | ----    | 9B5B  | ILUB0080 |
| 髒   | D394      | ----    | 9B5E  | ILUC0080 |
| 髒   | D395      | ----    | 9B61  | ILUD0080 |
| 髒   | D396      | ----    | 9B63  | ILUE0080 |
| 髒   | D397      | ----    | 9B65  | ILUF0080 |
| 髒   | D398      | ----    | 9B66  | ILUG0080 |
| 髒   | D399      | ----    | 9B68  | ILUH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鮎   | D39A      | ----    | 9B6A  | ILUI0080 |
| 魴   | D39B      | ----    | 9B6B  | ILUJ0080 |
| 鰻   | D39C      | ----    | 9B6C  | ILUK0080 |
| 魩   | D39D      | ----    | 9B6D  | ILUL0080 |
| 魷   | D39E      | ----    | 9B6E  | ILUM0080 |
| 鮪   | D39F      | ----    | 9B73  | ILUN0080 |
| 魷   | D3A0      | ----    | 9B77  | ILUO0080 |
| 鮪   | D3A1      | ----    | 9B78  | ILUP0080 |
| 魷   | D3A2      | ----    | 9B79  | ILUQ0080 |
| 鮪   | D3A3      | ----    | 9B7F  | ILUR0080 |
| 鮪   | D3A4      | ----    | 9B80  | ILUS0080 |
| 鮪   | D3A5      | ----    | 9B84  | ILUT0080 |
| 魷   | D3A6      | ----    | 9B85  | ILUU0080 |
| 鮪   | D3A7      | ----    | 9B86  | ILUV0080 |
| 鮪   | D3A8      | ----    | 9B87  | ILUW0080 |
| 鮪   | D3A9      | ----    | 9B89  | ILUX0080 |
| 鮪   | D3AA      | ----    | 9B8A  | ILUY0080 |
| 鮪   | D3AB      | ----    | 9B8B  | ILUZ0080 |
| 鮪   | D3AC      | ----    | 9B8D  | ILV00080 |
| 鮪   | D3AD      | ----    | 9B90  | ILV10080 |
| 鮪   | D3AE      | ----    | 9B94  | ILV20080 |
| 鮪   | D3AF      | ----    | 9B9A  | ILV30080 |
| 鮪   | D3B0      | ----    | 9B9D  | ILV40080 |
| 鮪   | D3B1      | ----    | 9B9E  | ILV50080 |
| 鮪   | D3B2      | ----    | 9BA6  | ILV60080 |
| 鮪   | D3B3      | ----    | 9BA7  | ILV70080 |
| 鮪   | D3B4      | ----    | 9BA9  | ILV80080 |
| 鮪   | D3B5      | ----    | 9BAC  | ILV90080 |
| 鮪   | D3B6      | ----    | 9BB0  | ILVA0080 |
| 鮪   | D3B7      | ----    | 9BB2  | ILVB0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鮪   | D3B8      | ----    | 9BB7  | ILVC0080 |
| 鮪   | D3B9      | ----    | 9BB8  | ILVD0080 |
| 鮪   | D3BA      | ----    | 9BBC  | ILVE0080 |
| 鮪   | D3BB      | ----    | 9BBE  | ILVF0080 |
| 鮪   | D3BC      | ----    | 9BBF  | ILVG0080 |
| 鮪   | D3BD      | ----    | 9BC1  | ILVH0080 |
| 鮪   | D3BE      | ----    | 9BC7  | ILVI0080 |
| 鮪   | D3BF      | ----    | 9BC8  | ILVJ0080 |
| 鮪   | D3C0      | ----    | 9BCE  | ILVK0080 |
| 鮪   | D3C1      | ----    | 9BD0  | ILVL0080 |
| 鮪   | D3C2      | ----    | 9BD7  | ILVM0080 |
| 鮪   | D3C3      | ----    | 9BD8  | ILVN0080 |
| 鮪   | D3C4      | ----    | 9BDD  | ILVO0080 |
| 鮪   | D3C5      | ----    | 9BDF  | ILVP0080 |
| 鮪   | D3C6      | ----    | 9BE5  | ILVQ0080 |
| 鮪   | D3C7      | ----    | 9BE7  | ILVR0080 |
| 鮪   | D3C8      | ----    | 9BEA  | ILVS0080 |
| 鮪   | D3C9      | ----    | 9BEB  | ILVT0080 |
| 鮪   | D3CA      | ----    | 9BEF  | ILVU0080 |
| 鮪   | D3CB      | ----    | 9BF3  | ILVV0080 |
| 鮪   | D3CC      | ----    | 9BF7  | ILVW0080 |
| 鮪   | D3CD      | ----    | 9BF8  | ILVX0080 |
| 鮪   | D3CE      | ----    | 9BF9  | ILVY0080 |
| 鮪   | D3CF      | ----    | 9BFA  | ILVZ0080 |
| 鮪   | D3D0      | ----    | 9BFD  | ILW00080 |
| 鮪   | D3D1      | ----    | 9BFF  | ILW10080 |
| 鮪   | D3D2      | ----    | 9C02  | ILW20080 |
| 鮪   | D3D3      | ----    | 9C0B  | ILW30080 |
| 鮪   | D3D4      | ----    | 9C0F  | ILW40080 |
| 鮪   | D3D5      | ----    | 9C11  | ILW50080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鯖   | D3D6      | ----    | 9C16  | ILW60080 |
| 鯨   | D3D7      | ----    | 9C18  | ILW70080 |
| 鮫   | D3D8      | ----    | 9C19  | ILW80080 |
| 鮠   | D3D9      | ----    | 9C1A  | ILW90080 |
| 鯨   | D3DA      | ----    | 9C1C  | ILWA0080 |
| 鮠   | D3DB      | ----    | 9C1E  | ILWB0080 |
| 鯨   | D3DC      | ----    | 9C22  | ILWC0080 |
| 鮠   | D3DD      | ----    | 9C23  | ILWD0080 |
| 鯨   | D3DE      | ----    | 9C26  | ILWE0080 |
| 鯨   | D3DF      | ----    | 9C27  | ILWF0080 |
| 鮠   | D3E0      | ----    | 9C28  | ILWG0080 |
| 鯨   | D3E1      | ----    | 9C29  | ILWH0080 |
| 鯨   | D3E2      | ----    | 9C2A  | ILWI0080 |
| 鯨   | D3E3      | ----    | 9C31  | ILWJ0080 |
| 鯨   | D3E4      | ----    | 9C35  | ILWK0080 |
| 鯨   | D3E5      | ----    | 9C36  | ILWL0080 |
| 鯨   | D3E6      | ----    | 9C37  | ILWM0080 |
| 鯨   | D3E7      | ----    | 9C3D  | ILWN0080 |
| 鯨   | D3E8      | ----    | 9C41  | ILWO0080 |
| 鯨   | D3E9      | ----    | 9C43  | ILWP0080 |
| 鯨   | D3EA      | ----    | 9C44  | ILWQ0080 |
| 鯨   | D3EB      | ----    | 9C45  | ILWR0080 |
| 鯨   | D3EC      | ----    | 9C49  | ILWS0080 |
| 鯨   | D3ED      | ----    | 9C4A  | ILWT0080 |
| 鯨   | D3EE      | ----    | 9C4E  | ILWU0080 |
| 鯨   | D3EF      | ----    | 9C4F  | ILWV0080 |
| 鯨   | D3F0      | ----    | 9C50  | ILWW0080 |
| 鯨   | D3F1      | ----    | 9C53  | ILWX0080 |
| 鯨   | D3F2      | ----    | 9C54  | ILWY0080 |
| 鯨   | D3F3      | ----    | 9C56  | ILWZ0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鯨   | D3F4      | ----    | 9C58  | ILX00080 |
| 鯨   | D3F5      | ----    | 9C5B  | ILX10080 |
| 鯨   | D3F6      | ----    | 9C5C  | ILX20080 |
| 鯨   | D3F7      | ----    | 9C5D  | ILX30080 |
| 鯨   | D3F8      | ----    | 9C5E  | ILX40080 |
| 鯨   | D3F9      | ----    | 9C5F  | ILX50080 |
| 鯨   | D3FA      | ----    | 9C63  | ILX60080 |
| 鯨   | D3FB      | ----    | 9C68  | ILX70080 |
| 鯨   | D3FC      | ----    | 9C69  | ILX80080 |
| 鯨   | D3FD      | ----    | 9C6A  | ILX90080 |
| 鯨   | D3FE      | ----    | 9C6B  | ILXA0080 |
| 鯨   | D441      | ----    | 9C6E  | ILXD0080 |
| 鯨   | D442      | ----    | 9C70  | ILXE0080 |
| 鯨   | D443      | ----    | 9C72  | ILXF0080 |
| 鯨   | D444      | ----    | 9C75  | ILXG0080 |
| 鯨   | D445      | ----    | 9C77  | ILXH0080 |
| 鯨   | D446      | ----    | 9C7B  | ILXI0080 |
| 鯨   | D447      | ----    | 9CE6  | ILXJ0080 |
| 鯨   | D448      | ----    | 9CF2  | ILXK0080 |
| 鯨   | D449      | ----    | 9CF7  | ILXL0080 |
| 鯨   | D44A      | ----    | 9CF9  | ILXM0080 |
| 鯨   | D44B      | ----    | 9D02  | ILXN0080 |
| 鯨   | D44C      | ----    | 9D0B  | ILXO0080 |
| 鯨   | D44D      | ----    | 9D11  | ILXP0080 |
| 鯨   | D44E      | ----    | 9D17  | ILXQ0080 |
| 鯨   | D44F      | ----    | 9D18  | ILXR0080 |
| 鯨   | D450      | ----    | 9D1C  | ILXS0080 |
| 鯨   | D451      | ----    | 9D1D  | ILXT0080 |
| 鯨   | D452      | ----    | 9D1E  | ILXU0080 |
| 鯨   | D453      | ----    | 9D2F  | ILXV0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鵠   | D454      | ----    | 9D30  | ILXW0080 |
| 鵡   | D455      | ----    | 9D32  | ILXX0080 |
| 鵢   | D456      | ----    | 9D33  | ILXY0080 |
| 鵣   | D457      | ----    | 9D34  | ILXZ0080 |
| 鵤   | D458      | ----    | 9D3A  | ILY00080 |
| 鵶   | D459      | ----    | 9D3C  | ILY10080 |
| 鵷   | D45A      | ----    | 9D3D  | ILY20080 |
| 鵸   | D45B      | ----    | 9D42  | ILY30080 |
| 鵹   | D45C      | ----    | 9D43  | ILY40080 |
| 鵺   | D45D      | ----    | 9D45  | ILY50080 |
| 鵻   | D45E      | ----    | 9D47  | ILY60080 |
| 鵼   | D45F      | ----    | 9D4A  | ILY70080 |
| 鵽   | D460      | ----    | 9D53  | ILY80080 |
| 鵾   | D461      | ----    | 9D54  | ILY90080 |
| 鵿   | D462      | ----    | 9D5F  | ILYA0080 |
| 鵼   | D463      | ----    | 9D62  | ILYB0080 |
| 鵽   | D464      | ----    | 9D63  | ILYC0080 |
| 鵾   | D465      | ----    | 9D65  | ILYD0080 |
| 鵿   | D466      | ----    | 9D69  | ILYE0080 |
| 鵼   | D467      | ----    | 9D6A  | ILYF0080 |
| 鵽   | D468      | ----    | 9D76  | ILYG0080 |
| 鵾   | D469      | ----    | 9D77  | ILYH0080 |
| 鵿   | D46A      | ----    | 9D7B  | ILYI0080 |
| 鵼   | D46B      | ----    | 9D7C  | ILYJ0080 |
| 鵽   | D46C      | ----    | 9D7E  | ILYK0080 |
| 鵾   | D46D      | ----    | 9D83  | ILYL0080 |
| 鵿   | D46E      | ----    | 9D84  | ILYM0080 |
| 鵼   | D46F      | ----    | 9D86  | ILYN0080 |
| 鵽   | D470      | ----    | 9D8A  | ILYO0080 |
| 鵾   | D471      | ----    | 9D8D  | ILYP0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鵻   | D472      | ----    | 9D8E  | ILYQ0080 |
| 鵼   | D473      | ----    | 9D92  | ILYR0080 |
| 鵽   | D474      | ----    | 9D93  | ILYS0080 |
| 鵾   | D475      | ----    | 9D95  | ILYT0080 |
| 鵿   | D476      | ----    | 9D96  | ILYU0080 |
| 鵼   | D477      | ----    | 9D97  | ILYV0080 |
| 鵽   | D478      | ----    | 9D98  | ILYW0080 |
| 鵾   | D479      | ----    | 9DA1  | ILYX0080 |
| 鵿   | D47A      | ----    | 9DAA  | ILYY0080 |
| 鵼   | D47B      | ----    | 9DAC  | ILYZ0080 |
| 鵽   | D47C      | ----    | 9DAE  | ILZ00080 |
| 鵾   | D47D      | ----    | 9DB1  | ILZ10080 |
| 鵿   | D47E      | ----    | 9DB5  | ILZ20080 |
| 鵼   | D47F      | ----    | 9DB9  | ILZ30080 |
| 鵽   | D480      | ----    | 9DBC  | ILZ40080 |
| 鵾   | D481      | ----    | 9DBF  | ILZ50080 |
| 鵿   | D482      | ----    | 9DC3  | ILZ60080 |
| 鵼   | D483      | ----    | 9DC7  | ILZ70080 |
| 鵽   | D484      | ----    | 9DC9  | ILZ80080 |
| 鵾   | D485      | ----    | 9DCA  | ILZ90080 |
| 鵿   | D486      | ----    | 9DD4  | ILZA0080 |
| 鵼   | D487      | ----    | 9DD5  | ILZB0080 |
| 鵽   | D488      | ----    | 9DD6  | ILZC0080 |
| 鵾   | D489      | ----    | 9DD7  | ILZD0080 |
| 鵿   | D48A      | ----    | 9DDA  | ILZE0080 |
| 鵼   | D48B      | ----    | 9DDE  | ILZF0080 |
| 鵽   | D48C      | ----    | 9DDF  | ILZG0080 |
| 鵾   | D48D      | ----    | 9DE0  | ILZH0080 |
| 鵿   | D48E      | ----    | 9DE5  | ILZI0080 |
| 鵼   | D48F      | ----    | 9DE7  | ILZJ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鶯   | D490      | ----    | 9DE9  | ILZK0080 |
| 鷗   | D491      | ----    | 9DEB  | ILZL0080 |
| 鷗   | D492      | ----    | 9DEE  | ILZM0080 |
| 鷗   | D493      | ----    | 9DF0  | ILZN0080 |
| 鷗   | D494      | ----    | 9DF3  | ILZO0080 |
| 鷗   | D495      | ----    | 9DF4  | ILZP0080 |
| 鷗   | D496      | ----    | 9DFE  | ILZQ0080 |
| 鷗   | D497      | ----    | 9E02  | ILZR0080 |
| 鷗   | D498      | ----    | 9E07  | ILZS0080 |
| 鷗   | D499      | ----    | 9E0A  | ILZT0080 |
| 鷗   | D49A      | ----    | 9E0E  | ILZU0080 |
| 鷗   | D49B      | ----    | 9E10  | ILZV0080 |
| 鷗   | D49C      | ----    | 9E11  | ILZW0080 |
| 鷗   | D49D      | ----    | 9E12  | ILZX0080 |
| 鷗   | D49E      | ----    | 9E15  | ILZY0080 |
| 鷗   | D49F      | ----    | 9E16  | ILZZ0080 |
| 鷗   | D4A0      | ----    | 9E1C  | IM000080 |
| 鷗   | D4A1      | ----    | 9E1D  | IM010080 |
| 鷗   | D4A2      | ----    | 9E7A  | IM020080 |
| 鷗   | D4A3      | ----    | 9E7B  | IM030080 |
| 鷗   | D4A4      | ----    | 9E7C  | IM040080 |
| 鷗   | D4A5      | ----    | 9E80  | IM050080 |
| 鷗   | D4A6      | ----    | 9E82  | IM060080 |
| 鷗   | D4A7      | ----    | 9E83  | IM070080 |
| 鷗   | D4A8      | ----    | 9E84  | IM080080 |
| 鷗   | D4A9      | ----    | 9E85  | IM090080 |
| 鷗   | D4AA      | ----    | 9E87  | IM0A0080 |
| 鷗   | D4AB      | ----    | 9E8E  | IM0B0080 |
| 鷗   | D4AC      | ----    | 9E8F  | IM0C0080 |
| 鷗   | D4AD      | ----    | 9E96  | IM0D0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 麿   | D4AE      | ----    | 9E98  | IM0E0080 |
| 麿   | D4AF      | ----    | 9E9B  | IM0F0080 |
| 麿   | D4B0      | ----    | 9E9E  | IM0G0080 |
| 麿   | D4B1      | ----    | 9EA4  | IM0H0080 |
| 麿   | D4B2      | ----    | 9EA8  | IM0I0080 |
| 麿   | D4B3      | ----    | 9EAC  | IM0J0080 |
| 麿   | D4B4      | ----    | 9EAE  | IM0K0080 |
| 麿   | D4B5      | ----    | 9EAF  | IM0L0080 |
| 麿   | D4B6      | ----    | 9EB0  | IM0M0080 |
| 麿   | D4B7      | ----    | 9EB3  | IM0N0080 |
| 麿   | D4B8      | ----    | 9EB4  | IM0O0080 |
| 麿   | D4B9      | ----    | 9EB5  | IM0P0080 |
| 麿   | D4BA      | ----    | 9EC6  | IM0Q0080 |
| 麿   | D4BB      | ----    | 9EC8  | IM0R0080 |
| 麿   | D4BC      | ----    | 9ECB  | IM0S0080 |
| 麿   | D4BD      | ----    | 9ED5  | IM0T0080 |
| 麿   | D4BE      | ----    | 9EDF  | IM0U0080 |
| 麿   | D4BF      | ----    | 9EE4  | IM0V0080 |
| 麿   | D4C0      | ----    | 9EE7  | IM0W0080 |
| 麿   | D4C1      | ----    | 9EEC  | IM0X0080 |
| 麿   | D4C2      | ----    | 9EED  | IM0Y0080 |
| 麿   | D4C3      | ----    | 9EEE  | IM0Z0080 |
| 麿   | D4C4      | ----    | 9EF0  | IM100080 |
| 麿   | D4C5      | ----    | 9EF1  | IM110080 |
| 麿   | D4C6      | ----    | 9EF2  | IM120080 |
| 麿   | D4C7      | ----    | 9EF5  | IM130080 |
| 麿   | D4C8      | ----    | 9EF8  | IM140080 |
| 麿   | D4C9      | ----    | 9EFF  | IM150080 |
| 麿   | D4CA      | ----    | 9F02  | IM160080 |
| 麿   | D4CB      | ----    | 9F03  | IM170080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鼈   | D4CC      | ----    | 9F09  | IM180080 |
| 鼉   | D4CD      | ----    | 9F0F  | IM190080 |
| 鼇   | D4CE      | ----    | 9F10  | IM1A0080 |
| 鼎   | D4CF      | ----    | 9F11  | IM1B0080 |
| 鼈   | D4D0      | ----    | 9F12  | IM1C0080 |
| 鼓   | D4D1      | ----    | 9F14  | IM1D0080 |
| 鼈   | D4D2      | ----    | 9F16  | IM1E0080 |
| 鼈   | D4D3      | ----    | 9F17  | IM1F0080 |
| 鼈   | D4D4      | ----    | 9F19  | IM1G0080 |
| 鼈   | D4D5      | ----    | 9F1A  | IM1H0080 |
| 鼈   | D4D6      | ----    | 9F1B  | IM1I0080 |
| 鼈   | D4D7      | ----    | 9F1F  | IM1J0080 |
| 鼈   | D4D8      | ----    | 9F22  | IM1K0080 |
| 鼈   | D4D9      | ----    | 9F26  | IM1L0080 |
| 鼈   | D4DA      | ----    | 9F2A  | IM1M0080 |
| 鼈   | D4DB      | ----    | 9F2B  | IM1N0080 |
| 鼈   | D4DC      | ----    | 9F2F  | IM1O0080 |
| 鼈   | D4DD      | ----    | 9F31  | IM1P0080 |
| 鼈   | D4DE      | ----    | 9F32  | IM1Q0080 |
| 鼈   | D4DF      | ----    | 9F34  | IM1R0080 |
| 鼈   | D4E0      | ----    | 9F37  | IM1S0080 |
| 鼈   | D4E1      | ----    | 9F39  | IM1T0080 |
| 鼈   | D4E2      | ----    | 9F3A  | IM1U0080 |
| 鼈   | D4E3      | ----    | 9F3C  | IM1V0080 |
| 鼈   | D4E4      | ----    | 9F3D  | IM1W0080 |
| 鼈   | D4E5      | ----    | 9F3F  | IM1X0080 |
| 鼈   | D4E6      | ----    | 9F41  | IM1Y0080 |
| 鼈   | D4E7      | ----    | 9F43  | IM1Z0080 |
| 鼈   | D4E8      | ----    | 9F44  | IM200080 |
| 鼈   | D4E9      | ----    | 9F45  | IM210080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 鼈   | D4EA      | ----    | 9F46  | IM220080 |
| 鼈   | D4EB      | ----    | 9F47  | IM230080 |
| 鼈   | D4EC      | ----    | 9F53  | IM240080 |
| 鼈   | D4ED      | ----    | 9F55  | IM250080 |
| 鼈   | D4EE      | ----    | 9F56  | IM260080 |
| 鼈   | D4EF      | ----    | 9F57  | IM270080 |
| 鼈   | D4F0      | ----    | 9F58  | IM280080 |
| 鼈   | D4F1      | ----    | 9F5A  | IM290080 |
| 鼈   | D4F2      | ----    | 9F5D  | IM2A0080 |
| 鼈   | D4F3      | ----    | 9F5E  | IM2B0080 |
| 鼈   | D4F4      | ----    | 9F68  | IM2C0080 |
| 鼈   | D4F5      | ----    | 9F69  | IM2D0080 |
| 鼈   | D4F6      | ----    | 9F6D  | IM2E0080 |
| 鼈   | D4F7      | ----    | 9F6E  | IM2F0080 |
| 鼈   | D4F8      | ----    | 9F6F  | IM2G0080 |
| 鼈   | D4F9      | ----    | 9F70  | IM2H0080 |
| 鼈   | D4FA      | ----    | 9F71  | IM2I0080 |
| 鼈   | D4FB      | ----    | 9F73  | IM2J0080 |
| 鼈   | D4FC      | ----    | 9F75  | IM2K0080 |
| 鼈   | D4FD      | ----    | 9F7A  | IM2L0080 |
| 鼈   | D4FE      | ----    | 9F7D  | IM2M0080 |
| 鼈   | D541      | ----    | 9F8F  | IM2P0080 |
| 鼈   | D542      | ----    | 9F90  | IM2Q0080 |
| 鼈   | D543      | ----    | 9F91  | IM2R0080 |
| 鼈   | D544      | ----    | 9F92  | IM2S0080 |
| 鼈   | D545      | ----    | 9F94  | IM2T0080 |
| 鼈   | D546      | ----    | 9F96  | IM2U0080 |
| 鼈   | D547      | ----    | 9F97  | IM2V0080 |
| 鼈   | D548      | ----    | 9F9E  | IM2W0080 |
| 鼈   | D549      | ----    | 9FA1  | IM2X0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮑   | D54A      | ----    | 9FA2  | IM2Y0080 |
| 𨮒   | D54B      | ----    | 9FA3  | IM2Z0080 |

| Table 10. New Extended Kanji Set – Part 2 |           |         |       |          |
|---|-----------|---------|-------|----------|
| Graphic                                   | Host Code | PC Code | UCS-2 | GCGID    |
| 𨮓   | D54C      | ----    | 9FA5  | IM300080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 9. DBCS-PC Specification

#### 9.1 Format of DBCS-PC Specification Tables

In this section, the specification of the Japanese *DBCS-PC coded graphic character sets* is provided by tables. The tables are formatted almost the same as those of DBCS-Host shown in Table 4 except the column 2 Host Code and column 3 PC Code are reversed. Then Table 11 to Table 15 have PC code points in column 2 and Host code points in column 3.

#### 9.2 Non-Kanji Set

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
|         | 8140    | 4040      | 3000  | SP010080 |
| ,       | 8141    | 4344      | 3001  | JQ730080 |
| 。       | 8142    | 4341      | 3002  | JQ700080 |
| ,       | 8143    | 426B      | FF0C  | SP080080 |
| .       | 8144    | 424B      | FF0E  | SP110080 |
| •       | 8145    | 4345      | 30FB  | JQ740080 |
| :       | 8146    | 427A      | FF1A  | SP130080 |
| ;       | 8147    | 425E      | FF1B  | SP140080 |
| ?       | 8148    | 426F      | FF1F  | SP150080 |
| !       | 8149    | 425A      | FF01  | SP020080 |
| ゝ       | 814A    | 43BE      | 309B  | JX710080 |
| 。̂      | 814B    | 43BF      | 309C  | JX720080 |
| ゝ̂      | 814C    | 4450      | 00B4  | SD110080 |
| ゝ̂      | 814D    | 4279      | FF40  | SD130080 |
| ゝ̂      | 814E    | 4460      | 00A8  | SD170080 |
| ゝ̂      | 814F    | 4470      | FF3E  | SD150080 |
| —       | 8150    | 42A1      | FFE3  | SM150080 |
| —       | 8151    | 426D      | FF3F  | SP090080 |
| ゝ̂      | 8152    | 43DC      | 30FD  | JQ750080 |
| ゝ̂      | 8153    | 43DD      | 30FE  | JQ760080 |
| ゝ̂      | 8154    | 44DC      | 309D  | RQ750080 |
| ゝ̂      | 8155    | 44DD      | 309E  | RQ760080 |

Table 11. Non-Kanji Set, DBCS-PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| //      | 8156    | 445B      | 3003  | SV090081 |
| 仝       | 8157    | 445C      | 4EDD  | SS760080 |
| 々       | 8158    | 445D      | 3005  | SS770080 |
| ↗       | 8159    | 445E      | 3006  | SS720080 |
| ○       | 815A    | 445F      | 3007  | ND100087 |
| 一       | 815B    | 4358      | 30FC  | JX700080 |
| —       | 815C    | 444A      | 2014  | SM120080 |
| -       | 815D    | 445A      | 2010  | SP320080 |
| /       | 815E    | 4261      | FF0F  | SP120080 |
| \       | 815F    | 43E0      | FF3C  | SM070080 |
| ~       | 8160    | 43A1      | 301C  | SD190080 |
|         | 8161    | 447C      | 2016  | SV370080 |
|         | 8162    | 424F      | FF5C  | SM130080 |
| ...     | 8163    | 447F      | 2026  | SV440080 |
| ..      | 8164    | 447E      | 2025  | SV430080 |
| ‘       | 8165    | 4461      | 2018  | SP190080 |
| ’       | 8166    | 4471      | 2019  | SP200080 |
| “       | 8167    | 4462      | 201C  | SP210080 |
| ”       | 8168    | 4472      | 201D  | SP220080 |
| (       | 8169    | 424D      | FF08  | SP060080 |
| )       | 816A    | 425D      | FF09  | SP070080 |
| [       | 816B    | 4463      | 3014  | SP060081 |
| ]       | 816C    | 4473      | 3015  | SP070081 |
| [       | 816D    | 4444      | FF3B  | SM060080 |
| ]       | 816E    | 4445      | FF3D  | SM080080 |
| {       | 816F    | 42C0      | FF5B  | SM110080 |
| }       | 8170    | 42D0      | FF5D  | SM140080 |
| <       | 8171    | 4464      | 3008  | SP060082 |
| >       | 8172    | 4474      | 3009  | SP070082 |
| <<      | 8173    | 4465      | 300A  | SP060083 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| »       | 8174    | 4475      | 300B  | SP070083 |
| ┌       | 8175    | 4342      | 300C  | JQ710080 |
| └       | 8176    | 4343      | 300D  | JQ720080 |
| ┌       | 8177    | 4442      | 300E  | JQ710081 |
| └       | 8178    | 4443      | 300F  | JQ720081 |
| 【       | 8179    | 4466      | 3010  | SP060084 |
| 】       | 817A    | 4476      | 3011  | SP070084 |
| +       | 817B    | 424E      | FF0B  | SA010080 |
| −       | 817C    | 4260      | 2212  | SP100080 |
| ±       | 817D    | 444B      | 00B1  | SA020080 |
| ×       | 817E    | 447A      | 00D7  | SA070080 |
| ÷       | 8180    | 447B      | 00F7  | SA060080 |
| =       | 8181    | 427E      | FF1D  | SA040080 |
| ≠       | 8182    | 444C      | 2260  | SA540080 |
| <       | 8183    | 424C      | FF1C  | SA030080 |
| >       | 8184    | 426E      | FF1E  | SA050080 |
| ≦       | 8185    | 4467      | 2266  | SA520082 |
| ≧       | 8186    | 4477      | 2267  | SA530082 |
| ∞       | 8187    | 444D      | 221E  | SA450080 |
| ∴       | 8188    | 4468      | 2234  | SA370080 |
| ♂       | 8189    | 4469      | 2642  | SM280080 |
| ♀       | 818A    | 4479      | 2640  | SM290080 |
| °       | 818B    | 44ED      | 00B0  | SM190080 |
| '       | 818C    | 44EE      | 2032  | SM500080 |
| "       | 818D    | 44EF      | 2033  | SM510080 |
| °C      | 818E    | 444E      | 2103  | SM440080 |
| ¥       | 818F    | 425B      | FFE5  | SC050080 |
| \$      | 8190    | 42E0      | FF04  | SC030080 |
| ¢       | 8191    | 434A      | FFE0  | SC040080 |
| £       | 8192    | 424A      | FFE1  | SC020080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| %       | 8193    | 426C      | FF05  | SM020080 |
| #       | 8194    | 427B      | FF03  | SM010080 |
| &       | 8195    | 4250      | FF06  | SM030080 |
| *       | 8196    | 425C      | FF0A  | SM040080 |
| @       | 8197    | 427C      | FF20  | SM050080 |
| §       | 8198    | 446A      | 00A7  | SM240080 |
| ☆       | 8199    | 44E5      | 2606  | SS570080 |
| ★       | 819A    | 44E6      | 2605  | SS580080 |
| ○       | 819B    | 44E0      | 25CB  | SM750080 |
| ●       | 819C    | 44E1      | 25CF  | SM580080 |
| ◎       | 819D    | 44E4      | 25CE  | SM810080 |
| ◇       | 819E    | 44E7      | 25C7  | SA660080 |
| ◆       | 819F    | 44E8      | 25C6  | SM610080 |
| □       | 81A0    | 44E9      | 25A1  | SM450080 |
| ■       | 81A1    | 44EA      | 25A0  | SM470080 |
| △       | 81A2    | 44E2      | 25B3  | SM730080 |
| ▲       | 81A3    | 44E3      | 25B2  | SM600080 |
| ▽       | 81A4    | 44EB      | 25BD  | SM740080 |
| ▼       | 81A5    | 44EC      | 25BC  | SV040080 |
| ※       | 81A6    | 446B      | 203B  | SM040088 |
| 〒       | 81A7    | 446C      | 3012  | SS730080 |
| →       | 81A8    | 44F0      | 2192  | SM310080 |
| ←       | 81A9    | 44F1      | 2190  | SM300080 |
| ↑       | 81AA    | 44F2      | 2191  | SM320080 |
| ↓       | 81AB    | 44F3      | 2193  | SM330080 |
| =       | 81AC    | 447D      | 3013  | SS750080 |
| ∈       | 81B8    | 4364      | 2208  | SA670080 |
| ∋       | 81B9    | 4365      | 220B  | SA310080 |
| ⊆       | 81BA    | 4366      | 2286  | SA240080 |
| ⊇       | 81BB    | 4367      | 2287  | SA270080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ⊂                                | 81BC    | 4368      | 2282  | SA400080 |
| ⊃                                | 81BD    | 4369      | 2283  | SA410080 |
| ∪                                | 81BE    | 436A      | 222A  | SA390080 |
| ∩                                | 81BF    | 436B      | 2229  | SA380080 |
| ∧                                | 81C8    | 436C      | 2227  | SA330080 |
| ∨                                | 81C9    | 436D      | 2228  | SA320080 |
| ⇒                                | 81CB    | 436E      | 21D2  | SM420080 |
| ⇔                                | 81CC    | 436F      | 21D4  | SM410080 |
| ∇                                | 81CD    | 4370      | 2200  | SA210080 |
| ∃                                | 81CE    | 4371      | 2203  | SA230080 |
| ∠                                | 81DA    | 434B      | 2220  | SA350088 |
| ⊥                                | 81DB    | 434C      | 22A5  | SA780080 |
| ⌒                                | 81DC    | 434D      | 2312  | SV420080 |
| ∂                                | 81DD    | 434E      | 2202  | SA490080 |
| ∇                                | 81DE    | 434F      | 2207  | SL030080 |
| ≡                                | 81DF    | 435B      | 2261  | SA480080 |
| ≡                                | 81E0    | 435C      | 2252  | SA700081 |
| ⋈                                | 81E1    | 435D      | 226A  | SA730080 |
| ⋈                                | 81E2    | 435E      | 226B  | SA740080 |
| √                                | 81E3    | 435F      | 221A  | SA800080 |
| ∞                                | 81E4    | 4360      | 223D  | SA830080 |
| ∞                                | 81E5    | 4361      | 221D  | SA470080 |
| ∫                                | 81E7    | 4362      | 222B  | SA510080 |
| ∫                                | 81E8    | 4363      | 222C  | SA840080 |
| Å                                | 81F0    | 4372      | 212B  | SM220080 |
| ‰                                | 81F1    | 4373      | 2030  | SM560080 |
| #                                | 81F2    | 4374      | 266F  | SM880080 |
| b                                | 81F3    | 4375      | 266D  | SM890080 |
| ♪                                | 81F4    | 4376      | 266A  | SM930080 |
| †                                | 81F5    | 4377      | 2020  | SM340080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ‡                                | 81F6    | 4378      | 2021  | SM350080 |
| ¶                                | 81F7    | 4379      | 00B6  | SM250080 |
| ○                                | 81FC    | 437A      | 25EF  | SV220080 |
| 0                                | 824F    | 42F0      | FF10  | ND100080 |
| 1                                | 8250    | 42F1      | FF11  | ND010080 |
| 2                                | 8251    | 42F2      | FF12  | ND020080 |
| 3                                | 8252    | 42F3      | FF13  | ND030080 |
| 4                                | 8253    | 42F4      | FF14  | ND040080 |
| 5                                | 8254    | 42F5      | FF15  | ND050080 |
| 6                                | 8255    | 42F6      | FF16  | ND060080 |
| 7                                | 8256    | 42F7      | FF17  | ND070080 |
| 8                                | 8257    | 42F8      | FF18  | ND080080 |
| 9                                | 8258    | 42F9      | FF19  | ND090080 |
| A                                | 8260    | 42C1      | FF21  | LA020080 |
| B                                | 8261    | 42C2      | FF22  | LB020080 |
| C                                | 8262    | 42C3      | FF23  | LC020080 |
| D                                | 8263    | 42C4      | FF24  | LD020080 |
| E                                | 8264    | 42C5      | FF25  | LE020080 |
| F                                | 8265    | 42C6      | FF26  | LF020080 |
| G                                | 8266    | 42C7      | FF27  | LG020080 |
| H                                | 8267    | 42C8      | FF28  | LH020080 |
| I                                | 8268    | 42C9      | FF29  | LI020080 |
| J                                | 8269    | 42D1      | FF2A  | LJ020080 |
| K                                | 826A    | 42D2      | FF2B  | LK020080 |
| L                                | 826B    | 42D3      | FF2C  | LL020080 |
| M                                | 826C    | 42D4      | FF2D  | LM020080 |
| N                                | 826D    | 42D5      | FF2E  | LN020080 |
| O                                | 826E    | 42D6      | FF2F  | LO020080 |
| P                                | 826F    | 42D7      | FF30  | LP020080 |
| Q                                | 8270    | 42D8      | FF31  | LQ020080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| R                                | 8271    | 42D9      | FF32  | LR020080 |
| S                                | 8272    | 42E2      | FF33  | LS020080 |
| T                                | 8273    | 42E3      | FF34  | LT020080 |
| U                                | 8274    | 42E4      | FF35  | LU020080 |
| V                                | 8275    | 42E5      | FF36  | LV020080 |
| W                                | 8276    | 42E6      | FF37  | LW020080 |
| X                                | 8277    | 42E7      | FF38  | LX020080 |
| Y                                | 8278    | 42E8      | FF39  | LY020080 |
| Z                                | 8279    | 42E9      | FF3A  | LZ020080 |
| a                                | 8281    | 4281      | FF41  | LA010080 |
| b                                | 8282    | 4282      | FF42  | LB010080 |
| c                                | 8283    | 4283      | FF43  | LC010080 |
| d                                | 8284    | 4284      | FF44  | LD010080 |
| e                                | 8285    | 4285      | FF45  | LE010080 |
| f                                | 8286    | 4286      | FF46  | LF010080 |
| g                                | 8287    | 4287      | FF47  | LG010080 |
| h                                | 8288    | 4288      | FF48  | LH010080 |
| i                                | 8289    | 4289      | FF49  | LI010080 |
| j                                | 828A    | 4291      | FF4A  | LJ010080 |
| k                                | 828B    | 4292      | FF4B  | LK010080 |
| l                                | 828C    | 4293      | FF4C  | LL010080 |
| m                                | 828D    | 4294      | FF4D  | LM010080 |
| n                                | 828E    | 4295      | FF4E  | LN010080 |
| o                                | 828F    | 4296      | FF4F  | LO010080 |
| p                                | 8290    | 4297      | FF50  | LP010080 |
| q                                | 8291    | 4298      | FF51  | LQ010080 |
| r                                | 8292    | 4299      | FF52  | LR010080 |
| s                                | 8293    | 42A2      | FF53  | LS010080 |
| t                                | 8294    | 42A3      | FF54  | LT010080 |
| u                                | 8295    | 42A4      | FF55  | LU010080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| v                                | 8296    | 42A5      | FF56  | LV010080 |
| w                                | 8297    | 42A6      | FF57  | LW010080 |
| x                                | 8298    | 42A7      | FF58  | LX010080 |
| y                                | 8299    | 42A8      | FF59  | LY010080 |
| z                                | 829A    | 42A9      | FF5A  | LZ010080 |
| あ                                | 829F    | 4447      | 3041  | RA010080 |
| あ                                | 82A0    | 4481      | 3042  | RA000080 |
| い                                | 82A1    | 4448      | 3043  | RI010080 |
| い                                | 82A2    | 4482      | 3044  | RI000080 |
| う                                | 82A3    | 4449      | 3045  | RU010080 |
| う                                | 82A4    | 4483      | 3046  | RU000080 |
| え                                | 82A5    | 4451      | 3047  | RE010080 |
| え                                | 82A6    | 4484      | 3048  | RE000080 |
| お                                | 82A7    | 4452      | 3049  | RO010080 |
| お                                | 82A8    | 4485      | 304A  | RO000080 |
| か                                | 82A9    | 4486      | 304B  | RK100080 |
| が                                | 82AA    | 44C0      | 304C  | RG100080 |
| き                                | 82AB    | 4487      | 304D  | RK200080 |
| ぎ                                | 82AC    | 44C1      | 304E  | RG200080 |
| く                                | 82AD    | 4488      | 304F  | RK300080 |
| ぐ                                | 82AE    | 44C2      | 3050  | RG300080 |
| け                                | 82AF    | 4489      | 3051  | RK400080 |
| げ                                | 82B0    | 44C3      | 3052  | RG400080 |
| こ                                | 82B1    | 448A      | 3053  | RK500080 |
| ご                                | 82B2    | 44C4      | 3054  | RG500080 |
| さ                                | 82B3    | 448C      | 3055  | RS100080 |
| ざ                                | 82B4    | 44C5      | 3056  | RZ100080 |
| し                                | 82B5    | 448D      | 3057  | RS200080 |
| じ                                | 82B6    | 44C6      | 3058  | RZ200080 |
| す                                | 82B7    | 448E      | 3059  | RS300080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ず                                | 82B8    | 44C7      | 305A  | RZ300080 |
| せ                                | 82B9    | 448F      | 305B  | RS400080 |
| ぜ                                | 82BA    | 44C8      | 305C  | RZ400080 |
| そ                                | 82BB    | 4490      | 305D  | RS500080 |
| ぞ                                | 82BC    | 44C9      | 305E  | RZ500080 |
| た                                | 82BD    | 4491      | 305F  | RT100080 |
| だ                                | 82BE    | 44CA      | 3060  | RD100080 |
| ち                                | 82BF    | 4492      | 3061  | RT200080 |
| ぢ                                | 82C0    | 44CB      | 3062  | RD200080 |
| っ                                | 82C1    | 4456      | 3063  | RT310080 |
| っ                                | 82C2    | 4493      | 3064  | RT300080 |
| づ                                | 82C3    | 44CC      | 3065  | RD300080 |
| て                                | 82C4    | 4494      | 3066  | RT400080 |
| で                                | 82C5    | 44CD      | 3067  | RD400080 |
| と                                | 82C6    | 4495      | 3068  | RT500080 |
| ど                                | 82C7    | 44CE      | 3069  | RD500080 |
| な                                | 82C8    | 4496      | 306A  | RN100080 |
| に                                | 82C9    | 4497      | 306B  | RN200080 |
| ぬ                                | 82CA    | 4498      | 306C  | RN300080 |
| ね                                | 82CB    | 4499      | 306D  | RN400080 |
| の                                | 82CC    | 449A      | 306E  | RN500080 |
| は                                | 82CD    | 449D      | 306F  | RH100080 |
| ば                                | 82CE    | 44CF      | 3070  | RB100080 |
| ぱ                                | 82CF    | 44D5      | 3071  | RP100080 |
| ひ                                | 82D0    | 449E      | 3072  | RH200080 |
| び                                | 82D1    | 44D0      | 3073  | RB200080 |
| ぴ                                | 82D2    | 44D6      | 3074  | RP200080 |
| ふ                                | 82D3    | 449F      | 3075  | RH300080 |
| ぶ                                | 82D4    | 44D1      | 3076  | RB300080 |
| ぷ                                | 82D5    | 44D7      | 3077  | RP300080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| へ                                | 82D6    | 44A2      | 3078  | RH400080 |
| べ                                | 82D7    | 44D2      | 3079  | RB400080 |
| ぺ                                | 82D8    | 44D8      | 307A  | RP400080 |
| ほ                                | 82D9    | 44A3      | 307B  | RH500080 |
| ぼ                                | 82DA    | 44D3      | 307C  | RB500080 |
| ぽ                                | 82DB    | 44D9      | 307D  | RP500080 |
| ま                                | 82DC    | 44A4      | 307E  | RM100080 |
| み                                | 82DD    | 44A5      | 307F  | RM200080 |
| む                                | 82DE    | 44A6      | 3080  | RM300080 |
| め                                | 82DF    | 44A7      | 3081  | RM400080 |
| も                                | 82E0    | 44A8      | 3082  | RM500080 |
| や                                | 82E1    | 4453      | 3083  | RY110080 |
| や                                | 82E2    | 44A9      | 3084  | RY100080 |
| ゆ                                | 82E3    | 4454      | 3085  | RY310080 |
| ゆ                                | 82E4    | 44AA      | 3086  | RY300080 |
| よ                                | 82E5    | 4455      | 3087  | RY510080 |
| よ                                | 82E6    | 44AC      | 3088  | RY500080 |
| ら                                | 82E7    | 44AD      | 3089  | RR100080 |
| り                                | 82E8    | 44AE      | 308A  | RR200080 |
| る                                | 82E9    | 44AF      | 308B  | RR300080 |
| れ                                | 82EA    | 44BA      | 308C  | RR400080 |
| ろ                                | 82EB    | 44BB      | 308D  | RR500080 |
| わ                                | 82EC    | 4457      | 308E  | RW110080 |
| わ                                | 82ED    | 44BC      | 308F  | RW100080 |
| ゐ                                | 82EE    | 44DA      | 3090  | RW200080 |
| ゑ                                | 82EF    | 44DB      | 3091  | RW400080 |
| を                                | 82F0    | 4446      | 3092  | RW500080 |
| ん                                | 82F1    | 44BD      | 3093  | RN000080 |
| ア                                | 8340    | 4347      | 30A1  | JA010080 |
| ア                                | 8341    | 4381      | 30A2  | JA000080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| イ                                | 8342    | 4348      | 30A3  | Jl010080 |
| イ                                | 8343    | 4382      | 30A4  | Jl000080 |
| ウ                                | 8344    | 4349      | 30A5  | JU010080 |
| ウ                                | 8345    | 4383      | 30A6  | JU000080 |
| エ                                | 8346    | 4351      | 30A7  | JE010080 |
| エ                                | 8347    | 4384      | 30A8  | JE000080 |
| オ                                | 8348    | 4352      | 30A9  | JO010080 |
| オ                                | 8349    | 4385      | 30AA  | JO000080 |
| カ                                | 834A    | 4386      | 30AB  | JK100080 |
| ガ                                | 834B    | 43C0      | 30AC  | JG100080 |
| キ                                | 834C    | 4387      | 30AD  | JK200080 |
| ギ                                | 834D    | 43C1      | 30AE  | JG200080 |
| ク                                | 834E    | 4388      | 30AF  | JK300080 |
| グ                                | 834F    | 43C2      | 30B0  | JG300080 |
| ケ                                | 8350    | 4389      | 30B1  | JK400080 |
| ゲ                                | 8351    | 43C3      | 30B2  | JG400080 |
| コ                                | 8352    | 438A      | 30B3  | JK500080 |
| ゴ                                | 8353    | 43C4      | 30B4  | JG500080 |
| サ                                | 8354    | 438C      | 30B5  | JS100080 |
| ザ                                | 8355    | 43C5      | 30B6  | JZ100080 |
| シ                                | 8356    | 438D      | 30B7  | JS200080 |
| ジ                                | 8357    | 43C6      | 30B8  | JZ200080 |
| ス                                | 8358    | 438E      | 30B9  | JS300080 |
| ズ                                | 8359    | 43C7      | 30BA  | JZ300080 |
| セ                                | 835A    | 438F      | 30BB  | JS400080 |
| ゼ                                | 835B    | 43C8      | 30BC  | JZ400080 |
| ソ                                | 835C    | 4390      | 30BD  | JS500080 |
| ゾ                                | 835D    | 43C9      | 30BE  | JZ500080 |
| タ                                | 835E    | 4391      | 30BF  | JT100080 |
| ダ                                | 835F    | 43CA      | 30C0  | JD100080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| チ                                | 8360    | 4392      | 30C1  | JT200080 |
| ヂ                                | 8361    | 43CB      | 30C2  | JD200080 |
| ツ                                | 8362    | 4356      | 30C3  | JT310080 |
| ツ                                | 8363    | 4393      | 30C4  | JT300080 |
| ヅ                                | 8364    | 43CC      | 30C5  | JD300080 |
| テ                                | 8365    | 4394      | 30C6  | JT400080 |
| デ                                | 8366    | 43CD      | 30C7  | JD400080 |
| ト                                | 8367    | 4395      | 30C8  | JT500080 |
| ド                                | 8368    | 43CE      | 30C9  | JD500080 |
| ナ                                | 8369    | 4396      | 30CA  | JN100080 |
| ニ                                | 836A    | 4397      | 30CB  | JN200080 |
| ヌ                                | 836B    | 4398      | 30CC  | JN300080 |
| ネ                                | 836C    | 4399      | 30CD  | JN400080 |
| ノ                                | 836D    | 439A      | 30CE  | JN500080 |
| ハ                                | 836E    | 439D      | 30CF  | JH100080 |
| バ                                | 836F    | 43CF      | 30D0  | JB100080 |
| パ                                | 8370    | 43D5      | 30D1  | JP100080 |
| ヒ                                | 8371    | 439E      | 30D2  | JH200080 |
| ビ                                | 8372    | 43D0      | 30D3  | JB200080 |
| ピ                                | 8373    | 43D6      | 30D4  | JP200080 |
| フ                                | 8374    | 439F      | 30D5  | JH300080 |
| ブ                                | 8375    | 43D1      | 30D6  | JB300080 |
| プ                                | 8376    | 43D7      | 30D7  | JP300080 |
| ヘ                                | 8377    | 43A2      | 30D8  | JH400080 |
| ベ                                | 8378    | 43D2      | 30D9  | JB400080 |
| ペ                                | 8379    | 43D8      | 30DA  | JP400080 |
| ホ                                | 837A    | 43A3      | 30DB  | JH500080 |
| ボ                                | 837B    | 43D3      | 30DC  | JB500080 |
| ポ                                | 837C    | 43D9      | 30DD  | JP500080 |
| マ                                | 837D    | 43A4      | 30DE  | JM100080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ミ                                | 837E    | 43A5      | 30DF  | JM200080 |
| ム                                | 8380    | 43A6      | 30E0  | JM300080 |
| メ                                | 8381    | 43A7      | 30E1  | JM400080 |
| モ                                | 8382    | 43A8      | 30E2  | JM500080 |
| ヤ                                | 8383    | 4353      | 30E3  | JY110080 |
| ヤ                                | 8384    | 43A9      | 30E4  | JY100080 |
| ユ                                | 8385    | 4354      | 30E5  | JY310080 |
| ユ                                | 8386    | 43AA      | 30E6  | JY300080 |
| ヨ                                | 8387    | 4355      | 30E7  | JY510080 |
| ヨ                                | 8388    | 43AC      | 30E8  | JY500080 |
| ラ                                | 8389    | 43AD      | 30E9  | JR100080 |
| リ                                | 838A    | 43AE      | 30EA  | JR200080 |
| ル                                | 838B    | 43AF      | 30EB  | JR300080 |
| レ                                | 838C    | 43BA      | 30EC  | JR400080 |
| ロ                                | 838D    | 43BB      | 30ED  | JR500080 |
| ワ                                | 838E    | 4357      | 30EE  | JW110080 |
| ワ                                | 838F    | 43BC      | 30EF  | JW100080 |
| ヰ                                | 8390    | 43DA      | 30F0  | JW200080 |
| ヱ                                | 8391    | 43DB      | 30F1  | JW400080 |
| ヲ                                | 8392    | 4346      | 30F2  | JW500080 |
| ン                                | 8393    | 43BD      | 30F3  | JN000080 |
| ヴ                                | 8394    | 43D4      | 30F4  | JV000080 |
| カ                                | 8395    | 4359      | 30F5  | JK110080 |
| ケ                                | 8396    | 435A      | 30F6  | JK410080 |
| A                                | 839F    | 4161      | 0391  | GA020080 |
| B                                | 83A0    | 4162      | 0392  | GB020080 |
| Γ                                | 83A1    | 4163      | 0393  | GG020080 |
| Δ                                | 83A2    | 4164      | 0394  | GD020080 |
| E                                | 83A3    | 4165      | 0395  | GE020080 |
| Z                                | 83A4    | 4166      | 0396  | GZ020080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| H                                | 83A5    | 4167      | 0397  | GE320080 |
| Θ                                | 83A6    | 4168      | 0398  | GT620080 |
| I                                | 83A7    | 4169      | 0399  | GI020080 |
| K                                | 83A8    | 416A      | 039A  | GK020080 |
| Λ                                | 83A9    | 416B      | 039B  | GL020080 |
| M                                | 83AA    | 416C      | 039C  | GM020080 |
| N                                | 83AB    | 416D      | 039D  | GN020080 |
| Ξ                                | 83AC    | 416E      | 039E  | GX020080 |
| O                                | 83AD    | 416F      | 039F  | GO020080 |
| Π                                | 83AE    | 4170      | 03A0  | GP020080 |
| P                                | 83AF    | 4171      | 03A1  | GR020080 |
| Σ                                | 83B0    | 4172      | 03A3  | GS020080 |
| T                                | 83B1    | 4173      | 03A4  | GT020080 |
| Υ                                | 83B2    | 4174      | 03A5  | GU020080 |
| Φ                                | 83B3    | 4175      | 03A6  | GF020080 |
| X                                | 83B4    | 4176      | 03A7  | GH020080 |
| Ψ                                | 83B5    | 4177      | 03A8  | GP620080 |
| Ω                                | 83B6    | 4178      | 03A9  | GO320080 |
| α                                | 83BF    | 4141      | 03B1  | GA010080 |
| β                                | 83C0    | 4142      | 03B2  | GB010080 |
| γ                                | 83C1    | 4143      | 03B3  | GG010080 |
| δ                                | 83C2    | 4144      | 03B4  | GD010080 |
| ε                                | 83C3    | 4145      | 03B5  | GE010080 |
| ζ                                | 83C4    | 4146      | 03B6  | GZ010080 |
| η                                | 83C5    | 4147      | 03B7  | GE310080 |
| θ                                | 83C6    | 4148      | 03B8  | GT610082 |
| ι                                | 83C7    | 4149      | 03B9  | GI010080 |
| κ                                | 83C8    | 414A      | 03BA  | GK010080 |
| λ                                | 83C9    | 414B      | 03BB  | GL010080 |
| μ                                | 83CA    | 414C      | 03BC  | GM010080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ν                                | 83CB    | 414D      | 03BD  | GN010080 |
| ξ                                | 83CC    | 414E      | 03BE  | GX010080 |
| ο                                | 83CD    | 414F      | 03BF  | GO010080 |
| π                                | 83CE    | 4150      | 03C0  | GP010080 |
| ρ                                | 83CF    | 4151      | 03C1  | GR010080 |
| σ                                | 83D0    | 4152      | 03C3  | GS010080 |
| τ                                | 83D1    | 4153      | 03C4  | GT010080 |
| υ                                | 83D2    | 4154      | 03C5  | GU010080 |
| φ                                | 83D3    | 4155      | 03C6  | GF010081 |
| χ                                | 83D4    | 4156      | 03C7  | GH010080 |
| ϕ                                | 83D5    | 4157      | 03C8  | GP610080 |
| ω                                | 83D6    | 4158      | 03C9  | GO310080 |
| А                                | 8440    | 41C0      | 0410  | KA020080 |
| Б                                | 8441    | 41C1      | 0411  | KB020080 |
| В                                | 8442    | 41C2      | 0412  | KV020080 |
| Г                                | 8443    | 41C3      | 0413  | KG020080 |
| Д                                | 8444    | 41C4      | 0414  | KD020080 |
| Е                                | 8445    | 41C5      | 0415  | KE020080 |
| Ё                                | 8446    | 41C6      | 0401  | KE180080 |
| Ж                                | 8447    | 41C7      | 0416  | KZ220080 |
| З                                | 8448    | 41C8      | 0417  | KZ020080 |
| И                                | 8449    | 41C9      | 0418  | KI020080 |
| Й                                | 844A    | 41CA      | 0419  | KJ120080 |
| К                                | 844B    | 41CB      | 041A  | KK020080 |
| Л                                | 844C    | 41CC      | 041B  | KL020080 |
| М                                | 844D    | 41CD      | 041C  | KM020080 |
| Н                                | 844E    | 41CE      | 041D  | KN020080 |
| О                                | 844F    | 41CF      | 041E  | KO020080 |
| П                                | 8450    | 41D0      | 041F  | KP020080 |
| Р                                | 8451    | 41D1      | 0420  | KR020080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| С                                | 8452    | 41D2      | 0421  | KS020080 |
| Т                                | 8453    | 41D3      | 0422  | KT020080 |
| У                                | 8454    | 41D4      | 0423  | KU020080 |
| Ф                                | 8455    | 41D5      | 0424  | KF020080 |
| Х                                | 8456    | 41D6      | 0425  | KH020080 |
| Ц                                | 8457    | 41D7      | 0426  | KC020080 |
| Ч                                | 8458    | 41D8      | 0427  | KC220080 |
| Ш                                | 8459    | 41D9      | 0428  | KS220080 |
| Щ                                | 845A    | 41DA      | 0429  | KS160080 |
| Ъ                                | 845B    | 41DB      | 042A  | KU220080 |
| Ы                                | 845C    | 41DC      | 042B  | KY020080 |
| Ь                                | 845D    | 41DD      | 042C  | KX120080 |
| Э                                | 845E    | 41DE      | 042D  | KE140080 |
| Ю                                | 845F    | 41DF      | 042E  | KU160080 |
| Я                                | 8460    | 41E0      | 042F  | KA160080 |
| а                                | 8470    | 4180      | 0430  | KA010080 |
| б                                | 8471    | 4181      | 0431  | KB010080 |
| в                                | 8472    | 4182      | 0432  | KV010080 |
| г                                | 8473    | 4183      | 0433  | KG010080 |
| д                                | 8474    | 4184      | 0434  | KD010080 |
| е                                | 8475    | 4185      | 0435  | KE010080 |
| ё                                | 8476    | 4186      | 0451  | KE170080 |
| ж                                | 8477    | 4187      | 0436  | KZ210080 |
| з                                | 8478    | 4188      | 0437  | KZ010080 |
| и                                | 8479    | 4189      | 0438  | KI010080 |
| й                                | 847A    | 418A      | 0439  | KJ110080 |
| к                                | 847B    | 418B      | 043A  | KK010080 |
| л                                | 847C    | 418C      | 043B  | KL010080 |
| м                                | 847D    | 418D      | 043C  | KM010080 |
| н                                | 847E    | 418E      | 043D  | KN010080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| o                                | 8480    | 418F      | 043E  | KO010080 |
| п                                | 8481    | 4190      | 043F  | KP010080 |
| р                                | 8482    | 4191      | 0440  | KR010080 |
| с                                | 8483    | 4192      | 0441  | KS010080 |
| т                                | 8484    | 4193      | 0442  | KT010080 |
| у                                | 8485    | 4194      | 0443  | KU010080 |
| ф                                | 8486    | 4195      | 0444  | KF010080 |
| х                                | 8487    | 4196      | 0445  | KH010080 |
| ц                                | 8488    | 4197      | 0446  | KC010080 |
| ч                                | 8489    | 4198      | 0447  | KC210080 |
| ш                                | 848A    | 4199      | 0448  | KS210080 |
| щ                                | 848B    | 419A      | 0449  | KS150080 |
| ъ                                | 848C    | 419B      | 044A  | KU210080 |
| ы                                | 848D    | 419C      | 044B  | KY010080 |
| ь                                | 848E    | 419D      | 044C  | KX110080 |
| э                                | 848F    | 419E      | 044D  | KE130080 |
| ю                                | 8490    | 419F      | 044E  | KU150080 |
| я                                | 8491    | 41A0      | 044F  | KA150080 |
| —                                | 849F    | 437C      | 2500  | SF100080 |
|                                  | 84A0    | 437D      | 2502  | SF110080 |
| ┌                                | 84A1    | 437E      | 250C  | SF010080 |
| ┐                                | 84A2    | 437F      | 2510  | SF030080 |
| └                                | 84A3    | 43B0      | 2518  | SF040080 |
| ┘                                | 84A4    | 43B1      | 2514  | SF020080 |
| ┌                                | 84A5    | 43B2      | 251C  | SF080080 |
| ┐                                | 84A6    | 43B3      | 252C  | SF060080 |

| Table 11. Non-Kanji Set, DBCS-PC |         |           |       |          |
|----------------------------------|---------|-----------|-------|----------|
| Graphic                          | PC Code | Host Code | UCS-2 | GCGID    |
| ┌                                | 84A7    | 43B4      | 2524  | SF090080 |
| ┐                                | 84A8    | 43B5      | 2534  | SF070080 |
| └                                | 84A9    | 43B6      | 253C  | SF050080 |
| ┘                                | 84AA    | 43B7      | 2501  | SF100082 |
|                                  | 84AB    | 43B8      | 2503  | SF110082 |
| ┌                                | 84AC    | 43B9      | 250F  | SF010082 |
| ┐                                | 84AD    | 43E1      | 2513  | SF030082 |
| └                                | 84AE    | 43E2      | 251B  | SF040082 |
| ┘                                | 84AF    | 43E3      | 2517  | SF020082 |
| ┌                                | 84B0    | 43E4      | 2523  | SF080082 |
| ┐                                | 84B1    | 43E5      | 2533  | SF060082 |
| └                                | 84B2    | 43E6      | 252B  | SF090082 |
| ┘                                | 84B3    | 43E7      | 253B  | SF070082 |
| ┌                                | 84B4    | 43E8      | 254B  | SF050082 |
| ┐                                | 84B5    | 43E9      | 2520  | SF080083 |
| └                                | 84B6    | 43EA      | 252F  | SF060083 |
| ┘                                | 84B7    | 43EB      | 2528  | SF090083 |
| ┌                                | 84B8    | 43EC      | 2537  | SF070083 |
| ┐                                | 84B9    | 43ED      | 253F  | SF050083 |
| └                                | 84BA    | 43EE      | 251D  | SF080084 |
| ┘                                | 84BB    | 43EF      | 2530  | SF060084 |
| ┌                                | 84BC    | 43F0      | 2525  | SF090084 |
| ┐                                | 84BD    | 43F1      | 2538  | SF070084 |
| └                                | 84BE    | 43F2      | 2542  | SF050084 |
| ┘                                | FA54    | 425F      | FFE2  | SM660080 |
| ∴                                | FA5B    | 4478      | 2235  | SS540080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

9.3 Level 1 Kanji Set

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 垂       | 889F    | 4867      | 4E9C  | I17R0080 |
| 唾       | 88A0    | 54D4      | 5516  | I32S0080 |
| 娃       | 88A1    | 557A      | 5A03  | I35M0080 |
| 阿       | 88A2    | 46AE      | 963F  | I0Z20080 |
| 哀       | 88A3    | 4EF9      | 54C0  | I27T0080 |
| 愛       | 88A4    | 45C6      | 611B  | I0UE0080 |
| 挨       | 88A5    | 4F81      | 6328  | I29T0080 |
| 始       | 88A6    | 5179      | 59F6  | I2K90080 |
| 逢       | 88A7    | 4DCE      | 9022  | I21A0080 |
| 葵       | 88A8    | 50D9      | 8475  | I2HL0080 |
| 茜       | 88A9    | 50E2      | 831C  | I2HU0080 |
| 穉       | 88AA    | 509B      | 7A50  | I2FV0080 |
| 惡       | 88AB    | 4965      | 60AA  | I1D10080 |
| 握       | 88AC    | 4D60      | 63E1  | I1Y80080 |
| 渥       | 88AD    | 4E43      | 6E25  | I22R0080 |
| 旭       | 88AE    | 47EC      | 65ED  | I1640080 |
| 葦       | 88AF    | 4E72      | 8466  | I2420080 |
| 芦       | 88B0    | 4ADD      | 82A6  | I1LP0080 |
| 鱻       | 88B1    | 51F0      | 9C3A  | I2NK0080 |
| 梓       | 88B2    | 50DA      | 6893  | I2HM0080 |
| 庄       | 88B3    | 4782      | 5727  | I1360080 |
| 幹       | 88B4    | 5581      | 65A1  | I35T0080 |
| 扱       | 88B5    | 4C69      | 6271  | I1T50080 |
| 宛       | 88B6    | 50AB      | 5B9B  | I2GB0080 |
| 姐       | 88B7    | 549C      | 59D0  | I3180080 |
| 虻       | 88B8    | 5144      | 867B  | I2IS0080 |
| 飴       | 88B9    | 5245      | 98F4  | I2O50080 |
| 絢       | 88BA    | 4EF7      | 7D62  | I27R0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 綾       | 88BB    | 49DC      | 7DBE  | I1GC0080 |
| 鮎       | 88BC    | 4F8E      | 9B8E  | I2A60080 |
| 或       | 88BD    | 4D7F      | 6216  | I1Z30080 |
| 粟       | 88BE    | 4BFB      | 7C9F  | I1RV0080 |
| 袷       | 88BF    | 5448      | 88B7  | I2YW0080 |
| 安       | 88C0    | 45A8      | 5B89  | I0TK0080 |
| 庵       | 88C1    | 4EEB      | 5EB5  | I27F0080 |
| 按       | 88C2    | 5489      | 6309  | I30P0080 |
| 暗       | 88C3    | 4BE2      | 6697  | I1R60080 |
| 案       | 88C4    | 48F1      | 6848  | I1BL0080 |
| 闇       | 88C5    | 5364      | 95C7  | I2UC0080 |
| 鞍       | 88C6    | 504C      | 978D  | I2DO0080 |
| 杏       | 88C7    | 50D0      | 674F  | I2HC0080 |
| 以       | 88C8    | 46F6      | 4EE5  | I1120080 |
| 伊       | 88C9    | 45B2      | 4F0A  | I0TU0080 |
| 位       | 88CA    | 47C8      | 4F4D  | I1540080 |
| 依       | 88CB    | 4A9E      | 4F9D  | I1JY0080 |
| 偉       | 88CC    | 4DFB      | 5049  | I22J0080 |
| 圉       | 88CD    | 4AFA      | 56F2  | I1MI0080 |
| 夷       | 88CE    | 5147      | 5937  | I2IV0080 |
| 委       | 88CF    | 484F      | 59D4  | I1730080 |
| 威       | 88D0    | 4C65      | 5A01  | I1T10080 |
| 尉       | 88D1    | 5189      | 5C09  | I2KP0080 |
| 惟       | 88D2    | 4FE0      | 60DF  | I2CG0080 |
| 意       | 88D3    | 4763      | 610F  | I12B0080 |
| 慰       | 88D4    | 4FAD      | 6170  | I2B10080 |
| 易       | 88D5    | 47E9      | 6613  | I1610080 |
| 椅       | 88D6    | 4FF7      | 6905  | I2D30080 |
| 為       | 88D7    | 49D7      | 70BA  | I1G70080 |
| 畏       | 88D8    | 558F      | 754F  | I3670080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 異       | 88D9    | 4AA9      | 7570  | I1K90080 |
| 移       | 88DA    | 4975      | 79FB  | I1DH0080 |
| 維       | 88DB    | 4880      | 7DAD  | I18G0080 |
| 緯       | 88DC    | 4E9A      | 7DEF  | I2560080 |
| 胃       | 88DD    | 4DF6      | 80C3  | I22E0080 |
| 萎       | 88DE    | 5482      | 840E  | I30I0080 |
| 衣       | 88DF    | 4AEA      | 8863  | I1M20080 |
| 謂       | 88E0    | 5573      | 8B02  | I35F0080 |
| 違       | 88E1    | 49BC      | 9055  | I1FG0080 |
| 遺       | 88E2    | 4CDA      | 907A  | I1WA0080 |
| 医       | 88E3    | 4A87      | 533B  | I1JB0080 |
| 井       | 88E4    | 456D      | 4E95  | I0RX0080 |
| 亥       | 88E5    | 4F7F      | 4EA5  | I29R0080 |
| 域       | 88E6    | 48E9      | 57DF  | I1BD0080 |
| 育       | 88E7    | 48AC      | 80B2  | I19O0080 |
| 郁       | 88E8    | 49B3      | 90C1  | I1F70080 |
| 磯       | 88E9    | 48AA      | 78EF  | I19M0080 |
| 一       | 88EA    | 4541      | 4E00  | I0QP0080 |
| 壹       | 88EB    | 4EB0      | 58F1  | I25S0080 |
| 溢       | 88EC    | 5271      | 6EA2  | I2PD0080 |
| 逸       | 88ED    | 4AD6      | 9038  | I1LI0080 |
| 稻       | 88EE    | 476A      | 7A32  | I12I0080 |
| 茨       | 88EF    | 474C      | 8328  | I11O0080 |
| 芋       | 88F0    | 519A      | 828B  | I2L60080 |
| 鱒       | 88F1    | 55C8      | 9C2F  | I37S0080 |
| 允       | 88F2    | 4C91      | 5141  | I1U90080 |
| 印       | 88F3    | 4799      | 5370  | I13T0080 |
| 咽       | 88F4    | 52B1      | 54BD  | I2R50080 |
| 員       | 88F5    | 46CB      | 54E1  | I0ZV0080 |
| 因       | 88F6    | 4A49      | 56E0  | I1HL0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 姻       | 88F7    | 52B9      | 59FB  | I2RD0080 |
| 引       | 88F8    | 46DA      | 5F15  | I10A0080 |
| 飲       | 88F9    | 4BA3      | 98F2  | I1PF0080 |
| 淫       | 88FA    | 554E      | 6DEB  | I34E0080 |
| 胤       | 88FB    | 4EE9      | 80E4  | I27D0080 |
| 蔭       | 88FC    | 4E8B      | 852D  | I24R0080 |
| 院       | 8940    | 49D8      | 9662  | I1G80080 |
| 陰       | 8941    | 4CD2      | 9670  | I1W20080 |
| 隱       | 8942    | 4EAE      | 96A0  | I25Q0080 |
| 韻       | 8943    | 5577      | 97FB  | I35J0080 |
| 吋       | 8944    | 55BC      | 540B  | I37G0080 |
| 右       | 8945    | 485A      | 53F3  | I17E0080 |
| 宇       | 8946    | 46D5      | 5B87  | I1050080 |
| 烏       | 8947    | 5099      | 70CF  | I2FT0080 |
| 羽       | 8948    | 478F      | 7FBD  | I13J0080 |
| 迂       | 8949    | 55DF      | 8FC2  | I38F0080 |
| 雨       | 894A    | 49DD      | 96E8  | I1GD0080 |
| 卯       | 894B    | 4C82      | 536F  | I1TU0080 |
| 鶉       | 894C    | 4BE7      | 9D5C  | I1RB0080 |
| 窺       | 894D    | 559E      | 7ABA  | I36M0080 |
| 丑       | 894E    | 4DEC      | 4E11  | I2240080 |
| 確       | 894F    | 4FB1      | 7893  | I2B50080 |
| 白       | 8950    | 4A89      | 81FC  | I1JD0080 |
| 渦       | 8951    | 51A0      | 6E26  | I2LC0080 |
| 嘘       | 8952    | 50F3      | 5618  | I2IB0080 |
| 唄       | 8953    | 4CDB      | 5504  | I1WB0080 |
| 鬱       | 8954    | 55F7      | 6B1D  | I3930080 |
| 蔚       | 8955    | 549A      | 851A  | I3160080 |
| 鰻       | 8956    | 54AB      | 9C3B  | I31N0080 |
| 姥       | 8957    | 5255      | 59E5  | I2OL0080 |





## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 廐       | 8958    | 5367      | 53A9  | I2UF0080 |
| 浦       | 8959    | 466B      | 6D66  | I0X70080 |
| 瓜       | 895A    | 4E64      | 74DC  | I23O0080 |
| 閏       | 895B    | 545F      | 958F  | I2ZJ0080 |
| 樽       | 895C    | 529B      | 5642  | I2QJ0080 |
| 云       | 895D    | 499D      | 4E91  | I1EL0080 |
| 運       | 895E    | 46AB      | 904B  | I0YZ0080 |
| 雲       | 895F    | 4ABC      | 96F2  | I1KS0080 |
| 荏       | 8960    | 515F      | 834F  | I2JJ0080 |
| 餌       | 8961    | 50A7      | 990C  | I2G70080 |
| 叡       | 8962    | 5194      | 53E1  | I2L00080 |
| 營       | 8963    | 48D3      | 55B6  | I1AR0080 |
| 嬰       | 8964    | 55E8      | 5B30  | I38O0080 |
| 影       | 8965    | 495E      | 5F71  | I1CU0080 |
| 映       | 8966    | 47AC      | 6620  | I14C0080 |
| 曳       | 8967    | 4EBC      | 66F3  | I2640080 |
| 榮       | 8968    | 45FA      | 6804  | I0VU0080 |
| 永       | 8969    | 45FB      | 6C38  | I0VV0080 |
| 泳       | 896A    | 4F57      | 6CF3  | I28N0080 |
| 洩       | 896B    | 50B7      | 6D29  | I2GN0080 |
| 瑛       | 896C    | 4F52      | 745B  | I28I0080 |
| 盈       | 896D    | 51B5      | 76C8  | I2LX0080 |
| 穎       | 896E    | 5254      | 7A4E  | I2OK0080 |
| 穎       | 896F    | 5576      | 9834  | I35I0080 |
| 英       | 8970    | 45EE      | 82F1  | I0VI0080 |
| 衛       | 8971    | 4780      | 885B  | I1340080 |
| 詠       | 8972    | 51C1      | 8A60  | I2M90080 |
| 銳       | 8973    | 4D6F      | 92ED  | I1YN0080 |
| 液       | 8974    | 4A45      | 6DB2  | I1HH0080 |
| 疫       | 8975    | 50CE      | 75AB  | I2HA0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 益       | 8976    | 4774      | 76CA  | I12S0080 |
| 馱       | 8977    | 49AC      | 99C5  | I1F00080 |
| 悅       | 8978    | 4873      | 60A6  | I1830080 |
| 謁       | 8979    | 54E5      | 8B01  | I3390080 |
| 越       | 897A    | 46DF      | 8D8A  | I10F0080 |
| 閱       | 897B    | 5177      | 95B2  | I2K70080 |
| 榎       | 897C    | 49EB      | 698E  | I1GR0080 |
| 厭       | 897D    | 53B7      | 53AD  | I2WN0080 |
| 円       | 897E    | 4645      | 5186  | I0W50080 |
| 園       | 8980    | 47E1      | 5712  | I15T0080 |
| 堰       | 8981    | 50A4      | 5830  | I2G40080 |
| 奄       | 8982    | 52F2      | 5944  | I2SY0080 |
| 宴       | 8983    | 5078      | 5BB4  | I2EW0080 |
| 延       | 8984    | 47D0      | 5EF6  | I15C0080 |
| 怨       | 8985    | 54DE      | 6028  | I3320080 |
| 掩       | 8986    | 55D0      | 63A9  | I3800080 |
| 援       | 8987    | 4AD5      | 63F4  | I1LH0080 |
| 沿       | 8988    | 4E6F      | 6CBF  | I23Z0080 |
| 演       | 8989    | 49ED      | 6F14  | I1GT0080 |
| 炎       | 898A    | 4DAD      | 708E  | I20D0080 |
| 焰       | 898B    | 53EE      | 7114  | I2Y60080 |
| 煙       | 898C    | 4BDD      | 7159  | I1R10080 |
| 燕       | 898D    | 5047      | 71D5  | I2DJ0080 |
| 猿       | 898E    | 4C5A      | 733F  | I1SQ0080 |
| 縁       | 898F    | 4BAA      | 7E01  | I1PM0080 |
| 艶       | 8990    | 4D54      | 8276  | I1XW0080 |
| 苑       | 8991    | 504B      | 82D1  | I2DN0080 |
| 蘭       | 8992    | 4CEC      | 8597  | I1WS0080 |
| 遠       | 8993    | 46E3      | 9060  | I10J0080 |
| 鉛       | 8994    | 49D4      | 925B  | I1G40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 鴛                                    | 8995    | 52C3      | 9D1B  | I2RN0080 |
| 塩                                    | 8996    | 4743      | 5869  | I11F0080 |
| 於                                    | 8997    | 4DA4      | 65BC  | I2040080 |
| 汚                                    | 8998    | 4E82      | 6C5A  | I24I0080 |
| 甥                                    | 8999    | 55D7      | 7525  | I3870080 |
| 凹                                    | 899A    | 50E6      | 51F9  | I2HY0080 |
| 央                                    | 899B    | 4792      | 592E  | I13M0080 |
| 奥                                    | 899C    | 46E5      | 5965  | I10L0080 |
| 往                                    | 899D    | 4CEA      | 5F80  | I1WQ0080 |
| 応                                    | 899E    | 4895      | 5FDC  | I1910080 |
| 押                                    | 899F    | 49E1      | 62BC  | I1GH0080 |
| 旺                                    | 89A0    | 4FA3      | 65FA  | I2AR0080 |
| 横                                    | 89A1    | 45F2      | 6A2A  | I0VM0080 |
| 欧                                    | 89A2    | 4AA0      | 6B27  | I1K00080 |
| 殴                                    | 89A3    | 5459      | 6BB4  | I2ZD0080 |
| 王                                    | 89A4    | 49B1      | 738B  | I1F50080 |
| 翁                                    | 89A5    | 4FFB      | 7FC1  | I2D70080 |
| 襖                                    | 89A6    | 546C      | 8956  | I2ZW0080 |
| 鶯                                    | 89A7    | 50E5      | 9DAF  | I2HX0080 |
| 鷗                                    | 89A8    | 5464      | 9D0E  | I2ZO0080 |
| 黄                                    | 89A9    | 4AC6      | 9EC4  | I1L20080 |
| 岡                                    | 89AA    | 4572      | 5CA1  | I0S20080 |
| 冲                                    | 89AB    | 47FD      | 6C96  | I16L0080 |
| 荻                                    | 89AC    | 49E0      | 837B  | I1GG0080 |
| 億                                    | 89AD    | 454E      | 5104  | I0R20080 |
| 屋                                    | 89AE    | 45E9      | 5C4B  | I0VD0080 |
| 憶                                    | 89AF    | 4E6C      | 61B6  | I23W0080 |
| 臆                                    | 89B0    | 5474      | 81C6  | I3040080 |
| 桶                                    | 89B1    | 4E77      | 6876  | I2470080 |
| 牡                                    | 89B2    | 509A      | 7261  | I2FU0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 乙                                    | 89B3    | 4BBD      | 4E59  | I1Q50080 |
| 俺                                    | 89B4    | 4E67      | 4FFA  | I23R0080 |
| 卸                                    | 89B5    | 4E79      | 5378  | I2490080 |
| 恩                                    | 89B6    | 4C81      | 6069  | I1TT0080 |
| 温                                    | 89B7    | 4950      | 6E29  | I1CG0080 |
| 穩                                    | 89B8    | 50B8      | 7A4F  | I2GO0080 |
| 音                                    | 89B9    | 484D      | 97F3  | I1710080 |
| 下                                    | 89BA    | 455F      | 4E0B  | I0RJ0080 |
| 化                                    | 89BB    | 4590      | 5316  | I0SW0080 |
| 仮                                    | 89BC    | 4D71      | 4EEE  | I1YP0080 |
| 何                                    | 89BD    | 4770      | 4F55  | I12O0080 |
| 伽                                    | 89BE    | 5461      | 4F3D  | I2ZL0080 |
| 伽                                    | 89BF    | 475A      | 4FA1  | I1220080 |
| 佳                                    | 89C0    | 4876      | 4F73  | I1860080 |
| 加                                    | 89C1    | 459F      | 52A0  | I0TB0080 |
| 可                                    | 89C2    | 47C6      | 53EF  | I1520080 |
| 嘉                                    | 89C3    | 477E      | 5609  | I1320080 |
| 夏                                    | 89C4    | 497E      | 590F  | I1DQ0080 |
| 嫁                                    | 89C5    | 4E89      | 5AC1  | I24P0080 |
| 家                                    | 89C6    | 4686      | 5BB6  | I0XY0080 |
| 寡                                    | 89C7    | 52B8      | 5BE1  | I2RC0080 |
| 科                                    | 89C8    | 48ED      | 79D1  | I1BH0080 |
| 暇                                    | 89C9    | 4F46      | 6687  | I2860080 |
| 果                                    | 89CA    | 47B9      | 679C  | I14P0080 |
| 架                                    | 89CB    | 4EE8      | 67B6  | I27C0080 |
| 歌                                    | 89CC    | 46F7      | 6B4C  | I1130080 |
| 河                                    | 89CD    | 465A      | 6CB3  | I0WQ0080 |
| 火                                    | 89CE    | 4785      | 706B  | I1390080 |
| 珂                                    | 89CF    | 4C9A      | 73C2  | I1UI0080 |
| 禍                                    | 89D0    | 5286      | 798D  | I2PY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 禾       | 89D1    | 5463      | 79BE  | I2ZN0080 |
| 稼       | 89D2    | 4DBE      | 7A3C  | I20U0080 |
| 箇       | 89D3    | 4F51      | 7B87  | I28H0080 |
| 花       | 89D4    | 46D9      | 82B1  | I1090080 |
| 苛       | 89D5    | 5377      | 82DB  | I2UV0080 |
| 茄       | 89D6    | 547A      | 8304  | I30A0080 |
| 荷       | 89D7    | 4BA1      | 8377  | I1PD0080 |
| 華       | 89D8    | 4B6C      | 83EF  | I1NW0080 |
| 菓       | 89D9    | 4C51      | 83D3  | I1SH0080 |
| 蝦       | 89DA    | 51C3      | 8766  | I2MB0080 |
| 課       | 89DB    | 49D6      | 8AB2  | I1G60080 |
| 嘩       | 89DC    | 52CA      | 5629  | I2RU0080 |
| 貨       | 89DD    | 4AEB      | 8CA8  | I1M30080 |
| 迦       | 89DE    | 535D      | 8FE6  | I2U50080 |
| 過       | 89DF    | 488D      | 904E  | I18T0080 |
| 霞       | 89E0    | 4EE4      | 971E  | I2780080 |
| 蚊       | 89E1    | 4FAA      | 868A  | I2AY0080 |
| 俄       | 89E2    | 54C7      | 4FC4  | I32F0080 |
| 峨       | 89E3    | 4F9D      | 5CE8  | I2AL0080 |
| 我       | 89E4    | 49DE      | 6211  | I1GE0080 |
| 牙       | 89E5    | 53FC      | 7259  | I2YK0080 |
| 画       | 89E6    | 4677      | 753B  | I0XJ0080 |
| 臥       | 89E7    | 538A      | 81E5  | I2VE0080 |
| 芽       | 89E8    | 4EBA      | 82BD  | I2620080 |
| 蛾       | 89E9    | 5599      | 86FE  | I36H0080 |
| 賀       | 89EA    | 4641      | 8CC0  | I0W10080 |
| 雅       | 89EB    | 4745      | 96C5  | I11H0080 |
| 餓       | 89EC    | 554B      | 9913  | I34B0080 |
| 駕       | 89ED    | 53BE      | 99D5  | I2WU0080 |
| 介       | 89EE    | 484B      | 4ECB  | I16Z0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 会       | 89EF    | 45BD      | 4F1A  | I0U50080 |
| 解       | 89F0    | 47B7      | 89E3  | I14N0080 |
| 回       | 89F1    | 46A9      | 56DE  | I0YX0080 |
| 塊       | 89F2    | 5053      | 584A  | I2DV0080 |
| 壞       | 89F3    | 4EC8      | 58CA  | I26G0080 |
| 廻       | 89F4    | 4BAF      | 5EFB  | I1PR0080 |
| 快       | 89F5    | 4C60      | 5FEB  | I1SW0080 |
| 怪       | 89F6    | 4E71      | 602A  | I2410080 |
| 悔       | 89F7    | 5091      | 6094  | I2FL0080 |
| 恢       | 89F8    | 5594      | 6062  | I36C0080 |
| 懷       | 89F9    | 4EF2      | 61D0  | I27M0080 |
| 戒       | 89FA    | 4DA0      | 6212  | I2000080 |
| 拐       | 89FB    | 53A2      | 62D0  | I2W20080 |
| 改       | 89FC    | 488F      | 6539  | I18V0080 |
| 魁       | 8A40    | 52CB      | 9B41  | I2RV0080 |
| 晦       | 8A41    | 556D      | 6666  | I3590080 |
| 械       | 8A42    | 4682      | 68B0  | I0XU0080 |
| 海       | 8A43    | 45A7      | 6D77  | I0TJ0080 |
| 灰       | 8A44    | 4AF5      | 7070  | I1MD0080 |
| 界       | 8A45    | 47AE      | 754C  | I14E0080 |
| 皆       | 8A46    | 4AB0      | 7686  | I1KG0080 |
| 繪       | 8A47    | 4AE4      | 7D75  | I1LW0080 |
| 芥       | 8A48    | 4F7B      | 82A5  | I29N0080 |
| 蟹       | 8A49    | 5090      | 87F9  | I2FK0080 |
| 開       | 8A4A    | 46CD      | 958B  | I0ZX0080 |
| 階       | 8A4B    | 49A9      | 968E  | I1EX0080 |
| 貝       | 8A4C    | 49EA      | 8C9D  | I1GQ0080 |
| 凱       | 8A4D    | 51AC      | 51F1  | I2LO0080 |
| 劾       | 8A4E    | 556A      | 52BE  | I3560080 |
| 外       | 8A4F    | 4694      | 5916  | I0YC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 咳       | 8A50    | 53E9      | 54B3  | I2Y10080 |
| 害       | 8A51    | 4968      | 5BB3  | I1D40080 |
| 崖       | 8A52    | 5074      | 5D16  | I2ES0080 |
| 慨       | 8A53    | 528A      | 6168  | I2Q20080 |
| 概       | 8A54    | 4C42      | 6982  | I1S20080 |
| 涯       | 8A55    | 4F91      | 6DAF  | I2A90080 |
| 碍       | 8A56    | 5356      | 788D  | I2TY0080 |
| 蓋       | 8A57    | 4F6D      | 84CB  | I2990080 |
| 街       | 8A58    | 4BA5      | 8857  | I1PH0080 |
| 該       | 8A59    | 4D8D      | 8A72  | I1ZH0080 |
| 鎧       | 8A5A    | 546D      | 93A7  | I2ZX0080 |
| 骸       | 8A5B    | 559C      | 9AB8  | I36K0080 |
| 湮       | 8A5C    | 55CC      | 6D6C  | I37W0080 |
| 馨       | 8A5D    | 4B85      | 99A8  | I1OL0080 |
| 蛙       | 8A5E    | 55BB      | 86D9  | I37F0080 |
| 垣       | 8A5F    | 47CE      | 57A3  | I15A0080 |
| 柿       | 8A60    | 4AC1      | 67FF  | I1KX0080 |
| 蠣       | 8A61    | 5351      | 8823  | I2TT0080 |
| 鈎       | 8A62    | 538F      | 920E  | I2VJ0080 |
| 劃       | 8A63    | 55D6      | 5283  | I3860080 |
| 嚇       | 8A64    | 55D8      | 5687  | I3880080 |
| 各       | 8A65    | 47BA      | 5404  | I14Q0080 |
| 廓       | 8A66    | 54AD      | 5ED3  | I31P0080 |
| 扞       | 8A67    | 48E5      | 62E1  | I1B90080 |
| 攪       | 8A68    | 527F      | 652A  | I2PR0080 |
| 格       | 8A69    | 47DE      | 683C  | I15Q0080 |
| 核       | 8A6A    | 4B9E      | 6838  | I1PA0080 |
| 殼       | 8A6B    | 50C0      | 6BBB  | I2GW0080 |
| 獲       | 8A6C    | 4D61      | 7372  | I1Y90080 |
| 確       | 8A6D    | 487A      | 78BA  | I18A0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 穫       | 8A6E    | 4F5C      | 7A6B  | I28S0080 |
| 覺       | 8A6F    | 4A4C      | 899A  | I1HO0080 |
| 角       | 8A70    | 477D      | 89D2  | I1310080 |
| 赫       | 8A71    | 53CC      | 8D6B  | I2X80080 |
| 較       | 8A72    | 4A5A      | 8F03  | I1120080 |
| 郭       | 8A73    | 5162      | 90ED  | I2JM0080 |
| 閣       | 8A74    | 4AE9      | 95A3  | I1M10080 |
| 隔       | 8A75    | 505A      | 9694  | I2E20080 |
| 革       | 8A76    | 4AA3      | 9769  | I1K30080 |
| 学       | 8A77    | 45BE      | 5B66  | I0U60080 |
| 岳       | 8A78    | 4D46      | 5CB3  | I1XI0080 |
| 樂       | 8A79    | 4761      | 697D  | I1290080 |
| 額       | 8A7A    | 47F1      | 984D  | I1690080 |
| 顎       | 8A7B    | 548E      | 984E  | I30U0080 |
| 掛       | 8A7C    | 4AE3      | 639B  | I1LV0080 |
| 笠       | 8A7D    | 47E0      | 7B20  | I15S0080 |
| 檉       | 8A7E    | 4B6F      | 6A2B  | I1NZ0080 |
| 檣       | 8A80    | 4FB2      | 6A7F  | I2B60080 |
| 梶       | 8A81    | 49AD      | 68B6  | I1F10080 |
| 鰵       | 8A82    | 5571      | 9C0D  | I35D0080 |
| 瀉       | 8A83    | 46C2      | 6F5F  | I0ZM0080 |
| 割       | 8A84    | 47D6      | 5272  | I15I0080 |
| 喝       | 8A85    | 5475      | 559D  | I3050080 |
| 恰       | 8A86    | 5384      | 6070  | I2V80080 |
| 括       | 8A87    | 4FC5      | 62EC  | I2BP0080 |
| 活       | 8A88    | 47B4      | 6D3B  | I14K0080 |
| 渴       | 8A89    | 5441      | 6E07  | I2YP0080 |
| 滑       | 8A8A    | 4BA2      | 6ED1  | I1PE0080 |
| 葛       | 8A8B    | 48DF      | 845B  | I1B30080 |
| 褐       | 8A8C    | 545E      | 8910  | I2ZI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 轄       | 8A8D    | 50FE      | 8F44  | I2IM0080 |
| 且       | 8A8E    | 4F97      | 4E14  | I2AF0080 |
| 鯉       | 8A8F    | 53D5      | 9C39  | I2XH0080 |
| 叶       | 8A90    | 4F59      | 53F6  | I28P0080 |
| 椈       | 8A91    | 5163      | 691B  | I2JN0080 |
| 樺       | 8A92    | 4E69      | 6A3A  | I23T0080 |
| 鞆       | 8A93    | 5445      | 9784  | I2YT0080 |
| 株       | 8A94    | 4856      | 682A  | I17A0080 |
| 兜       | 8A95    | 51BE      | 515C  | I2M60080 |
| 竈       | 8A96    | 52F0      | 7AC8  | I2SW0080 |
| 蒲       | 8A97    | 49B2      | 84B2  | I1F60080 |
| 釜       | 8A98    | 4ACC      | 91DC  | I1L80080 |
| 鎌       | 8A99    | 4962      | 938C  | I1CY0080 |
| 囁       | 8A9A    | 547D      | 565B  | I30D0080 |
| 鳴       | 8A9B    | 4C54      | 9D28  | I1SK0080 |
| 栢       | 8A9C    | 5242      | 6822  | I2O20080 |
| 茅       | 8A9D    | 4BD3      | 8305  | I1QR0080 |
| 萱       | 8A9E    | 4F7C      | 8431  | I29O0080 |
| 粥       | 8A9F    | 52AB      | 7CA5  | I2QZ0080 |
| 刈       | 8AA0    | 4B9B      | 5208  | I1P70080 |
| 苻       | 8AA1    | 4E5D      | 82C5  | I23H0080 |
| 瓦       | 8AA2    | 49C2      | 74E6  | I1FM0080 |
| 乾       | 8AA3    | 4970      | 4E7E  | I1DC0080 |
| 侃       | 8AA4    | 4F98      | 4F83  | I2AG0080 |
| 冠       | 8AA5    | 4E7B      | 51A0  | I24B0080 |
| 寒       | 8AA6    | 4B81      | 5BD2  | I1OH0080 |
| 刊       | 8AA7    | 4CD7      | 520A  | I1W70080 |
| 勘       | 8AA8    | 4B9A      | 52D8  | I1P60080 |
| 勸       | 8AA9    | 4C7E      | 52E7  | I1TQ0080 |
| 卷       | 8AAA    | 4893      | 5DFB  | I18Z0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 喚       | 8AAB    | 52B5      | 559A  | I2R90080 |
| 堪       | 8AAC    | 4FAC      | 582A  | I2B00080 |
| 姦       | 8AAD    | 55DE      | 59E6  | I38E0080 |
| 完       | 8AAE    | 48C5      | 5B8C  | I1AD0080 |
| 官       | 8AAF    | 49A2      | 5B98  | I1EQ0080 |
| 寬       | 8AB0    | 47F8      | 5BDB  | I16G0080 |
| 干       | 8AB1    | 4A6F      | 5E72  | I1IN0080 |
| 幹       | 8AB2    | 48DA      | 5E79  | I1AY0080 |
| 患       | 8AB3    | 4DEB      | 60A3  | I2230080 |
| 感       | 8AB4    | 47F7      | 611F  | I16F0080 |
| 慣       | 8AB5    | 4DD3      | 6163  | I21F0080 |
| 憾       | 8AB6    | 51A5      | 61BE  | I2LH0080 |
| 換       | 8AB7    | 49AA      | 63DB  | I1EY0080 |
| 敢       | 8AB8    | 4FCF      | 6562  | I2BZ0080 |
| 柑       | 8AB9    | 4EC1      | 67D1  | I2690080 |
| 桓       | 8ABA    | 536D      | 6853  | I2UL0080 |
| 棺       | 8ABB    | 55B6      | 68FA  | I37A0080 |
| 款       | 8ABC    | 4EFB      | 6B3E  | I27V0080 |
| 歛       | 8ABD    | 4D4E      | 6B53  | I1XQ0080 |
| 汗       | 8ABE    | 4EC4      | 6C57  | I26C0080 |
| 漢       | 8ABF    | 4F58      | 6F22  | I28O0080 |
| 澗       | 8AC0    | 54BA      | 6F97  | I3220080 |
| 灌       | 8AC1    | 53EA      | 704C  | I2Y20080 |
| 環       | 8AC2    | 4AB9      | 74B0  | I1KP0080 |
| 甘       | 8AC3    | 4B55      | 7518  | I1N90080 |
| 監       | 8AC4    | 49E3      | 76E3  | I1GJ0080 |
| 看       | 8AC5    | 4DA2      | 770B  | I2020080 |
| 竿       | 8AC6    | 5287      | 7AFF  | I2PZ0080 |
| 管       | 8AC7    | 46F2      | 7BA1  | I10Y0080 |
| 簡       | 8AC8    | 4BEC      | 7C21  | I1RG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 緩                                    | 8AC9    | 4CFC      | 7DE9  | I1X80080 |
| 缶                                    | 8ACA    | 5084      | 7F36  | I2F80080 |
| 翰                                    | 8ACB    | 54B6      | 7FF0  | I31Y0080 |
| 肝                                    | 8ACC    | 4C8C      | 809D  | I1U40080 |
| 艦                                    | 8ACD    | 4C4A      | 8266  | I1SA0080 |
| 莞                                    | 8ACE    | 51EE      | 839E  | I2NI0080 |
| 観                                    | 8ACF    | 487E      | 89B3  | I18E0080 |
| 諫                                    | 8AD0    | 4E96      | 8AEB  | I2520080 |
| 貫                                    | 8AD1    | 49A1      | 8CAB  | I1EP0080 |
| 還                                    | 8AD2    | 4DA9      | 9084  | I2090080 |
| 鑑                                    | 8AD3    | 4E4E      | 9451  | I2320080 |
| 間                                    | 8AD4    | 45C1      | 9593  | I0U90080 |
| 閑                                    | 8AD5    | 4DD9      | 9591  | I21L0080 |
| 関                                    | 8AD6    | 45C5      | 95A2  | I0UD0080 |
| 陥                                    | 8AD7    | 4FFE      | 9665  | I2DA0080 |
| 韓                                    | 8AD8    | 4E75      | 97D3  | I2450080 |
| 館                                    | 8AD9    | 4862      | 9928  | I17M0080 |
| 館                                    | 8ADA    | 4CAA      | 8218  | I1UY0080 |
| 丸                                    | 8ADB    | 467A      | 4E38  | I0XM0080 |
| 含                                    | 8ADC    | 49CB      | 542B  | I1FV0080 |
| 岸                                    | 8ADD    | 4748      | 5CB8  | I11K0080 |
| 巖                                    | 8ADE    | 49CF      | 5DCC  | I1FZ0080 |
| 玩                                    | 8ADF    | 4E4C      | 73A9  | I2300080 |
| 癌                                    | 8AE0    | 5447      | 764C  | I2YV0080 |
| 眼                                    | 8AE1    | 49A5      | 773C  | I1ET0080 |
| 岩                                    | 8AE2    | 45BF      | 5CA9  | I0U70080 |
| 翫                                    | 8AE3    | 558B      | 7FEB  | I3630080 |
| 贗                                    | 8AE4    | 5584      | 8D0B  | I35W0080 |
| 雁                                    | 8AE5    | 51A4      | 96C1  | I2LG0080 |
| 頑                                    | 8AE6    | 539D      | 9811  | I2VX0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 顔                                    | 8AE7    | 48B8      | 9854  | I1A00080 |
| 願                                    | 8AE8    | 4C57      | 9858  | I1SN0080 |
| 企                                    | 8AE9    | 47D2      | 4F01  | I15E0080 |
| 伎                                    | 8AEA    | 4E9F      | 4F0E  | I25B0080 |
| 危                                    | 8AEB    | 4B91      | 5371  | I1OX0080 |
| 喜                                    | 8AEC    | 45D1      | 559C  | I0UP0080 |
| 器                                    | 8AED    | 45FC      | 5668  | I0VW0080 |
| 基                                    | 8AEE    | 46F1      | 57FA  | I10X0080 |
| 奇                                    | 8AEF    | 4D69      | 5947  | I1YH0080 |
| 嬉                                    | 8AF0    | 4F8B      | 5B09  | I2A30080 |
| 寄                                    | 8AF1    | 49DF      | 5BC4  | I1GF0080 |
| 岐                                    | 8AF2    | 474A      | 5C90  | I11M0080 |
| 希                                    | 8AF3    | 4AB5      | 5E0C  | I1KL0080 |
| 幾                                    | 8AF4    | 4B57      | 5E7E  | I1NB0080 |
| 忌                                    | 8AF5    | 5097      | 5FCC  | I2FR0080 |
| 揮                                    | 8AF6    | 4BF2      | 63EE  | I1RM0080 |
| 机                                    | 8AF7    | 4D96      | 673A  | I1ZQ0080 |
| 旗                                    | 8AF8    | 4DAB      | 65D7  | I20B0080 |
| 既                                    | 8AF9    | 4B77      | 65E2  | I1O70080 |
| 期                                    | 8AFA    | 468B      | 671F  | I0Y30080 |
| 棋                                    | 8AFB    | 4EF1      | 68CB  | I27L0080 |
| 棄                                    | 8AFC    | 4EB1      | 68C4  | I25T0080 |
| 機                                    | 8B40    | 4579      | 6A5F  | I0S90080 |
| 帰                                    | 8B41    | 4982      | 5E30  | I1DU0080 |
| 毅                                    | 8B42    | 4A5B      | 6BC5  | I1I30080 |
| 気                                    | 8B43    | 45B9      | 6C17  | I0U10080 |
| 汽                                    | 8B44    | 494C      | 6C7D  | I1CC0080 |
| 畿                                    | 8B45    | 50D4      | 757F  | I2HG0080 |
| 祈                                    | 8B46    | 4ED8      | 7948  | I26W0080 |
| 季                                    | 8B47    | 4AEC      | 5B63  | I1M40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 稀       | 8B48    | 5264      | 7A00  | I2P00080 |
| 紀       | 8B49    | 46DB      | 7D00  | I10B0080 |
| 徽       | 8B4A    | 55E0      | 5FBD  | I38G0080 |
| 規       | 8B4B    | 46FB      | 898F  | I1170080 |
| 記       | 8B4C    | 4794      | 8A18  | I13O0080 |
| 貴       | 8B4D    | 487F      | 8CB4  | I18F0080 |
| 起       | 8B4E    | 48D0      | 8D77  | I1A00080 |
| 軌       | 8B4F    | 4DAA      | 8ECC  | I20A0080 |
| 輝       | 8B50    | 4787      | 8F1D  | I13B0080 |
| 飢       | 8B51    | 53CE      | 98E2  | I2XA0080 |
| 騎       | 8B52    | 5058      | 9A0E  | I2E00080 |
| 鬼       | 8B53    | 4AC8      | 9B3C  | I1L40080 |
| 龜       | 8B54    | 47C0      | 4E80  | I14W0080 |
| 偽       | 8B55    | 5059      | 507D  | I2E10080 |
| 儀       | 8B56    | 49CA      | 5100  | I1FU0080 |
| 妓       | 8B57    | 5395      | 5993  | I2VP0080 |
| 宜       | 8B58    | 4D8B      | 5B9C  | I1ZF0080 |
| 戲       | 8B59    | 4F92      | 622F  | I2AA0080 |
| 技       | 8B5A    | 48F7      | 6280  | I1BR0080 |
| 擬       | 8B5B    | 4FCD      | 64EC  | I2BX0080 |
| 欺       | 8B5C    | 517D      | 6B3A  | I2KD0080 |
| 犧       | 8B5D    | 4FDC      | 72A0  | I2CC0080 |
| 疑       | 8B5E    | 4CB4      | 7591  | I1V80080 |
| 祇       | 8B5F    | 5192      | 7947  | I2KY0080 |
| 義       | 8B60    | 4598      | 7FA9  | I0T40080 |
| 蟻       | 8B61    | 51C6      | 87FB  | I2ME0080 |
| 誼       | 8B62    | 5265      | 8ABC  | I2P10080 |
| 議       | 8B63    | 4781      | 8B70  | I1350080 |
| 掬       | 8B64    | 5541      | 63AC  | I3410080 |
| 菊       | 8B65    | 46D7      | 83CA  | I1070080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鞠       | 8B66    | 51ED      | 97A0  | I2NH0080 |
| 吉       | 8B67    | 457E      | 5409  | I0SE0080 |
| 吃       | 8B68    | 55EA      | 5403  | I38Q0080 |
| 喫       | 8B69    | 4D6D      | 55AB  | I1YL0080 |
| 桔       | 8B6A    | 534B      | 6854  | I2TN0080 |
| 橘       | 8B6B    | 4BC2      | 6A58  | I1QA0080 |
| 詰       | 8B6C    | 4B5F      | 8A70  | I1NJ0080 |
| 砧       | 8B6D    | 5248      | 7827  | I2O80080 |
| 杵       | 8B6E    | 4AA6      | 6775  | I1K60080 |
| 黍       | 8B6F    | 55AE      | 9ECD  | I3720080 |
| 却       | 8B70    | 4AA4      | 5374  | I1K40080 |
| 客       | 8B71    | 4ADE      | 5BA2  | I1LQ0080 |
| 脚       | 8B72    | 4D5C      | 811A  | I1Y40080 |
| 虐       | 8B73    | 5260      | 8650  | I2OW0080 |
| 逆       | 8B74    | 4BFC      | 9006  | I1RW0080 |
| 丘       | 8B75    | 4D56      | 4E18  | I1XY0080 |
| 久       | 8B76    | 458A      | 4E45  | I0SQ0080 |
| 仇       | 8B77    | 5085      | 4EC7  | I2F90080 |
| 休       | 8B78    | 4A81      | 4F11  | I1J50080 |
| 及       | 8B79    | 485C      | 53CA  | I17G0080 |
| 吸       | 8B7A    | 4B98      | 5438  | I1P40080 |
| 宮       | 8B7B    | 4592      | 5BAE  | I0SY0080 |
| 弓       | 8B7C    | 4B63      | 5F13  | I1NN0080 |
| 急       | 8B7D    | 47CC      | 6025  | I1580080 |
| 救       | 8B7E    | 4C5C      | 6551  | I1SS0080 |
| 朽       | 8B80    | 50F0      | 673D  | I2I80080 |
| 求       | 8B81    | 49A0      | 6C42  | I1EO0080 |
| 汲       | 8B82    | 50C8      | 6C72  | I2H40080 |
| 泣       | 8B83    | 4D4B      | 6CE3  | I1XN0080 |
| 灸       | 8B84    | 5473      | 7078  | I3030080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 球       | 8B85    | 48DB      | 7403  | I1AZ0080 |
| 究       | 8B86    | 4986      | 7A76  | I1DY0080 |
| 窮       | 8B87    | 50AA      | 7AAE  | I2GA0080 |
| 笈       | 8B88    | 51CF      | 7B08  | I2MN0080 |
| 級       | 8B89    | 49F3      | 7D1A  | I1GZ0080 |
| 糾       | 8B8A    | 51FE      | 7CFE  | I2NY0080 |
| 給       | 8B8B    | 4757      | 7D66  | I11Z0080 |
| 旧       | 8B8C    | 4C7B      | 65E7  | I1TN0080 |
| 牛       | 8B8D    | 4973      | 725B  | I1DF0080 |
| 去       | 8B8E    | 4ACA      | 53BB  | I1L60080 |
| 居       | 8B8F    | 485E      | 5C45  | I17I0080 |
| 巨       | 8B90    | 4A52      | 5DE8  | I1HU0080 |
| 拒       | 8B91    | 4F61      | 62D2  | I28X0080 |
| 抛       | 8B92    | 4D77      | 62E0  | I1YV0080 |
| 拳       | 8B93    | 4B82      | 6319  | I1OI0080 |
| 渠       | 8B94    | 527A      | 6E20  | I2PM0080 |
| 虚       | 8B95    | 4F72      | 865A  | I29E0080 |
| 許       | 8B96    | 4A9A      | 8A31  | I1JU0080 |
| 距       | 8B97    | 4DC2      | 8DDD  | I20Y0080 |
| 鋸       | 8B98    | 51E7      | 92F8  | I2NB0080 |
| 漁       | 8B99    | 4B78      | 6F01  | I1O80080 |
| 禦       | 8B9A    | 55AA      | 79A6  | I36Y0080 |
| 魚       | 8B9B    | 48EE      | 9B5A  | I1BI0080 |
| 亨       | 8B9C    | 4BAC      | 4EA8  | I1PO0080 |
| 享       | 8B9D    | 4B73      | 4EAB  | I1O30080 |
| 京       | 8B9E    | 4575      | 4EAC  | I0S50080 |
| 供       | 8B9F    | 48BC      | 4F9B  | I1A40080 |
| 俠       | 8BA0    | 52EC      | 4FA0  | I2SS0080 |
| 僑       | 8BA1    | 55AD      | 50D1  | I3710080 |
| 兇       | 8BA2    | 555A      | 5147  | I34Q0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 競       | 8BA3    | 4971      | 7AF6  | I1DD0080 |
| 共       | 8BA4    | 47B3      | 5171  | I14J0080 |
| 凶       | 8BA5    | 51EC      | 51F6  | I2NG0080 |
| 協       | 8BA6    | 47D7      | 5354  | I15J0080 |
| 匡       | 8BA7    | 4D4D      | 5321  | I1XP0080 |
| 卿       | 8BA8    | 53E2      | 537F  | I2XU0080 |
| 叫       | 8BA9    | 4DD5      | 53EB  | I21H0080 |
| 喬       | 8BAA    | 4C5F      | 55AC  | I1SV0080 |
| 境       | 8BAB    | 4A95      | 5883  | I1JP0080 |
| 峽       | 8BAC    | 51B3      | 5CE1  | I2LV0080 |
| 強       | 8BAD    | 46D2      | 5F37  | I1020080 |
| 疆       | 8BAE    | 5385      | 5F4A  | I2V90080 |
| 怯       | 8BAF    | 5542      | 602F  | I3420080 |
| 恐       | 8BB0    | 4BD5      | 6050  | I1QT0080 |
| 恭       | 8BB1    | 494E      | 606D  | I1CE0080 |
| 挾       | 8BB2    | 55B1      | 631F  | I3750080 |
| 教       | 8BB3    | 47A5      | 6559  | I1450080 |
| 橋       | 8BB4    | 4589      | 6A4B  | I0SP0080 |
| 況       | 8BB5    | 4A58      | 6CC1  | I1100080 |
| 狂       | 8BB6    | 4E5A      | 72C2  | I23E0080 |
| 狹       | 8BB7    | 4C9E      | 72ED  | I1UM0080 |
| 矯       | 8BB8    | 51BB      | 77EF  | I2M30080 |
| 胸       | 8BB9    | 4BE3      | 80F8  | I1R70080 |
| 脅       | 8BBA    | 5051      | 8105  | I2DT0080 |
| 興       | 8BBB    | 466A      | 8208  | I0X60080 |
| 蕎       | 8BBC    | 5565      | 854E  | I3510080 |
| 郷       | 8BBD    | 4995      | 90F7  | I1ED0080 |
| 鏡       | 8BBE    | 4A8D      | 93E1  | I1JH0080 |
| 響       | 8BBF    | 4A5C      | 97FF  | I1140080 |
| 饗       | 8BC0    | 51D5      | 9957  | I2MT0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 驚                                    | 8BC1    | 4CD5      | 9A5A  | I1W50080 |
| 仰                                    | 8BC2    | 4DED      | 4EF0  | I2250080 |
| 凝                                    | 8BC3    | 4ED9      | 51DD  | I26X0080 |
| 堯                                    | 8BC4    | 4E53      | 582F  | I2370080 |
| 曉                                    | 8BC5    | 4C83      | 6681  | I1TV0080 |
| 業                                    | 8BC6    | 456B      | 696D  | I0RV0080 |
| 局                                    | 8BC7    | 488B      | 5C40  | I18R0080 |
| 曲                                    | 8BC8    | 49B6      | 66F2  | I1FA0080 |
| 極                                    | 8BC9    | 49B7      | 6975  | I1FB0080 |
| 玉                                    | 8BCA    | 45FD      | 7389  | I0VX0080 |
| 桐                                    | 8BCB    | 49C0      | 6850  | I1FK0080 |
| 籽                                    | 8BCC    | 55E7      | 7C81  | I38N0080 |
| 僅                                    | 8BCD    | 4FC9      | 50C5  | I2BT0080 |
| 勤                                    | 8BCE    | 499F      | 52E4  | I1EN0080 |
| 均                                    | 8BCF    | 49AE      | 5747  | I1F20080 |
| 巾                                    | 8BD0    | 4A7D      | 5DFE  | I1J10080 |
| 錦                                    | 8BD1    | 4B8E      | 9326  | I1OU0080 |
| 斤                                    | 8BD2    | 54CF      | 65A4  | I32N0080 |
| 欣                                    | 8BD3    | 4B9D      | 6B23  | I1P90080 |
| 欽                                    | 8BD4    | 4CF8      | 6B3D  | I1X40080 |
| 琴                                    | 8BD5    | 4CD8      | 7434  | I1W80080 |
| 禁                                    | 8BD6    | 4D75      | 7981  | I1YT0080 |
| 禽                                    | 8BD7    | 555D      | 79BD  | I34T0080 |
| 筋                                    | 8BD8    | 4B8F      | 7B4B  | I1OV0080 |
| 緊                                    | 8BD9    | 4B97      | 7DCA  | I1P30080 |
| 芹                                    | 8BDA    | 4DD0      | 82B9  | I21C0080 |
| 菌                                    | 8BDB    | 4C73      | 83CC  | I1TF0080 |
| 衿                                    | 8BDC    | 4AA7      | 887F  | I1K70080 |
| 襟                                    | 8BDD    | 54AF      | 895F  | I31R0080 |
| 謹                                    | 8BDE    | 4D87      | 8B39  | I1ZB0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 近                                    | 8BDF    | 4673      | 8FD1  | I0XF0080 |
| 金                                    | 8BE0    | 4586      | 91D1  | I0SM0080 |
| 吟                                    | 8BE1    | 507A      | 541F  | I2EY0080 |
| 銀                                    | 8BE2    | 478C      | 9280  | I13G0080 |
| 九                                    | 8BE3    | 4549      | 4E5D  | I0QX0080 |
| 俱                                    | 8BE4    | 4F63      | 5036  | I28Z0080 |
| 旬                                    | 8BE5    | 4C8B      | 53E5  | I1U30080 |
| 区                                    | 8BE6    | 4554      | 533A  | I0R80080 |
| 狗                                    | 8BE7    | 5274      | 72D7  | I2PG0080 |
| 玖                                    | 8BE8    | 4DE9      | 7396  | I2210080 |
| 矩                                    | 8BE9    | 4E4D      | 77E9  | I2310080 |
| 苦                                    | 8BEA    | 4A5F      | 82E6  | I1I70080 |
| 軀                                    | 8BEB    | 5353      | 8EAF  | I2TV0080 |
| 馱                                    | 8BEC    | 4CFE      | 99C6  | I1XA0080 |
| 駟                                    | 8BED    | 4F85      | 99C8  | I29X0080 |
| 駒                                    | 8BEE    | 49FC      | 99D2  | I1H80080 |
| 具                                    | 8BEF    | 47AF      | 5177  | I14F0080 |
| 愚                                    | 8BF0    | 52B2      | 611A  | I2R60080 |
| 虞                                    | 8BF1    | 5588      | 865E  | I3600080 |
| 喰                                    | 8BF2    | 4EB9      | 55B0  | I2610080 |
| 空                                    | 8BF3    | 478D      | 7A7A  | I13H0080 |
| 偶                                    | 8BF4    | 50C3      | 5076  | I2GZ0080 |
| 寓                                    | 8BF5    | 55F4      | 5BD3  | I3900080 |
| 遇                                    | 8BF6    | 49EC      | 9047  | I1GS0080 |
| 隅                                    | 8BF7    | 4BB9      | 9685  | I1Q10080 |
| 串                                    | 8BF8    | 4CB8      | 4E32  | I1VC0080 |
| 櫛                                    | 8BF9    | 4DA6      | 6ADB  | I2060080 |
| 釧                                    | 8BFA    | 4BF0      | 91E7  | I1RK0080 |
| 屑                                    | 8BFB    | 54B2      | 5C51  | I31U0080 |
| 屈                                    | 8BFC    | 4D94      | 5C48  | I1ZO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 掘                                    | 8C40    | 4D44      | 6398  | I1XG0080 |
| 窟                                    | 8C41    | 50A6      | 7A9F  | I2G60080 |
| 沓                                    | 8C42    | 4FF8      | 6C93  | I2D40080 |
| 靴                                    | 8C43    | 4DF1      | 9774  | I2290080 |
| 轡                                    | 8C44    | 52E1      | 8F61  | I2SH0080 |
| 窪                                    | 8C45    | 4A65      | 7AAA  | I1ID0080 |
| 熊                                    | 8C46    | 467F      | 718A  | I0XR0080 |
| 隈                                    | 8C47    | 4CE5      | 9688  | I1WL0080 |
| 糸                                    | 8C48    | 4E85      | 7C82  | I24L0080 |
| 栗                                    | 8C49    | 479B      | 6817  | I13V0080 |
| 繰                                    | 8C4A    | 4B69      | 7E70  | I1NT0080 |
| 桑                                    | 8C4B    | 4879      | 6851  | I1890080 |
| 鋤                                    | 8C4C    | 4F70      | 936C  | I29C0080 |
| 勲                                    | 8C4D    | 497A      | 52F2  | I1DM0080 |
| 君                                    | 8C4E    | 47CF      | 541B  | I15B0080 |
| 薫                                    | 8C4F    | 4998      | 85AB  | I1EG0080 |
| 訓                                    | 8C50    | 4BC8      | 8A13  | I1QG0080 |
| 群                                    | 8C51    | 47B1      | 7FA4  | I14H0080 |
| 軍                                    | 8C52    | 4897      | 8ECD  | I1930080 |
| 郡                                    | 8C53    | 499E      | 90E1  | I1EM0080 |
| 卦                                    | 8C54    | 53DB      | 5366  | I2XN0080 |
| 袈                                    | 8C55    | 4F6A      | 8888  | I2960080 |
| 祁                                    | 8C56    | 53D2      | 7941  | I2XE0080 |
| 係                                    | 8C57    | 4851      | 4FC2  | I1750080 |
| 傾                                    | 8C58    | 4A43      | 50BE  | I1HF0080 |
| 刑                                    | 8C59    | 4C52      | 5211  | I1SI0080 |
| 兄                                    | 8C5A    | 4BE8      | 5144  | I1RC0080 |
| 啓                                    | 8C5B    | 47E4      | 5553  | I15W0080 |
| 圭                                    | 8C5C    | 49E6      | 572D  | I1GM0080 |
| 珪                                    | 8C5D    | 4CB9      | 73EA  | I1VD0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 型                                    | 8C5E    | 46E6      | 578B  | I10M0080 |
| 契                                    | 8C5F    | 4C64      | 5951  | I1T00080 |
| 形                                    | 8C60    | 4690      | 5F62  | I0Y80080 |
| 徑                                    | 8C61    | 4E60      | 5F84  | I23K0080 |
| 恵                                    | 8C62    | 4643      | 6075  | I0W30080 |
| 慶                                    | 8C63    | 48A8      | 6176  | I19K0080 |
| 慧                                    | 8C64    | 4EB6      | 6167  | I25Y0080 |
| 憩                                    | 8C65    | 5175      | 61A9  | I2K50080 |
| 掲                                    | 8C66    | 4DC1      | 63B2  | I20X0080 |
| 携                                    | 8C67    | 4E49      | 643A  | I22X0080 |
| 敬                                    | 8C68    | 47B0      | 656C  | I14G0080 |
| 景                                    | 8C69    | 4993      | 666F  | I1EB0080 |
| 桂                                    | 8C6A    | 49AB      | 6842  | I1EZ0080 |
| 溪                                    | 8C6B    | 5198      | 6E13  | I2L40080 |
| 畦                                    | 8C6C    | 51B4      | 7566  | I2LW0080 |
| 稽                                    | 8C6D    | 4FC7      | 7A3D  | I2BR0080 |
| 系                                    | 8C6E    | 48FA      | 7CFB  | I1BU0080 |
| 経                                    | 8C6F    | 4688      | 7D4C  | I0Y00080 |
| 継                                    | 8C70    | 4A4A      | 7D99  | I1HM0080 |
| 繫                                    | 8C71    | 5373      | 7E4B  | I2UR0080 |
| 罨                                    | 8C72    | 55EF      | 7F6B  | I38V0080 |
| 莖                                    | 8C73    | 4EC9      | 830E  | I26H0080 |
| 荊                                    | 8C74    | 53B3      | 834A  | I2WJ0080 |
| 蚩                                    | 8C75    | 4DF9      | 86CD  | I22H0080 |
| 計                                    | 8C76    | 45C9      | 8A08  | I0UH0080 |
| 詣                                    | 8C77    | 54FB      | 8A63  | I33V0080 |
| 警                                    | 8C78    | 4AD7      | 8B66  | I1LJ0080 |
| 輕                                    | 8C79    | 48A6      | 8EFD  | I19I0080 |
| 頸                                    | 8C7A    | 50FB      | 9838  | I2IJ0080 |
| 鷄                                    | 8C7B    | 4D8E      | 9D8F  | I1ZI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 芸       | 8C7C    | 4953      | 82B8  | I1CJ0080 |
| 迎       | 8C7D    | 4BA9      | 8FCE  | I1PL0080 |
| 鯨       | 8C7E    | 4D78      | 9BE8  | I1YW0080 |
| 劇       | 8C80    | 49F0      | 5287  | I1GW0080 |
| 戟       | 8C81    | 54D9      | 621F  | I32X0080 |
| 擊       | 8C82    | 4A74      | 6483  | I1IS0080 |
| 激       | 8C83    | 4BD0      | 6FC0  | I1QO0080 |
| 隙       | 8C84    | 53C3      | 9699  | I2WZ0080 |
| 桁       | 8C85    | 50D6      | 6841  | I2HI0080 |
| 傑       | 8C86    | 4FC3      | 5091  | I2BN0080 |
| 欠       | 8C87    | 4CB5      | 6B20  | I1V90080 |
| 決       | 8C88    | 47A4      | 6C7A  | I1440080 |
| 潔       | 8C89    | 4AC2      | 6F54  | I1KY0080 |
| 穴       | 8C8A    | 4B86      | 7A74  | I1OM0080 |
| 結       | 8C8B    | 46BF      | 7D50  | I0ZJ0080 |
| 血       | 8C8C    | 4B43      | 8840  | I1MR0080 |
| 訣       | 8C8D    | 54CC      | 8A23  | I32K0080 |
| 月       | 8C8E    | 4561      | 6708  | I0RL0080 |
| 件       | 8C8F    | 48B2      | 4EF6  | I19U0080 |
| 儉       | 8C90    | 52FA      | 5039  | I2T60080 |
| 倦       | 8C91    | 52F1      | 5026  | I2SX0080 |
| 健       | 8C92    | 4681      | 5065  | I0XT0080 |
| 兼       | 8C93    | 48F4      | 517C  | I1BO0080 |
| 券       | 8C94    | 4B6B      | 5238  | I1NV0080 |
| 劍       | 8C95    | 4CD3      | 5263  | I1W30080 |
| 喧       | 8C96    | 4FD3      | 55A7  | I2C30080 |
| 圈       | 8C97    | 4F49      | 570F  | I2890080 |
| 堅       | 8C98    | 4AE7      | 5805  | I1LZ0080 |
| 嫌       | 8C99    | 4EC3      | 5ACC  | I26B0080 |
| 建       | 8C9A    | 4666      | 5EFA  | I0X20080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 憲       | 8C9B    | 47BE      | 61B2  | I14U0080 |
| 懸       | 8C9C    | 4DC6      | 61F8  | I2120080 |
| 拳       | 8C9D    | 508D      | 62F3  | I2FH0080 |
| 捲       | 8C9E    | 5493      | 6372  | I30Z0080 |
| 檢       | 8C9F    | 486D      | 691C  | I17X0080 |
| 權       | 8CA0    | 48DC      | 6A29  | I1B00080 |
| 牽       | 8CA1    | 548A      | 727D  | I30Q0080 |
| 犬       | 8CA2    | 4AC5      | 72AC  | I1L10080 |
| 獻       | 8CA3    | 4F45      | 732E  | I2850080 |
| 研       | 8CA4    | 46D3      | 7814  | I1030080 |
| 硯       | 8CA5    | 5369      | 786F  | I2UH0080 |
| 絹       | 8CA6    | 49F6      | 7D79  | I1H20080 |
| 県       | 8CA7    | 4552      | 770C  | I0R60080 |
| 肩       | 8CA8    | 4B79      | 80A9  | I1O90080 |
| 見       | 8CA9    | 45BB      | 898B  | I0U30080 |
| 謙       | 8CAA    | 497C      | 8B19  | I1DO0080 |
| 賢       | 8CAB    | 47E5      | 8CE2  | I15X0080 |
| 軒       | 8CAC    | 4E55      | 8ED2  | I2390080 |
| 遣       | 8CAD    | 4EC2      | 9063  | I26A0080 |
| 鍵       | 8CAE    | 4E45      | 9375  | I22T0080 |
| 險       | 8CAF    | 4A6C      | 967A  | I1IK0080 |
| 顯       | 8CB0    | 4AE5      | 9855  | I1LX0080 |
| 驗       | 8CB1    | 48B4      | 9A13  | I19W0080 |
| 鹵       | 8CB2    | 4C7D      | 9E78  | I1TP0080 |
| 元       | 8CB3    | 4695      | 5143  | I0YD0080 |
| 原       | 8CB4    | 4574      | 539F  | I0S40080 |
| 巖       | 8CB5    | 4C8E      | 53B3  | I1U60080 |
| 幻       | 8CB6    | 50A2      | 5E7B  | I2G20080 |
| 弦       | 8CB7    | 4E42      | 5F26  | I22Q0080 |
| 減       | 8CB8    | 478A      | 6E1B  | I13E0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 源       | 8CB9    | 47FC      | 6E90  | I16K0080 |
| 玄       | 8CBA    | 4C6E      | 7384  | I1TA0080 |
| 現       | 8CBB    | 46B7      | 73FE  | I0ZB0080 |
| 絃       | 8CBC    | 5563      | 7D43  | I34Z0080 |
| 舷       | 8CBD    | 53AC      | 8237  | I2WC0080 |
| 言       | 8CBE    | 479A      | 8A00  | I13U0080 |
| 諺       | 8CBF    | 55AB      | 8AFA  | I36Z0080 |
| 限       | 8CC0    | 48AD      | 9650  | I19P0080 |
| 乎       | 8CC1    | 54A5      | 4E4E  | I31H0080 |
| 個       | 8CC2    | 49FA      | 500B  | I1H60080 |
| 古       | 8CC3    | 45D4      | 53E4  | I0US0080 |
| 呼       | 8CC4    | 4AF6      | 547C  | I1ME0080 |
| 固       | 8CC5    | 4A94      | 56FA  | I1JO0080 |
| 姑       | 8CC6    | 53F2      | 59D1  | I2YA0080 |
| 孤       | 8CC7    | 4EAF      | 5B64  | I25R0080 |
| 己       | 8CC8    | 47AD      | 5DF1  | I14D0080 |
| 庫       | 8CC9    | 45F8      | 5EAB  | I0VS0080 |
| 弧       | 8CCA    | 536B      | 5F27  | I2UJ0080 |
| 戸       | 8CCB    | 45CF      | 6238  | I0UN0080 |
| 故       | 8CCC    | 4AF7      | 6545  | I1MF0080 |
| 枯       | 8CCD    | 5061      | 67AF  | I2E90080 |
| 湖       | 8CCE    | 4D52      | 6E56  | I1XU0080 |
| 狐       | 8CCF    | 51DB      | 72D0  | I2MZ0080 |
| 糊       | 8CD0    | 5471      | 7CCA  | I30I0080 |
| 袴       | 8CD1    | 4F5A      | 88B4  | I28Q0080 |
| 股       | 8CD2    | 4CC5      | 80A1  | I1VP0080 |
| 胡       | 8CD3    | 4D63      | 80E1  | I1YB0080 |
| 菰       | 8CD4    | 516D      | 83F0  | I2JX0080 |
| 虎       | 8CD5    | 4AAB      | 864E  | I1KB0080 |
| 誇       | 8CD6    | 4EB4      | 8A87  | I25W0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 跨       | 8CD7    | 55CB      | 8DE8  | I37V0080 |
| 鈷       | 8CD8    | 55BF      | 9237  | I37J0080 |
| 雇       | 8CD9    | 4C4D      | 96C7  | I1SD0080 |
| 顧       | 8CDA    | 4EEE      | 9867  | I27I0080 |
| 鼓       | 8CDB    | 4FAF      | 9F13  | I2B30080 |
| 五       | 8CDC    | 4545      | 4E94  | I0QT0080 |
| 互       | 8CDD    | 4B74      | 4E92  | I1O40080 |
| 伍       | 8CDE    | 4D99      | 4F0D  | I1ZT0080 |
| 午       | 8CDF    | 45DF      | 5348  | I0V30080 |
| 呉       | 8CE0    | 4AEE      | 5449  | I1M60080 |
| 吾       | 8CE1    | 47F6      | 543E  | I16E0080 |
| 娛       | 8CE2    | 50B5      | 5A2F  | I2GL0080 |
| 後       | 8CE3    | 45E5      | 5F8C  | I0V90080 |
| 御       | 8CE4    | 4698      | 5FA1  | I0YG0080 |
| 悟       | 8CE5    | 4AB1      | 609F  | I1KH0080 |
| 梧       | 8CE6    | 52D3      | 68A7  | I2S30080 |
| 檣       | 8CE7    | 55EE      | 6A8E  | I38U0080 |
| 瑚       | 8CE8    | 53F1      | 745A  | I2Y90080 |
| 碁       | 8CE9    | 4F4E      | 7881  | I28E0080 |
| 語       | 8CEA    | 48E7      | 8A9E  | I1BB0080 |
| 誤       | 8CEB    | 4D91      | 8AA4  | I1ZL0080 |
| 護       | 8CEC    | 49DB      | 8B77  | I1GB0080 |
| 醐       | 8CED    | 5170      | 9190  | I2K00080 |
| 乞       | 8CEE    | 4EB5      | 4E5E  | I25X0080 |
| 鯉       | 8CEF    | 4FC6      | 9BC9  | I2BQ0080 |
| 交       | 8CF0    | 478E      | 4EA4  | I13I0080 |
| 俊       | 8CF1    | 5462      | 4F7C  | I2ZM0080 |
| 侯       | 8CF2    | 53E3      | 4FAF  | I2XV0080 |
| 候       | 8CF3    | 4CAE      | 5019  | I1V20080 |
| 倅       | 8CF4    | 5343      | 5016  | I2TF0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 光       | 8CF5    | 459E      | 5149  | I0TA0080 |
| 公       | 8CF6    | 46BB      | 516C  | I0ZF0080 |
| 功       | 8CF7    | 4870      | 529F  | I1800080 |
| 効       | 8CF8    | 4978      | 52B9  | I1DK0080 |
| 勾       | 8CF9    | 51E9      | 52FE  | I2ND0080 |
| 厚       | 8CFA    | 4942      | 539A  | I1C20080 |
| 口       | 8CFB    | 4588      | 53E3  | I0SO0080 |
| 向       | 8CFC    | 46A5      | 5411  | I0YT0080 |
| 后       | 8D40    | 51AF      | 540E  | I2LR0080 |
| 喉       | 8D41    | 5253      | 5589  | I2OJ0080 |
| 坑       | 8D42    | 4EF3      | 5751  | I27N0080 |
| 垢       | 8D43    | 5466      | 57A2  | I2ZQ0080 |
| 好       | 8D44    | 469E      | 597D  | I0YM0080 |
| 孔       | 8D45    | 4BD9      | 5B54  | I1QX0080 |
| 孝       | 8D46    | 45F4      | 5B5D  | I0VO0080 |
| 宏       | 8D47    | 46C8      | 5B8F  | I0ZS0080 |
| 工       | 8D48    | 456A      | 5DE5  | I0RU0080 |
| 巧       | 8D49    | 4CA3      | 5DE7  | I1UR0080 |
| 巷       | 8D4A    | 53CB      | 5DF7  | I2X70080 |
| 幸       | 8D4B    | 45A9      | 5E78  | I0TL0080 |
| 広       | 8D4C    | 45B7      | 5E83  | I0TZ0080 |
| 庚       | 8D4D    | 515A      | 5E9A  | I2JE0080 |
| 康       | 8D4E    | 469A      | 5EB7  | I0YI0080 |
| 弘       | 8D4F    | 45D3      | 5F18  | I0UR0080 |
| 恒       | 8D50    | 47C7      | 6052  | I1530080 |
| 慌       | 8D51    | 538E      | 614C  | I2VI0080 |
| 抗       | 8D52    | 4A67      | 6297  | I1IF0080 |
| 拘       | 8D53    | 5045      | 62D8  | I2DH0080 |
| 控       | 8D54    | 4CAC      | 63A7  | I1V00080 |
| 攻       | 8D55    | 4BC5      | 653B  | I1QD0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 昂       | 8D56    | 4F9F      | 663B  | I2AN0080 |
| 晃       | 8D57    | 48B0      | 6643  | I19S0080 |
| 更       | 8D58    | 4A6D      | 66F4  | I1IL0080 |
| 杭       | 8D59    | 508B      | 676D  | I2FF0080 |
| 校       | 8D5A    | 48BF      | 6821  | I1A70080 |
| 梗       | 8D5B    | 52CC      | 6897  | I2RW0080 |
| 構       | 8D5C    | 4796      | 69CB  | I13Q0080 |
| 江       | 8D5D    | 45AD      | 6C5F  | I0TP0080 |
| 洪       | 8D5E    | 4FD4      | 6D2A  | I2C40080 |
| 浩       | 8D5F    | 46EB      | 6D69  | I10R0080 |
| 港       | 8D60    | 48C6      | 6E2F  | I1AE0080 |
| 溝       | 8D61    | 4A4D      | 6E9D  | I1HP0080 |
| 甲       | 8D62    | 48A0      | 7532  | I19C0080 |
| 皇       | 8D63    | 4CBB      | 7687  | I1VF0080 |
| 硬       | 8D64    | 4AEF      | 786C  | I1M70080 |
| 稿       | 8D65    | 4FD5      | 7A3F  | I2C50080 |
| 糠       | 8D66    | 514B      | 7CE0  | I2IZ0080 |
| 紅       | 8D67    | 4B67      | 7D05  | I1NR0080 |
| 紘       | 8D68    | 4C78      | 7D18  | I1TK0080 |
| 絞       | 8D69    | 506D      | 7D5E  | I2EL0080 |
| 綱       | 8D6A    | 48CB      | 7DB1  | I1AJ0080 |
| 耕       | 8D6B    | 499A      | 8015  | I1EI0080 |
| 考       | 8D6C    | 4760      | 8003  | I1280080 |
| 肯       | 8D6D    | 50EB      | 80AF  | I2I30080 |
| 肱       | 8D6E    | 52D5      | 80B1  | I2S50080 |
| 腔       | 8D6F    | 5247      | 8154  | I2O70080 |
| 膏       | 8D70    | 51D8      | 818F  | I2MW0080 |
| 航       | 8D71    | 489F      | 822A  | I19B0080 |
| 荒       | 8D72    | 46DC      | 8352  | I10C0080 |
| 行       | 8D73    | 45A4      | 884C  | I0TG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 衡       | 8D74    | 4BED      | 8861  | I1RH0080 |
| 講       | 8D75    | 4A6E      | 8B1B  | I1IM0080 |
| 貢       | 8D76    | 4AF1      | 8CA2  | I1M90080 |
| 購       | 8D77    | 4E8F      | 8CFC  | I24V0080 |
| 郊       | 8D78    | 5052      | 90CA  | I2DU0080 |
| 醇       | 8D79    | 4D86      | 9175  | I1ZA0080 |
| 鈦       | 8D7A    | 4863      | 9271  | I17N0080 |
| 礦       | 8D7B    | 51B9      | 7926  | I2M10080 |
| 鋼       | 8D7C    | 46A1      | 92FC  | I0YP0080 |
| 閣       | 8D7D    | 549B      | 95A4  | I3170080 |
| 降       | 8D7E    | 49E5      | 964D  | I1GL0080 |
| 項       | 8D80    | 4A97      | 9805  | I1JR0080 |
| 香       | 8D81    | 46BD      | 9999  | I0ZH0080 |
| 高       | 8D82    | 4571      | 9AD8  | I0S10080 |
| 鴻       | 8D83    | 4DD6      | 9D3B  | I21I0080 |
| 剛       | 8D84    | 49C7      | 525B  | I1FR0080 |
| 劫       | 8D85    | 54C6      | 52AB  | I32E0080 |
| 号       | 8D86    | 48E2      | 53F7  | I1B60080 |
| 合       | 8D87    | 45A0      | 5408  | I0TC0080 |
| 壕       | 8D88    | 55B9      | 58D5  | I37D0080 |
| 拷       | 8D89    | 55B5      | 62F7  | I3790080 |
| 濠       | 8D8A    | 5380      | 6FE0  | I2V40080 |
| 豪       | 8D8B    | 4C68      | 8C6A  | I1T40080 |
| 轟       | 8D8C    | 50A9      | 8F5F  | I2G90080 |
| 翹       | 8D8D    | 5261      | 9EB9  | I2OX0080 |
| 克       | 8D8E    | 479E      | 514B  | I13Y0080 |
| 刻       | 8D8F    | 4BF5      | 523B  | I1RP0080 |
| 告       | 8D90    | 4954      | 544A  | I1CK0080 |
| 国       | 8D91    | 458F      | 56FD  | I0SV0080 |
| 穀       | 8D92    | 4E94      | 7A40  | I2500080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 酷       | 8D93    | 51EB      | 9177  | I2NF0080 |
| 鵠       | 8D94    | 50FD      | 9D60  | I2IL0080 |
| 黒       | 8D95    | 4679      | 9ED2  | I0XL0080 |
| 獄       | 8D96    | 4E95      | 7344  | I2510080 |
| 漉       | 8D97    | 54D0      | 6F09  | I32O0080 |
| 腰       | 8D98    | 4BA4      | 8170  | I1PG0080 |
| 甌       | 8D99    | 5495      | 7511  | I3110080 |
| 忽       | 8D9A    | 5056      | 5FFD  | I2DY0080 |
| 惚       | 8D9B    | 549D      | 60DA  | I3190080 |
| 骨       | 8D9C    | 4AA5      | 9AA8  | I1K50080 |
| 狛       | 8D9D    | 50DC      | 72DB  | I2HO0080 |
| 込       | 8D9E    | 4841      | 8FBC  | I16P0080 |
| 此       | 8D9F    | 4D4C      | 6B64  | I1XO0080 |
| 頃       | 8DA0    | 4946      | 9803  | I1C60080 |
| 今       | 8DA1    | 45E0      | 4ECA  | I0V40080 |
| 困       | 8DA2    | 4B44      | 56F0  | I1MS0080 |
| 坤       | 8DA3    | 53A6      | 5764  | I2W60080 |
| 壑       | 8DA4    | 5488      | 58BE  | I30O0080 |
| 婚       | 8DA5    | 4A77      | 5A5A  | I1IV0080 |
| 恨       | 8DA6    | 53B8      | 6068  | I2WO0080 |
| 懇       | 8DA7    | 4EA4      | 61C7  | I25G0080 |
| 昏       | 8DA8    | 54E8      | 660F  | I33C0080 |
| 昆       | 8DA9    | 4FE7      | 6606  | I2CN0080 |
| 根       | 8DAA    | 4667      | 6839  | I0X30080 |
| 梱       | 8DAB    | 5359      | 68B1  | I2U10080 |
| 混       | 8DAC    | 4B46      | 6DF7  | I1MU0080 |
| 痕       | 8DAD    | 53FD      | 75D5  | I2YL0080 |
| 紺       | 8DAE    | 4CBD      | 7D3A  | I1VH0080 |
| 艮       | 8DAF    | 55B4      | 826E  | I3780080 |
| 魂       | 8DB0    | 50A8      | 9B42  | I2G80080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 些       | 8DB1    | 55DC      | 4E9B  | I38C0080 |
| 佐       | 8DB2    | 4576      | 4F50  | I0S60080 |
| 叉       | 8DB3    | 50A5      | 53C9  | I2G50080 |
| 峻       | 8DB4    | 51B8      | 5506  | I2M00080 |
| 嗟       | 8DB5    | 4ED3      | 5D6F  | I26R0080 |
| 左       | 8DB6    | 485B      | 5DE6  | I17F0080 |
| 差       | 8DB7    | 498B      | 5DEE  | I1E30080 |
| 查       | 8DB8    | 4773      | 67FB  | I12R0080 |
| 沙       | 8DB9    | 4EAD      | 6C99  | I25P0080 |
| 嗟       | 8DBA    | 5188      | 7473  | I2KO0080 |
| 砂       | 8DBB    | 495B      | 7802  | I1CR0080 |
| 詐       | 8DBC    | 5176      | 8A50  | I2K60080 |
| 鎖       | 8DBD    | 4D70      | 9396  | I1YO0080 |
| 裘       | 8DBE    | 4F8A      | 88DF  | I2A20080 |
| 坐       | 8DBF    | 4E8D      | 5750  | I24T0080 |
| 座       | 8DC0    | 48B1      | 5EA7  | I19T0080 |
| 挫       | 8DC1    | 548F      | 632B  | I30V0080 |
| 債       | 8DC2    | 4B58      | 50B5  | I1NC0080 |
| 催       | 8DC3    | 4C43      | 50AC  | I1S30080 |
| 再       | 8DC4    | 48EB      | 518D  | I1BF0080 |
| 最       | 8DC5    | 46F5      | 6700  | I1110080 |
| 哉       | 8DC6    | 4A6B      | 54C9  | I11J0080 |
| 塞       | 8DC7    | 53C1      | 585E  | I2WX0080 |
| 妻       | 8DC8    | 49A3      | 59BB  | I1ER0080 |
| 宰       | 8DC9    | 4ED4      | 5BB0  | I26S0080 |
| 彩       | 8DCA    | 4DCD      | 5F69  | I2190080 |
| 才       | 8DCB    | 49F1      | 624D  | I1GX0080 |
| 採       | 8DCC    | 4B4F      | 63A1  | I1N30080 |
| 栽       | 8DCD    | 4DE0      | 683D  | I21S0080 |
| 歲       | 8DCE    | 48E4      | 6B73  | I1B80080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 濟       | 8DCF    | 4769      | 6E08  | I12H0080 |
| 災       | 8DD0    | 4CBC      | 707D  | I1VG0080 |
| 采       | 8DD1    | 53BF      | 91C7  | I2WV0080 |
| 犀       | 8DD2    | 5354      | 7280  | I2TW0080 |
| 碎       | 8DD3    | 4CC3      | 7815  | I1VN0080 |
| 砦       | 8DD4    | 54B4      | 7826  | I31W0080 |
| 祭       | 8DD5    | 4C71      | 796D  | I1TD0080 |
| 齋       | 8DD6    | 47DB      | 658E  | I15N0080 |
| 細       | 8DD7    | 4768      | 7D30  | I12G0080 |
| 菜       | 8DD8    | 4BA8      | 83DC  | I1PK0080 |
| 裁       | 8DD9    | 49BD      | 88C1  | I1FH0080 |
| 載       | 8DDA    | 4D6E      | 8F09  | I1YM0080 |
| 際       | 8ddb    | 4797      | 969B  | I13R0080 |
| 劑       | 8DDC    | 4766      | 5264  | I12E0080 |
| 在       | 8DDD    | 47CD      | 5728  | I1590080 |
| 材       | 8DDE    | 46BC      | 6750  | I0ZG0080 |
| 罪       | 8DDF    | 4C4E      | 7F6A  | I1SE0080 |
| 財       | 8DE0    | 49AF      | 8CA1  | I1F30080 |
| 冴       | 8DE1    | 50C9      | 51B4  | I2H50080 |
| 坂       | 8DE2    | 45EC      | 5742  | I0VG0080 |
| 阪       | 8DE3    | 4591      | 962A  | I0SX0080 |
| 堺       | 8DE4    | 4A7C      | 583A  | I1J00080 |
| 榊       | 8DE5    | 4B52      | 698A  | I1N60080 |
| 肴       | 8DE6    | 5451      | 80B4  | I2Z50080 |
| 咲       | 8DE7    | 4CDE      | 54B2  | I1WE0080 |
| 崎       | 8DE8    | 457F      | 5D0E  | I0SF0080 |
| 埼       | 8DE9    | 46A3      | 57FC  | I0YR0080 |
| 碕       | 8DEA    | 52D2      | 7895  | I2S20080 |
| 鷺       | 8DEB    | 50AF      | 9DFA  | I2GF0080 |
| 作       | 8DEC    | 4594      | 4F5C  | I0T00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 削       | 8DED    | 4A90      | 524A  | I1JK0080 |
| 咋       | 8DEE    | 4F50      | 548B  | I28G0080 |
| 搾       | 8DEF    | 50A3      | 643E  | I2G30080 |
| 昨       | 8DF0    | 48E8      | 6628  | I1BC0080 |
| 朔       | 8DF1    | 4FA4      | 6714  | I2AS0080 |
| 柵       | 8DF2    | 51F1      | 67F5  | I2NL0080 |
| 窄       | 8DF3    | 5499      | 7A84  | I3150080 |
| 策       | 8DF4    | 46C9      | 7B56  | I0ZT0080 |
| 索       | 8DF5    | 4CF4      | 7D22  | I1X00080 |
| 錯       | 8DF6    | 50B1      | 932F  | I2GH0080 |
| 桜       | 8DF7    | 4771      | 685C  | I12P0080 |
| 鮭       | 8DF8    | 5391      | 9BAD  | I2VL0080 |
| 筐       | 8DF9    | 496E      | 7B39  | I1DA0080 |
| 匙       | 8DFA    | 5457      | 5319  | I2ZB0080 |
| 冊       | 8DFB    | 4EA1      | 518A  | I25D0080 |
| 刷       | 8DFC    | 48CF      | 5237  | I1AN0080 |
| 察       | 8E40    | 4B93      | 5BDF  | I1OZ0080 |
| 拶       | 8E41    | 4F9E      | 62F6  | I2AM0080 |
| 撮       | 8E42    | 4C77      | 64AE  | I1TJ0080 |
| 擦       | 8E43    | 4FD6      | 64E6  | I2C60080 |
| 札       | 8E44    | 48F9      | 672D  | I1BT0080 |
| 殺       | 8E45    | 49E9      | 6BBA  | I1GP0080 |
| 薩       | 8E46    | 4CF1      | 85A9  | I1WX0080 |
| 雜       | 8E47    | 4A8A      | 96D1  | I1JE0080 |
| 阜       | 8E48    | 52A4      | 7690  | I2QS0080 |
| 鯖       | 8E49    | 4FE4      | 9BD6  | I2CK0080 |
| 捌       | 8E4A    | 557D      | 634C  | I35P0080 |
| 鑄       | 8E4B    | 55D2      | 9306  | I3820080 |
| 鮫       | 8E4C    | 4EB7      | 9BAB  | I25Z0080 |
| 皿       | 8E4D    | 4DC7      | 76BF  | I2130080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 晒       | 8E4E    | 54C3      | 6652  | I32B0080 |
| 三       | 8E4F    | 4543      | 4E09  | I0QR0080 |
| 傘       | 8E50    | 509C      | 5098  | I2FW0080 |
| 參       | 8E51    | 48D2      | 53C2  | I1AQ0080 |
| 山       | 8E52    | 4565      | 5C71  | I0RP0080 |
| 慘       | 8E53    | 506E      | 60E8  | I2EM0080 |
| 撒       | 8E54    | 53DE      | 6492  | I2XQ0080 |
| 散       | 8E55    | 4AC9      | 6563  | I1L50080 |
| 棧       | 8E56    | 51F3      | 685F  | I2NN0080 |
| 燦       | 8E57    | 54CE      | 71E6  | I32M0080 |
| 珊       | 8E58    | 5399      | 73CA  | I2VT0080 |
| 產       | 8E59    | 45C0      | 7523  | I0U80080 |
| 算       | 8E5A    | 4843      | 7B97  | I16R0080 |
| 纂       | 8E5B    | 55EB      | 7E82  | I38R0080 |
| 蚕       | 8E5C    | 4F5D      | 8695  | I28T0080 |
| 讚       | 8E5D    | 516B      | 8B83  | I2JV0080 |
| 贊       | 8E5E    | 4DEE      | 8CDB  | I2260080 |
| 酸       | 8E5F    | 4899      | 9178  | I1950080 |
| 餐       | 8E60    | 55B3      | 9910  | I3770080 |
| 斬       | 8E61    | 4EFC      | 65AC  | I27W0080 |
| 暫       | 8E62    | 5093      | 66AB  | I2FN0080 |
| 殘       | 8E63    | 4992      | 6B8B  | I1EA0080 |
| 仕       | 8E64    | 48B5      | 4ED5  | I19X0080 |
| 仔       | 8E65    | 5465      | 4ED4  | I2ZP0080 |
| 伺       | 8E66    | 508A      | 4F3A  | I2FE0080 |
| 使       | 8E67    | 48B6      | 4F7F  | I19Y0080 |
| 刺       | 8E68    | 4BC0      | 523A  | I1Q80080 |
| 司       | 8E69    | 45F0      | 53F8  | I0VK0080 |
| 史       | 8E6A    | 47D9      | 53F2  | I15L0080 |
| 嗣       | 8E6B    | 4B5E      | 55E3  | I1NI0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 四                                    | 8E6C    | 4544      | 56DB  | I0QS0080 |
| 士                                    | 8E6D    | 467D      | 58EB  | I0XP0080 |
| 始                                    | 8E6E    | 4990      | 59CB  | I1E80080 |
| 姉                                    | 8E6F    | 4CC1      | 59C9  | I1VL0080 |
| 姿                                    | 8E70    | 4B42      | 59FF  | I1MQ0080 |
| 子                                    | 8E71    | 4564      | 5B50  | I0RO0080 |
| 屍                                    | 8E72    | 55BA      | 5C4D  | I37E0080 |
| 市                                    | 8E73    | 4553      | 5E02  | I0R70080 |
| 師                                    | 8E74    | 4A44      | 5E2B  | I1HG0080 |
| 志                                    | 8E75    | 4661      | 5FD7  | I0WX0080 |
| 思                                    | 8E76    | 46AD      | 601D  | I0Z10080 |
| 指                                    | 8E77    | 47B6      | 6307  | I14M0080 |
| 支                                    | 8E78    | 477B      | 652F  | I12Z0080 |
| 孜                                    | 8E79    | 4FF2      | 5B5C  | I2CY0080 |
| 斯                                    | 8E7A    | 4EA5      | 65AF  | I25H0080 |
| 施                                    | 8E7B    | 4888      | 65BD  | I18O0080 |
| 旨                                    | 8E7C    | 4D6A      | 65E8  | I1YI0080 |
| 枝                                    | 8E7D    | 4672      | 679D  | I0XE0080 |
| 止                                    | 8E7E    | 48D8      | 6B62  | I1AW0080 |
| 死                                    | 8E80    | 4999      | 6B7B  | I1EH0080 |
| 氏                                    | 8E81    | 488E      | 6C0F  | I18U0080 |
| 獅                                    | 8E82    | 519F      | 7345  | I2LB0080 |
| 祉                                    | 8E83    | 4FEB      | 7949  | I2CR0080 |
| 私                                    | 8E84    | 46C3      | 79C1  | I0ZN0080 |
| 糸                                    | 8E85    | 46C7      | 7CF8  | I0ZR0080 |
| 紙                                    | 8E86    | 4680      | 7D19  | I0XS0080 |
| 紫                                    | 8E87    | 4AF0      | 7D2B  | I1M80080 |
| 肢                                    | 8E88    | 5382      | 80A2  | I2V60080 |
| 脂                                    | 8E89    | 4874      | 8102  | I1840080 |
| 至                                    | 8E8A    | 4A48      | 81F3  | I1HK0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 視                                    | 8E8B    | 4A50      | 8996  | I1HS0080 |
| 詞                                    | 8E8C    | 4E90      | 8A5E  | I24W0080 |
| 詩                                    | 8E8D    | 4CB0      | 8A69  | I1V40080 |
| 試                                    | 8E8E    | 4948      | 8A66  | I1C80080 |
| 誌                                    | 8E8F    | 4B76      | 8A8C  | I1O60080 |
| 諮                                    | 8E90    | 4F9C      | 8AEE  | I2AK0080 |
| 資                                    | 8E91    | 4650      | 8CC7  | I0WG0080 |
| 賜                                    | 8E92    | 4F94      | 8CDC  | I2AC0080 |
| 雌                                    | 8E93    | 52B7      | 96CC  | I2RB0080 |
| 飼                                    | 8E94    | 4A8F      | 98FC  | I1JJ0080 |
| 齒                                    | 8E95    | 4A9F      | 6B6F  | I1JZ0080 |
| 事                                    | 8E96    | 45CE      | 4E8B  | I0UM0080 |
| 似                                    | 8E97    | 4BBC      | 4F3C  | I1Q40080 |
| 侍                                    | 8E98    | 4FC2      | 4F8D  | I2BM0080 |
| 児                                    | 8E99    | 469F      | 5150  | I0YN0080 |
| 字                                    | 8E9A    | 48F2      | 5B57  | I1BM0080 |
| 寺                                    | 8E9B    | 46A0      | 5BFA  | I0YO0080 |
| 慈                                    | 8E9C    | 4CBE      | 6148  | I1VI0080 |
| 持                                    | 8E9D    | 46D8      | 6301  | I1080080 |
| 時                                    | 8E9E    | 4651      | 6642  | I0WH0080 |
| 次                                    | 8E9F    | 4597      | 6B21  | I0T30080 |
| 滋                                    | 8EA0    | 4857      | 6ECB  | I17B0080 |
| 治                                    | 8EA1    | 4584      | 6CBB  | I0SK0080 |
| 爾                                    | 8EA2    | 4C79      | 723E  | I1TL0080 |
| 璽                                    | 8EA3    | 5249      | 74BD  | I2O90080 |
| 痔                                    | 8EA4    | 5182      | 75D4  | I2KI0080 |
| 磁                                    | 8EA5    | 4A62      | 78C1  | I1IA0080 |
| 示                                    | 8EA6    | 4853      | 793A  | I1770080 |
| 而                                    | 8EA7    | 51E6      | 800C  | I2NA0080 |
| 耳                                    | 8EA8    | 4CAB      | 8033  | I1UZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 自       | 8EA9    | 45C3      | 81EA  | I0UB0080 |
| 蒔       | 8EAA    | 4FE3      | 8494  | I2CJ0080 |
| 辞       | 8EAB    | 4D74      | 8F9E  | I1YS0080 |
| 汐       | 8EAC    | 506A      | 6C50  | I2EI0080 |
| 鹿       | 8EAD    | 4697      | 9E7F  | I0YF0080 |
| 式       | 8EAE    | 468F      | 5F0F  | I0Y70080 |
| 識       | 8EAF    | 4A75      | 8B58  | I1IT0080 |
| 鳴       | 8EB0    | 50BA      | 9D2B  | I2GQ0080 |
| 竺       | 8EB1    | 545C      | 7AFA  | I2ZG0080 |
| 軸       | 8EB2    | 4BA6      | 8EF8  | I1PI0080 |
| 穴       | 8EB3    | 4C75      | 5B8D  | I1TH0080 |
| 雫       | 8EB4    | 52A5      | 96EB  | I2QT0080 |
| 七       | 8EB5    | 4547      | 4E03  | I0QV0080 |
| 叱       | 8EB6    | 5042      | 53F1  | I2DE0080 |
| 執       | 8EB7    | 4D57      | 57F7  | I1XZ0080 |
| 失       | 8EB8    | 4941      | 5931  | I1C10080 |
| 嫉       | 8EB9    | 53E0      | 5AC9  | I2XS0080 |
| 室       | 8EBA    | 47B8      | 5BA4  | I14O0080 |
| 悉       | 8EBB    | 5469      | 6089  | I2ZT0080 |
| 湿       | 8EBC    | 4C90      | 6E7F  | I1U80080 |
| 漆       | 8EBD    | 4DAE      | 6F06  | I20E0080 |
| 疾       | 8EBE    | 5142      | 75BE  | I2IQ0080 |
| 質       | 8EBF    | 46EC      | 8CEA  | I10S0080 |
| 実       | 8EC0    | 45ED      | 5B9F  | I0VH0080 |
| 葩       | 8EC1    | 52BD      | 8500  | I2RH0080 |
| 篠       | 8EC2    | 4875      | 7BE0  | I1850080 |
| 偲       | 8EC3    | 54D2      | 5072  | I32Q0080 |
| 柴       | 8EC4    | 47A7      | 67F4  | I1470080 |
| 芝       | 8EC5    | 4972      | 829D  | I1DE0080 |
| 屢       | 8EC6    | 55C0      | 5C61  | I37K0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 藜       | 8EC7    | 5496      | 8602  | I3120080 |
| 縞       | 8EC8    | 4F6B      | 7E1E  | I2970080 |
| 舎       | 8EC9    | 4C58      | 820E  | I1SO0080 |
| 写       | 8ECA    | 48C4      | 5199  | I1AC0080 |
| 射       | 8ECB    | 498A      | 5C04  | I1E20080 |
| 捨       | 8ECC    | 4BB3      | 6368  | I1PV0080 |
| 赦       | 8ECD    | 5151      | 8D66  | I2J50080 |
| 斜       | 8ECE    | 4BD1      | 659C  | I1QP0080 |
| 煮       | 8ECF    | 4C4C      | 716E  | I1SC0080 |
| 社       | 8ED0    | 4663      | 793E  | I0WZ0080 |
| 紗       | 8ED1    | 4F47      | 7D17  | I2870080 |
| 者       | 8ED2    | 4670      | 8005  | I0XC0080 |
| 謝       | 8ED3    | 4DBB      | 8B1D  | I20R0080 |
| 車       | 8ED4    | 4653      | 8ECA  | I0WJ0080 |
| 遮       | 8ED5    | 5458      | 906E  | I2ZC0080 |
| 蛇       | 8ED6    | 4FEA      | 86C7  | I2CQ0080 |
| 邪       | 8ED7    | 4EB8      | 90AA  | I2600080 |
| 借       | 8ED8    | 4AD0      | 501F  | I1LC0080 |
| 勺       | 8ED9    | 5470      | 52FA  | I3000080 |
| 尺       | 8EDA    | 4C6B      | 5C3A  | I1T70080 |
| 杓       | 8EDB    | 54C1      | 6753  | I3290080 |
| 灼       | 8EDC    | 546A      | 707C  | I2ZU0080 |
| 爵       | 8EDD    | 53A9      | 7235  | I2W90080 |
| 酌       | 8EDE    | 52BB      | 914C  | I2RF0080 |
| 积       | 8EDF    | 4D79      | 91C8  | I1YX0080 |
| 錫       | 8EE0    | 5257      | 932B  | I2ON0080 |
| 若       | 8EE1    | 46D6      | 82E5  | I1060080 |
| 寂       | 8EE2    | 4FE9      | 5BC2  | I2CP0080 |
| 弱       | 8EE3    | 4B6E      | 5F31  | I1NY0080 |
| 惹       | 8EE4    | 5472      | 60F9  | I3020080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 主                                    | 8EE5    | 4762      | 4E3B  | I12A0080 |
| 取                                    | 8EE6    | 46A6      | 53D6  | I0YU0080 |
| 守                                    | 8EE7    | 46F0      | 5B88  | I10W0080 |
| 手                                    | 8EE8    | 45CB      | 624B  | I0UJ0080 |
| 朱                                    | 8EE9    | 4D42      | 6731  | I1XE0080 |
| 殊                                    | 8EEA    | 4865      | 6B8A  | I17P0080 |
| 狩                                    | 8EEB    | 4A7B      | 72E9  | I1IZ0080 |
| 珠                                    | 8EEC    | 4B99      | 73E0  | I1P50080 |
| 種                                    | 8EED    | 4692      | 7A2E  | I0YA0080 |
| 腫                                    | 8EEE    | 51CE      | 816B  | I2MM0080 |
| 趣                                    | 8EEF    | 4CED      | 8DA3  | I1WT0080 |
| 酒                                    | 8EF0    | 4758      | 9152  | I1200080 |
| 首                                    | 8EF1    | 49BE      | 9996  | I1FI0080 |
| 儒                                    | 8EF2    | 546F      | 5112  | I2ZZ0080 |
| 受                                    | 8EF3    | 484C      | 53D7  | I1700080 |
| 呪                                    | 8EF4    | 548D      | 546A  | I30T0080 |
| 寿                                    | 8EF5    | 46B2      | 5BFF  | I0Z60080 |
| 授                                    | 8EF6    | 4C61      | 6388  | I1SX0080 |
| 樹                                    | 8EF7    | 46CF      | 6A39  | I0ZZ0080 |
| 綬                                    | 8EF8    | 51A3      | 7DAC  | I2LF0080 |
| 需                                    | 8EF9    | 47FB      | 9700  | I16J0080 |
| 囚                                    | 8EFA    | 5065      | 56DA  | I2ED0080 |
| 収                                    | 8EFB    | 4791      | 53CE  | I13L0080 |
| 周                                    | 8EFC    | 48A1      | 5468  | I19D0080 |
| 宗                                    | 8F40    | 47DD      | 5B97  | I15P0080 |
| 就                                    | 8F41    | 4BEE      | 5C31  | I1RI0080 |
| 州                                    | 8F42    | 4741      | 5DDE  | I11D0080 |
| 修                                    | 8F43    | 46DE      | 4FEE  | I10E0080 |
| 愁                                    | 8F44    | 5282      | 6101  | I2PU0080 |
| 拾                                    | 8F45    | 4DD7      | 62FE  | I21J0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |           |
|--------------------------------------|---------|-----------|-------|-----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID     |
| 洲                                    | 8F46    | 4B72      | 6D32  | I10Q20080 |
| 秀                                    | 8F47    | 45F1      | 79C0  | I0VL0080  |
| 秋                                    | 8F48    | 4658      | 79CB  | I0WO0080  |
| 終                                    | 8F49    | 49F4      | 7D42  | I1H00080  |
| 繡                                    | 8F4A    | 52DA      | 7E4D  | I2SA0080  |
| 習                                    | 8F4B    | 4A69      | 7FD2  | I1IH0080  |
| 臭                                    | 8F4C    | 4DB3      | 81ED  | I20J0080  |
| 舟                                    | 8F4D    | 4BB8      | 821F  | I1Q00080  |
| 菟                                    | 8F4E    | 4F93      | 8490  | I2AB0080  |
| 衆                                    | 8F4F    | 4B88      | 8846  | I10O0080  |
| 襲                                    | 8F50    | 4DDF      | 8972  | I21R0080  |
| 讐                                    | 8F51    | 53FE      | 8B90  | I2YM0080  |
| 蹴                                    | 8F52    | 52F6      | 8E74  | I2T20080  |
| 輯                                    | 8F53    | 55A6      | 8F2F  | I36U0080  |
| 週                                    | 8F54    | 4AD3      | 9031  | I1LF0080  |
| 酋                                    | 8F55    | 5548      | 914B  | I3480080  |
| 酬                                    | 8F56    | 5149      | 916C  | I2IX0080  |
| 集                                    | 8F57    | 47A0      | 96C6  | I1400080  |
| 醜                                    | 8F58    | 536F      | 919C  | I2UN0080  |
| 什                                    | 8F59    | 53D9      | 4EC0  | I2XL0080  |
| 住                                    | 8F5A    | 46E0      | 4F4F  | I10G0080  |
| 充                                    | 8F5B    | 48C9      | 5145  | I1AH0080  |
| 十                                    | 8F5C    | 454A      | 5341  | I0QY0080  |
| 従                                    | 8F5D    | 48FB      | 5F93  | I1BV0080  |
| 戎                                    | 8F5E    | 517F      | 620E  | I2KF0080  |
| 柔                                    | 8F5F    | 4DEA      | 67D4  | I2220080  |
| 汁                                    | 8F60    | 4D84      | 6C41  | I1Z80080  |
| 洪                                    | 8F61    | 4892      | 6E0B  | I18Y0080  |
| 獸                                    | 8F62    | 4F65      | 7363  | I2910080  |
| 縦                                    | 8F63    | 4E93      | 7E26  | I24Z0080  |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 重       | 8F64    | 45A3      | 91CD  | I0TF0080 |
| 銃       | 8F65    | 4CE2      | 9283  | I1WI0080 |
| 叔       | 8F66    | 4FA5      | 53D4  | I2AT0080 |
| 夙       | 8F67    | 54DD      | 5919  | I3310080 |
| 宿       | 8F68    | 4882      | 5BBF  | I18I0080 |
| 淑       | 8F69    | 4ABF      | 6DD1  | I1KV0080 |
| 祝       | 8F6A    | 4CEB      | 795D  | I1WR0080 |
| 縮       | 8F6B    | 49F7      | 7E2E  | I1H30080 |
| 肅       | 8F6C    | 4FC8      | 7C9B  | I2BS0080 |
| 塾       | 8F6D    | 5279      | 587E  | I2PL0080 |
| 熟       | 8F6E    | 4EBF      | 719F  | I2670080 |
| 出       | 8F6F    | 459B      | 51FA  | I0T70080 |
| 術       | 8F70    | 486C      | 8853  | I17W0080 |
| 述       | 8F71    | 4A9C      | 8FF0  | I1JW0080 |
| 俊       | 8F72    | 4660      | 4FCA  | I0WW0080 |
| 峻       | 8F73    | 5072      | 5CFB  | I2EQ0080 |
| 春       | 8F74    | 4662      | 6625  | I0WY0080 |
| 瞬       | 8F75    | 4DB0      | 77AC  | I20G0080 |
| 竣       | 8F76    | 546B      | 7AE3  | I2ZV0080 |
| 舜       | 8F77    | 4FB8      | 821C  | I2BC0080 |
| 駿       | 8F78    | 4CC0      | 99FF  | I1VK0080 |
| 准       | 8F79    | 4F80      | 51C6  | I29S0080 |
| 循       | 8F7A    | 4EF5      | 5FAA  | I27P0080 |
| 旬       | 8F7B    | 4D67      | 65EC  | I1YF0080 |
| 楯       | 8F7C    | 4FAE      | 696F  | I2B20080 |
| 殉       | 8F7D    | 53A4      | 6B89  | I2W40080 |
| 淳       | 8F7E    | 4894      | 6DF3  | I1900080 |
| 準       | 8F80    | 46CE      | 6E96  | I0ZY0080 |
| 潤       | 8F81    | 4AD2      | 6F64  | I1LE0080 |
| 盾       | 8F82    | 5082      | 76FE  | I2F60080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 純       | 8F83    | 47A6      | 7D14  | I1460080 |
| 巡       | 8F84    | 4D47      | 5DE1  | I1XJ0080 |
| 遵       | 8F85    | 526E      | 9075  | I2PA0080 |
| 醇       | 8F86    | 51A9      | 9187  | I2LL0080 |
| 順       | 8F87    | 47B2      | 9806  | I14I0080 |
| 処       | 8F88    | 48E6      | 51E6  | I1BA0080 |
| 初       | 8F89    | 474B      | 521D  | I11N0080 |
| 所       | 8F8A    | 458C      | 6240  | I0SS0080 |
| 暑       | 8F8B    | 4FBE      | 6691  | I2BI0080 |
| 曙       | 8F8C    | 5152      | 66D9  | I2J60080 |
| 渚       | 8F8D    | 50E4      | 6E1A  | I2HW0080 |
| 庶       | 8F8E    | 50C1      | 5EB6  | I2GX0080 |
| 緒       | 8F8F    | 4A9B      | 7DD2  | I1JV0080 |
| 署       | 8F90    | 4C99      | 7F72  | I1UH0080 |
| 書       | 8F91    | 479D      | 66F8  | I13X0080 |
| 薯       | 8F92    | 53F9      | 85AF  | I2YH0080 |
| 諧       | 8F93    | 55E2      | 85F7  | I38I0080 |
| 諸       | 8F94    | 47E2      | 8AF8  | I15U0080 |
| 助       | 8F95    | 4671      | 52A9  | I0XD0080 |
| 叙       | 8F96    | 50F5      | 53D9  | I2ID0080 |
| 女       | 8F97    | 4699      | 5973  | I0YH0080 |
| 序       | 8F98    | 4D4F      | 5E8F  | I1XR0080 |
| 徐       | 8F99    | 50B3      | 5F90  | I2GJ0080 |
| 恕       | 8F9A    | 5298      | 6055  | I2QG0080 |
| 鋤       | 8F9B    | 52C0      | 92E4  | I2RK0080 |
| 除       | 8F9C    | 496D      | 9664  | I1D90080 |
| 傷       | 8F9D    | 4C5B      | 50B7  | I1SR0080 |
| 償       | 8F9E    | 4AA2      | 511F  | I1K20080 |
| 勝       | 8F9F    | 45B5      | 52DD  | I0TX0080 |
| 匠       | 8FA0    | 4E6B      | 5320  | I23V0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 升       | 8FA1    | 4E47      | 5347  | I22V0080 |
| 召       | 8FA2    | 4F86      | 53EC  | I29Y0080 |
| 哨       | 8FA3    | 5568      | 54E8  | I3540080 |
| 商       | 8FA4    | 46BE      | 5546  | I0ZI0080 |
| 唱       | 8FA5    | 4D43      | 5531  | I1XF0080 |
| 嘗       | 8FA6    | 54EC      | 5617  | I33G0080 |
| 獎       | 8FA7    | 4ECA      | 5968  | I26I0080 |
| 妾       | 8FA8    | 53AF      | 59BE  | I2WF0080 |
| 娼       | 8FA9    | 5498      | 5A3C  | I3140080 |
| 宵       | 8FAA    | 52EF      | 5BB5  | I2SV0080 |
| 将       | 8FAB    | 4959      | 5C06  | I1CP0080 |
| 小       | 8FAC    | 455D      | 5C0F  | I0RH0080 |
| 少       | 8FAD    | 484A      | 5C11  | I16Y0080 |
| 尚       | 8FAE    | 4871      | 5C1A  | I1810080 |
| 庄       | 8FAF    | 4850      | 5E84  | I1740080 |
| 床       | 8FB0    | 4AED      | 5E8A  | I1M50080 |
| 廠       | 8FB1    | 5562      | 5EE0  | I34Y0080 |
| 彰       | 8FB2    | 4964      | 5F70  | I1D00080 |
| 承       | 8FB3    | 4C48      | 627F  | I1S80080 |
| 抄       | 8FB4    | 4EC0      | 6284  | I2680080 |
| 招       | 8FB5    | 4BFD      | 62DB  | I1RX0080 |
| 掌       | 8FB6    | 4EEC      | 638C  | I27G0080 |
| 捷       | 8FB7    | 4D8F      | 6377  | I1ZJ0080 |
| 昇       | 8FB8    | 46FE      | 6607  | I11A0080 |
| 昌       | 8FB9    | 46D1      | 660C  | I1010080 |
| 昭       | 8FBA    | 45B3      | 662D  | I0TV0080 |
| 晶       | 8FBB    | 4AF8      | 6676  | I1MG0080 |
| 松       | 8FBC    | 4578      | 677E  | I0S80080 |
| 梢       | 8FBD    | 50AC      | 68A2  | I2GC0080 |
| 樟       | 8FBE    | 539B      | 6A1F  | I2VV0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 樵       | 8FBF    | 5585      | 6A35  | I35X0080 |
| 沼       | 8FC0    | 46C6      | 6CBC  | I0ZQ0080 |
| 消       | 8FC1    | 486B      | 6D88  | I17V0080 |
| 涉       | 8FC2    | 4AC0      | 6E09  | I1KW0080 |
| 湘       | 8FC3    | 5155      | 6E58  | I2J90080 |
| 燒       | 8FC4    | 4983      | 713C  | I1DV0080 |
| 焦       | 8FC5    | 4DE6      | 7126  | I21Y0080 |
| 照       | 8FC6    | 4742      | 7167  | I11E0080 |
| 症       | 8FC7    | 4E4A      | 75C7  | I22Y0080 |
| 省       | 8FC8    | 4847      | 7701  | I16V0080 |
| 硝       | 8FC9    | 4976      | 785D  | I1DI0080 |
| 礁       | 8FCA    | 51B0      | 7901  | I2LS0080 |
| 祥       | 8FCB    | 49F9      | 7965  | I1H50080 |
| 称       | 8FCC    | 4BDF      | 79F0  | I1R30080 |
| 章       | 8FCD    | 476E      | 7AE0  | I12M0080 |
| 笑       | 8FCE    | 49B5      | 7B11  | I1F90080 |
| 粧       | 8FCF    | 4BD4      | 7CA7  | I1QS0080 |
| 紹       | 8FD0    | 4CE4      | 7D39  | I1WK0080 |
| 肖       | 8FD1    | 5267      | 8096  | I2P30080 |
| 莒       | 8FD2    | 5180      | 83D6  | I2KG0080 |
| 蔣       | 8FD3    | 53F8      | 848B  | I2YG0080 |
| 蕉       | 8FD4    | 53A8      | 8549  | I2W80080 |
| 衝       | 8FD5    | 4DA5      | 885D  | I2050080 |
| 裳       | 8FD6    | 4FA8      | 88F3  | I2AW0080 |
| 訟       | 8FD7    | 50EF      | 8A1F  | I2I70080 |
| 証       | 8FD8    | 49BA      | 8A3C  | I1FE0080 |
| 詔       | 8FD9    | 4F88      | 8A54  | I2A00080 |
| 詳       | 8FDA    | 4DE7      | 8A73  | I21Z0080 |
| 象       | 8FDB    | 4994      | 8C61  | I1EC0080 |
| 賞       | 8FDC    | 4AAD      | 8CDE  | I1KD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 醬       | 8FDD    | 507F      | 91A4  | I2F30080 |
| 鉦       | 8FDE    | 4FB4      | 9266  | I2B80080 |
| 鍾       | 8FDF    | 53BD      | 937E  | I2WT0080 |
| 鐘       | 8FE0    | 4CC8      | 9418  | I1VS0080 |
| 障       | 8FE1    | 4BF9      | 969C  | I1RT0080 |
| 鞞       | 8FE2    | 52E7      | 9798  | I2SN0080 |
| 上       | 8FE3    | 455E      | 4E0A  | I0RI0080 |
| 丈       | 8FE4    | 49D3      | 4E08  | I1G30080 |
| 丞       | 8FE5    | 4F62      | 4E1E  | I28Y0080 |
| 乘       | 8FE6    | 4947      | 4E57  | I1C70080 |
| 冗       | 8FE7    | 527E      | 5197  | I2PQ0080 |
| 剩       | 8FE8    | 4D85      | 5270  | I1Z90080 |
| 城       | 8FE9    | 45DB      | 57CE  | I0UZ0080 |
| 場       | 8FEA    | 45D9      | 5834  | I0UX0080 |
| 壤       | 8FEB    | 5196      | 58CC  | I2L20080 |
| 嬢       | 8FEC    | 4DE4      | 5B22  | I21W0080 |
| 常       | 8FED    | 46EF      | 5E38  | I10V0080 |
| 情       | 8FEE    | 485F      | 60C5  | I17J0080 |
| 擾       | 8FEF    | 55F6      | 64FE  | I3920080 |
| 条       | 8FF0    | 475E      | 6761  | I1260080 |
| 杖       | 8FF1    | 50F4      | 6756  | I2IC0080 |
| 淨       | 8FF2    | 4CC9      | 6D44  | I1VT0080 |
| 状       | 8FF3    | 4852      | 72B6  | I1760080 |
| 昼       | 8FF4    | 4E54      | 7573  | I2380080 |
| 穰       | 8FF5    | 4E98      | 7A63  | I2540080 |
| 蒸       | 8FF6    | 4ABA      | 84B8  | I1KQ0080 |
| 讓       | 8FF7    | 4B7B      | 8B72  | I1OB0080 |
| 釀       | 8FF8    | 50C2      | 91B8  | I2GY0080 |
| 錠       | 8FF9    | 4E57      | 9320  | I23B0080 |
| 囑       | 8FFA    | 50CA      | 5631  | I2H60080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 埴       | 8FFB    | 4F48      | 57F4  | I2880080 |
| 飾       | 8FFC    | 4957      | 98FE  | I1CN0080 |
| 拭       | 9040    | 4EE5      | 62ED  | I2790080 |
| 植       | 9041    | 47C5      | 690D  | I1510080 |
| 殖       | 9042    | 4E73      | 6B96  | I2430080 |
| 燭       | 9043    | 54E6      | 71ED  | I33A0080 |
| 織       | 9044    | 489A      | 7E54  | I1960080 |
| 職       | 9045    | 48D7      | 8077  | I1AV0080 |
| 色       | 9046    | 47C3      | 8272  | I14Z0080 |
| 触       | 9047    | 4CD1      | 89E6  | I1W10080 |
| 食       | 9048    | 46B8      | 98DF  | I0ZC0080 |
| 蝕       | 9049    | 5347      | 8755  | I2TJ0080 |
| 辱       | 904A    | 52E5      | 8FB1  | I2SL0080 |
| 尻       | 904B    | 49CE      | 5C3B  | I1FY0080 |
| 伸       | 904C    | 46F4      | 4F38  | I1100080 |
| 信       | 904D    | 45A5      | 4FE1  | I0TH0080 |
| 侵       | 904E    | 4F8C      | 4FB5  | I2A40080 |
| 唇       | 904F    | 4F76      | 5507  | I29I0080 |
| 娠       | 9050    | 524C      | 5A20  | I2OC0080 |
| 寢       | 9051    | 4B59      | 5BDD  | I1ND0080 |
| 審       | 9052    | 4987      | 5BE9  | I1DZ0080 |
| 心       | 9053    | 46E7      | 5FC3  | I10N0080 |
| 慎       | 9054    | 4A76      | 614E  | I1IU0080 |
| 振       | 9055    | 48F6      | 632F  | I1BQ0080 |
| 新       | 9056    | 4587      | 65B0  | I0SN0080 |
| 晋       | 9057    | 4BB2      | 664B  | I1PU0080 |
| 森       | 9058    | 459D      | 68EE  | I0T90080 |
| 榛       | 9059    | 4D7E      | 699B  | I1Z20080 |
| 浸       | 905A    | 4D41      | 6D78  | I1XD0080 |
| 深       | 905B    | 4777      | 6DF1  | I12V0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 申       | 905C    | 4967      | 7533  | I1D30080 |
| 疹       | 905D    | 54E1      | 75B9  | I3350080 |
| 真       | 905E    | 4642      | 771F  | I0W20080 |
| 神       | 905F    | 45A1      | 795E  | I0TD0080 |
| 秦       | 9060    | 4C8A      | 79E6  | I1U20080 |
| 紳       | 9061    | 4E59      | 7D33  | I23D0080 |
| 臣       | 9062    | 4A47      | 81E3  | I1HJ0080 |
| 芯       | 9063    | 4FE5      | 82AF  | I2CL0080 |
| 薪       | 9064    | 545A      | 85AA  | I2ZE0080 |
| 親       | 9065    | 4885      | 89AA  | I18L0080 |
| 診       | 9066    | 4D68      | 8A3A  | I1YG0080 |
| 身       | 9067    | 479C      | 8EAB  | I13W0080 |
| 辛       | 9068    | 4D5E      | 8F9B  | I1Y60080 |
| 進       | 9069    | 4669      | 9032  | I0X50080 |
| 針       | 906A    | 4988      | 91DD  | I1E00080 |
| 震       | 906B    | 4DDE      | 9707  | I21Q0080 |
| 人       | 906C    | 4593      | 4EBA  | I0SZ0080 |
| 仁       | 906D    | 4776      | 4EC1  | I12U0080 |
| 刃       | 906E    | 4F44      | 5203  | I2840080 |
| 塵       | 906F    | 4D89      | 5875  | I1ZD0080 |
| 壬       | 9070    | 514F      | 58EC  | I2J30080 |
| 尋       | 9071    | 4D5F      | 5C0B  | I1Y70080 |
| 甚       | 9072    | 4B66      | 751A  | I1NQ0080 |
| 尽       | 9073    | 4FB9      | 5C3D  | I2BD0080 |
| 腎       | 9074    | 52C4      | 814E  | I2RO0080 |
| 訊       | 9075    | 50F2      | 8A0A  | I2IA0080 |
| 迅       | 9076    | 5068      | 8FC5  | I2EG0080 |
| 陣       | 9077    | 4C84      | 9663  | I1TW0080 |
| 靱       | 9078    | 52CE      | 9771  | I2RY0080 |
| 筥       | 9079    | 52F4      | 7B25  | I2T00080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 諷       | 907A    | 4BC1      | 8ACF  | I1Q90080 |
| 須       | 907B    | 46B0      | 9808  | I0Z40080 |
| 酢       | 907C    | 4BAE      | 9162  | I1PQ0080 |
| 囟       | 907D    | 47C1      | 56F3  | I14X0080 |
| 厨       | 907E    | 5178      | 53A8  | I2K80080 |
| 逗       | 9080    | 4FB3      | 9017  | I2B70080 |
| 吹       | 9081    | 49C4      | 5439  | I1FO0080 |
| 垂       | 9082    | 4BC9      | 5782  | I1QH0080 |
| 帥       | 9083    | 52AF      | 5E25  | I2R30080 |
| 推       | 9084    | 48D5      | 63A8  | I1AT0080 |
| 水       | 9085    | 459C      | 6C34  | I0T80080 |
| 炊       | 9086    | 4FCB      | 708A  | I2BV0080 |
| 睡       | 9087    | 526C      | 7761  | I2P80080 |
| 粹       | 9088    | 4FCC      | 7C8B  | I2BW0080 |
| 翠       | 9089    | 4F69      | 7FE0  | I2950080 |
| 衰       | 908A    | 4F54      | 8870  | I28K0080 |
| 遂       | 908B    | 4CF7      | 9042  | I1X30080 |
| 醉       | 908C    | 4E7C      | 9154  | I24C0080 |
| 錐       | 908D    | 5390      | 9310  | I2VK0080 |
| 錘       | 908E    | 54EF      | 9318  | I33J0080 |
| 随       | 908F    | 4E76      | 968F  | I2460080 |
| 瑞       | 9090    | 4B5B      | 745E  | I1NF0080 |
| 髓       | 9091    | 52C5      | 9AC4  | I2RP0080 |
| 崇       | 9092    | 4C7F      | 5D07  | I1TR0080 |
| 嵩       | 9093    | 509E      | 5D69  | I2FY0080 |
| 数       | 9094    | 46CC      | 6570  | I0ZW0080 |
| 枢       | 9095    | 52D0      | 67A2  | I2S00080 |
| 趨       | 9096    | 5561      | 8DA8  | I34X0080 |
| 雛       | 9097    | 51FB      | 96DB  | I2NV0080 |
| 据       | 9098    | 4ED6      | 636E  | I26U0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 杉                                    | 9099    | 4668      | 6749  | I0X40080 |
| 梶                                    | 909A    | 4FED      | 6919  | I2CT0080 |
| 菅                                    | 909B    | 4753      | 83C5  | I11V0080 |
| 頗                                    | 909C    | 55E4      | 9817  | I38K0080 |
| 雀                                    | 909D    | 4F64      | 96C0  | I2900080 |
| 裾                                    | 909E    | 4C8D      | 88FE  | I1U50080 |
| 澄                                    | 909F    | 4887      | 6F84  | I18N0080 |
| 摺                                    | 90A0    | 51EF      | 647A  | I2NJ0080 |
| 寸                                    | 90A1    | 4B60      | 5BF8  | I1NK0080 |
| 世                                    | 90A2    | 469B      | 4E16  | I0YJ0080 |
| 瀬                                    | 90A3    | 465B      | 702C  | I0WR0080 |
| 畝                                    | 90A4    | 5086      | 755D  | I2FA0080 |
| 是                                    | 90A5    | 4BBB      | 662F  | I1Q30080 |
| 凄                                    | 90A6    | 52DC      | 51C4  | I2SC0080 |
| 制                                    | 90A7    | 46C4      | 5236  | I0ZO0080 |
| 勢                                    | 90A8    | 47EE      | 52E2  | I1660080 |
| 姓                                    | 90A9    | 4FF1      | 59D3  | I2CX0080 |
| 征                                    | 90AA    | 4A61      | 5F81  | I1I90080 |
| 性                                    | 90AB    | 466E      | 6027  | I0XA0080 |
| 成                                    | 90AC    | 45BA      | 6210  | I0U20080 |
| 政                                    | 90AD    | 45C7      | 653F  | I0UF0080 |
| 整                                    | 90AE    | 477C      | 6574  | I1300080 |
| 星                                    | 90AF    | 47A9      | 661F  | I1490080 |
| 晴                                    | 90B0    | 4795      | 6674  | I13P0080 |
| 棲                                    | 90B1    | 5375      | 68F2  | I2UT0080 |
| 栖                                    | 90B2    | 4DCC      | 6816  | I2180080 |
| 正                                    | 90B3    | 4577      | 6B63  | I0S70080 |
| 清                                    | 90B4    | 4596      | 6E05  | I0T20080 |
| 牲                                    | 90B5    | 5158      | 7272  | I2JC0080 |
| 生                                    | 90B6    | 4599      | 751F  | I0T50080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 盛                                    | 90B7    | 4844      | 76DB  | I16S0080 |
| 精                                    | 90B8    | 466C      | 7CBE  | I0X80080 |
| 聖                                    | 90B9    | 4BB5      | 8056  | I1PX0080 |
| 声                                    | 90BA    | 496C      | 58F0  | I1D80080 |
| 製                                    | 90BB    | 457B      | 88FD  | I0SB0080 |
| 西                                    | 90BC    | 4558      | 897F  | I0RC0080 |
| 誠                                    | 90BD    | 46FD      | 8AA0  | I1190080 |
| 誓                                    | 90BE    | 4FA0      | 8A93  | I2AO0080 |
| 請                                    | 90BF    | 4AE8      | 8ACB  | I1M00080 |
| 逝                                    | 90C0    | 53B1      | 901D  | I2WH0080 |
| 醒                                    | 90C1    | 5378      | 9192  | I2UW0080 |
| 青                                    | 90C2    | 464C      | 9752  | I0WC0080 |
| 静                                    | 90C3    | 4644      | 9759  | I0W40080 |
| 斉                                    | 90C4    | 468E      | 6589  | I0Y60080 |
| 税                                    | 90C5    | 47C4      | 7A0E  | I1500080 |
| 脆                                    | 90C6    | 55EC      | 8106  | I38S0080 |
| 隻                                    | 90C7    | 4FDA      | 96BB  | I2CA0080 |
| 席                                    | 90C8    | 4B53      | 5E2D  | I1N70080 |
| 惜                                    | 90C9    | 4ED7      | 60DC  | I26V0080 |
| 戚                                    | 90CA    | 5595      | 621A  | I36D0080 |
| 斥                                    | 90CB    | 5141      | 65A5  | I2IP0080 |
| 昔                                    | 90CC    | 4C59      | 6614  | I1SP0080 |
| 析                                    | 90CD    | 4AE2      | 6790  | I1LU0080 |
| 石                                    | 90CE    | 4580      | 77F3  | I0SG0080 |
| 積                                    | 90CF    | 4891      | 7A4D  | I18X0080 |
| 籍                                    | 90D0    | 4DFE      | 7C4D  | I22M0080 |
| 績                                    | 90D1    | 4866      | 7E3E  | I17Q0080 |
| 脊                                    | 90D2    | 535E      | 810A  | I2U60080 |
| 責                                    | 90D3    | 4BD2      | 8CAC  | I1QQ0080 |
| 赤                                    | 90D4    | 46F9      | 8D64  | I1150080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 跡                                    | 90D5    | 4CCD      | 8DE1  | I1VX0080 |
| 蹟                                    | 90D6    | 5368      | 8E5F  | I2UG0080 |
| 碩                                    | 90D7    | 507D      | 78A9  | I2F10080 |
| 切                                    | 90D8    | 4765      | 5207  | I12D0080 |
| 拙                                    | 90D9    | 525C      | 62D9  | I2OS0080 |
| 接                                    | 90DA    | 47A8      | 63A5  | I1480080 |
| 撰                                    | 90DB    | 4E8C      | 6442  | I24S0080 |
| 折                                    | 90DC    | 498D      | 6298  | I1E50080 |
| 設                                    | 90DD    | 45E2      | 8A2D  | I0V60080 |
| 窃                                    | 90DE    | 5169      | 7A83  | I2JT0080 |
| 節                                    | 90DF    | 47A1      | 7BC0  | I1410080 |
| 説                                    | 90E0    | 4952      | 8AAC  | I1CI0080 |
| 雪                                    | 90E1    | 49BB      | 96EA  | I1FF0080 |
| 絶                                    | 90E2    | 4AF3      | 7D76  | I1MB0080 |
| 舌                                    | 90E3    | 5094      | 820C  | I2FO0080 |
| 蟬                                    | 90E4    | 53E8      | 8749  | I2Y00080 |
| 仙                                    | 90E5    | 48A2      | 4ED9  | I19E0080 |
| 先                                    | 90E6    | 47A2      | 5148  | I1420080 |
| 千                                    | 90E7    | 454C      | 5343  | I0R00080 |
| 占                                    | 90E8    | 49EE      | 5360  | I1GU0080 |
| 宣                                    | 90E9    | 498F      | 5BA3  | I1E70080 |
| 専                                    | 90EA    | 49FB      | 5C02  | I1H70080 |
| 尖                                    | 90EB    | 53C0      | 5C16  | I2WW0080 |
| 川                                    | 90EC    | 4567      | 5DDD  | I0RR0080 |
| 戦                                    | 90ED    | 4764      | 6226  | I12C0080 |
| 扇                                    | 90EE    | 4DCA      | 6247  | I2160080 |
| 撰                                    | 90EF    | 5372      | 64B0  | I2UQ0080 |
| 栓                                    | 90F0    | 50E3      | 6813  | I2HV0080 |
| 梅                                    | 90F1    | 55DA      | 6834  | I38A0080 |
| 泉                                    | 90F2    | 46EE      | 6CC9  | I10U0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 浅                                    | 90F3    | 468D      | 6D45  | I0Y50080 |
| 洗                                    | 90F4    | 4A4E      | 6D17  | I1HQ0080 |
| 染                                    | 90F5    | 489B      | 67D3  | I1970080 |
| 潜                                    | 90F6    | 4DC0      | 6F5C  | I20W0080 |
| 煎                                    | 90F7    | 5490      | 714E  | I30W0080 |
| 煽                                    | 90F8    | 5590      | 717D  | I3680080 |
| 旋                                    | 90F9    | 4D7B      | 65CB  | I1YZ0080 |
| 穿                                    | 90FA    | 4E91      | 7A7F  | I24X0080 |
| 箭                                    | 90FB    | 518D      | 7BAD  | I2KT0080 |
| 線                                    | 90FC    | 4687      | 7DDA  | I0XZ0080 |
| 織                                    | 9140    | 4868      | 7E4A  | I17S0080 |
| 羨                                    | 9141    | 5596      | 7FA8  | I36E0080 |
| 腺                                    | 9142    | 526F      | 817A  | I2PB0080 |
| 舛                                    | 9143    | 4FC1      | 821B  | I2BL0080 |
| 船                                    | 9144    | 467B      | 8239  | I0XN0080 |
| 薦                                    | 9145    | 4FBF      | 85A6  | I2BJ0080 |
| 詮                                    | 9146    | 518E      | 8A6E  | I2KU0080 |
| 賤                                    | 9147    | 5566      | 8CE4  | I3520080 |
| 踐                                    | 9148    | 50D1      | 8DF5  | I2HD0080 |
| 選                                    | 9149    | 485D      | 9078  | I17H0080 |
| 遷                                    | 914A    | 535B      | 9077  | I2U30080 |
| 錢                                    | 914B    | 4D48      | 92AD  | I1XK0080 |
| 銑                                    | 914C    | 4CAD      | 9291  | I1V10080 |
| 閃                                    | 914D    | 519C      | 9583  | I2L80080 |
| 鮮                                    | 914E    | 4CE9      | 9BAE  | I1WP0080 |
| 前                                    | 914F    | 45AF      | 524D  | I0TR0080 |
| 善                                    | 9150    | 46B3      | 5584  | I0Z70080 |
| 漸                                    | 9151    | 4D73      | 6F38  | I1YR0080 |
| 然                                    | 9152    | 47EF      | 7136  | I1670080 |
| 全                                    | 9153    | 46B1      | 5168  | I0Z50080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 禪       | 9154    | 4F87      | 7985  | I29Z0080 |
| 繕       | 9155    | 51D4      | 7E55  | I2MS0080 |
| 膳       | 9156    | 5076      | 81B3  | I2EU0080 |
| 糰       | 9157    | 5160      | 7CCE  | I2JK0080 |
| 噌       | 9158    | 5062      | 564C  | I2EA0080 |
| 塑       | 9159    | 4EC6      | 5851  | I26E0080 |
| 岨       | 915A    | 54B9      | 5CA8  | I3210080 |
| 措       | 915B    | 4A60      | 63AA  | I1I80080 |
| 會       | 915C    | 5166      | 66FE  | I2JQ0080 |
| 曾       | 915D    | 495F      | 66FD  | I1CV0080 |
| 楚       | 915E    | 534C      | 695A  | I2TO0080 |
| 狙       | 915F    | 4ECF      | 72D9  | I26N0080 |
| 疏       | 9160    | 55B0      | 758F  | I3740080 |
| 疎       | 9161    | 5171      | 758E  | I2K10080 |
| 礎       | 9162    | 4C9C      | 790E  | I1UK0080 |
| 祖       | 9163    | 4CDC      | 7956  | I1WC0080 |
| 租       | 9164    | 4D83      | 79DF  | I1Z70080 |
| 粗       | 9165    | 4D59      | 7C97  | I1Y10080 |
| 素       | 9166    | 479F      | 7D20  | I13Z0080 |
| 組       | 9167    | 46B9      | 7D44  | I0ZD0080 |
| 蘇       | 9168    | 4CBF      | 8607  | I1VJ0080 |
| 訴       | 9169    | 4CDF      | 8A34  | I1WF0080 |
| 阻       | 916A    | 4FEF      | 963B  | I2CV0080 |
| 遡       | 916B    | 544C      | 9061  | I2Z00080 |
| 鼠       | 916C    | 50CB      | 9F20  | I2H70080 |
| 僧       | 916D    | 4E84      | 50E7  | I24K0080 |
| 創       | 916E    | 4BE1      | 5275  | I1R50080 |
| 双       | 916F    | 4B71      | 53CC  | I1O10080 |
| 叢       | 9170    | 53F5      | 53E2  | I2YD0080 |
| 倉       | 9171    | 45D6      | 5009  | I0UU0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 喪       | 9172    | 5168      | 55AA  | I2JS0080 |
| 壯       | 9173    | 4C9F      | 58EE  | I1UN0080 |
| 奏       | 9174    | 4C53      | 594F  | I1SJ0080 |
| 爽       | 9175    | 52DD      | 723D  | I2SD0080 |
| 宋       | 9176    | 524D      | 5B8B  | I2OD0080 |
| 層       | 9177    | 4A8E      | 5C64  | I1JI0080 |
| 匝       | 9178    | 51B7      | 531D  | I2LZ0080 |
| 惣       | 9179    | 4B68      | 60E3  | I1NS0080 |
| 想       | 917A    | 48B3      | 60F3  | I19V0080 |
| 搜       | 917B    | 4DDD      | 635C  | I21P0080 |
| 掃       | 917C    | 4DC3      | 6383  | I20Z0080 |
| 挿       | 917D    | 5555      | 633F  | I34L0080 |
| 搔       | 917E    | 54A3      | 63BB  | I31F0080 |
| 操       | 9180    | 499B      | 64CD  | I1EJ0080 |
| 早       | 9181    | 46E9      | 65E9  | I10P0080 |
| 曹       | 9182    | 4ED2      | 66F9  | I26Q0080 |
| 巢       | 9183    | 4C67      | 5DE3  | I1T30080 |
| 槍       | 9184    | 52DB      | 69CD  | I2SB0080 |
| 槽       | 9185    | 4DB7      | 69FD  | I20N0080 |
| 漕       | 9186    | 54A1      | 6F15  | I31D0080 |
| 燥       | 9187    | 4C66      | 71E5  | I1T20080 |
| 争       | 9188    | 4896      | 4E89  | I1920080 |
| 瘦       | 9189    | 54A4      | 75E9  | I31G0080 |
| 相       | 918A    | 4678      | 76F8  | I0XK0080 |
| 窓       | 918B    | 4BE9      | 7A93  | I1RD0080 |
| 糟       | 918C    | 518C      | 7CDF  | I2KS0080 |
| 総       | 918D    | 4793      | 7DCF  | I13N0080 |
| 綜       | 918E    | 5070      | 7D9C  | I2EO0080 |
| 聡       | 918F    | 4B89      | 8061  | I1OP0080 |
| 草       | 9190    | 4842      | 8349  | I16Q0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 莊       | 9191    | 4B62      | 8358  | I1NM0080 |
| 葬       | 9192    | 4F79      | 846C  | I29L0080 |
| 蒼       | 9193    | 50B9      | 84BC  | I2GP0080 |
| 藻       | 9194    | 505F      | 85FB  | I2E70080 |
| 装       | 9195    | 4898      | 88C5  | I1940080 |
| 走       | 9196    | 4AAA      | 8D70  | I1KA0080 |
| 送       | 9197    | 4744      | 9001  | I11G0080 |
| 遭       | 9198    | 5143      | 906D  | I2IR0080 |
| 鎗       | 9199    | 5197      | 9397  | I2L30080 |
| 霜       | 919A    | 4DE8      | 971C  | I2200080 |
| 騷       | 919B    | 4DD2      | 9A12  | I21E0080 |
| 像       | 919C    | 4BBA      | 50CF  | I1Q20080 |
| 增       | 919D    | 464D      | 5897  | I0WD0080 |
| 憎       | 919E    | 4F4A      | 618E  | I28A0080 |
| 臟       | 919F    | 4DBD      | 81D3  | I20T0080 |
| 蔵       | 91A0    | 465E      | 8535  | I0WU0080 |
| 贈       | 91A1    | 4C7C      | 8D08  | I1TO0080 |
| 造       | 91A2    | 45B8      | 9020  | I0U00080 |
| 促       | 91A3    | 4A6A      | 4FC3  | I1II0080 |
| 側       | 91A4    | 4943      | 5074  | I1C30080 |
| 則       | 91A5    | 474D      | 5247  | I11P0080 |
| 即       | 91A6    | 4B6D      | 5373  | I1NX0080 |
| 息       | 91A7    | 4BB0      | 606F  | I1PS0080 |
| 捉       | 91A8    | 53A0      | 6349  | I2W00080 |
| 束       | 91A9    | 4B4B      | 675F  | I1MZ0080 |
| 測       | 91AA    | 4945      | 6E2C  | I1C50080 |
| 足       | 91AB    | 46FA      | 8DB3  | I1160080 |
| 速       | 91AC    | 48CD      | 901F  | I1AL0080 |
| 俗       | 91AD    | 4E97      | 4FD7  | I2530080 |
| 属       | 91AE    | 476D      | 5C5E  | I12L0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 賊       | 91AF    | 4FFD      | 8CCA  | I2D90080 |
| 族       | 91B0    | 4ADC      | 65CF  | I1LO0080 |
| 続       | 91B1    | 47CB      | 7D9A  | I1570080 |
| 卒       | 91B2    | 4AF2      | 5352  | I1MA0080 |
| 袖       | 91B3    | 4A57      | 8896  | I1HZ0080 |
| 其       | 91B4    | 4F67      | 5176  | I2930080 |
| 揃       | 91B5    | 4EFD      | 63C3  | I27X0080 |
| 存       | 91B6    | 4A41      | 5B58  | I1HD0080 |
| 孫       | 91B7    | 4C5E      | 5B6B  | I1SU0080 |
| 尊       | 91B8    | 4CEF      | 5C0A  | I1WV0080 |
| 損       | 91B9    | 4BD8      | 640D  | I1QW0080 |
| 村       | 91BA    | 4556      | 6751  | I0RA0080 |
| 遜       | 91BB    | 5455      | 905C  | I2Z90080 |
| 他       | 91BC    | 4755      | 4ED6  | I11X0080 |
| 多       | 91BD    | 45FE      | 591A  | I0VY0080 |
| 太       | 91BE    | 45AB      | 592A  | I0TN0080 |
| 汰       | 91BF    | 50D2      | 6C70  | I2HE0080 |
| 訖       | 91C0    | 55E3      | 8A51  | I38J0080 |
| 唾       | 91C1    | 5478      | 553E  | I3080080 |
| 墮       | 91C2    | 53B0      | 5815  | I2WG0080 |
| 妥       | 91C3    | 4D9E      | 59A5  | I1ZY0080 |
| 惰       | 91C4    | 54B8      | 60F0  | I3200080 |
| 打       | 91C5    | 47EA      | 6253  | I1620080 |
| 柁       | 91C6    | 55CD      | 67C1  | I37X0080 |
| 舵       | 91C7    | 54DB      | 8235  | I32Z0080 |
| 梢       | 91C8    | 55C5      | 6955  | I37P0080 |
| 陀       | 91C9    | 4FE8      | 9640  | I2CO0080 |
| 馱       | 91CA    | 4DE5      | 99C4  | I21X0080 |
| 驢       | 91CB    | 53DA      | 9A28  | I2XM0080 |
| 体       | 91CC    | 4696      | 4F53  | I0YE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 堆                                    | 91CD    | 5371      | 5806  | I2UP0080 |
| 対                                    | 91CE    | 4656      | 5BFE  | I0WM0080 |
| 耐                                    | 91CF    | 498E      | 8010  | I1E60080 |
| 岱                                    | 91D0    | 5262      | 5CB1  | I2OY0080 |
| 帶                                    | 91D1    | 4960      | 5E2F  | I1CW0080 |
| 待                                    | 91D2    | 48A3      | 5F85  | I19F0080 |
| 怠                                    | 91D3    | 5081      | 6020  | I2F50080 |
| 態                                    | 91D4    | 48FD      | 614B  | I1BX0080 |
| 戴                                    | 91D5    | 5092      | 6234  | I2FM0080 |
| 替                                    | 91D6    | 4BC3      | 66FF  | I1QB0080 |
| 泰                                    | 91D7    | 46F3      | 6CF0  | I10Z0080 |
| 滯                                    | 91D8    | 4DA1      | 6EDE  | I2010080 |
| 胎                                    | 91D9    | 5263      | 80CE  | I2OZ0080 |
| 腿                                    | 91DA    | 529A      | 817F  | I2QI0080 |
| 苔                                    | 91DB    | 52D7      | 82D4  | I2S70080 |
| 袋                                    | 91DC    | 4A54      | 888B  | I1HW0080 |
| 貸                                    | 91DD    | 4AF4      | 8CB8  | I1MC0080 |
| 退                                    | 91DE    | 4B49      | 9000  | I1MX0080 |
| 逮                                    | 91DF    | 4F77      | 902E  | I29J0080 |
| 隊                                    | 91E0    | 4A93      | 968A  | I1JN0080 |
| 黛                                    | 91E1    | 51DD      | 9EDB  | I2N10080 |
| 鯛                                    | 91E2    | 50D8      | 9BDB  | I2HK0080 |
| 代                                    | 91E3    | 459A      | 4EE3  | I0T60080 |
| 台                                    | 91E4    | 4778      | 53F0  | I12W0080 |
| 大                                    | 91E5    | 455B      | 5927  | I0RF0080 |
| 第                                    | 91E6    | 467E      | 7B2C  | I0XQ0080 |
| 醜                                    | 91E7    | 516F      | 918D  | I2JZ0080 |
| 題                                    | 91E8    | 47FE      | 984C  | I16M0080 |
| 鷹                                    | 91E9    | 4B7A      | 9DF9  | I10A0080 |
| 滝                                    | 91EA    | 47A3      | 6EDD  | I1430080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 瀧                                    | 91EB    | 52AE      | 7027  | I2R20080 |
| 卓                                    | 91EC    | 4996      | 5353  | I1EE0080 |
| 啄                                    | 91ED    | 5383      | 5544  | I2V70080 |
| 宅                                    | 91EE    | 486F      | 5B85  | I17Z0080 |
| 托                                    | 91EF    | 55D5      | 6258  | I3850080 |
| 扱                                    | 91F0    | 4E7E      | 629E  | I24E0080 |
| 拓                                    | 91F1    | 4BDB      | 62D3  | I1QZ0080 |
| 沢                                    | 91F2    | 4585      | 6CA2  | I0SL0080 |
| 濯                                    | 91F3    | 4DD4      | 6FEF  | I21G0080 |
| 琢                                    | 91F4    | 4E5C      | 7422  | I23G0080 |
| 託                                    | 91F5    | 4AB6      | 8A17  | I1KM0080 |
| 鐸                                    | 91F6    | 5388      | 9438  | I2VC0080 |
| 濁                                    | 91F7    | 50BE      | 6FC1  | I2GU0080 |
| 諾                                    | 91F8    | 4FE1      | 8AFE  | I2CH0080 |
| 茸                                    | 91F9    | 4DF7      | 8338  | I22F0080 |
| 凧                                    | 91FA    | 558A      | 51E7  | I3620080 |
| 蛸                                    | 91FB    | 524E      | 86F8  | I2OE0080 |
| 只                                    | 91FC    | 4E41      | 53EA  | I22P0080 |
| 叩                                    | 9240    | 4F71      | 53E9  | I29D0080 |
| 但                                    | 9241    | 4EFE      | 4F46  | I27Y0080 |
| 達                                    | 9242    | 46A4      | 9054  | I0YS0080 |
| 辰                                    | 9243    | 47DF      | 8FB0  | I15R0080 |
| 奪                                    | 9244    | 4EBB      | 596A  | I2630080 |
| 脱                                    | 9245    | 4AB4      | 8131  | I1KK0080 |
| 巽                                    | 9246    | 4E46      | 5DFD  | I22U0080 |
| 豎                                    | 9247    | 51C8      | 7AEA  | I2MG0080 |
| 辿                                    | 9248    | 547E      | 8FBF  | I30E0080 |
| 棚                                    | 9249    | 4BEF      | 68DA  | I1RJ0080 |
| 谷                                    | 924A    | 4581      | 8C37  | I0SH0080 |
| 狸                                    | 924B    | 52FE      | 72F8  | I2TA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鱈       | 924C    | 5560      | 9C48  | I34W0080 |
| 樽       | 924D    | 4BBE      | 6A3D  | I1Q60080 |
| 誰       | 924E    | 4B83      | 8AB0  | I1OJ0080 |
| 丹       | 924F    | 48AB      | 4E39  | I19N0080 |
| 单       | 9250    | 48E3      | 5358  | I1B70080 |
| 嘆       | 9251    | 5063      | 5606  | I2EB0080 |
| 坦       | 9252    | 51C4      | 5766  | I2MC0080 |
| 担       | 9253    | 4AA1      | 62C5  | I1K10080 |
| 探       | 9254    | 4B7F      | 63A2  | I1OF0080 |
| 旦       | 9255    | 4D9D      | 65E6  | I1ZX0080 |
| 歎       | 9256    | 5487      | 6B4E  | I30N0080 |
| 淡       | 9257    | 4CA5      | 6DE1  | I1UT0080 |
| 湛       | 9258    | 53F3      | 6E5B  | I2YB0080 |
| 炭       | 9259    | 4861      | 70AD  | I17L0080 |
| 短       | 925A    | 4A82      | 77ED  | I1J60080 |
| 端       | 925B    | 48EF      | 7AEF  | I1BJ0080 |
| 箏       | 925C    | 54CA      | 7BAA  | I32I0080 |
| 綻       | 925D    | 54A6      | 7DBB  | I31I0080 |
| 耽       | 925E    | 55B8      | 803D  | I37C0080 |
| 胆       | 925F    | 4E9B      | 80C6  | I2570080 |
| 蛋       | 9260    | 53D8      | 86CB  | I2XK0080 |
| 誕       | 9261    | 4FA2      | 8A95  | I2AQ0080 |
| 鍛       | 9262    | 48C7      | 935B  | I1AF0080 |
| 団       | 9263    | 47F0      | 56E3  | I1680080 |
| 壇       | 9264    | 4E8E      | 58C7  | I24U0080 |
| 彈       | 9265    | 4AD4      | 5F3E  | I1LG0080 |
| 断       | 9266    | 4989      | 65AD  | I1E10080 |
| 暖       | 9267    | 4D6C      | 6696  | I1YK0080 |
| 檀       | 9268    | 4FF5      | 6A80  | I2D10080 |
| 段       | 9269    | 47ED      | 6BB5  | I1650080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 男       | 926A    | 457C      | 7537  | I0SC0080 |
| 談       | 926B    | 4963      | 8AC7  | I1CZ0080 |
| 値       | 926C    | 487D      | 5024  | I18D0080 |
| 知       | 926D    | 45B0      | 77E5  | I0TS0080 |
| 地       | 926E    | 45C2      | 5730  | I0UA0080 |
| 弛       | 926F    | 5597      | 5F1B  | I36F0080 |
| 恥       | 9270    | 4ECE      | 6065  | I26M0080 |
| 智       | 9271    | 46A8      | 667A  | I0YW0080 |
| 池       | 9272    | 45E8      | 6C60  | I0VC0080 |
| 痴       | 9273    | 5089      | 75F4  | I2FD0080 |
| 稚       | 9274    | 4DCF      | 7A1A  | I21B0080 |
| 置       | 9275    | 468C      | 7F6E  | I0Y40080 |
| 致       | 9276    | 4C6A      | 81F4  | I1T60080 |
| 蜘       | 9277    | 54DC      | 8718  | I3300080 |
| 遲       | 9278    | 4C6D      | 9045  | I1T90080 |
| 馳       | 9279    | 52DF      | 99B3  | I2SF0080 |
| 築       | 927A    | 49A8      | 7BC9  | I1EW0080 |
| 畜       | 927B    | 4D72      | 755C  | I1YQ0080 |
| 竹       | 927C    | 45F5      | 7AF9  | I0VP0080 |
| 筑       | 927D    | 4B45      | 7B51  | I1MT0080 |
| 蓄       | 927E    | 4C94      | 84C4  | I1UC0080 |
| 逐       | 9280    | 50BB      | 9010  | I2GR0080 |
| 秩       | 9281    | 4D9F      | 79E9  | I1ZZ0080 |
| 窒       | 9282    | 4FB0      | 7A92  | I2B40080 |
| 茶       | 9283    | 4977      | 8336  | I1DJ0080 |
| 嫡       | 9284    | 5567      | 5AE1  | I3530080 |
| 着       | 9285    | 47AA      | 7740  | I14A0080 |
| 中       | 9286    | 455C      | 4E2D  | I0RG0080 |
| 仲       | 9287    | 4869      | 4EF2  | I17T0080 |
| 宙       | 9288    | 4D64      | 5B99  | I1YC0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 忠       | 9289    | 464F      | 5FE0  | I0WF0080 |
| 抽       | 928A    | 4D53      | 62BD  | I1XV0080 |
| 昼       | 928B    | 4C98      | 663C  | I1UG0080 |
| 柱       | 928C    | 4BEA      | 67F1  | I1RE0080 |
| 注       | 928D    | 4944      | 6CE8  | I1C40080 |
| 虫       | 928E    | 4BCB      | 866B  | I1QJ0080 |
| 衷       | 928F    | 52E9      | 8877  | I2SP0080 |
| 註       | 9290    | 4F66      | 8A3B  | I2920080 |
| 耐       | 9291    | 5591      | 914E  | I3690080 |
| 鑄       | 9292    | 48C1      | 92F3  | I1A90080 |
| 駐       | 9293    | 4DF5      | 99D0  | I22D0080 |
| 樗       | 9294    | 538B      | 6A17  | I2VF0080 |
| 瀧       | 9295    | 4FDE      | 7026  | I2CE0080 |
| 猪       | 9296    | 49C5      | 732A  | I1FP0080 |
| 苧       | 9297    | 54B0      | 82E7  | I31S0080 |
| 著       | 9298    | 4A59      | 8457  | I1110080 |
| 貯       | 9299    | 4C62      | 8CAF  | I1SY0080 |
| 丁       | 929A    | 4BCE      | 4E01  | I1QM0080 |
| 兆       | 929B    | 4DF3      | 5146  | I22B0080 |
| 凋       | 929C    | 55F9      | 51CB  | I3950080 |
| 喋       | 929D    | 5558      | 558B  | I34O0080 |
| 寵       | 929E    | 5556      | 5BF5  | I34M0080 |
| 帖       | 929F    | 51C7      | 5E16  | I2MF0080 |
| 帳       | 92A0    | 4DC5      | 5E33  | I2110080 |
| 庁       | 92A1    | 4B92      | 5E81  | I1OY0080 |
| 弔       | 92A2    | 51E5      | 5F14  | I2N90080 |
| 張       | 92A3    | 48BA      | 5F35  | I1A20080 |
| 彫       | 92A4    | 4E86      | 5F6B  | I24M0080 |
| 徵       | 92A5    | 4C74      | 5FB4  | I1TG0080 |
| 懲       | 92A6    | 5153      | 61F2  | I2J70080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 挑       | 92A7    | 4FDB      | 6311  | I2CB0080 |
| 暢       | 92A8    | 4CC7      | 66A2  | I1VR0080 |
| 朝       | 92A9    | 475C      | 671D  | I1240080 |
| 潮       | 92AA    | 4C93      | 6F6E  | I1UB0080 |
| 牒       | 92AB    | 55DD      | 7252  | I38D0080 |
| 町       | 92AC    | 4555      | 753A  | I0R90080 |
| 眺       | 92AD    | 4E5F      | 773A  | I23J0080 |
| 聽       | 92AE    | 4DA8      | 8074  | I2080080 |
| 脹       | 92AF    | 55E9      | 8139  | I38P0080 |
| 腸       | 92B0    | 4DB6      | 8178  | I20M0080 |
| 蝶       | 92B1    | 4E6E      | 8776  | I23Y0080 |
| 調       | 92B2    | 4689      | 8ABF  | I0Y10080 |
| 諜       | 92B3    | 5570      | 8ADC  | I35C0080 |
| 超       | 92B4    | 4A78      | 8D85  | I1IW0080 |
| 跳       | 92B5    | 50B4      | 8DF3  | I2GK0080 |
| 銚       | 92B6    | 4E80      | 929A  | I24G0080 |
| 長       | 92B7    | 4583      | 9577  | I0SJ0080 |
| 頂       | 92B8    | 4D5B      | 9802  | I1Y30080 |
| 鳥       | 92B9    | 4779      | 9CE5  | I12X0080 |
| 勅       | 92BA    | 4EEF      | 52C5  | I27J0080 |
| 抄       | 92BB    | 5546      | 6357  | I3460080 |
| 直       | 92BC    | 4674      | 76F4  | I0XG0080 |
| 朕       | 92BD    | 55F3      | 6715  | I38Z0080 |
| 沈       | 92BE    | 4C8F      | 6C88  | I1U70080 |
| 珍       | 92BF    | 4D5D      | 73CD  | I1Y50080 |
| 賃       | 92C0    | 4B4D      | 8CC3  | I1N10080 |
| 鎮       | 92C1    | 4C89      | 93AE  | I1U10080 |
| 陳       | 92C2    | 4E61      | 9673  | I23L0080 |
| 津       | 92C3    | 45DC      | 6D25  | I0V00080 |
| 墜       | 92C4    | 5150      | 589C  | I2J40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 椎                                    | 92C5    | 4BA0      | 690E  | I1PC0080 |
| 槌                                    | 92C6    | 4EFA      | 69CC  | I27U0080 |
| 追                                    | 92C7    | 49D1      | 8FFD  | I1G10080 |
| 鎚                                    | 92C8    | 54FE      | 939A  | I33Y0080 |
| 痛                                    | 92C9    | 4C47      | 75DB  | I1S70080 |
| 通                                    | 92CA    | 45E3      | 901A  | I0V70080 |
| 塚                                    | 92CB    | 4657      | 585A  | I0WN0080 |
| 拇                                    | 92CC    | 52D1      | 6802  | I2S10080 |
| 搦                                    | 92CD    | 54CD      | 63B4  | I32L0080 |
| 槻                                    | 92CE    | 4B5C      | 69FB  | I1NG0080 |
| 佃                                    | 92CF    | 4EDF      | 4F43  | I2730080 |
| 漬                                    | 92D0    | 4E8A      | 6F2C  | I24Q0080 |
| 柘                                    | 92D1    | 4FD8      | 67D8  | I2C80080 |
| 辻                                    | 92D2    | 47F5      | 8FBB  | I16D0080 |
| 蔦                                    | 92D3    | 4FA1      | 8526  | I2AP0080 |
| 綴                                    | 92D4    | 4DC9      | 7DB4  | I2150080 |
| 鐳                                    | 92D5    | 54AA      | 9354  | I31M0080 |
| 椿                                    | 92D6    | 4CBA      | 693F  | I1VE0080 |
| 潰                                    | 92D7    | 5446      | 6F70  | I2YU0080 |
| 坪                                    | 92D8    | 4949      | 576A  | I1C90080 |
| 壺                                    | 92D9    | 5077      | 58FA  | I2EV0080 |
| 孀                                    | 92DA    | 52EA      | 5B2C  | I2SQ0080 |
| 紬                                    | 92DB    | 5592      | 7D2C  | I36A0080 |
| 爪                                    | 92DC    | 4C87      | 722A  | I1TZ0080 |
| 吊                                    | 92DD    | 53D3      | 540A  | I2XF0080 |
| 釣                                    | 92DE    | 4CE3      | 91E3  | I1WJ0080 |
| 鶴                                    | 92DF    | 477A      | 9DB4  | I12Y0080 |
| 亭                                    | 92E0    | 4E52      | 4EAD  | I2360080 |
| 低                                    | 92E1    | 48A4      | 4F4E  | I19G0080 |
| 停                                    | 92E2    | 4E70      | 505C  | I2400080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 偵                                    | 92E3    | 4F95      | 5075  | I2AD0080 |
| 剃                                    | 92E4    | 5379      | 5243  | I2UX0080 |
| 貞                                    | 92E5    | 46B6      | 8C9E  | I0ZA0080 |
| 呈                                    | 92E6    | 4F56      | 5448  | I28M0080 |
| 堤                                    | 92E7    | 4B61      | 5824  | I1NL0080 |
| 定                                    | 92E8    | 45E7      | 5B9A  | I0VB0080 |
| 帝                                    | 92E9    | 489C      | 5E1D  | I1980080 |
| 底                                    | 92EA    | 4B64      | 5E95  | I1NO0080 |
| 庭                                    | 92EB    | 48E0      | 5EAD  | I1B40080 |
| 廷                                    | 92EC    | 505B      | 5EF7  | I2E30080 |
| 弟                                    | 92ED    | 4C9B      | 5F1F  | I1UJ0080 |
| 悌                                    | 92EE    | 4DE3      | 608C  | I21V0080 |
| 抵                                    | 92EF    | 4B90      | 62B5  | I1OW0080 |
| 挺                                    | 92F0    | 5387      | 633A  | I2VB0080 |
| 提                                    | 92F1    | 49B9      | 63D0  | I1FD0080 |
| 梯                                    | 92F2    | 51E4      | 68AF  | I2N80080 |
| 汀                                    | 92F3    | 534D      | 6C40  | I2TP0080 |
| 碇                                    | 92F4    | 5195      | 7887  | I2L10080 |
| 禎                                    | 92F5    | 4BA7      | 798E  | I1PJ0080 |
| 程                                    | 92F6    | 47F4      | 7A0B  | I16C0080 |
| 締                                    | 92F7    | 4A80      | 7DE0  | I1J40080 |
| 艇                                    | 92F8    | 4DFC      | 8247  | I22K0080 |
| 訂                                    | 92F9    | 4FC4      | 8A02  | I2BO0080 |
| 諦                                    | 92FA    | 5246      | 8AE6  | I2O60080 |
| 蹄                                    | 92FB    | 55A7      | 8E44  | I36V0080 |
| 滙                                    | 92FC    | 515E      | 9013  | I2JI0080 |
| 邸                                    | 9340    | 4D81      | 90B8  | I1Z50080 |
| 鄭                                    | 9341    | 5154      | 912D  | I2J80080 |
| 釘                                    | 9342    | 4FF4      | 91D8  | I2D00080 |
| 鼎                                    | 9343    | 51AA      | 9F0E  | I2LM0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 泥       | 9344    | 4E56      | 6CE5  | I23A0080 |
| 摘       | 9345    | 4DCB      | 6458  | I2170080 |
| 擢       | 9346    | 5543      | 64E2  | I3430080 |
| 敵       | 9347    | 4BF3      | 6575  | I1RN0080 |
| 滴       | 9348    | 4FB7      | 6EF4  | I2BB0080 |
| 的       | 9349    | 45EF      | 7684  | I0VJ0080 |
| 笛       | 934A    | 4F41      | 7B1B  | I2810080 |
| 適       | 934B    | 49CC      | 9069  | I1FW0080 |
| 鐫       | 934C    | 5041      | 93D1  | I2DD0080 |
| 溺       | 934D    | 5497      | 6EBA  | I3130080 |
| 哲       | 934E    | 4747      | 54F2  | I11J0080 |
| 徹       | 934F    | 48F8      | 5FB9  | I1BS0080 |
| 撤       | 9350    | 4E7A      | 64A4  | I24A0080 |
| 輓       | 9351    | 54EE      | 8F4D  | I33I0080 |
| 迭       | 9352    | 53DF      | 8FED  | I2XR0080 |
| 鉄       | 9353    | 45D7      | 9244  | I0UV0080 |
| 典       | 9354    | 47C9      | 5178  | I1550080 |
| 填       | 9355    | 4F5E      | 586B  | I28U0080 |
| 天       | 9356    | 468A      | 5929  | I0Y20080 |
| 展       | 9357    | 48DD      | 5C55  | I1B10080 |
| 店       | 9358    | 4854      | 5E97  | I1780080 |
| 添       | 9359    | 4A91      | 6DFB  | I1JL0080 |
| 纏       | 935A    | 55FA      | 7E8F  | I3960080 |
| 甜       | 935B    | 52A7      | 751C  | I2QV0080 |
| 貼       | 935C    | 507B      | 8CBC  | I2EZ0080 |
| 転       | 935D    | 4752      | 8EE2  | I11U0080 |
| 顛       | 935E    | 55C1      | 985B  | I37L0080 |
| 点       | 935F    | 4788      | 70B9  | I13C0080 |
| 伝       | 9360    | 48D9      | 4F1D  | I1AX0080 |
| 殿       | 9361    | 4849      | 6BBF  | I16X0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 澱       | 9362    | 5589      | 6FB1  | I3610080 |
| 田       | 9363    | 4563      | 7530  | I0RN0080 |
| 電       | 9364    | 4582      | 96FB  | I0SI0080 |
| 兎       | 9365    | 5050      | 514E  | I2DS0080 |
| 吐       | 9366    | 4EB2      | 5410  | I25U0080 |
| 堵       | 9367    | 54F6      | 5835  | I33Q0080 |
| 塗       | 9368    | 486A      | 5857  | I17U0080 |
| 妬       | 9369    | 537F      | 59AC  | I2V30080 |
| 屠       | 936A    | 53FB      | 5C60  | I2YJ0080 |
| 徒       | 936B    | 4C6C      | 5F92  | I1T80080 |
| 斗       | 936C    | 4E83      | 6597  | I24J0080 |
| 杜       | 936D    | 525D      | 675C  | I2OT0080 |
| 渡       | 936E    | 45D2      | 6E21  | I0UQ0080 |
| 登       | 936F    | 46E8      | 767B  | I10O0080 |
| 菟       | 9370    | 53D4      | 83DF  | I2XG0080 |
| 賭       | 9371    | 52C1      | 8CED  | I2RL0080 |
| 途       | 9372    | 48F0      | 9014  | I1BK0080 |
| 都       | 9373    | 454F      | 90FD  | I0R30080 |
| 鍍       | 9374    | 55D3      | 934D  | I3830080 |
| 砥       | 9375    | 4D45      | 7825  | I1XH0080 |
| 礪       | 9376    | 514C      | 792A  | I2J00080 |
| 努       | 9377    | 4A64      | 52AA  | I1IC0080 |
| 度       | 9378    | 45DE      | 5EA6  | I0V20080 |
| 土       | 9379    | 4684      | 571F  | I0XW0080 |
| 奴       | 937A    | 4D90      | 5974  | I1ZK0080 |
| 怒       | 937B    | 4CD6      | 6012  | I1W60080 |
| 倒       | 937C    | 4B6A      | 5012  | I1NU0080 |
| 党       | 937D    | 494B      | 515A  | I1CB0080 |
| 冬       | 937E    | 4BDE      | 51AC  | I1R20080 |
| 凍       | 9380    | 4BE6      | 51CD  | I1RA0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 刀       | 9381    | 4C50      | 5200  | I1SG0080 |
| 唐       | 9382    | 4BAB      | 5510  | I1PN0080 |
| 塔       | 9383    | 4CCB      | 5854  | I1VV0080 |
| 塘       | 9384    | 52F8      | 5858  | I2T40080 |
| 套       | 9385    | 5583      | 5957  | I35V0080 |
| 宕       | 9386    | 515C      | 5B95  | I2JG0080 |
| 島       | 9387    | 456F      | 5CF6  | I0RZ0080 |
| 嶋       | 9388    | 47D1      | 5D8B  | I15D0080 |
| 悼       | 9389    | 5145      | 60BC  | I2IT0080 |
| 投       | 938A    | 4751      | 6295  | I11T0080 |
| 搭       | 938B    | 528F      | 642D  | I2Q70080 |
| 東       | 938C    | 4557      | 6771  | I0RB0080 |
| 桃       | 938D    | 4ADA      | 6843  | I1LM0080 |
| 禱       | 938E    | 545D      | 6AAE  | I2ZH0080 |
| 棟       | 938F    | 4EA9      | 68DF  | I25L0080 |
| 盜       | 9390    | 4D65      | 76D7  | I1YD0080 |
| 淘       | 9391    | 55E1      | 6DD8  | I38H0080 |
| 湯       | 9392    | 48BD      | 6E6F  | I1A50080 |
| 濤       | 9393    | 51D2      | 6FE4  | I2MQ0080 |
| 灯       | 9394    | 4B65      | 706F  | I1NP0080 |
| 燈       | 9395    | 4EF8      | 71C8  | I27S0080 |
| 当       | 9396    | 465F      | 5F53  | I0WV0080 |
| 痘       | 9397    | 5549      | 75D8  | I3490080 |
| 禱       | 9398    | 5553      | 7977  | I34J0080 |
| 等       | 9399    | 46A7      | 7B49  | I0YV0080 |
| 答       | 939A    | 49D0      | 7B54  | I1G00080 |
| 筒       | 939B    | 4B7C      | 7B52  | I1OC0080 |
| 糖       | 939C    | 4884      | 7CD6  | I18K0080 |
| 統       | 939D    | 4881      | 7D71  | I18H0080 |
| 到       | 939E    | 4CDD      | 5230  | I1WD0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 董       | 939F    | 5071      | 8463  | I2EP0080 |
| 蕩       | 93A0    | 54F0      | 8569  | I33K0080 |
| 藤       | 93A1    | 4568      | 85E4  | I0RS0080 |
| 討       | 93A2    | 49D2      | 8A0E  | I1G20080 |
| 膳       | 93A3    | 4FE2      | 8B04  | I2CI0080 |
| 豆       | 93A4    | 4A99      | 8C46  | I1JT0080 |
| 踏       | 93A5    | 4D7C      | 8E0F  | I1Z00080 |
| 逃       | 93A6    | 4C72      | 9003  | I1TE0080 |
| 透       | 93A7    | 4BDA      | 900F  | I1QY0080 |
| 鐙       | 93A8    | 52CF      | 9419  | I2RZ0080 |
| 陶       | 93A9    | 4AB7      | 9676  | I1KN0080 |
| 頭       | 93AA    | 47EB      | 982D  | I1630080 |
| 騰       | 93AB    | 4E5E      | 9A30  | I23I0080 |
| 鬪       | 93AC    | 4BCC      | 95D8  | I1QK0080 |
| 働       | 93AD    | 48EC      | 50CD  | I1BG0080 |
| 動       | 93AE    | 45E4      | 52D5  | I0V80080 |
| 同       | 93AF    | 466D      | 540C  | I0X90080 |
| 堂       | 93B0    | 497F      | 5802  | I1DR0080 |
| 導       | 93B1    | 48AE      | 5C0E  | I19Q0080 |
| 懂       | 93B2    | 53C2      | 61A7  | I2WY0080 |
| 撞       | 93B3    | 55DB      | 649E  | I38B0080 |
| 洞       | 93B4    | 4D98      | 6D1E  | I1ZS0080 |
| 瞳       | 93B5    | 4F9B      | 77B3  | I2AJ0080 |
| 童       | 93B6    | 4D50      | 7AE5  | I1XS0080 |
| 胴       | 93B7    | 4EAB      | 80F4  | I25N0080 |
| 萄       | 93B8    | 54F7      | 8404  | I33R0080 |
| 道       | 93B9    | 4550      | 9053  | I0R40080 |
| 銅       | 93BA    | 48C0      | 9285  | I1A80080 |
| 峠       | 93BB    | 4F96      | 5CE0  | I2AE0080 |
| 鵠       | 93BC    | 51A1      | 9D07  | I2LD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 匿       | 93BD    | 50F1      | 533F  | I2I90080 |
| 得       | 93BE    | 47E8      | 5F97  | I1600080 |
| 徳       | 93BF    | 4654      | 5FB3  | I0WK0080 |
| 澆       | 93C0    | 5550      | 6D9C  | I34G0080 |
| 特       | 93C1    | 46A2      | 7279  | I0YQ0080 |
| 督       | 93C2    | 4A73      | 7763  | I1IR0080 |
| 禿       | 93C3    | 53D0      | 79BF  | I2XC0080 |
| 篤       | 93C4    | 4AD8      | 7BE4  | I1LK0080 |
| 毒       | 93C5    | 4C97      | 6BD2  | I1UF0080 |
| 独       | 93C6    | 4ADB      | 72EC  | I1LN0080 |
| 読       | 93C7    | 4A4F      | 8AAD  | I1HR0080 |
| 栃       | 93C8    | 47D3      | 6803  | I15F0080 |
| 橡       | 93C9    | 55D4      | 6A61  | I3840080 |
| 凸       | 93CA    | 50CF      | 51F8  | I2HB0080 |
| 突       | 93CB    | 4AFD      | 7A81  | I1ML0080 |
| 椴       | 93CC    | 54A7      | 6934  | I31J0080 |
| 届       | 93CD    | 4DA7      | 5C4A  | I2070080 |
| 鳶       | 93CE    | 54C4      | 9CF6  | I32C0080 |
| 苦       | 93CF    | 4D5A      | 82EB  | I1Y20080 |
| 寅       | 93D0    | 4A84      | 5BC5  | I1J80080 |
| 酉       | 93D1    | 4F73      | 9149  | I29F0080 |
| 澗       | 93D2    | 535C      | 701E  | I2U40080 |
| 噸       | 93D3    | 55F1      | 5678  | I38X0080 |
| 屯       | 93D4    | 4FDD      | 5C6F  | I2CD0080 |
| 惇       | 93D5    | 4E65      | 60C7  | I23P0080 |
| 敦       | 93D6    | 49F2      | 6566  | I1GY0080 |
| 沌       | 93D7    | 5598      | 6C8C  | I36G0080 |
| 豚       | 93D8    | 4CCF      | 8C5A  | I1VZ0080 |
| 遁       | 93D9    | 54F8      | 9041  | I33S0080 |
| 頓       | 93DA    | 517A      | 9813  | I2KA0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 吞       | 93DB    | 50B0      | 5451  | I2GG0080 |
| 曇       | 93DC    | 4C56      | 66C7  | I1SM0080 |
| 鈍       | 93DD    | 4E63      | 920D  | I23N0080 |
| 奈       | 93DE    | 45E6      | 5948  | I0VA0080 |
| 那       | 93DF    | 4846      | 90A3  | I16U0080 |
| 内       | 93E0    | 458E      | 5185  | I0SU0080 |
| 乍       | 93E1    | 55A9      | 4E4D  | I36X0080 |
| 凧       | 93E2    | 549E      | 51EA  | I31A0080 |
| 薙       | 93E3    | 51AD      | 8599  | I2LP0080 |
| 謎       | 93E4    | 52F9      | 8B0E  | I2T50080 |
| 灘       | 93E5    | 4B96      | 7058  | I1P20080 |
| 捺       | 93E6    | 4FC0      | 637A  | I2BK0080 |
| 鍋       | 93E7    | 4B48      | 934B  | I1MW0080 |
| 檣       | 93E8    | 4D93      | 6962  | I1ZN0080 |
| 馴       | 93E9    | 50A1      | 99B4  | I2G10080 |
| 縄       | 93EA    | 4859      | 7E04  | I17D0080 |
| 睨       | 93EB    | 50DD      | 7577  | I2HP0080 |
| 南       | 93EC    | 4559      | 5357  | I0RD0080 |
| 楠       | 93ED    | 4ADF      | 6960  | I1LR0080 |
| 軟       | 93EE    | 4CB1      | 8EDF  | I1V50080 |
| 難       | 93EF    | 495A      | 96E3  | I1CQ0080 |
| 汝       | 93F0    | 555E      | 6C5D  | I34U0080 |
| 二       | 93F1    | 4542      | 4E8C  | I0QQ0080 |
| 尼       | 93F2    | 4A86      | 5C3C  | I1JA0080 |
| 弍       | 93F3    | 50E1      | 5F10  | I2HT0080 |
| 邇       | 93F4    | 5186      | 9087  | I2KM0080 |
| 匂       | 93F5    | 4ECB      | 5302  | I26J0080 |
| 賑       | 93F6    | 539E      | 8CD1  | I2VY0080 |
| 肉       | 93F7    | 4A42      | 8089  | I1HE0080 |
| 虹       | 93F8    | 51B6      | 8679  | I2LY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 甘       | 93F9    | 51D9      | 5EFF  | I2MX0080 |
| 日       | 93FA    | 4562      | 65E5  | I0RM0080 |
| 乳       | 93FB    | 4A98      | 4E73  | I1JS0080 |
| 入       | 93FC    | 4665      | 5165  | I0X10080 |
| 如       | 9440    | 4BF8      | 5982  | I1RS0080 |
| 尿       | 9441    | 4CC6      | 5C3F  | I1VQ0080 |
| 菲       | 9442    | 4FDF      | 97EE  | I2CF0080 |
| 任       | 9443    | 4A55      | 4EFB  | I1HX0080 |
| 妊       | 9444    | 5043      | 598A  | I2DF0080 |
| 忍       | 9445    | 4BD7      | 5FCD  | I1QV0080 |
| 認       | 9446    | 4A7E      | 8A8D  | I1J20080 |
| 濡       | 9447    | 507E      | 6FE1  | I2F20080 |
| 禰       | 9448    | 50FA      | 79B0  | I2II0080 |
| 衤       | 9449    | 4F89      | 7962  | I2A10080 |
| 寧       | 944A    | 4FA9      | 5BE7  | I2AX0080 |
| 葱       | 944B    | 544E      | 8471  | I2Z20080 |
| 猫       | 944C    | 4FD0      | 732B  | I2C00080 |
| 熱       | 944D    | 47D5      | 71B1  | I15H0080 |
| 年       | 944E    | 4560      | 5E74  | I0RK0080 |
| 念       | 944F    | 4AAE      | 5FF5  | I1KE0080 |
| 捻       | 9450    | 54C0      | 637B  | I3280080 |
| 撚       | 9451    | 5348      | 649A  | I2TK0080 |
| 燃       | 9452    | 49D5      | 71C3  | I1G50080 |
| 粘       | 9453    | 4BF7      | 7C98  | I1RR0080 |
| 乃       | 9454    | 4B9F      | 4E43  | I1PB0080 |
| 廼       | 9455    | 5564      | 5EFC  | I3500080 |
| 之       | 9456    | 45D8      | 4E4B  | I0UW0080 |
| 埜       | 9457    | 4DF4      | 57DC  | I22C0080 |
| 囊       | 9458    | 5190      | 56A2  | I2KW0080 |
| 惱       | 9459    | 4BCD      | 60A9  | I1QL0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 濃       | 945A    | 4ACE      | 6FC3  | I1LA0080 |
| 納       | 945B    | 49E2      | 7D0D  | I1GI0080 |
| 能       | 945C    | 474F      | 80FD  | I11R0080 |
| 腦       | 945D    | 4CB3      | 8133  | I1V70080 |
| 膿       | 945E    | 535F      | 81BF  | I2U70080 |
| 農       | 945F    | 4845      | 8FB2  | I16T0080 |
| 覲       | 9460    | 53EB      | 8997  | I2Y30080 |
| 蚤       | 9461    | 55A2      | 86A4  | I36Q0080 |
| 巴       | 9462    | 4E7D      | 5DF4  | I24D0080 |
| 把       | 9463    | 4EE3      | 628A  | I2770080 |
| 播       | 9464    | 4E62      | 64AD  | I23M0080 |
| 霸       | 9465    | 4BFA      | 8987  | I1RU0080 |
| 杷       | 9466    | 5280      | 6777  | I2PS0080 |
| 波       | 9467    | 46CA      | 6CE2  | I0ZU0080 |
| 派       | 9468    | 4A72      | 6D3E  | I1IQ0080 |
| 琶       | 9469    | 529F      | 7436  | I2QN0080 |
| 破       | 946A    | 4ABE      | 7834  | I1KU0080 |
| 婆       | 946B    | 4ECC      | 5A46  | I26K0080 |
| 罵       | 946C    | 5579      | 7F75  | I35L0080 |
| 芭       | 946D    | 5442      | 82AD  | I2YQ0080 |
| 馬       | 946E    | 4664      | 99AC  | I0X00080 |
| 俳       | 946F    | 4CE1      | 4FF3  | I1WH0080 |
| 廢       | 9470    | 4BC7      | 5EC3  | I1QF0080 |
| 扌       | 9471    | 4EE2      | 62DD  | I2760080 |
| 排       | 9472    | 4CFA      | 6392  | I1X60080 |
| 敗       | 9473    | 4B8A      | 6557  | I1OQ0080 |
| 杯       | 9474    | 4C63      | 676F  | I1SZ0080 |
| 盃       | 9475    | 53BA      | 76C3  | I2WQ0080 |
| 牌       | 9476    | 556F      | 724C  | I35B0080 |
| 背       | 9477    | 4AB2      | 80CC  | I1KI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 肺                                    | 9478    | 504E      | 80BA  | I2DQ0080 |
| 輩                                    | 9479    | 4EF4      | 8F29  | I27O0080 |
| 配                                    | 947A    | 47F3      | 914D  | I16B0080 |
| 倍                                    | 947B    | 4AC4      | 500D  | I1L00080 |
| 培                                    | 947C    | 4DAC      | 57F9  | I20C0080 |
| 媒                                    | 947D    | 4D80      | 5A92  | I1Z40080 |
| 梅                                    | 947E    | 4798      | 6885  | I13S0080 |
| 楳                                    | 9480    | 52B3      | 6973  | I2R70080 |
| 煤                                    | 9481    | 54EA      | 7164  | I33E0080 |
| 狽                                    | 9482    | 54D6      | 72FD  | I32U0080 |
| 買                                    | 9483    | 4974      | 8CB7  | I1DG0080 |
| 壳                                    | 9484    | 4775      | 58F2  | I12T0080 |
| 賠                                    | 9485    | 4F4F      | 8CE0  | I28F0080 |
| 陪                                    | 9486    | 55C3      | 966A  | I37N0080 |
| 這                                    | 9487    | 4FCA      | 9019  | I2BU0080 |
| 蠅                                    | 9488    | 55BD      | 8805  | I37H0080 |
| 秤                                    | 9489    | 508F      | 79E4  | I2FJ0080 |
| 矧                                    | 948A    | 55C9      | 77E7  | I37T0080 |
| 菽                                    | 948B    | 494A      | 8429  | I1CA0080 |
| 伯                                    | 948C    | 49A6      | 4F2F  | I1EU0080 |
| 剥                                    | 948D    | 5481      | 5265  | I30H0080 |
| 博                                    | 948E    | 45F6      | 535A  | I0VQ0080 |
| 拍                                    | 948F    | 4FBA      | 62CD  | I2BE0080 |
| 柏                                    | 9490    | 4980      | 67CF  | I1DS0080 |
| 泊                                    | 9491    | 4DB8      | 6CCA  | I20O0080 |
| 白                                    | 9492    | 4659      | 767D  | I0WP0080 |
| 箔                                    | 9493    | 4EE0      | 7B94  | I2740080 |
| 粕                                    | 9494    | 4C4B      | 7C95  | I1SB0080 |
| 舶                                    | 9495    | 4B87      | 8236  | I1ON0080 |
| 薄                                    | 9496    | 4A92      | 8584  | I1JM0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 迫                                    | 9497    | 49EF      | 8FEB  | I1GV0080 |
| 曝                                    | 9498    | 52A6      | 66DD  | I2QU0080 |
| 漠                                    | 9499    | 508E      | 6F20  | I2FI0080 |
| 爆                                    | 949A    | 4AD9      | 7206  | I1LL0080 |
| 縛                                    | 949B    | 52E6      | 7E1B  | I2SM0080 |
| 莫                                    | 949C    | 54B3      | 83AB  | I31V0080 |
| 駁                                    | 949D    | 55E5      | 99C1  | I38L0080 |
| 麦                                    | 949E    | 4AE0      | 9EA6  | I1LS0080 |
| 函                                    | 949F    | 4BB6      | 51FD  | I1PY0080 |
| 箱                                    | 94A0    | 4AFB      | 7BB1  | I1MJ0080 |
| 俗                                    | 94A1    | 52BF      | 7872  | I2RJ0080 |
| 箸                                    | 94A2    | 505C      | 7BB8  | I2E40080 |
| 肇                                    | 94A3    | 4B41      | 8087  | I1MP0080 |
| 筭                                    | 94A4    | 4D9B      | 7B48  | I1ZV0080 |
| 櫛                                    | 94A5    | 51C5      | 6AE8  | I2MD0080 |
| 幡                                    | 94A6    | 48DE      | 5E61  | I1B20080 |
| 肌                                    | 94A7    | 4E50      | 808C  | I2340080 |
| 畑                                    | 94A8    | 478B      | 7551  | I13F0080 |
| 畠                                    | 94A9    | 49FE      | 7560  | I1HA0080 |
| 八                                    | 94AA    | 4548      | 516B  | I0QW0080 |
| 鉢                                    | 94AB    | 4EA8      | 9262  | I25K0080 |
| 澆                                    | 94AC    | 54FA      | 6E8C  | I33U0080 |
| 癸                                    | 94AD    | 464B      | 767A  | I0WB0080 |
| 醜                                    | 94AE    | 51FA      | 9197  | I2NU0080 |
| 髮                                    | 94AF    | 4CF6      | 9AEA  | I1X20080 |
| 伐                                    | 94B0    | 50F6      | 4F10  | I2IE0080 |
| 罰                                    | 94B1    | 4F82      | 7F70  | I29U0080 |
| 拔                                    | 94B2    | 4A85      | 629C  | I1J90080 |
| 筏                                    | 94B3    | 52F5      | 7B4F  | I2T10080 |
| 閥                                    | 94B4    | 5172      | 95A5  | I2K20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鳩       | 94B5    | 4D95      | 9CE9  | I1ZP0080 |
| 嘶       | 94B6    | 5582      | 567A  | I35U0080 |
| 塙       | 94B7    | 4F6F      | 5859  | I29B0080 |
| 蛤       | 94B8    | 55C2      | 86E4  | I37M0080 |
| 隼       | 94B9    | 4ED5      | 96BC  | I26T0080 |
| 伴       | 94BA    | 49C9      | 4F34  | I1FT0080 |
| 判       | 94BB    | 495C      | 5224  | I1CS0080 |
| 半       | 94BC    | 4790      | 534A  | I13K0080 |
| 反       | 94BD    | 47F9      | 53CD  | I16H0080 |
| 叛       | 94BE    | 55B2      | 53DB  | I3760080 |
| 帆       | 94BF    | 4F75      | 5E06  | I29H0080 |
| 搬       | 94C0    | 4DC8      | 642C  | I2140080 |
| 斑       | 94C1    | 52E4      | 6591  | I2SK0080 |
| 板       | 94C2    | 46B4      | 677F  | I0Z80080 |
| 汜       | 94C3    | 556E      | 6C3E  | I35A0080 |
| 汎       | 94C4    | 505E      | 6C4E  | I2E60080 |
| 版       | 94C5    | 4ABD      | 7248  | I1KT0080 |
| 犯       | 94C6    | 4CA7      | 72AF  | I1UV0080 |
| 班       | 94C7    | 5066      | 73ED  | I2EE0080 |
| 畔       | 94C8    | 4EDC      | 7554  | I2700080 |
| 繁       | 94C9    | 4759      | 7E41  | I1210080 |
| 般       | 94CA    | 4956      | 822C  | I1CM0080 |
| 藩       | 94CB    | 4FF6      | 85E9  | I2D20080 |
| 販       | 94CC    | 4A5D      | 8CA9  | I1I50080 |
| 範       | 94CD    | 49E8      | 7BC4  | I1GO0080 |
| 采       | 94CE    | 5346      | 91C6  | I2TI0080 |
| 煩       | 94CF    | 54A0      | 7169  | I31C0080 |
| 頒       | 94D0    | 5557      | 9812  | I34N0080 |
| 飯       | 94D1    | 46B5      | 98EF  | I0Z90080 |
| 挽       | 94D2    | 52A8      | 633D  | I2QW0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 晚       | 94D3    | 4CB6      | 6669  | I1VA0080 |
| 番       | 94D4    | 48B9      | 756A  | I1A10080 |
| 盤       | 94D5    | 4890      | 76E4  | I18W0080 |
| 磬       | 94D6    | 4B9C      | 78D0  | I1P80080 |
| 蕃       | 94D7    | 52F7      | 8543  | I2T30080 |
| 蛮       | 94D8    | 53A5      | 86EE  | I2W50080 |
| 匪       | 94D9    | 55ED      | 532A  | I38T0080 |
| 卑       | 94DA    | 53AD      | 5351  | I2WD0080 |
| 否       | 94DB    | 4C4F      | 5426  | I1SF0080 |
| 妃       | 94DC    | 51A2      | 5983  | I2LE0080 |
| 庇       | 94DD    | 558D      | 5E87  | I3650080 |
| 彼       | 94DE    | 4772      | 5F7C  | I12Q0080 |
| 悲       | 94DF    | 4C9D      | 60B2  | I1UL0080 |
| 扉       | 94E0    | 50AD      | 6249  | I2GD0080 |
| 批       | 94E1    | 4C76      | 6279  | I1TI0080 |
| 披       | 94E2    | 4FA6      | 62AB  | I2AU0080 |
| 斐       | 94E3    | 4B80      | 6590  | I1OG0080 |
| 比       | 94E4    | 474E      | 6BD4  | I11Q0080 |
| 泌       | 94E5    | 51FD      | 6CCC  | I2NX0080 |
| 疲       | 94E6    | 4D97      | 75B2  | I1ZR0080 |
| 皮       | 94E7    | 49DA      | 76AE  | I1GA0080 |
| 碑       | 94E8    | 517B      | 7891  | I2KB0080 |
| 秘       | 94E9    | 4C70      | 79D8  | I1TC0080 |
| 緋       | 94EA    | 537D      | 7DCB  | I2V10080 |
| 罷       | 94EB    | 55A5      | 7F77  | I36T0080 |
| 肥       | 94EC    | 497B      | 80A5  | I1DN0080 |
| 被       | 94ED    | 4B8D      | 88AB  | I1OT0080 |
| 誹       | 94EE    | 55F2      | 8AB9  | I38Y0080 |
| 費       | 94EF    | 46D0      | 8CBB  | I1000080 |
| 避       | 94F0    | 4CC4      | 907F  | I1VO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 非       | 94F1    | 48E1      | 975E  | I1B50080 |
| 飛       | 94F2    | 488A      | 98DB  | I18Q0080 |
| 樋       | 94F3    | 494F      | 6A0B  | I1CF0080 |
| 簸       | 94F4    | 51AB      | 7C38  | I2LN0080 |
| 備       | 94F5    | 46AC      | 5099  | I0Z00080 |
| 尾       | 94F6    | 45C8      | 5C3E  | I0UG0080 |
| 微       | 94F7    | 4B5D      | 5FAE  | I1NH0080 |
| 枇       | 94F8    | 525E      | 6787  | I2OU0080 |
| 毘       | 94F9    | 53D7      | 6BD8  | I2XJ0080 |
| 琵       | 94FA    | 52A3      | 7435  | I2QR0080 |
| 眉       | 94FB    | 52BC      | 7709  | I2RG0080 |
| 美       | 94FC    | 457D      | 7F8E  | I0SD0080 |
| 鼻       | 9540    | 4CFD      | 9F3B  | I1X90080 |
| 柶       | 9541    | 52D9      | 67CA  | I2S90080 |
| 稗       | 9542    | 5087      | 7A17  | I2FB0080 |
| 匹       | 9543    | 4FD1      | 5339  | I2C10080 |
| 疋       | 9544    | 4EA0      | 758B  | I25C0080 |
| 髭       | 9545    | 509D      | 9AED  | I2FX0080 |
| 彦       | 9546    | 45E1      | 5F66  | I0V50080 |
| 膝       | 9547    | 5060      | 819D  | I2E80080 |
| 菱       | 9548    | 48CC      | 83F1  | I1AK0080 |
| 肘       | 9549    | 526A      | 8098  | I2P60080 |
| 粥       | 954A    | 52E0      | 5F3C  | I2SG0080 |
| 必       | 954B    | 47CA      | 5FC5  | I1560080 |
| 畢       | 954C    | 559A      | 7562  | I36I0080 |
| 筆       | 954D    | 4AC7      | 7B46  | I1L30080 |
| 逼       | 954E    | 55AC      | 903C  | I3700080 |
| 檜       | 954F    | 4D55      | 6A9C  | I1XX0080 |
| 姫       | 9550    | 4AB3      | 59EB  | I1KJ0080 |
| 媛       | 9551    | 4855      | 5A9B  | I1790080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 紐       | 9552    | 4FB5      | 7D10  | I2B90080 |
| 百       | 9553    | 454B      | 767E  | I0QZ0080 |
| 謬       | 9554    | 55A1      | 8B2C  | I36P0080 |
| 俵       | 9555    | 4DB1      | 4FF5  | I20H0080 |
| 彪       | 9556    | 5159      | 5F6A  | I2JD0080 |
| 標       | 9557    | 4966      | 6A19  | I1D20080 |
| 氷       | 9558    | 4CA4      | 6C37  | I1US0080 |
| 漂       | 9559    | 4FBC      | 6F02  | I2BG0080 |
| 瓢       | 955A    | 5452      | 74E2  | I2Z60080 |
| 票       | 955B    | 4DBF      | 7968  | I20V0080 |
| 表       | 955C    | 46C0      | 8868  | I0ZK0080 |
| 評       | 955D    | 49FD      | 8A55  | I1H90080 |
| 豹       | 955E    | 5593      | 8C79  | I36B0080 |
| 廟       | 955F    | 55AF      | 5EDF  | I3730080 |
| 描       | 9560    | 4BCF      | 63CF  | I1QN0080 |
| 病       | 9561    | 49BF      | 75C5  | I1FJ0080 |
| 秒       | 9562    | 4DBA      | 79D2  | I20Q0080 |
| 苗       | 9563    | 4AB8      | 82D7  | I1KO0080 |
| 錨       | 9564    | 53F0      | 9328  | I2Y80080 |
| 鎮       | 9565    | 55BE      | 92F2  | I37I0080 |
| 蒜       | 9566    | 5259      | 849C  | I2OP0080 |
| 蛭       | 9567    | 4E66      | 86ED  | I23Q0080 |
| 鱸       | 9568    | 546E      | 9C2D  | I2ZY0080 |
| 品       | 9569    | 45D0      | 54C1  | I0UO0080 |
| 彬       | 956A    | 4E88      | 5F6C  | I24O0080 |
| 斌       | 956B    | 519D      | 658C  | I2L90080 |
| 浜       | 956C    | 45EA      | 6D5C  | I0VE0080 |
| 瀕       | 956D    | 55D1      | 7015  | I3810080 |
| 貧       | 956E    | 4DA3      | 8CA7  | I2030080 |
| 賓       | 956F    | 50D7      | 8CD3  | I2HJ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 頰                                    | 9570    | 53AB      | 983B  | I2WB0080 |
| 敏                                    | 9571    | 4647      | 654F  | I0W70080 |
| 瓶                                    | 9572    | 4CD4      | 74F6  | I1W40080 |
| 不                                    | 9573    | 46AF      | 4E0D  | I0Z30080 |
| 付                                    | 9574    | 475D      | 4ED8  | I1250080 |
| 埠                                    | 9575    | 517E      | 57E0  | I2KE0080 |
| 夫                                    | 9576    | 4573      | 592B  | I0S30080 |
| 婦                                    | 9577    | 496F      | 5A66  | I1DB0080 |
| 富                                    | 9578    | 45AC      | 5BCC  | I0TO0080 |
| 富                                    | 9579    | 4878      | 51A8  | I1880080 |
| 布                                    | 957A    | 476B      | 5E03  | I12J0080 |
| 府                                    | 957B    | 4551      | 5E9C  | I0R50080 |
| 怖                                    | 957C    | 4EF0      | 6016  | I27K0080 |
| 扶                                    | 957D    | 4D7A      | 6276  | I1YY0080 |
| 敷                                    | 957E    | 4951      | 6577  | I1CH0080 |
| 斧                                    | 9580    | 51C2      | 65A7  | I2MA0080 |
| 普                                    | 9581    | 49F8      | 666E  | I1H40080 |
| 浮                                    | 9582    | 4A8C      | 6D6E  | I1JG0080 |
| 父                                    | 9583    | 45CC      | 7236  | I0UK0080 |
| 符                                    | 9584    | 4FD9      | 7B26  | I2C90080 |
| 腐                                    | 9585    | 4D62      | 8150  | I1YA0080 |
| 膚                                    | 9586    | 5191      | 819A  | I2KX0080 |
| 芙                                    | 9587    | 4EBD      | 8299  | I2650080 |
| 譜                                    | 9588    | 4E4F      | 8B5C  | I2330080 |
| 負                                    | 9589    | 49C8      | 8CA0  | I1FS0080 |
| 賦                                    | 958A    | 4FA7      | 8CE6  | I2AV0080 |
| 赴                                    | 958B    | 50EE      | 8D74  | I2I60080 |
| 阜                                    | 958C    | 4786      | 961C  | I13A0080 |
| 附                                    | 958D    | 4B8C      | 9644  | I1OS0080 |
| 侮                                    | 958E    | 53B9      | 4FAE  | I2WP0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 撫                                    | 958F    | 51E1      | 64AB  | I2N50080 |
| 武                                    | 9590    | 45B1      | 6B66  | I0TT0080 |
| 舞                                    | 9591    | 4A63      | 821E  | I1I00080 |
| 葡                                    | 9592    | 5547      | 8461  | I3470080 |
| 蕪                                    | 9593    | 51D3      | 856A  | I2MR0080 |
| 部                                    | 9594    | 4595      | 90E8  | I0T10080 |
| 封                                    | 9595    | 4D76      | 5C01  | I1YU0080 |
| 楓                                    | 9596    | 5295      | 6953  | I2QD0080 |
| 風                                    | 9597    | 47E7      | 98A8  | I15Z0080 |
| 葺                                    | 9598    | 50E0      | 847A  | I2HS0080 |
| 露                                    | 9599    | 5491      | 8557  | I30X0080 |
| 伏                                    | 959A    | 4A83      | 4F0F  | I1J70080 |
| 副                                    | 959B    | 4B4E      | 526F  | I1N20080 |
| 復                                    | 959C    | 4A70      | 5FA9  | I1I00080 |
| 幅                                    | 959D    | 4A5E      | 5E45  | I1I60080 |
| 服                                    | 959E    | 47D4      | 670D  | I15G0080 |
| 福                                    | 959F    | 458B      | 798F  | I0SR0080 |
| 腹                                    | 95A0    | 4CA0      | 8179  | I1UO0080 |
| 複                                    | 95A1    | 4B51      | 8907  | I1N50080 |
| 覆                                    | 95A2    | 4DF2      | 8986  | I22A0080 |
| 淵                                    | 95A3    | 48EA      | 6DF5  | I1BE0080 |
| 弗                                    | 95A4    | 54AC      | 5F17  | I31O0080 |
| 扌                                    | 95A5    | 4981      | 6255  | I1DT0080 |
| 沸                                    | 95A6    | 4EAA      | 6CB8  | I25M0080 |
| 仏                                    | 95A7    | 4BE5      | 4ECF  | I1R90080 |
| 物                                    | 95A8    | 4652      | 7269  | I0WI0080 |
| 鮒                                    | 95A9    | 528D      | 9B92  | I2Q50080 |
| 分                                    | 95AA    | 45B4      | 5206  | I0TW0080 |
| 吻                                    | 95AB    | 53E5      | 543B  | I2XX0080 |
| 噴                                    | 95AC    | 4E6D      | 5674  | I23X0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 墳       | 95AD    | 5289      | 58B3  | I2Q10080 |
| 憤       | 95AE    | 4FFC      | 61A4  | I2D80080 |
| 扮       | 95AF    | 54B7      | 626E  | I31Z0080 |
| 焚       | 95B0    | 544F      | 711A  | I2Z30080 |
| 奮       | 95B1    | 4EDD      | 596E  | I2710080 |
| 粉       | 95B2    | 489E      | 7C89  | I19A0080 |
| 糞       | 95B3    | 5492      | 7CDE  | I30Y0080 |
| 紛       | 95B4    | 4FF3      | 7D1B  | I2CZ0080 |
| 雰       | 95B5    | 4F90      | 96F0  | I2A80080 |
| 文       | 95B6    | 45CA      | 6587  | I0UI0080 |
| 聞       | 95B7    | 48BB      | 805E  | I1A30080 |
| 丙       | 95B8    | 50C5      | 4E19  | I2H10080 |
| 併       | 95B9    | 4B94      | 4F75  | I1P00080 |
| 兵       | 95BA    | 4649      | 5175  | I0W90080 |
| 塀       | 95BB    | 539F      | 5840  | I2VZ0080 |
| 幣       | 95BC    | 4E7F      | 5E63  | I24F0080 |
| 平       | 95BD    | 458D      | 5E73  | I0ST0080 |
| 弊       | 95BE    | 50CD      | 5F0A  | I2H90080 |
| 柄       | 95BF    | 4A7F      | 67C4  | I1J30080 |
| 並       | 95C0    | 487C      | 4E26  | I18C0080 |
| 蔽       | 95C1    | 54D1      | 853D  | I32P0080 |
| 閉       | 95C2    | 4B7D      | 9589  | I1OD0080 |
| 陛       | 95C3    | 5157      | 965B  | I2JB0080 |
| 米       | 95C4    | 466F      | 7C73  | I0XB0080 |
| 頁       | 95C5    | 4CD9      | 9801  | I1W90080 |
| 僻       | 95C6    | 5578      | 50FB  | I35K0080 |
| 壁       | 95C7    | 4B95      | 58C1  | I1P10080 |
| 癖       | 95C8    | 537E      | 7656  | I2V20080 |
| 碧       | 95C9    | 4DF8      | 78A7  | I22G0080 |
| 別       | 95CA    | 46DD      | 5225  | I10D0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 警       | 95CB    | 5572      | 77A5  | I35E0080 |
| 蔑       | 95CC    | 556C      | 8511  | I3580080 |
| 篋       | 95CD    | 559B      | 7B86  | I36J0080 |
| 偏       | 95CE    | 5049      | 504F  | I2DL0080 |
| 變       | 95CF    | 476F      | 5909  | I12N0080 |
| 片       | 95D0    | 4767      | 7247  | I12F0080 |
| 篇       | 95D1    | 4FB6      | 7BC7  | I2BA0080 |
| 編       | 95D2    | 484E      | 7DE8  | I1720080 |
| 辺       | 95D3    | 45D5      | 8FBA  | I0UT0080 |
| 返       | 95D4    | 48D6      | 8FD4  | I1AU0080 |
| 遍       | 95D5    | 505D      | 904D  | I2E50080 |
| 便       | 95D6    | 4B4C      | 4FBF  | I1N00080 |
| 勉       | 95D7    | 48CE      | 52C9  | I1AM0080 |
| 娩       | 95D8    | 549F      | 5A29  | I31B0080 |
| 弁       | 95D9    | 4B47      | 5F01  | I1MV0080 |
| 鞭       | 95DA    | 548B      | 97AD  | I30R0080 |
| 保       | 95DB    | 45AA      | 4FDD  | I0TM0080 |
| 舗       | 95DC    | 4E5B      | 8217  | I23F0080 |
| 鋪       | 95DD    | 5363      | 92EA  | I2UB0080 |
| 圃       | 95DE    | 53CF      | 5703  | I2XB0080 |
| 捕       | 95DF    | 4C41      | 6355  | I1S10080 |
| 歩       | 95E0    | 47D8      | 6B69  | I15K0080 |
| 甫       | 95E1    | 4D58      | 752B  | I1Y00080 |
| 補       | 95E2    | 496A      | 88DC  | I1D60080 |
| 輔       | 95E3    | 4A68      | 8F14  | I1IG0080 |
| 穂       | 95E4    | 48D4      | 7A42  | I1AS0080 |
| 募       | 95E5    | 4AE1      | 52DF  | I1LT0080 |
| 墓       | 95E6    | 4EBE      | 5893  | I2660080 |
| 慕       | 95E7    | 52E3      | 6155  | I2SJ0080 |
| 戊       | 95E8    | 5161      | 620A  | I2JL0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 暮       | 95E9    | 4AFE      | 66AE  | I1MM0080 |
| 母       | 95EA    | 4969      | 6BCD  | I1D50080 |
| 簿       | 95EB    | 4F4C      | 7C3F  | I28C0080 |
| 菩       | 95EC    | 516A      | 83E9  | I2JU0080 |
| 倣       | 95ED    | 5569      | 5023  | I3550080 |
| 俸       | 95EE    | 50F9      | 4FF8  | I2IH0080 |
| 包       | 95EF    | 4AA8      | 5305  | I1K80080 |
| 呆       | 95F0    | 5073      | 5446  | I2ER0080 |
| 報       | 95F1    | 49B8      | 5831  | I1FC0080 |
| 奉       | 95F2    | 4DB2      | 5949  | I20I0080 |
| 宝       | 95F3    | 494D      | 5B9D  | I1CD0080 |
| 峰       | 95F4    | 48FE      | 5CF0  | I1BY0080 |
| 峯       | 95F5    | 4AAC      | 5CEF  | I1KC0080 |
| 崩       | 95F6    | 4F5F      | 5D29  | I28V0080 |
| 庖       | 95F7    | 554F      | 5E96  | I34F0080 |
| 抱       | 95F8    | 4C86      | 62B1  | I1TY0080 |
| 捧       | 95F9    | 5285      | 6367  | I2PX0080 |
| 放       | 95FA    | 48AF      | 653E  | I19R0080 |
| 方       | 95FB    | 45CD      | 65B9  | I0UL0080 |
| 朋       | 95FC    | 4BC4      | 670B  | I1QC0080 |
| 法       | 9640    | 464A      | 6CD5  | I0WA0080 |
| 泡       | 9641    | 4E87      | 6CE1  | I24N0080 |
| 烹       | 9642    | 5587      | 70F9  | I35Z0080 |
| 砲       | 9643    | 4CC2      | 7832  | I1VM0080 |
| 縫       | 9644    | 49E4      | 7E2B  | I1GK0080 |
| 胞       | 9645    | 50B6      | 80DE  | I2GM0080 |
| 芳       | 9646    | 4683      | 82B3  | I0XV0080 |
| 萌       | 9647    | 50DB      | 840C  | I2HN0080 |
| 蓬       | 9648    | 5088      | 84EC  | I2FC0080 |
| 蜂       | 9649    | 4ECD      | 8702  | I26L0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 褒       | 964A    | 51BA      | 8912  | I2M20080 |
| 訪       | 964B    | 4A71      | 8A2A  | I1IP0080 |
| 豐       | 964C    | 4648      | 8C4A  | I0W80080 |
| 邦       | 964D    | 46C5      | 90A6  | I0ZP0080 |
| 鋒       | 964E    | 5449      | 92D2  | I2YX0080 |
| 飽       | 964F    | 4D49      | 98FD  | I1XL0080 |
| 鳳       | 9650    | 4EA6      | 9CF3  | I25I0080 |
| 鵬       | 9651    | 518A      | 9D6C  | I2KQ0080 |
| 乏       | 9652    | 4F6C      | 4E4F  | I2980080 |
| 亡       | 9653    | 4CCE      | 4EA1  | I1VY0080 |
| 傍       | 9654    | 4EE7      | 508D  | I27B0080 |
| 剖       | 9655    | 5199      | 5256  | I2L50080 |
| 坊       | 9656    | 4C55      | 574A  | I1SL0080 |
| 妨       | 9657    | 50EC      | 59A8  | I2I40080 |
| 帽       | 9658    | 4C85      | 5E3D  | I1TX0080 |
| 忘       | 9659    | 4C45      | 5FD8  | I1S50080 |
| 忙       | 965A    | 4EA3      | 5FD9  | I25F0080 |
| 房       | 965B    | 47DC      | 623F  | I15O0080 |
| 暴       | 965C    | 4CB2      | 66B4  | I1V60080 |
| 望       | 965D    | 47BB      | 671B  | I14R0080 |
| 某       | 965E    | 504A      | 67D0  | I2DM0080 |
| 棒       | 965F    | 4B5A      | 68D2  | I1NE0080 |
| 冒       | 9660    | 4F8F      | 5192  | I2A70080 |
| 紡       | 9661    | 4877      | 7D21  | I1870080 |
| 肪       | 9662    | 4CFB      | 80AA  | I1X70080 |
| 膨       | 9663    | 4EF6      | 81A8  | I27Q0080 |
| 謀       | 9664    | 4F4D      | 8B00  | I28D0080 |
| 貌       | 9665    | 5064      | 8C8C  | I2EC0080 |
| 貿       | 9666    | 4872      | 8CBF  | I1820080 |
| 銖       | 9667    | 5183      | 927E  | I2KJ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 防       | 9668    | 47BC      | 9632  | I14S0080 |
| 吠       | 9669    | 53E1      | 5420  | I2XT0080 |
| 頰       | 966A    | 4EB3      | 982C  | I25V0080 |
| 北       | 966B    | 455A      | 5317  | I0RE0080 |
| 僕       | 966C    | 4ABB      | 50D5  | I1KR0080 |
| 卜       | 966D    | 51C0      | 535C  | I2M80080 |
| 墨       | 966E    | 4AFC      | 58A8  | I1MK0080 |
| 撲       | 966F    | 4EC7      | 64B2  | I26F0080 |
| 朴       | 9670    | 4EA2      | 6734  | I25E0080 |
| 牧       | 9671    | 487B      | 7267  | I18B0080 |
| 睦       | 9672    | 4A96      | 7766  | I1JQ0080 |
| 穆       | 9673    | 52BE      | 7A46  | I2RI0080 |
| 釦       | 9674    | 534A      | 91E6  | I2TM0080 |
| 勃       | 9675    | 54B1      | 52C3  | I31T0080 |
| 没       | 9676    | 5075      | 6CA1  | I2ET0080 |
| 殆       | 9677    | 4F42      | 6B86  | I2820080 |
| 堀       | 9678    | 469D      | 5800  | I0YL0080 |
| 幌       | 9679    | 496B      | 5E4C  | I1D70080 |
| 奔       | 967A    | 5284      | 5954  | I2PW0080 |
| 本       | 967B    | 4566      | 672C  | I0RQ0080 |
| 翻       | 967C    | 51F6      | 7FFB  | I2NQ0080 |
| 凡       | 967D    | 4DE1      | 51E1  | I21T0080 |
| 盆       | 967E    | 5057      | 76C6  | I2DZ0080 |
| 摩       | 9680    | 48D1      | 6469  | I1AP0080 |
| 磨       | 9681    | 49B4      | 78E8  | I1F80080 |
| 魔       | 9682    | 4DE2      | 9B54  | I21U0080 |
| 麻       | 9683    | 48A7      | 9EBB  | I19J0080 |
| 埋       | 9684    | 4EAC      | 57CB  | I25O0080 |
| 妹       | 9685    | 4BDC      | 59B9  | I1R00080 |
| 昧       | 9686    | 559D      | 6627  | I36L0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 枚       | 9687    | 49D9      | 679A  | I1G90080 |
| 每       | 9688    | 49F5      | 6BCE  | I1H10080 |
| 哩       | 9689    | 55F0      | 54E9  | I38W0080 |
| 楨       | 968A    | 4DB9      | 69C7  | I20P0080 |
| 幕       | 968B    | 4CCA      | 5E55  | I1VU0080 |
| 膜       | 968C    | 4D8A      | 819C  | I1ZE0080 |
| 枕       | 968D    | 4F78      | 6795  | I29K0080 |
| 鮪       | 968E    | 55CE      | 9BAA  | I37Y0080 |
| 枉       | 968F    | 5054      | 67FE  | I2DW0080 |
| 鱒       | 9690    | 53C6      | 9C52  | I2X20080 |
| 榊       | 9691    | 4D88      | 685D  | I1ZC0080 |
| 亦       | 9692    | 4FFA      | 4EA6  | I2D60080 |
| 俣       | 9693    | 4B4A      | 4FE3  | I1MY0080 |
| 又       | 9694    | 48F5      | 53C8  | I1BP0080 |
| 抹       | 9695    | 51E0      | 62B9  | I2N40080 |
| 未       | 9696    | 4746      | 672B  | I11I0080 |
| 沫       | 9697    | 53EC      | 6CAB  | I2Y40080 |
| 迄       | 9698    | 49CD      | 8FC4  | I1FX0080 |
| 儘       | 9699    | 5290      | 5118  | I2Q80080 |
| 繭       | 969A    | 4D9A      | 7E6D  | I1ZU0080 |
| 磨       | 969B    | 4EEA      | 9EBF  | I27E0080 |
| 万       | 969C    | 454D      | 4E07  | I0R10080 |
| 慢       | 969D    | 4DDB      | 6162  | I21N0080 |
| 満       | 969E    | 475B      | 6E80  | I1230080 |
| 漫       | 969F    | 4F6E      | 6F2B  | I29A0080 |
| 蔓       | 96A0    | 557B      | 8513  | I35N0080 |
| 味       | 96A1    | 477F      | 5473  | I1330080 |
| 未       | 96A2    | 49C6      | 672A  | I1FQ0080 |
| 魅       | 96A3    | 4DB4      | 9B45  | I20K0080 |
| 巳       | 96A4    | 4AE6      | 5DF3  | I1LY0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 箕       | 96A5    | 4CCC      | 7B95  | I1VW0080 |
| 岬       | 96A6    | 50D5      | 5CAC  | I2HH0080 |
| 密       | 96A7    | 4A56      | 5BC6  | I1HY0080 |
| 蜜       | 96A8    | 53A1      | 871C  | I2W10080 |
| 湊       | 96A9    | 4C88      | 6E4A  | I1U00080 |
| 蓑       | 96AA    | 4F9A      | 84D1  | I2AI0080 |
| 稔       | 96AB    | 47FA      | 7A14  | I16I0080 |
| 脈       | 96AC    | 5079      | 8108  | I2EX0080 |
| 妙       | 96AD    | 4A66      | 5999  | I1IE0080 |
| 耗       | 96AE    | 53C9      | 7C8D  | I2X50080 |
| 民       | 96AF    | 4756      | 6C11  | I11Y0080 |
| 眠       | 96B0    | 4E6A      | 7720  | I23U0080 |
| 務       | 96B1    | 46ED      | 52D9  | I10T0080 |
| 夢       | 96B2    | 4B8B      | 5922  | I1OR0080 |
| 無       | 96B3    | 475F      | 7121  | I1270080 |
| 牟       | 96B4    | 4AAF      | 725F  | I1KF0080 |
| 矛       | 96B5    | 50ED      | 77DB  | I2I50080 |
| 霧       | 96B6    | 4E48      | 9727  | I22W0080 |
| 鷓       | 96B7    | 557E      | 9D61  | I35Q0080 |
| 棕       | 96B8    | 4DFD      | 690B  | I22L0080 |
| 婿       | 96B9    | 5454      | 5A7F  | I2Z80080 |
| 娘       | 96BA    | 4B54      | 5A18  | I1N80080 |
| 冥       | 96BB    | 5467      | 51A5  | I2ZR0080 |
| 名       | 96BC    | 45F3      | 540D  | I0VN0080 |
| 命       | 96BD    | 49B0      | 547D  | I1F40080 |
| 明       | 96BE    | 45A6      | 660E  | I0TI0080 |
| 盟       | 96BF    | 4B84      | 76DF  | I1OK0080 |
| 迷       | 96C0    | 4E58      | 8FF7  | I23C0080 |
| 銘       | 96C1    | 4DDC      | 9298  | I21O0080 |
| 鳴       | 96C2    | 4B70      | 9CF4  | I1O00080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 姪       | 96C3    | 558C      | 59EA  | I3640080 |
| 牝       | 96C4    | 55B7      | 725D  | I37B0080 |
| 滅       | 96C5    | 4EE6      | 6EC5  | I27A0080 |
| 免       | 96C6    | 4B56      | 514D  | I1NA0080 |
| 棉       | 96C7    | 55CA      | 68C9  | I37U0080 |
| 綿       | 96C8    | 489D      | 7DBF  | I1990080 |
| 緬       | 96C9    | 556B      | 7DEC  | I3570080 |
| 面       | 96CA    | 4691      | 9762  | I0Y90080 |
| 麵       | 96CB    | 555F      | 9EBA  | I34V0080 |
| 摸       | 96CC    | 55F5      | 6478  | I3910080 |
| 模       | 96CD    | 4864      | 6A21  | I17O0080 |
| 茂       | 96CE    | 4646      | 8302  | I0W60080 |
| 妄       | 96CF    | 554D      | 5984  | I34D0080 |
| 孟       | 96D0    | 4F83      | 5B5F  | I29V0080 |
| 毛       | 96D1    | 46E2      | 6BDB  | I10I0080 |
| 猛       | 96D2    | 4A51      | 731B  | I1HT0080 |
| 盲       | 96D3    | 5080      | 76F2  | I2F40080 |
| 網       | 96D4    | 4A53      | 7DB2  | I1HV0080 |
| 耗       | 96D5    | 4FEC      | 8017  | I2CS0080 |
| 蒙       | 96D6    | 5095      | 8499  | I2FP0080 |
| 儲       | 96D7    | 54BD      | 5132  | I3250080 |
| 木       | 96D8    | 456C      | 6728  | I0RW0080 |
| 默       | 96D9    | 4DBC      | 9ED9  | I20S0080 |
| 目       | 96DA    | 4675      | 76EE  | I0XH0080 |
| 杳       | 96DB    | 51A6      | 6762  | I2LI0080 |
| 勿       | 96DC    | 5297      | 52FF  | I2QF0080 |
| 餅       | 96DD    | 50BF      | 9905  | I2GV0080 |
| 尢       | 96DE    | 53AE      | 5C24  | I2WE0080 |
| 戾       | 96DF    | 4C44      | 623B  | I1S40080 |
| 粩       | 96E0    | 4FF0      | 7C7E  | I2CW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 貰                                    | 96E1    | 4DEF      | 8CB0  | I2270080 |
| 問                                    | 96E2    | 46E4      | 554F  | I10K0080 |
| 悶                                    | 96E3    | 5554      | 60B6  | I34K0080 |
| 紋                                    | 96E4    | 4CF9      | 7D0B  | I1X50080 |
| 門                                    | 96E5    | 46AA      | 9580  | I0YY0080 |
| 匆                                    | 96E6    | 4F5B      | 5301  | I28R0080 |
| 也                                    | 96E7    | 4749      | 4E5F  | I11L0080 |
| 冶                                    | 96E8    | 5146      | 51B6  | I2IU0080 |
| 夜                                    | 96E9    | 48C8      | 591C  | I1AG0080 |
| 爺                                    | 96EA    | 5096      | 723A  | I2FQ0080 |
| 耶                                    | 96EB    | 4E99      | 8036  | I2550080 |
| 野                                    | 96EC    | 4569      | 91CE  | I0RT0080 |
| 弥                                    | 96ED    | 47E6      | 5F25  | I15Y0080 |
| 矢                                    | 96EE    | 46C1      | 77E2  | I0ZL0080 |
| 厄                                    | 96EF    | 5352      | 5384  | I2TU0080 |
| 役                                    | 96F0    | 495D      | 5F79  | I1CT0080 |
| 約                                    | 96F1    | 47BD      | 7D04  | I14T0080 |
| 葉                                    | 96F2    | 46E1      | 85AC  | I10H0080 |
| 訳                                    | 96F3    | 4BAD      | 8A33  | I1PP0080 |
| 躍                                    | 96F4    | 4CA1      | 8E8D  | I1UP0080 |
| 靖                                    | 96F5    | 48C3      | 9756  | I1AB0080 |
| 柳                                    | 96F6    | 46EA      | 67F3  | I10Q0080 |
| 藪                                    | 96F7    | 4C95      | 85EA  | I1UD0080 |
| 鏝                                    | 96F8    | 5241      | 9453  | I2O10080 |
| 愉                                    | 96F9    | 5098      | 6109  | I2FS0080 |
| 愈                                    | 96FA    | 53C8      | 6108  | I2X40080 |
| 油                                    | 96FB    | 465C      | 6CB9  | I0WS0080 |
| 癒                                    | 96FC    | 53AA      | 7652  | I2WA0080 |
| 諭                                    | 9740    | 4E9C      | 8AED  | I2580080 |
| 輸                                    | 9741    | 4693      | 8F38  | I0YB0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 唯                                    | 9742    | 4BE0      | 552F  | I1R40080 |
| 佑                                    | 9743    | 4CE6      | 4F51  | I1WM0080 |
| 優                                    | 9744    | 47DA      | 512A  | I15M0080 |
| 勇                                    | 9745    | 469C      | 52C7  | I0YK0080 |
| 友                                    | 9746    | 46D4      | 53CB  | I1040080 |
| 宥                                    | 9747    | 4F7A      | 5BA5  | I29M0080 |
| 幽                                    | 9748    | 525F      | 5E7D  | I2OV0080 |
| 悠                                    | 9749    | 4DD8      | 60A0  | I21K0080 |
| 憂                                    | 974A    | 507C      | 6182  | I2F00080 |
| 揖                                    | 974B    | 4CF2      | 63D6  | I1WY0080 |
| 有                                    | 974C    | 4685      | 6709  | I0XX0080 |
| 柚                                    | 974D    | 4EE1      | 67DA  | I2750080 |
| 湧                                    | 974E    | 4FBD      | 6E67  | I2BH0080 |
| 涌                                    | 974F    | 4F7D      | 6D8C  | I29P0080 |
| 猶                                    | 9750    | 504F      | 7336  | I2DR0080 |
| 猷                                    | 9751    | 53DD      | 7337  | I2XP0080 |
| 由                                    | 9752    | 467C      | 7531  | I0XO0080 |
| 祐                                    | 9753    | 488C      | 7950  | I18S0080 |
| 裕                                    | 9754    | 46F8      | 88D5  | I1140080 |
| 誘                                    | 9755    | 4ACB      | 8A98  | I1L70080 |
| 遊                                    | 9756    | 4A8B      | 904A  | I1JF0080 |
| 邑                                    | 9757    | 4C92      | 9091  | I1UA0080 |
| 郵                                    | 9758    | 4CB7      | 90F5  | I1VB0080 |
| 雄                                    | 9759    | 4570      | 96C4  | I0S00080 |
| 融                                    | 975A    | 48C2      | 878D  | I1AA0080 |
| 夕                                    | 975B    | 4AC3      | 5915  | I1KZ0080 |
| 予                                    | 975C    | 47C2      | 4E88  | I14Y0080 |
| 余                                    | 975D    | 49C1      | 4F59  | I1FL0080 |
| 与                                    | 975E    | 4789      | 4E0E  | I13D0080 |
| 誉                                    | 975F    | 4D8C      | 8A89  | I1ZG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 輿       | 9760    | 506C      | 8F3F  | I2EK0080 |
| 預       | 9761    | 4D4A      | 9810  | I1XM0080 |
| 傭       | 9762    | 54DA      | 50AD  | I32Y0080 |
| 幼       | 9763    | 4DAF      | 5E7C  | I20F0080 |
| 妖       | 9764    | 53D1      | 5996  | I2XD0080 |
| 容       | 9765    | 4889      | 5BB9  | I18P0080 |
| 庸       | 9766    | 4C5D      | 5EB8  | I1ST0080 |
| 揚       | 9767    | 4C46      | 63DA  | I1S60080 |
| 搖       | 9768    | 4F7E      | 63FA  | I29Q0080 |
| 擁       | 9769    | 514E      | 64C1  | I2J20080 |
| 曜       | 976A    | 4BFE      | 66DC  | I1RY0080 |
| 楊       | 976B    | 51D7      | 694A  | I2MV0080 |
| 樣       | 976C    | 4848      | 69D8  | I16W0080 |
| 洋       | 976D    | 45DA      | 6D0B  | I0UY0080 |
| 溶       | 976E    | 48BE      | 6EB6  | I1A60080 |
| 熔       | 976F    | 529D      | 7194  | I2QL0080 |
| 用       | 9770    | 45B6      | 7528  | I0TY0080 |
| 窯       | 9771    | 49A7      | 7AAF  | I1EV0080 |
| 羊       | 9772    | 4AD1      | 7F8A  | I1LD0080 |
| 耀       | 9773    | 52A0      | 8000  | I2QO0080 |
| 葉       | 9774    | 45F9      | 8449  | I0VT0080 |
| 蓉       | 9775    | 5083      | 84C9  | I2F70080 |
| 要       | 9776    | 4655      | 8981  | I0WL0080 |
| 謠       | 9777    | 4D7D      | 8B21  | I1Z10080 |
| 踊       | 9778    | 4CA8      | 8E0A  | I1UW0080 |
| 遙       | 9779    | 52F3      | 9059  | I2SZ0080 |
| 陽       | 977A    | 47BF      | 967D  | I14V0080 |
| 養       | 977B    | 4979      | 990A  | I1DL0080 |
| 慾       | 977C    | 53F4      | 617E  | I2YC0080 |
| 抑       | 977D    | 4D66      | 6291  | I1YE0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 欲       | 977E    | 4BF6      | 6B32  | I1RQ0080 |
| 沃       | 9780    | 55D9      | 6C83  | I3890080 |
| 浴       | 9781    | 4B7E      | 6D74  | I10E0080 |
| 翌       | 9782    | 4D9C      | 7FCC  | I1ZW0080 |
| 翼       | 9783    | 4DB5      | 7FFC  | I20L0080 |
| 淀       | 9784    | 4A88      | 6DC0  | I1JC0080 |
| 羅       | 9785    | 4DFA      | 7F85  | I22I0080 |
| 螺       | 9786    | 51D6      | 87BA  | I2MU0080 |
| 裸       | 9787    | 4F43      | 88F8  | I2830080 |
| 来       | 9788    | 4676      | 6765  | I0XI0080 |
| 萊       | 9789    | 52C9      | 83B1  | I2RT0080 |
| 賴       | 978A    | 4A7A      | 983C  | I1IY0080 |
| 雷       | 978B    | 4BD6      | 96F7  | I1QU0080 |
| 洛       | 978C    | 5450      | 6D1B  | I2Z40080 |
| 絡       | 978D    | 4CE7      | 7D61  | I1WN0080 |
| 落       | 978E    | 47F2      | 843D  | I16A0080 |
| 酪       | 978F    | 50BD      | 916A  | I2GT0080 |
| 乱       | 9790    | 4BBF      | 4E71  | I1Q70080 |
| 卵       | 9791    | 4CF5      | 5375  | I1X10080 |
| 嵐       | 9792    | 498C      | 5D50  | I1E40080 |
| 欄       | 9793    | 4EDE      | 6B04  | I2720080 |
| 濫       | 9794    | 55A3      | 6FEB  | I36R0080 |
| 藍       | 9795    | 4EED      | 85CD  | I27H0080 |
| 蘭       | 9796    | 4CA6      | 862D  | I1UU0080 |
| 覽       | 9797    | 4ED0      | 89A7  | I26O0080 |
| 利       | 9798    | 45BC      | 5229  | I0U40080 |
| 吏       | 9799    | 50C6      | 540F  | I2H20080 |
| 履       | 979A    | 4CA2      | 5C65  | I1UQ0080 |
| 李       | 979B    | 4E51      | 674E  | I2350080 |
| 梨       | 979C    | 4858      | 68A8  | I17C0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 理       | 979D    | 45EB      | 7406  | I0VF0080 |
| 璃       | 979E    | 528C      | 7483  | I2Q40080 |
| 痢       | 979F    | 5174      | 75E2  | I2K40080 |
| 裏       | 97A0    | 49A4      | 88CF  | I1ES0080 |
| 裡       | 97A1    | 544D      | 88E1  | I2Z10080 |
| 里       | 97A2    | 476C      | 91CC  | I12K0080 |
| 離       | 97A3    | 4997      | 96E2  | I1EF0080 |
| 陸       | 97A4    | 4961      | 9678  | I1CX0080 |
| 律       | 97A5    | 4991      | 5F8B  | I1E90080 |
| 率       | 97A6    | 4783      | 7387  | I1370080 |
| 立       | 97A7    | 45DD      | 7ACB  | I0V10080 |
| 葎       | 97A8    | 559F      | 844E  | I36N0080 |
| 掠       | 97A9    | 55E6      | 63A0  | I38M0080 |
| 略       | 97AA    | 4CF0      | 7565  | I1WW0080 |
| 劉       | 97AB    | 5185      | 5289  | I2KL0080 |
| 流       | 97AC    | 46FC      | 6D41  | I1180080 |
| 溜       | 97AD    | 4DC4      | 6E9C  | I2100080 |
| 琉       | 97AE    | 50F7      | 7409  | I2IF0080 |
| 留       | 97AF    | 47AB      | 7559  | I14B0080 |
| 硫       | 97B0    | 4984      | 786B  | I1DW0080 |
| 粒       | 97B1    | 4CA9      | 7C92  | I1UX0080 |
| 隆       | 97B2    | 465D      | 9686  | I0WT0080 |
| 竜       | 97B3    | 49E7      | 7ADC  | I1GN0080 |
| 龍       | 97B4    | 48CA      | 9F8D  | I1AI0080 |
| 侶       | 97B5    | 557C      | 4FB6  | I35O0080 |
| 慮       | 97B6    | 4C49      | 616E  | I1S90080 |
| 旅       | 97B7    | 4ACF      | 65C5  | I1LB0080 |
| 虜       | 97B8    | 5250      | 865C  | I2OG0080 |
| 了       | 97B9    | 4BB1      | 4E86  | I1PT0080 |
| 亮       | 97BA    | 499C      | 4EAE  | I1EK0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 僚       | 97BB    | 4D82      | 50DA  | I1Z60080 |
| 両       | 97BC    | 4883      | 4E21  | I18J0080 |
| 凌       | 97BD    | 5344      | 51CC  | I2TG0080 |
| 寮       | 97BE    | 4C7A      | 5BEE  | I1TM0080 |
| 料       | 97BF    | 464E      | 6599  | I0WE0080 |
| 梁       | 97C0    | 4E44      | 6881  | I22S0080 |
| 涼       | 97C1    | 4E74      | 6DBC  | I2440080 |
| 獵       | 97C2    | 4E9D      | 731F  | I2590080 |
| 療       | 97C3    | 4BB7      | 7642  | I1PZ0080 |
| 瞭       | 97C4    | 527D      | 77AD  | I2PP0080 |
| 稜       | 97C5    | 5296      | 7A1C  | I2QE0080 |
| 糧       | 97C6    | 4EC5      | 7CE7  | I26D0080 |
| 良       | 97C7    | 45C4      | 826F  | I0UC0080 |
| 諒       | 97C8    | 5181      | 8AD2  | I2KH0080 |
| 遼       | 97C9    | 526B      | 907C  | I2P70080 |
| 量       | 97CA    | 47B5      | 91CF  | I14L0080 |
| 陵       | 97CB    | 50C7      | 9675  | I2H30080 |
| 領       | 97CC    | 4ACD      | 9818  | I1L90080 |
| 力       | 97CD    | 45F7      | 529B  | I0VR0080 |
| 綠       | 97CE    | 48A5      | 7DD1  | I19H0080 |
| 倫       | 97CF    | 4D51      | 502B  | I1XT0080 |
| 厘       | 97D0    | 4F55      | 5398  | I28L0080 |
| 林       | 97D1    | 45A2      | 6797  | I0TE0080 |
| 淋       | 97D2    | 52C7      | 6DCB  | I2RR0080 |
| 隣       | 97D3    | 4A79      | 71D0  | I1IX0080 |
| 琳       | 97D4    | 5453      | 7433  | I2Z70080 |
| 臨       | 97D5    | 4CD0      | 81E8  | I1W00080 |
| 輪       | 97D6    | 48B7      | 8F2A  | I19Z0080 |
| 隣       | 97D7    | 4CE0      | 96A3  | I1WG0080 |
| 鱗       | 97D8    | 554C      | 9C57  | I34C0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 麟       | 97D9    | 519B      | 9E9F  | I2L70080 |
| 瑠       | 97DA    | 508C      | 7460  | I2FG0080 |
| 罌       | 97DB    | 4BEB      | 5841  | I1RF0080 |
| 淚       | 97DC    | 4DDA      | 6D99  | I21M0080 |
| 累       | 97DD    | 5148      | 7D2F  | I2IW0080 |
| 類       | 97DE    | 46BA      | 985E  | I0ZE0080 |
| 令       | 97DF    | 49C3      | 4EE4  | I1FN0080 |
| 伶       | 97E0    | 544A      | 4F36  | I2YY0080 |
| 例       | 97E1    | 4A46      | 4F8B  | I1HI0080 |
| 冷       | 97E2    | 48FC      | 51B7  | I1BW0080 |
| 勵       | 97E3    | 4D92      | 52B1  | I1ZM0080 |
| 嶺       | 97E4    | 4CE8      | 5DBA  | I1WO0080 |
| 伶       | 97E5    | 509F      | 601C  | I2FZ0080 |
| 玲       | 97E6    | 4AF9      | 73B2  | I1MH0080 |
| 礼       | 97E7    | 4958      | 793C  | I1CO0080 |
| 苓       | 97E8    | 5559      | 82D3  | I34P0080 |
| 鈴       | 97E9    | 45AE      | 9234  | I0TQ0080 |
| 隸       | 97EA    | 5545      | 96B7  | I3450080 |
| 零       | 97EB    | 5069      | 96F6  | I2EH0080 |
| 靈       | 97EC    | 4F4B      | 970A  | I28B0080 |
| 麗       | 97ED    | 4CF3      | 9E97  | I1WZ0080 |
| 齡       | 97EE    | 4C80      | 9F62  | I1TS0080 |
| 曆       | 97EF    | 50CC      | 66A6  | I2H80080 |
| 歷       | 97F0    | 4955      | 6B74  | I1CL0080 |
| 列       | 97F1    | 4BB4      | 5217  | I1PW0080 |
| 劣       | 97F2    | 4E68      | 52A3  | I23S0080 |
| 烈       | 97F3    | 4DD1      | 70C8  | I21D0080 |
| 裂       | 97F4    | 4F60      | 88C2  | I28W0080 |
| 廉       | 97F5    | 4EDB      | 5EC9  | I26Z0080 |
| 恋       | 97F6    | 4BCA      | 604B  | I1QI0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 憐       | 97F7    | 555B      | 6190  | I34R0080 |
| 漣       | 97F8    | 54E0      | 6F23  | I3340080 |
| 煉       | 97F9    | 4C6F      | 7149  | I1TB0080 |
| 簾       | 97FA    | 5270      | 7C3E  | I2PC0080 |
| 練       | 97FB    | 4860      | 7DF4  | I17K0080 |
| 聯       | 97FC    | 53CA      | 806F  | I2X60080 |
| 蓮       | 9840    | 4BF4      | 84EE  | I1RO0080 |
| 連       | 9841    | 4754      | 9023  | I11W0080 |
| 鍊       | 9842    | 4FE6      | 932C  | I2CM0080 |
| 呂       | 9843    | 4B50      | 5442  | I1N40080 |
| 魯       | 9844    | 51F4      | 9B6F  | I2NO0080 |
| 櫓       | 9845    | 5586      | 6AD3  | I35Y0080 |
| 炉       | 9846    | 497D      | 7089  | I1DP0080 |
| 賂       | 9847    | 55F8      | 8CC2  | I3940080 |
| 路       | 9848    | 4784      | 8DEF  | I1380080 |
| 露       | 9849    | 4BC6      | 9732  | I1QE0080 |
| 勞       | 984A    | 48A9      | 52B4  | I19L0080 |
| 婁       | 984B    | 50F8      | 5A41  | I2IG0080 |
| 廊       | 984C    | 4EA7      | 5ECA  | I25J0080 |
| 弄       | 984D    | 54BF      | 5F04  | I3270080 |
| 朗       | 984E    | 486E      | 6717  | I17Y0080 |
| 樓       | 984F    | 52BA      | 697C  | I2RE0080 |
| 榔       | 9850    | 55C7      | 6994  | I37R0080 |
| 浪       | 9851    | 4A9D      | 6D6A  | I1JX0080 |
| 漏       | 9852    | 50C4      | 6F0F  | I2H00080 |
| 牢       | 9853    | 55C4      | 7262  | I37O0080 |
| 狼       | 9854    | 506F      | 72FC  | I2EN0080 |
| 籠       | 9855    | 4CEE      | 7C60  | I1WU0080 |
| 老       | 9856    | 4985      | 8001  | I1DX0080 |
| 聾       | 9857    | 53E4      | 807E  | I2XW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 蠟                                    | 9858    | 52A1      | 874B  | I2QP0080 |
| 郎                                    | 9859    | 456E      | 90CE  | I0RY0080 |
| 六                                    | 985A    | 4546      | 516D  | I0QU0080 |
| 麓                                    | 985B    | 519E      | 9E93  | I2LA0080 |
| 禄                                    | 985C    | 50AE      | 7984  | I2GE0080 |
| 肋                                    | 985D    | 557F      | 808B  | I35R0080 |
| 録                                    | 985E    | 4886      | 9332  | I18M0080 |
| 論                                    | 985F    | 48F3      | 8AD6  | I1BN0080 |
| 倭                                    | 9860    | 4FF9      | 502D  | I2D50080 |
| 和                                    | 9861    | 457A      | 548C  | I0SA0080 |
| 話                                    | 9862    | 4750      | 8A71  | I11S0080 |
| 歪                                    | 9863    | 558E      | 6B6A  | I3660080 |
| 賄                                    | 9864    | 5067      | 8CC4  | I2EF0080 |
| 脇                                    | 9865    | 47E3      | 8107  | I15V0080 |

| Table 12. Level 1 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 惑                                    | 9866    | 4E78      | 60D1  | I2480080 |
| 桦                                    | 9867    | 4FD2      | 67A0  | I2C20080 |
| 鷺                                    | 9868    | 4BF1      | 9DF2  | I1RL0080 |
| 互                                    | 9869    | 50E8      | 4E99  | I2I00080 |
| 亘                                    | 986A    | 4BE4      | 4E98  | I1R80080 |
| 鰐                                    | 986B    | 5293      | 9C10  | I2QB0080 |
| 詫                                    | 986C    | 50D3      | 8A6B  | I2HF0080 |
| 藁                                    | 986D    | 4FBB      | 85C1  | I2BF0080 |
| 蕨                                    | 986E    | 50DE      | 8568  | I2HQ0080 |
| 椀                                    | 986F    | 5468      | 6900  | I2ZS0080 |
| 湾                                    | 9870    | 4D6B      | 6E7E  | I1YJ0080 |
| 碗                                    | 9871    | 545B      | 7897  | I2ZF0080 |
| 腕                                    | 9872    | 4CAF      | 8155  | I1V30080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

9.4 Level 2 Kanji Set

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 弌       | 989F    | 5641      | 5F0C  | I39D0080 |
| 𠂇       | 98A0    | 5642      | 4E10  | I39E0080 |
| 丕       | 98A1    | 5643      | 4E15  | I39F0080 |
| 个       | 98A2    | 5645      | 4E2A  | I39H0080 |
| 𠂉       | 98A3    | 5646      | 4E31  | I39I0080 |
| 丷       | 98A4    | 5647      | 4E36  | I39J0080 |
| 井       | 98A5    | 54C8      | 4E3C  | I32G0080 |
| 丿       | 98A6    | 5648      | 4E3F  | I39K0080 |
| 乂       | 98A7    | 5649      | 4E42  | I39L0080 |
| 乖       | 98A8    | 564A      | 4E56  | I39M0080 |
| 乘       | 98A9    | 564B      | 4E58  | I39N0080 |
| 亂       | 98AA    | 564D      | 4E82  | I39P0080 |
| 丿       | 98AB    | 564E      | 4E85  | I39Q0080 |
| 豫       | 98AC    | 5355      | 8C6B  | I2TX0080 |
| 事       | 98AD    | 564F      | 4E8A  | I39R0080 |
| 舒       | 98AE    | 61DB      | 8212  | I50B0080 |
| 弌       | 98AF    | 5651      | 5F0D  | I39T0080 |
| 于       | 98B0    | 5650      | 4E8E  | I39S0080 |
| 亞       | 98B1    | 5652      | 4E9E  | I39U0080 |
| 亟       | 98B2    | 5167      | 4E9F  | I2JR0080 |
| 一       | 98B3    | 5653      | 4EA0  | I39V0080 |
| 亢       | 98B4    | 5654      | 4EA2  | I39W0080 |
| 京       | 98B5    | 5655      | 4EB0  | I39X0080 |
| 毫       | 98B6    | 5656      | 4EB3  | I39Y0080 |
| 亶       | 98B7    | 5657      | 4EB6  | I39Z0080 |
| 从       | 98B8    | 5658      | 4ECE  | I3A00080 |
| 仍       | 98B9    | 5659      | 4ECD  | I3A10080 |
| 仄       | 98BA    | 565A      | 4EC4  | I3A20080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 仆       | 98BB    | 565B      | 4EC6  | I3A30080 |
| 仂       | 98BC    | 565C      | 4EC2  | I3A40080 |
| 仗       | 98BD    | 565E      | 4ED7  | I3A60080 |
| 仃       | 98BE    | 565F      | 4EDE  | I3A70080 |
| 仄       | 98BF    | 5660      | 4EED  | I3A80080 |
| 仅       | 98C0    | 5661      | 4EDF  | I3A90080 |
| 价       | 98C1    | 5341      | 4EF7  | I2TD0080 |
| 伉       | 98C2    | 5663      | 4F09  | I3AB0080 |
| 侏       | 98C3    | 5667      | 4F5A  | I3AF0080 |
| 估       | 98C4    | 5668      | 4F30  | I3AG0080 |
| 佛       | 98C5    | 566F      | 4F5B  | I3AN0080 |
| 佤       | 98C6    | 5669      | 4F5D  | I3AH0080 |
| 佗       | 98C7    | 566B      | 4F57  | I3AJ0080 |
| 佇       | 98C8    | 566C      | 4F47  | I3AK0080 |
| 佶       | 98C9    | 51E2      | 4F76  | I2N60080 |
| 侈       | 98CA    | 5672      | 4F88  | I3AQ0080 |
| 侏       | 98CB    | 5673      | 4F8F  | I3AR0080 |
| 侗       | 98CC    | 5676      | 4F98  | I3AU0080 |
| 佻       | 98CD    | 5677      | 4F7B  | I3AV0080 |
| 佩       | 98CE    | 5679      | 4F69  | I3AX0080 |
| 佰       | 98CF    | 567A      | 4F70  | I3AY0080 |
| 侑       | 98D0    | 4F8D      | 4F91  | I2A50080 |
| 佻       | 98D1    | 567C      | 4F6F  | I3B00080 |
| 來       | 98D2    | 567D      | 4F86  | I3B10080 |
| 侖       | 98D3    | 567E      | 4F96  | I3B20080 |
| 俚       | 98D4    | 5675      | 4FAD  | I3AT0080 |
| 俚       | 98D5    | 567F      | 4FD4  | I3B30080 |
| 俚       | 98D6    | 53C4      | 4FDF  | I2X00080 |
| 俚       | 98D7    | 5680      | 4FCE  | I3B40080 |
| 俚       | 98D8    | 5681      | 4FD8  | I3B50080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 俛       | 98D9    | 5682      | 4FDB  | I3B60080 |
| 備       | 98DA    | 5683      | 4FD1  | I3B70080 |
| 俚       | 98DB    | 5684      | 4FDA  | I3B80080 |
| 俐       | 98DC    | 5685      | 4FD0  | I3B90080 |
| 倂       | 98DD    | 5687      | 4FE4  | I3BB0080 |
| 俔       | 98DE    | 5688      | 4FE5  | I3BC0080 |
| 倚       | 98DF    | 5689      | 501A  | I3BD0080 |
| 倨       | 98E0    | 568B      | 5028  | I3BF0080 |
| 倔       | 98E1    | 568C      | 5014  | I3BG0080 |
| 倪       | 98E2    | 568D      | 502A  | I3BH0080 |
| 控       | 98E3    | 568E      | 5025  | I3BI0080 |
| 倅       | 98E4    | 568F      | 5005  | I3BJ0080 |
| 倅       | 98E5    | 5664      | 4F1C  | I3AC0080 |
| 俶       | 98E6    | 51F8      | 4FF6  | I2NS0080 |
| 倡       | 98E7    | 5690      | 5021  | I3BK0080 |
| 倩       | 98E8    | 5692      | 5029  | I3BM0080 |
| 倅       | 98E9    | 5693      | 502C  | I3BN0080 |
| 俾       | 98EA    | 5695      | 4FFE  | I3BP0080 |
| 俯       | 98EB    | 5696      | 4FEF  | I3BQ0080 |
| 們       | 98EC    | 5697      | 5011  | I3BR0080 |
| 倆       | 98ED    | 5699      | 5006  | I3BT0080 |
| 偃       | 98EE    | 569A      | 5043  | I3BU0080 |
| 假       | 98EF    | 569B      | 5047  | I3BV0080 |
| 會       | 98F0    | 56AC      | 6703  | I3CC0080 |
| 偕       | 98F1    | 569C      | 5055  | I3BW0080 |
| 修       | 98F2    | 569D      | 5050  | I3BX0080 |
| 偈       | 98F3    | 569E      | 5048  | I3BY0080 |
| 做       | 98F4    | 569F      | 505A  | I3BZ0080 |
| 偕       | 98F5    | 56A0      | 5056  | I3C00080 |
| 惚       | 98F6    | 56A5      | 506C  | I3C50080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 儉       | 98F7    | 56A6      | 5078  | I3C60080 |
| 傀       | 98F8    | 56A7      | 5080  | I3C70080 |
| 倣       | 98F9    | 56A9      | 509A  | I3C90080 |
| 傳       | 98FA    | 56AA      | 5085  | I3CA0080 |
| 傴       | 98FB    | 56AB      | 50B4  | I3CB0080 |
| 傲       | 98FC    | 56AD      | 50B2  | I3CD0080 |
| 僉       | 9940    | 56AE      | 50C9  | I3CE0080 |
| 僊       | 9941    | 56AF      | 50CA  | I3CF0080 |
| 傳       | 9942    | 56B0      | 50B3  | I3CG0080 |
| 儂       | 9943    | 56B1      | 50C2  | I3CH0080 |
| 僖       | 9944    | 52D4      | 50D6  | I2S40080 |
| 僞       | 9945    | 56B3      | 50DE  | I3CJ0080 |
| 僨       | 9946    | 56B4      | 50E5  | I3CK0080 |
| 僣       | 9947    | 56B6      | 50ED  | I3CM0080 |
| 僣       | 9948    | 56B7      | 50E3  | I3CN0080 |
| 僮       | 9949    | 56B8      | 50EE  | I3CO0080 |
| 價       | 994A    | 56B9      | 50F9  | I3CP0080 |
| 僵       | 994B    | 56BA      | 50F5  | I3CQ0080 |
| 儉       | 994C    | 56BB      | 5109  | I3CR0080 |
| 僑       | 994D    | 56BC      | 5101  | I3CS0080 |
| 儂       | 994E    | 56BD      | 5102  | I3CT0080 |
| 儼       | 994F    | 56C1      | 5116  | I3CX0080 |
| 儕       | 9950    | 56BF      | 5115  | I3CV0080 |
| 儔       | 9951    | 56C0      | 5114  | I3CW0080 |
| 儕       | 9952    | 56BE      | 511A  | I3CU0080 |
| 儖       | 9953    | 56C2      | 5121  | I3CY0080 |
| 儗       | 9954    | 56C3      | 513A  | I3CZ0080 |
| 儘       | 9955    | 56C4      | 5137  | I3D00080 |
| 儚       | 9956    | 56C5      | 513C  | I3D10080 |
| 儚       | 9957    | 56C6      | 513B  | I3D20080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 儿                                    | 9958    | 56C7      | 513F  | I3D30080 |
| 兀                                    | 9959    | 56C8      | 5140  | I3D40080 |
| 兒                                    | 995A    | 56CB      | 5152  | I3D70080 |
| 兌                                    | 995B    | 56CA      | 514C  | I3D60080 |
| 兔                                    | 995C    | 56CC      | 5154  | I3D80080 |
| 兢                                    | 995D    | 56CD      | 5162  | I3D90080 |
| 競                                    | 995E    | 605D      | 7AF8  | I4RH0080 |
| 兩                                    | 995F    | 56CF      | 5169  | I3DB0080 |
| 兪                                    | 9960    | 56D0      | 516A  | I3DC0080 |
| 兮                                    | 9961    | 56D1      | 516E  | I3DD0080 |
| 冀                                    | 9962    | 56D2      | 5180  | I3DE0080 |
| 冂                                    | 9963    | 56D3      | 5182  | I3DF0080 |
| 冂                                    | 9964    | 56D4      | 56D8  | I3DG0080 |
| 册                                    | 9965    | 56D5      | 518C  | I3DH0080 |
| 冉                                    | 9966    | 56D6      | 5189  | I3DI0080 |
| 冂                                    | 9967    | 56D7      | 518F  | I3DJ0080 |
| 冂                                    | 9968    | 56D8      | 5191  | I3DK0080 |
| 冂                                    | 9969    | 56D9      | 5193  | I3DL0080 |
| 冕                                    | 996A    | 56DA      | 5195  | I3DM0080 |
| 冂                                    | 996B    | 56DB      | 5196  | I3DN0080 |
| 冕                                    | 996C    | 56DD      | 51A4  | I3DP0080 |
| 冂                                    | 996D    | 56DE      | 51A6  | I3DQ0080 |
| 冂                                    | 996E    | 56DF      | 51A2  | I3DR0080 |
| 冂                                    | 996F    | 56E0      | 51A9  | I3DS0080 |
| 冂                                    | 9970    | 56E1      | 51AA  | I3DT0080 |
| 冂                                    | 9971    | 56E2      | 51AB  | I3DU0080 |
| 決                                    | 9972    | 56E3      | 51B3  | I3DV0080 |
| 冂                                    | 9973    | 56E4      | 51B1  | I3DW0080 |
| 冲                                    | 9974    | 56E5      | 51B2  | I3DX0080 |
| 冰                                    | 9975    | 56E6      | 51B0  | I3DY0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 况                                    | 9976    | 56E7      | 51B5  | I3DZ0080 |
| 冽                                    | 9977    | 56E9      | 51BD  | I3E10080 |
| 涸                                    | 9978    | 56EA      | 51C5  | I3E20080 |
| 凉                                    | 9979    | 56EB      | 51C9  | I3E30080 |
| 凜                                    | 997A    | 56EC      | 51DB  | I3E40080 |
| 几                                    | 997B    | 56ED      | 51E0  | I3E50080 |
| 處                                    | 997C    | 62D1      | 8655  | I55D0080 |
| 凧                                    | 997D    | 56EE      | 51E9  | I3E60080 |
| 凭                                    | 997E    | 56F0      | 51ED  | I3E80080 |
| 凧                                    | 9980    | 56F1      | 51F0  | I3E90080 |
| 凧                                    | 9981    | 56F2      | 51F5  | I3EA0080 |
| 凧                                    | 9982    | 56F3      | 51FE  | I3EB0080 |
| 凧                                    | 9983    | 56F4      | 5204  | I3EC0080 |
| 刊                                    | 9984    | 56F5      | 520B  | I3ED0080 |
| 刳                                    | 9985    | 56F6      | 5214  | I3EE0080 |
| 刳                                    | 9986    | 54E3      | 520E  | I3370080 |
| 刳                                    | 9987    | 56F8      | 5227  | I3EG0080 |
| 刪                                    | 9988    | 56F9      | 522A  | I3EH0080 |
| 刮                                    | 9989    | 56FA      | 522E  | I3EI0080 |
| 剗                                    | 998A    | 56FB      | 5233  | I3EJ0080 |
| 剗                                    | 998B    | 56FC      | 5239  | I3EK0080 |
| 剗                                    | 998C    | 5741      | 524F  | I3EP0080 |
| 剗                                    | 998D    | 56FD      | 5244  | I3EL0080 |
| 剗                                    | 998E    | 56FE      | 524B  | I3EM0080 |
| 剗                                    | 998F    | 51AE      | 524C  | I2LQ0080 |
| 剗                                    | 9990    | 5742      | 525E  | I3EQ0080 |
| 剔                                    | 9991    | 5743      | 5254  | I3ER0080 |
| 剪                                    | 9992    | 5745      | 526A  | I3ET0080 |
| 剗                                    | 9993    | 5747      | 5274  | I3EV0080 |
| 剩                                    | 9994    | 5748      | 5269  | I3EW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 割                                    | 9995    | 5746      | 5273  | I3EU0080 |
| 剿                                    | 9996    | 5749      | 527F  | I3EX0080 |
| 剽                                    | 9997    | 574A      | 527D  | I3EY0080 |
| 劍                                    | 9998    | 574B      | 528D  | I3EZ0080 |
| 劒                                    | 9999    | 5580      | 5294  | I3S0080  |
| 劔                                    | 999A    | 574D      | 5292  | I3F10080 |
| 劒                                    | 999B    | 5744      | 5271  | I3ES0080 |
| 劈                                    | 999C    | 574C      | 5288  | I3F00080 |
| 劑                                    | 999D    | 574E      | 5291  | I3F20080 |
| 辨                                    | 999E    | 64EC      | 8FA8  | I5GS0080 |
| 辦                                    | 999F    | 64ED      | 8FA7  | I5GT0080 |
| 劬                                    | 99A0    | 5751      | 52AC  | I3F50080 |
| 劬                                    | 99A1    | 5752      | 52AD  | I3F60080 |
| 劬                                    | 99A2    | 5753      | 52BC  | I3F70080 |
| 劬                                    | 99A3    | 5754      | 52B5  | I3F80080 |
| 勁                                    | 99A4    | 5755      | 52C1  | I3F90080 |
| 勅                                    | 99A5    | 5757      | 52CD  | I3FB0080 |
| 勗                                    | 99A6    | 5392      | 52D7  | I2VM0080 |
| 勞                                    | 99A7    | 5759      | 52DE  | I3FD0080 |
| 勳                                    | 99A8    | 575A      | 52E3  | I3FE0080 |
| 勳                                    | 99A9    | 575B      | 52E6  | I3FF0080 |
| 飭                                    | 99AA    | 66DB      | 98ED  | I5QZ0080 |
| 勳                                    | 99AB    | 575C      | 52E0  | I3FG0080 |
| 勳                                    | 99AC    | 575D      | 52F3  | I3FH0080 |
| 勳                                    | 99AD    | 575E      | 52F5  | I3FI0080 |
| 勳                                    | 99AE    | 575F      | 52F8  | I3FJ0080 |
| 勳                                    | 99AF    | 5760      | 52F9  | I3FK0080 |
| 匆                                    | 99B0    | 5762      | 5306  | I3FM0080 |
| 匈                                    | 99B1    | 5764      | 5308  | I3FO0080 |
| 甸                                    | 99B2    | 5765      | 7538  | I3FP0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 匍                                    | 99B3    | 5766      | 530D  | I3FQ0080 |
| 匍                                    | 99B4    | 5767      | 5310  | I3FR0080 |
| 匍                                    | 99B5    | 5768      | 530F  | I3FS0080 |
| 匍                                    | 99B6    | 5769      | 5315  | I3FT0080 |
| 匍                                    | 99B7    | 576A      | 531A  | I3FU0080 |
| 匍                                    | 99B8    | 576C      | 5323  | I3FW0080 |
| 匍                                    | 99B9    | 576D      | 532F  | I3FX0080 |
| 匍                                    | 99BA    | 576E      | 5331  | I3FY0080 |
| 匍                                    | 99BB    | 576F      | 5333  | I3FZ0080 |
| 匍                                    | 99BC    | 5770      | 5338  | I3G00080 |
| 匍                                    | 99BD    | 5771      | 5340  | I3G10080 |
| 匍                                    | 99BE    | 5773      | 5346  | I3G30080 |
| 卅                                    | 99BF    | 5772      | 5345  | I3G20080 |
| 卅                                    | 99C0    | 5775      | 4E17  | I3G50080 |
| 卅                                    | 99C1    | 5774      | 5349  | I3G40080 |
| 卅                                    | 99C2    | 5776      | 534D  | I3G60080 |
| 準                                    | 99C3    | 5777      | 51D6  | I3G70080 |
| 卞                                    | 99C4    | 5779      | 535E  | I3G90080 |
| 卞                                    | 99C5    | 577A      | 5369  | I3GA0080 |
| 卞                                    | 99C6    | 577B      | 536E  | I3GB0080 |
| 卞                                    | 99C7    | 52C8      | 5918  | I2RS0080 |
| 卞                                    | 99C8    | 577E      | 537B  | I3GE0080 |
| 卷                                    | 99C9    | 577D      | 5377  | I3GD0080 |
| 厂                                    | 99CA    | 577F      | 5382  | I3GF0080 |
| 厖                                    | 99CB    | 5781      | 5396  | I3GH0080 |
| 厖                                    | 99CC    | 5782      | 53A0  | I3GI0080 |
| 厦                                    | 99CD    | 5783      | 53A6  | I3GJ0080 |
| 厥                                    | 99CE    | 5784      | 53A5  | I3GK0080 |
| 廝                                    | 99CF    | 5785      | 53AE  | I3GL0080 |
| 廩                                    | 99D0    | 5786      | 53B0  | I3GM0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 厶                                    | 99D1    | 5788      | 53B6  | I3GO0080 |
| 參                                    | 99D2    | 5789      | 53C3  | I3GP0080 |
| 篡                                    | 99D3    | 578A      | 7C12  | I3GQ0080 |
| 雙                                    | 99D4    | 6688      | 96D9  | I5OO0080 |
| 叟                                    | 99D5    | 578C      | 53DF  | I3GS0080 |
| 曼                                    | 99D6    | 578D      | 66FC  | I3GT0080 |
| 燮                                    | 99D7    | 578F      | 71EE  | I3GV0080 |
| 叮                                    | 99D8    | 5790      | 53EE  | I3GW0080 |
| 叨                                    | 99D9    | 5791      | 53E8  | I3GX0080 |
| 叭                                    | 99DA    | 5792      | 53ED  | I3GY0080 |
| 叭                                    | 99DB    | 5793      | 53FA  | I3GZ0080 |
| 吁                                    | 99DC    | 5794      | 5401  | I3H00080 |
| 吡                                    | 99DD    | 5795      | 543D  | I3H10080 |
| 呀                                    | 99DE    | 5796      | 5440  | I3H20080 |
| 听                                    | 99DF    | 5797      | 542C  | I3H30080 |
| 吭                                    | 99E0    | 5798      | 542D  | I3H40080 |
| 吼                                    | 99E1    | 5799      | 543C  | I3H50080 |
| 吮                                    | 99E2    | 579A      | 542E  | I3H60080 |
| 呐                                    | 99E3    | 579B      | 5436  | I3H70080 |
| 吩                                    | 99E4    | 579C      | 5429  | I3H80080 |
| 吝                                    | 99E5    | 579D      | 541D  | I3H90080 |
| 呶                                    | 99E6    | 579E      | 544E  | I3HA0080 |
| 咏                                    | 99E7    | 579F      | 548F  | I3HB0080 |
| 呵                                    | 99E8    | 57A0      | 5475  | I3HC0080 |
| 咎                                    | 99E9    | 57A1      | 548E  | I3HD0080 |
| 咳                                    | 99EA    | 57A2      | 545F  | I3HE0080 |
| 呱                                    | 99EB    | 57A3      | 5471  | I3HF0080 |
| 呷                                    | 99EC    | 57A4      | 5477  | I3HG0080 |
| 咭                                    | 99ED    | 57A5      | 5470  | I3HH0080 |
| 咒                                    | 99EE    | 57A6      | 5492  | I3HI0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 呻                                    | 99EF    | 57A7      | 547B  | I3HJ0080 |
| 咀                                    | 99F0    | 57A8      | 5480  | I3HK0080 |
| 呶                                    | 99F1    | 57AA      | 5476  | I3HM0080 |
| 咄                                    | 99F2    | 57AB      | 5484  | I3HN0080 |
| 咐                                    | 99F3    | 57AC      | 5490  | I3HO0080 |
| 咆                                    | 99F4    | 57AD      | 5486  | I3HP0080 |
| 哇                                    | 99F5    | 57AF      | 54C7  | I3HR0080 |
| 罅                                    | 99F6    | 57B2      | 54A2  | I3HU0080 |
| 咸                                    | 99F7    | 57B3      | 54B8  | I3HV0080 |
| 啞                                    | 99F8    | 57B4      | 54A5  | I3HW0080 |
| 咬                                    | 99F9    | 57B5      | 54AC  | I3HX0080 |
| 哄                                    | 99FA    | 57B6      | 54C4  | I3HY0080 |
| 哈                                    | 99FB    | 57B8      | 54C8  | I3I00080 |
| 咨                                    | 99FC    | 57B9      | 54A8  | I3I10080 |
| 咫                                    | 9A40    | 57BA      | 54AB  | I3I20080 |
| 晒                                    | 9A41    | 57BB      | 54C2  | I3I30080 |
| 咤                                    | 9A42    | 57BC      | 54A4  | I3I40080 |
| 啞                                    | 9A43    | 57BE      | 54BE  | I3I60080 |
| 髒                                    | 9A44    | 57B0      | 54BC  | I3HS0080 |
| 疔                                    | 9A45    | 57B7      | 54D8  | I3HZ0080 |
| 哥                                    | 9A46    | 57BF      | 54E5  | I3I70080 |
| 哦                                    | 9A47    | 57C1      | 54E6  | I3I90080 |
| 唏                                    | 9A48    | 57C2      | 550F  | I3IA0080 |
| 唔                                    | 9A49    | 57C3      | 5514  | I3IB0080 |
| 哽                                    | 9A4A    | 57C4      | 54FD  | I3IC0080 |
| 哮                                    | 9A4B    | 57C5      | 54EE  | I3ID0080 |
| 哭                                    | 9A4C    | 57C6      | 54ED  | I3IE0080 |
| 哺                                    | 9A4D    | 547C      | 54FA  | I3OC0080 |
| 啜                                    | 9A4E    | 57C7      | 54E2  | I3IF0080 |
| 啞                                    | 9A4F    | 57C8      | 5539  | I3IG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 嗒                                    | 9A50    | 57C9      | 5540  | I3IH0080 |
| 啣                                    | 9A51    | 57CA      | 5563  | I3II0080 |
| 啞                                    | 9A52    | 57CB      | 554C  | I3IJ0080 |
| 售                                    | 9A53    | 57CC      | 552E  | I3IK0080 |
| 啜                                    | 9A54    | 57CD      | 555C  | I3IL0080 |
| 啗                                    | 9A55    | 57CE      | 5545  | I3IM0080 |
| 啖                                    | 9A56    | 57CF      | 5556  | I3IN0080 |
| 啗                                    | 9A57    | 57D0      | 5557  | I3IO0080 |
| 啗                                    | 9A58    | 57D1      | 5538  | I3IP0080 |
| 啗                                    | 9A59    | 57D2      | 5533  | I3IQ0080 |
| 啗                                    | 9A5A    | 57D3      | 555D  | I3IR0080 |
| 啗                                    | 9A5B    | 57D4      | 5599  | I3IS0080 |
| 啗                                    | 9A5C    | 57D5      | 5580  | I3IT0080 |
| 啗                                    | 9A5D    | 57B1      | 54AF  | I3HT0080 |
| 啗                                    | 9A5E    | 57D6      | 558A  | I3IU0080 |
| 啗                                    | 9A5F    | 57D7      | 559F  | I3IV0080 |
| 啗                                    | 9A60    | 57D8      | 557B  | I3IW0080 |
| 啗                                    | 9A61    | 57D9      | 557E  | I3IX0080 |
| 啗                                    | 9A62    | 57DA      | 5598  | I3IY0080 |
| 啗                                    | 9A63    | 57DB      | 559E  | I3IZ0080 |
| 啗                                    | 9A64    | 57DC      | 55AE  | I3J00080 |
| 啗                                    | 9A65    | 57DD      | 557C  | I3J10080 |
| 啗                                    | 9A66    | 57DF      | 5583  | I3J30080 |
| 啗                                    | 9A67    | 57E0      | 55A9  | I3J40080 |
| 啗                                    | 9A68    | 57E1      | 5587  | I3J50080 |
| 啗                                    | 9A69    | 57E2      | 55A8  | I3J60080 |
| 啗                                    | 9A6A    | 52A2      | 55DA  | I2QQ0080 |
| 啗                                    | 9A6B    | 57E3      | 55C5  | I3J70080 |
| 啗                                    | 9A6C    | 57E4      | 55DF  | I3J80080 |
| 啗                                    | 9A6D    | 57E5      | 55C4  | I3J90080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 嗜                                    | 9A6E    | 57E6      | 55DC  | I3JA0080 |
| 嗜                                    | 9A6F    | 57E7      | 55E4  | I3JB0080 |
| 嗜                                    | 9A70    | 57E8      | 55D4  | I3JC0080 |
| 嗜                                    | 9A71    | 57EA      | 5614  | I3JE0080 |
| 嗜                                    | 9A72    | 57EB      | 55F7  | I3JF0080 |
| 嗜                                    | 9A73    | 57EC      | 5616  | I3JG0080 |
| 嗜                                    | 9A74    | 57ED      | 55FE  | I3JH0080 |
| 嗜                                    | 9A75    | 57EE      | 55FD  | I3JI0080 |
| 嗜                                    | 9A76    | 57EF      | 561B  | I3JJ0080 |
| 嗜                                    | 9A77    | 57E9      | 55F9  | I3JD0080 |
| 嗜                                    | 9A78    | 57F0      | 564E  | I3JK0080 |
| 嗜                                    | 9A79    | 57F1      | 5650  | I3JL0080 |
| 嗜                                    | 9A7A    | 57FB      | 71DF  | I3JV0080 |
| 嗜                                    | 9A7B    | 547F      | 5634  | I30F0080 |
| 嗜                                    | 9A7C    | 57F2      | 5636  | I3JM0080 |
| 嗜                                    | 9A7D    | 57F3      | 5632  | I3JN0080 |
| 嗜                                    | 9A7E    | 57F4      | 5638  | I3JO0080 |
| 嗜                                    | 9A80    | 57F5      | 566B  | I3JP0080 |
| 嗜                                    | 9A81    | 57F6      | 5664  | I3JQ0080 |
| 嗜                                    | 9A82    | 57F8      | 562F  | I3JS0080 |
| 嗜                                    | 9A83    | 57F9      | 566C  | I3JT0080 |
| 嗜                                    | 9A84    | 57FA      | 566A  | I3JU0080 |
| 嗜                                    | 9A85    | 57F7      | 5686  | I3JR0080 |
| 嗜                                    | 9A86    | 57FE      | 5680  | I3JY0080 |
| 嗜                                    | 9A87    | 5841      | 568A  | I3K10080 |
| 嗜                                    | 9A88    | 5842      | 56A0  | I3K20080 |
| 嗜                                    | 9A89    | 57FC      | 5694  | I3JW0080 |
| 嗜                                    | 9A8A    | 57FD      | 568F  | I3JX0080 |
| 嗜                                    | 9A8B    | 5843      | 56A5  | I3K30080 |
| 嗜                                    | 9A8C    | 5844      | 56AE  | I3K40080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 嚶                                    | 9A8D    | 5845      | 56B6  | I3K50080 |
| 嚴                                    | 9A8E    | 5846      | 56B4  | I3K60080 |
| 囂                                    | 9A8F    | 5848      | 56C2  | I3K80080 |
| 嚳                                    | 9A90    | 5849      | 56BC  | I3K90080 |
| 囁                                    | 9A91    | 584A      | 56C1  | I3KA0080 |
| 囁                                    | 9A92    | 584B      | 56C3  | I3KB0080 |
| 囁                                    | 9A93    | 584C      | 56C0  | I3KC0080 |
| 囁                                    | 9A94    | 5847      | 56C8  | I3K70080 |
| 囁                                    | 9A95    | 584D      | 56CE  | I3KD0080 |
| 囁                                    | 9A96    | 584F      | 56D1  | I3KF0080 |
| 囁                                    | 9A97    | 584E      | 56D3  | I3KE0080 |
| 囁                                    | 9A98    | 5850      | 56D7  | I3KG0080 |
| 囁                                    | 9A99    | 5851      | 56EE  | I3KH0080 |
| 囁                                    | 9A9A    | 5852      | 56F9  | I3KI0080 |
| 囁                                    | 9A9B    | 5266      | 5700  | I2P20080 |
| 囁                                    | 9A9C    | 5853      | 56FF  | I3KJ0080 |
| 囁                                    | 9A9D    | 5854      | 5704  | I3KK0080 |
| 囁                                    | 9A9E    | 5855      | 5709  | I3KL0080 |
| 囁                                    | 9A9F    | 5856      | 5708  | I3KM0080 |
| 國                                    | 9AA0    | 51BD      | 570B  | I2M50080 |
| 囁                                    | 9AA1    | 5857      | 570D  | I3KN0080 |
| 圓                                    | 9AA2    | 54E7      | 5713  | I33B0080 |
| 團                                    | 9AA3    | 5859      | 5718  | I3KP0080 |
| 圖                                    | 9AA4    | 585A      | 5716  | I3KQ0080 |
| 嗇                                    | 9AA5    | 5858      | 55C7  | I3KO0080 |
| 圜                                    | 9AA6    | 585B      | 571C  | I3KR0080 |
| 圪                                    | 9AA7    | 585C      | 5726  | I3KS0080 |
| 圪                                    | 9AA8    | 51D1      | 5737  | I2MP0080 |
| 圪                                    | 9AA9    | 585D      | 5738  | I3KT0080 |
| 坎                                    | 9AAA    | 585E      | 574E  | I3KU0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 圪                                    | 9AAB    | 585F      | 573B  | I3KV0080 |
| 圪                                    | 9AAC    | 5861      | 5740  | I3KX0080 |
| 圪                                    | 9AAD    | 5862      | 574F  | I3KY0080 |
| 圪                                    | 9AAE    | 5398      | 5769  | I2VS0080 |
| 垂                                    | 9AAF    | 5871      | 57C0  | I3LD0080 |
| 垩                                    | 9AB0    | 5864      | 5788  | I3L00080 |
| 坡                                    | 9AB1    | 5865      | 5761  | I3L10080 |
| 圪                                    | 9AB2    | 5866      | 577F  | I3L20080 |
| 圪                                    | 9AB3    | 5867      | 5789  | I3L30080 |
| 垩                                    | 9AB4    | 5868      | 5793  | I3L40080 |
| 垩                                    | 9AB5    | 5869      | 57A0  | I3L50080 |
| 圪                                    | 9AB6    | 586B      | 57B3  | I3L70080 |
| 垩                                    | 9AB7    | 586A      | 57A4  | I3L60080 |
| 垩                                    | 9AB8    | 586D      | 57AA  | I3L90080 |
| 垩                                    | 9AB9    | 53CD      | 57B0  | I2X90080 |
| 埃                                    | 9ABA    | 586E      | 57C3  | I3LA0080 |
| 垩                                    | 9ABB    | 586F      | 57C6  | I3LB0080 |
| 垩                                    | 9ABC    | 5872      | 57D4  | I3LE0080 |
| 垩                                    | 9ABD    | 5874      | 57D2  | I3LG0080 |
| 垩                                    | 9ABE    | 5875      | 57D3  | I3LH0080 |
| 垩                                    | 9ABF    | 5878      | 580A  | I3LK0080 |
| 垩                                    | 9AC0    | 5876      | 57D6  | I3LI0080 |
| 垩                                    | 9AC1    | 5879      | 57E3  | I3LL0080 |
| 垩                                    | 9AC2    | 587A      | 580B  | I3LM0080 |
| 垩                                    | 9AC3    | 587B      | 5819  | I3LN0080 |
| 垩                                    | 9AC4    | 53A7      | 581D  | I2W70080 |
| 場                                    | 9AC5    | 5886      | 5872  | I3LY0080 |
| 堡                                    | 9AC6    | 587C      | 5821  | I3LO0080 |
| 塢                                    | 9AC7    | 587E      | 5862  | I3LQ0080 |
| 塢                                    | 9AC8    | 587D      | 584B  | I3LP0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 溼                                    | 9AC9    | 5883      | 5870  | I3LV0080 |
| 毀                                    | 9ACA    | 587F      | 6BC0  | I3LR0080 |
| 峙                                    | 9ACB    | 5881      | 5852  | I3LT0080 |
| 堦                                    | 9ACC    | 5880      | 583D  | I3LS0080 |
| 塹                                    | 9ACD    | 5884      | 5879  | I3LW0080 |
| 墅                                    | 9ACE    | 5885      | 5885  | I3LX0080 |
| 堦                                    | 9ACF    | 588D      | 58B9  | I3M50080 |
| 墟                                    | 9AD0    | 5887      | 589F  | I3LZ0080 |
| 塹                                    | 9AD1    | 5888      | 58AB  | I3M00080 |
| 塹                                    | 9AD2    | 588E      | 58BA  | I3M60080 |
| 壤                                    | 9AD3    | 5895      | 58DE  | I3MD0080 |
| 墻                                    | 9AD4    | 5552      | 58BB  | I34I0080 |
| 堦                                    | 9AD5    | 5889      | 58B8  | I3M10080 |
| 墮                                    | 9AD6    | 588B      | 58AE  | I3M30080 |
| 壅                                    | 9AD7    | 588F      | 58C5  | I3M70080 |
| 壓                                    | 9AD8    | 5890      | 58D3  | I3M80080 |
| 壑                                    | 9AD9    | 5891      | 58D1  | I3M90080 |
| 壙                                    | 9ADA    | 5892      | 58D7  | I3MA0080 |
| 壙                                    | 9ADB    | 5893      | 58D9  | I3MB0080 |
| 壘                                    | 9ADC    | 5894      | 58D8  | I3MC0080 |
| 壘                                    | 9ADD    | 5899      | 58E5  | I3MH0080 |
| 壘                                    | 9ADE    | 5896      | 58DC  | I3ME0080 |
| 壤                                    | 9ADF    | 5898      | 58E4  | I3MG0080 |
| 壘                                    | 9AE0    | 5897      | 58DF  | I3MF0080 |
| 壯                                    | 9AE1    | 589A      | 58EF  | I3MI0080 |
| 壺                                    | 9AE2    | 589B      | 58F7  | I3MJ0080 |
| 壹                                    | 9AE3    | 589C      | 58F9  | I3MK0080 |
| 壻                                    | 9AE4    | 589D      | 58FB  | I3ML0080 |
| 壺                                    | 9AE5    | 589E      | 58FC  | I3MM0080 |
| 壽                                    | 9AE6    | 5275      | 58FD  | I2PH0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 久                                    | 9AE7    | 589F      | 5902  | I3MN0080 |
| 久                                    | 9AE8    | 58A0      | 590A  | I3MO0080 |
| 夂                                    | 9AE9    | 58A2      | 5910  | I3MQ0080 |
| 彡                                    | 9AEA    | 58A3      | 591B  | I3MR0080 |
| 彡                                    | 9AEB    | 58A4      | 68A6  | I3MS0080 |
| 彡                                    | 9AEC    | 58A5      | 5925  | I3MT0080 |
| 夂                                    | 9AED    | 58A6      | 592C  | I3MU0080 |
| 夂                                    | 9AEE    | 58A7      | 592D  | I3MV0080 |
| 夂                                    | 9AEF    | 58A8      | 5932  | I3MW0080 |
| 夂                                    | 9AF0    | 58A9      | 5938  | I3MX0080 |
| 夂                                    | 9AF1    | 58AA      | 593E  | I3MY0080 |
| 彡                                    | 9AF2    | 604E      | 7AD2  | I4R20080 |
| 彡                                    | 9AF3    | 58AB      | 5955  | I3MZ0080 |
| 夂                                    | 9AF4    | 58AC      | 5950  | I3N00080 |
| 夂                                    | 9AF5    | 518F      | 594E  | I2KV0080 |
| 夂                                    | 9AF6    | 58AE      | 595A  | I3N20080 |
| 夂                                    | 9AF7    | 58AF      | 5958  | I3N30080 |
| 夂                                    | 9AF8    | 58B3      | 5962  | I3N70080 |
| 夂                                    | 9AF9    | 58B4      | 5960  | I3N80080 |
| 夂                                    | 9AFA    | 58B5      | 5967  | I3N90080 |
| 夂                                    | 9AFB    | 58B6      | 596C  | I3NA0080 |
| 夂                                    | 9AFC    | 58B7      | 5969  | I3NB0080 |
| 夂                                    | 9B40    | 58B8      | 5978  | I3NC0080 |
| 夂                                    | 9B41    | 58B9      | 5981  | I3ND0080 |
| 夂                                    | 9B42    | 58BC      | 599D  | I3NG0080 |
| 夂                                    | 9B43    | 566D      | 4F5E  | I3AL0080 |
| 夂                                    | 9B44    | 5678      | 4FAB  | I3AW0080 |
| 夂                                    | 9B45    | 58BD      | 59A3  | I3NH0080 |
| 夂                                    | 9B46    | 58BF      | 59B2  | I3NJ0080 |
| 夂                                    | 9B47    | 58C1      | 59C6  | I3NL0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 姨                                    | 9B48    | 58C2      | 59E8  | I3NM0080 |
| 姜                                    | 9B49    | 5184      | 59DC  | I2KK0080 |
| 妍                                    | 9B4A    | 58BA      | 598D  | I3NE0080 |
| 妊                                    | 9B4B    | 58C3      | 59D9  | I3NN0080 |
| 姚                                    | 9B4C    | 58C4      | 59DA  | I3NO0080 |
| 娥                                    | 9B4D    | 58C5      | 5A25  | I3NP0080 |
| 娟                                    | 9B4E    | 58C6      | 5A1F  | I3NQ0080 |
| 娑                                    | 9B4F    | 58C7      | 5A11  | I3NR0080 |
| 娜                                    | 9B50    | 58C8      | 5A1C  | I3NS0080 |
| 娉                                    | 9B51    | 58CA      | 5A09  | I3NU0080 |
| 甥                                    | 9B52    | 58C9      | 5A1A  | I3NT0080 |
| 婀                                    | 9B53    | 58CB      | 5A40  | I3NV0080 |
| 姪                                    | 9B54    | 58CC      | 5A6C  | I3NW0080 |
| 婉                                    | 9B55    | 58CD      | 5A49  | I3NX0080 |
| 娠                                    | 9B56    | 58CE      | 5A35  | I3NY0080 |
| 娶                                    | 9B57    | 58CF      | 5A36  | I3NZ0080 |
| 婢                                    | 9B58    | 58D0      | 5A62  | I3O00080 |
| 婪                                    | 9B59    | 58D1      | 5A6A  | I3O10080 |
| 媚                                    | 9B5A    | 58D2      | 5A9A  | I3O20080 |
| 媪                                    | 9B5B    | 58D3      | 5ABC  | I3O30080 |
| 媾                                    | 9B5C    | 58D4      | 5ABE  | I3O40080 |
| 媯                                    | 9B5D    | 58D6      | 5ACB  | I3O60080 |
| 嫂                                    | 9B5E    | 58D7      | 5AC2  | I3O70080 |
| 媽                                    | 9B5F    | 58D8      | 5ABD  | I3O80080 |
| 媽                                    | 9B60    | 58D9      | 5AE3  | I3O90080 |
| 嫗                                    | 9B61    | 58DA      | 5AD7  | I3OA0080 |
| 嫦                                    | 9B62    | 58DB      | 5AE6  | I3OB0080 |
| 嫩                                    | 9B63    | 58DC      | 5AE9  | I3OC0080 |
| 嫖                                    | 9B64    | 58DD      | 5AD6  | I3OD0080 |
| 嫖                                    | 9B65    | 58DE      | 5AFA  | I3OE0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 嫖                                    | 9B66    | 58DF      | 5AFB  | I3OF0080 |
| 嬌                                    | 9B67    | 58E0      | 5B0C  | I3OG0080 |
| 嬋                                    | 9B68    | 58E1      | 5B0B  | I3OH0080 |
| 嬖                                    | 9B69    | 58E2      | 5B16  | I3OI0080 |
| 嬖                                    | 9B6A    | 58E3      | 5B32  | I3OJ0080 |
| 嫵                                    | 9B6B    | 58D5      | 5AD0  | I3O50080 |
| 嬪                                    | 9B6C    | 58E4      | 5B2A  | I3OK0080 |
| 嬪                                    | 9B6D    | 58E5      | 5B36  | I3OL0080 |
| 嬪                                    | 9B6E    | 58E6      | 5B3E  | I3OM0080 |
| 嬪                                    | 9B6F    | 58E7      | 5B43  | I3ON0080 |
| 嬪                                    | 9B70    | 58E8      | 5B45  | I3OO0080 |
| 嬪                                    | 9B71    | 58E9      | 5B40  | I3OP0080 |
| 子                                    | 9B72    | 58EA      | 5B51  | I3OQ0080 |
| 孕                                    | 9B73    | 58EB      | 5B55  | I3OR0080 |
| 孕                                    | 9B74    | 5258      | 5B5A  | I2OO0080 |
| 孛                                    | 9B75    | 58EE      | 5B5B  | I3OU0080 |
| 孛                                    | 9B76    | 58EF      | 5B65  | I3OV0080 |
| 孩                                    | 9B77    | 58F0      | 5B69  | I3OW0080 |
| 孰                                    | 9B78    | 58F1      | 5B70  | I3OX0080 |
| 孳                                    | 9B79    | 58F2      | 5B73  | I3OY0080 |
| 孳                                    | 9B7A    | 58F3      | 5B75  | I3OZ0080 |
| 學                                    | 9B7B    | 58F4      | 5B78  | I3P00080 |
| 孳                                    | 9B7C    | 58ED      | 6588  | I3OT0080 |
| 孺                                    | 9B7D    | 58F5      | 5B7A  | I3P10080 |
| 孺                                    | 9B7E    | 58F6      | 5B80  | I3P20080 |
| 它                                    | 9B80    | 58F7      | 5B83  | I3P30080 |
| 宦                                    | 9B81    | 58F8      | 5BA6  | I3P40080 |
| 宸                                    | 9B82    | 58F9      | 5BB8  | I3P50080 |
| 寃                                    | 9B83    | 58FA      | 5BC3  | I3P60080 |
| 寇                                    | 9B84    | 58FB      | 5BC7  | I3P70080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 霍                                    | 9B85    | 58FD      | 5BC9  | I3P90080 |
| 寔                                    | 9B86    | 5244      | 5BD4  | I2O40080 |
| 寐                                    | 9B87    | 5941      | 5BD0  | I3PD0080 |
| 寤                                    | 9B88    | 5945      | 5BE4  | I3PH0080 |
| 實                                    | 9B89    | 51FC      | 5BE6  | I2NW0080 |
| 寢                                    | 9B8A    | 5946      | 5BE2  | I3PI0080 |
| 寘                                    | 9B8B    | 5943      | 5BDE  | I3PF0080 |
| 寥                                    | 9B8C    | 5947      | 5BE5  | I3PJ0080 |
| 寫                                    | 9B8D    | 5948      | 5BEB  | I3PK0080 |
| 寰                                    | 9B8E    | 5949      | 5BF0  | I3PL0080 |
| 寶                                    | 9B8F    | 594B      | 5BF6  | I3PN0080 |
| 寶                                    | 9B90    | 594A      | 5BF3  | I3PM0080 |
| 尅                                    | 9B91    | 594C      | 5C05  | I3PO0080 |
| 將                                    | 9B92    | 594D      | 5C07  | I3PP0080 |
| 專                                    | 9B93    | 594E      | 5C08  | I3PQ0080 |
| 對                                    | 9B94    | 594F      | 5C0D  | I3PR0080 |
| 尔                                    | 9B95    | 5950      | 5C13  | I3PS0080 |
| 尠                                    | 9B96    | 5952      | 5C20  | I3PU0080 |
| 尢                                    | 9B97    | 5953      | 5C22  | I3PV0080 |
| 尨                                    | 9B98    | 5954      | 5C28  | I3PW0080 |
| 尸                                    | 9B99    | 5955      | 5C38  | I3PX0080 |
| 尹                                    | 9B9A    | 515D      | 5C39  | I2JH0080 |
| 屁                                    | 9B9B    | 5956      | 5C41  | I3PY0080 |
| 届                                    | 9B9C    | 5957      | 5C46  | I3PZ0080 |
| 屎                                    | 9B9D    | 5958      | 5C4E  | I3Q00080 |
| 貞                                    | 9B9E    | 5959      | 5C53  | I3Q10080 |
| 屐                                    | 9B9F    | 595A      | 5C50  | I3Q20080 |
| 屏                                    | 9BA0    | 5443      | 5C4F  | I2YR0080 |
| 孱                                    | 9BA1    | 595B      | 5B71  | I3Q30080 |
| 屬                                    | 9BA2    | 595C      | 5C6C  | I3Q40080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 屮                                    | 9BA3    | 595D      | 5C6E  | I3Q50080 |
| 屮                                    | 9BA4    | 564C      | 4E62  | I39O0080 |
| 男                                    | 9BA5    | 595E      | 5C76  | I3Q60080 |
| 屹                                    | 9BA6    | 595F      | 5C79  | I3Q70080 |
| 岌                                    | 9BA7    | 5960      | 5C8C  | I3Q80080 |
| 岑                                    | 9BA8    | 525A      | 5C91  | I2OQ0080 |
| 岔                                    | 9BA9    | 5961      | 5C94  | I3Q90080 |
| 岌                                    | 9BAA    | 58BB      | 599B  | I3NF0080 |
| 岫                                    | 9BAB    | 5963      | 5CAB  | I3QB0080 |
| 岷                                    | 9BAC    | 5964      | 5CBB  | I3QC0080 |
| 岫                                    | 9BAD    | 5965      | 5CB6  | I3QD0080 |
| 岫                                    | 9BAE    | 596A      | 5CBC  | I3QI0080 |
| 岷                                    | 9BAF    | 5966      | 5CB7  | I3QE0080 |
| 岷                                    | 9BB0    | 5969      | 5CC5  | I3QH0080 |
| 岫                                    | 9BB1    | 5962      | 5CBE  | I3QA0080 |
| 岫                                    | 9BB2    | 596B      | 5CC7  | I3QJ0080 |
| 岫                                    | 9BB3    | 596C      | 5CD9  | I3QK0080 |
| 岫                                    | 9BB4    | 596D      | 5CE9  | I3QL0080 |
| 岫                                    | 9BB5    | 596E      | 5CFD  | I3QM0080 |
| 岫                                    | 9BB6    | 596F      | 5CFA  | I3QN0080 |
| 岫                                    | 9BB7    | 5971      | 5CED  | I3QP0080 |
| 岫                                    | 9BB8    | 598C      | 5D8C  | I3RG0080 |
| 岫                                    | 9BB9    | 5972      | 5CEA  | I3QQ0080 |
| 岫                                    | 9BBA    | 5973      | 5D0B  | I3QR0080 |
| 岫                                    | 9BBB    | 5974      | 5D15  | I3QS0080 |
| 岫                                    | 9BBC    | 54F1      | 5D17  | I33L0080 |
| 岫                                    | 9BBD    | 5981      | 5D5C  | I3R50080 |
| 岫                                    | 9BBE    | 5975      | 5D1F  | I3QT0080 |
| 岫                                    | 9BBF    | 5976      | 5D1B  | I3QU0080 |
| 岫                                    | 9BC0    | 5977      | 5D11  | I3QV0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 崔       | 9BC1    | 514D      | 5D14  | I2J10080 |
| 崢       | 9BC2    | 5979      | 5D22  | I3QX0080 |
| 峻       | 9BC3    | 597A      | 5D1A  | I3QY0080 |
| 崙       | 9BC4    | 597B      | 5D19  | I3QZ0080 |
| 崘       | 9BC5    | 597C      | 5D18  | I3R00080 |
| 崖       | 9BC6    | 597D      | 5D4C  | I3R10080 |
| 崗       | 9BC7    | 597E      | 5D52  | I3R20080 |
| 崘       | 9BC8    | 5982      | 5D4E  | I3R60080 |
| 崙       | 9BC9    | 5983      | 5D4B  | I3R70080 |
| 崞       | 9BCA    | 5985      | 5D6C  | I3R90080 |
| 崟       | 9BCB    | 5986      | 5D73  | I3RA0080 |
| 崠       | 9BCC    | 5988      | 5D76  | I3RC0080 |
| 崡       | 9BCD    | 5989      | 5D87  | I3RD0080 |
| 崢       | 9BCE    | 598A      | 5D84  | I3RE0080 |
| 崣       | 9BCF    | 598B      | 5D82  | I3RF0080 |
| 崤       | 9BD0    | 598D      | 5DA2  | I3RH0080 |
| 崥       | 9BD1    | 598E      | 5D9D  | I3RI0080 |
| 崦       | 9BD2    | 5990      | 5DAC  | I3RK0080 |
| 崧       | 9BD3    | 5991      | 5DAE  | I3RL0080 |
| 崨       | 9BD4    | 4F84      | 5DBD  | I29W0080 |
| 崩       | 9BD5    | 598F      | 5D90  | I3RJ0080 |
| 崪       | 9BD6    | 5992      | 5DB7  | I3RM0080 |
| 崫       | 9BD7    | 5994      | 5DBC  | I3RO0080 |
| 崬       | 9BD8    | 5996      | 5DC9  | I3RQ0080 |
| 崭       | 9BD9    | 5281      | 5DCD  | I2PT0080 |
| 崮       | 9BDA    | 5998      | 5DD3  | I3RS0080 |
| 崯       | 9BDB    | 5999      | 5DD2  | I3RT0080 |
| 崰       | 9BDC    | 51DF      | 5DD6  | I2N30080 |
| 崱       | 9BDD    | 599A      | 5ddb  | I3RU0080 |
| 崲       | 9BDE    | 599B      | 5DEB  | I3RV0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 巳       | 9BDF    | 4A4B      | 5DF2  | I1HN0080 |
| 卮       | 9BE0    | 599C      | 5DF5  | I3RW0080 |
| 昏       | 9BE1    | 599D      | 5E0B  | I3RX0080 |
| 帚       | 9BE2    | 599E      | 5E1A  | I3RY0080 |
| 帙       | 9BE3    | 599F      | 5E19  | I3RZ0080 |
| 帙       | 9BE4    | 59A0      | 5E11  | I3S00080 |
| 帙       | 9BE5    | 59A1      | 5E1B  | I3S10080 |
| 帶       | 9BE6    | 59A2      | 5E36  | I3S20080 |
| 帷       | 9BE7    | 54BE      | 5E37  | I3260080 |
| 幄       | 9BE8    | 59A3      | 5E44  | I3S30080 |
| 幃       | 9BE9    | 59A4      | 5E43  | I3S40080 |
| 幃       | 9BEA    | 59A5      | 5E40  | I3S50080 |
| 幃       | 9BEB    | 59A7      | 5E4E  | I3S70080 |
| 幃       | 9BEC    | 59A8      | 5E57  | I3S80080 |
| 幔       | 9BED    | 59A9      | 5E54  | I3S90080 |
| 幃       | 9BEE    | 5483      | 5E5F  | I30J0080 |
| 幃       | 9BEF    | 59AA      | 5E62  | I3SA0080 |
| 幣       | 9BF0    | 59AB      | 5E64  | I3SB0080 |
| 幫       | 9BF1    | 59A6      | 5E47  | I3S60080 |
| 幃       | 9BF2    | 59AC      | 5E75  | I3SC0080 |
| 幃       | 9BF3    | 59AD      | 5E76  | I3SD0080 |
| 幃       | 9BF4    | 59AE      | 5E7A  | I3SE0080 |
| 麼       | 9BF5    | 6850      | 9EBC  | I5XS0080 |
| 广       | 9BF6    | 59AF      | 5E7F  | I3SF0080 |
| 庠       | 9BF7    | 59B0      | 5EA0  | I3SG0080 |
| 廁       | 9BF8    | 59B1      | 5EC1  | I3SH0080 |
| 廂       | 9BF9    | 59B2      | 5EC2  | I3SI0080 |
| 廈       | 9BFA    | 59B3      | 5EC8  | I3SJ0080 |
| 廐       | 9BFB    | 59B4      | 5ED0  | I3SK0080 |
| 廐       | 9BFC    | 59B5      | 5ECF  | I3SL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 廖       | 9C40    | 536C      | 5ED6  | I2UK0080 |
| 廣       | 9C41    | 50E9      | 5EE3  | I2I10080 |
| 廝       | 9C42    | 59B6      | 5EDD  | I3SM0080 |
| 廚       | 9C43    | 59B7      | 5EDA  | I3SN0080 |
| 廛       | 9C44    | 59B8      | 5EDB  | I3SO0080 |
| 廢       | 9C45    | 59B9      | 5EE2  | I3SP0080 |
| 廡       | 9C46    | 59BA      | 5EE1  | I3SQ0080 |
| 廛       | 9C47    | 59BB      | 5EE8  | I3SR0080 |
| 廛       | 9C48    | 59BC      | 5EE9  | I3SS0080 |
| 廛       | 9C49    | 59BD      | 5EEC  | I3ST0080 |
| 廛       | 9C4A    | 59BF      | 5EF1  | I3SV0080 |
| 廳       | 9C4B    | 59C0      | 5EF3  | I3SW0080 |
| 廳       | 9C4C    | 59BE      | 5EF0  | I3SU0080 |
| 廛       | 9C4D    | 59C1      | 5EF4  | I3SX0080 |
| 廛       | 9C4E    | 52D6      | 5EF8  | I2S60080 |
| 廛       | 9C4F    | 544B      | 5EFE  | I2YZ0080 |
| 弃       | 9C50    | 59C2      | 5F03  | I3SY0080 |
| 犇       | 9C51    | 59C3      | 5F09  | I3SZ0080 |
| 犇       | 9C52    | 59D6      | 5F5D  | I3TI0080 |
| 犇       | 9C53    | 59D5      | 5F5C  | I3TH0080 |
| 弋       | 9C54    | 59C4      | 5F0B  | I3T00080 |
| 弑       | 9C55    | 59C5      | 5F11  | I3T10080 |
| 弓       | 9C56    | 59C6      | 5F16  | I3T20080 |
| 弩       | 9C57    | 59C8      | 5F29  | I3T40080 |
| 弭       | 9C58    | 59C9      | 5F2D  | I3T50080 |
| 弮       | 9C59    | 59CC      | 5F38  | I3T80080 |
| 弮       | 9C5A    | 59CD      | 5F41  | I3T90080 |
| 彈       | 9C5B    | 59CE      | 5F48  | I3TA0080 |
| 彌       | 9C5C    | 59CF      | 5F4C  | I3TB0080 |
| 彎       | 9C5D    | 59D0      | 5F4E  | I3TC0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 弯       | 9C5E    | 59CA      | 5F2F  | I3T60080 |
| 互       | 9C5F    | 59D1      | 5F51  | I3TD0080 |
| 彖       | 9C60    | 59D2      | 5F56  | I3TE0080 |
| 彗       | 9C61    | 59D3      | 5F57  | I3TF0080 |
| 彙       | 9C62    | 59D4      | 5F59  | I3TG0080 |
| 彘       | 9C63    | 59D7      | 5F61  | I3TJ0080 |
| 彭       | 9C64    | 529C      | 5F6D  | I2QK0080 |
| 彘       | 9C65    | 59D9      | 5F73  | I3TL0080 |
| 徬       | 9C66    | 59DA      | 5F77  | I3TM0080 |
| 徯       | 9C67    | 59DB      | 5F83  | I3TN0080 |
| 徯       | 9C68    | 59DC      | 5F82  | I3TO0080 |
| 徯       | 9C69    | 59DD      | 5F7F  | I3TP0080 |
| 徯       | 9C6A    | 59DE      | 5F8A  | I3TQ0080 |
| 徯       | 9C6B    | 59DF      | 5F88  | I3TR0080 |
| 徯       | 9C6C    | 59E1      | 5F91  | I3TT0080 |
| 徯       | 9C6D    | 59E0      | 5F87  | I3TS0080 |
| 徯       | 9C6E    | 59E3      | 5F9E  | I3TV0080 |
| 徯       | 9C6F    | 59E2      | 5F99  | I3TU0080 |
| 徯       | 9C70    | 59E4      | 5F98  | I3TW0080 |
| 徯       | 9C71    | 59E5      | 5FA0  | I3TX0080 |
| 徯       | 9C72    | 59E6      | 5FA8  | I3TY0080 |
| 徯       | 9C73    | 59E7      | 5FAD  | I3TZ0080 |
| 徯       | 9C74    | 59E9      | 5FBC  | I3U10080 |
| 徯       | 9C75    | 59EA      | 5FD6  | I3U20080 |
| 徯       | 9C76    | 59EB      | 5FFB  | I3U30080 |
| 徯       | 9C77    | 59EC      | 5FE4  | I3U40080 |
| 徯       | 9C78    | 59ED      | 5FF8  | I3U50080 |
| 徯       | 9C79    | 59EE      | 5FF1  | I3U60080 |
| 徯       | 9C7A    | 59F0      | 5FDD  | I3U80080 |
| 惠       | 9C7B    | 5276      | 60B3  | I2PI0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 忿                                    | 9C7C    | 59F2      | 5FFF  | I3UA0080 |
| 怡                                    | 9C7D    | 59F3      | 6021  | I3UB0080 |
| 恠                                    | 9C7E    | 5A43      | 6060  | I3UR0080 |
| 怙                                    | 9C80    | 59F4      | 6019  | I3UC0080 |
| 恂                                    | 9C81    | 59F5      | 6010  | I3UD0080 |
| 怩                                    | 9C82    | 59F6      | 6029  | I3UE0080 |
| 恚                                    | 9C83    | 59F7      | 600E  | I3UF0080 |
| 忽                                    | 9C84    | 59F8      | 6031  | I3UG0080 |
| 怛                                    | 9C85    | 59F9      | 601B  | I3UH0080 |
| 怕                                    | 9C86    | 59FA      | 6015  | I3UI0080 |
| 怫                                    | 9C87    | 59FB      | 602B  | I3UJ0080 |
| 怵                                    | 9C88    | 59FC      | 6026  | I3UK0080 |
| 怏                                    | 9C89    | 59FD      | 600F  | I3UL0080 |
| 怍                                    | 9C8A    | 59FE      | 603A  | I3UM0080 |
| 恚                                    | 9C8B    | 5A41      | 605A  | I3UP0080 |
| 恣                                    | 9C8C    | 5A42      | 6041  | I3UQ0080 |
| 恪                                    | 9C8D    | 5A45      | 606A  | I3UT0080 |
| 恣                                    | 9C8E    | 5A46      | 6077  | I3UU0080 |
| 恂                                    | 9C8F    | 5A47      | 605F  | I3UV0080 |
| 協                                    | 9C90    | 5A48      | 604A  | I3UW0080 |
| 恆                                    | 9C91    | 5A49      | 6046  | I3UX0080 |
| 恍                                    | 9C92    | 5A4A      | 604D  | I3UY0080 |
| 恣                                    | 9C93    | 5A4B      | 6063  | I3UZ0080 |
| 恃                                    | 9C94    | 5A4C      | 6043  | I3V00080 |
| 恤                                    | 9C95    | 5A4D      | 6064  | I3V10080 |
| 恂                                    | 9C96    | 5256      | 6042  | I2OM0080 |
| 恬                                    | 9C97    | 5A4E      | 606C  | I3V20080 |
| 恂                                    | 9C98    | 5A4F      | 606B  | I3V30080 |
| 恚                                    | 9C99    | 5A50      | 6059  | I3V40080 |
| 悁                                    | 9C9A    | 5A52      | 6081  | I3V60080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 悁                                    | 9C9B    | 5544      | 608D  | I3440080 |
| 惧                                    | 9C9C    | 554A      | 60E7  | I34A0080 |
| 悁                                    | 9C9D    | 5A53      | 6083  | I3V70080 |
| 悚                                    | 9C9E    | 5A54      | 609A  | I3V80080 |
| 悄                                    | 9C9F    | 5A55      | 6084  | I3V90080 |
| 悁                                    | 9CA0    | 5A56      | 609B  | I3VA0080 |
| 悁                                    | 9CA1    | 5A58      | 6096  | I3VC0080 |
| 悁                                    | 9CA2    | 5A59      | 6097  | I3VD0080 |
| 悁                                    | 9CA3    | 5A5A      | 6092  | I3VE0080 |
| 悁                                    | 9CA4    | 5A5B      | 60A7  | I3VF0080 |
| 悁                                    | 9CA5    | 5A5C      | 608B  | I3VG0080 |
| 惡                                    | 9CA6    | 5A5D      | 60E1  | I3VH0080 |
| 悁                                    | 9CA7    | 5A5E      | 60B8  | I3VI0080 |
| 惠                                    | 9CA8    | 5A60      | 60E0  | I3VK0080 |
| 悁                                    | 9CA9    | 5A61      | 60D3  | I3VL0080 |
| 悁                                    | 9CAA    | 53A3      | 60B4  | I2W30080 |
| 悁                                    | 9CAB    | 59EF      | 5FF0  | I3U70080 |
| 悁                                    | 9CAC    | 5A62      | 60BD  | I3VM0080 |
| 悁                                    | 9CAD    | 5A63      | 60C6  | I3VN0080 |
| 悁                                    | 9CAE    | 5A64      | 60B5  | I3VO0080 |
| 悁                                    | 9CAF    | 5A66      | 60D8  | I3VQ0080 |
| 悁                                    | 9CB0    | 5A78      | 614D  | I3W80080 |
| 悁                                    | 9CB1    | 5A69      | 6115  | I3VT0080 |
| 悁                                    | 9CB2    | 5A6A      | 6106  | I3VU0080 |
| 悁                                    | 9CB3    | 5A6B      | 60F6  | I3VV0080 |
| 悁                                    | 9CB4    | 5A6C      | 60F7  | I3VW0080 |
| 悁                                    | 9CB5    | 5A6D      | 6100  | I3VX0080 |
| 悁                                    | 9CB6    | 5A6E      | 60F4  | I3VY0080 |
| 悁                                    | 9CB7    | 5A6F      | 60FA  | I3VZ0080 |
| 悁                                    | 9CB8    | 5A70      | 6103  | I3W00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 惚                                    | 9CB9    | 5A71      | 6121  | I3W10080 |
| 惻                                    | 9CBA    | 5A72      | 60FB  | I3W20080 |
| 惱                                    | 9CBB    | 5A73      | 60F1  | I3W30080 |
| 惑                                    | 9CBC    | 5A74      | 610D  | I3W40080 |
| 復                                    | 9CBD    | 5A75      | 610E  | I3W50080 |
| 慳                                    | 9CBE    | 5A77      | 6147  | I3W70080 |
| 愼                                    | 9CBF    | 5A7C      | 613E  | I3WC0080 |
| 慤                                    | 9CC0    | 5A7A      | 6128  | I3WA0080 |
| 愧                                    | 9CC1    | 5A7B      | 6127  | I3WB0080 |
| 慊                                    | 9CC2    | 5A7D      | 614A  | I3WD0080 |
| 愿                                    | 9CC3    | 51E3      | 613F  | I2N70080 |
| 慎                                    | 9CC4    | 5A7F      | 613C  | I3WF0080 |
| 愬                                    | 9CC5    | 5A80      | 612C  | I3WG0080 |
| 愴                                    | 9CC6    | 5A81      | 6134  | I3WH0080 |
| 博                                    | 9CC7    | 5A84      | 613D  | I3WK0080 |
| 漣                                    | 9CC8    | 5A85      | 6142  | I3WL0080 |
| 慄                                    | 9CC9    | 5A86      | 6144  | I3WM0080 |
| 慳                                    | 9CCA    | 5A87      | 6173  | I3WN0080 |
| 慷                                    | 9CCB    | 5A89      | 6177  | I3WP0080 |
| 慘                                    | 9CCC    | 5A8A      | 6158  | I3WQ0080 |
| 慙                                    | 9CCD    | 5A8B      | 6159  | I3WR0080 |
| 慚                                    | 9CCE    | 5A8C      | 615A  | I3WS0080 |
| 慜                                    | 9CCF    | 5A8D      | 616B  | I3WT0080 |
| 慞                                    | 9CD0    | 5A8E      | 6174  | I3WU0080 |
| 傷                                    | 9CD1    | 5A8F      | 616F  | I3WV0080 |
| 慥                                    | 9CD2    | 5A82      | 6165  | I3WI0080 |
| 博                                    | 9CD3    | 5A90      | 6171  | I3WW0080 |
| 慟                                    | 9CD4    | 5A91      | 615F  | I3WX0080 |
| 慠                                    | 9CD5    | 5A83      | 615D  | I3WJ0080 |
| 慡                                    | 9CD6    | 5A92      | 6153  | I3WY0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 慵                                    | 9CD7    | 5A93      | 6175  | I3WZ0080 |
| 憇                                    | 9CD8    | 5A95      | 6199  | I3X10080 |
| 憇                                    | 9CD9    | 5A96      | 6196  | I3X20080 |
| 憇                                    | 9CDA    | 5A88      | 6187  | I3WO0080 |
| 憬                                    | 9CDB    | 5A97      | 61AC  | I3X30080 |
| 憇                                    | 9CDC    | 5A98      | 6194  | I3X40080 |
| 憇                                    | 9CDD    | 55CF      | 619A  | I37Z0080 |
| 憇                                    | 9CDE    | 5A99      | 618A  | I3X50080 |
| 憑                                    | 9CDF    | 5A9A      | 6191  | I3X60080 |
| 憇                                    | 9CE0    | 5A9B      | 61AB  | I3X70080 |
| 憇                                    | 9CE1    | 5A9C      | 61AE  | I3X80080 |
| 憇                                    | 9CE2    | 5A9D      | 61CC  | I3X90080 |
| 憇                                    | 9CE3    | 5A9E      | 61CA  | I3XA0080 |
| 應                                    | 9CE4    | 5A9F      | 61C9  | I3XB0080 |
| 懷                                    | 9CE5    | 5AAA      | 61F7  | I3XM0080 |
| 懈                                    | 9CE6    | 5AA0      | 61C8  | I3XC0080 |
| 勲                                    | 9CE7    | 5AA1      | 61C3  | I3XD0080 |
| 慄                                    | 9CE8    | 5AA2      | 61C6  | I3XE0080 |
| 憇                                    | 9CE9    | 5AA3      | 61BA  | I3XF0080 |
| 憇                                    | 9CEA    | 5AA4      | 61CB  | I3XG0080 |
| 罹                                    | 9CEB    | 5AA5      | 7F79  | I3XH0080 |
| 憇                                    | 9CEC    | 5AA6      | 61CD  | I3XI0080 |
| 懦                                    | 9CED    | 5AA7      | 61E6  | I3XJ0080 |
| 瀧                                    | 9CEE    | 5AA8      | 61E3  | I3XK0080 |
| 懶                                    | 9CEF    | 5AAB      | 61F6  | I3XN0080 |
| 懺                                    | 9CF0    | 5AAD      | 61FA  | I3XP0080 |
| 懺                                    | 9CF1    | 5AA9      | 61F4  | I3XL0080 |
| 懿                                    | 9CF2    | 5AAE      | 61FF  | I3XQ0080 |
| 懺                                    | 9CF3    | 5AAC      | 61FD  | I3XO0080 |
| 懼                                    | 9CF4    | 5AAF      | 61FC  | I3XR0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 懾                                    | 9CF5    | 5AB0      | 61FE  | I3XS0080 |
| 戀                                    | 9CF6    | 5AB1      | 6200  | I3XT0080 |
| 戈                                    | 9CF7    | 5AB2      | 6208  | I3XU0080 |
| 戍                                    | 9CF8    | 5AB3      | 6209  | I3XV0080 |
| 戍                                    | 9CF9    | 5AB4      | 620D  | I3XW0080 |
| 戍                                    | 9CFA    | 5460      | 620C  | I2ZK0080 |
| 戔                                    | 9CFB    | 5AB6      | 6214  | I3XY0080 |
| 戛                                    | 9CFC    | 5AB7      | 621B  | I3XZ0080 |
| 戛                                    | 9D40    | 5AB8      | 621E  | I3Y00080 |
| 戛                                    | 9D41    | 5AB9      | 6221  | I3Y10080 |
| 截                                    | 9D42    | 5ABA      | 622A  | I3Y20080 |
| 戮                                    | 9D43    | 5ABB      | 622E  | I3Y30080 |
| 戰                                    | 9D44    | 5ABC      | 6230  | I3Y40080 |
| 戲                                    | 9D45    | 5ABD      | 6232  | I3Y50080 |
| 戮                                    | 9D46    | 5ABE      | 6233  | I3Y60080 |
| 扁                                    | 9D47    | 5ABF      | 6241  | I3Y70080 |
| 扎                                    | 9D48    | 5AC0      | 624E  | I3Y80080 |
| 扞                                    | 9D49    | 5AC1      | 625E  | I3Y90080 |
| 扞                                    | 9D4A    | 5AC2      | 6263  | I3YA0080 |
| 扞                                    | 9D4B    | 5AC3      | 625B  | I3YB0080 |
| 扞                                    | 9D4C    | 5AC4      | 6260  | I3YC0080 |
| 扞                                    | 9D4D    | 5AC5      | 6268  | I3YD0080 |
| 扞                                    | 9D4E    | 5AC6      | 627C  | I3YE0080 |
| 扞                                    | 9D4F    | 5AC7      | 6282  | I3YF0080 |
| 扞                                    | 9D50    | 5AC8      | 6289  | I3YG0080 |
| 扞                                    | 9D51    | 5ACA      | 627E  | I3YI0080 |
| 扞                                    | 9D52    | 5AC9      | 6292  | I3YH0080 |
| 扞                                    | 9D53    | 5ACB      | 6293  | I3YJ0080 |
| 扞                                    | 9D54    | 5ACC      | 6296  | I3YK0080 |
| 扞                                    | 9D55    | 5AD7      | 62D4  | I3YV0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 扞                                    | 9D56    | 5ACD      | 6283  | I3YL0080 |
| 扞                                    | 9D57    | 5ACE      | 6294  | I3YM0080 |
| 扞                                    | 9D58    | 5ACF      | 62D7  | I3YN0080 |
| 扞                                    | 9D59    | 5AD0      | 62D1  | I3YO0080 |
| 扞                                    | 9D5A    | 5AD1      | 62BB  | I3YP0080 |
| 拏                                    | 9D5B    | 5AD2      | 62CF  | I3YQ0080 |
| 拏                                    | 9D5C    | 5AE6      | 62FF  | I3ZA0080 |
| 拏                                    | 9D5D    | 5AD4      | 62C6  | I3YS0080 |
| 擔                                    | 9D5E    | 5B60      | 64D4  | I40W0080 |
| 拏                                    | 9D5F    | 5AD5      | 62C8  | I3YT0080 |
| 拏                                    | 9D60    | 5AD6      | 62DC  | I3YU0080 |
| 拏                                    | 9D61    | 5345      | 62CC  | I2TH0080 |
| 拏                                    | 9D62    | 5AD8      | 62CA  | I3YW0080 |
| 拏                                    | 9D63    | 5AD9      | 62C2  | I3YX0080 |
| 拏                                    | 9D64    | 5ADB      | 62C7  | I3YZ0080 |
| 拏                                    | 9D65    | 5ADC      | 629B  | I3Z00080 |
| 拏                                    | 9D66    | 5ADD      | 62C9  | I3Z10080 |
| 拏                                    | 9D67    | 5ADE      | 630C  | I3Z20080 |
| 拏                                    | 9D68    | 5ADF      | 62EE  | I3Z30080 |
| 拏                                    | 9D69    | 5AE0      | 62F1  | I3Z40080 |
| 拏                                    | 9D6A    | 5AE1      | 6327  | I3Z50080 |
| 拏                                    | 9D6B    | 5AE2      | 6302  | I3Z60080 |
| 拏                                    | 9D6C    | 5AE3      | 6308  | I3Z70080 |
| 拏                                    | 9D6D    | 5AE4      | 62EF  | I3Z80080 |
| 拏                                    | 9D6E    | 5AE5      | 62F5  | I3Z90080 |
| 拏                                    | 9D6F    | 5AE7      | 6350  | I3ZB0080 |
| 拏                                    | 9D70    | 5AE9      | 633E  | I3ZD0080 |
| 拏                                    | 9D71    | 5AE8      | 634D  | I3ZC0080 |
| 拏                                    | 9D72    | 5B48      | 641C  | I4080080 |
| 拏                                    | 9D73    | 5AEA      | 634F  | I3ZE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 掖                                    | 9D74    | 5AEB      | 6396  | I3ZF0080 |
| 揶                                    | 9D75    | 5AEC      | 638E  | I3ZG0080 |
| 掀                                    | 9D76    | 5AED      | 6380  | I3ZH0080 |
| 掀                                    | 9D77    | 5AEE      | 63AB  | I3ZI0080 |
| 捶                                    | 9D78    | 5AEF      | 6376  | I3ZJ0080 |
| 掣                                    | 9D79    | 5AF0      | 63A3  | I3ZK0080 |
| 掏                                    | 9D7A    | 5AF1      | 638F  | I3ZL0080 |
| 掉                                    | 9D7B    | 5AF2      | 6389  | I3ZM0080 |
| 掟                                    | 9D7C    | 5AF3      | 639F  | I3ZN0080 |
| 掬                                    | 9D7D    | 5AF6      | 63B5  | I3ZQ0080 |
| 捫                                    | 9D7E    | 5AF4      | 636B  | I3ZO0080 |
| 捩                                    | 9D80    | 5AF5      | 6369  | I3ZP0080 |
| 掾                                    | 9D81    | 5AF7      | 63BE  | I3ZR0080 |
| 揩                                    | 9D82    | 5AF8      | 63E9  | I3ZS0080 |
| 揀                                    | 9D83    | 5AF9      | 63C0  | I3ZT0080 |
| 揆                                    | 9D84    | 5AFA      | 63C6  | I3ZU0080 |
| 搨                                    | 9D85    | 5AFC      | 63E3  | I3ZW0080 |
| 揉                                    | 9D86    | 5AFD      | 63C9  | I3ZX0080 |
| 插                                    | 9D87    | 5AFE      | 63D2  | I3ZY0080 |
| 挪                                    | 9D88    | 5B41      | 63F6  | I4010080 |
| 揄                                    | 9D89    | 5B42      | 63C4  | I4020080 |
| 搖                                    | 9D8A    | 5B4C      | 6416  | I40C0080 |
| 牽                                    | 9D8B    | 5B43      | 6434  | I4030080 |
| 構                                    | 9D8C    | 5B44      | 6406  | I4040080 |
| 搓                                    | 9D8D    | 5B45      | 6413  | I4050080 |
| 擗                                    | 9D8E    | 5B46      | 6426  | I4060080 |
| 搶                                    | 9D8F    | 5B47      | 6436  | I4070080 |
| 攝                                    | 9D90    | 5B71      | 651D  | I41D0080 |
| 搗                                    | 9D91    | 5B49      | 6417  | I4090080 |
| 搗                                    | 9D92    | 5B4A      | 6428  | I40A0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 搏                                    | 9D93    | 5B4B      | 640F  | I40B0080 |
| 摧                                    | 9D94    | 5B4E      | 6467  | I40E0080 |
| 摯                                    | 9D95    | 5B4F      | 646F  | I40F0080 |
| 搏                                    | 9D96    | 5B51      | 6476  | I40H0080 |
| 摻                                    | 9D97    | 5B4D      | 644E  | I40D0080 |
| 攪                                    | 9D98    | 5B52      | 64B9  | I40I0080 |
| 撕                                    | 9D99    | 5B55      | 6495  | I40L0080 |
| 撓                                    | 9D9A    | 5B57      | 6493  | I40N0080 |
| 撥                                    | 9D9B    | 5B58      | 64A5  | I40O0080 |
| 撩                                    | 9D9C    | 5B59      | 64A9  | I40P0080 |
| 撈                                    | 9D9D    | 5B5A      | 6488  | I40Q0080 |
| 撼                                    | 9D9E    | 5B5B      | 64BC  | I40R0080 |
| 據                                    | 9D9F    | 5B5C      | 64DA  | I40S0080 |
| 擒                                    | 9DA0    | 5B5D      | 64D2  | I40T0080 |
| 擅                                    | 9DA1    | 5B5E      | 64C5  | I40U0080 |
| 擇                                    | 9DA2    | 5B5F      | 64C7  | I40V0080 |
| 撻                                    | 9DA3    | 5B56      | 64BB  | I40M0080 |
| 擘                                    | 9DA4    | 5B61      | 64D8  | I40X0080 |
| 搨                                    | 9DA5    | 5B62      | 64C2  | I40Y0080 |
| 攔                                    | 9DA6    | 5B63      | 64F1  | I40Z0080 |
| 舉                                    | 9DA7    | 5B64      | 64E7  | I4100080 |
| 舉                                    | 9DA8    | 5778      | 8209  | I3G80080 |
| 擠                                    | 9DA9    | 5B65      | 64E0  | I4110080 |
| 擡                                    | 9DAA    | 5B66      | 64E1  | I4120080 |
| 抬                                    | 9DAB    | 5AD3      | 62AC  | I3YR0080 |
| 擣                                    | 9DAC    | 5B67      | 64E3  | I4130080 |
| 擯                                    | 9DAD    | 5B68      | 64EF  | I4140080 |
| 攬                                    | 9DAE    | 5B76      | 652C  | I41I0080 |
| 擣                                    | 9DAF    | 5B6A      | 64F6  | I4160080 |
| 擴                                    | 9DB0    | 5B69      | 64F4  | I4150080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 擲       | 9DB1    | 5B6B      | 64F2  | I4170080 |
| 擺       | 9DB2    | 5B6C      | 64FA  | I4180080 |
| 攀       | 9DB3    | 5B6D      | 6500  | I4190080 |
| 攆       | 9DB4    | 5B6E      | 64FD  | I41A0080 |
| 攘       | 9DB5    | 5B6F      | 6518  | I41B0080 |
| 攜       | 9DB6    | 5B70      | 651C  | I41C0080 |
| 攢       | 9DB7    | 5B72      | 6505  | I41E0080 |
| 攤       | 9DB8    | 5B73      | 6524  | I41F0080 |
| 攣       | 9DB9    | 5B74      | 6523  | I41G0080 |
| 攬       | 9DBA    | 5B75      | 652B  | I41H0080 |
| 攴       | 9DBB    | 5B77      | 6534  | I41J0080 |
| 攵       | 9DBC    | 5B78      | 6535  | I41K0080 |
| 攷       | 9DBD    | 5B79      | 6537  | I41L0080 |
| 攸       | 9DBE    | 5B7A      | 6536  | I41M0080 |
| 攸       | 9DBF    | 5B7B      | 6538  | I41N0080 |
| 攸       | 9DC0    | 5B7C      | 754B  | I41O0080 |
| 攸       | 9DC1    | 5B7D      | 6548  | I41P0080 |
| 敖       | 9DC2    | 5B7F      | 6556  | I41R0080 |
| 敕       | 9DC3    | 5B82      | 6555  | I41U0080 |
| 敍       | 9DC4    | 5B80      | 654D  | I41S0080 |
| 敍       | 9DC5    | 5B81      | 6558  | I41T0080 |
| 敝       | 9DC6    | 51B1      | 655E  | I2LT0080 |
| 敝       | 9DC7    | 5B83      | 655D  | I41V0080 |
| 敝       | 9DC8    | 5B84      | 6572  | I41W0080 |
| 數       | 9DC9    | 5B85      | 6578  | I41X0080 |
| 斂       | 9DCA    | 5B86      | 6582  | I41Y0080 |
| 斂       | 9DCB    | 5B87      | 6583  | I41Z0080 |
| 斂       | 9DCC    | 5B88      | 8B8A  | I4200080 |
| 斛       | 9DCD    | 5B89      | 659B  | I4210080 |
| 斛       | 9DCE    | 5B8A      | 659F  | I4220080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 斫       | 9DCF    | 5B8B      | 65AB  | I4230080 |
| 斫       | 9DD0    | 5B8C      | 65B7  | I4240080 |
| 旃       | 9DD1    | 5B8D      | 65C3  | I4250080 |
| 旃       | 9DD2    | 5B8E      | 65C6  | I4260080 |
| 旁       | 9DD3    | 5B8F      | 65C1  | I4270080 |
| 旄       | 9DD4    | 5B90      | 65C4  | I4280080 |
| 旌       | 9DD5    | 5B91      | 65CC  | I4290080 |
| 旌       | 9DD6    | 5B92      | 65D2  | I42A0080 |
| 旌       | 9DD7    | 5165      | 65DB  | I2JP0080 |
| 旌       | 9DD8    | 5B93      | 65D9  | I42B0080 |
| 无       | 9DD9    | 5B95      | 65E0  | I42D0080 |
| 无       | 9DDA    | 5B94      | 65E1  | I42C0080 |
| 旱       | 9ddb    | 5B96      | 65F1  | I42E0080 |
| 旱       | 9DDC    | 5B9A      | 6772  | I42I0080 |
| 昊       | 9DDD    | 528E      | 660A  | I2Q60080 |
| 昊       | 9DDE    | 5B9B      | 6603  | I42J0080 |
| 旻       | 9DDF    | 5B9C      | 65FB  | I42K0080 |
| 杳       | 9DE0    | 5BE0      | 6773  | I44G0080 |
| 昵       | 9DE1    | 5B9F      | 6635  | I42N0080 |
| 昶       | 9DE2    | 5193      | 6636  | I2KZ0080 |
| 昴       | 9DE3    | 5BA2      | 6634  | I42Q0080 |
| 昴       | 9DE4    | 5BA3      | 661C  | I42R0080 |
| 晏       | 9DE5    | 51EA      | 664F  | I2NE0080 |
| 晄       | 9DE6    | 5BA5      | 6644  | I42T0080 |
| 晉       | 9DE7    | 5BA6      | 6649  | I42U0080 |
| 晁       | 9DE8    | 5251      | 6641  | I2OH0080 |
| 晞       | 9DE9    | 5BA9      | 665E  | I42X0080 |
| 晝       | 9DEA    | 5BAD      | 665D  | I4310080 |
| 晤       | 9DEB    | 5BAA      | 6664  | I42Y0080 |
| 晧       | 9DEC    | 50A0      | 6667  | I2G00080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 晨                                    | 9DED    | 51B2      | 6668  | I2LU0080 |
| 晟                                    | 9DEE    | 4FCE      | 665F  | I2BY0080 |
| 哲                                    | 9DEF    | 5BAC      | 6662  | I4300080 |
| 晰                                    | 9DF0    | 5BB0      | 6670  | I4340080 |
| 晁                                    | 9DF1    | 5BB1      | 6683  | I4350080 |
| 暈                                    | 9DF2    | 5BB2      | 6688  | I4360080 |
| 暎                                    | 9DF3    | 4FAB      | 668E  | I2AZ0080 |
| 暉                                    | 9DF4    | 4ED1      | 6689  | I26P0080 |
| 暄                                    | 9DF5    | 5BB3      | 6684  | I4370080 |
| 暘                                    | 9DF6    | 5BB5      | 6698  | I4390080 |
| 暝                                    | 9DF7    | 5BB7      | 669D  | I43B0080 |
| 暨                                    | 9DF8    | 5BBA      | 66C1  | I43E0080 |
| 暹                                    | 9DF9    | 5243      | 66B9  | I2O30080 |
| 曉                                    | 9DFA    | 5BBC      | 66C9  | I43G0080 |
| 暎                                    | 9DFB    | 5BBD      | 66BE  | I43H0080 |
| 警                                    | 9DFC    | 5BBE      | 66BC  | I43I0080 |
| 曄                                    | 9E40    | 5BB9      | 66C4  | I43D0080 |
| 瞭                                    | 9E41    | 5BBF      | 66B8  | I43J0080 |
| 曖                                    | 9E42    | 5BC0      | 66D6  | I43K0080 |
| 蒙                                    | 9E43    | 5BC1      | 66DA  | I43L0080 |
| 曠                                    | 9E44    | 51CC      | 66E0  | I2MK0080 |
| 昞                                    | 9E45    | 5B9E      | 663F  | I42M0080 |
| 曦                                    | 9E46    | 5BC2      | 66E6  | I43M0080 |
| 曩                                    | 9E47    | 5BC3      | 66E9  | I43N0080 |
| 日                                    | 9E48    | 5BC4      | 66F0  | I43O0080 |
| 曳                                    | 9E49    | 5BC5      | 66F5  | I43P0080 |
| 曷                                    | 9E4A    | 5BC6      | 66F7  | I43Q0080 |
| 朏                                    | 9E4B    | 54FD      | 670F  | I33X0080 |
| 朧                                    | 9E4C    | 5BCA      | 6716  | I43U0080 |
| 朁                                    | 9E4D    | 5BCB      | 671E  | I43V0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 朦                                    | 9E4E    | 5BCD      | 6726  | I43X0080 |
| 朧                                    | 9E4F    | 5BCE      | 6727  | I43Y0080 |
| 霸                                    | 9E50    | 5BCF      | 9738  | I43Z0080 |
| 朏                                    | 9E51    | 5BD0      | 672E  | I4400080 |
| 朏                                    | 9E52    | 5BD1      | 673F  | I4410080 |
| 朏                                    | 9E53    | 5BD2      | 6736  | I4420080 |
| 朏                                    | 9E54    | 534F      | 6741  | I2TR0080 |
| 朏                                    | 9E55    | 5BD4      | 6738  | I4440080 |
| 朏                                    | 9E56    | 5BD3      | 6737  | I4430080 |
| 朏                                    | 9E57    | 5BD5      | 6746  | I4450080 |
| 朏                                    | 9E58    | 5BD6      | 675E  | I4460080 |
| 朏                                    | 9E59    | 5480      | 6760  | I30G0080 |
| 朏                                    | 9E5A    | 5BD7      | 6759  | I4470080 |
| 朏                                    | 9E5B    | 5291      | 6763  | I2Q90080 |
| 朏                                    | 9E5C    | 5BD9      | 6764  | I4490080 |
| 朏                                    | 9E5D    | 5BDA      | 6789  | I44A0080 |
| 朏                                    | 9E5E    | 5BDC      | 6770  | I44C0080 |
| 朏                                    | 9E5F    | 5BDD      | 67A9  | I44D0080 |
| 朏                                    | 9E60    | 54DF      | 677C  | I3330080 |
| 朏                                    | 9E61    | 5BDE      | 676A  | I44E0080 |
| 朏                                    | 9E62    | 54F2      | 678C  | I33M0080 |
| 朏                                    | 9E63    | 5BDF      | 678B  | I44F0080 |
| 朏                                    | 9E64    | 5BE1      | 67A6  | I44H0080 |
| 朏                                    | 9E65    | 5BE2      | 67A1  | I44I0080 |
| 朏                                    | 9E66    | 5BDB      | 6785  | I44B0080 |
| 朏                                    | 9E67    | 5BE4      | 67B7  | I44K0080 |
| 朏                                    | 9E68    | 5BE5      | 67EF  | I44L0080 |
| 朏                                    | 9E69    | 5BE6      | 67B4  | I44M0080 |
| 朏                                    | 9E6A    | 5BE7      | 67EC  | I44N0080 |
| 朏                                    | 9E6B    | 54C9      | 67B3  | I32H0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 柩                                    | 9E6C    | 5BE8      | 67E9  | I44O0080 |
| 枸                                    | 9E6D    | 5BE9      | 67B8  | I44P0080 |
| 粗                                    | 9E6E    | 5BEB      | 67E4  | I44R0080 |
| 柞                                    | 9E6F    | 54F3      | 67DE  | I33N0080 |
| 柝                                    | 9E70    | 5BED      | 67DD  | I44T0080 |
| 柢                                    | 9E71    | 5BEE      | 67E2  | I44U0080 |
| 柤                                    | 9E72    | 5BEF      | 67EE  | I44V0080 |
| 柅                                    | 9E73    | 5BF2      | 67B9  | I44Y0080 |
| 柆                                    | 9E74    | 5BF1      | 67CE  | I44X0080 |
| 粒                                    | 9E75    | 5BF4      | 67C6  | I4500080 |
| 瓜                                    | 9E76    | 5BEA      | 67E7  | I44Q0080 |
| 桧                                    | 9E77    | 5046      | 6867  | I2DI0080 |
| 栞                                    | 9E78    | 5BF5      | 681E  | I4510080 |
| 框                                    | 9E79    | 5BF6      | 6846  | I4520080 |
| 栩                                    | 9E7A    | 52DE      | 6829  | I2SE0080 |
| 桀                                    | 9E7B    | 5BF8      | 6840  | I4540080 |
| 栲                                    | 9E7C    | 5BF7      | 684D  | I4530080 |
| 栳                                    | 9E7D    | 5BFA      | 6832  | I4560080 |
| 桫                                    | 9E7E    | 5BFB      | 684E  | I4570080 |
| 梳                                    | 9E80    | 5361      | 68B3  | I2U90080 |
| 栴                                    | 9E81    | 52E2      | 682B  | I2SI0080 |
| 栾                                    | 9E82    | 5BFD      | 6859  | I4590080 |
| 档                                    | 9E83    | 5BFC      | 6863  | I4580080 |
| 桷                                    | 9E84    | 5C41      | 6877  | I45D0080 |
| 桸                                    | 9E85    | 5C42      | 687F  | I45E0080 |
| 梟                                    | 9E86    | 5C43      | 689F  | I45F0080 |
| 梃                                    | 9E87    | 5C45      | 688F  | I45H0080 |
| 梭                                    | 9E88    | 5C46      | 68AD  | I45I0080 |
| 梹                                    | 9E89    | 5C47      | 6894  | I45J0080 |
| 條                                    | 9E8A    | 4E92      | 689D  | I24Y0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 椰                                    | 9E8B    | 53BC      | 689B  | I2WS0080 |
| 梃                                    | 9E8C    | 5C48      | 6883  | I45K0080 |
| 梄                                    | 9E8D    | 5C49      | 68BC  | I45L0080 |
| 梅                                    | 9E8E    | 5C4A      | 68B9  | I45M0080 |
| 桴                                    | 9E8F    | 5C4B      | 6874  | I45N0080 |
| 梵                                    | 9E90    | 5C4C      | 68B5  | I45O0080 |
| 梆                                    | 9E91    | 52C6      | 68A0  | I2RQ0080 |
| 棼                                    | 9E92    | 5C4D      | 68BA  | I45P0080 |
| 楹                                    | 9E93    | 5C4E      | 690F  | I45Q0080 |
| 梈                                    | 9E94    | 5BFE      | 688D  | I45A0080 |
| 楛                                    | 9E95    | 5C44      | 687E  | I45G0080 |
| 棼                                    | 9E96    | 5C4F      | 6901  | I45R0080 |
| 棊                                    | 9E97    | 5C50      | 68CA  | I45S0080 |
| 栩                                    | 9E98    | 5C51      | 6908  | I45T0080 |
| 棘                                    | 9E99    | 5C52      | 68D8  | I45U0080 |
| 梹                                    | 9E9A    | 5C61      | 6922  | I4690080 |
| 棼                                    | 9E9B    | 5C53      | 6926  | I45V0080 |
| 櫚                                    | 9E9C    | 5C54      | 68E1  | I45W0080 |
| 棼                                    | 9E9D    | 5C55      | 690C  | I45X0080 |
| 棼                                    | 9E9E    | 5C56      | 68CD  | I45Y0080 |
| 棼                                    | 9E9F    | 5C57      | 68D4  | I45Z0080 |
| 棧                                    | 9EA0    | 5C58      | 68E7  | I4600080 |
| 棕                                    | 9EA1    | 5C59      | 68D5  | I4610080 |
| 椶                                    | 9EA2    | 5C69      | 6936  | I46H0080 |
| 椒                                    | 9EA3    | 5C5A      | 6912  | I4620080 |
| 椶                                    | 9EA4    | 5C5C      | 6904  | I4640080 |
| 棗                                    | 9EA5    | 54C2      | 68D7  | I32A0080 |
| 棣                                    | 9EA6    | 5C5D      | 68E3  | I4650080 |
| 榭                                    | 9EA7    | 53FA      | 6925  | I2YI0080 |
| 棹                                    | 9EA8    | 5494      | 68F9  | I3100080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 棠                                    | 9EA9    | 5C5E      | 68E0  | I4660080 |
| 楡                                    | 9EAA    | 5C5B      | 68EF  | I4630080 |
| 楸                                    | 9EAB    | 5C65      | 6928  | I46D0080 |
| 楹                                    | 9EAC    | 5C62      | 692A  | I46A0080 |
| 栲                                    | 9EAD    | 5370      | 691A  | I2UO0080 |
| 楸                                    | 9EAE    | 5C64      | 6923  | I46C0080 |
| 楸                                    | 9EAF    | 5C63      | 6921  | I46B0080 |
| 楸                                    | 9EB0    | 5C60      | 68C6  | I4680080 |
| 楸                                    | 9EB1    | 5C67      | 6979  | I46F0080 |
| 楸                                    | 9EB2    | 5C68      | 6977  | I46G0080 |
| 楸                                    | 9EB3    | 54E2      | 695C  | I3360080 |
| 楸                                    | 9EB4    | 5C6A      | 6978  | I46I0080 |
| 楸                                    | 9EB5    | 54A2      | 696B  | I31E0080 |
| 楸                                    | 9EB6    | 5C6B      | 6954  | I46J0080 |
| 楸                                    | 9EB7    | 5C74      | 697E  | I46S0080 |
| 楸                                    | 9EB8    | 53EF      | 696E  | I2Y70080 |
| 楸                                    | 9EB9    | 52ED      | 6939  | I2ST0080 |
| 楸                                    | 9EBA    | 5C6D      | 6974  | I46L0080 |
| 楸                                    | 9EBB    | 5C6F      | 693D  | I46N0080 |
| 楸                                    | 9EBC    | 5C70      | 6959  | I46O0080 |
| 楸                                    | 9EBD    | 5C71      | 6930  | I46P0080 |
| 楸                                    | 9EBE    | 527C      | 6961  | I2PO0080 |
| 楸                                    | 9EBF    | 5C72      | 695E  | I46Q0080 |
| 楸                                    | 9EC0    | 5C73      | 695D  | I46R0080 |
| 楸                                    | 9EC1    | 5C75      | 6981  | I46T0080 |
| 楸                                    | 9EC2    | 5C6C      | 696A  | I46K0080 |
| 楸                                    | 9EC3    | 5C76      | 69B2  | I46U0080 |
| 楸                                    | 9EC4    | 514A      | 69AE  | I2IY0080 |
| 楸                                    | 9EC5    | 548C      | 69D0  | I30S0080 |
| 楸                                    | 9EC6    | 5C77      | 69BF  | I46V0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 槁                                    | 9EC7    | 5C7A      | 69C1  | I46Y0080 |
| 槁                                    | 9EC8    | 5C7B      | 69D3  | I46Z0080 |
| 槁                                    | 9EC9    | 5C7C      | 69BE  | I4700080 |
| 槁                                    | 9ECA    | 5C7D      | 69CE  | I4710080 |
| 槁                                    | 9ECB    | 5C7E      | 5BE8  | I4720080 |
| 槁                                    | 9ECC    | 5C7F      | 69CA  | I4730080 |
| 槁                                    | 9ECD    | 5C81      | 69DD  | I4750080 |
| 槁                                    | 9ECE    | 5C82      | 69BB  | I4760080 |
| 槁                                    | 9ECF    | 5C83      | 69C3  | I4770080 |
| 槁                                    | 9ED0    | 538D      | 69A7  | I2VH0080 |
| 槁                                    | 9ED1    | 5C88      | 6A2E  | I47C0080 |
| 槁                                    | 9ED2    | 5476      | 6991  | I3060080 |
| 槁                                    | 9ED3    | 5C84      | 69A0  | I4780080 |
| 槁                                    | 9ED4    | 5C85      | 699C  | I4790080 |
| 槁                                    | 9ED5    | 5C86      | 6995  | I47A0080 |
| 槁                                    | 9ED6    | 53B2      | 69B4  | I2WI0080 |
| 槁                                    | 9ED7    | 5C87      | 69DE  | I47B0080 |
| 槁                                    | 9ED8    | 5C89      | 69E8  | I47D0080 |
| 槁                                    | 9ED9    | 5C8A      | 6A02  | I47E0080 |
| 槁                                    | 9EDA    | 5C8B      | 6A1B  | I47F0080 |
| 槁                                    | 9EDB    | 5C8C      | 69FF  | I47G0080 |
| 槁                                    | 9EDC    | 5CC1      | 6B0A  | I48X0080 |
| 槁                                    | 9EDD    | 5C8D      | 69F9  | I47H0080 |
| 槁                                    | 9EDE    | 5C8E      | 69F2  | I47I0080 |
| 槁                                    | 9EDF    | 5C8F      | 69E7  | I47J0080 |
| 槁                                    | 9EE0    | 53BB      | 6A05  | I2WR0080 |
| 槁                                    | 9EE1    | 5C80      | 69B1  | I4740080 |
| 槁                                    | 9EE2    | 5C91      | 6A1E  | I47L0080 |
| 槁                                    | 9EE3    | 5C92      | 69ED  | I47M0080 |
| 槁                                    | 9EE4    | 5C93      | 6A14  | I47N0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 樽                                    | 9EE5    | 5C94      | 69EB  | I47O0080 |
| 樊                                    | 9EE6    | 5C95      | 6A0A  | I47P0080 |
| 櫛                                    | 9EE7    | 5C97      | 6A12  | I47R0080 |
| 櫛                                    | 9EE8    | 5CB7      | 6AC1  | I48N0080 |
| 樣                                    | 9EE9    | 5C98      | 6A23  | I47S0080 |
| 樓                                    | 9EEA    | 5C99      | 6A13  | I47T0080 |
| 橄                                    | 9EEB    | 5C9C      | 6A44  | I47W0080 |
| 檣                                    | 9EEC    | 5C9D      | 6A0C  | I47X0080 |
| 檣                                    | 9EED    | 5CA8      | 6A72  | I4880080 |
| 檣                                    | 9EEE    | 5C9F      | 6A36  | I47Z0080 |
| 櫛                                    | 9EEF    | 5CA0      | 6A78  | I4800080 |
| 櫛                                    | 9EF0    | 5CA1      | 6A47  | I4810080 |
| 櫛                                    | 9EF1    | 5CA2      | 6A62  | I4820080 |
| 橙                                    | 9EF2    | 5CA3      | 6A59  | I4830080 |
| 橙                                    | 9EF3    | 5CA4      | 6A66  | I4840080 |
| 櫛                                    | 9EF4    | 5CA5      | 6A48  | I4850080 |
| 櫛                                    | 9EF5    | 5CA7      | 6A38  | I4870080 |
| 櫛                                    | 9EF6    | 5C96      | 6A22  | I47Q0080 |
| 櫛                                    | 9EF7    | 5CAA      | 6A90  | I48A0080 |
| 櫛                                    | 9EF8    | 5CAB      | 6A8D  | I48B0080 |
| 櫛                                    | 9EF9    | 5C9E      | 6AA0  | I47Y0080 |
| 橄                                    | 9EFA    | 5CAC      | 6A84  | I48C0080 |
| 檢                                    | 9EFB    | 5CAD      | 6AA2  | I48D0080 |
| 櫛                                    | 9EFC    | 5CAE      | 6AA3  | I48E0080 |
| 櫛                                    | 9F40    | 5CB0      | 6A97  | I48G0080 |
| 櫛                                    | 9F41    | 5CBE      | 8617  | I48U0080 |
| 櫛                                    | 9F42    | 5CB3      | 6ABB  | I48J0080 |
| 櫛                                    | 9F43    | 528B      | 6AC3  | I2Q30080 |
| 櫛                                    | 9F44    | 5CB4      | 6AC2  | I48K0080 |
| 櫛                                    | 9F45    | 5CB5      | 6AB8  | I48L0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 櫛                                    | 9F46    | 5CB6      | 6AB3  | I48M0080 |
| 櫛                                    | 9F47    | 5CB1      | 6AAC  | I48H0080 |
| 櫛                                    | 9F48    | 5CB8      | 6ADE  | I48O0080 |
| 櫛                                    | 9F49    | 5CBA      | 6AD1  | I48Q0080 |
| 櫛                                    | 9F4A    | 5362      | 6ADF  | I2UA0080 |
| 櫛                                    | 9F4B    | 5CB2      | 6AAA  | I48I0080 |
| 櫛                                    | 9F4C    | 5CBB      | 6ADA  | I48R0080 |
| 櫛                                    | 9F4D    | 5CBF      | 6AEA  | I48V0080 |
| 櫛                                    | 9F4E    | 52EE      | 6AFB  | I2SU0080 |
| 櫛                                    | 9F4F    | 5CC0      | 6B05  | I48W0080 |
| 櫛                                    | 9F50    | 5CBD      | 8616  | I48T0080 |
| 櫛                                    | 9F51    | 5CC2      | 6AFA  | I48Y0080 |
| 櫛                                    | 9F52    | 5CC3      | 6B12  | I48Z0080 |
| 櫛                                    | 9F53    | 5CC4      | 6B16  | I4900080 |
| 櫛                                    | 9F54    | 6786      | 9B31  | I5TY0080 |
| 櫛                                    | 9F55    | 5CC5      | 6B1F  | I4910080 |
| 欵                                    | 9F56    | 5CC6      | 6B38  | I4920080 |
| 欵                                    | 9F57    | 5CC7      | 6B37  | I4930080 |
| 盜                                    | 9F58    | 5CC9      | 76DC  | I4950080 |
| 欵                                    | 9F59    | 5CC8      | 6B39  | I4940080 |
| 飲                                    | 9F5A    | 5CCA      | 98EE  | I4960080 |
| 飲                                    | 9F5B    | 5CCB      | 6B47  | I4970080 |
| 飲                                    | 9F5C    | 5CCC      | 6B43  | I4980080 |
| 飲                                    | 9F5D    | 5CCD      | 6B49  | I4990080 |
| 歐                                    | 9F5E    | 5CCE      | 6B50  | I49A0080 |
| 欵                                    | 9F5F    | 5CCF      | 6B59  | I49B0080 |
| 飲                                    | 9F60    | 5CD0      | 6B54  | I49C0080 |
| 飲                                    | 9F61    | 5CD1      | 6B5B  | I49D0080 |
| 飲                                    | 9F62    | 5CD2      | 6B5F  | I49E0080 |
| 歡                                    | 9F63    | 5CD3      | 6B61  | I49F0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 歸                                    | 9F64    | 5CD4      | 6B78  | I49G0080 |
| 歹                                    | 9F65    | 5CD5      | 6B79  | I49H0080 |
| 歿                                    | 9F66    | 5CD6      | 6B7F  | I49I0080 |
| 歺                                    | 9F67    | 5CD7      | 6B80  | I49J0080 |
| 殄                                    | 9F68    | 5CD8      | 6B84  | I49K0080 |
| 殃                                    | 9F69    | 5CD9      | 6B83  | I49L0080 |
| 殍                                    | 9F6A    | 5CDA      | 6B8D  | I49M0080 |
| 殘                                    | 9F6B    | 5CDB      | 6B98  | I49N0080 |
| 殍                                    | 9F6C    | 5CDC      | 6B95  | I49O0080 |
| 殍                                    | 9F6D    | 5CDD      | 6B9E  | I49P0080 |
| 殍                                    | 9F6E    | 5CDE      | 6BA4  | I49Q0080 |
| 殍                                    | 9F6F    | 5CDF      | 6BAA  | I49R0080 |
| 殍                                    | 9F70    | 5CE0      | 6BAB  | I49S0080 |
| 殍                                    | 9F71    | 5CE1      | 6BAF  | I49T0080 |
| 殍                                    | 9F72    | 5CE3      | 6BB2  | I49V0080 |
| 殍                                    | 9F73    | 5CE2      | 6BB1  | I49U0080 |
| 殍                                    | 9F74    | 5CE4      | 6BB3  | I49W0080 |
| 殍                                    | 9F75    | 5CE5      | 6BB7  | I49X0080 |
| 殍                                    | 9F76    | 5CE6      | 6BBC  | I49Y0080 |
| 殍                                    | 9F77    | 5CE7      | 6BC6  | I49Z0080 |
| 毋                                    | 9F78    | 5CE8      | 6BCB  | I4A00080 |
| 毓                                    | 9F79    | 5CE9      | 6BD3  | I4A10080 |
| 耇                                    | 9F7A    | 5CEB      | 6BDF  | I4A30080 |
| 毳                                    | 9F7B    | 5CEC      | 6BEC  | I4A40080 |
| 毫                                    | 9F7C    | 5CED      | 6BEB  | I4A50080 |
| 毳                                    | 9F7D    | 5CEE      | 6BF3  | I4A60080 |
| 毳                                    | 9F7E    | 5CEF      | 6BEF  | I4A70080 |
| 麾                                    | 9F80    | 6851      | 9EBE  | I5XT0080 |
| 氈                                    | 9F81    | 5CF0      | 6C08  | I4A80080 |
| 氈                                    | 9F82    | 5CF1      | 6C13  | I4A90080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 气                                    | 9F83    | 5CF2      | 6C14  | I4AA0080 |
| 氛                                    | 9F84    | 5CF3      | 6C1B  | I4AB0080 |
| 氫                                    | 9F85    | 5CF4      | 6C24  | I4AC0080 |
| 氣                                    | 9F86    | 5CF5      | 6C23  | I4AD0080 |
| 汞                                    | 9F87    | 5CF7      | 6C5E  | I4AF0080 |
| 汕                                    | 9F88    | 5CF8      | 6C55  | I4AG0080 |
| 汙                                    | 9F89    | 5CFA      | 6C62  | I4AI0080 |
| 汪                                    | 9F8A    | 52B4      | 6C6A  | I2R80080 |
| 沂                                    | 9F8B    | 5CFB      | 6C82  | I4AJ0080 |
| 沔                                    | 9F8C    | 5CFC      | 6C8D  | I4AK0080 |
| 沚                                    | 9F8D    | 5D41      | 6C9A  | I4AP0080 |
| 沁                                    | 9F8E    | 5D42      | 6C81  | I4AQ0080 |
| 沛                                    | 9F8F    | 5D43      | 6C9B  | I4AR0080 |
| 汾                                    | 9F90    | 5D44      | 6C7E  | I4AS0080 |
| 汨                                    | 9F91    | 5D45      | 6C68  | I4AT0080 |
| 汨                                    | 9F92    | 5D46      | 6C73  | I4AU0080 |
| 沒                                    | 9F93    | 5D47      | 6C92  | I4AV0080 |
| 沐                                    | 9F94    | 5D48      | 6C90  | I4AW0080 |
| 泄                                    | 9F95    | 5D49      | 6CC4  | I4AX0080 |
| 洑                                    | 9F96    | 5D4A      | 6CF1  | I4AY0080 |
| 泓                                    | 9F97    | 54D7      | 6CD3  | I32V0080 |
| 沽                                    | 9F98    | 5D4B      | 6CBD  | I4AZ0080 |
| 泗                                    | 9F99    | 55C6      | 6CD7  | I37Q0080 |
| 泗                                    | 9F9A    | 5D4C      | 6CC5  | I4B00080 |
| 泝                                    | 9F9B    | 5D4F      | 6CDD  | I4B30080 |
| 沮                                    | 9F9C    | 5D4D      | 6CAE  | I4B10080 |
| 沱                                    | 9F9D    | 5D50      | 6CB1  | I4B40080 |
| 沾                                    | 9F9E    | 5D51      | 6CBE  | I4B50080 |
| 泔                                    | 9F9F    | 5D52      | 6CBA  | I4B60080 |
| 泛                                    | 9FA0    | 5D53      | 6CDB  | I4B70080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 泯                                    | 9FA1    | 5D54      | 6CEF  | I4B80080 |
| 泮                                    | 9FA2    | 5D55      | 6CD9  | I4B90080 |
| 泪                                    | 9FA3    | 5D56      | 6CEA  | I4BA0080 |
| 洩                                    | 9FA4    | 5D57      | 6D1F  | I4BB0080 |
| 衍                                    | 9FA5    | 6370      | 884D  | I5800080 |
| 洵                                    | 9FA6    | 5D59      | 6D36  | I4BD0080 |
| 洫                                    | 9FA7    | 5D5A      | 6D2B  | I4BE0080 |
| 洽                                    | 9FA8    | 5D5B      | 6D3D  | I4BF0080 |
| 洸                                    | 9FA9    | 50BC      | 6D38  | I2GS0080 |
| 洙                                    | 9FAA    | 52B6      | 6D19  | I2RA0080 |
| 洵                                    | 9FAB    | 52AC      | 6D35  | I2R00080 |
| 洳                                    | 9FAC    | 5D5C      | 6D33  | I4BG0080 |
| 洒                                    | 9FAD    | 5D5D      | 6D12  | I4BH0080 |
| 洴                                    | 9FAE    | 5D5E      | 6D0C  | I4BI0080 |
| 洵                                    | 9FAF    | 5D5F      | 6D63  | I4BJ0080 |
| 洵                                    | 9FB0    | 5D61      | 6D93  | I4BL0080 |
| 洵                                    | 9FB1    | 5D63      | 6D64  | I4BN0080 |
| 洵                                    | 9FB2    | 5D64      | 6D5A  | I4BO0080 |
| 洵                                    | 9FB3    | 5D65      | 6D79  | I4BP0080 |
| 洵                                    | 9FB4    | 5D66      | 6D59  | I4BQ0080 |
| 洵                                    | 9FB5    | 5D67      | 6D8E  | I4BR0080 |
| 洵                                    | 9FB6    | 5D68      | 6D95  | I4BS0080 |
| 洵                                    | 9FB7    | 5D69      | 6D9B  | I4BT0080 |
| 洵                                    | 9FB8    | 5D6A      | 6D85  | I4BU0080 |
| 洵                                    | 9FB9    | 5D6C      | 6DF9  | I4BW0080 |
| 洵                                    | 9FBA    | 5164      | 6E15  | I2JO0080 |
| 洵                                    | 9FBB    | 5D6D      | 6E0A  | I4BX0080 |
| 洵                                    | 9FBC    | 5D6F      | 6DB5  | I4BZ0080 |
| 洵                                    | 9FBD    | 5D71      | 6DC7  | I4C10080 |
| 洵                                    | 9FBE    | 5D70      | 6DE6  | I4C00080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 潤                                    | 9FBF    | 5D73      | 6DB8  | I4C30080 |
| 澹                                    | 9FC0    | 5D75      | 6DC6  | I4C50080 |
| 涪                                    | 9FC1    | 5D76      | 6DEC  | I4C60080 |
| 淞                                    | 9FC2    | 5D77      | 6DDE  | I4C70080 |
| 澗                                    | 9FC3    | 5D78      | 6DCC  | I4C80080 |
| 淨                                    | 9FC4    | 5D79      | 6DE8  | I4C90080 |
| 淒                                    | 9FC5    | 5D7B      | 6DD2  | I4CB0080 |
| 淅                                    | 9FC6    | 5D7C      | 6DC5  | I4CC0080 |
| 淺                                    | 9FC7    | 5D7D      | 6DFA  | I4CD0080 |
| 淙                                    | 9FC8    | 5D7E      | 6DD9  | I4CE0080 |
| 淤                                    | 9FC9    | 5D81      | 6DE4  | I4CH0080 |
| 澆                                    | 9FCA    | 5D82      | 6DD5  | I4CI0080 |
| 淪                                    | 9FCB    | 5D83      | 6DEA  | I4CJ0080 |
| 淮                                    | 9FCC    | 5D84      | 6DEE  | I4CK0080 |
| 渭                                    | 9FCD    | 5D85      | 6E2D  | I4CL0080 |
| 湮                                    | 9FCE    | 5D86      | 6E6E  | I4CM0080 |
| 澗                                    | 9FCF    | 5D6E      | 6E2E  | I4BY0080 |
| 渙                                    | 9FD0    | 5D87      | 6E19  | I4CN0080 |
| 浚                                    | 9FD1    | 5D88      | 6E72  | I4CO0080 |
| 湟                                    | 9FD2    | 5D89      | 6E5F  | I4CP0080 |
| 渾                                    | 9FD3    | 5D8B      | 6E3E  | I4CR0080 |
| 渣                                    | 9FD4    | 5D8C      | 6E23  | I4CS0080 |
| 湫                                    | 9FD5    | 5D8D      | 6E6B  | I4CT0080 |
| 渫                                    | 9FD6    | 5D8F      | 6E2B  | I4CV0080 |
| 淥                                    | 9FD7    | 5D90      | 6E76  | I4CW0080 |
| 湍                                    | 9FD8    | 5D91      | 6E4D  | I4CX0080 |
| 渟                                    | 9FD9    | 5D92      | 6E1F  | I4CY0080 |
| 湃                                    | 9FDA    | 5D94      | 6E43  | I4D00080 |
| 渺                                    | 9FDB    | 5D96      | 6E3A  | I4D20080 |
| 湏                                    | 9FDC    | 5D97      | 6E4E  | I4D30080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 渤                                    | 9FDD    | 5D98      | 6E24  | I4D40080 |
| 滿                                    | 9FDE    | 5DB4      | 6EFF  | I4DW0080 |
| 渝                                    | 9FDF    | 5D99      | 6E1D  | I4D50080 |
| 游                                    | 9FE0    | 5D9A      | 6E38  | I4D60080 |
| 瀨                                    | 9FE1    | 5D9B      | 6E82  | I4D70080 |
| 溪                                    | 9FE2    | 5D9C      | 6EAA  | I4D80080 |
| 溘                                    | 9FE3    | 5D9D      | 6E98  | I4D90080 |
| 滉                                    | 9FE4    | 52A9      | 6EC9  | I2QX0080 |
| 溷                                    | 9FE5    | 5D9E      | 6EB7  | I4DA0080 |
| 滓                                    | 9FE6    | 524A      | 6ED3  | I2OA0080 |
| 溥                                    | 9FE7    | 5D9F      | 6EBD  | I4DB0080 |
| 溯                                    | 9FE8    | 5DA0      | 6EAF  | I4DC0080 |
| 滄                                    | 9FE9    | 5DA1      | 6EC4  | I4DD0080 |
| 洩                                    | 9FEA    | 5DA2      | 6EB2  | I4DE0080 |
| 滔                                    | 9FEB    | 5DA3      | 6ED4  | I4DF0080 |
| 滕                                    | 9FEC    | 5DA4      | 6ED5  | I4DG0080 |
| 漭                                    | 9FED    | 5DA5      | 6E8F  | I4DH0080 |
| 溥                                    | 9FEE    | 5376      | 6EA5  | I2UU0080 |
| 滂                                    | 9FEF    | 5DA7      | 6EC2  | I4DJ0080 |
| 溟                                    | 9FF0    | 5DA8      | 6E9F  | I4DK0080 |
| 潁                                    | 9FF1    | 5DA9      | 6F41  | I4DL0080 |
| 漑                                    | 9FF2    | 5575      | 6F11  | I35H0080 |
| 漉                                    | 9FF3    | 5DAA      | 6F45  | I4DM0080 |
| 漚                                    | 9FF4    | 5DAB      | 6EEC  | I4DN0080 |
| 澗                                    | 9FF5    | 5DAC      | 6EF8  | I4DO0080 |
| 滾                                    | 9FF6    | 5DAD      | 6EFE  | I4DP0080 |
| 漿                                    | 9FF7    | 5DAE      | 6F3F  | I4DQ0080 |
| 滲                                    | 9FF8    | 5DAF      | 6EF2  | I4DR0080 |
| 漱                                    | 9FF9    | 5DB0      | 6F31  | I4DS0080 |
| 滯                                    | 9FFA    | 5DB1      | 6EEF  | I4DT0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 漲                                    | 9FFB    | 5DB2      | 6F32  | I4DU0080 |
| 滌                                    | 9FFC    | 5DB3      | 6ECC  | I4DV0080 |
| 漾                                    | E040    | 5DB5      | 6F3E  | I4DX0080 |
| 瀾                                    | E041    | 5DB6      | 6F13  | I4DY0080 |
| 灑                                    | E042    | 5DB7      | 6EF7  | I4DZ0080 |
| 澆                                    | E043    | 5DB8      | 6F86  | I4E00080 |
| 澗                                    | E044    | 5DB9      | 6F7A  | I4E10080 |
| 濟                                    | E045    | 5DBA      | 6F78  | I4E20080 |
| 澁                                    | E046    | 55A0      | 6F81  | I36O0080 |
| 澀                                    | E047    | 5DBB      | 6F80  | I4E30080 |
| 潯                                    | E048    | 5DBC      | 6F6F  | I4E40080 |
| 潛                                    | E049    | 5DBD      | 6F5B  | I4E50080 |
| 潛                                    | E04A    | 5DE2      | 6FF3  | I4F60080 |
| 潭                                    | E04B    | 5DBE      | 6F6D  | I4E60080 |
| 澗                                    | E04C    | 5DC0      | 6F82  | I4E80080 |
| 潼                                    | E04D    | 5DC2      | 6F7C  | I4EA0080 |
| 潘                                    | E04E    | 5DC3      | 6F58  | I4EB0080 |
| 澎                                    | E04F    | 5DC5      | 6F8E  | I4ED0080 |
| 澗                                    | E050    | 5DC6      | 6F91  | I4EE0080 |
| 濂                                    | E051    | 5DCF      | 6FC2  | I4EN0080 |
| 潦                                    | E052    | 5DC7      | 6F66  | I4EF0080 |
| 澳                                    | E053    | 5DC8      | 6FB3  | I4EG0080 |
| 澣                                    | E054    | 5DC9      | 6FA3  | I4EH0080 |
| 澡                                    | E055    | 5DCB      | 6FA1  | I4EJ0080 |
| 澤                                    | E056    | 4E4B      | 6FA4  | I22Z0080 |
| 澹                                    | E057    | 5DCC      | 6FB9  | I4EK0080 |
| 澆                                    | E058    | 5DC4      | 6FC6  | I4EC0080 |
| 濤                                    | E059    | 5DCE      | 6FAA  | I4EM0080 |
| 濟                                    | E05A    | 5DD0      | 6FDF  | I4EO0080 |
| 濕                                    | E05B    | 5DD1      | 6FD5  | I4EP0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 濬       | E05C    | 5DD2      | 6FEC  | I4EQ0080 |
| 瀾       | E05D    | 5DD4      | 6FD4  | I4ES0080 |
| 濘       | E05E    | 5DD3      | 6FD8  | I4ER0080 |
| 濱       | E05F    | 5055      | 6FF1  | I2DX0080 |
| 濮       | E060    | 5DD6      | 6FEE  | I4EU0080 |
| 濛       | E061    | 5DCD      | 6FDB  | I4EL0080 |
| 瀉       | E062    | 5DD9      | 7009  | I4EX0080 |
| 瀦       | E063    | 5DDA      | 700B  | I4EY0080 |
| 濺       | E064    | 5DDB      | 6FFA  | I4EZ0080 |
| 瀑       | E065    | 5DDC      | 7011  | I4F00080 |
| 養       | E066    | 5DDD      | 7001  | I4F10080 |
| 瀏       | E067    | 5DDE      | 700F  | I4F20080 |
| 濾       | E068    | 5187      | 6FFE  | I2KN0080 |
| 瀛       | E069    | 5DDF      | 701B  | I4F30080 |
| 瀚       | E06A    | 5DE0      | 701A  | I4F40080 |
| 渚       | E06B    | 5DBF      | 6F74  | I4E70080 |
| 瀝       | E06C    | 52B0      | 701D  | I2R40080 |
| 瀘       | E06D    | 5DE4      | 7018  | I4F80080 |
| 瀟       | E06E    | 5DE1      | 701F  | I4F50080 |
| 瀾       | E06F    | 5DE5      | 7030  | I4F90080 |
| 瀾       | E070    | 5DE6      | 703E  | I4FA0080 |
| 澗       | E071    | 5DE7      | 7032  | I4FB0080 |
| 灑       | E072    | 5DE8      | 7051  | I4FC0080 |
| 灣       | E073    | 5DE9      | 7063  | I4FD0080 |
| 灸       | E074    | 5DEB      | 7099  | I4FF0080 |
| 炒       | E075    | 4FEE      | 7092  | I2CU0080 |
| 炯       | E076    | 5DEC      | 70AF  | I4FG0080 |
| 烟       | E077    | 5DF7      | 70F1  | I4FR0080 |
| 炬       | E078    | 5DEE      | 70AC  | I4FI0080 |
| 炸       | E079    | 5DEF      | 70B8  | I4FJ0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 炳       | E07A    | 52CD      | 70B3  | I2RX0080 |
| 炮       | E07B    | 5DF0      | 70AE  | I4FK0080 |
| 烟       | E07C    | 5DF1      | 70DF  | I4FL0080 |
| 然       | E07D    | 5DF2      | 70CB  | I4FM0080 |
| 烝       | E07E    | 538C      | 70DD  | I2VG0080 |
| 烙       | E080    | 5DF3      | 70D9  | I4FN0080 |
| 焉       | E081    | 5DF4      | 7109  | I4FO0080 |
| 烽       | E082    | 5DF8      | 70FD  | I4FS0080 |
| 焜       | E083    | 5DF9      | 711C  | I4FT0080 |
| 焙       | E084    | 5DFA      | 7119  | I4FU0080 |
| 煥       | E085    | 5357      | 7165  | I2TZ0080 |
| 熙       | E086    | 4F68      | 7199  | I2940080 |
| 熙       | E087    | 5E45      | 7188  | I4G50080 |
| 煦       | E088    | 5DFE      | 7166  | I4FY0080 |
| 煢       | E089    | 5E41      | 7162  | I4G10080 |
| 煌       | E08A    | 5E42      | 714C  | I4G20080 |
| 煖       | E08B    | 5E43      | 7156  | I4G30080 |
| 煬       | E08C    | 5E44      | 716C  | I4G40080 |
| 熏       | E08D    | 5E46      | 718F  | I4G60080 |
| 燠       | E08E    | 5E57      | 71FB  | I4GN0080 |
| 熄       | E08F    | 5E47      | 7184  | I4G70080 |
| 熾       | E090    | 5E48      | 7195  | I4G80080 |
| 熨       | E091    | 54BB      | 71A8  | I3230080 |
| 熬       | E092    | 5E4A      | 71AC  | I4GA0080 |
| 爨       | E093    | 5E52      | 71D7  | I4GI0080 |
| 熹       | E094    | 5E4C      | 71B9  | I4GC0080 |
| 熾       | E095    | 5E4D      | 71BE  | I4GD0080 |
| 燒       | E096    | 5E4E      | 71D2  | I4GE0080 |
| 燉       | E097    | 5E50      | 71C9  | I4GG0080 |
| 燔       | E098    | 5E51      | 71D4  | I4GH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 療       | E099    | 5E53      | 71CE  | I4GJ0080 |
| 燠       | E09A    | 5E55      | 71E0  | I4GL0080 |
| 燬       | E09B    | 5E56      | 71EC  | I4GM0080 |
| 燧       | E09C    | 5E4F      | 71E7  | I4GF0080 |
| 燧       | E09D    | 5E54      | 71F5  | I4GK0080 |
| 燼       | E09E    | 5E58      | 71FC  | I4GO0080 |
| 燹       | E09F    | 5E59      | 71F9  | I4GP0080 |
| 燿       | E0A0    | 5E5B      | 71FF  | I4GR0080 |
| 爍       | E0A1    | 5E5C      | 720D  | I4GS0080 |
| 爐       | E0A2    | 5E5D      | 7210  | I4GT0080 |
| 爛       | E0A3    | 537C      | 721B  | I2V00080 |
| 爨       | E0A4    | 5E5E      | 7228  | I4GU0080 |
| 爭       | E0A5    | 5E5F      | 722D  | I4GV0080 |
| 爬       | E0A6    | 5E60      | 722C  | I4GW0080 |
| 爰       | E0A7    | 5E61      | 7230  | I4GX0080 |
| 爲       | E0A8    | 5E62      | 7232  | I4GY0080 |
| 爻       | E0A9    | 5E63      | 723B  | I4GZ0080 |
| 俎       | E0AA    | 5E64      | 723C  | I4H00080 |
| 卩       | E0AB    | 5E65      | 723F  | I4H10080 |
| 牀       | E0AC    | 5E66      | 7240  | I4H20080 |
| 牆       | E0AD    | 5E67      | 7246  | I4H30080 |
| 牋       | E0AE    | 5E68      | 724B  | I4H40080 |
| 牘       | E0AF    | 5E69      | 7258  | I4H50080 |
| 牚       | E0B0    | 5E6A      | 7274  | I4H60080 |
| 牜       | E0B1    | 5E6B      | 727E  | I4H70080 |
| 犁       | E0B2    | 5E6E      | 7282  | I4HA0080 |
| 犁       | E0B3    | 5E6C      | 7281  | I4H80080 |
| 犇       | E0B4    | 5E6D      | 7287  | I4H90080 |
| 犒       | E0B5    | 5E6F      | 7292  | I4HB0080 |
| 犖       | E0B6    | 5E70      | 7296  | I4HC0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 犢       | E0B7    | 5E71      | 72A2  | I4HD0080 |
| 犢       | E0B8    | 5E72      | 72A7  | I4HE0080 |
| 犢       | E0B9    | 5E79      | 72B9  | I4HL0080 |
| 犢       | E0BA    | 5E74      | 72B2  | I4HG0080 |
| 犢       | E0BB    | 5E76      | 72C3  | I4HI0080 |
| 犢       | E0BC    | 5E77      | 72C6  | I4HJ0080 |
| 犢       | E0BD    | 5E78      | 72C4  | I4HK0080 |
| 犢       | E0BE    | 5E7A      | 72CE  | I4HM0080 |
| 犢       | E0BF    | 5E7B      | 72D2  | I4HN0080 |
| 犢       | E0C0    | 5E7C      | 72E2  | I4HO0080 |
| 犢       | E0C1    | 5E7D      | 72E0  | I4HP0080 |
| 犢       | E0C2    | 5E7E      | 72E1  | I4HQ0080 |
| 狹       | E0C3    | 5E7F      | 72F9  | I4HR0080 |
| 狷       | E0C4    | 5E80      | 72F7  | I4HS0080 |
| 倏       | E0C5    | 56A1      | 500F  | I3C10080 |
| 猗       | E0C6    | 5E81      | 7317  | I4HT0080 |
| 猊       | E0C7    | 5E82      | 730A  | I4HU0080 |
| 猜       | E0C8    | 5E83      | 731C  | I4HV0080 |
| 猓       | E0C9    | 5E84      | 7316  | I4HW0080 |
| 猝       | E0CA    | 5E85      | 731D  | I4HX0080 |
| 猴       | E0CB    | 5E87      | 7334  | I4HZ0080 |
| 獮       | E0CC    | 5E89      | 732F  | I4I10080 |
| 猩       | E0CD    | 5E88      | 7329  | I4I00080 |
| 猥       | E0CE    | 5E8B      | 7325  | I4I30080 |
| 猓       | E0CF    | 5E8C      | 733E  | I4I40080 |
| 獳       | E0D0    | 5E8E      | 734E  | I4I60080 |
| 獯       | E0D1    | 5E8D      | 734F  | I4I50080 |
| 默       | E0D2    | 5E90      | 9ED8  | I4I80080 |
| 獯       | E0D3    | 5E8F      | 7357  | I4I70080 |
| 獯       | E0D4    | 5E91      | 736A  | I4I90080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 獨                                    | E0D5    | 5E92      | 7368  | I4IA0080 |
| 獐                                    | E0D6    | 5E93      | 7370  | I4IB0080 |
| 獸                                    | E0D7    | 5E95      | 7378  | I4ID0080 |
| 獵                                    | E0D8    | 5E96      | 7375  | I4IE0080 |
| 獻                                    | E0D9    | 5E97      | 737B  | I4IF0080 |
| 獺                                    | E0DA    | 51CB      | 737A  | I2MJ0080 |
| 珈                                    | E0DB    | 5E98      | 73C8  | I4IG0080 |
| 玳                                    | E0DC    | 5E9A      | 73B3  | I4II0080 |
| 玢                                    | E0DD    | 5E9B      | 73CE  | I4IJ0080 |
| 玻                                    | E0DE    | 5E9C      | 73BB  | I4IK0080 |
| 珀                                    | E0DF    | 5E9D      | 73C0  | I4IL0080 |
| 珥                                    | E0E0    | 5EA0      | 73E5  | I4IO0080 |
| 珮                                    | E0E1    | 5EA3      | 73EE  | I4IR0080 |
| 珞                                    | E0E2    | 5EA5      | 73DE  | I4IT0080 |
| 璫                                    | E0E3    | 5EC2      | 74A2  | I4JM0080 |
| 琅                                    | E0E4    | 5EA9      | 7405  | I4IX0080 |
| 瑯                                    | E0E5    | 5EBE      | 746F  | I4JI0080 |
| 琥                                    | E0E6    | 5EAC      | 7425  | I4J00080 |
| 瑀                                    | E0E7    | 5EA6      | 73F8  | I4IU0080 |
| 琲                                    | E0E8    | 5EAF      | 7432  | I4J30080 |
| 珙                                    | E0E9    | 5EB0      | 743A  | I4J40080 |
| 瑕                                    | E0EA    | 5EB1      | 7455  | I4J50080 |
| 璿                                    | E0EB    | 5EB2      | 743F  | I4J60080 |
| 瑟                                    | E0EC    | 5EB3      | 745F  | I4J70080 |
| 璫                                    | E0ED    | 5EB4      | 7459  | I4J80080 |
| 瑁                                    | E0EE    | 5EB5      | 7441  | I4J90080 |
| 瑜                                    | E0EF    | 5EB6      | 745C  | I4JA0080 |
| 瑩                                    | E0F0    | 5EB7      | 7469  | I4JB0080 |
| 瑰                                    | E0F1    | 5EB8      | 7470  | I4JC0080 |
| 瑣                                    | E0F2    | 5EB9      | 7463  | I4JD0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 瑪                                    | E0F3    | 5EBA      | 746A  | I4JE0080 |
| 瑤                                    | E0F4    | 5EBB      | 7464  | I4JF0080 |
| 瑾                                    | E0F5    | 5EBF      | 747E  | I4JJ0080 |
| 璋                                    | E0F6    | 504D      | 748B  | I2DP0080 |
| 璞                                    | E0F7    | 5EC1      | 749E  | I4JL0080 |
| 璧                                    | E0F8    | 5EC3      | 74A7  | I4JN0080 |
| 瓊                                    | E0F9    | 5EC4      | 74CA  | I4JO0080 |
| 瓏                                    | E0FA    | 5EC5      | 74CF  | I4JP0080 |
| 瓔                                    | E0FB    | 5EC6      | 74D4  | I4JQ0080 |
| 琄                                    | E0FC    | 5EA4      | 73F1  | I4IS0080 |
| 瓠                                    | E140    | 5EC7      | 74E0  | I4JR0080 |
| 瓣                                    | E141    | 5EC8      | 74E3  | I4JS0080 |
| 舄                                    | E142    | 5EC9      | 74E7  | I4JT0080 |
| 舂                                    | E143    | 5ECA      | 74E9  | I4JU0080 |
| 瓮                                    | E144    | 5ECB      | 74EE  | I4JV0080 |
| 甌                                    | E145    | 5ECD      | 74F2  | I4JX0080 |
| 甌                                    | E146    | 5ECC      | 74F0  | I4JW0080 |
| 甌                                    | E147    | 5ECE      | 74F1  | I4JY0080 |
| 甌                                    | E148    | 5ED0      | 74F8  | I4K00080 |
| 瓷                                    | E149    | 5ECF      | 74F7  | I4JZ0080 |
| 甌                                    | E14A    | 5ED2      | 7504  | I4K20080 |
| 甌                                    | E14B    | 5ED3      | 7503  | I4K30080 |
| 甌                                    | E14C    | 5ED4      | 7505  | I4K40080 |
| 甌                                    | E14D    | 5ED6      | 750C  | I4K60080 |
| 甌                                    | E14E    | 5ED7      | 750E  | I4K70080 |
| 甌                                    | E14F    | 5ED5      | 750D  | I4K50080 |
| 甌                                    | E150    | 53E6      | 7515  | I2XY0080 |
| 甌                                    | E151    | 5ED8      | 7513  | I4K80080 |
| 甌                                    | E152    | 5ED9      | 751E  | I4K90080 |
| 甌                                    | E153    | 5EDA      | 7526  | I4KA0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 甬       | E154    | 5EDB      | 752C  | I4KB0080 |
| 𪛑       | E155    | 5EDC      | 753C  | I4KC0080 |
| 𪛒       | E156    | 5EDD      | 7544  | I4KD0080 |
| 𪛓       | E157    | 5EDE      | 754D  | I4KE0080 |
| 𪛔       | E158    | 5EDF      | 754A  | I4KF0080 |
| 𪛕       | E159    | 5EE0      | 7549  | I4KG0080 |
| 𪛖       | E15A    | 5EE2      | 755B  | I4KI0080 |
| 𪛗       | E15B    | 5EE1      | 7546  | I4KH0080 |
| 𪛘       | E15C    | 5EE3      | 755A  | I4KJ0080 |
| 𪛙       | E15D    | 52FD      | 7569  | I2T90080 |
| 𪛚       | E15E    | 5EE4      | 7564  | I4KK0080 |
| 𪛛       | E15F    | 5EE5      | 7567  | I4KL0080 |
| 𪛜       | E160    | 5EE6      | 756B  | I4KM0080 |
| 𪛝       | E161    | 5EE9      | 756D  | I4KP0080 |
| 𪛞       | E162    | 5EEA      | 7578  | I4KQ0080 |
| 當       | E163    | 5EEB      | 7576  | I4KR0080 |
| 疆       | E164    | 5EED      | 7586  | I4KT0080 |
| 疇       | E165    | 5EEE      | 7587  | I4KU0080 |
| 疇       | E166    | 5EE8      | 7574  | I4KO0080 |
| 疊       | E167    | 5EEF      | 758A  | I4KV0080 |
| 疊       | E168    | 5EF0      | 7589  | I4KW0080 |
| 疊       | E169    | 5EEC      | 7582  | I4KS0080 |
| 疔       | E16A    | 5EF1      | 7594  | I4KX0080 |
| 疔       | E16B    | 5EF2      | 759A  | I4KY0080 |
| 疔       | E16C    | 5EF3      | 759D  | I4KZ0080 |
| 疥       | E16D    | 5EF4      | 75A5  | I4L00080 |
| 疔       | E16E    | 5EF5      | 75A3  | I4L10080 |
| 痲       | E16F    | 5EF6      | 75C2  | I4L20080 |
| 疔       | E170    | 5EF7      | 75B3  | I4L30080 |
| 疔       | E171    | 5EF8      | 75C3  | I4L40080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 疵       | E172    | 5EF9      | 75B5  | I4L50080 |
| 疽       | E173    | 5EFA      | 75BD  | I4L60080 |
| 疽       | E174    | 5EFB      | 75B8  | I4L70080 |
| 疹       | E175    | 5EFC      | 75BC  | I4L80080 |
| 疱       | E176    | 5EFD      | 75B1  | I4L90080 |
| 癩       | E177    | 5EFE      | 75CD  | I4LA0080 |
| 痊       | E178    | 5F41      | 75CA  | I4LD0080 |
| 痒       | E179    | 5F42      | 75D2  | I4LE0080 |
| 瘡       | E17A    | 5F43      | 75D9  | I4LF0080 |
| 瘡       | E17B    | 5F44      | 75E3  | I4LG0080 |
| 瘡       | E17C    | 5F45      | 75DE  | I4LH0080 |
| 痲       | E17D    | 5F46      | 75FE  | I4LI0080 |
| 瘡       | E17E    | 5F47      | 75FF  | I4LJ0080 |
| 癩       | E180    | 5F48      | 75FC  | I4LK0080 |
| 瘡       | E181    | 5F49      | 7601  | I4LL0080 |
| 痰       | E182    | 5F4A      | 75F0  | I4LM0080 |
| 瘡       | E183    | 5F4B      | 75FA  | I4LN0080 |
| 癩       | E184    | 5F4C      | 75F2  | I4LO0080 |
| 癩       | E185    | 5F4D      | 75F3  | I4LP0080 |
| 癩       | E186    | 5F4E      | 760B  | I4LQ0080 |
| 癩       | E187    | 524F      | 760D  | I2OF0080 |
| 癩       | E188    | 5F4F      | 7609  | I4LR0080 |
| 癩       | E189    | 5F50      | 761F  | I4LS0080 |
| 癩       | E18A    | 5F51      | 7627  | I4LT0080 |
| 瘡       | E18B    | 5F52      | 7620  | I4LU0080 |
| 瘡       | E18C    | 5F53      | 7621  | I4LV0080 |
| 癩       | E18D    | 5F54      | 7622  | I4LW0080 |
| 癩       | E18E    | 5F55      | 7624  | I4LX0080 |
| 瘡       | E18F    | 5F56      | 7634  | I4LY0080 |
| 癩       | E190    | 5F57      | 7630  | I4LZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 瘵                                    | E191    | 5F58      | 763B  | I4M00080 |
| 癩                                    | E192    | 5F59      | 7647  | I4M10080 |
| 癩                                    | E193    | 5F5A      | 7648  | I4M20080 |
| 癩                                    | E194    | 5F5C      | 7646  | I4M40080 |
| 癩                                    | E195    | 5F5D      | 765C  | I4M50080 |
| 癩                                    | E196    | 5F5B      | 7658  | I4M30080 |
| 癩                                    | E197    | 5F5E      | 7661  | I4M60080 |
| 癩                                    | E198    | 5F5F      | 7662  | I4M70080 |
| 癩                                    | E199    | 5F60      | 7668  | I4M80080 |
| 癩                                    | E19A    | 5F61      | 7669  | I4M90080 |
| 癩                                    | E19B    | 5F63      | 766A  | I4MB0080 |
| 癩                                    | E19C    | 5F62      | 7667  | I4MA0080 |
| 癩                                    | E19D    | 5F64      | 766C  | I4MC0080 |
| 癩                                    | E19E    | 5F65      | 7670  | I4MD0080 |
| 癩                                    | E19F    | 5F66      | 7672  | I4ME0080 |
| 夬                                    | E1A0    | 5F67      | 7676  | I4MF0080 |
| 癸                                    | E1A1    | 539A      | 7678  | I2VU0080 |
| 發                                    | E1A2    | 5F68      | 767C  | I4MG0080 |
| 皂                                    | E1A3    | 5F6A      | 7680  | I4MI0080 |
| 皃                                    | E1A4    | 5F6B      | 7683  | I4MJ0080 |
| 皃                                    | E1A5    | 5F6C      | 7688  | I4MK0080 |
| 皃                                    | E1A6    | 5F6D      | 768B  | I4ML0080 |
| 皎                                    | E1A7    | 5299      | 768E  | I2QH0080 |
| 皖                                    | E1A8    | 5396      | 7696  | I2VQ0080 |
| 皓                                    | E1A9    | 4E81      | 7693  | I24H0080 |
| 皙                                    | E1AA    | 5F6E      | 7699  | I4MM0080 |
| 皚                                    | E1AB    | 5F6F      | 769A  | I4MN0080 |
| 皃                                    | E1AC    | 5F74      | 76B0  | I4MS0080 |
| 皃                                    | E1AD    | 5F75      | 76B4  | I4MT0080 |
| 皃                                    | E1AE    | 5F76      | 76B8  | I4MU0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 輝                                    | E1AF    | 5F77      | 76B9  | I4MV0080 |
| 皃                                    | E1B0    | 5F78      | 76BA  | I4MW0080 |
| 盂                                    | E1B1    | 5F79      | 76C2  | I4MX0080 |
| 盂                                    | E1B2    | 5F7B      | 76CD  | I4MZ0080 |
| 盂                                    | E1B3    | 5F7C      | 76D6  | I4N00080 |
| 盂                                    | E1B4    | 5F7D      | 76D2  | I4N10080 |
| 盂                                    | E1B5    | 5F7E      | 76DE  | I4N20080 |
| 盂                                    | E1B6    | 5F7F      | 76E1  | I4N30080 |
| 盂                                    | E1B7    | 5F80      | 76E5  | I4N40080 |
| 盂                                    | E1B8    | 53F7      | 76E7  | I2YF0080 |
| 盂                                    | E1B9    | 5F81      | 76EA  | I4N50080 |
| 盂                                    | E1BA    | 5F82      | 862F  | I4N60080 |
| 盂                                    | E1BB    | 5F83      | 76FB  | I4N70080 |
| 盂                                    | E1BC    | 5F84      | 7708  | I4N80080 |
| 盂                                    | E1BD    | 5F85      | 7707  | I4N90080 |
| 盂                                    | E1BE    | 5F86      | 7704  | I4NA0080 |
| 盂                                    | E1BF    | 5F88      | 7729  | I4NC0080 |
| 盂                                    | E1C0    | 5F87      | 7724  | I4NB0080 |
| 眞                                    | E1C1    | 51CA      | 771E  | I2MI0080 |
| 眚                                    | E1C2    | 5F89      | 7725  | I4ND0080 |
| 眚                                    | E1C3    | 5F8A      | 7726  | I4NE0080 |
| 眚                                    | E1C4    | 5F8B      | 771B  | I4NF0080 |
| 眚                                    | E1C5    | 5F8C      | 7737  | I4NG0080 |
| 眚                                    | E1C6    | 5F8D      | 7738  | I4NH0080 |
| 眚                                    | E1C7    | 5F8F      | 7747  | I4NJ0080 |
| 眚                                    | E1C8    | 5F90      | 775A  | I4NK0080 |
| 眚                                    | E1C9    | 5F91      | 7768  | I4NL0080 |
| 眚                                    | E1CA    | 5F92      | 776B  | I4NM0080 |
| 眚                                    | E1CB    | 5F93      | 775B  | I4NN0080 |
| 眚                                    | E1CC    | 5F94      | 7765  | I4NO0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 睿                                    | E1CD    | 5F95      | 777F  | I4NP0080 |
| 宰                                    | E1CE    | 5F96      | 777E  | I4NQ0080 |
| 睹                                    | E1CF    | 5F97      | 7779  | I4NR0080 |
| 瞎                                    | E1D0    | 5F98      | 778E  | I4NS0080 |
| 瞋                                    | E1D1    | 5F99      | 778B  | I4NT0080 |
| 瞋                                    | E1D2    | 5F9A      | 7791  | I4NU0080 |
| 瞠                                    | E1D3    | 5F9B      | 77A0  | I4NV0080 |
| 瞞                                    | E1D4    | 5F9C      | 779E  | I4NW0080 |
| 瞰                                    | E1D5    | 5F9D      | 77B0  | I4NX0080 |
| 噴                                    | E1D6    | 5F9E      | 77B6  | I4NY0080 |
| 曖                                    | E1D7    | 5F9F      | 77B9  | I4NZ0080 |
| 瞿                                    | E1D8    | 5FA0      | 77BF  | I4O00080 |
| 險                                    | E1D9    | 5FA1      | 77BC  | I4O10080 |
| 瞽                                    | E1DA    | 5FA2      | 77BD  | I4O20080 |
| 瞻                                    | E1DB    | 5FA3      | 77BB  | I4O30080 |
| 矇                                    | E1DC    | 5FA4      | 77C7  | I4O40080 |
| 矍                                    | E1DD    | 5FA5      | 77CD  | I4O50080 |
| 轟                                    | E1DE    | 5350      | 77D7  | I2TS0080 |
| 矚                                    | E1DF    | 5FA6      | 77DA  | I4O60080 |
| 矜                                    | E1E0    | 5FA7      | 77DC  | I4O70080 |
| 矣                                    | E1E1    | 5FA8      | 77E3  | I4O80080 |
| 矮                                    | E1E2    | 5FA9      | 77EE  | I4O90080 |
| 砘                                    | E1E3    | 5FAB      | 77FC  | I4OB0080 |
| 砌                                    | E1E4    | 5FAC      | 780C  | I4OC0080 |
| 砒                                    | E1E5    | 5FAD      | 7812  | I4OD0080 |
| 砑                                    | E1E6    | 5FAF      | 783F  | I4OF0080 |
| 砒                                    | E1E7    | 5FB0      | 7820  | I4OG0080 |
| 砑                                    | E1E8    | 50DF      | 783A  | I2HR0080 |
| 砑                                    | E1E9    | 5FB1      | 7845  | I4OH0080 |
| 碎                                    | E1EA    | 5FB5      | 788E  | I4OL0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 砑                                    | E1EB    | 5FB4      | 7874  | I4OK0080 |
| 砑                                    | E1EC    | 5FB7      | 7886  | I4ON0080 |
| 砑                                    | E1ED    | 5FB9      | 787C  | I4OP0080 |
| 砑                                    | E1EE    | 5FB8      | 789A  | I4OO0080 |
| 砑                                    | E1EF    | 5FBA      | 788C  | I4OQ0080 |
| 砑                                    | E1F0    | 5FBB      | 78A3  | I4OR0080 |
| 砑                                    | E1F1    | 5FBC      | 78B5  | I4OS0080 |
| 砑                                    | E1F2    | 5FBD      | 78AA  | I4OT0080 |
| 砑                                    | E1F3    | 5FBE      | 78AF  | I4OU0080 |
| 砑                                    | E1F4    | 5FBF      | 78D1  | I4OV0080 |
| 砑                                    | E1F5    | 5FC0      | 78C6  | I4OW0080 |
| 砑                                    | E1F6    | 5FC1      | 78CB  | I4OX0080 |
| 砑                                    | E1F7    | 5FC2      | 78D4  | I4OY0080 |
| 砑                                    | E1F8    | 5FC3      | 78BE  | I4OZ0080 |
| 碼                                    | E1F9    | 5FC4      | 78BC  | I4P00080 |
| 磅                                    | E1FA    | 5FC5      | 78C5  | I4P10080 |
| 磊                                    | E1FB    | 5FC6      | 78CA  | I4P20080 |
| 磬                                    | E1FC    | 5FC7      | 78EC  | I4P30080 |
| 磧                                    | E240    | 5FC8      | 78E7  | I4P40080 |
| 磚                                    | E241    | 5FC9      | 78DA  | I4P50080 |
| 磽                                    | E242    | 5FCA      | 78FD  | I4P60080 |
| 磴                                    | E243    | 5FCB      | 78F4  | I4P70080 |
| 磵                                    | E244    | 5FCC      | 7907  | I4P80080 |
| 礮                                    | E245    | 4DF0      | 7912  | I2280080 |
| 礱                                    | E246    | 5FCD      | 7911  | I4P90080 |
| 礮                                    | E247    | 5FCE      | 7919  | I4PA0080 |
| 礮                                    | E248    | 5FCF      | 792C  | I4PB0080 |
| 礮                                    | E249    | 5FD0      | 792B  | I4PC0080 |
| 祀                                    | E24A    | 5FD3      | 7940  | I4PF0080 |
| 祠                                    | E24B    | 5FD4      | 7960  | I4PG0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 祇                                    | E24C    | 5365      | 7957  | I2UD0080 |
| 崇                                    | E24D    | 5FD6      | 795F  | I4PI0080 |
| 祚                                    | E24E    | 5FD7      | 795A  | I4PJ0080 |
| 祕                                    | E24F    | 5FD8      | 7955  | I4PK0080 |
| 祓                                    | E250    | 555C      | 7953  | I34S0080 |
| 祺                                    | E251    | 52D8      | 797A  | I2S80080 |
| 祿                                    | E252    | 5FDA      | 797F  | I4PM0080 |
| 禊                                    | E253    | 5FDB      | 798A  | I4PN0080 |
| 禊                                    | E254    | 5FDE      | 799D  | I4PQ0080 |
| 禕                                    | E255    | 4FD7      | 79A7  | I2C70080 |
| 齋                                    | E256    | 51F5      | 9F4B  | I2NP0080 |
| 禪                                    | E257    | 5FE0      | 79AA  | I4PS0080 |
| 禮                                    | E258    | 54F5      | 79AE  | I33P0080 |
| 禳                                    | E259    | 5FE1      | 79B3  | I4PT0080 |
| 禹                                    | E25A    | 536A      | 79B9  | I2UI0080 |
| 禺                                    | E25B    | 5FE2      | 79BA  | I4PU0080 |
| 秉                                    | E25C    | 5FE3      | 79C9  | I4PV0080 |
| 秣                                    | E25D    | 5FE4      | 79D5  | I4PW0080 |
| 秧                                    | E25E    | 5FE5      | 79E7  | I4PX0080 |
| 秬                                    | E25F    | 5FE6      | 79EC  | I4PY0080 |
| 秣                                    | E260    | 54B5      | 79E1  | I31X0080 |
| 秣                                    | E261    | 5FE7      | 79E3  | I4PZ0080 |
| 稈                                    | E262    | 5FE8      | 7A08  | I4Q00080 |
| 稍                                    | E263    | 5FE9      | 7A0D  | I4Q10080 |
| 稊                                    | E264    | 5FEA      | 7A18  | I4Q20080 |
| 稊                                    | E265    | 5FEB      | 7A19  | I4Q30080 |
| 稠                                    | E266    | 5366      | 7A20  | I2UE0080 |
| 稟                                    | E267    | 5FEC      | 7A1F  | I4Q40080 |
| 稟                                    | E268    | 50E7      | 7980  | I2HZ0080 |
| 稱                                    | E269    | 5FED      | 7A31  | I4Q50080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 稻                                    | E26A    | 5FF0      | 7A3B  | I4Q80080 |
| 稟                                    | E26B    | 5FEE      | 7A3E  | I4Q60080 |
| 稷                                    | E26C    | 5FEF      | 7A37  | I4Q70080 |
| 稊                                    | E26D    | 5FF1      | 7A43  | I4Q90080 |
| 穗                                    | E26E    | 5FF2      | 7A57  | I4QA0080 |
| 穉                                    | E26F    | 5FF3      | 7A49  | I4QB0080 |
| 穉                                    | E270    | 5FF5      | 7A61  | I4QD0080 |
| 穉                                    | E271    | 5FF4      | 7A62  | I4QC0080 |
| 穉                                    | E272    | 5FF6      | 7A69  | I4QE0080 |
| 穉                                    | E273    | 5FF7      | 9F9D  | I4QF0080 |
| 穉                                    | E274    | 5FF8      | 7A70  | I4QG0080 |
| 穹                                    | E275    | 5FF9      | 7A79  | I4QH0080 |
| 弈                                    | E276    | 5FFA      | 7A7D  | I4QI0080 |
| 窈                                    | E277    | 5FFB      | 7A88  | I4QJ0080 |
| 窗                                    | E278    | 6041      | 7A97  | I4QP0080 |
| 窈                                    | E279    | 5FFC      | 7A95  | I4QK0080 |
| 窈                                    | E27A    | 5FFD      | 7A98  | I4QL0080 |
| 窈                                    | E27B    | 5FFE      | 7A96  | I4QM0080 |
| 窩                                    | E27C    | 6042      | 7AA9  | I4QQ0080 |
| 竈                                    | E27D    | 6046      | 7AC3  | I4QU0080 |
| 窈                                    | E27E    | 6043      | 7AB0  | I4QR0080 |
| 窈                                    | E280    | 6044      | 7AB6  | I4QS0080 |
| 窈                                    | E281    | 6048      | 7AC5  | I4QW0080 |
| 竈                                    | E282    | 6049      | 7AC4  | I4QX0080 |
| 窈                                    | E283    | 6047      | 7ABF  | I4QV0080 |
| 邃                                    | E284    | 6045      | 9083  | I4QT0080 |
| 竈                                    | E285    | 604A      | 7AC7  | I4QY0080 |
| 竈                                    | E286    | 604B      | 7ACA  | I4QZ0080 |
| 竈                                    | E287    | 604C      | 7ACD  | I4R00080 |
| 竈                                    | E288    | 604D      | 7ACF  | I4R10080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 蚡       | E289    | 6050      | 7AD5  | I4R40080 |
| 蚩       | E28A    | 6051      | 7AD3  | I4R50080 |
| 站       | E28B    | 6052      | 7AD9  | I4R60080 |
| 蚺       | E28C    | 6053      | 7ADA  | I4R70080 |
| 竝       | E28D    | 6054      | 7ADD  | I4R80080 |
| 竑       | E28E    | 6055      | 7AE1  | I4R90080 |
| 竒       | E28F    | 6056      | 7AE2  | I4RA0080 |
| 竒       | E290    | 6057      | 7AE6  | I4RB0080 |
| 竒       | E291    | 605B      | 7AED  | I4RF0080 |
| 竒       | E292    | 605C      | 7AF0  | I4RG0080 |
| 筧       | E293    | 605E      | 7B02  | I4RI0080 |
| 筧       | E294    | 605F      | 7B0F  | I4RJ0080 |
| 筧       | E295    | 6061      | 7B0A  | I4RL0080 |
| 筧       | E296    | 6062      | 7B06  | I4RM0080 |
| 筧       | E297    | 6063      | 7B33  | I4RN0080 |
| 筧       | E298    | 53E7      | 7B18  | I2XZ0080 |
| 筧       | E299    | 6065      | 7B19  | I4RP0080 |
| 筧       | E29A    | 6066      | 7B1E  | I4RQ0080 |
| 筧       | E29B    | 6067      | 7B35  | I4RR0080 |
| 筧       | E29C    | 6068      | 7B28  | I4RS0080 |
| 筧       | E29D    | 6064      | 7B36  | I4RO0080 |
| 筧       | E29E    | 6069      | 7B50  | I4RT0080 |
| 筧       | E29F    | 606F      | 7B7A  | I4RZ0080 |
| 筧       | E2A0    | 54D5      | 7B04  | I32T0080 |
| 筧       | E2A1    | 606A      | 7B4D  | I4RU0080 |
| 筧       | E2A2    | 6060      | 7B0B  | I4RK0080 |
| 筧       | E2A3    | 606B      | 7B4C  | I4RV0080 |
| 筧       | E2A4    | 606C      | 7B45  | I4RW0080 |
| 筧       | E2A5    | 606E      | 7B75  | I4RY0080 |
| 筧       | E2A6    | 5484      | 7B65  | I30K0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 筧       | E2A7    | 6070      | 7B74  | I4S00080 |
| 筧       | E2A8    | 5048      | 7B67  | I2DK0080 |
| 筧       | E2A9    | 6071      | 7B70  | I4S10080 |
| 筧       | E2AA    | 6072      | 7B71  | I4S20080 |
| 筧       | E2AB    | 534E      | 7B6C  | I2TQ0080 |
| 筧       | E2AC    | 6073      | 7B6E  | I4S30080 |
| 筧       | E2AD    | 6074      | 7B9D  | I4S40080 |
| 筧       | E2AE    | 6075      | 7B98  | I4S50080 |
| 筧       | E2AF    | 6076      | 7B9F  | I4S60080 |
| 筧       | E2B0    | 6077      | 7B8D  | I4S70080 |
| 筧       | E2B1    | 6078      | 7B9C  | I4S80080 |
| 筧       | E2B2    | 6079      | 7B9A  | I4S90080 |
| 筧       | E2B3    | 55A4      | 7B8B  | I36S0080 |
| 筧       | E2B4    | 607A      | 7B92  | I4SA0080 |
| 筧       | E2B5    | 607B      | 7B8F  | I4SB0080 |
| 筧       | E2B6    | 606D      | 7B5D  | I4RX0080 |
| 筧       | E2B7    | 607C      | 7B99  | I4SC0080 |
| 筧       | E2B8    | 607E      | 7BCB  | I4SE0080 |
| 筧       | E2B9    | 51E8      | 7BC1  | I2NC0080 |
| 筧       | E2BA    | 607F      | 7BCC  | I4SF0080 |
| 筧       | E2BB    | 607D      | 7BCF  | I4SD0080 |
| 筧       | E2BC    | 6080      | 7BB4  | I4SG0080 |
| 筧       | E2BD    | 6081      | 7BC6  | I4SH0080 |
| 筧       | E2BE    | 6083      | 7BDD  | I4SJ0080 |
| 筧       | E2BF    | 6084      | 7BE9  | I4SK0080 |
| 筧       | E2C0    | 4F53      | 7C11  | I28J0080 |
| 筧       | E2C1    | 6088      | 7C14  | I4SO0080 |
| 筧       | E2C2    | 6085      | 7BE6  | I4SL0080 |
| 筧       | E2C3    | 6087      | 7BE5  | I4SN0080 |
| 筧       | E2C4    | 5444      | 7BED  | I2YS0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 簣       | E2C5    | 6089      | 7C00  | I4SP0080 |
| 簇       | E2C6    | 608B      | 7C07  | I4SR0080 |
| 觚       | E2C7    | 608A      | 7C13  | I4SQ0080 |
| 篁       | E2C8    | 608C      | 7BF3  | I4SS0080 |
| 篷       | E2C9    | 6086      | 7BF7  | I4SM0080 |
| 築       | E2CA    | 517C      | 7C17  | I2KC0080 |
| 篋       | E2CB    | 608D      | 7C0D  | I4ST0080 |
| 篋       | E2CC    | 608E      | 7BF6  | I4SU0080 |
| 篋       | E2CD    | 608F      | 7C23  | I4SV0080 |
| 篋       | E2CE    | 6090      | 7C27  | I4SW0080 |
| 簪       | E2CF    | 6091      | 7C2A  | I4SX0080 |
| 簪       | E2D0    | 6092      | 7C1F  | I4SY0080 |
| 簪       | E2D1    | 6093      | 7C37  | I4SZ0080 |
| 簪       | E2D2    | 6094      | 7C2B  | I4T00080 |
| 簪       | E2D3    | 6095      | 7C3D  | I4T10080 |
| 簪       | E2D4    | 6097      | 7C4C  | I4T30080 |
| 簪       | E2D5    | 6098      | 7C43  | I4T40080 |
| 簪       | E2D6    | 4F99      | 7C54  | I2AH0080 |
| 簪       | E2D7    | 51F2      | 7C4F  | I2NM0080 |
| 簪       | E2D8    | 6096      | 7C40  | I4T20080 |
| 簪       | E2D9    | 609A      | 7C50  | I4T60080 |
| 簪       | E2DA    | 609B      | 7C58  | I4T70080 |
| 簪       | E2DB    | 609C      | 7C5F  | I4T80080 |
| 簪       | E2DC    | 52AA      | 7C64  | I2QY0080 |
| 簪       | E2DD    | 6099      | 7C56  | I4T50080 |
| 簪       | E2DE    | 609D      | 7C65  | I4T90080 |
| 簪       | E2DF    | 609E      | 7C6C  | I4TA0080 |
| 料       | E2E0    | 609F      | 7C75  | I4TB0080 |
| 糝       | E2E1    | 60A0      | 7C83  | I4TC0080 |
| 糝       | E2E2    | 60A1      | 7C90  | I4TD0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 粵       | E2E3    | 60A2      | 7CA4  | I4TE0080 |
| 粳       | E2E4    | 60A6      | 7CAD  | I4TI0080 |
| 粳       | E2E5    | 60A3      | 7CA2  | I4TF0080 |
| 糲       | E2E6    | 60A4      | 7CAB  | I4TG0080 |
| 糲       | E2E7    | 60A5      | 7CA1  | I4TH0080 |
| 糲       | E2E8    | 60A7      | 7CA8  | I4TJ0080 |
| 粳       | E2E9    | 60A8      | 7CB3  | I4TK0080 |
| 粳       | E2EA    | 60A9      | 7CB2  | I4TL0080 |
| 梁       | E2EB    | 60AA      | 7CB1  | I4TM0080 |
| 粮       | E2EC    | 60AB      | 7CAE  | I4TN0080 |
| 粹       | E2ED    | 60AC      | 7CB9  | I4TO0080 |
| 粽       | E2EE    | 60AE      | 7CBD  | I4TQ0080 |
| 糝       | E2EF    | 51BC      | 7CC0  | I2M40080 |
| 糝       | E2F0    | 60AF      | 7CC5  | I4TR0080 |
| 糝       | E2F1    | 60B0      | 7CC2  | I4TS0080 |
| 糝       | E2F2    | 60B3      | 7CD8  | I4TV0080 |
| 糝       | E2F3    | 60B1      | 7CD2  | I4TT0080 |
| 糜       | E2F4    | 60B4      | 7CDC  | I4TW0080 |
| 糝       | E2F5    | 60B2      | 7CE2  | I4TU0080 |
| 糝       | E2F6    | 6788      | 9B3B  | I5U00080 |
| 糝       | E2F7    | 60B5      | 7CEF  | I4TX0080 |
| 糝       | E2F8    | 60B6      | 7CF2  | I4TY0080 |
| 糝       | E2F9    | 60B7      | 7CF4  | I4TZ0080 |
| 糝       | E2FA    | 60B8      | 7CF6  | I4U00080 |
| 糝       | E2FB    | 52C2      | 7CFA  | I2RM0080 |
| 紆       | E2FC    | 60B9      | 7D06  | I4U10080 |
| 紆       | E340    | 60BA      | 7D02  | I4U20080 |
| 紆       | E341    | 60BB      | 7D1C  | I4U30080 |
| 紆       | E342    | 60BC      | 7D15  | I4U40080 |
| 紆       | E343    | 60BD      | 7D0A  | I4U50080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 綱                                    | E344    | 60BE      | 7D45  | I4U60080 |
| 紘                                    | E345    | 60BF      | 7D4B  | I4U70080 |
| 紉                                    | E346    | 60C0      | 7D2E  | I4U80080 |
| 紊                                    | E347    | 60C1      | 7D32  | I4U90080 |
| 紋                                    | E348    | 60C2      | 7D3F  | I4UA0080 |
| 紌                                    | E349    | 60C3      | 7D35  | I4UB0080 |
| 納                                    | E34A    | 60C5      | 7D46  | I4UD0080 |
| 紎                                    | E34B    | 60C7      | 7D73  | I4UF0080 |
| 紏                                    | E34C    | 60C8      | 7D56  | I4UG0080 |
| 紐                                    | E34D    | 60C9      | 7D4E  | I4UH0080 |
| 絲                                    | E34E    | 5268      | 7D72  | I2P40080 |
| 絨                                    | E34F    | 60CA      | 7D68  | I4UI0080 |
| 絮                                    | E350    | 60CB      | 7D6E  | I4UJ0080 |
| 紓                                    | E351    | 60CC      | 7D4F  | I4UK0080 |
| 純                                    | E352    | 60CD      | 7D63  | I4UL0080 |
| 經                                    | E353    | 60CE      | 7D93  | I4UM0080 |
| 綉                                    | E354    | 60CF      | 7D89  | I4UN0080 |
| 條                                    | E355    | 60D0      | 7D5B  | I4UO0080 |
| 紖                                    | E356    | 5374      | 7D8F  | I2US0080 |
| 紗                                    | E357    | 54ED      | 7D7D  | I33H0080 |
| 紘                                    | E358    | 54EB      | 7D9B  | I33F0080 |
| 綺                                    | E359    | 54D3      | 7DBA  | I32R0080 |
| 縈                                    | E35A    | 60D1      | 7DAE  | I4UP0080 |
| 縉                                    | E35B    | 60D2      | 7DA3  | I4UQ0080 |
| 縄                                    | E35C    | 60D3      | 7DB5  | I4UR0080 |
| 縅                                    | E35D    | 60D5      | 7DC7  | I4UT0080 |
| 縆                                    | E35E    | 60D6      | 7DBD  | I4UU0080 |
| 縇                                    | E35F    | 60D7      | 7DAB  | I4UV0080 |
| 總                                    | E360    | 60F3      | 7E3D  | I4VN0080 |
| 綱                                    | E361    | 60D8      | 7DA2  | I4UW0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 縉                                    | E362    | 60D9      | 7DAF  | I4UX0080 |
| 縄                                    | E363    | 60E8      | 7DDC  | I4VC0080 |
| 縅                                    | E364    | 60DB      | 7DB8  | I4UZ0080 |
| 縆                                    | E365    | 60DC      | 7D9F  | I4V00080 |
| 縇                                    | E366    | 60DD      | 7DB0  | I4V10080 |
| 縉                                    | E367    | 60DF      | 7DD8  | I4V30080 |
| 縄                                    | E368    | 60E0      | 7DDD  | I4V40080 |
| 縅                                    | E369    | 60E2      | 7DE4  | I4V60080 |
| 縆                                    | E36A    | 60E3      | 7DDE  | I4V70080 |
| 縇                                    | E36B    | 60E4      | 7DFB  | I4V80080 |
| 縄                                    | E36C    | 60E6      | 7DF2  | I4VA0080 |
| 縅                                    | E36D    | 60E7      | 7DE1  | I4VB0080 |
| 縆                                    | E36E    | 60E9      | 7E05  | I4VD0080 |
| 縇                                    | E36F    | 60EA      | 7E0A  | I4VE0080 |
| 縣                                    | E370    | 55A8      | 7E23  | I36W0080 |
| 縉                                    | E371    | 60EB      | 7E21  | I4VF0080 |
| 縄                                    | E372    | 60EC      | 7E12  | I4VG0080 |
| 縅                                    | E373    | 60F2      | 7E31  | I4VM0080 |
| 縆                                    | E374    | 60ED      | 7E1F  | I4VH0080 |
| 縇                                    | E375    | 60EE      | 7E09  | I4VI0080 |
| 縄                                    | E376    | 60E5      | 7E0B  | I4V90080 |
| 縅                                    | E377    | 5BCC      | 7E22  | I43W0080 |
| 縆                                    | E378    | 60F0      | 7E46  | I4VK0080 |
| 縇                                    | E379    | 60F1      | 7E66  | I4VL0080 |
| 縄                                    | E37A    | 60F5      | 7E3B  | I4VP0080 |
| 縅                                    | E37B    | 60F4      | 7E35  | I4VO0080 |
| 縆                                    | E37C    | 60F6      | 7E39  | I4VQ0080 |
| 縇                                    | E37D    | 60F7      | 7E43  | I4VR0080 |
| 縄                                    | E37E    | 60F8      | 7E37  | I4VS0080 |
| 縅                                    | E380    | 60F9      | 7E32  | I4VT0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 縵                                    | E381    | 60EF      | 7E3A  | I4VJ0080 |
| 縵                                    | E382    | 6142      | 7E67  | I4W20080 |
| 縵                                    | E383    | 60FA      | 7E5D  | I4VU0080 |
| 縵                                    | E384    | 60FB      | 7E56  | I4VV0080 |
| 縵                                    | E385    | 60FC      | 7E5E  | I4VW0080 |
| 縵                                    | E386    | 60FE      | 7E59  | I4VY0080 |
| 縵                                    | E387    | 6141      | 7E5A  | I4W10080 |
| 縵                                    | E388    | 6143      | 7E79  | I4W30080 |
| 縵                                    | E389    | 6144      | 7E6A  | I4W40080 |
| 縵                                    | E38A    | 6145      | 7E69  | I4W50080 |
| 縵                                    | E38B    | 6146      | 7E7C  | I4W60080 |
| 縵                                    | E38C    | 6147      | 7E7B  | I4W70080 |
| 縵                                    | E38D    | 614B      | 7E83  | I4WB0080 |
| 縵                                    | E38E    | 60DE      | 7DD5  | I4V20080 |
| 縵                                    | E38F    | 6148      | 7E7D  | I4W80080 |
| 縵                                    | E390    | 6149      | 8FAE  | I4W90080 |
| 縵                                    | E391    | 614A      | 7E7F  | I4WA0080 |
| 縵                                    | E392    | 5278      | 7E88  | I2PK0080 |
| 縵                                    | E393    | 614C      | 7E89  | I4WC0080 |
| 縵                                    | E394    | 614E      | 7E8C  | I4WE0080 |
| 縵                                    | E395    | 614F      | 7E92  | I4WF0080 |
| 縵                                    | E396    | 5273      | 7E90  | I2PF0080 |
| 縵                                    | E397    | 6150      | 7E93  | I4WG0080 |
| 縵                                    | E398    | 6151      | 7E94  | I4WH0080 |
| 縵                                    | E399    | 6152      | 7E96  | I4WI0080 |
| 縵                                    | E39A    | 614D      | 7E8E  | I4WD0080 |
| 縵                                    | E39B    | 6153      | 7E9B  | I4WJ0080 |
| 縵                                    | E39C    | 539C      | 7E9C  | I2VW0080 |
| 缸                                    | E39D    | 6154      | 7F38  | I4WK0080 |
| 缺                                    | E39E    | 6155      | 7F3A  | I4WL0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 罇                                    | E39F    | 6156      | 7F45  | I4WM0080 |
| 罇                                    | E3A0    | 6158      | 7F4C  | I4WO0080 |
| 罇                                    | E3A1    | 54CB      | 7F4D  | I32J0080 |
| 罇                                    | E3A2    | 6159      | 7F4E  | I4WP0080 |
| 罇                                    | E3A3    | 516E      | 7F50  | I2JY0080 |
| 罇                                    | E3A4    | 615A      | 7F51  | I4WQ0080 |
| 罇                                    | E3A5    | 615B      | 7F55  | I4WR0080 |
| 罇                                    | E3A6    | 615C      | 7F54  | I4WS0080 |
| 罇                                    | E3A7    | 615D      | 7F58  | I4WT0080 |
| 罇                                    | E3A8    | 615E      | 7F5F  | I4WU0080 |
| 罇                                    | E3A9    | 615F      | 7F60  | I4WV0080 |
| 罇                                    | E3AA    | 6160      | 7F68  | I4WW0080 |
| 罇                                    | E3AB    | 6162      | 7F69  | I4WY0080 |
| 罇                                    | E3AC    | 6161      | 7F67  | I4WX0080 |
| 罇                                    | E3AD    | 6163      | 7F78  | I4WZ0080 |
| 罇                                    | E3AE    | 6164      | 7F82  | I4X00080 |
| 罇                                    | E3AF    | 6165      | 7F86  | I4X10080 |
| 罇                                    | E3B0    | 6166      | 7F83  | I4X20080 |
| 罇                                    | E3B1    | 6168      | 7F88  | I4X40080 |
| 罇                                    | E3B2    | 6167      | 7F87  | I4X30080 |
| 羴                                    | E3B3    | 6169      | 7F8C  | I4X50080 |
| 羴                                    | E3B4    | 616A      | 7F94  | I4X60080 |
| 羴                                    | E3B5    | 616B      | 7F9E  | I4X70080 |
| 羴                                    | E3B6    | 616C      | 7F9D  | I4X80080 |
| 羴                                    | E3B7    | 616D      | 7F9A  | I4X90080 |
| 羴                                    | E3B8    | 616F      | 7FA3  | I4XB0080 |
| 羴                                    | E3B9    | 6170      | 7FAF  | I4XC0080 |
| 羴                                    | E3BA    | 6172      | 7FB2  | I4XE0080 |
| 羴                                    | E3BB    | 6173      | 7FB9  | I4XF0080 |
| 羴                                    | E3BC    | 6171      | 7FAE  | I4XD0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 羶                                    | E3BD    | 6174      | 7FB6  | I4XG0080 |
| 羸                                    | E3BE    | 6175      | 7FB8  | I4XH0080 |
| 譚                                    | E3BF    | 6176      | 8B71  | I4XI0080 |
| 翹                                    | E3C0    | 6178      | 7FC5  | I4XK0080 |
| 翠                                    | E3C1    | 6179      | 7FC6  | I4XL0080 |
| 翊                                    | E3C2    | 617A      | 7FCA  | I4XM0080 |
| 翕                                    | E3C3    | 617B      | 7FD5  | I4XN0080 |
| 翔                                    | E3C4    | 54F9      | 7FD4  | I33T0080 |
| 翡                                    | E3C5    | 617C      | 7FE1  | I4XO0080 |
| 翦                                    | E3C6    | 617D      | 7FE6  | I4XP0080 |
| 翩                                    | E3C7    | 617E      | 7FE9  | I4XQ0080 |
| 翳                                    | E3C8    | 617F      | 7FF3  | I4XR0080 |
| 翹                                    | E3C9    | 6180      | 7FF9  | I4XS0080 |
| 飜                                    | E3CA    | 66DA      | 98DC  | I5QY0080 |
| 耆                                    | E3CB    | 53DC      | 8006  | I2XO0080 |
| 耄                                    | E3CC    | 6181      | 8004  | I4XT0080 |
| 耄                                    | E3CD    | 6182      | 800B  | I4XU0080 |
| 耒                                    | E3CE    | 6183      | 8012  | I4XV0080 |
| 耘                                    | E3CF    | 54E4      | 8018  | I3380080 |
| 耜                                    | E3D0    | 6184      | 8019  | I4XW0080 |
| 耜                                    | E3D1    | 6185      | 801C  | I4XX0080 |
| 耒                                    | E3D2    | 6186      | 8021  | I4XY0080 |
| 耨                                    | E3D3    | 6187      | 8028  | I4XZ0080 |
| 耿                                    | E3D4    | 6188      | 803F  | I4Y00080 |
| 耻                                    | E3D5    | 6189      | 803B  | I4Y10080 |
| 聊                                    | E3D6    | 618A      | 804A  | I4Y20080 |
| 聆                                    | E3D7    | 618B      | 8046  | I4Y30080 |
| 聒                                    | E3D8    | 618C      | 8052  | I4Y40080 |
| 聘                                    | E3D9    | 618D      | 8058  | I4Y50080 |
| 聚                                    | E3DA    | 5479      | 805A  | I3090080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 聒                                    | E3DB    | 618E      | 805F  | I4Y60080 |
| 聒                                    | E3DC    | 618F      | 8062  | I4Y70080 |
| 聯                                    | E3DD    | 6190      | 8068  | I4Y80080 |
| 聳                                    | E3DE    | 6191      | 8073  | I4Y90080 |
| 聲                                    | E3DF    | 6192      | 8072  | I4YA0080 |
| 聰                                    | E3E0    | 6193      | 8070  | I4YB0080 |
| 聶                                    | E3E1    | 6194      | 8076  | I4YC0080 |
| 聾                                    | E3E2    | 6195      | 8079  | I4YD0080 |
| 聽                                    | E3E3    | 6196      | 807D  | I4YE0080 |
| 聿                                    | E3E4    | 6197      | 807F  | I4YF0080 |
| 肄                                    | E3E5    | 6198      | 8084  | I4YG0080 |
| 肆                                    | E3E6    | 53B6      | 8086  | I2WM0080 |
| 肅                                    | E3E7    | 6199      | 8085  | I4YH0080 |
| 肛                                    | E3E8    | 5292      | 809B  | I2QA0080 |
| 盲                                    | E3E9    | 619A      | 8093  | I4YI0080 |
| 肚                                    | E3EA    | 619B      | 809A  | I4YJ0080 |
| 臍                                    | E3EB    | 619C      | 80AD  | I4YK0080 |
| 胃                                    | E3EC    | 619D      | 5190  | I4YL0080 |
| 臄                                    | E3ED    | 619E      | 80AC  | I4YM0080 |
| 胛                                    | E3EE    | 619F      | 80DB  | I4YN0080 |
| 胥                                    | E3EF    | 61A0      | 80E5  | I4YO0080 |
| 胙                                    | E3F0    | 61A1      | 80D9  | I4YP0080 |
| 胙                                    | E3F1    | 61A2      | 80DD  | I4YQ0080 |
| 胙                                    | E3F2    | 61A3      | 80C4  | I4YR0080 |
| 胚                                    | E3F3    | 61A4      | 80DA  | I4YS0080 |
| 胙                                    | E3F4    | 5288      | 80D6  | I2Q00080 |
| 脉                                    | E3F5    | 61A5      | 8109  | I4YT0080 |
| 胙                                    | E3F6    | 61A6      | 80EF  | I4YU0080 |
| 胙                                    | E3F7    | 61A7      | 80F1  | I4YV0080 |
| 胙                                    | E3F8    | 61A8      | 811B  | I4YW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 脩                                    | E3F9    | 4C96      | 8129  | I1UE0080 |
| 脣                                    | E3FA    | 61A9      | 8123  | I4YX0080 |
| 脯                                    | E3FB    | 61AA      | 812F  | I4YY0080 |
| 腋                                    | E3FC    | 61AB      | 814B  | I4YZ0080 |
| 隋                                    | E440    | 6673      | 968B  | I5O30080 |
| 腆                                    | E441    | 61AC      | 8146  | I4Z00080 |
| 脾                                    | E442    | 61AD      | 813E  | I4Z10080 |
| 腓                                    | E443    | 61AE      | 8153  | I4Z20080 |
| 腑                                    | E444    | 61AF      | 8151  | I4Z30080 |
| 胼                                    | E445    | 61B0      | 80FC  | I4Z40080 |
| 腱                                    | E446    | 61B1      | 8171  | I4Z50080 |
| 腮                                    | E447    | 61B2      | 816E  | I4Z60080 |
| 腥                                    | E448    | 61B3      | 8165  | I4Z70080 |
| 腦                                    | E449    | 61B5      | 8166  | I4Z90080 |
| 腴                                    | E44A    | 61B6      | 8174  | I4ZA0080 |
| 膾                                    | E44B    | 61B7      | 8183  | I4ZB0080 |
| 膈                                    | E44C    | 61B8      | 8188  | I4ZC0080 |
| 膊                                    | E44D    | 61B9      | 818A  | I4ZD0080 |
| 膀                                    | E44E    | 61BA      | 8180  | I4ZE0080 |
| 膂                                    | E44F    | 61BB      | 8182  | I4ZF0080 |
| 膠                                    | E450    | 61BC      | 81A0  | I4ZG0080 |
| 膾                                    | E451    | 61BD      | 8195  | I4ZH0080 |
| 膞                                    | E452    | 61C1      | 81A4  | I4ZL0080 |
| 膞                                    | E453    | 61BE      | 81A3  | I4ZI0080 |
| 膞                                    | E454    | 61B4      | 815F  | I4Z80080 |
| 膞                                    | E455    | 61BF      | 8193  | I4ZJ0080 |
| 膩                                    | E456    | 61C2      | 81A9  | I4ZM0080 |
| 膞                                    | E457    | 61C4      | 81B0  | I4ZO0080 |
| 膞                                    | E458    | 61C0      | 81B5  | I4ZK0080 |
| 膞                                    | E459    | 61C6      | 81BE  | I4ZQ0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 臚                                    | E45A    | 61C3      | 81B8  | I4ZN0080 |
| 臚                                    | E45B    | 61C7      | 81BD  | I4ZR0080 |
| 臚                                    | E45C    | 61C8      | 81C0  | I4ZS0080 |
| 臂                                    | E45D    | 61C9      | 81C2  | I4ZT0080 |
| 膺                                    | E45E    | 61CA      | 81BA  | I4ZU0080 |
| 臉                                    | E45F    | 61CB      | 81C9  | I4ZV0080 |
| 臍                                    | E460    | 61CC      | 81CD  | I4ZW0080 |
| 臍                                    | E461    | 61CD      | 81D1  | I4ZX0080 |
| 臍                                    | E462    | 61CF      | 81D9  | I4ZZ0080 |
| 臍                                    | E463    | 61CE      | 81D8  | I4ZY0080 |
| 臍                                    | E464    | 61C5      | 81C8  | I4ZP0080 |
| 臍                                    | E465    | 61D0      | 81DA  | I5000080 |
| 臍                                    | E466    | 61D1      | 81DF  | I5010080 |
| 臍                                    | E467    | 61D2      | 81E0  | I5020080 |
| 臍                                    | E468    | 5173      | 81E7  | I2K30080 |
| 臺                                    | E469    | 61D3      | 81FA  | I5030080 |
| 臻                                    | E46A    | 61D4      | 81FB  | I5040080 |
| 臍                                    | E46B    | 61D5      | 81FE  | I5050080 |
| 臍                                    | E46C    | 61D6      | 8201  | I5060080 |
| 春                                    | E46D    | 61D7      | 8202  | I5070080 |
| 舅                                    | E46E    | 61D8      | 8205  | I5080080 |
| 與                                    | E46F    | 5358      | 8207  | I2U00080 |
| 舊                                    | E470    | 62BA      | 820A  | I54Q0080 |
| 舍                                    | E471    | 61D9      | 820D  | I5090080 |
| 舐                                    | E472    | 61DA      | 8210  | I50A0080 |
| 舖                                    | E473    | 61DC      | 8216  | I50C0080 |
| 舩                                    | E474    | 61DD      | 8229  | I50D0080 |
| 舩                                    | E475    | 61DE      | 822B  | I50E0080 |
| 舩                                    | E476    | 61E0      | 8238  | I50G0080 |
| 舩                                    | E477    | 61E1      | 8233  | I50H0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 桴                                    | E478    | 61E2      | 8240  | I50I0080 |
| 艫                                    | E479    | 61E3      | 8259  | I50J0080 |
| 艘                                    | E47A    | 54AE      | 8258  | I31Q0080 |
| 舳                                    | E47B    | 61E5      | 825D  | I50L0080 |
| 舴                                    | E47C    | 61E4      | 825A  | I50K0080 |
| 舵                                    | E47D    | 61E6      | 825F  | I50M0080 |
| 舶                                    | E47E    | 61E7      | 8264  | I50N0080 |
| 舷                                    | E480    | 61E8      | 8262  | I50O0080 |
| 舸                                    | E481    | 61E9      | 8268  | I50P0080 |
| 舨                                    | E482    | 61EA      | 826A  | I50Q0080 |
| 舩                                    | E483    | 61EB      | 826B  | I50R0080 |
| 航                                    | E484    | 61DF      | 822E  | I50F0080 |
| 艮                                    | E485    | 61EC      | 8271  | I50S0080 |
| 艮                                    | E486    | 61ED      | 8277  | I50T0080 |
| 艮                                    | E487    | 53C5      | 8278  | I2X10080 |
| 艾                                    | E488    | 61EE      | 827E  | I50U0080 |
| 芍                                    | E489    | 61EF      | 828D  | I50V0080 |
| 芒                                    | E48A    | 61F0      | 8292  | I50W0080 |
| 芫                                    | E48B    | 61F1      | 82AB  | I50X0080 |
| 芨                                    | E48C    | 61F2      | 829F  | I50Y0080 |
| 芨                                    | E48D    | 61F3      | 82BB  | I50Z0080 |
| 芬                                    | E48E    | 61F4      | 82AC  | I5100080 |
| 苻                                    | E48F    | 61F5      | 82E1  | I5110080 |
| 苳                                    | E490    | 61F6      | 82E3  | I5120080 |
| 苴                                    | E491    | 61F7      | 82DF  | I5130080 |
| 苵                                    | E492    | 61F9      | 82D2  | I5150080 |
| 苶                                    | E493    | 61FA      | 82F4  | I5160080 |
| 苷                                    | E494    | 61FB      | 82F3  | I5170080 |
| 苸                                    | E495    | 6244      | 82FA  | I51G0080 |
| 苹                                    | E496    | 6260      | 8393  | I5280080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 范                                    | E497    | 61FC      | 8303  | I5180080 |
| 苻                                    | E498    | 61FD      | 82FB  | I5190080 |
| 苿                                    | E499    | 61FE      | 82F9  | I51A0080 |
| 苞                                    | E49A    | 6241      | 82DE  | I51D0080 |
| 茆                                    | E49B    | 6242      | 8306  | I51E0080 |
| 苻                                    | E49C    | 6243      | 82DC  | I51F0080 |
| 茈                                    | E49D    | 6245      | 8309  | I51H0080 |
| 苻                                    | E49E    | 6246      | 82D9  | I51I0080 |
| 茵                                    | E49F    | 6247      | 8335  | I51J0080 |
| 茴                                    | E4A0    | 6249      | 8334  | I51L0080 |
| 茗                                    | E4A1    | 624A      | 8316  | I51M0080 |
| 苻                                    | E4A2    | 547B      | 8332  | I30B0080 |
| 茈                                    | E4A3    | 624B      | 8331  | I51N0080 |
| 荀                                    | E4A4    | 624C      | 8340  | I51O0080 |
| 茹                                    | E4A5    | 624D      | 8339  | I51P0080 |
| 苻                                    | E4A6    | 624E      | 8350  | I51Q0080 |
| 茗                                    | E4A7    | 624F      | 8345  | I51R0080 |
| 茯                                    | E4A8    | 6250      | 832F  | I51S0080 |
| 茫                                    | E4A9    | 6251      | 832B  | I51T0080 |
| 茗                                    | E4AA    | 53F6      | 8317  | I2YE0080 |
| 荔                                    | E4AB    | 6252      | 8318  | I51U0080 |
| 莅                                    | E4AC    | 6262      | 8385  | I52A0080 |
| 莛                                    | E4AD    | 6253      | 839A  | I51V0080 |
| 莪                                    | E4AE    | 6254      | 83AA  | I51W0080 |
| 茗                                    | E4AF    | 6255      | 839F  | I51X0080 |
| 莪                                    | E4B0    | 6256      | 83A2  | I51Y0080 |
| 莪                                    | E4B1    | 6257      | 8396  | I51Z0080 |
| 莫                                    | E4B2    | 6258      | 8323  | I5200080 |
| 莎                                    | E4B3    | 6259      | 838E  | I5210080 |
| 苻                                    | E4B4    | 5486      | 8387  | I30M0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 莊       | E4B5    | 625C      | 838A  | I5240080 |
| 茶       | E4B6    | 625D      | 837C  | I5250080 |
| 菟       | E4B7    | 625E      | 83B5  | I5260080 |
| 荳       | E4B8    | 625F      | 8373  | I5270080 |
| 葱       | E4B9    | 625A      | 8375  | I5220080 |
| 莠       | E4BA    | 6261      | 83A0  | I5290080 |
| 莉       | E4BB    | 6263      | 8389  | I52B0080 |
| 莨       | E4BC    | 6264      | 83A8  | I52C0080 |
| 菴       | E4BD    | 6265      | 83F4  | I52D0080 |
| 萱       | E4BE    | 6266      | 8413  | I52E0080 |
| 董       | E4BF    | 54E9      | 83EB  | I33D0080 |
| 崑       | E4C0    | 6268      | 83CE  | I52G0080 |
| 菽       | E4C1    | 626A      | 83FD  | I52I0080 |
| 萃       | E4C2    | 626B      | 8403  | I52J0080 |
| 菘       | E4C3    | 626C      | 83D8  | I52K0080 |
| 萋       | E4C4    | 626D      | 840B  | I52L0080 |
| 菁       | E4C5    | 626E      | 83C1  | I52M0080 |
| 蒂       | E4C6    | 6269      | 83F7  | I52H0080 |
| 萇       | E4C7    | 626F      | 8407  | I52N0080 |
| 菠       | E4C8    | 6270      | 83E0  | I52O0080 |
| 菲       | E4C9    | 6271      | 83F2  | I52P0080 |
| 萍       | E4CA    | 6272      | 840D  | I52Q0080 |
| 范       | E4CB    | 54D8      | 8422  | I32W0080 |
| 崩       | E4CC    | 6273      | 8420  | I52R0080 |
| 莽       | E4CD    | 6275      | 83BD  | I52T0080 |
| 萸       | E4CE    | 6284      | 8438  | I5380080 |
| 菱       | E4CF    | 629D      | 8506  | I53X0080 |
| 蔴       | E4D0    | 6276      | 83FB  | I52U0080 |
| 蔴       | E4D1    | 516C      | 846D  | I2JW0080 |
| 蔴       | E4D2    | 6277      | 842A  | I52V0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 萸       | E4D3    | 6279      | 843C  | I52X0080 |
| 萸       | E4D4    | 629F      | 855A  | I53Z0080 |
| 蔻       | E4D5    | 627A      | 8484  | I52Y0080 |
| 葷       | E4D6    | 627B      | 8477  | I52Z0080 |
| 葫       | E4D7    | 627C      | 846B  | I5300080 |
| 蒟       | E4D8    | 6290      | 84AD  | I53K0080 |
| 蔴       | E4D9    | 627F      | 846E  | I5330080 |
| 蒂       | E4DA    | 6280      | 8482  | I5340080 |
| 葩       | E4DB    | 6281      | 8469  | I5350080 |
| 葆       | E4DC    | 6282      | 8446  | I5360080 |
| 萬       | E4DD    | 4B75      | 842C  | I1050080 |
| 葯       | E4DE    | 6283      | 846F  | I5370080 |
| 蔴       | E4DF    | 627D      | 8479  | I5310080 |
| 蒿       | E4E0    | 6285      | 8435  | I5390080 |
| 蒻       | E4E1    | 6286      | 84CA  | I53A0080 |
| 葢       | E4E2    | 6278      | 8462  | I52W0080 |
| 蒹       | E4E3    | 6287      | 84B9  | I53B0080 |
| 蒿       | E4E4    | 6288      | 84BF  | I53C0080 |
| 蒟       | E4E5    | 6289      | 849F  | I53D0080 |
| 蔴       | E4E6    | 6294      | 84D9  | I53O0080 |
| 薯       | E4E7    | 628B      | 84CD  | I53F0080 |
| 蒻       | E4E8    | 628C      | 84BB  | I53G0080 |
| 蔴       | E4E9    | 628D      | 84DA  | I53H0080 |
| 蔴       | E4EA    | 628E      | 84D0  | I53I0080 |
| 蔴       | E4EB    | 628F      | 84C1  | I53J0080 |
| 蔴       | E4EC    | 6291      | 84C6  | I53L0080 |
| 蔴       | E4ED    | 6292      | 84D6  | I53M0080 |
| 蔴       | E4EE    | 6293      | 84A1  | I53N0080 |
| 蔴       | E4EF    | 54A8      | 8521  | I31K0080 |
| 蔴       | E4F0    | 6295      | 84FF  | I53P0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 蓴                                    | E4F1    | 6296      | 84F4  | I53Q0080 |
| 蔗                                    | E4F2    | 6297      | 8517  | I53R0080 |
| 蔘                                    | E4F3    | 6298      | 8518  | I53S0080 |
| 蔬                                    | E4F4    | 6299      | 852C  | I53T0080 |
| 蔟                                    | E4F5    | 629A      | 851F  | I53U0080 |
| 蔕                                    | E4F6    | 629B      | 8515  | I53V0080 |
| 蔔                                    | E4F7    | 629C      | 8514  | I53W0080 |
| 蔘                                    | E4F8    | 518B      | 84FC  | I2KR0080 |
| 蔴                                    | E4F9    | 62A0      | 8540  | I5400080 |
| 蔴                                    | E4FA    | 62A2      | 8563  | I5420080 |
| 蔴                                    | E4FB    | 62A3      | 8558  | I5430080 |
| 蔴                                    | E4FC    | 62A4      | 8548  | I5440080 |
| 蔴                                    | E540    | 62A5      | 8541  | I5450080 |
| 蔴                                    | E541    | 62A6      | 854A  | I5460080 |
| 蔴                                    | E542    | 62A7      | 854B  | I5470080 |
| 蔴                                    | E543    | 62A9      | 8555  | I5490080 |
| 蔴                                    | E544    | 62AA      | 8580  | I54A0080 |
| 蔴                                    | E545    | 62AB      | 85A4  | I54B0080 |
| 蔴                                    | E546    | 62AC      | 8588  | I54C0080 |
| 蔴                                    | E547    | 62AD      | 8591  | I54D0080 |
| 蔴                                    | E548    | 62AE      | 858A  | I54E0080 |
| 蔴                                    | E549    | 62AF      | 85A8  | I54F0080 |
| 蔴                                    | E54A    | 62B0      | 856D  | I54G0080 |
| 蔴                                    | E54B    | 62B1      | 8594  | I54H0080 |
| 蔴                                    | E54C    | 62B2      | 859B  | I54I0080 |
| 蔴                                    | E54D    | 62B3      | 85AE  | I54J0080 |
| 蔴                                    | E54E    | 62B4      | 8587  | I54K0080 |
| 蔴                                    | E54F    | 62B5      | 859C  | I54L0080 |
| 蔴                                    | E550    | 62B6      | 8577  | I54M0080 |
| 蔴                                    | E551    | 62B7      | 857E  | I54N0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 稜                                    | E552    | 62B8      | 8590  | I54O0080 |
| 藉                                    | E553    | 62BC      | 85C9  | I54S0080 |
| 薺                                    | E554    | 62BD      | 85BA  | I54T0080 |
| 藏                                    | E555    | 62BE      | 85CF  | I54U0080 |
| 臺                                    | E556    | 62BF      | 85B9  | I54V0080 |
| 藐                                    | E557    | 62C0      | 85D0  | I54W0080 |
| 藕                                    | E558    | 62C1      | 85D5  | I54X0080 |
| 藝                                    | E559    | 62C2      | 85DD  | I54Y0080 |
| 藥                                    | E55A    | 62C3      | 85E5  | I54Z0080 |
| 藜                                    | E55B    | 62C4      | 85DC  | I5500080 |
| 藹                                    | E55C    | 62C5      | 85F9  | I5510080 |
| 蘊                                    | E55D    | 62C6      | 860A  | I5520080 |
| 蘊                                    | E55E    | 62C7      | 8613  | I5530080 |
| 藟                                    | E55F    | 62C8      | 860B  | I5540080 |
| 藟                                    | E560    | 62C9      | 85FE  | I5550080 |
| 藟                                    | E561    | 53ED      | 85FA  | I2Y50080 |
| 蘆                                    | E562    | 4EDA      | 8606  | I26Y0080 |
| 龍                                    | E563    | 62CA      | 8622  | I5560080 |
| 藪                                    | E564    | 62CB      | 861A  | I5570080 |
| 藪                                    | E565    | 62CC      | 8630  | I5580080 |
| 藪                                    | E566    | 62CD      | 863F  | I5590080 |
| 虍                                    | E567    | 62CF      | 864D  | I55B0080 |
| 虍                                    | E568    | 62D0      | 4E55  | I55C0080 |
| 虍                                    | E569    | 52FB      | 8654  | I2T70080 |
| 號                                    | E56A    | 62D2      | 865F  | I55E0080 |
| 虧                                    | E56B    | 62D3      | 8667  | I55F0080 |
| 虱                                    | E56C    | 62D4      | 8671  | I55G0080 |
| 虻                                    | E56D    | 62D5      | 8693  | I55H0080 |
| 虻                                    | E56E    | 62D6      | 86A3  | I55I0080 |
| 蚩                                    | E56F    | 62D7      | 86A9  | I55J0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 蚪                                    | E570    | 62D9      | 86AA  | I55L0080 |
| 蚎                                    | E571    | 62D8      | 868B  | I55K0080 |
| 蚌                                    | E572    | 62DA      | 868C  | I55M0080 |
| 蚶                                    | E573    | 62DB      | 86B6  | I55N0080 |
| 蚯                                    | E574    | 62DC      | 86AF  | I55O0080 |
| 蛄                                    | E575    | 62DD      | 86C4  | I55P0080 |
| 蛆                                    | E576    | 62DE      | 86C6  | I55Q0080 |
| 蚰                                    | E577    | 62DF      | 86B0  | I55R0080 |
| 蛉                                    | E578    | 62E0      | 86C9  | I55S0080 |
| 蛎                                    | E579    | 62E1      | 86CE  | I55T0080 |
| 蛸                                    | E57A    | 62E3      | 86AB  | I55V0080 |
| 蛭                                    | E57B    | 62E4      | 86D4  | I55W0080 |
| 蛞                                    | E57C    | 62E5      | 86DE  | I55X0080 |
| 蛩                                    | E57D    | 62E6      | 86E9  | I55Y0080 |
| 蛭                                    | E57E    | 62E7      | 86EC  | I55Z0080 |
| 蛟                                    | E580    | 62E8      | 86DF  | I5600080 |
| 蛛                                    | E581    | 62E9      | 86DB  | I5610080 |
| 蛭                                    | E582    | 4F74      | 86EF  | I29G0080 |
| 蛭                                    | E583    | 62EA      | 8712  | I5620080 |
| 蛭                                    | E584    | 62EB      | 8706  | I5630080 |
| 蜈                                    | E585    | 62EC      | 8708  | I5640080 |
| 蜀                                    | E586    | 62ED      | 8700  | I5650080 |
| 蚤                                    | E587    | 62EE      | 8703  | I5660080 |
| 蛭                                    | E588    | 62EF      | 86FB  | I5670080 |
| 蚤                                    | E589    | 62F0      | 8711  | I5680080 |
| 蜂                                    | E58A    | 62F1      | 8709  | I5690080 |
| 蜂                                    | E58B    | 62F2      | 870D  | I56A0080 |
| 蛹                                    | E58C    | 62F3      | 86F9  | I56B0080 |
| 蛭                                    | E58D    | 62F4      | 870A  | I56C0080 |
| 蛭                                    | E58E    | 62F5      | 8734  | I56D0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 蛭                                    | E58F    | 62F6      | 873F  | I56E0080 |
| 蛭                                    | E590    | 526D      | 8737  | I2P90080 |
| 蜻                                    | E591    | 62F7      | 873B  | I56F0080 |
| 蛭                                    | E592    | 62F8      | 8725  | I56G0080 |
| 蛭                                    | E593    | 62F9      | 8729  | I56H0080 |
| 蛭                                    | E594    | 62FA      | 871A  | I56I0080 |
| 蝠                                    | E595    | 6346      | 8760  | I56U0080 |
| 蛭                                    | E596    | 62FB      | 875F  | I56J0080 |
| 蛭                                    | E597    | 62FC      | 8778  | I56K0080 |
| 蛭                                    | E598    | 62FD      | 874C  | I56L0080 |
| 蛭                                    | E599    | 62FE      | 874E  | I56M0080 |
| 蛭                                    | E59A    | 6341      | 8774  | I56P0080 |
| 蛭                                    | E59B    | 6342      | 8757  | I56Q0080 |
| 蛭                                    | E59C    | 6343      | 8768  | I56R0080 |
| 蛭                                    | E59D    | 6347      | 876E  | I56V0080 |
| 蛭                                    | E59E    | 6348      | 8759  | I56W0080 |
| 蛭                                    | E59F    | 6349      | 8753  | I56X0080 |
| 蛭                                    | E5A0    | 634A      | 8763  | I56Y0080 |
| 蛭                                    | E5A1    | 6345      | 876A  | I56T0080 |
| 蛭                                    | E5A2    | 634B      | 877F  | I56Z0080 |
| 蛭                                    | E5A3    | 634C      | 87A2  | I5700080 |
| 蛭                                    | E5A4    | 634E      | 879F  | I5720080 |
| 蛭                                    | E5A5    | 6344      | 8782  | I56S0080 |
| 蛭                                    | E5A6    | 634F      | 87AF  | I5730080 |
| 蛭                                    | E5A7    | 6350      | 87CB  | I5740080 |
| 蛭                                    | E5A8    | 6351      | 87BD  | I5750080 |
| 蛭                                    | E5A9    | 6352      | 87C0  | I5760080 |
| 蛭                                    | E5AA    | 6353      | 87D0  | I5770080 |
| 蛭                                    | E5AB    | 6354      | 96D6  | I5780080 |
| 蛭                                    | E5AC    | 6355      | 87AB  | I5790080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 蟄       | E5AD    | 6356      | 87C4  | I57A0080 |
| 螳       | E5AE    | 6357      | 87B3  | I57B0080 |
| 墓       | E5AF    | 54F4      | 87C7  | I33O0080 |
| 蟆       | E5B0    | 634D      | 87C6  | I5710080 |
| 虻       | E5B1    | 6359      | 87BB  | I57D0080 |
| 蟻       | E5B2    | 635A      | 87EF  | I57E0080 |
| 蟲       | E5B3    | 635B      | 87F2  | I57F0080 |
| 蟠       | E5B4    | 635C      | 87E0  | I57G0080 |
| 蟬       | E5B5    | 635F      | 880F  | I57J0080 |
| 蠍       | E5B6    | 6361      | 880D  | I57L0080 |
| 蟾       | E5B7    | 6362      | 87FE  | I57M0080 |
| 蝗       | E5B8    | 6363      | 87F6  | I57N0080 |
| 螳       | E5B9    | 6364      | 87F7  | I57O0080 |
| 蟒       | E5BA    | 635D      | 880E  | I57H0080 |
| 蟒       | E5BB    | 6358      | 87D2  | I57C0080 |
| 蝶       | E5BC    | 6365      | 8811  | I57P0080 |
| 螻       | E5BD    | 6360      | 8816  | I57K0080 |
| 蠕       | E5BE    | 6366      | 8815  | I57Q0080 |
| 蠹       | E5BF    | 6367      | 8822  | I57R0080 |
| 蠹       | E5C0    | 6368      | 8821  | I57S0080 |
| 蠱       | E5C1    | 636A      | 8831  | I57U0080 |
| 蠶       | E5C2    | 636B      | 8836  | I57V0080 |
| 蠹       | E5C3    | 636C      | 8839  | I57W0080 |
| 蠹       | E5C4    | 6369      | 8827  | I57T0080 |
| 蠻       | E5C5    | 636D      | 883B  | I57X0080 |
| 衄       | E5C6    | 636F      | 8844  | I57Z0080 |
| 衄       | E5C7    | 636E      | 8842  | I57Y0080 |
| 衞       | E5C8    | 6371      | 8852  | I5810080 |
| 衞       | E5C9    | 6372      | 8859  | I5820080 |
| 衞       | E5CA    | 6373      | 885E  | I5830080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 衢       | E5CB    | 6374      | 8862  | I5840080 |
| 衫       | E5CC    | 6375      | 886B  | I5850080 |
| 袁       | E5CD    | 6376      | 8881  | I5860080 |
| 衾       | E5CE    | 6377      | 887E  | I5870080 |
| 袁       | E5CF    | 637C      | 889E  | I58C0080 |
| 袒       | E5D0    | 6378      | 8875  | I5880080 |
| 衿       | E5D1    | 6379      | 887D  | I5890080 |
| 衿       | E5D2    | 6385      | 88B5  | I58L0080 |
| 衲       | E5D3    | 637A      | 8872  | I58A0080 |
| 袂       | E5D4    | 637B      | 8882  | I58B0080 |
| 袷       | E5D5    | 637D      | 8897  | I58D0080 |
| 袒       | E5D6    | 637E      | 8892  | I58E0080 |
| 衿       | E5D7    | 637F      | 88AE  | I58F0080 |
| 衲       | E5D8    | 6380      | 8899  | I58G0080 |
| 袷       | E5D9    | 6381      | 88A2  | I58H0080 |
| 袍       | E5DA    | 6382      | 888D  | I58I0080 |
| 裘       | E5DB    | 6383      | 88A4  | I58J0080 |
| 裘       | E5DC    | 54C5      | 88B0  | I32D0080 |
| 袷       | E5DD    | 6384      | 88BF  | I58K0080 |
| 袷       | E5DE    | 6386      | 88B1  | I58M0080 |
| 袷       | E5DF    | 6387      | 88C3  | I58N0080 |
| 衲       | E5E0    | 6388      | 88C4  | I58O0080 |
| 裔       | E5E1    | 6389      | 88D4  | I58P0080 |
| 裘       | E5E2    | 638A      | 88D8  | I58Q0080 |
| 裙       | E5E3    | 638B      | 88D9  | I58R0080 |
| 裝       | E5E4    | 638C      | 88DD  | I58S0080 |
| 裏       | E5E5    | 638D      | 88F9  | I58T0080 |
| 褂       | E5E6    | 638E      | 8902  | I58U0080 |
| 楊       | E5E7    | 638F      | 88FC  | I58V0080 |
| 裴       | E5E8    | 5349      | 88F4  | I2TL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 裨                                    | E5E9    | 6391      | 88E8  | I58X0080 |
| 裨                                    | E5EA    | 6392      | 88F2  | I58Y0080 |
| 裨                                    | E5EB    | 6393      | 8904  | I58Z0080 |
| 禪                                    | E5EC    | 6394      | 890C  | I5900080 |
| 禪                                    | E5ED    | 6397      | 890A  | I5930080 |
| 裨                                    | E5EE    | 6398      | 8913  | I5940080 |
| 裨                                    | E5EF    | 639F      | 8943  | I59B0080 |
| 禪                                    | E5F0    | 6399      | 891E  | I5950080 |
| 禪                                    | E5F1    | 639A      | 8925  | I5960080 |
| 禪                                    | E5F2    | 6395      | 892A  | I5910080 |
| 禪                                    | E5F3    | 639B      | 892B  | I5970080 |
| 禪                                    | E5F4    | 639C      | 8941  | I5980080 |
| 禪                                    | E5F5    | 506B      | 8944  | I2EJ0080 |
| 褻                                    | E5F6    | 639D      | 893B  | I5990080 |
| 褶                                    | E5F7    | 639E      | 8936  | I59A0080 |
| 樓                                    | E5F8    | 63A0      | 8938  | I59C0080 |
| 禪                                    | E5F9    | 63A2      | 894C  | I59E0080 |
| 禪                                    | E5FA    | 6396      | 891D  | I5920080 |
| 襠                                    | E5FB    | 63A3      | 8960  | I59F0080 |
| 襠                                    | E5FC    | 63A4      | 895E  | I59G0080 |
| 襠                                    | E640    | 63A5      | 8966  | I59H0080 |
| 襠                                    | E641    | 63A7      | 8964  | I59J0080 |
| 襠                                    | E642    | 63A8      | 896D  | I59K0080 |
| 襠                                    | E643    | 63A6      | 896A  | I59I0080 |
| 襠                                    | E644    | 63A9      | 896F  | I59L0080 |
| 襠                                    | E645    | 63AA      | 8974  | I59M0080 |
| 襠                                    | E646    | 63AB      | 8977  | I59N0080 |
| 𪛗                                    | E647    | 63AC      | 897E  | I59O0080 |
| 𪛘                                    | E648    | 63AD      | 8983  | I59P0080 |
| 𪛙                                    | E649    | 63AE      | 8988  | I59Q0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 羈                                    | E64A    | 63AF      | 898A  | I59R0080 |
| 覓                                    | E64B    | 63B0      | 8993  | I59S0080 |
| 覓                                    | E64C    | 63B1      | 8998  | I59T0080 |
| 覓                                    | E64D    | 63B2      | 89A1  | I59U0080 |
| 覓                                    | E64E    | 63B3      | 89A9  | I59V0080 |
| 覓                                    | E64F    | 63B4      | 89A6  | I59W0080 |
| 覓                                    | E650    | 63B5      | 89AC  | I59X0080 |
| 覓                                    | E651    | 63B6      | 89AF  | I59Y0080 |
| 覓                                    | E652    | 63B7      | 89B2  | I59Z0080 |
| 覺                                    | E653    | 63B8      | 89BA  | I5A00080 |
| 覓                                    | E654    | 63BA      | 89BD  | I5A20080 |
| 覓                                    | E655    | 63B9      | 89BF  | I5A10080 |
| 覓                                    | E656    | 63BB      | 89C0  | I5A30080 |
| 觚                                    | E657    | 63BC      | 89DA  | I5A40080 |
| 觚                                    | E658    | 5360      | 89DC  | I2U80080 |
| 觚                                    | E659    | 63BD      | 89DD  | I5A50080 |
| 觚                                    | E65A    | 63BE      | 89E7  | I5A60080 |
| 觚                                    | E65B    | 63BF      | 89F4  | I5A70080 |
| 觸                                    | E65C    | 63C0      | 89F8  | I5A80080 |
| 訃                                    | E65D    | 63C1      | 8A03  | I5A90080 |
| 訃                                    | E65E    | 63C2      | 8A16  | I5AA0080 |
| 訃                                    | E65F    | 63C3      | 8A10  | I5AB0080 |
| 訃                                    | E660    | 63C4      | 8A0C  | I5AC0080 |
| 訃                                    | E661    | 63C6      | 8A1B  | I5AE0080 |
| 訃                                    | E662    | 63C7      | 8A1D  | I5AF0080 |
| 訃                                    | E663    | 63C8      | 8A25  | I5AG0080 |
| 訃                                    | E664    | 63C9      | 8A36  | I5AH0080 |
| 訃                                    | E665    | 63CA      | 8A41  | I5AI0080 |
| 訃                                    | E666    | 63CC      | 8A5B  | I5AK0080 |
| 訃                                    | E667    | 63CD      | 8A52  | I5AL0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 詆                                    | E668    | 63CE      | 8A46  | I5AM0080 |
| 詈                                    | E669    | 63CF      | 8A48  | I5AN0080 |
| 詎                                    | E66A    | 63D0      | 8A7C  | I5AO0080 |
| 詑                                    | E66B    | 63D1      | 8A6D  | I5AP0080 |
| 詒                                    | E66C    | 63D2      | 8A6C  | I5AQ0080 |
| 詢                                    | E66D    | 63D3      | 8A62  | I5AR0080 |
| 誅                                    | E66E    | 63D5      | 8A85  | I5AT0080 |
| 詖                                    | E66F    | 63D6      | 8A82  | I5AU0080 |
| 誅                                    | E670    | 63D7      | 8A84  | I5AV0080 |
| 誨                                    | E671    | 63D8      | 8AA8  | I5AW0080 |
| 誡                                    | E672    | 63D9      | 8AA1  | I5AX0080 |
| 誑                                    | E673    | 63DA      | 8A91  | I5AY0080 |
| 誒                                    | E674    | 63DB      | 8AA5  | I5AZ0080 |
| 誦                                    | E675    | 63DC      | 8AA6  | I5B00080 |
| 誚                                    | E676    | 63DD      | 8A9A  | I5B10080 |
| 誣                                    | E677    | 63DE      | 8AA3  | I5B20080 |
| 諄                                    | E678    | 50B2      | 8AC4  | I2GI0080 |
| 諍                                    | E679    | 63E2      | 8ACD  | I5B60080 |
| 諂                                    | E67A    | 63E3      | 8AC2  | I5B70080 |
| 諛                                    | E67B    | 63E4      | 8ADA  | I5B80080 |
| 諜                                    | E67C    | 63E0      | 8ACC  | I5B40080 |
| 諝                                    | E67D    | 63E5      | 8AF3  | I5B90080 |
| 諞                                    | E67E    | 63E6      | 8AE7  | I5BA0080 |
| 諠                                    | E680    | 63E7      | 8AE4  | I5BB0080 |
| 諡                                    | E681    | 63E8      | 8AF1  | I5BC0080 |
| 諣                                    | E682    | 63E9      | 8B14  | I5BD0080 |
| 諤                                    | E683    | 63EA      | 8AE0  | I5BE0080 |
| 諦                                    | E684    | 63EB      | 8AE2  | I5BF0080 |
| 諧                                    | E685    | 63F0      | 8AF7  | I5BK0080 |
| 諨                                    | E686    | 63F1      | 8ADE  | I5BL0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 諛                                    | E687    | 63F2      | 8ADB  | I5BM0080 |
| 諜                                    | E688    | 63F3      | 8B0C  | I5BN0080 |
| 諝                                    | E689    | 63F4      | 8B07  | I5BO0080 |
| 諞                                    | E68A    | 63F5      | 8B1A  | I5BP0080 |
| 諠                                    | E68B    | 63EC      | 8AE1  | I5BG0080 |
| 諡                                    | E68C    | 63F6      | 8B16  | I5BQ0080 |
| 諣                                    | E68D    | 63F7      | 8B10  | I5BR0080 |
| 諤                                    | E68E    | 63F8      | 8B17  | I5BS0080 |
| 諦                                    | E68F    | 63F9      | 8B20  | I5BT0080 |
| 諧                                    | E690    | 63FA      | 8B33  | I5BU0080 |
| 諨                                    | E691    | 63FC      | 97AB  | I5BW0080 |
| 諩                                    | E692    | 63FD      | 8B26  | I5BX0080 |
| 諪                                    | E693    | 63FE      | 8B2B  | I5BY0080 |
| 諫                                    | E694    | 6441      | 8B3E  | I5C10080 |
| 諫                                    | E695    | 5381      | 8B28  | I2V50080 |
| 諫                                    | E696    | 63FB      | 8B41  | I5BV0080 |
| 諫                                    | E697    | 6442      | 8B4C  | I5C20080 |
| 諫                                    | E698    | 6443      | 8B4F  | I5C30080 |
| 諫                                    | E699    | 6444      | 8B4E  | I5C40080 |
| 諫                                    | E69A    | 6446      | 8B49  | I5C60080 |
| 諫                                    | E69B    | 6447      | 8B56  | I5C70080 |
| 諫                                    | E69C    | 6448      | 8B5B  | I5C80080 |
| 諫                                    | E69D    | 6449      | 8B5A  | I5C90080 |
| 諫                                    | E69E    | 644B      | 8B6B  | I5CB0080 |
| 諫                                    | E69F    | 644C      | 8B5F  | I5CC0080 |
| 諫                                    | E6A0    | 644D      | 8B6C  | I5CD0080 |
| 諫                                    | E6A1    | 644E      | 8B6F  | I5CE0080 |
| 諫                                    | E6A2    | 644A      | 8B74  | I5CA0080 |
| 諫                                    | E6A3    | 644F      | 8B7D  | I5CF0080 |
| 諫                                    | E6A4    | 6451      | 8B80  | I5CH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 讒                                    | E6A5    | 6452      | 8B8C  | I5CI0080 |
| 讎                                    | E6A6    | 6453      | 8B8E  | I5CJ0080 |
| 讒                                    | E6A7    | 6455      | 8B92  | I5CL0080 |
| 讓                                    | E6A8    | 6456      | 8B93  | I5CM0080 |
| 讖                                    | E6A9    | 6457      | 8B96  | I5CN0080 |
| 謹                                    | E6AA    | 6454      | 8B99  | I5CK0080 |
| 讚                                    | E6AB    | 6458      | 8B9A  | I5CO0080 |
| 衍                                    | E6AC    | 6459      | 8C3A  | I5CP0080 |
| 豁                                    | E6AD    | 645A      | 8C41  | I5CQ0080 |
| 谿                                    | E6AE    | 645B      | 8C3F  | I5CR0080 |
| 豈                                    | E6AF    | 645C      | 8C48  | I5CS0080 |
| 蕪                                    | E6B0    | 645D      | 8C4C  | I5CT0080 |
| 豎                                    | E6B1    | 645E      | 8C4E  | I5CU0080 |
| 豐                                    | E6B2    | 645F      | 8C50  | I5CV0080 |
| 豕                                    | E6B3    | 6460      | 8C55  | I5CW0080 |
| 豢                                    | E6B4    | 6461      | 8C62  | I5CX0080 |
| 豬                                    | E6B5    | 6462      | 8C6C  | I5CY0080 |
| 豸                                    | E6B6    | 6463      | 8C78  | I5CZ0080 |
| 豸                                    | E6B7    | 6464      | 8C7A  | I5D00080 |
| 豸                                    | E6B8    | 6466      | 8C82  | I5D20080 |
| 豸                                    | E6B9    | 6467      | 8C89  | I5D30080 |
| 豸                                    | E6BA    | 6468      | 8C85  | I5D40080 |
| 豸                                    | E6BB    | 6469      | 8C8A  | I5D50080 |
| 豸                                    | E6BC    | 646A      | 8C8D  | I5D60080 |
| 豸                                    | E6BD    | 646B      | 8C8E  | I5D70080 |
| 豸                                    | E6BE    | 646D      | 8C94  | I5D90080 |
| 豸                                    | E6BF    | 6465      | 8C7C  | I5D10080 |
| 豸                                    | E6C0    | 646C      | 8C98  | I5D80080 |
| 賤                                    | E6C1    | 646E      | 621D  | I5DA0080 |
| 賸                                    | E6C2    | 646F      | 8CAD  | I5DB0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 貪                                    | E6C3    | 6470      | 8CAA  | I5DC0080 |
| 賄                                    | E6C4    | 6472      | 8CBD  | I5DE0080 |
| 賁                                    | E6C5    | 6473      | 8CB2  | I5DF0080 |
| 貳                                    | E6C6    | 6474      | 8CB3  | I5DG0080 |
| 貳                                    | E6C7    | 6471      | 8CAE  | I5DD0080 |
| 貶                                    | E6C8    | 6476      | 8CB6  | I5DI0080 |
| 賈                                    | E6C9    | 6477      | 8CC8  | I5DJ0080 |
| 賁                                    | E6CA    | 6475      | 8CC1  | I5DH0080 |
| 賤                                    | E6CB    | 6478      | 8CCE  | I5DK0080 |
| 賈                                    | E6CC    | 647A      | 8CE3  | I5DM0080 |
| 賚                                    | E6CD    | 647B      | 8CDA  | I5DN0080 |
| 賚                                    | E6CE    | 647E      | 8CFD  | I5DQ0080 |
| 賺                                    | E6CF    | 647F      | 8CFA  | I5DR0080 |
| 賻                                    | E6D0    | 6480      | 8CFB  | I5DS0080 |
| 贄                                    | E6D1    | 535A      | 8D04  | I2U20080 |
| 贄                                    | E6D2    | 5574      | 8D05  | I35G0080 |
| 贄                                    | E6D3    | 6482      | 8D0A  | I5DU0080 |
| 贄                                    | E6D4    | 6481      | 8D07  | I5DT0080 |
| 贏                                    | E6D5    | 6483      | 8D0F  | I5DV0080 |
| 贍                                    | E6D6    | 6484      | 8D0D  | I5DW0080 |
| 贍                                    | E6D7    | 6486      | 8D10  | I5DY0080 |
| 齎                                    | E6D8    | 686E      | 9F4E  | I5YM0080 |
| 贓                                    | E6D9    | 6487      | 8D13  | I5DZ0080 |
| 贓                                    | E6DA    | 6479      | 8CCD  | I5DL0080 |
| 贓                                    | E6DB    | 6488      | 8D14  | I5E00080 |
| 贖                                    | E6DC    | 6489      | 8D16  | I5E10080 |
| 赧                                    | E6DD    | 648A      | 8D67  | I5E20080 |
| 赧                                    | E6DE    | 648B      | 8D6D  | I5E30080 |
| 乏                                    | E6DF    | 648C      | 8D71  | I5E40080 |
| 赳                                    | E6E0    | 51C9      | 8D73  | I2MH0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 趁                                    | E6E1    | 648F      | 8D81  | I5E70080 |
| 趙                                    | E6E2    | 51DE      | 8D99  | I2N20080 |
| 跂                                    | E6E3    | 6490      | 8DC2  | I5E80080 |
| 趾                                    | E6E4    | 6491      | 8DBE  | I5E90080 |
| 趺                                    | E6E5    | 6492      | 8DBA  | I5EA0080 |
| 跣                                    | E6E6    | 6493      | 8DCF  | I5EB0080 |
| 跚                                    | E6E7    | 6494      | 8DDA  | I5EC0080 |
| 跣                                    | E6E8    | 6495      | 8DD6  | I5ED0080 |
| 跌                                    | E6E9    | 6496      | 8DCC  | I5EE0080 |
| 跛                                    | E6EA    | 6497      | 8ddb  | I5EF0080 |
| 跋                                    | E6EB    | 6498      | 8DCB  | I5EG0080 |
| 跪                                    | E6EC    | 6499      | 8DEA  | I5EH0080 |
| 蹙                                    | E6ED    | 649A      | 8DEB  | I5EI0080 |
| 跟                                    | E6EE    | 649B      | 8DDF  | I5EJ0080 |
| 跣                                    | E6EF    | 649C      | 8DE3  | I5EK0080 |
| 跣                                    | E6F0    | 649D      | 8DFC  | I5EL0080 |
| 踈                                    | E6F1    | 649E      | 8E08  | I5EM0080 |
| 踈                                    | E6F2    | 64A0      | 8E09  | I5EO0080 |
| 踈                                    | E6F3    | 649F      | 8DFF  | I5EN0080 |
| 蹠                                    | E6F4    | 64A1      | 8E1D  | I5EP0080 |
| 踈                                    | E6F5    | 64A2      | 8E1E  | I5EQ0080 |
| 蹠                                    | E6F6    | 64A3      | 8E10  | I5ER0080 |
| 踈                                    | E6F7    | 64A4      | 8E1F  | I5ES0080 |
| 蹠                                    | E6F8    | 64A5      | 8E42  | I5ET0080 |
| 蹠                                    | E6F9    | 64A6      | 8E35  | I5EU0080 |
| 踈                                    | E6FA    | 64A7      | 8E30  | I5EV0080 |
| 蹠                                    | E6FB    | 64A8      | 8E34  | I5EW0080 |
| 蹠                                    | E6FC    | 64A9      | 8E4A  | I5EX0080 |
| 蹠                                    | E740    | 64AA      | 8E47  | I5EY0080 |
| 蹠                                    | E741    | 64AB      | 8E49  | I5EZ0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 蹠                                    | E742    | 64AC      | 8E4C  | I5F00080 |
| 蹠                                    | E743    | 64AD      | 8E50  | I5F10080 |
| 蹠                                    | E744    | 64AE      | 8E48  | I5F20080 |
| 蹠                                    | E745    | 64AF      | 8E59  | I5F30080 |
| 蹠                                    | E746    | 64B0      | 8E64  | I5F40080 |
| 蹠                                    | E747    | 64B1      | 8E60  | I5F50080 |
| 蹠                                    | E748    | 50FC      | 8E2A  | I2IK0080 |
| 蹠                                    | E749    | 64B3      | 8E63  | I5F70080 |
| 蹠                                    | E74A    | 64B2      | 8E55  | I5F60080 |
| 蹠                                    | E74B    | 64B4      | 8E76  | I5F80080 |
| 蹠                                    | E74C    | 64B5      | 8E72  | I5F90080 |
| 蹠                                    | E74D    | 64B7      | 8E7C  | I5FB0080 |
| 蹠                                    | E74E    | 64B8      | 8E81  | I5FC0080 |
| 蹠                                    | E74F    | 64B6      | 8E87  | I5FA0080 |
| 蹠                                    | E750    | 64B9      | 8E85  | I5FD0080 |
| 蹠                                    | E751    | 64BA      | 8E84  | I5FE0080 |
| 蹠                                    | E752    | 64BB      | 8E8B  | I5FF0080 |
| 蹠                                    | E753    | 64BC      | 8E8A  | I5FG0080 |
| 蹠                                    | E754    | 64BD      | 8E93  | I5FH0080 |
| 蹠                                    | E755    | 64BE      | 8E91  | I5FI0080 |
| 蹠                                    | E756    | 64BF      | 8E94  | I5FJ0080 |
| 蹠                                    | E757    | 64C0      | 8E99  | I5FK0080 |
| 蹠                                    | E758    | 64C2      | 8EAA  | I5FM0080 |
| 蹠                                    | E759    | 64C1      | 8EA1  | I5FL0080 |
| 躬                                    | E75A    | 5044      | 8EAC  | I2DG0080 |
| 躄                                    | E75B    | 537A      | 8EB0  | I2UY0080 |
| 躄                                    | E75C    | 64C5      | 8EC6  | I5FP0080 |
| 躄                                    | E75D    | 64C3      | 8EB1  | I5FN0080 |
| 躄                                    | E75E    | 64C4      | 8EBE  | I5FO0080 |
| 躄                                    | E75F    | 64C6      | 8EC5  | I5FQ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 軀                                    | E760    | 64C7      | 8EC8  | I5FR0080 |
| 軋                                    | E761    | 64C8      | 8ECB  | I5FS0080 |
| 軛                                    | E762    | 64CA      | 8EDB  | I5FU0080 |
| 軛                                    | E763    | 64CB      | 8EE3  | I5FV0080 |
| 軛                                    | E764    | 64CC      | 8EFC  | I5FW0080 |
| 軛                                    | E765    | 64CD      | 8EFB  | I5FX0080 |
| 軛                                    | E766    | 64CE      | 8EEB  | I5FY0080 |
| 軛                                    | E767    | 64CF      | 8EFE  | I5FZ0080 |
| 軛                                    | E768    | 64D0      | 8F0A  | I5G00080 |
| 軛                                    | E769    | 64D2      | 8F05  | I5G20080 |
| 軛                                    | E76A    | 64D3      | 8F15  | I5G30080 |
| 軛                                    | E76B    | 64D4      | 8F12  | I5G40080 |
| 軛                                    | E76C    | 64D7      | 8F19  | I5G70080 |
| 軛                                    | E76D    | 64D5      | 8F13  | I5G50080 |
| 軛                                    | E76E    | 64D6      | 8F1C  | I5G60080 |
| 軛                                    | E76F    | 64D8      | 8F1F  | I5G80080 |
| 輻                                    | E770    | 515B      | 8F1B  | I2JF0080 |
| 輻                                    | E771    | 64D1      | 8F0C  | I5G10080 |
| 輻                                    | E772    | 64D9      | 8F26  | I5G90080 |
| 輻                                    | E773    | 64DA      | 8F33  | I5GA0080 |
| 輻                                    | E774    | 64DB      | 8F3B  | I5GB0080 |
| 輻                                    | E775    | 64DC      | 8F39  | I5GC0080 |
| 輻                                    | E776    | 64DD      | 8F45  | I5GD0080 |
| 輻                                    | E777    | 64DE      | 8F42  | I5GE0080 |
| 輻                                    | E778    | 64DF      | 8F3E  | I5GF0080 |
| 輻                                    | E779    | 64E2      | 8F4C  | I5GI0080 |
| 輻                                    | E77A    | 64E0      | 8F49  | I5GG0080 |
| 輻                                    | E77B    | 64E1      | 8F46  | I5GH0080 |
| 輻                                    | E77C    | 64E3      | 8F4E  | I5GJ0080 |
| 輻                                    | E77D    | 64E4      | 8F57  | I5GK0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 輻                                    | E77E    | 64E5      | 8F5C  | I5GL0080 |
| 輻                                    | E780    | 64E6      | 8F62  | I5GM0080 |
| 輻                                    | E781    | 64E7      | 8F63  | I5GN0080 |
| 輻                                    | E782    | 64E8      | 8F64  | I5GO0080 |
| 輻                                    | E783    | 64E9      | 8F9C  | I5GP0080 |
| 輻                                    | E784    | 64EA      | 8F9F  | I5GQ0080 |
| 輻                                    | E785    | 64EB      | 8FA3  | I5GR0080 |
| 輻                                    | E786    | 64EE      | 8FAD  | I5GU0080 |
| 輻                                    | E787    | 64EF      | 8FAF  | I5GV0080 |
| 輻                                    | E788    | 64F0      | 8FB7  | I5GW0080 |
| 輻                                    | E789    | 64F2      | 8FDA  | I5GY0080 |
| 輻                                    | E78A    | 64F3      | 8FE5  | I5GZ0080 |
| 輻                                    | E78B    | 64F4      | 8FE2  | I5H00080 |
| 輻                                    | E78C    | 4E9E      | 8FEA  | I25A0080 |
| 輻                                    | E78D    | 64F5      | 8FEF  | I5H10080 |
| 輻                                    | E78E    | 64F6      | 8FE9  | I5H20080 |
| 輻                                    | E78F    | 64F7      | 8FF4  | I5H30080 |
| 輻                                    | E790    | 64F8      | 9005  | I5H40080 |
| 輻                                    | E791    | 64F9      | 8FF9  | I5H50080 |
| 輻                                    | E792    | 54A9      | 8FFA  | I31L0080 |
| 輻                                    | E793    | 64FB      | 9011  | I5H70080 |
| 輻                                    | E794    | 64FC      | 9015  | I5H80080 |
| 輻                                    | E795    | 64FE      | 9021  | I5HA0080 |
| 輻                                    | E796    | 6541      | 900D  | I5HD0080 |
| 輻                                    | E797    | 6542      | 901E  | I5HE0080 |
| 輻                                    | E798    | 6543      | 9016  | I5HF0080 |
| 輻                                    | E799    | 6544      | 900B  | I5HG0080 |
| 輻                                    | E79A    | 6545      | 9027  | I5HH0080 |
| 輻                                    | E79B    | 6546      | 9036  | I5HI0080 |
| 輻                                    | E79C    | 5485      | 9035  | I30L0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 達                                    | E79D    | 6547      | 9039  | I5HJ0080 |
| 迸                                    | E79E    | 64FA      | 8FF8  | I5H60080 |
| 遏                                    | E79F    | 6548      | 904F  | I5HK0080 |
| 遐                                    | E7A0    | 654A      | 9050  | I5HM0080 |
| 遑                                    | E7A1    | 654B      | 9051  | I5HN0080 |
| 適                                    | E7A2    | 654C      | 9052  | I5HO0080 |
| 迺                                    | E7A3    | 64FD      | 900E  | I5H90080 |
| 遠                                    | E7A4    | 654D      | 9049  | I5HP0080 |
| 逾                                    | E7A5    | 654E      | 903E  | I5HQ0080 |
| 適                                    | E7A6    | 654F      | 9056  | I5HR0080 |
| 遘                                    | E7A7    | 6550      | 9058  | I5HS0080 |
| 遞                                    | E7A8    | 6551      | 905E  | I5HT0080 |
| 遨                                    | E7A9    | 6552      | 9068  | I5HU0080 |
| 遯                                    | E7AA    | 6554      | 906F  | I5HW0080 |
| 遶                                    | E7AB    | 6555      | 9076  | I5HX0080 |
| 隨                                    | E7AC    | 6556      | 96A8  | I5HY0080 |
| 遲                                    | E7AD    | 6557      | 9072  | I5HZ0080 |
| 邂                                    | E7AE    | 6558      | 9082  | I5I00080 |
| 遽                                    | E7AF    | 6559      | 907D  | I5I10080 |
| 邁                                    | E7B0    | 537B      | 9081  | I2UZ0080 |
| 邀                                    | E7B1    | 655B      | 9080  | I5I30080 |
| 邊                                    | E7B2    | 50EA      | 908A  | I2I20080 |
| 邊                                    | E7B3    | 655A      | 9089  | I5I20080 |
| 邏                                    | E7B4    | 655C      | 908F  | I5I40080 |
| 邨                                    | E7B5    | 51A8      | 90A8  | I2LK0080 |
| 邨                                    | E7B6    | 655E      | 90AF  | I5I60080 |
| 邱                                    | E7B7    | 655F      | 90B1  | I5I70080 |
| 邵                                    | E7B8    | 6560      | 90B5  | I5I80080 |
| 郢                                    | E7B9    | 6561      | 90E2  | I5I90080 |
| 郤                                    | E7BA    | 6562      | 90E4  | I5IA0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 扈                                    | E7BB    | 655D      | 6248  | I5I50080 |
| 郛                                    | E7BC    | 6563      | 90DB  | I5I00080 |
| 鄂                                    | E7BD    | 6565      | 9102  | I5ID0080 |
| 鄒                                    | E7BE    | 6568      | 9112  | I5IG0080 |
| 鄙                                    | E7BF    | 6569      | 9119  | I5IH0080 |
| 鄆                                    | E7C0    | 656A      | 9132  | I5II0080 |
| 鄰                                    | E7C1    | 656C      | 9130  | I5IK0080 |
| 酃                                    | E7C2    | 656D      | 914A  | I5IL0080 |
| 醜                                    | E7C3    | 656E      | 9156  | I5IM0080 |
| 醜                                    | E7C4    | 656F      | 9158  | I5IN0080 |
| 醜                                    | E7C5    | 6570      | 9163  | I5IO0080 |
| 酥                                    | E7C6    | 6571      | 9165  | I5IP0080 |
| 酪                                    | E7C7    | 6572      | 9169  | I5IQ0080 |
| 醑                                    | E7C8    | 6573      | 9173  | I5IR0080 |
| 醒                                    | E7C9    | 6574      | 9172  | I5IS0080 |
| 醋                                    | E7CA    | 6575      | 918B  | I5IT0080 |
| 醉                                    | E7CB    | 6576      | 9189  | I5IU0080 |
| 醢                                    | E7CC    | 6577      | 9182  | I5IV0080 |
| 醴                                    | E7CD    | 6578      | 91A2  | I5IW0080 |
| 醫                                    | E7CE    | 6579      | 91AB  | I5IX0080 |
| 醢                                    | E7CF    | 657A      | 91AF  | I5IY0080 |
| 醜                                    | E7D0    | 657B      | 91AA  | I5IZ0080 |
| 醜                                    | E7D1    | 657C      | 91B5  | I5J00080 |
| 醜                                    | E7D2    | 657D      | 91B4  | I5J10080 |
| 醜                                    | E7D3    | 657E      | 91BA  | I5J20080 |
| 釀                                    | E7D4    | 657F      | 91C0  | I5J30080 |
| 釀                                    | E7D5    | 6580      | 91C1  | I5J40080 |
| 釉                                    | E7D6    | 5252      | 91C9  | I2OI0080 |
| 釋                                    | E7D7    | 6581      | 91CB  | I5J50080 |
| 釐                                    | E7D8    | 6582      | 91D0  | I5J60080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 釧       | E7D9    | 6587      | 91D6  | I5JB0080 |
| 釧       | E7DA    | 6588      | 91DF  | I5JC0080 |
| 釜       | E7DB    | 6589      | 91E1  | I5JD0080 |
| 釧       | E7DC    | 6584      | 91DB  | I5J80080 |
| 釧       | E7DD    | 51D0      | 91FC  | I2MO0080 |
| 釧       | E7DE    | 658B      | 91F5  | I5JF0080 |
| 鉞       | E7DF    | 658E      | 91F6  | I5JI0080 |
| 鉞       | E7E0    | 6591      | 921E  | I5JL0080 |
| 鉞       | E7E1    | 6592      | 91FF  | I5JM0080 |
| 鈔       | E7E2    | 6594      | 9214  | I5JO0080 |
| 鉞       | E7E3    | 6596      | 922C  | I5JQ0080 |
| 鉞       | E7E4    | 6597      | 9215  | I5JR0080 |
| 鉞       | E7E5    | 5269      | 9211  | I2P50080 |
| 鉞       | E7E6    | 5393      | 925E  | I2VN0080 |
| 鉞       | E7E7    | 6599      | 9257  | I5JT0080 |
| 鉞       | E7E8    | 659A      | 9245  | I5JU0080 |
| 鉞       | E7E9    | 659C      | 9249  | I5JW0080 |
| 鉞       | E7EA    | 659D      | 9264  | I5JX0080 |
| 鉞       | E7EB    | 65A0      | 9248  | I5K00080 |
| 鉞       | E7EC    | 65B1      | 9295  | I5KH0080 |
| 鉞       | E7ED    | 65A4      | 923F  | I5K40080 |
| 鉞       | E7EE    | 65A7      | 924B  | I5K70080 |
| 鉞       | E7EF    | 65A2      | 9250  | I5K20080 |
| 銜       | E7F0    | 65AA      | 929C  | I5KA0080 |
| 銖       | E7F1    | 65AE      | 9296  | I5KE0080 |
| 銖       | E7F2    | 65AF      | 9293  | I5KF0080 |
| 銖       | E7F3    | 65B0      | 929B  | I5KG0080 |
| 鉞       | E7F4    | 65A9      | 925A  | I5K90080 |
| 銖       | E7F5    | 65B3      | 92CF  | I5KJ0080 |
| 銖       | E7F6    | 65BA      | 92B9  | I5KQ0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 銷       | E7F7    | 65BB      | 92B7  | I5KR0080 |
| 鏹       | E7F8    | 65B2      | 92E9  | I5KI0080 |
| 鏹       | E7F9    | 65C0      | 930F  | I5KW0080 |
| 鏹       | E7FA    | 65C2      | 92FA  | I5KY0080 |
| 鏹       | E7FB    | 65C4      | 9344  | I5L00080 |
| 鏹       | E7FC    | 5283      | 932E  | I2PV0080 |
| 鏹       | E840    | 65C7      | 9319  | I5L30080 |
| 鏹       | E841    | 65CA      | 9322  | I5L60080 |
| 鏹       | E842    | 65CB      | 931A  | I5L70080 |
| 鏹       | E843    | 65CD      | 9323  | I5L90080 |
| 鏹       | E844    | 65BE      | 933A  | I5KU0080 |
| 鏹       | E845    | 65BF      | 9335  | I5KV0080 |
| 鏹       | E846    | 65CF      | 933B  | I5LB0080 |
| 鏹       | E847    | 52AD      | 935C  | I2R10080 |
| 鏹       | E848    | 65D1      | 9360  | I5LD0080 |
| 鏹       | E849    | 65D2      | 937C  | I5LE0080 |
| 鏹       | E84A    | 65D3      | 936E  | I5LF0080 |
| 鏹       | E84B    | 65D4      | 9356  | I5LG0080 |
| 鏹       | E84C    | 65D7      | 93B0  | I5LJ0080 |
| 鏹       | E84D    | 536E      | 93AC  | I2UM0080 |
| 鏹       | E84E    | 65D9      | 93AD  | I5LL0080 |
| 鏹       | E84F    | 65DA      | 9394  | I5LM0080 |
| 鏹       | E850    | 65D6      | 93B9  | I5LI0080 |
| 鏹       | E851    | 65DC      | 93D6  | I5LO0080 |
| 鏹       | E852    | 65DE      | 93D7  | I5LQ0080 |
| 鏹       | E853    | 65DF      | 93E8  | I5LR0080 |
| 鏹       | E854    | 65E0      | 93E5  | I5LS0080 |
| 鏹       | E855    | 65E1      | 93D8  | I5LT0080 |
| 鏹       | E856    | 65E2      | 93C3  | I5LU0080 |
| 鏹       | E857    | 65E3      | 93DD  | I5LV0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 鏐                                    | E858    | 65E5      | 93D0  | I5LX0080 |
| 鏈                                    | E859    | 65DB      | 93C8  | I5LN0080 |
| 鏤                                    | E85A    | 65E6      | 93E4  | I5LY0080 |
| 鏗                                    | E85B    | 65E7      | 941A  | I5LZ0080 |
| 鐸                                    | E85C    | 65E9      | 9414  | I5M10080 |
| 鐵                                    | E85D    | 65EA      | 9413  | I5M20080 |
| 鑄                                    | E85E    | 65EC      | 9403  | I5M40080 |
| 鑄                                    | E85F    | 65ED      | 9407  | I5M50080 |
| 鏢                                    | E860    | 51CD      | 9410  | I2ML0080 |
| 鏢                                    | E861    | 65EE      | 9436  | I5M60080 |
| 鑄                                    | E862    | 65EF      | 942B  | I5M70080 |
| 鐵                                    | E863    | 5156      | 9435  | I2JA0080 |
| 鐵                                    | E864    | 65EB      | 9421  | I5M30080 |
| 鑄                                    | E865    | 65F1      | 943A  | I5M90080 |
| 鏢                                    | E866    | 65F2      | 9441  | I5MA0080 |
| 鑄                                    | E867    | 65F3      | 9452  | I5MB0080 |
| 鑄                                    | E868    | 65F5      | 9444  | I5MD0080 |
| 鑄                                    | E869    | 65F7      | 945B  | I5MF0080 |
| 鑄                                    | E86A    | 65F9      | 9460  | I5MH0080 |
| 鑄                                    | E86B    | 65FA      | 9462  | I5MI0080 |
| 鑄                                    | E86C    | 65FB      | 945E  | I5MJ0080 |
| 鑄                                    | E86D    | 65FC      | 946A  | I5MK0080 |
| 鈎                                    | E86E    | 6598      | 9229  | I5JS0080 |
| 鑄                                    | E86F    | 65FE      | 9470  | I5MM0080 |
| 鑄                                    | E870    | 65FD      | 9475  | I5ML0080 |
| 鑄                                    | E871    | 6641      | 9477  | I5MP0080 |
| 鑄                                    | E872    | 6643      | 947D  | I5MR0080 |
| 鑄                                    | E873    | 65F8      | 945A  | I5MG0080 |
| 鑄                                    | E874    | 6644      | 947C  | I5MS0080 |
| 鑄                                    | E875    | 6645      | 947E  | I5MT0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 鏗                                    | E876    | 6646      | 9481  | I5MU0080 |
| 鏗                                    | E877    | 6642      | 947F  | I5MQ0080 |
| 門                                    | E878    | 6647      | 9582  | I5MV0080 |
| 閨                                    | E879    | 6648      | 9587  | I5MW0080 |
| 閨                                    | E87A    | 6649      | 958A  | I5MX0080 |
| 閨                                    | E87B    | 664B      | 9594  | I5MZ0080 |
| 閨                                    | E87C    | 664C      | 9596  | I5N00080 |
| 閨                                    | E87D    | 664D      | 9598  | I5N10080 |
| 閨                                    | E87E    | 664E      | 9599  | I5N20080 |
| 閨                                    | E880    | 664F      | 95A0  | I5N30080 |
| 閨                                    | E881    | 6650      | 95A8  | I5N40080 |
| 閨                                    | E882    | 6651      | 95A7  | I5N50080 |
| 閨                                    | E883    | 6652      | 95AD  | I5N60080 |
| 閨                                    | E884    | 6653      | 95BC  | I5N70080 |
| 閨                                    | E885    | 6654      | 95BB  | I5N80080 |
| 閨                                    | E886    | 6655      | 95B9  | I5N90080 |
| 閨                                    | E887    | 6656      | 95BE  | I5NA0080 |
| 閨                                    | E888    | 6657      | 95CA  | I5NB0080 |
| 閨                                    | E889    | 6658      | 6FF6  | I5NC0080 |
| 閨                                    | E88A    | 6659      | 95C3  | I5ND0080 |
| 閨                                    | E88B    | 665A      | 95CD  | I5NE0080 |
| 閨                                    | E88C    | 665B      | 95CC  | I5NF0080 |
| 閨                                    | E88D    | 665C      | 95D5  | I5NG0080 |
| 閨                                    | E88E    | 665D      | 95D4  | I5NH0080 |
| 閨                                    | E88F    | 665E      | 95D6  | I5NI0080 |
| 閨                                    | E890    | 665F      | 95DC  | I5NJ0080 |
| 閨                                    | E891    | 6660      | 95E1  | I5NK0080 |
| 閨                                    | E892    | 6661      | 95E5  | I5NL0080 |
| 閨                                    | E893    | 6662      | 95E2  | I5NM0080 |
| 阡                                    | E894    | 6663      | 9621  | I5NN0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 阨                                    | E895    | 6664      | 9628  | I5NO0080 |
| 阮                                    | E896    | 6665      | 962E  | I5NP0080 |
| 阯                                    | E897    | 6666      | 962F  | I5NQ0080 |
| 陂                                    | E898    | 6667      | 9642  | I5NR0080 |
| 陌                                    | E899    | 6669      | 964C  | I5NT0080 |
| 隋                                    | E89A    | 6668      | 964F  | I5NS0080 |
| 陋                                    | E89B    | 666A      | 964B  | I5NU0080 |
| 陷                                    | E89C    | 666F      | 9677  | I5NZ0080 |
| 陝                                    | E89D    | 666B      | 965C  | I5NV0080 |
| 陞                                    | E89E    | 5272      | 965E  | I2PE0080 |
| 陝                                    | E89F    | 666C      | 965D  | I5NW0080 |
| 陟                                    | E8A0    | 666D      | 965F  | I5NX0080 |
| 陟                                    | E8A1    | 666E      | 9666  | I5NY0080 |
| 陞                                    | E8A2    | 6670      | 9672  | I5O00080 |
| 陬                                    | E8A3    | 6671      | 966C  | I5O10080 |
| 隍                                    | E8A4    | 6672      | 968D  | I5O20080 |
| 隘                                    | E8A5    | 6675      | 9698  | I5O50080 |
| 隕                                    | E8A6    | 6676      | 9695  | I5O60080 |
| 隗                                    | E8A7    | 6677      | 9697  | I5O70080 |
| 險                                    | E8A8    | 667B      | 96AA  | I5OB0080 |
| 隧                                    | E8A9    | 667A      | 96A7  | I5OA0080 |
| 隱                                    | E8AA    | 667C      | 96B1  | I5OC0080 |
| 隲                                    | E8AB    | 667D      | 96B2  | I5OD0080 |
| 隳                                    | E8AC    | 667E      | 96B0  | I5OE0080 |
| 隴                                    | E8AD    | 6680      | 96B4  | I5OG0080 |
| 隸                                    | E8AE    | 6681      | 96B6  | I5OH0080 |
| 隸                                    | E8AF    | 6682      | 96B8  | I5OI0080 |
| 隹                                    | E8B0    | 6683      | 96B9  | I5OJ0080 |
| 隹                                    | E8B1    | 6684      | 96CE  | I5OK0080 |
| 雋                                    | E8B2    | 6685      | 96CB  | I5OL0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 雉                                    | E8B3    | 5477      | 96C9  | I3070080 |
| 雍                                    | E8B4    | 525B      | 96CD  | I2OR0080 |
| 襍                                    | E8B5    | 63A1      | 894D  | I59D0080 |
| 雜                                    | E8B6    | 6687      | 96DC  | I5ON0080 |
| 霍                                    | E8B7    | 668E      | 970D  | I5OU0080 |
| 雕                                    | E8B8    | 6686      | 96D5  | I5OM0080 |
| 霄                                    | E8B9    | 6689      | 96F9  | I5OP0080 |
| 霄                                    | E8BA    | 668A      | 9704  | I5OQ0080 |
| 霆                                    | E8BB    | 668B      | 9706  | I5OR0080 |
| 霈                                    | E8BC    | 668C      | 9708  | I5OS0080 |
| 霓                                    | E8BD    | 668F      | 9713  | I5OV0080 |
| 霎                                    | E8BE    | 6690      | 970E  | I5OW0080 |
| 霑                                    | E8BF    | 6691      | 9711  | I5OX0080 |
| 霏                                    | E8C0    | 6692      | 970F  | I5OY0080 |
| 霖                                    | E8C1    | 6693      | 9716  | I5OZ0080 |
| 霰                                    | E8C2    | 668D      | 9719  | I5OT0080 |
| 霤                                    | E8C3    | 6694      | 9724  | I5P00080 |
| 霽                                    | E8C4    | 6695      | 972A  | I5P10080 |
| 霰                                    | E8C5    | 6696      | 9730  | I5P20080 |
| 霽                                    | E8C6    | 6698      | 9739  | I5P40080 |
| 霽                                    | E8C7    | 669A      | 973D  | I5P60080 |
| 霽                                    | E8C8    | 669B      | 973E  | I5P70080 |
| 霽                                    | E8C9    | 669D      | 9744  | I5P90080 |
| 隼                                    | E8CA    | 669C      | 9746  | I5P80080 |
| 靈                                    | E8CB    | 669F      | 9748  | I5PB0080 |
| 靈                                    | E8CC    | 66A0      | 9742  | I5PC0080 |
| 霰                                    | E8CD    | 66A1      | 9749  | I5PD0080 |
| 靜                                    | E8CE    | 66A6      | 975C  | I5PI0080 |
| 靠                                    | E8CF    | 66A7      | 9760  | I5PJ0080 |
| 砲                                    | E8D0    | 66A8      | 9764  | I5PK0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 視                                    | E8D1    | 66A9      | 9766  | I5PL0080 |
| 靨                                    | E8D2    | 66AA      | 9768  | I5PM0080 |
| 勒                                    | E8D3    | 53D6      | 52D2  | I2XI0080 |
| 鞞                                    | E8D4    | 53B5      | 976B  | I2WL0080 |
| 鞞                                    | E8D5    | 66AB      | 976D  | I5PN0080 |
| 鞞                                    | E8D6    | 66AC      | 9779  | I5PO0080 |
| 鞞                                    | E8D7    | 66AD      | 9785  | I5PP0080 |
| 鞞                                    | E8D8    | 66AE      | 977C  | I5PQ0080 |
| 鞞                                    | E8D9    | 66AF      | 9781  | I5PR0080 |
| 鞞                                    | E8DA    | 66B0      | 977A  | I5PS0080 |
| 鞞                                    | E8DB    | 5277      | 9786  | I2PJ0080 |
| 鞋                                    | E8DC    | 66B1      | 978B  | I5PT0080 |
| 鞞                                    | E8DD    | 66B2      | 978F  | I5PU0080 |
| 鞞                                    | E8DE    | 66B3      | 9790  | I5PV0080 |
| 鞞                                    | E8DF    | 66B4      | 979C  | I5PW0080 |
| 鞞                                    | E8E0    | 66B5      | 97A8  | I5PX0080 |
| 鞞                                    | E8E1    | 66B6      | 97A6  | I5PY0080 |
| 鞞                                    | E8E2    | 66B7      | 97A3  | I5PZ0080 |
| 鞞                                    | E8E3    | 66B8      | 97B3  | I5Q00080 |
| 鞞                                    | E8E4    | 66B9      | 97B4  | I5Q10080 |
| 鞞                                    | E8E5    | 66BA      | 97C3  | I5Q20080 |
| 鞞                                    | E8E6    | 66BB      | 97C6  | I5Q30080 |
| 鞞                                    | E8E7    | 66BC      | 97C8  | I5Q40080 |
| 韋                                    | E8E8    | 66BD      | 97CB  | I5Q50080 |
| 鞞                                    | E8E9    | 66BE      | 97DC  | I5Q60080 |
| 韭                                    | E8EA    | 66BF      | 97ED  | I5Q70080 |
| 齋                                    | E8EB    | 686F      | 9F4F  | I5YN0080 |
| 壘                                    | E8EC    | 66C0      | 97F2  | I5Q80080 |
| 竟                                    | E8ED    | 66C1      | 7ADF  | I5Q90080 |
| 韶                                    | E8EE    | 52FC      | 97F6  | I2T80080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 韻                                    | E8EF    | 66C2      | 97F5  | I5QA0080 |
| 頤                                    | E8F0    | 66C3      | 980F  | I5QB0080 |
| 頤                                    | E8F1    | 5456      | 980C  | I2ZA0080 |
| 頤                                    | E8F2    | 66C4      | 981A  | I5QC0080 |
| 頤                                    | E8F3    | 66C5      | 9824  | I5QD0080 |
| 頤                                    | E8F4    | 66C6      | 9821  | I5QE0080 |
| 頤                                    | E8F5    | 66C7      | 9837  | I5QF0080 |
| 頤                                    | E8F6    | 66C8      | 983D  | I5QG0080 |
| 頤                                    | E8F7    | 51DC      | 9846  | I2N00080 |
| 頤                                    | E8F8    | 66C9      | 984F  | I5QH0080 |
| 頤                                    | E8F9    | 66CA      | 984B  | I5QI0080 |
| 顛                                    | E8FA    | 66CD      | 986B  | I5QL0080 |
| 顛                                    | E8FB    | 66CE      | 986F  | I5QM0080 |
| 顛                                    | E8FC    | 66CF      | 9870  | I5QN0080 |
| 顛                                    | E940    | 66D0      | 9871  | I5QO0080 |
| 顛                                    | E941    | 66D1      | 9874  | I5QP0080 |
| 顛                                    | E942    | 66D2      | 9873  | I5QQ0080 |
| 颯                                    | E943    | 66D3      | 98AA  | I5QR0080 |
| 颯                                    | E944    | 66D4      | 98AF  | I5QS0080 |
| 颯                                    | E945    | 66D5      | 98B1  | I5QT0080 |
| 颯                                    | E946    | 66D6      | 98B6  | I5QU0080 |
| 颯                                    | E947    | 66D7      | 98C4  | I5QV0080 |
| 颯                                    | E948    | 66D8      | 98C3  | I5QW0080 |
| 颯                                    | E949    | 66D9      | 98C6  | I5QX0080 |
| 飩                                    | E94A    | 66DC      | 98E9  | I5R00080 |
| 飩                                    | E94B    | 66DE      | 98EB  | I5R20080 |
| 餃                                    | E94C    | 66E0      | 9903  | I5R40080 |
| 餉                                    | E94D    | 54BC      | 9909  | I3240080 |
| 餛                                    | E94E    | 66E2      | 9912  | I5R60080 |
| 餛                                    | E94F    | 66E3      | 9914  | I5R70080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 餘                                    | E950    | 66E4      | 9918  | I5R80080 |
| 餡                                    | E951    | 66E7      | 9921  | I5RB0080 |
| 飭                                    | E952    | 66E1      | 991D  | I5R50080 |
| 餞                                    | E953    | 66E8      | 991E  | I5RC0080 |
| 燄                                    | E954    | 66E9      | 9924  | I5RD0080 |
| 餅                                    | E955    | 66EA      | 9920  | I5RE0080 |
| 餉                                    | E956    | 66EB      | 992C  | I5RF0080 |
| 餚                                    | E957    | 66EC      | 992E  | I5RG0080 |
| 餽                                    | E958    | 66ED      | 993D  | I5RH0080 |
| 餹                                    | E959    | 66EE      | 993E  | I5RI0080 |
| 饀                                    | E95A    | 66EF      | 9942  | I5RJ0080 |
| 饈                                    | E95B    | 66F0      | 9949  | I5RK0080 |
| 饉                                    | E95C    | 66F1      | 9945  | I5RL0080 |
| 饊                                    | E95D    | 66F2      | 9950  | I5RM0080 |
| 饋                                    | E95E    | 66F3      | 994B  | I5RN0080 |
| 饌                                    | E95F    | 66F4      | 9951  | I5RO0080 |
| 饍                                    | E960    | 52E8      | 9952  | I2SO0080 |
| 饎                                    | E961    | 66F5      | 994C  | I5RP0080 |
| 饏                                    | E962    | 66F6      | 9955  | I5RQ0080 |
| 馗                                    | E963    | 66F7      | 9997  | I5RR0080 |
| 馘                                    | E964    | 66F8      | 9998  | I5RS0080 |
| 馥                                    | E965    | 66FA      | 99A5  | I5RU0080 |
| 馭                                    | E966    | 66FB      | 99AD  | I5RV0080 |
| 馮                                    | E967    | 66FC      | 99AE  | I5RW0080 |
| 馭                                    | E968    | 66FD      | 99BC  | I5RX0080 |
| 馮                                    | E969    | 66FE      | 99DF  | I5RY0080 |
| 馱                                    | E96A    | 6741      | 99DB  | I5S10080 |
| 駝                                    | E96B    | 6742      | 99DD  | I5S20080 |
| 駘                                    | E96C    | 6743      | 99D8  | I5S30080 |
| 駑                                    | E96D    | 6744      | 99D1  | I5S40080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 駃                                    | E96E    | 6745      | 99ED  | I5S50080 |
| 駊                                    | E96F    | 6746      | 99EE  | I5S60080 |
| 駌                                    | E970    | 6748      | 99F1  | I5S80080 |
| 駎                                    | E971    | 6749      | 99F2  | I5S90080 |
| 駏                                    | E972    | 674A      | 99FB  | I5SA0080 |
| 駏                                    | E973    | 674B      | 99F8  | I5SB0080 |
| 駏                                    | E974    | 674C      | 9A01  | I5SC0080 |
| 駏                                    | E975    | 674D      | 9A0F  | I5SD0080 |
| 駏                                    | E976    | 674E      | 9A05  | I5SE0080 |
| 駏                                    | E977    | 6747      | 99E2  | I5S70080 |
| 駏                                    | E978    | 674F      | 9A19  | I5SF0080 |
| 騫                                    | E979    | 6750      | 9A2B  | I5SG0080 |
| 騫                                    | E97A    | 6751      | 9A37  | I5SH0080 |
| 騫                                    | E97B    | 6753      | 9A45  | I5SJ0080 |
| 騫                                    | E97C    | 6754      | 9A42  | I5SK0080 |
| 騫                                    | E97D    | 6752      | 9A40  | I5SI0080 |
| 騫                                    | E97E    | 6755      | 9A43  | I5SL0080 |
| 騫                                    | E980    | 6756      | 9A3E  | I5SM0080 |
| 騫                                    | E981    | 6757      | 9A55  | I5SN0080 |
| 騫                                    | E982    | 6758      | 9A4D  | I5SO0080 |
| 騫                                    | E983    | 675A      | 9A5B  | I5SQ0080 |
| 騫                                    | E984    | 675B      | 9A57  | I5SR0080 |
| 騫                                    | E985    | 675C      | 9A5F  | I5SS0080 |
| 騫                                    | E986    | 675D      | 9A62  | I5ST0080 |
| 騫                                    | E987    | 675F      | 9A65  | I5SV0080 |
| 騫                                    | E988    | 6760      | 9A64  | I5SW0080 |
| 騫                                    | E989    | 675E      | 9A69  | I5SU0080 |
| 騫                                    | E98A    | 6762      | 9A6B  | I5SY0080 |
| 騫                                    | E98B    | 6761      | 9A6A  | I5SX0080 |
| 騫                                    | E98C    | 6763      | 9AAD  | I5SZ0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 骹                                    | E98D    | 6764      | 9AB0  | I5T00080 |
| 骺                                    | E98E    | 6765      | 9ABC  | I5T10080 |
| 髀                                    | E98F    | 6766      | 9AC0  | I5T20080 |
| 髁                                    | E990    | 6767      | 9ACF  | I5T30080 |
| 髂                                    | E991    | 676A      | 9AD1  | I5T60080 |
| 髓                                    | E992    | 6768      | 9AD3  | I5T40080 |
| 體                                    | E993    | 6769      | 9AD4  | I5T50080 |
| 髌                                    | E994    | 676D      | 9ADE  | I5T90080 |
| 髌                                    | E995    | 676E      | 9ADF  | I5TA0080 |
| 髌                                    | E996    | 676F      | 9AE2  | I5TB0080 |
| 髌                                    | E997    | 6770      | 9AE3  | I5TC0080 |
| 髌                                    | E998    | 6771      | 9AE6  | I5TD0080 |
| 髌                                    | E999    | 6772      | 9AEF  | I5TE0080 |
| 髌                                    | E99A    | 6773      | 9AEB  | I5TF0080 |
| 髌                                    | E99B    | 6774      | 9AEE  | I5TG0080 |
| 髌                                    | E99C    | 6775      | 9AF4  | I5TH0080 |
| 髌                                    | E99D    | 6776      | 9AF1  | I5TI0080 |
| 髌                                    | E99E    | 6777      | 9AF7  | I5TJ0080 |
| 髌                                    | E99F    | 6778      | 9AFB  | I5TK0080 |
| 髌                                    | E9A0    | 6779      | 9B06  | I5TL0080 |
| 髌                                    | E9A1    | 677A      | 9B18  | I5TM0080 |
| 髌                                    | E9A2    | 677B      | 9B1A  | I5TN0080 |
| 髌                                    | E9A3    | 677C      | 9B1F  | I5TO0080 |
| 髌                                    | E9A4    | 677D      | 9B22  | I5TP0080 |
| 髌                                    | E9A5    | 677E      | 9B23  | I5TQ0080 |
| 鬥                                    | E9A6    | 677F      | 9B25  | I5TR0080 |
| 鬪                                    | E9A7    | 6780      | 9B27  | I5TS0080 |
| 鬪                                    | E9A8    | 6781      | 9B28  | I5TT0080 |
| 鬪                                    | E9A9    | 6782      | 9B29  | I5TU0080 |
| 鬪                                    | E9AA    | 6783      | 9B2A  | I5TV0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 鬪                                    | E9AB    | 6784      | 9B2E  | I5TW0080 |
| 鬪                                    | E9AC    | 6785      | 9B2F  | I5TX0080 |
| 鬪                                    | E9AD    | 6787      | 9B32  | I5TZ0080 |
| 魄                                    | E9AE    | 6789      | 9B44  | I5U10080 |
| 魅                                    | E9AF    | 678A      | 9B43  | I5U20080 |
| 魏                                    | E9B0    | 5389      | 9B4F  | I2VD0080 |
| 魍                                    | E9B1    | 678B      | 9B4D  | I5U30080 |
| 魍                                    | E9B2    | 678C      | 9B4E  | I5U40080 |
| 魍                                    | E9B3    | 678D      | 9B51  | I5U50080 |
| 魍                                    | E9B4    | 678E      | 9B58  | I5U60080 |
| 魍                                    | E9B5    | 6790      | 9B74  | I5U80080 |
| 魍                                    | E9B6    | 6792      | 9B93  | I5UA0080 |
| 魍                                    | E9B7    | 6794      | 9B83  | I5UC0080 |
| 鮑                                    | E9B8    | 6795      | 9B91  | I5UD0080 |
| 鮑                                    | E9B9    | 6796      | 9B96  | I5UE0080 |
| 鮑                                    | E9BA    | 6797      | 9B97  | I5UF0080 |
| 鮑                                    | E9BB    | 6798      | 9B9F  | I5UG0080 |
| 鮑                                    | E9BC    | 6799      | 9BA0  | I5UH0080 |
| 鮑                                    | E9BD    | 679A      | 9BA8  | I5UI0080 |
| 鮑                                    | E9BE    | 679C      | 9BB4  | I5UK0080 |
| 鮑                                    | E9BF    | 679D      | 9BC0  | I5UL0080 |
| 鮑                                    | E9C0    | 679E      | 9BCA  | I5UM0080 |
| 鮑                                    | E9C1    | 67A0      | 9BB9  | I5UO0080 |
| 鮑                                    | E9C2    | 67A1      | 9BC6  | I5UP0080 |
| 鮑                                    | E9C3    | 67A2      | 9BCF  | I5UQ0080 |
| 鮑                                    | E9C4    | 67A3      | 9BD1  | I5UR0080 |
| 鮑                                    | E9C5    | 67A4      | 9BD2  | I5US0080 |
| 鮑                                    | E9C6    | 67A5      | 9BE3  | I5UT0080 |
| 鮑                                    | E9C7    | 67A6      | 9BE2  | I5UU0080 |
| 鮑                                    | E9C8    | 67A7      | 9BE4  | I5UV0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

**Table 13. Level 2 Kanji Set, DBCS-PC**

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鯰       | E9C9    | 67A8      | 9BD4  | I5UW0080 |
| 鯡       | E9CA    | 67A9      | 9BE1  | I5UX0080 |
| 鯻       | E9CB    | 67AA      | 9BF5  | I5UY0080 |
| 鯼       | E9CC    | 67AC      | 9BF2  | I5V00080 |
| 鯽       | E9CD    | 67AB      | 9BF1  | I5UZ0080 |
| 鯿       | E9CE    | 5551      | 9BF0  | I34H0080 |
| 鰾       | E9CF    | 67AF      | 9C15  | I5V30080 |
| 鰼       | E9D0    | 67B0      | 9C14  | I5V40080 |
| 鰽       | E9D1    | 67B2      | 9C09  | I5V60080 |
| 鰿       | E9D2    | 67B3      | 9C13  | I5V70080 |
| 鰻       | E9D3    | 67B4      | 9C0C  | I5V80080 |
| 鱈       | E9D4    | 67B5      | 9C06  | I5V90080 |
| 鱉       | E9D5    | 67B6      | 9C08  | I5VA0080 |
| 鱁       | E9D6    | 67B7      | 9C12  | I5VB0080 |
| 鱅       | E9D7    | 67B8      | 9C0A  | I5VC0080 |
| 鱆       | E9D8    | 67AD      | 9C04  | I5V10080 |
| 鱇       | E9D9    | 67B9      | 9C2E  | I5VD0080 |
| 鱈       | E9DA    | 67AE      | 9C1B  | I5V20080 |
| 鱉       | E9DB    | 67BA      | 9C25  | I5VE0080 |
| 鱊       | E9DC    | 67BB      | 9C24  | I5VF0080 |
| 鱋       | E9DD    | 67BC      | 9C21  | I5VG0080 |
| 鱌       | E9DE    | 67BD      | 9C30  | I5VH0080 |
| 鱍       | E9DF    | 67BE      | 9C47  | I5VI0080 |
| 鱎       | E9E0    | 67BF      | 9C32  | I5VJ0080 |
| 鱏       | E9E1    | 67C0      | 9C46  | I5VK0080 |
| 鱐       | E9E2    | 67C1      | 9C3E  | I5VL0080 |
| 鱑       | E9E3    | 67C2      | 9C5A  | I5VM0080 |
| 鱒       | E9E4    | 67C3      | 9C60  | I5VN0080 |
| 鱓       | E9E5    | 67C4      | 9C67  | I5VO0080 |
| 鱔       | E9E6    | 67C5      | 9C76  | I5VP0080 |

**Table 13. Level 2 Kanji Set, DBCS-PC**

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鱇       | E9E7    | 67C6      | 9C78  | I5VQ0080 |
| 鳧       | E9E8    | 67C8      | 9CE7  | I5VS0080 |
| 鳧       | E9E9    | 67C9      | 9CEC  | I5VT0080 |
| 鴈       | E9EA    | 67CA      | 9CF0  | I5VU0080 |
| 鴉       | E9EB    | 67CB      | 9D09  | I5VV0080 |
| 鴈       | E9EC    | 54FC      | 9D08  | I33W0080 |
| 鴈       | E9ED    | 67C7      | 9CEB  | I5VR0080 |
| 鵞       | E9EE    | 67CC      | 9D03  | I5VW0080 |
| 鵟       | E9EF    | 67CD      | 9D06  | I5VX0080 |
| 鵠       | E9F0    | 67CE      | 9D2A  | I5VY0080 |
| 鵡       | E9F1    | 67CF      | 9D26  | I5VZ0080 |
| 鶯       | E9F2    | 67D0      | 9D2C  | I5W00080 |
| 鶇       | E9F3    | 67D1      | 9D23  | I5W10080 |
| 鶈       | E9F4    | 67D2      | 9D1F  | I5W20080 |
| 鶉       | E9F5    | 67D7      | 9D44  | I5W70080 |
| 鶋       | E9F6    | 67D3      | 9D15  | I5W30080 |
| 鶌       | E9F7    | 67D4      | 9D12  | I5W40080 |
| 鶍       | E9F8    | 67D5      | 9D41  | I5W50080 |
| 鶎       | E9F9    | 67D6      | 9D3F  | I5W60080 |
| 鶏       | E9FA    | 67D8      | 9D3E  | I5W80080 |
| 鶐       | E9FB    | 67D9      | 9D46  | I5W90080 |
| 鶑       | E9FC    | 67DA      | 9D48  | I5WA0080 |
| 鶒       | EA40    | 67DB      | 9D5D  | I5WB0080 |
| 鶓       | EA41    | 67DC      | 9D5E  | I5WC0080 |
| 鶔       | EA42    | 67E0      | 9D64  | I5WG0080 |
| 鶕       | EA43    | 67DE      | 9D51  | I5WE0080 |
| 鶖       | EA44    | 67DF      | 9D50  | I5WF0080 |
| 鶗       | EA45    | 67DD      | 9D59  | I5WD0080 |
| 鶘       | EA46    | 67E1      | 9D72  | I5WH0080 |
| 鶙       | EA47    | 5342      | 9D89  | I2TE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 鵓                                    | EA48    | 67E3      | 9D87  | I5WJ0080 |
| 鵓                                    | EA49    | 67EA      | 9DAB  | I5WQ0080 |
| 鵓                                    | EA4A    | 67E5      | 9D6F  | I5WL0080 |
| 鵓                                    | EA4B    | 67E6      | 9D7A  | I5WM0080 |
| 鵓                                    | EA4C    | 67E7      | 9D9A  | I5WN0080 |
| 鵓                                    | EA4D    | 67E8      | 9DA4  | I5WO0080 |
| 鵓                                    | EA4E    | 67E9      | 9DA9  | I5WP0080 |
| 鵓                                    | EA4F    | 67EB      | 9DB2  | I5WR0080 |
| 鵓                                    | EA50    | 67EC      | 9DC4  | I5WS0080 |
| 鵓                                    | EA51    | 67ED      | 9DC1  | I5WT0080 |
| 鵓                                    | EA52    | 67EE      | 9DBB  | I5WU0080 |
| 鵓                                    | EA53    | 67EF      | 9DB8  | I5WV0080 |
| 鵓                                    | EA54    | 67F0      | 9DBA  | I5WW0080 |
| 鵓                                    | EA55    | 67F1      | 9DC6  | I5WX0080 |
| 鵓                                    | EA56    | 67F2      | 9DCF  | I5WY0080 |
| 鵓                                    | EA57    | 67F3      | 9DC2  | I5WZ0080 |
| 鵓                                    | EA58    | 67F5      | 9DD9  | I5X10080 |
| 鵓                                    | EA59    | 67F6      | 9DD3  | I5X20080 |
| 鵓                                    | EA5A    | 67F7      | 9DF8  | I5X30080 |
| 鵓                                    | EA5B    | 67F8      | 9DE6  | I5X40080 |
| 鵓                                    | EA5C    | 67F9      | 9DED  | I5X50080 |
| 鵓                                    | EA5D    | 67FA      | 9DEF  | I5X60080 |
| 鵓                                    | EA5E    | 67FB      | 9DFD  | I5X70080 |
| 鵓                                    | EA5F    | 67FC      | 9E1A  | I5X80080 |
| 鵓                                    | EA60    | 67FD      | 9E1B  | I5X90080 |
| 鵓                                    | EA61    | 6841      | 9E1E  | I5XD0080 |
| 鹵                                    | EA62    | 6842      | 9E75  | I5XE0080 |
| 鹵                                    | EA63    | 6843      | 9E79  | I5XF0080 |
| 鹽                                    | EA64    | 6844      | 9E7D  | I5XG0080 |
| 鹵                                    | EA65    | 6845      | 9E81  | I5XH0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 塵                                    | EA66    | 6846      | 9E88  | I5XI0080 |
| 麩                                    | EA67    | 6847      | 9E8B  | I5XJ0080 |
| 麩                                    | EA68    | 6848      | 9E8C  | I5XK0080 |
| 麩                                    | EA69    | 51F9      | 9E92  | I2NT0080 |
| 麩                                    | EA6A    | 6849      | 9E95  | I5XL0080 |
| 麩                                    | EA6B    | 684A      | 9E91  | I5XM0080 |
| 麩                                    | EA6C    | 684B      | 9E9D  | I5XN0080 |
| 麥                                    | EA6D    | 684C      | 9EA5  | I5XO0080 |
| 麩                                    | EA6E    | 53B4      | 9EA9  | I2WK0080 |
| 麩                                    | EA6F    | 684D      | 9EB8  | I5XP0080 |
| 麩                                    | EA70    | 684E      | 9EAA  | I5XQ0080 |
| 麩                                    | EA71    | 684F      | 9EAD  | I5XR0080 |
| 麩                                    | EA72    | 6852      | 9761  | I5XU0080 |
| 麩                                    | EA73    | 6853      | 9ECC  | I5XV0080 |
| 黎                                    | EA74    | 51A7      | 9ECE  | I2LJ0080 |
| 黏                                    | EA75    | 6854      | 9ECF  | I5XW0080 |
| 麩                                    | EA76    | 6855      | 9ED0  | I5XX0080 |
| 黔                                    | EA77    | 6857      | 9ED4  | I5XZ0080 |
| 黜                                    | EA78    | 6858      | 9EDC  | I5Y00080 |
| 黜                                    | EA79    | 6859      | 9EDE  | I5Y10080 |
| 黜                                    | EA7A    | 685A      | 9EDD  | I5Y20080 |
| 黜                                    | EA7B    | 685B      | 9EE0  | I5Y30080 |
| 黜                                    | EA7C    | 685C      | 9EE5  | I5Y40080 |
| 黨                                    | EA7D    | 685D      | 9EE8  | I5Y50080 |
| 黜                                    | EA7E    | 685E      | 9EEF  | I5Y60080 |
| 黜                                    | EA80    | 685F      | 9EF4  | I5Y70080 |
| 黜                                    | EA81    | 6860      | 9EF6  | I5Y80080 |
| 黜                                    | EA82    | 6861      | 9EF7  | I5Y90080 |
| 滸                                    | EA83    | 6862      | 9EF9  | I5YA0080 |
| 黜                                    | EA84    | 6863      | 9EFB  | I5YB0080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 黼                                    | EA85    | 6864      | 9EFC  | I5YC0080 |
| 黽                                    | EA86    | 6865      | 9EFD  | I5YD0080 |
| 鼈                                    | EA87    | 6866      | 9F07  | I5YE0080 |
| 鼉                                    | EA88    | 6867      | 9F08  | I5YF0080 |
| 鼓                                    | EA89    | 6868      | 76B7  | I5YG0080 |
| 鼈                                    | EA8A    | 6869      | 9F15  | I5YH0080 |
| 兕                                    | EA8B    | 686A      | 9F21  | I5YI0080 |
| 鼬                                    | EA8C    | 686B      | 9F2C  | I5YJ0080 |
| 鼯                                    | EA8D    | 686C      | 9F3E  | I5YK0080 |
| 齊                                    | EA8E    | 686D      | 9F4A  | I5YL0080 |
| 齒                                    | EA8F    | 6870      | 9F52  | I5YO0080 |
| 齶                                    | EA90    | 6871      | 9F54  | I5YP0080 |
| 齷                                    | EA91    | 6872      | 9F63  | I5YQ0080 |
| 齸                                    | EA92    | 6873      | 9F5F  | I5YR0080 |
| 齹                                    | EA93    | 6874      | 9F60  | I5YS0080 |
| 齺                                    | EA94    | 6875      | 9F61  | I5YT0080 |

| Table 13. Level 2 Kanji Set, DBCS-PC |         |           |       |          |
|--------------------------------------|---------|-----------|-------|----------|
| Graphic                              | PC Code | Host Code | UCS-2 | GCGID    |
| 齻                                    | EA95    | 6876      | 9F66  | I5YU0080 |
| 齼                                    | EA96    | 6877      | 9F67  | I5YV0080 |
| 齽                                    | EA97    | 6878      | 9F6C  | I5YW0080 |
| 齿                                    | EA98    | 6879      | 9F6A  | I5YX0080 |
| 齐                                    | EA99    | 687A      | 9F77  | I5YY0080 |
| 齑                                    | EA9A    | 687B      | 9F72  | I5YZ0080 |
| 齒                                    | EA9B    | 687C      | 9F76  | I5Z00080 |
| 齓                                    | EA9C    | 687D      | 9F95  | I5Z10080 |
| 齔                                    | EA9D    | 687E      | 9F9C  | I5Z20080 |
| 齕                                    | EA9E    | 687F      | 9FA0  | I5Z30080 |
| 齖                                    | EA9F    | 6880      | 5C2D  | I5Z40080 |
| 槓                                    | EAA0    | 6881      | 69D9  | I5Z50080 |
| 遥                                    | EAA1    | 6882      | 9065  | I5Z60080 |
| 瑶                                    | EAA2    | 6883      | 7476  | I5Z70080 |
| 凜                                    | EAA3    | 6884      | 51DC  | I5Z80080 |
| 熙                                    | EAA4    | 6885      | 7155  | I5Z90080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 9.5 IBM-Selected Non-Kanji Set

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| i       | FA40    | 41B1      | 2170  | NR010080 |
| ii      | FA41    | 41B2      | 2171  | NR020080 |
| iii     | FA42    | 41B3      | 2172  | NR030080 |
| iv      | FA43    | 41B4      | 2173  | NR040080 |
| v       | FA44    | 41B5      | 2174  | NR050080 |
| vi      | FA45    | 41B6      | 2175  | NR060080 |
| vii     | FA46    | 41B7      | 2176  | NR070080 |
| viii    | FA47    | 41B8      | 2177  | NR080080 |
| ix      | FA48    | 41B9      | 2178  | NR090080 |
| x       | FA49    | 41BA      | 2179  | NR100080 |
| I       | FA4A    | 41F1      | 2160  | NR110080 |
| II      | FA4B    | 41F2      | 2161  | NR120080 |
| III     | FA4C    | 41F3      | 2162  | NR130080 |
| IV      | FA4D    | 41F4      | 2163  | NR140080 |
| V       | FA4E    | 41F5      | 2164  | NR150080 |
| VI      | FA4F    | 41F6      | 2165  | NR160080 |
| VII     | FA50    | 41F7      | 2166  | NR170080 |
| VIII    | FA51    | 41F8      | 2167  | NR180080 |
| IX      | FA52    | 41F9      | 2168  | NR190080 |
| X       | FA53    | 41FA      | 2169  | NR200080 |
| !       | FA55    | 426A      | 00A6  | SM650080 |
| '       | FA56    | 427D      | FF07  | SP050080 |
| "       | FA57    | 427F      | FF02  | SP040080 |
| (株)     | FA58    | 446D      | 3231  | SS740080 |
| No.     | FA59    | 446E      | 2116  | SM000080 |
| TEL     | FA5A    | 446F      | 2121  | SS710080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

9.6 IBM-Selected Kanji Set

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 續       | FA5C    | 51BF      | 7E8A  | I2M70080 |
| 襲       | FA5D    | 51DA      | 891C  | I2MY0080 |
| 鏝       | FA5E    | 51F7      | 9348  | I2NR0080 |
| 銈       | FA5F    | 524B      | 9288  | I2OB0080 |
| 醜       | FA60    | 527B      | 84DC  | I2PN0080 |
| 倍       | FA61    | 5294      | 4FC9  | I2QC0080 |
| 炆       | FA62    | 529E      | 70BB  | I2QM0080 |
| 昱       | FA63    | 52EB      | 6631  | I2SR0080 |
| 精       | FA64    | 5386      | 68C8  | I2VA0080 |
| 銀       | FA65    | 5394      | 92F9  | I2VO0080 |
| 鼻       | FA66    | 5397      | 66FB  | I2VR0080 |
| 擷       | FA67    | 53C7      | 5F45  | I2X30080 |
| 丨       | FA68    | 5644      | 4E28  | I39G0080 |
| 仝       | FA69    | 565D      | 4EE1  | I3A50080 |
| 任       | FA6A    | 5662      | 4EFC  | I3AA0080 |
| 公       | FA6B    | 5665      | 4F00  | I3AD0080 |
| 仔       | FA6C    | 5666      | 4F03  | I3AE0080 |
| 但       | FA6D    | 566A      | 4F39  | I3AI0080 |
| 必       | FA6E    | 566E      | 4F56  | I3AM0080 |
| 佞       | FA6F    | 5670      | 4F92  | I3AO0080 |
| 佻       | FA70    | 5671      | 4F8A  | I3AP0080 |
| 徇       | FA71    | 5674      | 4F9A  | I3AS0080 |
| 侔       | FA72    | 567B      | 4F94  | I3AZ0080 |
| 俚       | FA73    | 5686      | 4FCD  | I3BA0080 |
| 僕       | FA74    | 568A      | 5040  | I3BE0080 |
| 捷       | FA75    | 5691      | 5022  | I3BL0080 |
| 僂       | FA76    | 5694      | 4FFF  | I3BO0080 |
| 倥       | FA77    | 5698      | 501E  | I3BS0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 倅       | FA78    | 56A2      | 5046  | I3C20080 |
| 倅       | FA79    | 56A3      | 5070  | I3C30080 |
| 倅       | FA7A    | 56A4      | 5042  | I3C40080 |
| 倅       | FA7B    | 56A8      | 5094  | I3C80080 |
| 倅       | FA7C    | 56B2      | 50F4  | I3CI0080 |
| 倅       | FA7D    | 56B5      | 50D8  | I3CL0080 |
| 兪       | FA7E    | 56C9      | 514A  | I3D50080 |
| 癩       | FA80    | 56CE      | 5164  | I3DA0080 |
| 冃       | FA81    | 56DC      | 519D  | I3DO0080 |
| 洽       | FA82    | 56E8      | 51BE  | I3E00080 |
| 夙       | FA83    | 56EF      | 51EC  | I3E70080 |
| 芴       | FA84    | 56F7      | 5215  | I3EF0080 |
| 尢       | FA85    | 574F      | 529C  | I3F30080 |
| 荔       | FA86    | 5750      | 52A6  | I3F40080 |
| 勅       | FA87    | 5756      | 52C0  | I3FA0080 |
| 勛       | FA88    | 5758      | 52DB  | I3FC0080 |
| 勻       | FA89    | 5761      | 5300  | I3FL0080 |
| 匆       | FA8A    | 5763      | 5307  | I3FN0080 |
| 匡       | FA8B    | 576B      | 5324  | I3FV0080 |
| 邵       | FA8C    | 577C      | 5372  | I3GC0080 |
| 厓       | FA8D    | 5780      | 5393  | I3GG0080 |
| 厲       | FA8E    | 5787      | 53B2  | I3GN0080 |
| 覘       | FA8F    | 578B      | 53DD  | I3GR0080 |
| 夔       | FA90    | 578E      | FA0E  | I3GU0080 |
| 咤       | FA91    | 57A9      | 549C  | I3HL0080 |
| 味       | FA92    | 57AE      | 548A  | I3HQ0080 |
| 咩       | FA93    | 57BD      | 54A9  | I3I50080 |
| 哿       | FA94    | 57C0      | 54FF  | I3I80080 |
| 喆       | FA95    | 57DE      | 5586  | I3J20080 |
| 罍       | FA96    | 5860      | 5759  | I3KW0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 垣   | FA97    | 5863      | 5765  | I3KZ0080 |
| 垠   | FA98    | 586C      | 57AC  | I3L80080 |
| 垠   | FA99    | 5870      | 57C8  | I3LC0080 |
| 垠   | FA9A    | 5873      | 57C7  | I3LF0080 |
| 垠   | FA9B    | 5877      | FA0F  | I3LJ0080 |
| 垠   | FA9C    | 5882      | FA10  | I3LU0080 |
| 垠   | FA9D    | 588A      | 589E  | I3M20080 |
| 垠   | FA9E    | 588C      | 58B2  | I3M40080 |
| 垠   | FA9F    | 58A1      | 590B  | I3MP0080 |
| 垠   | FAA0    | 58AD      | 5953  | I3N10080 |
| 垠   | FAA1    | 58B0      | 595B  | I3N40080 |
| 垠   | FAA2    | 58B1      | 595D  | I3N50080 |
| 垠   | FAA3    | 58B2      | 5963  | I3N60080 |
| 垠   | FAA4    | 58BE      | 59A4  | I3NI0080 |
| 垠   | FAA5    | 58C0      | 59BA  | I3NK0080 |
| 垠   | FAA6    | 58EC      | 5B56  | I3OS0080 |
| 垠   | FAA7    | 58FC      | 5BC0  | I3P80080 |
| 垠   | FAA8    | 58FE      | 752F  | I3PA0080 |
| 垠   | FAA9    | 5942      | 5BD8  | I3PE0080 |
| 垠   | FAAA    | 5944      | 5BEC  | I3PG0080 |
| 垠   | FAAB    | 5951      | 5C1E  | I3PT0080 |
| 垠   | FAAC    | 5967      | 5CA6  | I3QF0080 |
| 垠   | FAAD    | 5968      | 5CBA  | I3QG0080 |
| 垠   | FAAE    | 5970      | 5CF5  | I3QO0080 |
| 垠   | FAAF    | 5978      | 5D27  | I3QW0080 |
| 垠   | FAB0    | 597F      | 5D53  | I3R30080 |
| 垠   | FAB1    | 5980      | FA11  | I3R40080 |
| 垠   | FAB2    | 5984      | 5D42  | I3R80080 |
| 垠   | FAB3    | 5987      | 5D6D  | I3RB0080 |
| 垠   | FAB4    | 5993      | 5DB8  | I3RN0080 |

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 嶼   | FAB5    | 5995      | 5DB9  | I3RP0080 |
| 嶼   | FAB6    | 5997      | 5DD0  | I3RR0080 |
| 嶼   | FAB7    | 59C7      | 5F21  | I3T30080 |
| 嶼   | FAB8    | 59CB      | 5F34  | I3T70080 |
| 嶼   | FAB9    | 59D8      | 5F67  | I3TK0080 |
| 嶼   | FABA    | 59E8      | 5FB7  | I3U00080 |
| 嶼   | FABB    | 59F1      | 5FDE  | I3U90080 |
| 嶼   | FABC    | 5A44      | 605D  | I3US0080 |
| 嶼   | FABD    | 5A51      | 6085  | I3V50080 |
| 嶼   | FABE    | 5A57      | 608A  | I3VB0080 |
| 嶼   | FABF    | 5A5F      | 60DE  | I3VJ0080 |
| 嶼   | FAC0    | 5A65      | 60D5  | I3VP0080 |
| 嶼   | FAC1    | 5A67      | 6120  | I3VR0080 |
| 嶼   | FAC2    | 5A68      | 60F2  | I3VS0080 |
| 嶼   | FAC3    | 5A76      | 6111  | I3W60080 |
| 嶼   | FAC4    | 5A79      | 6137  | I3W90080 |
| 嶼   | FAC5    | 5A7E      | 6130  | I3WE0080 |
| 嶼   | FAC6    | 5A94      | 6198  | I3X00080 |
| 嶼   | FAC7    | 5AB5      | 6213  | I3XX0080 |
| 嶼   | FAC8    | 5ADA      | 62A6  | I3YY0080 |
| 嶼   | FAC9    | 5AFB      | 63F5  | I3ZV0080 |
| 嶼   | FACA    | 5B50      | 6460  | I40G0080 |
| 嶼   | FACB    | 5B53      | 649D  | I40J0080 |
| 嶼   | FACC    | 5B54      | 64CE  | I40K0080 |
| 嶼   | FACD    | 5B7E      | 654E  | I41Q0080 |
| 嶼   | FACE    | 5B97      | 6600  | I42F0080 |
| 嶼   | FACF    | 5B98      | 6615  | I42G0080 |
| 嶼   | FAD0    | 5B99      | 6602  | I42H0080 |
| 嶼   | FAD1    | 5B9D      | 6609  | I42L0080 |
| 嶼   | FAD2    | 5BA0      | 662E  | I42O0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 𪛗       | FAD3    | 5BA1      | 661E  | I42P0080 |
| 𪛘       | FAD4    | 5BA4      | 6624  | I42S0080 |
| 𪛙       | FAD5    | 5BA7      | 6665  | I42V0080 |
| 𪛚       | FAD6    | 5BA8      | 6657  | I42W0080 |
| 𪛛       | FAD7    | 5BAB      | 6659  | I42Z0080 |
| 晴       | FAD8    | 5BAE      | FA12  | I4320080 |
| 晔       | FAD9    | 5BAF      | 6673  | I4330080 |
| 晔       | FADA    | 5BB4      | 6699  | I4380080 |
| 晔       | FADB    | 5BB6      | 66A0  | I43A0080 |
| 晔       | FADC    | 5BB8      | 66B2  | I43C0080 |
| 晔       | FADD    | 5BBB      | 66BF  | I43F0080 |
| 曹       | FADE    | 5BC7      | 66FA  | I43R0080 |
| 𪛜       | FADF    | 5BC8      | 670E  | I43S0080 |
| 朗       | FAE0    | 5BC9      | F929  | I43T0080 |
| 杓       | FAE1    | 5BD8      | 6766  | I4480080 |
| 𪛞       | FAE2    | 5BE3      | 67BB  | I44J0080 |
| 𪛟       | FAE3    | 5BEC      | 6852  | I44S0080 |
| 𪛠       | FAE4    | 5BF0      | 67C0  | I44W0080 |
| 柳       | FAE5    | 5BF3      | 6801  | I44Z0080 |
| 桃       | FAE6    | 5BF9      | 6844  | I4550080 |
| 𪛢       | FAE7    | 5C5F      | 68CF  | I4670080 |
| 𪛣       | FAE8    | 5C66      | FA13  | I46E0080 |
| 𪛤       | FAE9    | 5C6E      | 6968  | I46M0080 |
| 𪛥       | FAEA    | 5C78      | FA14  | I46W0080 |
| 𪛦       | FAEB    | 5C79      | 6998  | I46X0080 |
| 𪛧       | FAEC    | 5C90      | 69E2  | I47K0080 |
| 𪛨       | FAED    | 5C9A      | 6A30  | I47U0080 |
| 横       | FAEE    | 5C9B      | 6A6B  | I47V0080 |
| 𪛪       | FAEF    | 5CA6      | 6A46  | I4860080 |
| 𪛫       | FAF0    | 5CA9      | 6A73  | I4890080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 𪛬       | FAF1    | 5CAF      | 6A7E  | I48F0080 |
| 𪛭       | FAF2    | 5CB9      | 6AE2  | I48P0080 |
| 𪛮       | FAF3    | 5CBC      | 6AE4  | I48S0080 |
| 𪛯       | FAF4    | 5CEA      | 6BD6  | I4A20080 |
| 𪛰       | FAF5    | 5CF6      | 6C3F  | I4AE0080 |
| 𪛱       | FAF6    | 5CF9      | 6C5C  | I4AH0080 |
| 𪛲       | FAF7    | 5CFD      | 6C86  | I4AL0080 |
| 𪛳       | FAF8    | 5CFE      | 6C6F  | I4AM0080 |
| 𪛴       | FAF9    | 5D4E      | 6CDA  | I4B20080 |
| 𪛵       | FAFA    | 5D58      | 6D04  | I4BC0080 |
| 𪛶       | FAFB    | 5D60      | 6D87  | I4BK0080 |
| 𪛷       | FAFC    | 5D62      | 6D6F  | I4BM0080 |
| 𪛸       | FB40    | 5D6B      | 6D96  | I4BV0080 |
| 𪛹       | FB41    | 5D72      | 6DAC  | I4C20080 |
| 𪛺       | FB42    | 5D74      | 6DCF  | I4C40080 |
| 清       | FB43    | 5D7A      | 6DF8  | I4CA0080 |
| 𪛼       | FB44    | 5D7F      | 6DF2  | I4CF0080 |
| 𪛽       | FB45    | 5D80      | 6DFC  | I4CG0080 |
| 𪛾       | FB46    | 5D8A      | 6E39  | I4CQ0080 |
| 𪛿       | FB47    | 5D8E      | 6E5C  | I4CU0080 |
| 𪛿       | FB48    | 5D93      | 6E27  | I4CZ0080 |
| 𪛿       | FB49    | 5D95      | 6E3C  | I4D10080 |
| 𪛿       | FB4A    | 5DA6      | 6EBF  | I4DI0080 |
| 𪛿       | FB4B    | 5DC1      | 6F88  | I4E90080 |
| 𪛿       | FB4C    | 5DCA      | 6FB5  | I4EI0080 |
| 𪛿       | FB4D    | 5DD5      | 6FF5  | I4ET0080 |
| 𪛿       | FB4E    | 5DD7      | 7005  | I4EV0080 |
| 𪛿       | FB4F    | 5DD8      | 7007  | I4EW0080 |
| 𪛿       | FB50    | 5DE3      | 7028  | I4F70080 |
| 𪛿       | FB51    | 5DEA      | 7085  | I4FE0080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 炫   | FB52    | 5DED      | 70AB  | I4FH0080 |
| 烝   | FB53    | 5DF5      | 710F  | I4FP0080 |
| 焄   | FB54    | 5DF6      | 7104  | I4FQ0080 |
| 焅   | FB55    | 5DFB      | 715C  | I4FV0080 |
| 焆   | FB56    | 5DFC      | 7146  | I4FW0080 |
| 焇   | FB57    | 5DFD      | 7147  | I4FX0080 |
| 焈   | FB58    | 5E49      | FA15  | I4G90080 |
| 焉   | FB59    | 5E4B      | 71C1  | I4GB0080 |
| 焊   | FB5A    | 5E5A      | 71FE  | I4GQ0080 |
| 犰   | FB5B    | 5E73      | 72B1  | I4HF0080 |
| 狢   | FB5C    | 5E75      | 72BE  | I4HH0080 |
| 狣   | FB5D    | 5E86      | 7324  | I4HY0080 |
| 猪   | FB5E    | 5E8A      | FA16  | I4I20080 |
| 獠   | FB5F    | 5E94      | 7377  | I4IC0080 |
| 珣   | FB60    | 5E99      | 73BD  | I4IH0080 |
| 珥   | FB61    | 5E9E      | 73C9  | I4IM0080 |
| 玠   | FB62    | 5E9F      | 73D6  | I4IN0080 |
| 珣   | FB63    | 5EA1      | 73E3  | I4IP0080 |
| 肆   | FB64    | 5EA2      | 73D2  | I4IQ0080 |
| 琇   | FB65    | 5EA7      | 7407  | I4IV0080 |
| 琎   | FB66    | 5EA8      | 73F5  | I4IW0080 |
| 琦   | FB67    | 5EAA      | 7426  | I4IY0080 |
| 琪   | FB68    | 5EAB      | 742A  | I4IZ0080 |
| 琒   | FB69    | 5EAD      | 7429  | I4J10080 |
| 琚   | FB6A    | 5EAE      | 742E  | I4J20080 |
| 琔   | FB6B    | 5EBC      | 7462  | I4JG0080 |
| 璉   | FB6C    | 5EBD      | 7489  | I4JH0080 |
| 璟   | FB6D    | 5EC0      | 749F  | I4JK0080 |
| 瓶   | FB6E    | 5ED1      | 7501  | I4K10080 |
| 峻   | FB6F    | 5EE7      | 756F  | I4KN0080 |

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 皂   | FB70    | 5F69      | 7682  | I4MH0080 |
| 皤   | FB71    | 5F70      | 769C  | I4MO0080 |
| 皦   | FB72    | 5F71      | 769E  | I4MP0080 |
| 皧   | FB73    | 5F72      | 769B  | I4MQ0080 |
| 皨   | FB74    | 5F73      | 76A6  | I4MR0080 |
| 益   | FB75    | 5F7A      | FA17  | I4MY0080 |
| 皖   | FB76    | 5F8E      | 7746  | I4NI0080 |
| 劦   | FB77    | 5FAA      | 52AF  | I4OA0080 |
| 砭   | FB78    | 5FAE      | 7821  | I4OE0080 |
| 劦   | FB79    | 5FB2      | 784E  | I4OI0080 |
| 砭   | FB7A    | 5FB3      | 7864  | I4OJ0080 |
| 砭   | FB7B    | 5FB6      | 787A  | I4OM0080 |
| 礪   | FB7C    | 5FD1      | 7930  | I4PD0080 |
| 礼   | FB7D    | 5FD2      | FA18  | I4PE0080 |
| 神   | FB7E    | 5FD5      | FA19  | I4PH0080 |
| 祥   | FB80    | 5FD9      | FA1A  | I4PL0080 |
| 禔   | FB81    | 5FDC      | 7994  | I4PO0080 |
| 福   | FB82    | 5FDD      | FA1B  | I4PP0080 |
| 禛   | FB83    | 5FDF      | 799B  | I4PR0080 |
| 竝   | FB84    | 604F      | 7AD1  | I4R30080 |
| 竝   | FB85    | 6058      | 7AE7  | I4RC0080 |
| 靖   | FB86    | 6059      | FA1C  | I4RD0080 |
| 靖   | FB87    | 605A      | 7AEB  | I4RE0080 |
| 箠   | FB88    | 6082      | 7B9E  | I4SI0080 |
| 精   | FB89    | 60AD      | FA1D  | I4TP0080 |
| 紮   | FB8A    | 60C4      | 7D48  | I4UC0080 |
| 紮   | FB8B    | 60C6      | 7D5C  | I4UE0080 |
| 粹   | FB8C    | 60D4      | 7DB7  | I4US0080 |
| 綠   | FB8D    | 60DA      | 7DA0  | I4UY0080 |
| 緒   | FB8E    | 60E1      | 7DD6  | I4V50080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 繪   | FB8F    | 60FD      | 7E52  | I4VX0080 |
| 罇   | FB90    | 6157      | 7F47  | I4WN0080 |
| 羨   | FB91    | 616E      | 7FA1  | I4XA0080 |
| 羽   | FB92    | 6177      | FA1E  | I4XJ0080 |
| 茁   | FB93    | 61F8      | 8301  | I5140080 |
| 苧   | FB94    | 6248      | 8362  | I51K0080 |
| 葳   | FB95    | 625B      | 837F  | I5230080 |
| 菇   | FB96    | 6267      | 83C7  | I52F0080 |
| 葦   | FB97    | 6274      | 83F6  | I52S0080 |
| 藁   | FB98    | 627E      | 8448  | I5320080 |
| 蒨   | FB99    | 628A      | 84B4  | I53E0080 |
| 蕓   | FB9A    | 629E      | 8553  | I53Y0080 |
| 蕙   | FB9B    | 62A1      | 8559  | I5410080 |
| 董   | FB9C    | 62A8      | 856B  | I5480080 |
| 藹   | FB9D    | 62B9      | FA1F  | I54P0080 |
| 薰   | FB9E    | 62BB      | 85B0  | I54R0080 |
| 蘊   | FB9F    | 62CE      | FA20  | I55A0080 |
| 甞   | FBA0    | 62E2      | FA21  | I55U0080 |
| 螞   | FBA1    | 635E      | 8807  | I57I0080 |
| 袞   | FBA2    | 6390      | 88F5  | I58W0080 |
| 訥   | FBA3    | 63C5      | 8A12  | I5AD0080 |
| 紳   | FBA4    | 63CB      | 8A37  | I5AJ0080 |
| 詹   | FBA5    | 63D4      | 8A79  | I5AS0080 |
| 誦   | FBA6    | 63DF      | 8AA7  | I5B30080 |
| 闇   | FBA7    | 63E1      | 8ABE  | I5B50080 |
| 諛   | FBA8    | 63ED      | 8ADF  | I5BH0080 |
| 諸   | FBA9    | 63EE      | FA22  | I5BI0080 |
| 諶   | FBAA    | 63EF      | 8AF6  | I5BJ0080 |
| 諷   | FBAB    | 6445      | 8B53  | I5C50080 |
| 諱   | FBAC    | 6450      | 8B7F  | I5CG0080 |

| Table 15. IBM-Selected Kanji Set, DBCS-PC |         |           |       |          |
|---|---------|-----------|-------|----------|
| Graphic                                   | PC Code | Host Code | UCS-2 | GCGID    |
| 賸   | FBAD    | 647C      | 8CF0  | I5DO0080 |
| 賴   | FBAE    | 647D      | 8CF4  | I5DP0080 |
| 贖   | FBAF    | 6485      | 8D12  | I5DX0080 |
| 趕   | FBB0    | 648D      | 8D76  | I5E50080 |
| 尅   | FBB1    | 648E      | FA23  | I5E60080 |
| 軋   | FBB2    | 64C9      | 8ECF  | I5FT0080 |
| 返   | FBB3    | 64F1      | FA24  | I5GX0080 |
| 逸   | FBB4    | 6549      | FA25  | I5HL0080 |
| 遼   | FBB5    | 6553      | 9067  | I5HV0080 |
| 郎   | FBB6    | 6564      | 90DE  | I5IC0080 |
| 都   | FBB7    | 6566      | FA26  | I5IE0080 |
| 鄉   | FBB8    | 6567      | 9115  | I5IF0080 |
| 鄧   | FBB9    | 656B      | 9127  | I5IJ0080 |
| 鈇   | FBBA    | 6583      | 91DA  | I5J70080 |
| 釗   | FBBB    | 6585      | 91D7  | I5J90080 |
| 釓   | FBBC    | 6586      | 91DE  | I5JA0080 |
| 釓   | FBBD    | 658A      | 91ED  | I5JE0080 |
| 鈇   | FBBE    | 658C      | 91EE  | I5JG0080 |
| 鈇   | FBBF    | 658D      | 91E4  | I5JH0080 |
| 鈇   | FBC0    | 658F      | 91E5  | I5JJ0080 |
| 鈇   | FBC1    | 6590      | 9206  | I5JK0080 |
| 鈇   | FBC2    | 6593      | 9210  | I5JN0080 |
| 鈇   | FBC3    | 6595      | 920A  | I5JP0080 |
| 鈇   | FBC4    | 659B      | 923A  | I5JV0080 |
| 鈇   | FBC5    | 659E      | 9240  | I5JY0080 |
| 鈇   | FBC6    | 659F      | 923C  | I5JZ0080 |
| 鈇   | FBC7    | 65A1      | 924E  | I5K10080 |
| 鈇   | FBC8    | 65A3      | 9259  | I5K30080 |
| 鈇   | FBC9    | 65A5      | 9251  | I5K50080 |
| 鈇   | FBCA    | 65A6      | 9239  | I5K60080 |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鋤       | FBCB    | 65A8      | 9267  | I5K80080 |
| 銑       | FBCD    | 65AB      | 92A7  | I5KB0080 |
| 銑       | FBCD    | 65AC      | 9277  | I5KC0080 |
| 鉸       | FBCE    | 65AD      | 9278  | I5KD0080 |
| 銕       | FBCF    | 65B4      | 92E7  | I5KK0080 |
| 銕       | FBD0    | 65B5      | 92D7  | I5KL0080 |
| 銕       | FBD1    | 65B6      | 92D9  | I5KM0080 |
| 銕       | FBD2    | 65B7      | 92D0  | I5KN0080 |
| 銕       | FBD3    | 65B8      | FA27  | I5KO0080 |
| 銕       | FBD4    | 65B9      | 92D5  | I5KP0080 |
| 銕       | FBD5    | 65BC      | 92E0  | I5KS0080 |
| 銕       | FBD6    | 65BD      | 92D3  | I5KT0080 |
| 銕       | FBD7    | 65C1      | 9325  | I5KX0080 |
| 銕       | FBD8    | 65C3      | 9321  | I5KZ0080 |
| 銕       | FBD9    | 65C5      | 92FB  | I5L10080 |
| 銕       | FBDA    | 65C6      | FA28  | I5L20080 |
| 銕       | FBDB    | 65C8      | 931E  | I5L40080 |
| 銕       | FBDC    | 65C9      | 92FF  | I5L50080 |
| 銕       | FBDD    | 65CC      | 931D  | I5L80080 |
| 銕       | FBDE    | 65CE      | 9302  | I5LA0080 |
| 銕       | FBD F   | 65D0      | 9370  | I5LC0080 |
| 銕       | FBE0    | 65D5      | 9357  | I5LH0080 |
| 銕       | FBE1    | 65D8      | 93A4  | I5LK0080 |
| 銕       | FBE2    | 65DD      | 93C6  | I5LP0080 |
| 銕       | FBE3    | 65E4      | 93DE  | I5LW0080 |
| 銕       | FBE4    | 65E8      | 93F8  | I5M00080 |
| 銕       | FBE5    | 65F0      | 9431  | I5M80080 |
| 銕       | FBE6    | 65F4      | 9445  | I5MC0080 |
| 銕       | FBE7    | 65F6      | 9448  | I5ME0080 |
| 銕       | FBE8    | 664A      | 9592  | I5MY0080 |

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 隆       | FBE9    | 6674      | F9DC  | I5O40080 |
| 隴       | FBEA    | 6678      | FA29  | I5O80080 |
| 隴       | FBEB    | 6679      | 969D  | I5O90080 |
| 隴       | FBEC    | 667F      | 96AF  | I5OF0080 |
| 隴       | FBED    | 6697      | 9733  | I5P30080 |
| 隴       | FBEE    | 6699      | 973B  | I5P50080 |
| 隴       | FBEF    | 669E      | 9743  | I5PA0080 |
| 隴       | FBF0    | 66A2      | 974D  | I5PE0080 |
| 隴       | FBF1    | 66A3      | 974F  | I5PF0080 |
| 青       | FBF2    | 66A4      | 9751  | I5PG0080 |
| 靖       | FBF3    | 66A5      | 9755  | I5PH0080 |
| 顛       | FBF4    | 66CB      | 9857  | I5QJ0080 |
| 顛       | FBF5    | 66CC      | 9865  | I5QK0080 |
| 飯       | FBF6    | 66DD      | FA2A  | I5R10080 |
| 飼       | FBF7    | 66DF      | FA2B  | I5R30080 |
| 餵       | FBF8    | 66E5      | 9927  | I5R90080 |
| 館       | FBF9    | 66E6      | FA2C  | I5RA0080 |
| 醇       | FBFA    | 66F9      | 999E  | I5RT0080 |
| 麟       | FBFB    | 6759      | 9A4E  | I5SP0080 |
| 高       | FBFC    | 676B      | 9AD9  | I5T70080 |
| 謁       | FC40    | 676C      | 9ADC  | I5T80080 |
| 鯨       | FC41    | 678F      | 9B75  | I5U70080 |
| 鯨       | FC42    | 6791      | 9B72  | I5U90080 |
| 鯨       | FC43    | 6793      | 9B8F  | I5UB0080 |
| 鯨       | FC44    | 679B      | 9BB1  | I5UJ0080 |
| 鯨       | FC45    | 679F      | 9BBB  | I5UN0080 |
| 鯨       | FC46    | 67B1      | 9C00  | I5V50080 |
| 鵬       | FC47    | 67E2      | 9D70  | I5WI0080 |
| 鵬       | FC48    | 67E4      | 9D6B  | I5WK0080 |
| 鶴       | FC49    | 67F4      | FA2D  | I5X00080 |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Graphic | PC Code | Host Code | UCS-2 | GCGID    |
|---------|---------|-----------|-------|----------|
| 鶯       | FC4A    | 67FE      | 9E19  | I5XA0080 |
| 黒       | FC4B    | 6856      | 9ED1  | I5XY0080 |



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### Supplementary Information

#### 10. Definition of Terms

The following terms are defined for the purposes of this document.

##### 10.1 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

##### 10.2 Graphic Character

A graphic symbol character, such as a numeric, alphabetic, special or Kanji.

##### 10.3 User Definable Character

A graphic character whose graphic shape is definable by users.

##### 10.4 Universal Multiple-Octet Coded Character Set (UCS)

A graphic character set defined in ISO/IEC 10646

##### 10.5 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each graphic character. See C-H 3-3220-055.

##### 10.6 Graphic Character UCS Identifier (GCUID)

An eight-character identifier assigned to each graphic character that is defined based on UCS specification. For the character corresponding to UCS-2 character, it takes the form 'U000xxxx' (xxxx: UCS-2 *code point*). See C-H 3-3220-055.

##### 10.7 Graphic Character Set

A set of graphic characters, treated as an entity.

##### 10.8 Byte

A unit of string consisting of 8 bits.

##### 10.9 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a graphic character set. See C-H 3-3220-050.

##### 10.10 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

##### 10.11 Code Point

One of the bit-patterns specified by a *code*.

##### 10.12 Code Page

A specification of *code points* for each graphic character in a set, or in a collection of graphic character sets. Within a given *code page*, a *code point* can have only one specific meaning.

##### 10.13 Registered Code Page

A *code page* that has been registered and assigned a CPGID.

##### 10.14 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “unrestricted”.

##### 10.15 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

##### 10.16 Coded Graphic Character

A graphic character with its assigned *code point*.

##### 10.17 Coded Graphic Character Set

A set of graphic characters with their assigned *code points*.

##### 10.18 Registered Coded Graphic Character Set

A *coded graphic character set*, whose graphic character set and *code page* have both been registered.

##### 10.19 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a graphic character set global identifier (GCSGID) and a *code page global identifier (CPGID)*. The CGCSGID is also represented as the concatenation of the hexadecimal representations of the GCSGID and CPGID. See C-H 3-3220-050.

##### 10.20 EBCDIC

Abbreviation of Extended BCD Interchange *Code* which is defined in C-S 3-3220-002, *EBCDIC*.

##### 10.21 PC Code

A single-*byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

##### 10.22 SBCS

Abbreviation of Single-*Byte Character Set*. Single-*Byte Character Set* is a graphic character set in which each character is represented by one *byte*.

##### 10.23 DBCS

Abbreviation of a Double-*Byte Character Set*. It is a graphic character set in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

##### 10.24 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

##### 10.25 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

### 10.26 Ward

A section of a Double-Byte Character Set where the first bytes of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first byte of the *code point* belonging to that *ward*.

## 11. History of JIS Coded Character Set Standards

### 11.1 JIS C 6226-1978

JIS X 0208, *Code* of the Japanese Graphic Character Set for Information Interchange was originally defined in 1978 as JIS C 6226-1978, in which a total of 6,802 *coded graphic characters*, namely 2,965 First Level Kanji characters, 3,384 Second Level Kanji characters and 453 non-Kanji characters, was defined based on the JIS 7-bits *code* scheme.

### 11.2 JIS X 0208-1983

In 1983, JIS C 6226-1978 was amended. Items of JIS C 6226 amendment in 1983 are the following:

- *Code point* exchange between First Level and Second Level Kanji characters, 22 pairs (44 characters)
- Graphic pattern changes, 244 characters
- Addition of characters, 75 characters

As a result, JIS C 6226-1983 defined total 6,877 characters, 2,965 First Level Kanji characters, 3,388 Second Level Kanji characters and 524 non-Kanji characters.

This standard was later re-numbered from JIS C 6226-1983 to JIS X 0208-1983.

### 11.3 JIS X 0208-1990

In 1990, JIS X 0208-1983 was amended, and 2 characters were added to the Second Level Kanji Set. It was corresponding to the expansion of "Kanji Characters for Personal Names" (Jinmeiyō Kanji) in 1990, which had been controlled by the order of the Ministry of Justice.

As a result, JIS X 0208-1990 defines total 6,879 characters, 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters and 524 non-Kanji characters.

### 11.4 JIS X 0208-1997

In 1997, JIS X 0208-1990 was amended with character set unchanged. It defined an authority of each character based on source information. And both S-JIS and ISO-2022-JP were defined as an amendment.

### 11.5 JIS X 0212-1990

In 1990, JIS X 0212-1990 defined total 6,067 characters as a supplementary character set of JIS X 0208, 5,801 Kanji characters ordered by radical then total number of (remaining) strokes, and all 5,801 Kanji characters are unique when

compared to those in JIS X 0208-1990. The remaining 266 characters are categorized as non-Kanji characters.

### 11.6 JIS X 0221-1995

This standard is the Japanese translation of ISO 10646-1:1993. JIS X 0221-1995 defines subsets that are applicable for Japanese use (Japanese Sub-repertoires).

### 11.7 JIS X0213-2000

In 2000, JIS X0213-2000 defined total 11,223 characters as the extended character sets from JIS X0208 character set. 3,685 Kanji characters and 659 non-Kanji characters were expanded from JIS X0208. It also defined some encoding methods such as Shift-JIS, EUC, ISO 2022-JP in addition to JIS 7-bit, 8-bit *code* scheme.

## 12. Difference From the Former Specification

### 12.1 Difference from the revision 89-08 to revision 92-11

#### 12.1.1 Addition of 2 characters

2 characters have been added in this specification, so that the IBM Japanese Graphic Character Set becomes a superset of JIS X 0208. The 2 characters are allocated as follows:

| Table 16. 2 characters added on 92-11 revision |           |         |          |
|--|-----------|---------|----------|
| Graphic  | Host Code | PC Code | GCGID    |
| 凜  | 6884      | EAA3    | 15Z80080 |
| 熙  | 6885      | EAA4    | 15Z90080 |

#### 12.1.2 Correction of GCGIDs

The error of GCGIDs for 2 characters was corrected as follows:

| Table 17. 2 characters which GCGIDs were corrected |           |         |              |               |
|--|-----------|---------|--------------|---------------|
| Graphic  | Host Code | PC Code | Former GCGID | Correct GCGID |
| —  | 4260      | 817C    | SA000080     | SP100080      |
| -  | 445A      | 815D    | SP100080     | SP320080      |

#### 12.1.3 Changes of Graphic Images

The Japanese government order defined specific graphic images for 2229 most-frequent use characters (called as "SEIREI" characters). The graphic images of 14 characters in the specification tables (Table 6, 7 and Table 12, 13) are changed so that they become completely in conformance with those of the SEIREI characters.

12 of them are the new SEIREI characters by the expansion of "Kanji Characters for Personal Names" described in 11.3;



## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

2 of them have been overlooked in the previous specification.

Code points and graphic images of the 14 SEIREI characters are as follows:

| Host Code | PC Code | Former Graphic | New Graphic |
|-----------|---------|----------------|-------------|
| 508D      | 8C9D    | 拳              | 拳           |
| 53BF      | 8DD1    | 采              | 采           |
| 5152      | 8F8C    | 曙              | 曙           |
| 51DD      | 91E1    | 黛              | 黛           |
| 5383      | 91ED    | 啄              | 啄           |
| 4E46      | 9246    | 巽              | 巽           |
| 53C2      | 93B2    | 憧              | 憧           |
| 52D9      | 9541    | 柊              | 柊           |
| 4855      | 9551    | 媛              | 媛           |
| 518A      | 9651    | 鵬              | 鵬           |
| 52A0      | 9773    | 耀              | 耀           |
| 5E5B      | E0A0    | 耀              | 耀           |
| 52E9      | 928F    | 衷              | 衷           |
| 4D9A      | 969A    | 繭              | 繭           |

**12.2 Difference from the revision 92-11 to revision 99-03**  
DBCS-Host (CPGID 00300) is extended to contain 12,237 Kanji characters defined in both JIS X 0208-1997 and JIS X 0212-1990, and 2,585 non-Kanji characters including euro currency sign character with no change of current Host code assignment.

This is a superset of characters supported on Microsoft Windows Japanese Unicode Subset. It supports the following character sets:

- Both Kanji and non-Kanji characters defined in JIS X 0208 and JIS X 0212
- 1,913 NON-IDEOGRAPHICS SUPPLEMENT defined in JIS X 0221
- IBM Selected Characters
- NEC Selected Characters (Refer to Table 19)
- 103 Japanese unique non-Kanji characters enhanced by Microsoft
- 31 non-Kanji subset characters including euro currency sign proposed by JIS X 0213

- 3 non-Kanji characters from Halfwidth and Fullwidth Forms in JIS X 0221 (Refer to Table 20)

| Graphic | PC Code (New JIS Sequence) | Host Code | UCS-2 | GCGID    |
|---------|----------------------------|-----------|-------|----------|
| ①       | 8740                       | E270      | 2460  | NO010080 |
| ②       | 8741                       | E271      | 2461  | NO020080 |
| ③       | 8742                       | E272      | 2462  | NO030080 |
| ④       | 8743                       | E273      | 2463  | NO040080 |
| ⑤       | 8744                       | E274      | 2464  | NO050080 |
| ⑥       | 8745                       | E275      | 2465  | NO060080 |
| ⑦       | 8746                       | E276      | 2466  | NO070080 |
| ⑧       | 8747                       | E277      | 2467  | NO080080 |
| ⑨       | 8748                       | E278      | 2468  | NO090080 |
| ⑩       | 8749                       | E279      | 2469  | NO100080 |
| ⑪       | 874A                       | E27A      | 246A  | NO110080 |
| ⑫       | 874B                       | E27B      | 246B  | NO120080 |
| ⑬       | 874C                       | E27C      | 246C  | NO130080 |
| ⑭       | 874D                       | E27D      | 246D  | NO140080 |
| ⑮       | 874E                       | E27E      | 246E  | NO150080 |
| ⑯       | 874F                       | E27F      | 246F  | NO160080 |
| ⑰       | 8750                       | E280      | 2470  | NO170080 |
| ⑱       | 8751                       | E281      | 2471  | NO180080 |
| ⑲       | 8752                       | E282      | 2472  | NO190080 |
| ⑳       | 8753                       | E283      | 2473  | NO200080 |
| ミリ      | 875F                       | E8AA      | 3349  | U0003349 |
| キロ      | 8760                       | E875      | 3314  | U0003314 |
| センチ     | 8761                       | E883      | 3322  | U0003322 |
| メートル    | 8762                       | E8AE      | 334D  | U000334D |
| グラム     | 8763                       | E879      | 3318  | U0003318 |
| トン      | 8764                       | E888      | 3327  | U0003327 |
| アール     | 8765                       | E864      | 3303  | U0003303 |
| ヘクタール   | 8766                       | E897      | 3336  | U0003336 |
| リットル    | 8767                       | E8B2      | 3351  | U0003351 |
| ワット     | 8768                       | E8B8      | 3357  | U0003357 |
| カロリー    | 8769                       | E86E      | 330D  | U000330D |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

|                |      |      |      |          |
|----------------|------|------|------|----------|
| ドル             | 876A | E887 | 3326 | U0003326 |
| セント            | 876B | E884 | 3323 | U0003323 |
| パーセント          | 876C | E88C | 332B | U000332B |
| ミリ             | 876D | E8AB | 334A | U000334A |
| メートル           | 876E | E89C | 333B | U000333B |
| mm             | 876F | E8F9 | 339C | SS810080 |
| cm             | 8770 | E8FA | 339D | SS820080 |
| km             | 8771 | E8FB | 339E | SS830080 |
| mg             | 8772 | E8EB | 338E | SS850080 |
| kg             | 8773 | E8EC | 338F | SS860080 |
| cc             | 8774 | E963 | 33C4 | SS870080 |
| m <sup>2</sup> | 8775 | E8FE | 33A1 | SS840080 |
| 平成             | 877E | E8D8 | 337B | U000337B |
| ㄨ              | 8780 | E6AC | 301D | SP210082 |
| ㄨ              | 8781 | E6AE | 301F | SP230081 |
| ㄨㄨ             | 8783 | E96C | 33CD | U00033CD |
| ㊤              | 8785 | E767 | 32A4 | U00032A4 |
| ㊤              | 8786 | E768 | 32A5 | U00032A5 |
| ㊤              | 8787 | E769 | 32A6 | U00032A6 |
| ㊤              | 8788 | E76A | 32A7 | U00032A7 |
| ㊤              | 8789 | E76B | 32A8 | U00032A8 |
| (有)            | 878B | E6EF | 3232 | U0003232 |
| (代)            | 878C | E6F6 | 3239 | U0003239 |
| 明治             | 878D | E8DB | 337E | U000337E |
| 大正             | 878E | E8DA | 337D | U000337D |
| 昭和             | 878F | E8D9 | 337C | U000337C |
| ♠              | 8793 | DFE8 | 222E | SA720080 |
| Σ              | 8794 | DFD6 | 2211 | SS400080 |
| └              | 8798 | DFE0 | 221F | SA420080 |
| △              | 8799 | E0AC | 22BF | SA850080 |

**Table 20. 3 non-Kanji in Halfwidth/Fullwidth Forms**

| Graphic | Host Code | PC Code | UCS-2 | GCGID    |
|---------|-----------|---------|-------|----------|
| —       | E9F3      | ----    | FF0D  | U000FF0D |
| ～       | E9F4      | ----    | FF5E  | U000FF5E |
| 丨       | E9F5      | ----    | FFE4  | U000FFE4 |

**12.3 Difference from the revision 99-03 to this revision**

**12.3.1 New characters added**

The following characters are newly added mainly for the support of all JIS X0213 characters.

- 169 non-Kanji characters (Refer to characters with double and triple asterisks on Host column of Table 8)
  - 144 non-Kanji characters on ISO 10646-1
  - 25 non-Kanji characters which are represented by composite sequence on ISO 10646.
- 905 Kanji characters (Refer to Table 9)
  - 531 Kanji characters on ISO 10646-1 CJK Unified Ideographs and Extension-A
  - 64 Kanji characters on ISO 10646-1 CJK Compatibility Ideographs
  - 302 Kanji characters on ISO 10646-2 CJK Unified Ideographs Extension-B
  - 8 Kanji characters on ISO 10646-1 or ISO 10646-2 which will be added in the next version of JIS X0213 (Refer to Kanji characters with asterisk on Graphic column of Table 21)

**Table 21. 8 Kanji will be added in JIS X0213 for Hyogai-Kanji**

| Graphic | Host Code | UCS-2   | JIS X0213 (Row-Cell/Hex) |
|---------|-----------|---------|--------------------------|
| 俱       | 4F63      | 5036    | 22-70/3666               |
| 俱*      | B356      | 4FF1    | ----                     |
| 叱       | 5042      | 53F1    | 28-24/3C38               |
| 叱*      | B38D      | 20B9F** | ----                     |
| 吞       | 50B0      | 5451    | 38-61/465D               |
| 吞*      | B390      | 541E    | ----                     |
| 噓       | 50F3      | 5618    | 17-19/3133               |
| 噓*      | B3AB      | 5653    | ----                     |
| 屏       | 5443      | 5C4F    | 54-02/5622               |
| 屏*      | B3E5      | 5C5B    | ----                     |
| 剥       | 5481      | 5265    | 39-77/476D               |
| 剥*      | B375      | 525D    | ----                     |
| 妍       | 58BA      | 598D    | 53-11/552B               |
| 妍*      | B3D3      | 59F8    | ----                     |

## IBM Japanese Graphic Character Set, Kanji

DBCS – Host and DBCS - PC

|  |      |      |            |
|--|------|------|------------|
| 并  | 59AD | 5E76 | 54-85/5675 |
| 并*   | B451 | 5E77 | ----       |
| Notes:<br>* Kanji characters newly added.<br>** This shows last 5 hex digits of ISO 10646 UCS-4 notation since this character is encoded in ISO 10646 Plane-2 / Unicode surrogates area. |      |      |            |

### 12.3.2 New CGCSGIDs (GCSGIDs and CPGIDs) added

The following CGCSGIDs (GCSGIDs and CPGIDs) are added on this revision. For GCSGID 65535/CPGID 00300, minimum set is expanded, although ID is not changed.

| CGCSGID<br>GCSGID<br>CPGID | Name   | Set Size         |
|----------------------------|--|------------------|
| 65535 00300                | Extended Japanese DBCS-Host for JIS X0213, including 13,142 Kanji characters, 2,754 Non-Kanji characters, 6,205 UDCs, and other growing characters | 22,102 (Minimum) |
| 02092 00300                | Extended Japanese DBCS-Host for JIS X0213, including 13,142 Kanji characters, 2,754 Non-Kanji characters, 6,205 UDCs                               | 22,102           |
| 02093 00300                | Extended Japanese DBCS-Host for JIS X0213 without UDCs, including 13,142 Kanji characters, 2,754 Non-Kanji characters                              | 15,897           |
| 02059 00300                | Extended Japanese DBCS-Host, including 12,237 Kanji characters, 2,585 Non-Kanji characters,  | 21,028           |

|  |            |  |
|--|------------|--|
|  | 6,205 UDCs |  |
|--|------------|--|

### 12.3.3 Other specifications added

#### 12.3.3.1 Introductions

- JIS X0213 is added in Section 3.2 “Referenced external documents”.

#### 12.3.3.2 Requirements

- The following standards are added in Chapter 4 “External Standards.”
  - ISO/IEC 10646-1:2000 Amendment-1
  - ISO/IEC 10646-2:2001
  - JIS X0213-2000
- More detailed description about GCUID is added on Section 5.1 “Identification of Graphic Characters.”.

#### 12.3.3.3 Character Sets and Code Pages

- Area 6 and 7 on Table 2 and Figure 1 in Section 6.2 “Structure of Japanese DBCS-Host” are expanded for new characters.

## 13. Graphic Character Representation

This specification does not define actual glyph representation such as glyph image or the style of font design. However, it is recommended that the glyph representation for *products* follow this document as close as possible to avoid confusion in identification of graphic characters. Following sections show the change of sample glyph representation on this standard. On questions about the font design to be implemented, the Standards Project Authority for DBCS (SIRS 029) may be consulted.

### 13.1 Change from the revision 92-11 to revision 99-03

As shown in Table 23, the sample image for Host code point in first column is changed from the one on “Former Graphic” column to the one on “New Graphic” column. Although the glyph image on “Graphic” column for Host code point in fourth column is same as the one on “Former Graphic” column for another Host code point in first column, there is no any relationship between them.

| Host Code | Former Graphic | New Graphic | Host Code | Graphic |
|-----------|----------------|-------------|-----------|---------|
| 52EC      | 俠              | 俠           | B8B4      | 俠       |
| 54D4      | 啞              | 啞           | BAB3      | 啞       |
| 547D      | 嚙              | 嚙           | BB4C      | 嚙       |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

|      |   |   |      |   |
|------|---|---|------|---|
| 5190 | 囊 | 囊 | BB5E | 囊 |
| 4F5E | 填 | 填 | BBDE | 填 |
| 55C0 | 屢 | 屢 | BD57 | 屢 |
| 54A3 | 搔 | 搔 | BFC8 | 搔 |
| 54CD | 摑 | 摑 | BFD8 | 摑 |
| 5B72 | 攢 | 攢 | C05C | 攢 |
| 54FA | 潑 | 澆 | C395 | 潑 |
| 5550 | 瀆 | 澆 | C3C6 | 瀆 |
| 53EE | 焰 | 焰 | C446 | 焰 |
| 54A4 | 瘦 | 瘦 | C5EF | 瘦 |
| 5553 | 禱 | 禱 | C77C | 禱 |
| 52DA | 繡 | 繡 | C958 | 繡 |
| 5373 | 繫 | 繫 | C95B | 繫 |
| 52C9 | 萊 | 萊 | CAFC | 萊 |
| 53F8 | 蔣 | 蔣 | CB86 | 蔣 |
| 52A1 | 蠟 | 蠟 | CCC5 | 蠟 |
| 5353 | 軀 | 軀 | CEEF | 軀 |
| 507F | 醬 | 醬 | D04B | 醬 |
| 51FA | 醃 | 醃 | D04F | 醃 |
| 4EB3 | 頰 | 頰 | D27F | 頰 |
| 55C1 | 顛 | 顛 | D28C | 顛 |
| 5464 | 鷗 | 鷗 | D489 | 鷗 |
| 4C7D | 鹼 | 鹼 | D4A4 | 鹼 |
| 5261 | 麴 | 麴 | D4B8 | 麴 |
| 555F | 麵 | 麵 | D4B9 | 麵 |

**13.2 Change from the revision 99-03 to this revision**

Sample glyph representations for Kanji characters in Table 24 are changed from the one on “Former Graphic” column to the one on “New Graphic” column in order to conform “HYOGAI KANJI JITAIHYO” which guides the standard kanji forms for printing.

| Former Graphic | New Graphic | Host Code | UCS-2 |
|----------------|-------------|-----------|-------|
| 茨              | 茨           | 474C      | 8328  |
| 辻              | 辻           | 47F5      | 8FBB  |
| 葛              | 葛           | 48DF      | 845B  |

| Former Graphic | New Graphic | Host Code | UCS-2 |
|----------------|-------------|-----------|-------|
| 樋              | 樋           | 494F      | 6A0B  |
| 迄              | 迄           | 49CD      | 8FC4  |
| 釜              | 釜           | 4ACC      | 91DC  |
| 芦              | 芦           | 4ADD      | 82A6  |
| 榭              | 榭           | 4B52      | 698A  |
| 灘              | 灘           | 4B96      | 7058  |
| 廻              | 廻           | 4BAF      | 5EFB  |
| 樽              | 樽           | 4BBE      | 6A3D  |
| 煉              | 煉           | 4C6F      | 7149  |
| 薩              | 薩           | 4CF1      | 85A9  |
| 楢              | 楢           | 4D93      | 6962  |
| 櫛              | 櫛           | 4DA6      | 6ADB  |
| 逢              | 逢           | 4DCE      | 9022  |
| 鍵              | 鍵           | 4E45      | 9375  |
| 糸              | 糸           | 4E85      | 7C82  |
| 穿              | 穿           | 4E91      | 7A7F  |
| 鮫              | 鮫           | 4EB7      | 9BAB  |
| 喰              | 喰           | 4EB9      | 55B0  |
| 槌              | 槌           | 4EFA      | 69CC  |
| 揃              | 揃           | 4EFD      | 63C3  |
| 註              | 註           | 4F66      | 8A3B  |
| 楯              | 楯           | 4FAE      | 696F  |
| 逗              | 逗           | 4FB3      | 9017  |
| 篇              | 篇           | 4FB6      | 7BC7  |
| 僅              | 僅           | 4FC9      | 50C5  |
| 這              | 這           | 4FCA      | 9019  |
| 瀦              | 瀦           | 4FDE      | 7026  |
| 鯖              | 鯖           | 4FE4      | 9BD6  |
| 粩              | 粩           | 4FF0      | 7C7E  |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 24. Sample glyph representation change for HYOGAI KANJI JITAIHYO |             |           |       |
|--|-------------|-----------|-------|
| Former Graphic   | New Graphic | Host Code | UCS-2 |
| 兎  | 兎           | 5050      | 514E  |
| 箸  | 箸           | 505C      | 7BB8  |
| 噌  | 噌           | 5062      | 564C  |
| 稗  | 稗           | 5087      | 7A17  |
| 蓬  | 蓬           | 5088      | 84EC  |
| 秤  | 秤           | 508F      | 79E4  |
| 爺  | 爺           | 5096      | 723A  |
| 又  | 又           | 50A5      | 53C9  |
| 餌  | 餌           | 50A7      | 990C  |
| 餅  | 餅           | 50BF      | 9905  |
| 汲  | 汲           | 50C8      | 6C72  |
| 訊  | 訊           | 50F2      | 8A0A  |
| 杖  | 杖           | 50F4      | 6756  |
| 禰  | 禰           | 50FA      | 79B0  |
| 鵠  | 鵠           | 50FD      | 9D60  |
| 鄭  | 鄭           | 5154      | 912D  |
| 箭  | 箭           | 518D      | 7BAD  |
| 詮  | 詮           | 518E      | 8A6E  |
| 祇  | 祇           | 5192      | 7947  |
| 斧  | 斧           | 51C2      | 65A7  |
| 笈  | 笈           | 51CF      | 7B08  |
| 饗  | 饗           | 51D5      | 9957  |
| 摺  | 摺           | 51EF      | 647A  |
| 鑪  | 鑪           | 5241      | 9453  |
| 飴  | 飴           | 5245      | 98F4  |
| 蛸  | 蛸           | 524E      | 86F8  |
| 簾  | 簾           | 5270      | 7C3E  |
| 溢  | 溢           | 5271      | 6EA2  |
| 腿  | 腿           | 529A      | 817F  |

| Table 24. Sample glyph representation change for HYOGAI KANJI JITAIHYO |             |           |       |
|--|-------------|-----------|-------|
| Former Graphic   | New Graphic | Host Code | UCS-2 |
| 噂  | 噂           | 529B      | 5642  |
| 挽  | 挽           | 52A8      | 633D  |
| 賭  | 賭           | 52C1      | 8CED  |
| 梗  | 梗           | 52CC      | 6897  |
| 靱  | 靱           | 52CE      | 9771  |
| 鞞  | 鞞           | 52E7      | 9798  |
| 竈  | 竈           | 52F0      | 7AC8  |
| 倦  | 倦           | 52F1      | 5026  |
| 謎  | 謎           | 52F9      | 8B0E  |
| 虔  | 虔           | 52FB      | 8654  |
| 蝕  | 蝕           | 5347      | 8755  |
| 澣  | 澣           | 535C      | 701E  |
| 迦  | 迦           | 535D      | 8FE6  |
| 厩  | 厩           | 5367      | 53A9  |
| 撰  | 撰           | 5372      | 64B0  |
| 挺  | 挺           | 5387      | 633A  |
| 隙  | 隙           | 53C3      | 9699  |
| 鱒  | 鱒           | 53C6      | 9C52  |
| 愈  | 愈           | 53C8      | 6108  |
| 巷  | 巷           | 53CB      | 5DF7  |
| 祁  | 祁           | 53D2      | 7941  |
| 猷  | 猷           | 53DD      | 7337  |
| 卿  | 卿           | 53E2      | 537F  |
| 甕  | 甕           | 53E6      | 7515  |
| 薯  | 薯           | 53F9      | 85AF  |
| 屠  | 屠           | 53FB      | 5C60  |
| 牙  | 牙           | 53FC      | 7259  |
| 鞞  | 鞞           | 5445      | 9784  |
| 遡  | 遡           | 544C      | 9061  |





**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| Table 24. Sample glyph representation change for<br>HYOGAI KANJI JITAIHYO |             |           |       |
|---|-------------|-----------|-------|
| Former Graphic  | New Graphic | Host Code | UCS-2 |
| 遜   | 遜           | 5455      | 905C  |
| 灼   | 灼           | 546A      | 707C  |
| 襖   | 襖           | 546C      | 8956  |
| 灸   | 灸           | 5473      | 7078  |
| 迪   | 迪           | 547E      | 8FBF  |
| 歎   | 歎           | 5487      | 6B4E  |
| 牽   | 牽           | 548A      | 727D  |
| 鞭   | 鞭           | 548B      | 97AD  |
| 煎   | 煎           | 5490      | 714E  |
| 捲   | 捲           | 5493      | 6372  |
| 甌   | 甌           | 5495      | 7511  |
| 溺   | 溺           | 5497      | 6EBA  |
| 媿   | 媿           | 549F      | 5A29  |
| 艘   | 艘           | 54AE      | 8258  |
| 屑   | 屑           | 54B2      | 5C51  |
| 翰   | 翰           | 54B6      | 7FF0  |
| 儲   | 儲           | 54BD      | 5132  |
| 杓   | 杓           | 54C1      | 6753  |
| 蔽   | 蔽           | 54D1      | 853D  |
| 漣   | 漣           | 54E0      | 6F23  |
| 堵   | 堵           | 54F6      | 5835  |
| 遁   | 遁           | 54F8      | 9041  |
| 鎚   | 鎚           | 54FE      | 939A  |
| 擢   | 擢           | 5543      | 64E2  |
| 抄   | 抄           | 5546      | 6357  |
| 酋   | 酋           | 5548      | 914B  |
| 淫   | 淫           | 554E      | 6DEB  |
| 庖   | 庖           | 554F      | 5E96  |
| 哨   | 哨           | 5568      | 54E8  |

| Table 24. Sample glyph representation change for<br>HYOGAI KANJI JITAIHYO |             |           |       |
|---|-------------|-----------|-------|
| Former Graphic  | New Graphic | Host Code | UCS-2 |
| 蔑   | 蔑           | 556C      | 8511  |
| 晦   | 晦           | 556D      | 6666  |
| 牌   | 牌           | 556F      | 724C  |
| 瞥   | 瞥           | 5572      | 77A5  |
| 翫   | 翫           | 558B      | 7FEB  |
| 煽   | 煽           | 5590      | 717D  |
| 豹   | 豹           | 5593      | 8C79  |
| 恢   | 恢           | 5594      | 6062  |
| 謬   | 謬           | 55A1      | 8B2C  |
| 諺   | 諺           | 55AB      | 8AFA  |
| 逼   | 逼           | 55AC      | 903C  |
| 廟   | 廟           | 55AF      | 5EDF  |
| 叛   | 叛           | 55B2      | 53DB  |
| 餐   | 餐           | 55B3      | 9910  |
| 蠅   | 蠅           | 55BD      | 8805  |
| 榔   | 榔           | 55C7      | 6994  |
| 鰯   | 鰯           | 55C8      | 9C2F  |
| 瀕   | 瀕           | 55D1      | 7015  |
| 鑄   | 鑄           | 55D2      | 9306  |
| 迂   | 迂           | 55DF      | 8FC2  |
| 徽   | 徽           | 55E0      | 5FBD  |
| 諸   | 諸           | 55E2      | 85F7  |
| 駁   | 駁           | 55E5      | 99C1  |
| 誹   | 誹           | 55F2      | 8AB9  |
| 冤   | 冤           | 56DD      | 51A4  |
| 叟   | 叟           | 578C      | 53DF  |
| 咬   | 咬           | 57B5      | 54AC  |
| 嘲   | 嘲           | 57F3      | 5632  |
| 轉   | 轉           | 584C      | 56C0  |



**IBM Japanese Graphic Character Set, Kanji**

DBCS – Host and DBCS - PC

| <b>Table 24. Sample glyph representation change for<br/>HYOGAI KANJI JITAIHYO</b> |                          |                  |              |
|---|--------------------------|------------------|--------------|
| <b>Former<br/>Graphic</b>   | <b>New Graph-<br/>ic</b> | <b>Host Code</b> | <b>UCS-2</b> |
| 俳   | 俳                        | 59E4             | 5F98         |
| 扁   | 扁                        | 5ABF             | 6241         |
| 橙   | 橙                        | 5CA3             | 6A59         |
| 狡   | 狡                        | 5E7E             | 72E1         |
| 甦   | 甦                        | 5EDA             | 7526         |
| 疼   | 疼                        | 5EFC             | 75BC         |
| 筵   | 筵                        | 606E             | 7B75         |
| 箒   | 箒                        | 6083             | 7BDD         |
| 臄   | 臄                        | 61B1             | 8171         |
| 芒   | 芒                        | 61F0             | 8292         |
| 蜃   | 蜃                        | 62EE             | 8703         |
| 訝   | 訝                        | 63C7             | 8A1D         |
| 騙   | 騙                        | 674F             | 9A19         |
| 鴉   | 鴉                        | 67CB             | 9D09         |