


IBM Worklight V6.1.0 Getting Started

Previewing your application on BlackBerry 6 and 7



Trademarks

- IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Worklight is a trademark or registered trademark of Worklight, an IBM Company. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at “[Copyright and trademark information](#)” at www.ibm.com/legal/copytrade.shtml.
- Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.
- Other company products or service names may be trademarks or service marks of others.
- This document may not be reproduced in whole or in part without the prior written permission of IBM.

About IBM®


- See <http://www.ibm.com/ibm/us/en/>

Agenda

- Adding a BlackBerry environment
- Review of the BlackBerry environment folder structure
- Previewing your application with the Mobile Browser Simulator
- Previewing your application on the BlackBerry Ripple Emulator
- Running your application on BlackBerry Simulator and BlackBerry handsets


Adding a BlackBerry environment

- Click the IBM Worklight® icon, and select **Worklight Environment** to add an environment to your application.



Adding a BlackBerry environment - continued

- Select the **BlackBerry 6 and 7** check box, and click **Finish**.
- A **blackberry** folder is automatically added.




Agenda

- Adding a BlackBerry environment
- Review of the BlackBerry environment folder structure
- Previewing your application with the Mobile Browser Simulator
- Previewing your application on the BlackBerry Ripple Emulator
- Running your application on BlackBerry Simulator and BlackBerry handsets


Review of the BlackBerry environment folder structure

- The BlackBerry environment includes the following folders:
 - **css** – The properties that are specified here override the CSS files from the **common** folder.
 - **images** – BlackBerry-specific images can be added here. If an image with the same filename exists in the **common** folder, it is overwritten in the BlackBerry application.
 - **js** – Contains JavaScript™ that can extend, and override if required, JavaScript from the **common** folder.



Review of the BlackBerry environment folder structure - continued

- The **native** folder contains automatically generated BlackBerry app code that is ready to be packaged.
- The CSS, HTML, and JS files in the **native/www** folder are regenerated every time that the application is built, so any changes made to these files are lost.



Agenda

- Adding a BlackBerry environment
- Review of the BlackBerry environment folder structure
- **Previewing your application with the Mobile Browser Simulator**
- Previewing your application on the BlackBerry Ripple Emulator
- Running your application on BlackBerry Simulator and BlackBerry handsets

Previewing your application with the Mobile Browser Simulator

- Once your application is built and deployed in Worklight Studio, you can preview it in the Mobile Browser Simulator.
- Right-click the project and select **Open Worklight Console**, or browse to the Worklight Console, and then click the preview icon beside the environment name.




Agenda


- Adding a BlackBerry environment
- Review of the BlackBerry environment folder structure
- Previewing your application with the Mobile Browser Simulator
- **Previewing your application on the BlackBerry Ripple Emulator**
- Running your application on BlackBerry Simulator and BlackBerry handsets


Previewing your application on the BlackBerry Ripple Emulator

- Click **Open Simple Preview**.
- Make sure to enable the Ripple plug-in in Chrome.




Previewing your application on the BlackBerry Ripple Emulator - continued

- The Ripple extension is available only for the Google Chrome browser. You can download it from the Chrome Web Store.
- In the top bar of your browser, click the Ripple icon  and then click **Enable** to view your app in a Ripple emulator.



Previewing your application on the BlackBerry Ripple Emulator - continued

- If you get the screen below, choose **WebWorks (2.0.0)** to proceed with previewing the application.




Agenda

- Adding a BlackBerry environment
- Review of the BlackBerry environment folder structure
- Previewing your application with the Mobile Browser Simulator
- Previewing your application on the BlackBerry Ripple Emulator
- Running your application on BlackBerry Simulator and BlackBerry handsets


Running your application on BlackBerry Simulator and devices

- You must have the BlackBerry WebWorks SDK installed to package an application for a simulator or a mobile device.
- In BlackBerry Ripple, on the right menu, click **Build**, and then click **Settings**.



Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:



The screenshot shows the 'Settings' dialog box with the 'Package' tab selected. The 'Build' section contains the following fields:

Field	Value
SDK Path	c:\Program Files (x86)\Research In
Project Root	c:\dev\workspaces\WL42\module_03_0_
Archive Name	mybbapp
Output Folder	c:\mybbapp

The 'Sign' section contains a 'Password' field.

The 'Launch' section contains a 'Simulator' dropdown menu with the value '9780-6.0.0.570'.

Path where BlackBerry WebWorks SDK is installed

Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:

The screenshot shows the Eclipse IDE Settings dialog for BlackBerry. The 'Package' section is expanded, showing the following fields:

Field	Value
Build	
SDK Path	c:\Program Files (x86)\Research In Motio
Project Root	c:\dev\workspaces\WL42\module_03_0_
Archive Name	mybbapp
Output Folder	c:\mybbapp
Sign	
Password	
Launch	
Simulator	9780-6.0.0.570

The root folder of your project

To find the root folder, right-click the **native** folder in your Eclipse **blackberry** environment and select **Properties**.

Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:

Properties for native

type filter text

Resource

Run/Debug Settings

Resource

Path: /module_03_0_HelloWorklightProject/apps/HelloWorklight/blackberry/native

Type: Folder

Location: C:\dev\workspaces\WL42\module_03_0_HelloWorklightProject\apps\HelloWorklight\blackberry\native

Last modified: November 10, 2011 3:33:46 PM

Attributes:

Read only

Archive

Derived

Text file encoding

Inherited from container (UTF-8)

Other: UTF-8

Restore Defaults Apply

OK Cancel

er of
not
lick the
in your
kberry
and
rties.

Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:

The screenshot shows the 'Settings' dialog box with the 'Package' tab selected. The 'Build' section contains the following fields:

Field	Value
SDK Path	c:\Program Files (x86)\Research In Motio
Project Root	c:\dev\workspaces\WL42\module_03_0_
Archive Name	mybbapp
Output Folder	c:\mybbapp

The 'Sign' section contains a Password field.


The 'Launch' section contains a Simulator dropdown menu set to 9780-6.0.0.570.

The name for your archive, and the folder where to output the application

Specify a folder outside your project.

Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:



The screenshot shows the 'Settings' dialog box with the 'Package' tab selected. The 'Build' section contains the following fields:

Field	Value
SDK Path	c:\Program Files (x86)\Research In Motio
Project Root	c:\dev\workspaces\WL42\module_03_0_
Archive Name	mybbapp
Output Folder	c:\mybbapp

The 'Sign' section contains the following field:

Field	Value
Password	[Redacted]

The 'Launch' section contains the following field:


Field	Value
Simulator	9780-6.0.0.570

Sign your app with a BlackBerry developer certificate to run it on a BlackBerry handset. Specify your certificate password here.

Signing is NOT required to run the application in the BlackBerry Simulator.

Running your application on BlackBerry Simulator and devices - continued

- Complete the following fields:



The screenshot shows the 'Settings' dialog box with the 'Package' tab selected. The 'Build' section contains the following fields:

Field	Value
SDK Path	c:\Program Files (x86)\Research In Motio
Project Root	c:\dev\workspaces\WL42\module_03_0_
Archive Name	mybbapp
Output Folder	c:\mybbapp


The 'Sign' section contains a 'Password' field.

The 'Launch' section contains a 'Simulator' dropdown menu with the value '9780-6.0.0.570' selected.

Optional: You can select a simulator that is automatically called after your application is packaged.

Running your application on BlackBerry Simulator and devices - continued

- After the package settings are defined, click **start services**, and then select one of the **Package** options.



- For more information about application packaging, see the BlackBerry Developer website.

The Result



Notices

- Permission for the use of these publications is granted subject to these terms and conditions.
- This information was developed for products and services offered in the U.S.A.
- IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.
- IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:
 - IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.
- For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:
 - Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
1623-14, Shimotsuruma, Yamato-shi
Kanagawa 242-8502 Japan
- **The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:** INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.
- This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.
- Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.
- IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.
- Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:
 - IBM Corporation
Dept F6, Bldg 1
294 Route 100
Somers NY 10589-3216
USA

- Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.
- The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.
- Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

COPYRIGHT LICENSE:

- This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.
- Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:
 - © (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs.
© Copyright IBM Corp. _enter the year or years_. All rights reserved.

Privacy Policy Considerations

- IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.
- Depending upon the configurations deployed, this Software Offering may use session cookies that collect session information (generated by the application server). These cookies contain no personally identifiable information and are required for session management. Additionally, persistent cookies may be randomly generated to recognize and manage anonymous users. These cookies also contain no personally identifiable information and are required.
- If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent. For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the sections entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

Support and comments

- For the entire IBM Worklight documentation set, training material and online forums where you can post questions, see the IBM website at:
 - <http://www.ibm.com/mobile-docs>
- **Support**
 - Software Subscription and Support (also referred to as Software Maintenance) is included with licenses purchased through Passport Advantage and Passport Advantage Express. For additional information about the International Passport Advantage Agreement and the IBM International Passport Advantage Express Agreement, visit the Passport Advantage website at:
 - <http://www.ibm.com/software/passportadvantage>
 - If you have a Software Subscription and Support in effect, IBM provides you assistance for your routine, short duration installation and usage (how-to) questions, and code-related questions. For additional details, consult your IBM Software Support Handbook at:
 - <http://www.ibm.com/support/handbook>
- **Comments**
 - We appreciate your comments about this publication. Please comment on specific errors or omissions, accuracy, organization, subject matter, or completeness of this document. The comments you send should pertain to only the information in this manual or product and the way in which the information is presented.
 - For technical questions and information about products and prices, please contact your IBM branch office, your IBM business partner, or your authorized remarketer.
 - When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you. IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you state.
 - Thank you for your support.
 - Submit your comments in the IBM Worklight Developer Edition support community at:
 - <https://www.ibm.com/developerworks/mobile/worklight/connect.html>
 - If you would like a response from IBM, please provide the following information:
 - Name
 - Address
 - Company or Organization
 - Phone No.
 - Email address

Thank You

