



IBM Software
VisualAge Pacbase



Monthly Newsletter May 1998

New Functionalities

**Pacbench
Client/Server 2.0**

Miscellaneous

OCX: the conversion of the communication area according to the page code has been optimized (C 16763)

OCX: the conversion of the communication area according to the page code has been optimized. It is no longer based on the maximum size of the message but on the maximum size of the Logical View.

OCX: recognition of numeric fields which include a great number of digits (C 16764)

Recognition of numeric fields which include a great number of digits in Logical Views and User Buffers.

Corrected Bugs

VA Pacbase WorkStation

Miscellaneous

EMPAC: Recognizing the Host context (C 16731)

WorkStation Emulator: after a transmission, the Host context displayed on top of the screen at the right side is recognized again.

Pacbench Client/Server 2.0

Proxy functionalities

OCX : Synchronization of rowsCheckPresence attribute with DataDescription and detailCheckPresence instances for local updates (C 16762)

Each time detailCheckPresence attribute is locally updated, the updated instance affects rowsCheckPresence.

New Abilities

Softwares

REFERENCE	LABEL
ID 200 HP9 V03 F	DSMS 2.0 - HP/9000
ID 200 IRX V03 F	DSMS 2.0 - IRX
ID 200 RS6 V03 F	DSMS 2.0 - RS/6000
ID 200 SUN V03 F	DSMS 2.0 - SUN
PB 200 DP7 V11 X	VA Pacbase 2.0 - GCOS/7
PB 200 HP9 V11 X	VA Pacbase 2.0 - HP/9000
PB 200 IMS V11A	VA Pacbase 2.0 - IMS
PB 200 IMS V11F	VA Pacbase 2.0 - IMS
PB 200 IRX V11 X	VA Pacbase 2.0 - IRX
PB 200 RS6 V11 X	VA Pacbase 2.0 - RS/6000
PB 200 SUN V11 X	VA Pacbase 2.0 - SUN
PT 200 DP7 V05 A	Pactables 2.0 - GCOS/7
PT 200 DP7 V05 F	Pactables 2.0 - GCOS/7
PT 200 HP9 V05 X	Pactables 2.0 - HP/9000
PT 200 IRX V05 X	Pactables 2.0 - IRX
PT 200 RS6 V05 X	Pactables 2.0 - RS/6000
PT 200 SUN V05 X	Pactables 2.0 - SUN

Documentations

REFERENCE	LABEL
DDOAU000251F	Module C/S - Services Applicatifs - Guide Utilisateur
DETIX000201F	Pactables 2.0 - UNIX - Manuel d'Exploitation