

IBM® TS7700 Series
VEHSTATS Decoder
Version 2.1d

Original author: Jim Fisher fisherja@us.ibm.com
Advanced Technical Skills – Americas

Vladimir Belenkov vbelenko@ru.ibm.com
TAPETOOLS tapetool@us.ibm.com

Contents

Introduction	3
Change History	4
H20VIRT.....	7
H21ADP0x	10
H21ADPxx.....	11
H21ADPSU.....	12
H21ADPSU – activity combined	12
H21ADPSU – throughput distribution	14
H30TVC1.....	15
H30TVC1 (Part 1)	15
H30TVC1 Throttling values (Part 2)	18
H30TVC1 - PREFERENCE_GROUP_0/1 (Part 3)	21
H30TVC1 - TOTAL CACHE PARTITION INFORMATION and DATA RETENTION INFORMATION (Part 4)	23
H30TVC1 – PREFERENCE GROUP x TAPE DELAYED PRE MIGRATION (Part 5)	25
H31IMEX.....	27
H32TDU12	28
H32CSP	29
H32GUP01.....	30
H33GRID.....	32
HOURFLOW	35
AVGRDST	38
HOURXFER.....	40
DAYSMDY	42
DAYSMDY – Report Order	42
DAYSMDY – Alphabetical Order	61
MONSMRY.....	80
MONSMRY – Report Order	80
MONSMRY – Alphabetical Order	81
COMPARE.....	82
HOURFLAT – Alphabetical.....	83
Disclaimers.....	84

Introduction

This document provides a cross reference between the various VEHSTATS output files and the IBM® TS7700 Series Statistical Data Format White Paper. This document provides a set of tables that correspond to the various VEHSTATS reports. The VEHSTATS generated abbreviated column and row headings are listed with the corresponding Record Name and Container Name from the white paper. A description field contains the field name for the statistical records. The description field also provides any additional pertinent information. The appropriate field in the statistical data format white paper should then be referenced for a detailed description of the row or column. The following VEHSTATS generated reports are cross referenced:

- H20VIRT
- H21ADP00
- H21ADPXX
- H21ADPSU
- H30TVC1
- H32TDU12
- H32CSP
- H32GUP01
- H33GRID
- HOURFLOW
- AVGRDST
- DAYSMRY
- DAYSMRY – Alphabetical order
- MONSMRY
- MONSMRY – Alphabetical order
- COMPARE
- HOURFLAT/DAYHSMRY/WEKHSMRY – Alphabetical order

This document should be used in conjunction with the IBM® TS7700 Series Statistical Data Format White Paper which can be found on Techdocs. <http://www-03.ibm.com/support/techdocs/atmastr.nsf/WebIndex/WP100829>

Change History

- V1.0 – Original Version
- V1.1 – 12/06/2010
 - Updated H32GUP01 to reflect new format
- V1.2 – 12/15/2010
 - Updated H32GUP01 to reflect the newest new format
- V1.3 – 1/30/2012
 - Add note that the columns in DAYHSMRY and WEKHSMRY are described by the HOURFLAT section.
 - Updated fields to use MiB and GiB instead of MB and GB.
- V1.4 – 3/4/2013
 - Add decoder for HOURFLOW report
 - Add R3.0 related fields to H30TVC1 report
 - Refreshed HOURFLAT chapter to bring it up to date
 - Other minor updates
- V1.5 – 3/12/2013
 - Add cache throughput fields and UTC_OFFSET field to HOURFLAT alphabetical section
 - Added rows for HOURFLOW that were omitted in V1.4
- V1.6 – 4/16/2013
 - Change “Active GiB EOI” to “Active GB EOI” in DAYSMRY and MONSMRY
- V1.7
 - Spell MONSUMRY and DAYSUMRY correctly as MONSMRY and DAYSMRY
- V1.8
 - Update:
 - H20VIRT – Add throughput delay columns which are available starting in R3.0
 - H21ADPSU – Add device read and write rate as computed by VEHSTATS
 - H30TVC1 – Change “GiB RES CACHE” to “GB RES CACHE” so it matches the units used to display the disk cache size
 - H31IMEX – Add this report
 - H32CSP – Updated example to show JC and JK media types
 - H32GUP01 – Change “ACTIVE GiB” to “ACTIVE GB” so it matches the units used to display the disk cache size
 - H33GRID – Add Immediate, Deferred, and Synchronous copy columns
 - DAYSMRY – Changes made to both Reporting Order and Alphabetical Order
 - Change “Active GiB EOI” to “Active GB EOI”

- Change GiB to MiB as appropriate
- Add four fields to PERFORMANCE BY PG section: All MiB to Mig EOI, All MiB to Mig MAX, All MiB to Cpy EOI, and All MiB to Cpy MAX.
- Add Import/Export fields
- Add copy performance fields
- GRID COPY RECEIVER SNAPSHOT – Change “VV to copy EOI” to “VV to Recv EOI” and “MiB to copy EOI” to “MiB to Recv EOI”. This removes ambiguity as to the direction of the copy.
- USAGE BY POOL changes GiB to GB for “POOL xx ACT GB EOI”, “POOL xx GB WRT SUM”, and “POOL xx GB RD SUM”.
- MONSMRY - Changes made to both Reporting Order and Alphabetical Order
 - Change “Days w/Activity” to “Host Use Days”
 - Change “Active GiB” to “Active GB”
 - Add “Max MiB to MIG” and “Max MiB to CPY” to PERFORMANCE by PG section
 - Add Export/Import fields
 - USAGE BY POOL changes GiB to GB for “POOL xx ACT GB”, “POOL xx GB WRT”, and “POOL xx GB RD”.
- HOURFLAT
 - Change “PGx_GiB_in_TVC” to “PGx_GB_in_TVC”
 - Change “POOL_xx_ACT_GiB” to “POOL_xx_ACT_GB”
 - Adjust description of “Avg_Clus_Util” and “Max_Clus_Util” to indicate this field only includes CPU with R3.0+.
 - Add the following fields:
 - UTC_OFFSET
 - Avg_Disk_Util
 - Max_Disk_Util
 - Thr_Dly_Av_Sec
 - Thr_Dly_Mx_Sec
 - Thr_Dly_Percent
- V1.9 January 2014
 - Add avg and max ahead and behind counts from Virtual Device Historical record H20VIRT
 - Add total used cache and total used flash cache from Hnode HSM Historical Record H30TVC1
 - Add removed time delayed copies average age and time delayed copies removal count from Hnode HSM Historical Record H30TVC1
 - Add time delayed copy queue from Hnode Grid Historical Record H33GRID

- V2.0 March 2014
 - Indicate the correct container for Cache Miss in the AVGRDST report

- V2.1 March 2016
 - Add Attempt Throughput (ATTMPT_THRPUT) in H20VIRT
 - Add Total Migrated GB in H30TVC1
 - Add H30TVC1 - PARTITION 0 EXTENDED VALUES
 - Add H30TVC1 - PREFERENCE_GROUP_x_EXTENDED_VALUES
 - Add "MiB_TO_GRID_BY_GGM" in H33GRID
 - Add "MiB/s By_GGM Queue" and "GiB_to PreMig" in HOURFLOW
 - Add in DAYSMRY:
 - "Avg CPU Util" and "Max CPU Util"
 - "Phy Rd MiB/s" and "Phy Wr MiB/s"
 - "Avg Sec DCThrt AVG"
 - "Dev Rd MiB/s" and "Dev Wr MiB/s"
 - Counters added for Release 3.2
 - "Avg Sync Sec"
 - Replace the tables for MONSMRY, COMPARE, HOURFLAT by reference to DAYSMRY report
 - Add column with "Order name" showing the value of "order" connected with that counter

- V2.1a April 01, 2016
 - Change "MB" to "MiB" in header line in H33GRID report

- V2.1b September 21, 2016
 - Improve the description of H33GRID report
 - The report H30TVCx is updated
 - The report AVGRDST is improved
 - The description of the field "ACTIVE GB" is updated

- V2.1c January 2017
 - The report H30TVCx is updated: "TOTAL CACHE PARTITION INFORMATION" starting from Release 3.2

- The report H33GRID: the new counters – distribution of Remote Write/Read activities by clusters
- The report DAYSMRY: fill the column "Field Type" (where it was not filled yet)

The following fields are not available now: PG0 NumPfrRm n, PG0 SizPfrRm n, PG1 NumPfrKp n, PG1 SizPfrKp n, PG0 NumPfrRmv, PG0 SizPfrRmv

The following fields are added: PG1 NumPinned, PG1 SizPinned, PG1 NumPfrRmv, PG1 SizPfrRmv

The following counters are changed:

new	obsolete
'%HOST_WR_TH_TA'	'%HST_WR_TH_P0'
'AVG_WR_TH_TA'	'AVHSTWR_TH_P0'
'%COPY_TH_TA'	'%CPY_THR_P0'
'AVG_COPY_TH_TA'	'AVCPY_THR_P0'
'AVG_OVER_TH_TA'	'AVALL_THR_P0'
'%DEF_CP_TH_TA'	'%DFRCPTHY_P0'
'AVG_D_CP_TH_TA'	'AVDFRCPTHY_P0'
'BAS_D_CP_TH_TA'	'BSDFRCPHY_P0'
'HSTWR_THRSN_TA'	'HSTWRTHY_REAS'
'COPY_THRSN_TA'	'COPYTHY_REAS'
'DCOPY_THRSN_TA'	'DFRCPTHY_REAS'
'HSTWR_THRSN_P0'	'WRT THROT RSN'
'COPY_THRSN_P0'	'CPY THROT RSN'
'DCOPY_THRSN_P0'	'DCPY THROT RSN'
'BAS_D_CP_TH_P0'	'BASE DCP THROT'

• **V2.1d June 2017**

- The report DAYSMRY: fill the column "Field Type" (where it was still not filled yet)
- H30TVCx: Change the column name "TOTAL P-MIGRD GB" to "TOTAL MIGRD GB"
- Add the report HOURXFER
- The field name "TOTAL TVC GB FLASH" is changed to "TOTAL GB DR FLASH" in the reports H30TVCx

H20VIRT

```
(C) IBM   REPORT=H20VIRT (16032)           VNODE VIRTUAL DEVICE HISTORICAL RECORDS           RUN ON
GRID#=00700   DIST_LIB_ID= 0   VNODE_ID= 0   NODE_SERIAL=CL0H6709   VE_CODE_LEVEL=008.032.001.0008
12JAN16TU -VIRTUAL_DRIVES-           _THROUGHPUT_ PCT_OF           CLUSTER VS FICON CHANNEL
RECORD      --MOUNTED--           MAX ATTMPT   Delay_/15Sec  15Sec   AHEAD   AHEAD   BEHIND   BEHIND
TIME  INST MIN AVG MAX THRPUT THRPUT   MAX     AVG  INTVLS   MAX     AVG     MAX     AVG
          R2.2   CALC <-----R3.0.0063-----> <-----R3.1.0073+----->
00:15:00  256   1   3   7   MAX     na   .000   .000     0   208066   76661     989   187
```

Continued:

```
03FEB2016 @ 23:32:49   PAGE   1
                        UTC NOT CHG
```

```
-----CHANNEL_BLOCKS_WRITTEN_FOR_THESE_BLOCKSIZE-----
<=2048      <=4096      <=8192      <=16384     <=32768     <=65536     >65536
10406       4248       4572       132954     4636124     14600       42
```

H20VIRT - VNODE VIRTUAL DEVICE HISTORICAL RECORDS			
Field name	Record Name	Container Name	Description
Header Related Fields			
Body Related Fields			
-VIRTUAL DRIVES- INST	Vnode Virtual Device Historical	Vnode Virtual Device	Installed Virtual Devices
-VIRTUAL DRIVES- --MOUNTED-- MIN AVG MAX	Vnode Virtual Device Historical	Vnode Virtual Device	Minimum/Average/Maximum Virtual Devices Mounted
MAX THRPUT R2.2	Vnode Virtual Device Historical	Vnode Virtual Device	Configured Maximum Throughput
ATTMPT THRPUT CALC	Vnode Virtual Device Historical	Vnode Virtual Device	Attempted Throughput. Calculated based on "Configured Maximum Throughput" and "Maximum Delay". The Attmpt_Thruput is a guess as to how fast the host was trying to go when we throttled it. It's not exact given the stats cover 15 minute averages.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

<pre> __ THROUGHPUT __ __ DELAY_SECS __ MAX AVG PCT ---R3.0.0063--> </pre>	Vnode Virtual Device Historical	Vnode Virtual Device	<p>Maximum Delay Average Delay Delay Interval Percentage</p> <p>The Delay Avg value is how much delay on average per 1 second was introduced to slow down the host.</p>
<pre> AHEAD AHEAD BEHIND BEHIND MAX AVG MAX AVG -----R3.1.0073+----- </pre>	Vnode Virtual Device Historical	Vnode Virtual Device	<p>Maximum ahead count Average ahead count Maximum behind count Average behind count</p> <p>The Ahead count is how many times our internal buffer for any device becomes empty during writes or full during reads. It means the "TS7700" is ahead of the channel. Behind is just the opposite. It's the count of how many times the buffer filled during writes or became empty during reads where the TS7700 wasn't fast enough. High Ahead counts means the 7700 has throughput to spare, which in this case it does given it's slowing down the channel. If you see high behind counts, that means the 7700 is the bottleneck. It could be just overall throughput, it could be internal disk cache, it could be networks when remote mounts take place, it could be sustained state of operation where we are offloading to tape and any other thing where the 7700 can't keep up either by design or due to an issue.</p>
<pre> CHANNEL BLOCKS WRITTEN FOR THESE BLOCKSIZES <=2048 <=4096 <=8192 <=16384 <=32768 <=65536 >65536 </pre>	Vnode Virtual Device Historical	Vnode Virtual Device	Channel Blocks Written xxxxx-xxxxx Byte Range

H21ADP0x

```
(C) IBM   REPORT=H21ADP00(16032)           VNODE ADAPTOR HISTORICAL ACTIVITY           RUN ON 03FEB2016 @ 23:32:49   PAGE   1
GRID#=00700  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CL0H6709  VE_CODE_LEVEL=008.032.001.0008   UTC NOT CHG
      ADAPTOR 0 FICON-2 (ONLINE   )           L DRAWER   SLOT# 6
12JAN16TU PORT 0           MiB is 1024 based, MB is 1000 based           PORT 1
RECORD GBS MiB-----CHANNEL-----DEVICE-----          GBS MiB-----CHANNEL-----DEVICE-----
      TIME RTE sec   RDMiB /sec   WRMiB /sec   RDMib COMP   WRMib COMP   RTE sec   RDMiB /sec   WRMiB /sec   RDMiB COMP   WRMiB COMP
00:15:00   4  29     2677     2   23806   26     1207 2.21   8676 2.74     0   0         0   0         0   0         0   0         0   0
```

There are 2 or 4 of these reports, one for each FICON adapter: H21ADP00, H21ADP01, H21ADP02, and H21ADP03

H21ADP0x – VNODE ADAPTOR HISTORICAL ACTIVITY			
Field name	Record Name	Container Name	Description
Header Related Fields			
ADAPTOR x	Vnode Adapter Historical	Vnode Adapter	Based on which set of data in the container
FICON-x	Vnode Adapter Historical	Vnode Adapter	Adapter Type
(...)	Vnode Adapter Historical	Vnode Adapter	Adapter State
x DRAWER	Vnode Adapter Historical	Vnode Adapter	HBS Drawer: <ul style="list-style-type: none"> • L – left • R - Right
SLOT# x	Vnode Adapter Historical	Vnode Adapter	HBA Slot Number
PORT x	Vnode Adapter Historical	Vnode Adapter-Port	Based on which set of data in the container
Body Related Fields			
GBS RTE	Vnode Adapter Historical	Vnode Adapter-Port	Maximum Data Rate
MiB sec	Vnode Adapter Historical	Vnode Adapter-Port	Actual Data Rate
-----CHANNEL----- RDMiB /sec WRMiB /sec	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by the Channel • MiB/s computed by VEHSTATS • Bytes Written by the Channel • MiB/s computed by VEHSTATS
-----DEVICE----- RDMib COMP WRMib COMP	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by Virtual Devices • Compression ratio computed by VEHSTATS • Bytes Written to Virtual Devices • Compression ratio computed by VEHSTATS

H21ADPxx

```
(C) IBM   REPORT=H21ADPXX(16032)          VNODE ADAPTOR HISTORICAL ACTVTY COMBINED          RUN ON 03FEB2016 @ 23:32:49          PAGE   1
GRID#=00700  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CLOH6709  VE_CODE_LEVEL=008.032.001.0008          UTC NOT CHG
12JAN16TU  -----ADAPTOR 0 FICON-2-----  -----ADAPTOR 1 FICON-2-----  -----ADAPTOR 2 FICON-2-----  -----ADAPTOR 3 FICON-2-----
RECORD TOTAL ---CHANNEL--- ---DEVICE---  ---CHANNEL--- ---DEVICE---  ---CHANNEL--- ---DEVICE---  ---CHANNEL--- ---DEVICE---
TIME MiB/s  RDGiB  WRGiB  RDGiB  WRGiB  RDGiB  WRGiB  RDGiB  WRGiB  RDGiB  WRGiB  RDGiB  WRGiB  RDGiB  WRGiB
00:15:00   117    2.6   23.2    1.1   8.4    2.5   23.1    1.1   8.4    2.5   23.2    1.1   8.4    2.5   23.2    1.1   8.4
```

The values in this report are summed by VEHSTATS using the data from each of the individual adapters: H21ADP00, H21ADP01, H21ADP02, and H21ADP03

H21ADPXX – VNODE ADAPTOR HISTORICAL ACTIVITY COMBINED			
Field name	Record Name	Container Name	Description
Header Related Fields			
ADAPTOR x	Vnode Adapter Historical	Vnode Adapter	Based on which set of data in the container
FICON-x	Vnode Adapter Historical	Vnode Adapter	Adapter Type
Body Related Fields			
TOTAL MiB/s	Vnode Adapter Historical	Vnode Adapter	Actual Data Rate
---CHANNEL--- RDGiB WRGiB	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by the Channel • Bytes Written by the Channel
---DEVICE--- RDGiB WRGiB	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by Virtual Devices • Bytes Written to Virtual Devices

H21ADPSU

H21ADPSU – activity combined

```
(C) IBM   REPORT=H21ADPSU(16032)          VNODE ADAPTOR HISTORICAL ACTVTY COMBINED          RUN ON 03FEB2016 @ 23:32:49          PAGE   1
GRID#=00700  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CL0H6709  VE_CODE_LEVEL=008.032.001.0008          UTC NOT CHG
12JAN16TU Chan Device  WRTHR  CPTHR  DCTHR          MiB is 1024 based, MB is 1000 based
RECORD Total  Total  %RLTV  %RLTV  SEC  -----CHANNEL-----          -----DEVICE-----
TIME MiB/s  MiB/s  IMPAC  IMPAC  /IO  RDGiB MiB/s  WRGiB MiB/s  RDGiB MiB/s  COMP  WRGiB MiB/s  COMP
00:15:00  117    43    .00    .00    .000    10.3    11    92.8    105    4.6    5  2.21  33.8    38  2.74
```

Some of the values in this report are computed by VEHSTATS using the data from each of the individual adapters: H21ADP00, H21ADP01, H21ADP02, and H21ADP03

H21ADPSU – VNODE ADAPTOR HISTORICAL ACTIVITY COMBINED			
Field name	Record Name	Container Name	Description
Header Related Fields			
Body Related Fields			
Chan Total MiB/s	Vnode Adapter Historical	Vnode Adapter	Actual Data Rate
Device Total MiB/s	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by Virtual Devices • Bytes Written to Virtual Devices
WRTHR %RLTV IMPAC	Hnode HSM Historical	HSM-Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle • Equation is shown at bottom of table.
CPTHR %RLTV IMPAC	Hnode HSM Historical	HSM-Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle • Equation is shown at bottom of table.
DCTHR SEC /IO	Hnode HSM Historical	HSM-Cache	Average Deferred Copy Throttle

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

-----CHANNEL----- RDGiB MiB/s WRGiB MiB/s	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by the Channel • MiB/s computed by VEHSTATS • Bytes Written by the Channel • MiB/s computed by VEHSTATS
-----DEVICE----- RDGiB MiB/s COMP WRGiB MiB/s COMP	Vnode Adapter Historical	Vnode Adapter-Port	<ul style="list-style-type: none"> • Bytes Read by Virtual Devices • MiB/s computed by VEHSTATS • Compression ratio computed by VEHSTATS • Bytes Written to Virtual Devices • MiB/s computed by VEHSTATS • Compression ratio computed by VEHSTATS

$$\%Relative\ Impact\ (\%RLTV\ IMPAC) = \frac{(\# 30\ sec\ samples\ with\ throttling) * (avg\ throttle\ value) * (100\ to\ express\ as\ \%)}{(\# 30\ sec\ samples\ in\ interval) * (2\ sec\ max\ value)}$$

H21ADPSU – throughput distribution

1 (C) IBM REPORT=H21ADPSU(13221) VNODE ADAPTOR THROUGHPUT DISTRIBUTION RUN ON 12AUG2013 @ 12:43:22 PAGE 11
 GRID#=99110 DIST_LIB_ID= 0 VNODE_ID= 0 NODE_SERIAL=CL0H5233 VE_CODE_LEVEL=008.020.000.0119 UTCMINUS=06

MB/SEC_RANGE	#INTERVALS	PCT	ACCUM%
1 - 50	45	18.7	18.7
51 - 100	28	11.6	30.4
101 - 150	18	7.5	37.9
151 - 200	19	7.9	45.8
201 - 250	10	4.1	50.0
251 - 300	14	5.8	55.8
301 - 350	23	9.5	65.4
351 - 400	30	12.5	77.9
401 - 450	26	10.8	88.7
451 - 500	27	11.2	100.0

This report shows the distribution of the host data rate (uncompressed).

H21ADPSU – VNODE ADAPTOR THROUGHPUT DISTRIBUTION			
Field name	Record Name	Container Name	Description
Header Related Fields			
Body Related Fields			
MB/SEC_RANGE	Vnode Adapter Historical	Vnode Adapter	Actual Data Rate
#INTERVALS	N/A	N/A	Number of intervals in sample period
PCT	N/A	N/A	Percentage of total intervals in the range
ACCUM%	N/A	N/A	Cumulative percentage of intervals in the range

H30TVC1

H30TVC1 (Part 1)

```
(C) IBM REPORT=H30TVC1 (16238) HNODE HSM HISTORICAL CACHE PARTITION
GRID#=00123 DIST_LIB_ID= 1 VNODE_ID= 0 NODE_SERIAL=CL1H1111 VE_CODE_LEVEL=008.032.001.0014
PARTITION SIZE= 5999GB TVC_SIZE= 5999GB
02SEP15WE ---TOTAL-- FAST_RDY CACHE_HIT CACHE_MIS SYNC_MODE P-MIG
RECORD AVG MAX AVG MAX PART NUM AVG NUM AVG NUM AVG NUM AVG NUM AVG THROT
END_TIME CPU_UTIL DISK_UTIL HIT% MNTS SECS MNTS SECS MNTS SECS MNTS SECS MNTS SECS MNTS SECS VALUE
22:15:00 9 16 10 16 0 0 .00 0 .00 0 .00 0 .00 500
22:30:00 8 14 9 20 0 0 .00 0 .00 0 .00 0 .00 500
22:45:00 11 23 10 15 0 0 .00 0 .00 0 .00 0 .00 500
23:00:00 11 36 11 50 0 0 .00 0 .00 0 .00 0 .00 500
```

```
(C) IBM REPORT=H30TVC1 (16238) HNODE HSM HISTORICAL CACHE PARTITION
GRID#=00123 DIST_LIB_ID= 2 VNODE_ID= 0 NODE_SERIAL=CL2H2222 VE_CODE_LEVEL=008.033.000.0045
PARTITION SIZE= 6858GB TVC_SIZE= 23858GB
02SEP15WE ---TOTAL-- FAST_RDY CACHE_HIT CACHE_MIS SYNC_MODE P-MIG
RECORD AVG MAX AVG MAX PART NUM AVG NUM AVG NUM AVG NUM AVG NUM AVG THROT
END_TIME CPU_UTIL DISK_UTIL HIT% MNTS SECS MNTS SECS MNTS SECS MNTS SECS MNTS SECS MNTS SECS VALUE
22:15:00 31 37 99 100 0 0 .00 0 .00 0 .00 0 .00 1000
22:30:00 31 33 99 100 0 0 .00 0 .00 0 .00 0 .00 1000
22:45:00 30 33 99 100 0 0 .00 0 .00 0 .00 0 .00 1000
23:00:00 30 34 97 100 0 0 .00 0 .00 0 .00 0 .00 1000
```

The title of the report (H30TVC1) indicates this is for cache partition 0. Up to 8 cache partitions could be assigned for the Cluster. For TS7700 disk only and TS7740, only TVC1 (CP0) has meaningful values.

This report is decoded in several sections (parts) due to its large number of columns.

H30TVC1 – HNODE HISTORICAL CACHE PARTITION – Part 1			
Field name	Record Name	Container Name	Description
Header Related Fields			
PARTITION SIZE=xxxxxxx	Hnode HSM Historical	HSM-Cache-Partition	Partition Size
TVC_SIZE=xxxxxxx	Hnode HSM Historical	HSM-Cache	TVC (Cache) Size. (For TS7740 - this is the enabled cache size, all other models – the installed cache size)
Body Related Fields			

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

AVG MAX AVG MAX CLUS_UTIL or CPU_UTIL	Hnode HSM Historical	HSM-Cache	For R2.0 through Pre-R3.0 PGA1 code levels the AVG CLUS_UTIL field contains the Average Cluster Utilization percentage. The Maximum field is zero. This is the greater of CPU Utilization and Disk Cache Throughput Utilization. For R3.0 PGA1 or higher these fields contain the Average and Maximum CPU Usage percentage
AVG MAX DISK_UTIL	Hnode HSM Historical	HSM-Cache	<ul style="list-style-type: none"> • Average Maximum Disk Usage Percentage • Maximum Disk Usage Percentage <p>These values first reported in R3.0 PGA1.</p>
PART HIT%	Hnode HSM Historical	HSM-Cache-Partition	Computed by VEHSTATS by adding the number of fast ready and cache hit mounts and dividing the sum by the total number of mounts including cache miss mounts.
__TOTAL__ NUM MNTS	Hnode HSM Historical	HSM-Cache-Partition	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Fast Ready Mounts • Cache Hit Mounts • Cache Miss Mounts (Senc Level Mounts are not included)
__TOTAL__ AVG SECS	Hnode HSM Historical	HSM-Cache-Partition	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Fast Ready Mounts • Average Fast Ready Mount Time • Cache Hit Mounts • Average Cache Hit Mount Time • Cache Miss Mounts • Average Cache Miss Mount Time (Senc Level Mounts are not included)
FAST_RDY NUM AVG MNTS SECS	Hnode HSM Historical	HSM-Cache-Partition	<ul style="list-style-type: none"> • Fast Ready Mounts • Average Fast Ready Mount Time
CACHE_HIT NUM AVG MNTS SECS	Hnode HSM Historical	HSM-Cache-Partition	<ul style="list-style-type: none"> • Cache Hit Mounts • Average Cache Hit Mount Time
CACHE_MIS NUM AVG MNTS SECS	Hnode HSM Historical	HSM-Cache-Partition	<ul style="list-style-type: none"> • Cache Miss Mounts • Average Cache Miss Mount Time
SYNC_MODE NUM AVG MNTS SECS	Hnode HSM Historical	HSM-Cache-Partition	<ul style="list-style-type: none"> • Sync Level Mounts • Sync Level Mount Time (These values first reported with R2.1.)

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

P-MIG THROT VALUE	Hnode HSM Historical	HSM-Cache	Pre-migration Throttle Threshold . This field represents amount of un-premigrated data in cache, at which the system will begin throttling the host write and incoming copy in order to prioritize premigration.
-------------------------	----------------------	-----------	---

H30TVC1 Throttling values (Part 2)

```

GRID#=00123  DIST_LIB_ID= 1  VNODE_ID= 0  NODE_SERIAL=CL1H1111  VE_CODE_LEVEL=008.032.001.0014
<-----WRITE_THROTTLING-----> <-----COPY_THROTTLING-----> <-----DEFER_COPY_THROTTLING----->

      NUM  NUM  NUM %RLTV
PCT  AVG 15MIN 30SEC  SEC IMPAC
THRT THRT INTVL SMPLS  /IO VALUE REASN

      NUM  NUM  NUM %RLTV
PCT  AVG 15MIN 30SEC  SEC IMPAC
THRT THRT INTVL SMPLS  /IO VALUE REASN

      NUM  NUM  AVG
PCT  AVG 15MIN 30SEC  SEC BASE
THRT THRT INTVL SMPLS /INTVL SECS REASN
-----R1.5-----

0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .000 x0000
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .000 x0000
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .000 x0000
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .000 x0000

GRID#=00123  DIST_LIB_ID= 2  VNODE_ID= 0  NODE_SERIAL=CL2H2222  VE_CODE_LEVEL=008.033.000.0045
<-----WRITE_THROTTLING-----> <-----COPY_THROTTLING-----> <-----DEFER_COPY_THROTTLING----->

      NUM  NUM  NUM %RLTV
PCT  AVG 15MIN 30SEC  SEC IMPAC
THRT THRT INTVL SMPLS  /IO VALUE REASN

      NUM  NUM  NUM %RLTV
PCT  AVG 15MIN 30SEC  SEC IMPAC
THRT THRT INTVL SMPLS  /IO VALUE REASN

      NUM  NUM  AVG
PCT  AVG 15MIN 30SEC  SEC BASE
THRT THRT INTVL SMPLS /INTVL SECS REASN
-----R1.5-----

0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  100  125  1  30  .125  .125 x0003
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  100  125  1  30  .125  .125 x0003
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  100  125  1  30  .125  .125 x0003
0  0  0  0  .000  .00 x0000  0  0  0  0  .000  .00 x0000  83  104  1  25  .104  .125 x0003
    
```

H30TVC1 – HNODE HISTORICAL CACHE PARTITION – Part 2			
Field name	Record Name	Container Name	Description
-----WRITE_THROTTLING----- PCT AVG THRT THRT	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

-----WRITE_THROTTLING----- NUM NUM NUM 15MIN 30SEC SEC INTVL SMPLS /IO	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Number of 15 minute intervals being reported. Not a field in statistics record. • Computed from Percent Host Write Throttle and sample period length • Average Host Write Throttle
-----WRITE_THROTTLING----- %RLTV IMPAC VALUE	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<p>Computed by VEHSTATS using:</p> <ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle <p>Equation is shown at bottom of table.</p>
-----WRITE_THROTTLING----- REASN	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Host Write Throttle Reason(s) <p>This value first reported with R3.0</p>
-----COPY_THROTTLING----- PCT AVG THRT THRT	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle
-----COPY_THROTTLING----- NUM NUM NUM 15MIN 30SEC SEC INTVL SMPLS /IO	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Number of 15 minute intervals being reported. Not a field in statistics record. • Computed from Percent Copy Throttle and sample period length • Average Copy Throttle
-----COPY_THROTTLING----- %RLTV IMPAC VALUE	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<p>Computed by VEHSTATS using:</p> <ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle <p>Equation is shown at bottom of table.</p>
-----COPY_THROTTLING----- REASN	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Copy Throttle Reason(s) <p>This value first reported with R3.0</p>

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

<pre> -----DEFER OPY_THROTTLING----- PCT AVG THRT THRT </pre>	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Percent Deferred Copy Throttle • Average Deferred Copy Throttle
<pre> -----DEFER_COPY_THROTTLING----- NUM NUM AVG 15MIN 30SEC SEC BASE INTVL SMPLS /INTVL SECS </pre>	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Number of 15 minute intervals being reported. Not a field in statistics record. • Computed from Percent Deferred Copy Throttle and sample period length • Average Deferred Copy Throttle • Base Deferred Copy Throttle
<pre> -----DEFER_COPY_THROTTLING----- REASN </pre>	Hnode HSM Historical	HSM-Cache Extended HSM – Cache Container (for Tape Attached Cache Partition)	<ul style="list-style-type: none"> • Deferred Copy Throttle Reason(s) This value first reported with R3.0

$$\%Relative\ Impact\ (\%RLTV\ IMPAC) = \frac{(\# 30\ sec\ samples\ with\ throttling) * (avg\ throttle\ value) * (100\ to\ express\ as\ \%)}{(\# 30\ sec\ samples\ in\ interval) * (2\ sec\ max\ value)}$$

H30TVC1 - PREFERENCE_GROUP_0/1 (Part 3)

```

GRID#=00123  DIST_LIB_ID= 1  VNODE_ID= 0  NODE_SERIAL=CL1H1111  VE_CODE_LEVEL=008.032.001.0014
<-----PREFERENCE_GROUP_0----->
VIRT  GB GiBTO GiBTO MIN_ROLLING_AV  TIME_DELAY_COPY
VOLS  RES  PRE  COPY -TIME_IN_CACHE -VIRT_VOLS_MIG-  LVOLS_REMOVED
CACHE CACHE  MIG  OUT  4HR 48HR 35DA  4HR 48HR 35DA  AV_AGE  COUNT
      -ON_THE_HOUR-- --ON_THE_HOUR-- -EVERY_4_HOURS-
6     7     0     0     1M 1M 0     72  1K 0K     0     0
4     4     0     0     1M 1M 0     72  1K 0K     0     0
4     4     0     0     1M 1M 0     72  1K 0K     0     0
4     4     0     0     2M 1M 0    135 1K 0K     0     0

GRID#=00123  DIST_LIB_ID= 2  VNODE_ID= 0  NODE_SERIAL=CL2H2222  VE_CODE_LEVEL=008.033.000.0045
<-----PREFERENCE_GROUP_0----->
VIRT  GB GiBTO GiBTO MIN_ROLLING_AV  TIME_DELAY_COPY
VOLS  RES  PRE  COPY -TIME_IN_CACHE -VIRT_VOLS_MIG-  LVOLS_REMOVED
CACHE CACHE  MIG  OUT  4HR 48HR 35DA  4HR 48HR 35DA  AV_AGE  COUNT
      -ON_THE_HOUR-- --ON_THE_HOUR-- -EVERY_4_HOURS-
0     0     0     0     0 0 0     0  0K 0K     0     0
0     0     0     0     0 0 0     0  0K 0K     0     0
0     0     0     0     0 0 0     0  0K 0K     0     0
0     0     0     0     0 0 0     0  0K 0K     0     0

<-----PREFERENCE_GROUP_1----->
VIRT  GB GiBTO GiBTO MIN_ROLLING_AV  TIME_DELAY_COPY
VOLS  RES  PRE  COPY -TIME_IN_CACHE -VIRT_VOLS_MIG-  LVOLS_REMOVED
CACHE CACHE  MIG  OUT  4HR 48HR 35DA  4HR 48HR 35DA  AV_AGE  COUNT
      -ON_THE_HOUR-- --ON_THE_HOUR-- -EVERY_4_HOURS-
3     2     0     0     32D 31D 0     0  0K 0K     0     0
3     2     0     0     32D 31D 0     0  0K 0K     0     0
3     2     0     0     32D 31D 0     0  0K 0K     0     0
3     2     0     0     32D 31D 0     0  0K 0K     0     0

<-----PREFERENCE_GROUP_1----->
VIRT  GB GiBTO GiBTO MIN_ROLLING_AV  TIME_DELAY_COPY
VOLS  RES  PRE  COPY -TIME_IN_CACHE -VIRT_VOLS_MIG-  LVOLS_REMOVED
CACHE CACHE  MIG  OUT  4HR 48HR 35DA  4HR 48HR 35DA  AV_AGE  COUNT
      -ON_THE_HOUR-- --ON_THE_HOUR-- -EVERY_4_HOURS-
544  3518 0     0  1.9Y 1.9Y 0     0  0K 0K     0     0
544  3518 0     0  1.9Y 1.9Y 0     0  0K 0K     0     0
544  3518 0     0  1.9Y 1.9Y 0     0  0K 0K     0     0
544  3518 0     0  1.9Y 1.9Y 0     0  0K 0K     0     0
    
```

H30TVC1 – HNODE HISTORICAL CACHE PARTITION – Part 3			
Field name	Record Name	Container Name	Description
Header Related Fields			
PREFERENCE_GROUP_x	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Indicates which preference group, 0 or 1, the columns belong to. For TS7700 Disk Only, only PG1 has meaningful values. All fields in PG0 would be 0. For TS7740, both of PG0 and PG1 can have the values. For TS7700T CP0, only PG1 has meaningful values. All fields in PG0 would be 0. For TS7700T CP1-7, both of PG0 and PG1 can have the values. The values in this section are at the end of the interval.
Body Related Fields			
VIRT VOLS CACHE	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Virtual Volumes in Cache.
GB RES CACHE	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Data Resident in Cache divided by 1000 to convert MB to GB.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

GiBTO PRE MIG	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Unmigrated Data divided by 1000 to convert MiB to GiB.
GiBTO COPY OUT	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Awaiting Replication to available Clusters.
MIN_ROLLING_AV -TIME_IN_CACHE 4HR 48HR 35DA -ON THE HOUR--	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	<ul style="list-style-type: none"> • 4 Hour Average Cache Age • 48 Hour Average Cache Age • 35 Day Average Cache Age
-VIRT_VOLS_MIG- 4HR 48HR 35DA --ON THE HOUR--	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	<ul style="list-style-type: none"> • Volumes Migrated Last 4 Hours • Volumes Migrated Last 48 Hours • Volumes Migrated Last 35 Days (0 for TS7700 disk only and TS7700T CP0)
TIME_DELAY_COPY LVOLS_REMOVED AV_AGE COUNT -EVERY 4 HOURS-	Hnode HSM Historical	HSM - Cache – Partition – Preference Group	<ul style="list-style-type: none"> • Removed time delayed copies average age • Time delayed copies removal count

H30TVC1 - TOTAL CACHE PARTITION INFORMATION and DATA RETENTION INFORMATION (Part 4)

GRID#=00123 DIST_LIB_ID= 1 VNODE_ID= 0 NODE_SERIAL=CL1H1111 VE_CODE_LEVEL=008.032.001.0014

TOTAL CACHE PARTITION INFORMATION				DATA RETENTION INFORMATION							
<- TOTAL CACHE PARTITION INFORMATION>				<- CP0 RESIDENT PARTITION ONLY INFORMATION->							
TVC_GB	GB_DR	P-MIGRD	DR	UN P-	NUMBER	SIZEGB	NUMBER	SIZEGB	NUMBER	SIZEGB	
USED	FLASH	GB	VOLSER	MIGRD	PINNED	PINNED	PREFER	PREFER	PREFER	PREFER	
				VOLS	KEEP	KEEP	REMOVE	REMOVE			
1501	0	0		0	0	0	21	0	0	0	
1979	0	0		0	0	0	21	0	0	0	
2031	0	0		0	0	0	21	0	0	0	
1985	0	0		0	0	0	21	0	0	0	

GRID#=00123 DIST_LIB_ID= 2 VNODE_ID= 0 NODE_SERIAL=CL2H2222 VE_CODE_LEVEL=008.033.000.0045

TOTAL CACHE PARTITION INFORMATION				DATA RETENTION INFORMATION							
<- TOTAL CACHE PARTITION INFORMATION>				<- CP0 RESIDENT PARTITION ONLY INFORMATION->							
TVC_GB	GB_DR	MIGRD	DR	UN P-	NUMBER	SIZEGB	NUMBER	SIZEGB	NUMBER	SIZEGB	
USED	FLASH	GB	VOLSER	MIGRD	PINNED	PINNED	PREFER	PREFER	PREFER	PREFER	
				VOLS	KEEP	KEEP	REMOVE	REMOVE			
62	0	0	HYD023	49	47	52	0	0	0	0	
43	0	0	HYD023	35	54	61	0	0	0	0	
60	0	0	HYD023	58	60	68	0	0	0	0	
64	0	0	HYD023	52	58	65	0	0	0	0	

H30TVC1 – HNODE HISTORICAL CACHE PARTITION – Part 4			
Field name	Record Name	Container Name	Description
Header Related Fields			
TOTAL CACHE PARTITION INFORMATION	Hnode HSM Historical		These counters are reported, starting from R3.2
Body Related Fields			
TOTAL TVC_GB USED TOTAL GB_DR FLASH	Hnode HSM Historical	HSM – Cache	<ul style="list-style-type: none"> Total used cache Total used flash cache for Disaster Recovery
P-MIGRD GB	Hnode HSM Historical	HSM – Cache Partition	<ul style="list-style-type: none"> Total pre-migrated cache Total Size of Migrated Data (0 for TS7700 disk only)
DR VOLSER	Hnode HSM Historical	HSM – Disaster Recovery	Disaster Recovery Volser

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

TOTAL UN P-MIGRD VOLS	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	The total number of un-premigrated virtual volumes for Preference Groups 0 and 1. (0 for TS7700 disk only and TS770xT CP0) Delayed premigration volumes are excluded.
Header Related Fields			
DATA RETENTION INFORMATION	Hnode HSM Historical		CP0 RESIDENT PARTITION ONLY INFORMATION (0 for TS7740 and TS7700T CP1-7)
Body Related Fields			
NUMBER PINNED	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Pinned Volumes
SIZEGB PINNED	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Pinned Volumes
NUMBER PREFER KEEP	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Keep Volumes
SIZEGB PREFER KEEP	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Keep Volumes
NUMBER PREFER REMOVE	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes
SIZEGB PREFER REMOVE	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes

H30TVC1 – PREFERENCE GROUP x TAPE DELAYED PRE MIGRATION (Part 5)

<-----PREFERENCE GROUP 0 TAPE DELAYED PRE MIGRATION----->										<-----PREFERENCE GROUP 1 TAPE DELAYED PRE MIGRATION----->									
<-----CP1 - CP7 ONLY INFORMATION----->										<-----CP1 - CP7 ONLY INFORMATION----->									
4HR	4HR	48H	48H	35D	35DA	WAIT	SIZGB	NUM	UN P-	4HR	4HR	48H	48H	35D	35DA	WAIT	SIZGB	NUM	UN P-
AGE	MIGD	AGE	MIGD	AGE	MIGD	MINS	WAIT	WAIT	MIGRD	AGE	MIGD	AGE	MIGD	AGE	MIGD	MINS	WAIT	WAIT	MIGRD
									VOLS										VOLS
0	0	0	0	0	0	0	0	0	49	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	35	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	52	0	0	0	0	0	0	0	0	0	0

H30TVC1 – HNODE HISTORICAL CACHE PARTITION			
Field name	Record Name	Container Name	Description
Header Related Fields			
PREFERENCE GROUP 1 TAPE DELAYED PRE MIGRATION	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	bytes contains additional information for 2 preference groups for the cache partition. CP1 - CP7 ONLY INFORMATION.
Body Related Fields			
4HR AGE	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	4 Hour Average Cache Age by Delayed Premigration
4HR MIGD	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 4 Hours by Delayed Premigration
48H AGE	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	48 Hours Average Cache Age by Delayed Premigration
48H MIGD	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 48 Hours by Delayed Premigration
35D AGE	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	35 Days Average Cache Age by Delayed Premigration
35DA MIGD	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 35 Days by Delayed Premigration
WAIT MINS	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Average Waiting Time of Delayed Premigration Volumes
SIZGB WAIT	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Resident Volumes Waiting for Delayed Premigration

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

NUM WAIT	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of resident volumes on TVC waiting for delayed premigration.
UN P-MIGRD VOLS	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of un-premigrated virtual volumes. (0 for TS7700 disk only and TS7700T CP0) Delayed premigration volumes are excluded.

H31IMEX

```
(C) IBM   REPORT=H31IMEX (16032)           HNODE EXPORT/IMPORT HISTORICAL ACTIVITY       RUN ON 03FEB2016 @ 23:32:49   PAGE   1
GRID#=00700  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CL0H6709  VE_CODE_LEVEL=008.032.001.0008  HNODE=ACTIVE   UTC NOT CHG
12JAN16TU  PHYS    PHYS    VIRT    VIRT
  RECORD   VOLS    VOLS    VOLS    VOLS    MB_DATA  MB_DATA
    TIME   IMPORT  EXPORT  IMPORT  EXPORT  IMPORTED  EXPORTED
00:15:00      0      0      0      0      0      0
```

H31IMEX – HNODE EXPORT/IMPORT HISTORICAL ACTIVITY			
Field name	Record Name	Container Name	Description
Header Related Fields			
Body Related Fields			
PHYS VOLS IMPORT	Hnode Export/Import Historical	Export/Import	Physical Volumes Imported
PHYS VOLS EXPORT	Hnode Export/Import Historical	Export/Import	Physical Volumes Exported
VIRT VOLS IMPORT	Hnode Export/Import Historical	Export/Import	Logical Volumes Imported
VIRT VOLS EXPORT	Hnode Export/Import Historical	Export/Import	Logical Volumes Exported
MB_DATA IMPORTED	Hnode Export/Import Historical	Export/Import	Amount of data imported
MB_DATA EXPORTED	Hnode Export/Import Historical	Export/Import	Amount of data exported

H32CSP

```
(C) IBM  REPORT=H32CSP  (15102)          HNODE LIBRARY HIST SCRATCH POOL ACTIVITY          RUN ON 24APR2015 @ 23:17:22    PAGE 1
GRID#=C1000  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CL0H7918  VE_CODE_LEVEL=008.032.001.0008    UTC NOT CHG
19APR15SU  -----SCRATCH_STACKED_VOLUMES_AVAILABLE_BY_TYPE-----
RECORD
TIME      3592JA  3592JJ  3592JB  3592JC  3592JK
02:00:00      0      0      2      0      0
```

H32CSP – HNODE LIBRARY HISTORICAL SCRATCH POOL ACTIVITY			
Field name	Record Name	Container Name	Description
Header Related Fields			
SCRATCH_STACKED_VOLUMES_AVAILABLE_BY_TYPE			This is just a header
Body Related Fields			
3592xx	Hnode Library Historical	Library - Pooling – Common Scratch Pool (CSP) Media	<ul style="list-style-type: none"> • Media type (xx) is from the Physical Media Type field • Physical Media Count

H32GUP01

(C) IBM REPORT=H32GUP01(15102) HNODE LIBRARY HIST GUP/POOLING ACTIVITY RUN ON 24APR2015 @ 23:17:22 PAGE 01
 GRID#=C1000 DIST_LIB_ID= 0 VNODE_ID= 0 NODE_SERIAL=CL0H7918 VE_CODE_LEVEL=008.032.001.0008 3584-L22(#12257) UTC NOT CHG
 19APR15SU POOL 01 3592E05E 3592JB(700)

RECORD	ACTIVE	ACTIVE	MiB	MiB RECLAIM	WAIT READ	UN	WAIT READ	UN					
TIME	LVOLS	GB	WRITTN	READ PCT	POL	SCR	92JB SDE ONLY	AVAIL	SCR	PRIV	SDE	ONLY	AVAIL
UPD INT=>	-ON	THE	HOUR-				-----ON	THE	HOUR-----				
02:00:00	8	0	0	0	20	01	5	6	0	0	0	0	0

POOL 02	ACTIVE	ACTIVE	MiB	MiB RECLAIM	WAIT READ	UN	WAIT READ	UN						
LVOLS	GB	WRITTN	READ PCT	POL	SCR	PRIV	SDE	ONLY	AVAIL	SCR	PRIV	SDE	ONLY	AVAIL
							-----ON	THE	HOUR-----					
	0	0	0	0	20	02								

Report H32GUP01 is for pool 01 and 02 volumes, H32GUP03 is for pool 03 and 04 volumes, and so forth.

H32GUP0x – HNODE LIBRARY HISTORICAL GUP/POOLING ACTIVITY			
Field name	Record Name	Container Name	Description
Header Related Fields			
POOL xx yyyy-zzz	Hnode Library Historical	Library - Pooling – General Use Pool (GUP) Container	<ul style="list-style-type: none"> • There are 32 sets of data, one for each of the 32 general use pools. The pool number is listed (xx) • The device type is listed based on the Device Class field.
Body Related Fields			
ACTIVE ACTIVE LVOLS GB -ON THE HOUR-	Hnode Library Historical	Library - Pooling – General Use Pool (GUP) Container	<ul style="list-style-type: none"> • Active Logical Volumes • Active Data
MiB WRITTN	Hnode Library Historical	Library - Pooling – General Use Pool (GUP) Container	Data Written to Pool
MiB READ	Hnode Library Historical	Library - Pooling – General Use Pool (GUP) Container	Data Read from Pool
RECLAIM PCT POOL	Hnode Library Historical	Pooling – GUP - Reclaim Container	<ul style="list-style-type: none"> • Reclaim Threshold • Pool number based on which GUP is being reported.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

<pre> WAIT READ UN SCR 92JB SDE ONLY AVAIL -----ON_THE_HOUR----- </pre>	<p>Hnode Library Historical</p>	<p>Library - Pooling – GUP - Media Container</p>	<p>Each pool provides data for up to 2 media types.</p> <ul style="list-style-type: none"> • Scratch Volume Count • Private Volume Count by media type • Waiting for Security Data Erase • Read Only Recovery Volume Count • Unavailable Volume Count
---	---------------------------------	--	--

H33GRID

```
(C) IBM REPORT=H33GRID (16032) HNODE HISTORICAL PEER-TO-PEER ACTIVITY RUN ON 03FEB2016 @ 23:32:49 PAGE 1
GRID#=00700 DIST_LIB_ID= 0 VNODE_ID= 0 NODE_SERIAL=CL012345 VE_CODE_LEVEL=008.032.001.0008 UTC NOT CHG
MiB is 1024 based, MB is 1000 based
12JAN16TU LVOLS MiB AV_DEF AV_RUN #_LVOLS LVOLS MiB LVOLS MiB LVOLS MiB MiB_TO CALC MiB_TO GGM
TO TO QUEAGE QUEAGE TIM_DLY TO TVC BY TO TVC BY TO TVC BY TVC_BY MiB/ GRID_BY MiB/
RECEIVE RECEIVE ---MINUTES--- CPY_QUE RUN_COPY DEF_COPY SYNC_COPY COPY SEC GGM SEC
00:15:00 0 0 0 0 0 0 0 1 610 na na 610 0.6 0
```

Continued:

```
V_MNTS V_MNTS V_MNTS V_MNTS V_MNTS V_MNTS V_MNTS V_MNTS MiB_XFR MiB_XFR MiB_FR MiB_FR MiB_FR MiB_FR
DoneBy DoneBy DoneBy DoneBy DoneBy DoneBy DoneBy DoneBy FR_DL TO_DL TVC_BY MiB/ TVC_BY MiB/ TVC_BY MiB/ TVC_BY MiB/
DL0 DL1 DL2 DL3 DL4 DL5 DL6 DL7 RMT_WR RMT_RD COPY SEC COPY SEC COPY SEC COPY SEC
0 1 0 3 3 0 0 0 20730 12 10999 12.2 175 0.1 0 0
```

Continued:

```
MiB_XFR MiB_XFR MiB_XFR MiB_XFR MiB_XFR MiB_XFR MiB_XFR MiB_XFR
1-->0 CALC 2-->0 CALC 3-->0 CALC 4-->0 CALC 1-->0 CALC 2-->0 CALC 3-->0 CALC 4-->0 CALC
BY MiB/ BY MiB/ BY MiB/ BY MiB/ BY MiB/ BY MiB/ BY MiB/ BY MiB/
RMT/WR SEC RMT/WR SEC RMT/WR SEC RMT/WR SEC RMT/RD SEC RMT/RD SEC RMT/RD SEC RMT/RD SEC
2549 2.8 0 0 0 0 2579 2.8 270 0.3 0
```

H33GRID – HNODE HISTORICAL PEER-TO-PEER ACTIVITY			
Field name	Record Name	Container Name	Description
Header Related Fields			
HNODE HISTORICAL PEER-TO-PEER ACTIVITY	Hnode Grid Historical	Grid	Header
Body Related Fields			
LVOLS TO RECEIVE	Hnode Grid Historical	Grid	Logical Volumes for Copy - the number of logical volumes that are scheduled to be copied to this Cluster. This is the value at the end of the interval.
MiB TO RECEIVE	Hnode Grid Historical	Grid	Data to Copy - the amount of data that is scheduled to be copied to this Cluster. This is the value at the end of the interval.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

AV_DEF AV_RUN QUEUE QUEUE ---MINUTES---	Hnode Grid Historical	Grid	<ul style="list-style-type: none"> • Average Deferred Queue Age (in minutes), of the logical volumes in the deferred copy queue destined to be copied to this Cluster • Average Immediate Queue Age (in minutes), of the logical volumes in the immediate copy queue destined to be copied to this Cluster (These are the values at the end of the interval)
#_LVOLS TIM_DLY CPY_QUE	Hnode Grid Historical	Grid	<ul style="list-style-type: none"> • Time delayed copy queue - the number of copies in the timed delay state that are in the copy queue. (Logical volumes in the timed delay state are not yet eligible for the actual copy until their defined time-delays are expired).
LVOLS MiB_ _TO_TVC_BY_ ___RUN_COPY__	Hnode Grid Historical	Grid-Cluster	<ul style="list-style-type: none"> • Number of immediate copies that have been completed which transferred data to this cluster's cache from another cluster during this interval • Data Transferred into a cluster's Cache from other clusters as part of an Immediate copy operation (when copies have been completed).
LVOLS MiB_ _TO_TVC_BY_ ___DEF_COPY__	Hnode Grid Historical	Grid-Cluster	<ul style="list-style-type: none"> • Number of deferred copies that have completed • Data Transferred into a cluster's Cache from Other clusters as part of a deferred copy operation (when copies have been completed).
LVOLS MiB_ _TO_TVC_BY_ ___SYNC_COPY__	Hnode Grid Historical	Grid-Cluster	<ul style="list-style-type: none"> • Number of sync mode copies that have completed • Data Transferred into a cluster's Cache from Other clusters as part of a sync mode copy operation. <p>These two counters are not supported and both set to 'na'.</p>
MiB_TO TVC_BY COPY	Hnode Grid Historical	Grid-Cluster	Data Transferred into a Cluster's Cache from other Clusters as part of a Copy Operation (immediate, deferred). This field contains also blocks from not yet completed copy transactions.
CALC MiB/ SEC	Hnode Grid Historical	Grid-Cluster	Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval
MiB_TO GGM GRID_BY MIB/ GGM SEC	Hnode Grid Historical	Grid-Cluster	<ul style="list-style-type: none"> • Data size transferred from this Cluster's cache through GGM copy activity if the Cluster is used as a GGM copy source • Speed during GGM (computed by VEHSTATS)
V_MNTS DoneBy DLx	Hnode Grid Historical	Grid-Cluster	Logical Mounts Directed to other Clusters (x = 0-7) (by other words: the number of logical mounts from this Cluster which were satisfied by accessing another Cluster – remote mount)
MiB_XFR FR_DL RMT_WR	Hnode Grid Historical	Grid-Cluster	Data Transferred into this Cluster's Cache from other Clusters as part of a Remote Write Operation including sync mode copy during this interval. A sync mode copy into this cluster from another cluster is considered a remote mount for write and is thus included in this count.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

MiB_XFR TO_DL RMT_RD	Hnode Grid Historical	Grid-Cluster	Data Transferred from this Cluster's Cache To Other Clusters as part of a Remote Read operation including sync mode copy
MiB_FR x-->y TVC_BY COPY	Hnode Grid Historical	Grid-Cluster	Data Transferred From this Cluster's Cache To Other Clusters as part of a Copy Operation (immediate, deferred). The x is the source cluster number and the y is the target cluster.
CALC MiB/ SEC	Hnode Grid Historical	Grid-Cluster	Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval
MiB_XFR x-->y CALC BY MiB/ RMT/WR SEC	Hnode Grid Historical	Grid-Cluster	Data Transferred into a Cluster's Cache from another Cluster as part of a remote write operation including sync mode copy during the interval. (The x is the source cluster number and the y is the target cluster.).
MiB_XFR x-->y CALC BY MiB/ RMT/RD SEC	Hnode Grid Historical	Grid-Cluster	Data Transferred into a Cluster's Cache from another Cluster as part of a remote read operation during the interval. (The x is the source cluster number and the y is the target cluster.).

HOURLFLOW

(C) IBM REPORT=HOURLFLOW (16032) DATA FLOW IN MiB/sec BY CLUSTER RUN ON 03FEB2016 @ 23:32:49 PAGE 1
 GRID#=00700 DIST_LIB_ID=00 NODE_SERIAL=CLOH0000 VE_CODE_LEVEL= 32.01.0008

Date Day	Time	Avg CPU Util	Max CPU Util	Avg Disk Util	Max Disk Util	MiB/s Total	MiB/s To_TVC	MiB/s Fr_TVC	MiB/s To_TVC	MiB/s Fr_TVC	MiB/s To_TVC	MiB/s Fr_TVC	MiB/s By_GGM	Queue GiB to	Queue GiB to	Queue GiB to	Write Throt	Copy Throt	Avg mSec	MiB/s To_TVC	MiB/s Fr_TVC	MiB/s Intvl
12JAN2016	Tue 00:15:00	21	28	5	8	79.9	38.5	5.3	0.6	12.4	0.0	0.0	0.0	0	0	0	0.00	0.00	0	23.0	0.0	900

HOURLFLOW – DATA FLOW IN MiB/sec BY CLUSTER			
Field name	Record Name	Container Name	Description
Header Related Fields			
DATA FLOW IN MiB/sec BY CLUSTER	Hnode HSM Historical	HSM-Cache	Header Note. All rates (MiB/sec) are average for the period (1 hour or 15 minutes interval).
Body Related Fields			
Avg Clus Util or Avg CPU Util	Hnode HSM Historical	HSM-Cache	For R2.0 through Pre-R3.0 PGA1 code levels this field contains the Average Cluster Utilization percentage. This is the greater of CPU Utilization and Disk Cache Throughput Utilization. For R3.0 PGA1 or higher this field contains the Average CPU Usage percentage
Max Clus Util or Max CPU Util	Hnode HSM Historical	HSM-Cache	For Pre-R3.0 PGA1 code levels this field is zero. For R3.0 PGA1 or higher this field contains the Maximum CPU Usage Percentage.
Avg Disk Util	Hnode HSM Historical	HSM-Cache	Average Maximum Disk Usage Percentage Reported with R3.0 PGA1 code or higher.
Max Disk Util	Hnode HSM Historical	HSM-Cache	Maximum Disk Usage Percentage Reported with R3.0 PGA1 code or higher.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

MiB/s Total Xfer	<ul style="list-style-type: none"> • Vnode Adapter Historical • Hnode Grid Historical • Hnode Library Historical 	<ul style="list-style-type: none"> • Vnode Adapter-Port • Grid-Cluster • Library – Pooling – General Use Pool (GUP) 	<p>The rate of compressed data written and read to/from the disk cache. The following are added together by VEHSTATS to generate this field.</p> <ul style="list-style-type: none"> • Bytes Read by Virtual Devices • Bytes Written to Virtual Devices • Data Transferred into a Cluster's Cache from other Clusters as part of a Copy Operation • Data Transferred From a Cluster's Cache To Other Clusters as part of a Copy Operation. • Data Read from Pool • Data Written to Pool • Data Transferred into a Cluster's Cache from other Clusters as part of a Remote Write Operation • Data Transferred from a Cluster's Cache To Other Clusters as part of a Remote Read operation
MiB/s To_TVC Dev_Wr	Vnode Adapter Historical	Vnode Adapter-Port	<p>The rate of compressed writes to the disk cache from the Host Bus Adapters (HBA)</p> <ul style="list-style-type: none"> • Bytes Written to Virtual Devices
MiB/s Fr_TVC Dev_Rd	Vnode Adapter Historical	Vnode Adapter-Port	<p>The rate of compressed reads from the disk cache to the host bus adapters.</p> <ul style="list-style-type: none"> • Bytes Read by Virtual Devices
MiB/s To_TVC Recv	Hnode Grid Historical	Grid-Cluster	<p>Rate of compressed copies received from the grid into this cluster's disk cache. Data Transferred into a Cluster's Cache from other Clusters as part of a Copy Operation. Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.</p>
MiB/s Fr_TVC Sent	Hnode Grid Historical	Grid-Cluster	<p>Rate of compressed copies sent from this cluster's disk cache to the grid. Data Transferred From a Cluster's Cache To Other Clusters as part of a Copy Operation. Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.</p>
MiB/s To_TVC Recall	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	<p>Rate of compressed data written to the disk cache from physical tape for recall. Data Read from Pool Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.</p>
MiB/s Fr_TVC PreMig	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	<p>Rate of compressed data written to physical tape from the disk cache for pre-migrations. Data Written to Pool Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.</p>

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

MiB/s By_GGM	Hnode Grid Historical	Grid - cluster	Rate of transferred data from this Cluster's cache through GGM copy activity if the Cluster is used as a GGM copy source
Queue GiB_to PreMig	Vnode Adapter Historical	HSM container	Current number of queued pre-migrate operations at the end of the interval.
Queue GiB_to Copy	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Depth of the outgoing copy queue (compressed data). Awaiting Replication to available Clusters Divided by 1000 to convert MiB to GiB
Queue GiB_to Recv	Hnode Grid Historical	Grid	Depth of the incoming copy queue Data to Copy Divided by 1000 to convert MiB to GiB
Write Throt Impac%	Hnode HSM Historical	HSM-Cache	The Host Write Throttle Impact Percentage. Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle Equation is shown at bottom of table.
Copy Throt Impac%	Hnode HSM Historical	HSM-Cache	The outgoing copy throttle impact percentage. Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle Equation is shown at bottom of table.
Avg mSec DCThrt	Hnode HSM Historical	HSM-Cache	The amount of Deferred Copy Throttle (DCT) applied. Average Deferred Copy Throttle
MiB/s To_TVC RMT_WR	Hnode Grid Historical	Grid-Cluster	Data Transferred (compressed) into a Cluster's Cache from other Clusters as part of a Remote Write Operation. Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.
MiB/s Fr_TVC RMT_RD	Hnode Grid Historical	Grid-Cluster	Data Transferred from a Cluster's Cache To Other Clusters as part of a Remote Read operation. Computed by VEHSTATS using the above field and dividing by the number of seconds in the interval.
Intvl Sec	-	-	The number of seconds in the reporting interval.

$$\%Relative\ Impact\ (\%RLTV\ IMPAC) = \frac{(\# 30\ sec\ samples\ with\ throttling) * (avg\ throttle\ value) * (100\ to\ express\ as\ \%)}{(\# 30\ sec\ samples\ in\ interval) * (2\ sec\ max\ value)}$$

AVGRDST

```

(C) IBM   REPORT=AVGRDST (16032)   HRS INTERVAL AVERAGE RECALL MOUNT PENDING DISTRIBUTION   RUN ON 01FEB2016 @ 1:31:03
      AVG MPEND   HOW   INTVL   INTVL   READ   ACCUM   MISS
      INTERVAL   MANY   ACCUM   ACCUM%  MISS   MISS   ACCUM%
<    30    2140   2140  100.0%    0     0   100.0%
<    45     0    2140  100.0%    0     0   100.0%
<    60     0    2140  100.0%    0     0   100.0%
<    75     0    2140  100.0%    0     0   100.0%
<    90     0    2140  100.0%    0     0   100.0%
<   120     0    2140  100.0%    0     0   100.0%
<   180     0    2140  100.0%    0     0   100.0%
<   240     0    2140  100.0%    0     0   100.0%
<   300     0    2140  100.0%    0     0   100.0%
<   360     0    2140  100.0%    0     0   100.0%
<   420     0    2140  100.0%    0     0   100.0%
<   480     0    2140  100.0%    0     0   100.0%
<   540     0    2140  100.0%    0     0   100.0%
<   600     0    2140  100.0%    0     0   100.0%
<   900     0    2140  100.0%    0     0   100.0%
>  15 MIN     0    2140  100.0%    0     0   100.0%
  
```

AVGRDST - Average Recall Mount Pending Distribution			
Field name	Record Name	Container Name	Description
Header Related Fields			
QTR/HRS INTERVAL AVERAGE RECALL MOUNT PENDING DISTRIBUTION			Header
Body Related Fields			
AVG MPEND INTERVAL	Hnode HSM Historical	HSM-Cache-Partition	The CACHE_MIS AVG SECS value in H30TVC1 is used for the tabulation. The interval buckets range from <30 seconds to >15 minutes . Only the intervals, where "Cache miss mount" has been occurred, are accumulated.
HOW MANY	Hnode HSM Historical	HSM-Cache-Partition	The CACHE_MIS NUM MNTS values in all H30TVCx are used for the tabulation. This column shows the number of cache miss mounts that fall into the interval.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

INTVL ACCUM			This is the accumulated number of intervals. VEHSTATS computes this value.
INTVL ACCUM%			This is the accumulated percent of the total number of recall mounts. VEHSTATS computes this value.
READ MISS	Hnode Library Historical	HSM–Cache–Partition	Number read misses during the interval
ACCUM MISS			Accumulated number of read misses
MISS ACCUM%			Accumulated percentage of all read misses

HOURLYFER

(C) IBM REPORT=HOURLYFER(17142) Distribution of data transfer Rates by Tiers RUN ON 22MAY2017 @ 7:28:57
 GRID#=00186 DIST_LIB_ID= 0 VNODE_ID= 0 NODE_SERIAL=CL02DADW VE_CODE_LEVEL=008.041.100.0015

Number of Quarters distributed by Days and Tiers (based on Average Rate)

TIER \ GiB XFER:	Sunday DATE: 05MAR2017	Monday 06MAR2017	Tuesday 07MAR2017	Wednesday 08MAR2017	Thursday 09MAR2017	Friday 10MAR2017	Saturday 11MAR2017
1	0	7018	0	684	951	684	951
2	0	2	0	6	11	6	11
3	0	7	0	4	2	4	2
4	0	5	0	0	2	0	2
5	0	1	0	0	0	0	0
6	0	2	0	0	0	0	0
7	0	4	0	0	0	0	0
8	0	1	0	0	0	0	0

<----- Number of Quarters by Tiers ----->

TIER	== MiB/S Boundaries ==	== by Average Rate ==			== by Attempt Rate ==		
0	VTS not active	671	91.5%	91.5%	671	91.5%	91.5%
1	0 <= MiBS < 100	22	3.0%	94.5%	16	2.1%	93.7%
2	100 <= MiBS < 200	14	1.9%	96.4%	8	1.0%	94.8%
3	200 <= MiBS < 300	8	1.0%	97.5%	5	0.6%	95.4%
4	300 <= MiBS < 400	2	0.2%	97.8%	1	0.1%	95.6%
5	400 <= MiBS < 500	4	0.5%	98.3%	3	0.4%	96.0%
6	500 <= MiBS < 600	4	0.5%	98.9%	9	1.2%	97.2%
7	600 <= MiBS < 700	5	0.6%	99.5%	8	1.0%	98.3%
8	700 <= MiBS < 800	3	0.4%	100.0%	4	0.5%	98.9%
9	800 <= MiBS < 900	0	0.0%	100.0%	7	0.9%	99.8%
10	900 <= MiBS < 1000	0	0.0%	100.0%	0	0.0%	99.8%
11	1000 <= MiBS < 1100	0	0.0%	100.0%	0	0.0%	99.8%
.....							
29	2800 <= MiBS < 2900	0	0.0%	100.0%	0	0.0%	99.8%
30	2900 <= MiBS < 3000	0	0.0%	100.0%	0	0.0%	99.8%
31	3000 <= MiBS < MAX	0	0.0%	100.0%	1	0.1%	100.0%

HOURLYFER - Distribution of data transfer Rates by Tiers

Field name	Record Name	Container Name	Description
Header Related Fields			

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

Distribution of data transfer Rates by Tiers			Header
Number of Quarters distributed by Days and Tiers (based on Average Rate)			Header
Sunday Monday Tuesday Wednesday Thursday Friday Saturday			Header
Number of Quarters by Tiers			Header
Body Related Fields			
TIER			Tier is the number of the range of the data transfer rate, for example: the rate is between 0 and 100MiB/s – TIER = 1, the rate is between 100 and 200MiB/s – TIER = 2, etc.
GiB XFER			Amount of trasferred data.
MiB/S Boundaries			Range of rate.
by Average Rate			Shows the number of quarters with the corresponding average rate (and accumulated percentage).
by Attempt Rate			Shows the number of quarters with the corresponding "attempted" rate (and accumulated percentage). Attempted rate (Attempted Throughput) is calculated based on "Configured Maximum Throughput" and "Maximum Delay". Here "Attempted rate" is a guess as to how fast the host was trying to go when we throttled it. It does not show an exact values, rather it gives you the information for deeper analysis of the performance of the Grid configuration.

DAYSMRY

DAYSMRY – Report Order

```
(C) IBM   REPORT=DAYSMRY( 16029)                DAILY SUMMARY                RUN ON 01FEB2016 @ 0:29:52    PAGE    6
GRID#=00700  DIST_LIB_ID= 0  VNODE_ID= 0  NODE_SERIAL=CL0H6709  VE_CODE_LEVEL=008.032.001.0008    UTC NOT CHG
          Type      Sunday      Monday      Tuesday      Wednesday      Thursday      Friday      Saturday      Week_ended
          Date  EOI      01NOV2015  02NOV2015  03NOV2015  04NOV2015  05NOV2015  06NOV2015  07NOV2015      07NOV2015
          Code Level      32.01.0008  32.01.0008  32.01.0008  32.01.0008  32.01.0008  32.01.0008  32.01.0008      32.01.0008
```

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Header Related Fields					
Type					Indicates if the column is a daily summary (Sunday – Saturday) or a weekly summary (Week_ended).
Date					This is the date of the day being reported or the last reporting day of the week that is being summed.
Code Level	EOI	' CODE LEVEL'			This is the TS7700 code level at the end of the day or the end of the last reporting day of the week being summed.
UTC OFFSET		' UTC OFFSET'			UTC offset value specified
Body Related Fields					
TS7700 CAPACITY					
TVC Size	EOI	' TVC SIZE'	Hnode HSM Historical	HSM – Cache	TVC Size
Active LVols	EOI	' ACTIVE LVOLS'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Logical Volumes – Computed by VEHSTATS by summing data from all 32 General Use Pools.
Active GB	EOI	' ACTIVE GBS'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Data – Converted to GB by VEHSTATS – Computed by VEHSTATS. as maximum of the following values: <ul style="list-style-type: none"> • the sum of all "Data Resident in Cache" from "Cache Partitions Preference groups"; • the sum of all "Active data" fields from 32 General Use Pools.
Avg CPU Util	EOI	' AVG CPU UTIL'	Hnode HSM Historical	HSM – Cache	Average CPU Usage percentage at the end of the interval. This value can be used to indicate how busy the system was during the interval.
Max CPU Util	MAX	' MAX CPU UTIL'	Hnode HSM Historical	HSM – Cache	Maximum CPU Usage Percentage during the interval

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
VIRTUAL MOUNTS					
Tot Mnts	SUM	' TOT MNNTS '	Hnode HSM Historical	HSM – Cache – Partition	Number of total mounts
Scratch	SUM	' SCRATCH '	Hnode HSM Historical	HSM – Cache – Partition Container	Fast Ready Mounts (Scratch mounts)
Rd Hit	SUM	' RD HIT '	Hnode HSM Historical	HSM – Cache – Partition	Cache Hit Mounts
Rd Miss	SUM	' RD MISS '	Hnode HSM Historical	HSM – Cache – Partition	Cache Miss Mounts. This field indicates the number of mount requests completed that required recall from a stacked volume during this interval.
Mount Hit Pct	CALC	' MOUNT HIT % '	Hnode HSM Historical	HSM – Cache – Partition	Computed by VEHSTATS as Percent of hit mounts within all mounts (scratch mounts + cache mounts + sync mounts / total number of mounts (including miss mounts))
Avg Mnt Sec	WAVG	' AVG MNT SEC '	Hnode HSM Historical	HSM – Cache – Partition	Computed by VEHSTATS from the three fields below.
Avg Scr Mt Sec	WAVG	' AVG SCR MT SEC '	Hnode HSM Historical	HSM – Cache – Partition	Average Fast Ready Mount Time
Avg Rd Hit Sec	WAVG	' AVG RD HIT SEC '	Hnode HSM Historical	HSM – Cache – Partition	Average Cache Hit Mount Time
Avg Rd Mis Sec	WAVG	' AVG RD MIS SEC '	Hnode HSM Historical	HSM – Cache – Partition	Average Cache Miss Mount Time
Avg Sync Sec	WAVG	' AVG SYNC SEC '	Hnode HSM Historical	HSM – Cache – Partition	Average SYNC mount time in seconds
Max Virt Drvs	MAX	' MAX VIRT DRVS '	Vnode Virtual Device Historical	Vnode Virtual Device Container	Maximum Virtual Devices Mounted
Avg Virt Drvs	AVG>0	' AVG VIRT DRVS '	Vnode Virtual Device Historical	Vnode Virtual Device Container	Average Virtual Devices Mounted
PHYSICAL MOUNTS & DATA TRANSFER					
Phy DevType	EOI	' PHY DEVT MODEL '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Device Class ID
Phy Stg Mnts	SUM	' PHY STG MNNTS '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Recall Mounts
Phy Mig Mnts	SUM	' PHY MIG MNNTS '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Pre-Migrate Mounts
Phy Rcm Mnts	SUM	' PHY RCM MNNTS '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Reclaim Mounts
Tot Phy Mnts	SUM	' TOT PHY MNNTS '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Computed by VEHSTATS by summing the above 3 fields.
Max Phy Mtime	MAX	' MAX PHY MTIME '	Hnode Library Historical	Library – Tape Device Usage (TDU)	Maximum Physical Mount Time

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Avg Phy Mtime	AVG>0	' AVG PHY MTIME'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Average Physical Mount Time. VEHSTATS does not count the intervals without any mounted devices when computing the average.
Max Phy Mntd	MAX	' MAX PHY MNTE'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Maximum Physical Devices Mounted
Avg Phy Mntd	AVG>0	' AVG PHY MNTE'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Average Physical Devices Mounted
Phy Rd MiB/s	CALC	' PHY MB/S RD'	Hnode Export/Import Historical	Library - Pooling – General Use Pool (GUP)	The number bytes read from the media. Converted to MiB/s by VEHSTATS.
Phy Wr MiB/s	CALC	' PHY MB/S WR'	Hnode Export/Import Historical	Library - Pooling – General Use Pool (GUP)	The number bytes written to the media. Converted to MiB/s by VEHSTATS.
HOST DATA TRANSFER (UNCOMPRESSED)					
GiB Read	SUM	' GB READ'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel – Converted to GiB by VEHSTATS
GiB Write	SUM	' GB WRITE'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written by the Channel – Converted to GiB by VEHSTATS
Total GiB Xfer	SUM	' TOT GB XFER'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Computed by VEHSTATS by summing the two fields. Converted to GiB by VEHSTATS
Max QtrRd MB/s	MAX	' MAX RD MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel - Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS
Max QtrWr MB/s	MAX	' MAX WR MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written by the Channel – Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS.
Max Qtr MB/s	MAX	' MAX MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS
Chan Avg MiB/s	AVG	' AVG MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Converted to MB/s by VEHSTATS
WrtThrotImpac%	AVG	'AV % WRT THROT'	Hnode HSM Historical	HSM – Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle • Equation is shown at bottom of table.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
CpyThrotImpac%	AVG	'AV % CPY THROT'	Hnode HSM Historical	HSM – Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle • Equation is shown at bottom of table.
Avg Sec DCThrt	AVG	'AV % DCP THROT'	Hnode HSM Historical	HSM – Cache	Average deferred copy throttle
DATA COMPRESSION & DEVICE ACTIVITY					
Read Comp	AVG	' READ COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average read compression ratio. Computed by VEHSTATS using Bytes Read from Virtual Devices and Bytes Read by the Channel.
Write Comp	AVG	' WRITE COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average write compression ratio. Computed by VEHSTATS using Bytes Written to Virtual Devices and Bytes Written by the Channel.
Total Comp	AVG	' TOTAL COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average read/write compression ratio. Computed by VEHSTATS using Bytes Read from Virtual Devices, Bytes Written to Virtual Devices, Bytes Read by the Channel, and Bytes Written by the Channel.
Dev Rd MiB/s	CALC	' DEV READ MBS'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read from the Virtual Devices. Converted to MiB/s by VEHSTATS.
Dev Wr MiB/s	CALC	' DEV WRITE MBS'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written to Virtual Devices. Converted to MiB/s by VEHSTATS.
Cache TotMiB/s	CALC	' TOT TVC MIB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read+Written by Virtual Devices. Converted to MiB/s by VEHSTATS.
PERFORMANCE BY PG					
PG0 VV in TVC	EOI	' PG0 VV IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Virtual Volumes in Cache
PG1 VV in TVC	EOI	' PG1 VV IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Virtual Volumes in Cache
PG0 GB in TVC	EOI	' PG0 GB IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Data Resident in Cache – Converted to GB by VEHSTATS
PG1 GB in TVC	EOI	' PG1 GB IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Data Resident in Cache – Converted to GB by VEHSTATS
PG0 MiB to MIG PG0 GiB to MIG	EOI	' PG0 MB TO MIG' ' PG0 GB TO MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Unmigrated Data
PG1 MiB to MIG PG1 GiB to MIG	EOI	' PG1 MB TO MIG' ' PG1 GB TO MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Unmigrated Data

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG0 MiB to CPY PG0 GiB to CPY	EOI	' PG0 MB TO CPY' ' PG0 GB TO CPY'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Awaiting Replication to available Clusters
PG1 MiB to CPY PG1 GiB to CPY	EOI	' PG1 MB TO CPY' ' PG1 GB TO CPY'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Awaiting Replication to available Clusters
EOI MiB to Mig	EOI	' EOI MB TO MIG'			Total Unmigrated Data
Max MiB to Mig	MAX	' MAX MB TO MIG'			Max of Total Unmigrated Data during period (day, week, month)
EOI MiB to Cpy	EOI	' EOI MB TO CPY'			Total Awaiting Replication to available Clusters
Max MiB to Cpy	MAX	' MAX MB TO CPY'			Max of Total Awaiting Replication to available Clusters during period (day, week, month)
VOLUMES PURGED BY PG					
PG0 4HR VV MIG	EOI	'PG0 4HR VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 4 Hours
PG1 4HR VV MIG	EOI	'PG1 4HR VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 4 Hours
PG0 48H VV MIG	EOI	'PG0 48H VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 48 Hours
PG1 48H VV MIG	EOI	'PG1 48H VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 48 Hours
PG0 35D VV MIG	EOI	'PG0 35D VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 35 Days
PG1 35D VV MIG	EOI	'PG1 35D VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 35 Days
RESIDENCY TIME BY PG					
PG0 4HR AV MIN	EOI	'PG0 4HR AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	4 Hour Average Cache Age
PG1 4HR AV MIN	EOI	'PG1 4HR AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	4 Hour Average Cache Age
PG0 48H AV MIN	EOI	'PG0 48H AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	48 Hour Average Cache Age
PG1 48H AV MIN	EOI	'PG1 48H AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	48 Hour Average Cache Age
PG0 35D AV MIN	EOI	'PG0 35D AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	35 Day Average Cache Age

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG1 35D AV MIN	EOI	'PG1 35D AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	35 Day Average Cache Age
BLOCKS TRANSFERRED					
BlkSz LE 2K	SUM	' BLKSZ LE 2K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 1-2048 byte range
BlkSz LE 4K	SUM	' BLKSZ LE 4K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 2049-4096 byte range
BlkSz LE 8K	SUM	' BLKSZ LE 8K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 4097-8192 byte range
BlkSz LE 16K	SUM	' BLKSZ LE 16K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 8193-16384 byte range
BlkSz LE 32K	SUM	' BLKSZ LE 32K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 16385-32768 byte range
BlkSz LE 64K	SUM	' BLKSZ LE 64K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 32769-65536 byte range
BlkSz GT 64K	SUM	' BLKSZ GT 64K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written above 65536 bytes
EXPORT/IMPORT ACTIVITY					
Phy Vols Imp	SUM	' PHY VOL IMP'	Hnode Export/Import Historical	Export/Import	Physical Volumes Imported
Phy Vols Exp	SUM	' PHY VOL EXP'	Hnode Export/Import Historical	Export/Import	Physical Volumes Exported
Virt Vols Imp	SUM	' VIRT VOL IMP'	Hnode Export/Import Historical	Export/Import	Logical Volumes Imported
Virt Vols Exp	SUM	' VIRT VOL EXP'	Hnode Export/Import Historical	Export/Import	Logical Volumes Exported
MiB Data Imp	SUM	' MB DATA IMP'	Hnode Export/Import Historical	Export/Import	Amount of data imported
MiB Data Exp	SUM	' MB DATA EXP'	Hnode Export/Import Historical	Export/Import	Amount of data exported
GRID COPY RECEIVER SNAPSHOT					
EOI Av DEF Min	EOI	'EOI AV DEF SEC'	Hnode Grid Historical	Grid	Average Deferred Queue Age – Value at the end of the reporting interval.
EOI Av RUN Min	EOI	'EOI AV RUN SEC'	Hnode Grid Historical	Grid	Average Immediate Queue Age – Value at the end of the reporting interval.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
EOI VV to Recv	EOI	'EOI VV TO RECV'	Hnode Grid Historical	Grid	Logical Volumes for Copy – Value at the end of the reporting interval.
EOI MiB to Recv	EOI	'EOI MB TO RECV'	Hnode Grid Historical	Grid	Data to Copy – Value at the end of the reporting interval.
Max Av DEF Min	MAX	'MAX AV DEF SEC'	Hnode Grid Historical	Grid	Average Deferred Queue Age – Maximum from the reporting period.
Max Av RUN Min	MAX	'MAX AV RUN SEC'	Hnode Grid Historical	Grid	Average Immediate Queue Age – Maximum from the reporting period.
Max VV to Recv	MAX	'MAX VV TO RECV'	Hnode Grid Historical	Grid	Logical Volumes for Copy – Maximum for the reporting period.
Max MiB to Recv	MAX	'MAX MB TO RECV'	Hnode Grid Historical	Grid	Data to Copy – Maximum from the reporting period.
GRID COPY PERFORMANCE					
CLUSTER x COPIES (x = 0,1,..7 – cluster identifier)					
CLx Rmt Rd MiB	SUM	' CLx RMT RD MB'	Hnode Grid Historical	Grid-Cluster	Data Transferred from a Cluster x To Other Clusters as part of a Remote Read operation
CLx Rmt Wr MiB	SUM	' CLx RMT WR MB'	Hnode Grid Historical	Grid-Cluster	Data Transferred from a Cluster x To Other Clusters as part of a Remote Write operation
MiBSecRecvCLx	CALC	' CLx MB/S RECV'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec received by CLx from all other clusters
Sum x->N MiB/s	CALC	'SUM x->N MB/S'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec transferred from CLx to all other clusters
GiBxy By Copy	SUM	' MB x-->y COPY'	Hnode Grid Historical	Grid-Cluster	Data Transferred From a Cluster x to Cluster y as part of a Copy Operation. (The value is reported in MiB or GiB, depending on the parameter USEGB)
Avg xy MiB/s	CALC	'AVG x-->y MB/S'	Hnode Grid Historical	Grid-Cluster	Average rate MiB/s of Data Transferred From a Cluster x to Cluster y as part of a Copy Operation.
Max xy MiB/s	CALC	'MAX x-->y MB/S'	Hnode Grid Historical	Grid-Cluster	Max rate MiB/s of Data Transferred From a Cluster x to Cluster y as part of a Copy Operation.
MiBRecv By CLx	SUM	' MB S-->x RECV'	Hnode Grid Historical	Grid-Cluster	Sum MiB received by Cluster x from all others.
MiBRecvIMM CLx	SUM	' MB S-->x IMM'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of an Immediate copy operation
VolRecvIMM CLx	SUM	' NUM S-->x IMM'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of an Immediate copy operation
MiBRecvDEF CLx	SUM	' MB S-->x DEF'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of a deferred copy operation

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
VolRecvDEF CLx	SUM	' NUM S-->x DEF'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of a deferred copy operation
MiBRecvSYN CLx	SUM	' MB S-->x SYN'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of a sync mode copy operation
VolRecvSYN CLx	SUM	' NUM S-->x SYN'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of a sync mode copy operation
COMMON SCRATCH POOL MEDIA					
CSPMEDm 3592mm	EOI	'CSPMEDm 3592mm'	Hnode Library Historical	Library - Pooling – Common Scratch Pool (CSP) Media	Physical Media Count – One entry for each type of media in the pool. The m and mm values will reflect the media type. This field contains the number of scratch stacked volumes, of the type identified, assigned to the common scratch pool. This is the value at the end of the interval.
OVERALL CARTRIDGE MEDIA					
PRIMEDm 3592mm	EOI	'PRIMEDm 3592mm'	Hnode Library Historical	Library - Pooling – GUP - Media	Private Volume Count – Computed by VEHSTATS by summing all of the General Use Pool data.
SCRMEDm 3592mm	EOI	'SCRMEDm 3592mm'	Hnode Library Historical	Library - Pooling – GUP - Media	Scratch Volume Count – Computed by VEHSTATS by summing all of the General Use Pool data.
USAGE BY POOL (nn = 01,02,...32 – pool number)					
POOL nn			Hnode Library Historical		A set for each of the 32 general use pools is available
POOL nn 3592Jx	EOI	'POOL nn DEVTXX'	Hnode Library Historical	Library - Pooling – GUP - Media	Physical Media Identifiers
POOL nn ACT VV	EOI	'POOL nn ACT VV'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Logical Volumes
POOL nn ACT GB	EOI	'POOL nn ACT GB'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Data – Converted to GB by VEHSTATS
POOL nn Privat	EOI	'POOL nn # PRIV'	Hnode Library Historical	Library - Pooling – GUP - Media	Private Volume Count
POOL nn Scrtch	EOI	'POOL nn # SRCH'	Hnode Library Historical	Library - Pooling – GUP - Media	Scratch Volume Count
POOL nn GiBWRT	SUM	'POOL nn MB WRT'	Hnode Library Historical	Library - Pooling – GUP - Media	Data Written to Pool – Converted to GiB by VEHSTATS
POOL nn GiBRD	SUM	' POOL nn MB RD'	Hnode Library Historical	Library - Pooling – GUP - Media	Data Read from Pool – Converted to GiB by VEHSTATS

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Miscellaneous fields added before Release 3.2					
To TVC Dev Wr	AVG	' TO TVC DEV WR'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written to Virtual Devices. Converted to MiB/s by VEHSTATS.
Fr TVC Dev Rd	AVG	' FR TVC DEV RD'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read from the Virtual Devices. Converted to MiB/s by VEHSTATS.
To TVC By Cpy	AVG	' TO TVC BY CPY'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec received by CLx from all other clusters
Fr TVC By Cpy	AVG	' FR TVC BY CPY'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec transfered from CLx to all other clusters
Avg Disk Util	AVG	' AVG DISK UTIL'	Hnode HSM Historical	HSM-Cache	Average Maximum Disk Usage Percentage
Max Disk Util	MAX	' MAX DISK UTIL'	Hnode HSM Historical	HSM-Cache	Maximum Disk Usage Percentage
ThrDlyMx 15Sec	MAX	' THRDLY MX SEC'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay (Max/Sec)
ThrDlyAv 15Sec	AVG	' THRDLY AV SEC'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay (Average/Sec). The DlyAv value is how much delay on average per 1 second was introduced to slow down the host.
Pct Int w Tdly	AVG	' THRDLY PERCNT'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay Percent
Max Confgd Thr	EOI	' MAX AVAIL THR'	Vnode Virtual Device Historical	Vnode Virtual Device	Configured Maximum Throughput
Attmpt Thruput	CALC	' ATTMPT THRPUT'	Vnode Virtual Device Historical	Vnode Virtual Device	Attempted Throughput. Calculated based on “Configured Maximum Throughptu” and “Maximum Delay” The Attmpt_Thruput is a guess as to how fast the host was trying to go when we throttled it. It's not exact given the stats cover 15 minute averages.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Avg Ahead Cnt	AVG	' AVG AHEAD'	Vnode Virtual Device Historical	Vnode Virtual Device	Average ahead count The Ahead count is how many times our internal buffer for any device becomes empty during writes or full during reads. It means the "TS7700" is ahead of the channel. Behind is just the opposite. It's the count of how many times the buffer filled during writes or became empty during reads where the TS7700 wasn't fast enough. High Ahead counts means the 7700 has throughput to spare, which in this case it does given it's slowing down the channel. If you see high behind counts, that means the 7700 is the bottleneck. It could be just overall throughput, it could be internal disk cache, it could be networks when remote mounts take place, it could be sustained state of operation where we are offloading to tape and any other thing where the 7700 can't keep up either by design or due to an issue.
Max Ahead Cnt	MAX	' MAX AHEAD'	Vnode Virtual Device Historical	Vnode Virtual Device	Maximum ahead count
Avg Behind Cnt	AVG	' AVG BEHIND'	Vnode Virtual Device Historical	Vnode Virtual Device	Average behind count
Max Behind Cnt	MAX	' MAX BEHIND'	Vnode Virtual Device Historical	Vnode Virtual Device	Maximum behind count
Additional information concerning the Tape Volume Cache (TVC) and this Hnode (Release 3.2 and later)					
%Host Wr Th P0	EOI	' %HST_WR_TH_P0'	Hnode HSM Historical	Extended HSM – Cache Container	Percent Host Write Throttle for Tape Attached Cache Partition 0
Avg Wr Th TA	EOI	' AVG_WR_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Host Write Throttle on Tape Attached Cache Partitions
%Copy Th TA	EOI	' %COPY_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Percent Copy Throttle for Tape Attached Cache Partition
Avg Copy Th TA	EOI	'AVG_COPY_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Copy Throttle for Tape Attached Cache Partition
Avg Over Th TA	EOI	'AVG_OVER_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Overall Throttle for Tape Attached Cache Partition

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
%Def Cp Th TA	EOI	' %DEF_CP_TH_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Percent Deferred Copy Throttle for Tape Attached Cache Partition
Avg D Cp Th TA	EOI	'AVG_D_CP_TH_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Average Deferred Copy Throttle for Tape Attached Cache Partition
Bas D Cp Th TA	EOI	'BAS_D_CP_TH_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Base Deferred Copy Throttle for Tape Attached Cache Partition
HstWr ThRsn TA	EOI	'HSTWR_THRSN_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Host Write Throttle Reason(s) for Tape Attached Cache Partition
Copy ThRsn TA	EOI	' COPY_THRSN_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Copy Throttle Reason(s) for Tape Attached Cache Partition
DCopy ThRsn TA	EOI	'DCOPY_THRSN_TA '	Hnode HSM Historical	Extended HSM – Cache Container	Deferred Copy Throttle Reason(s) for Tape Attached Cache Partition
Additional information for 2 preference groups for the cache partition					
PG1 NumPinned	EOI	'PG1_NUMPINNED '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Pinned Volumes
PG1 SizPinned	EOI	'PG1_SIZPINNED '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Pinned Volumes
PG1 NumPfrKeep	EOI	'PG1_NUMPFRKEEP '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Keep Volumes
PG1 SizPfrKeep	EOI	'PG1_SIZPFRKEEP '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Keep Volumes
PG0 NumPfrRmv	EOI	' PG0_NUMPFRRMV '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes Not available now.
PG0 SizPfrRmv	EOI	' PG0_SIZPFRRMV '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes Not available now.
PG1 NumPfrRmv	EOI	' PG0_NUMPFRRMV '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG1 SizPfrRmv	EOI	' PG0_SIZPFRRMV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes
PG0 4HAV Pmig	EOI	' PG0_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 4 Hour Average Cache Age by Delayed Premigration
PG1 4HAV Pmig	EOI	' PG1_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 4 Hour Average Cache Age by Delayed Premigration
G01 4HAV Pmig	EOI	' G01_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 4 Hour Average Cache Age by Delayed Premigration
PG0 4HV0 Pmig	EOI	' PG0_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 4 Hours by Delayed Premigration
PG1 4HV0 Pmig	EOI	' PG1_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 4 Hours by Delayed Premigration
G01 4HV0 Pmig	EOI	' G01_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 4 Hours by Delayed Premigration
PG0 48HAV Pmig	EOI	'PG0_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 48 Hours Average Cache Age by Delayed Premigration
PG1 48HAV Pmig	EOI	'PG1_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 48 Hours Average Cache Age by Delayed Premigration
G01 48HAV Pmig	EOI	'G01_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 48 Hours Average Cache Age by Delayed Premigration
PG0 48HV0 Pmig	EOI	'PG0_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 48 Hours by Delayed Premigration
PG1 48HV0 Pmig	EOI	'PG1_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 48 Hours by Delayed Premigration

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
G01 48HVo Pmig	EOI	'G01_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 48 Hours by Delayed Premigration
PG0 35DAv Pmig	EOI	'PG0_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 35 Days Average Cache Age by Delayed Premigration
PG1 35DAv Pmig	EOI	'PG1_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 35 Days Average Cache Age by Delayed Premigration
G01 35DAv Pmig	EOI	'G01_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 35 Days Average Cache Age by Delayed Premigration
PG0 35DVo Pmig	EOI	'PG0_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 35 Days by Delayed Premigration
PG1 35DVo Pmig	EOI	'PG1_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 35 Days by Delayed Premigration
G01 35DVo Pmig	EOI	'G01_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 35 Days by Delayed Premigration
PG0 UnmigdVols	EOI	'PG0_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Unmigrated Vols
PG1 UnmigdVols	EOI	'PG1_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Unmigrated Vols
G01 UnmigdVols	EOI	'G01_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Unmigrated Vols
PG0 AvWtTmDlyV	EOI	'PG0_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Average Waiting Time of Delayed Premigration Volumes
PG1 AvWtTmDlyV	EOI	'PG1_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Average Waiting Time of Delayed Premigration Volumes

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
G01 AvWtTmDlyV	EOI	'G01_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Average Waiting Time of Delayed Premigration Volumes
PG0 TotSzTDVol	EOI	'PG0_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Total Size of Resident Volumes Waiting for Delayed Premigration
PG1 TotSzTDVol	EOI	'PG1_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Total Size of Resident Volumes Waiting for Delayed Premigration
G01 TotSzTDVol	EOI	'G01_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Total Size of Resident Volumes Waiting for Delayed Premigration
PG0 NumTDVols	EOI	' PG0_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Resident Volumes Waiting for Delayed Premigration
PG1 NumTDVols	EOI	' PG1_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Resident Volumes Waiting for Delayed Premigration
G01 NumTDVols	EOI	' G01_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Resident Volumes Waiting for Delayed Premigration
Data xf by GGM	SUM	'DATA XF BY GGM'	Hnode Grid Historical Record	Grid-Cluster Container	Data Transferred From a Cluster's Cache To Other Clusters as part of a Copy Operation if the Cluster is used as a GGM copy source.
MiB/S By GGM	AVG	' MIB/S BY GGM'	Hnode Grid Historical Record	Grid-Cluster Container	Speed during GGM
Cache info					
Partitn Num	CALC	' PARTITN NUM'	Hnode HSM Historical	HSM – Cache Container	Number of partitions
P-Mig Throt	EOI	' P-MIG THROT'	Hnode HSM Historical	HSM – Cache Container	Pre-migration Throttle Threshold
HstWr ThRsn P0	SUM	'HSTWR_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Host Write Throttle Reason(s) on Cache Partition 0
Copy ThRsn P0	SUM	' COPY_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Copy Throttle Reason(s) on Cache Partition 0
DCopy ThRsn P0	SUM	'DCOPY_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Deferred Copy Throttle Reasons on Cache Partition 0

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Bas D Cp Th P0	EOI	'BAS_D_CP_TH_P0'	Hnode HSM Historical	HSM – Cache Container	Base Deferred Copy Throttle on Cache Partition 0
TVC Used	SUM	' TVC USED'	Hnode HSM Historical	HSM – Cache Container	Total used cache
Tot Mgrtd Gb	SUM	' TOT MGRTD GB'	Hnode HSM Historical	HSM – Cache – Partition Container	Total Size of Migrated Data for all partitions
PG0 RDCp Age	SUM	' PG0 RDCP AGE'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG0: Removed time delayed copies average age. This field contains the average age of the removed time delayed copies. The age is in minutes.
PG0 RDCp LVL		' PG0 RDCP LVL'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG0: Time delayed copies removal count. This field contains the count of time delayed copy volumes removed over the last 4 hours.
PG1 RDCp Age		' PG1 RDCP AGE'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG1: Removed time delayed copies average age. This field contains the average age of the removed time delayed copies. The age is in minutes.
PG1 RDCp LVL		' PG1 RDCP LVL'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG1: Time delayed copies removal count. This field contains the count of time delayed copy volumes removed over the last 4 hours.
PARTITIONS INFO / PARTITION n STATISTICS					
(m = 0 or 1 – partition group number, n = 0,1,..7 – partition number)					
Partitn Size n	EOI	'PARTITN SIZE n'	Hnode HSM Historical	HSM – Cache – Partition Container	Partition Size. The size is updated when it changes.
Mount Hit% n	CALC	' MOUNT HIT% n'	Hnode HSM Historical	HSM – Cache – Partition Container	Percent of hit mounts within all mounts (scratch mounts + cache mounts + sync mounts / total number of mounts (including miss mounts)) on Cache Partition n
Tot Mnts n	SUM	' TOT MNTS n'	Hnode HSM Historical	HSM – Cache – Partition Container	Number of total mounts on Cache Partition n
Avg Mnt Sec n	AVG	' AVG MNT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Mount Time on Cache Partition n
Scratch n	SUM	' SCRATCH n'	Hnode HSM Historical	HSM – Cache – Partition Container	Fast Ready Mounts (Scratch mounts) on Cache Partition n
Avg S-Mt Sec n	AVG	'AVG S-MT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Fast Ready Mount Time. The time is incremented for each mount and averaged at the end of the interval on Cache Partition n
Rd Hit n	SUM	' RD HIT n'	Hnode HSM Historical	HSM – Cache – Partition Container	Cache Hit Mounts on Cache Partition n

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Avg R-Ht Sec n	AVG	'AVG R-HT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Cache Hit Mount Time on Cache Partition n
Rd Miss n	SUM	' RD MISS n'	Hnode HSM Historical	HSM – Cache – Partition Container	Cache Miss Mounts. This field indicates the number of mount requests completed that required recall from a stacked volume during this interval on Cache Partition n
AvgRdMis Sec n	AVG	'AVGRDMIS SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Cache Miss Mount Time on Cache Partition n
Sync Mnts n	SUM	' SYNC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Sync level mounts. This field indicates the number of mount requests completed using the sync mode copy method during this interval. Only mounts using both the primary cluster access point and the secondary cluster access point are included in this count on Cache Partition n.
Avg Sync Sec n	AVG	'AVG SYNC SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Sync level mount time on Cache Partition n
PGm VV in CP n	EOI	'PGm VV IN CP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Virtual Volumes in Cache on Cache Partition n in Preference group m. This field contains the number of virtual volumes in the Tape Volume Cache (TVC) partition that are assigned to the preference group this data is for.
PGm GB in CP n	EOI	'PGm GB IN CP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Data Resident in Cache on Cache Partition n in Preference group m. This field contains the amount of data in the TVC partition whose volumes are assigned to the preference this data is for.
PGm Sz to Mign	EOI	'PGm SZ TO MIGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Unmigrated Data on Cache Partition n in Preference group m. This field contains the amount of data in the TVC partition whose volumes are assigned to this preference group, and are not yet migrated to physical tape (cache only).

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PGm Sz to Cpyn	EOI	'PGm SZ TO CPYn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Awaiting Replication to available Clusters on Cache Partition n in Preference group m. This field contains the amount of data in the TVC partition whose volumes are assigned to this preference group, and are awaiting replication to other available clusters. Data to be replicated to clusters which are either not available (service or offline) or are blocked from receiving copies (Host Console Request) are not counted. This field depicts data that resides in cache. Data to be replicated that exists on tape only is not included.
PGm 4Hr Av CPn	EOI	'PGm 4HR AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	4 Hour Average Cache Age on Cache Partition n in Preference group m. This 4 byte hexadecimal field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 4 hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.
PGm 48H Av CPn	EOI	'PGm 48H AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	48 Hour Average Cache Age on Cache Partition n in Preference group m. This field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 48 hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PGm 35D Av CPn	EOI	'PGm 35D AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	35 Day Average Cache Age on Cache Partition n in Preference group m. This field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 35 days worth of hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.
PGm 4HR VV Mgn	EOI	'PGm 4HR VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 4 Hours on Cache Partition n in Preference group m
PGm 48H VV Mgn	EOI	'PGm 48H VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 48 Hours on Cache Partition n in Preference group m
PGm 35D VV Mgn	EOI	'PGm 35D VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 35 Days on Cache Partition n in Preference group m
PGm RDCP Age n	AVG	'PGm RDCP AGE n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Removed time delayed copies average age on Cache Partition n in Preference group m
PGm RDCp LVL n		'PGm RDCP LVL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Time delayed copies removal count on Cache Partition n in Preference group m. This field contains the count of time delayed copy volumes removed over the last 4 hours.
Tot Mgrtd Gb n	EOI	'TOT MGRTD GB n'	Hnode HSM Historical	HSM – Cache – Partition Container	Total Size of Migrated Data on Cache Partition n. This field contains the total size of lvols which are in migrated state.
PG0 NumPfrRm n	EOI	'PG0 NUMPFRRM n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes on Cache Partition n (applicable only for PG0) Not available now.
PG0 SizPfrRm n	EOI	'PG0 SIZPFRRM n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes on Cache Partition n (applicable only for PG0) Not available now.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Report Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG1 NumPfrKp n	EOI	'PG1 NUMPFRKP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Keep Volumes on Cache Partition n (applicable only for PG1) Not available now.
PG1 SizPfrKp n	EOI	'PG1 SIZPFRKP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Keep Volumes on Cache Partition n (applicable only for PG1) Not available now.
PGm AvWTDlyV n	AVG	'PGm AVWTDLYV n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Average Waiting Time of Delayed Premigration Volumes on Cache Partition n
PGm ToSzDVol n	EOI	'PGm TOSZDVOL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Resident Volumes Waiting for Delayed Premigration on Cache Partition n
PGm NumTDVol n	EOI	'PGm NUMTDVOL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Resident Volumes Waiting for Delayed Premigration on Cache Partition n
PGm UnMgVols n	EOI	'PGm UNMGVOLS n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Unmigrated Vols. Number of unmigrated virtual volumes on Cache Partition n. Delayed premigration volumes are excluded.
VEHSTATS version					
Pgm Version		' PGM VERSION'			The version of VEHSTATS program

$$\%Relative\ Impact\ (\%RLTV\ IMPAC) = \frac{(\# 30\ sec\ samples\ with\ throttling) * (avg\ throttle\ value) * (100\ to\ express\ as\ \%)}{(\# 30\ sec\ samples\ in\ interval) * (2\ sec\ max\ value)}$$

DAYSMRY – Alphabetical Order

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
%Copy Th TA	EOI	' %COPY_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Percent Copy Throttle for Tape Attached Cache Partition
%Def Cp Th TA	EOI	' %DEF_CP_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Percent Deferred Copy Throttle for Tape Attached Cache Partition
%Host Wr Th P0	EOI	' %HST_WR_TH_P0'	Hnode HSM Historical	Extended HSM – Cache Container	Percent Host Write Throttle for Tape Attached Cache Partition 0
Active GB	EOI	' ACTIVE GBS'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Data – Converted to GB by VEHSTATS – Computed by VEHSTATS. as maximum of the following values: <ul style="list-style-type: none"> • the sum of all "Data Resident in Cache" from "Cache Partitions Preference groups"; • the sum of all "Active data" fields from 32 General Use Pools.
Active LVols	EOI	' ACTIVE LVOLS'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Logical Volumes – Computed by VEHSTATS by summing data from all 32 General Use Pools.
Attmpt Thruput	CALC	' ATTMPT THRPUT'	Vnode Virtual Device Historical	Vnode Virtual Device	Attempted Throughput. Calculated based on “Configured Maximum Throughput” and “Maximum Delay” The Attmpt_Thruput is a guess as to how fast the host was trying to go when we throttled it. It's not exact given the stats cover 15 minute averages.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Avg Ahead Cnt	AVG	' AVG AHEAD'	Vnode Virtual Device Historical	Vnode Virtual Device	Average ahead count The Ahead count is how many times our internal buffer for any device becomes empty during writes or full during reads. It means the "TS7700" is ahead of the channel. Behind is just the opposite. It's the count of how many times the buffer filled during writes or became empty during reads where the TS7700 wasn't fast enough. High Ahead counts means the 7700 has throughput to spare, which in this case it does given it's slowing down the channel. If you see high behind counts, that means the 7700 is the bottleneck. It could be just overall throughput, it could be internal disk cache, it could be networks when remote mounts take place, it could be sustained state of operation where we are offloading to tape and any other thing where the 7700 can't keep up either by design or due to an issue.
Avg Behind Cnt	AVG	' AVG BEHIND'	Vnode Virtual Device Historical	Vnode Virtual Device	Average behind count
Avg Copy Th TA	EOI	'AVG_COPY_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Copy Throttle for Tape Attached Cache Partition
Avg CPU Util	EOI	' AVG CPU UTIL'	Hnode HSM Historical	HSM – Cache	Average CPU Usage percentage at the end of the interval. This value can be used to indicate how busy the system was during the interval.
Avg D Cp Th TA	EOI	'AVG_D_CP_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Deferred Copy Throttle for Tape Attached Cache Partition
Avg Disk Util	AVG	' AVG DISK UTIL'	Hnode HSM Historical	HSM-Cache	Average Maximum Disk Usage Percentage
Avg Mnt Sec	WAVG	' AVG MNT SEC'	Hnode HSM Historical	HSM – Cache – Partition	Computed by VEHSTATS from the three fields below.
Avg Mnt Sec n	AVG	' AVG MNT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Mount Time on Cache Partition n

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Avg Over Th TA	EOI	'AVG_OVER_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Overall Throttle for Tape Attached Cache Partition
Avg Phy Mntd	AVG>0	' AVG PHY MNMTD'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Average Physical Devices Mounted
Avg Phy Mtime	AVG>0	' AVG PHY MTIME'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Average Physical Mount Time. VEHSTATS does not count the intervals without any mounted devices when computing the average.
Avg Rd Hit Sec	WAVG	'AVG RD HIT SEC'	Hnode HSM Historical	HSM – Cache – Partition	Average Cache Hit Mount Time
Avg Rd Mis Sec	WAVG	'AVG RD MIS SEC'	Hnode HSM Historical	HSM – Cache – Partition	Average Cache Miss Mount Time
Avg R-Ht Sec n	AVG	'AVG R-HT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Cache Hit Mount Time on Cache Partition n
Avg Scr Mt Sec	WAVG	'AVG SCR MT SEC'	Hnode HSM Historical	HSM – Cache – Partition	Average Fast Ready Mount Time
Avg Sec DCThrt	AVG	'AV % DCP THROT'	Hnode HSM Historical	HSM – Cache	Average deferred copy throttle
Avg S-Mt Sec n	AVG	'AVG S-MT SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Fast Ready Mount Time. The time is incremented for each mount and averaged at the end of the interval on Cache Partition n
Avg Sync Sec	WAVG	' AVG SYNC SEC'	Hnode HSM Historical	HSM – Cache – Partition	Average SYNC mount time in seconds
Avg Sync Sec n	AVG	'AVG SYNC SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Sync level mount time on Cache Partition n
Avg Virt Drvs	AVG>0	' AVG VIRT DRVS'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Average Virtual Devices Mounted
Avg Wr Th TA	EOI	' AVG_WR_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Average Host Write Throttle on Tape Attached Cache Partitions
Avg xy MiB/s	CALC	'AVG x-->y MB/S'	Hnode Grid Historical	Grid-Cluster	Average rate MiB/s of Data Transferred From a Cluster x to Cluster y as part of a Copy Operation.
AvgRdMis Sec n	AVG	'AVGRDMIS SEC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Average Cache Miss Mount Time on Cache Partition n
Bas D Cp Th TA	EOI	'BAS_D_CP_TH_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Base Deferred Copy Throttle for Tape Attached Cache Partition
Bas D Cp Th P0	EOI	'BAS_D_CP_TH_P0'	Hnode HSM Historical	HSM – Cache Container	Base Deferred Copy Throttle on Cache Partition 0
BlkSz GT 64K	SUM	' BLKSZ GT 64K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written above 65536 bytes
BlkSz LE 16K	SUM	' BLKSZ LE 16K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 8193-16384 byte range

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
BlkSz LE 2K	SUM	' BLKSZ LE 2K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 1-2048 byte range
BlkSz LE 32K	SUM	' BLKSZ LE 32K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 16385-32768 byte range
BlkSz LE 4K	SUM	' BLKSZ LE 4K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 2049-4096 byte range
BlkSz LE 64K	SUM	' BLKSZ LE 64K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 32769-65536 byte range
BlkSz LE 8K	SUM	' BLKSZ LE 8K'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Channel Blocks Written 4097-8192 byte range
Cache TotMiB/s	CALC	' TOT TVC MIB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read+Written by Virtual Devices. Converted to MiB/s by VEHSTATS.
Chan Avg MiB/s	AVG	' AVG MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Converted to MB/s by VEHSTATS
CLx Rmt Rd MiB	SUM	' CLx RMT RD MB'	Hnode Grid Historical	Grid-Cluster	Data Transferred from a Cluster x To Other Clusters as part of a Remote Read operation
CLx Rmt Wr MiB	SUM	' CLx RMT WR MB'	Hnode Grid Historical	Grid-Cluster	Data Transferred from a Cluster x To Other Clusters as part of a Remote Write operation
Code Level	EOI	' CODE LEVEL'			This in the TS7700 code level at the end of the day or the end of the last reporting day of the week being summed.
Copy ThRsn TA	EOI	' COPY_THRSN_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Copy Throttle Reason(s) for Tape Attached Cache Partition
Copy ThRsn P0	SUM	' COPY_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Copy Throttle Reason(s) on Cache Partition 0
CpyThrotImpac%	AVG	'AV % CPY THROT'	Hnode HSM Historical	HSM – Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Copy Throttle • Average Copy Throttle • Equation is shown at bottom of table.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
CSPMEDm 3592mm	EOI	'CSPMEDm 3592mm'	Hnode Library Historical	Library - Pooling – Common Scratch Pool (CSP) Media	Physical Media Count – One entry for each type of media in the pool. The m and mm values will reflect the media type. This field contains the number of scratch stacked volumes, of the type identified, assigned to the common scratch pool. This is the value at the end of the interval.
Data xf by GGM	SUM	'DATA XF BY GGM'	Hnode Grid Historical Record	Grid-Cluster Container	Data Transferred From a Cluster's Cache To Other Clusters as part of a Copy Operation if the Cluster is used as a GGM copy source.
Date					This is the date of the day being reported or the last reporting day of the week that is being summed.
DCopy ThRsn P0	SUM	'DCOPY_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Deferred Copy Throttle Reasons on Cache Partition 0
DCopy ThRsn TA	EOI	'DCOPY_THRSN_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Deferred Copy Throttle Reason(s) for Tape Attached Cache Partition
Dev Rd MiB/s	CALC	' DEV READ MBS'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read from the Virtual Devices. Converted to MiB/s by VEHSTATS.
Dev Wr MiB/s	CALC	' DEV WRITE MBS'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written to Virtual Devices. Converted to MiB/s by VEHSTATS.
EOI Av DEF Min	EOI	'EOI AV DEF SEC'	Hnode Grid Historical	Grid	Average Deferred Queue Age – Value at the end of the reporting interval.
EOI Av RUN Min	EOI	'EOI AV RUN SEC'	Hnode Grid Historical	Grid	Average Immediate Queue Age – Value at the end of the reporting interval.
EOI MiB to Cpy	EOI	' EOI MB TO CPY'			Total Awaiting Replication to available Clusters
EOI MiB to Mig	EOI	' EOI MB TO MIG'			Total Unmigrated Data
EOI MiB to Recv	EOI	'EOI MB TO RECV'	Hnode Grid Historical	Grid	Data to Copy – Value at the end of the reporting interval.
EOI VV to Recv	EOI	'EOI VV TO RECV'	Hnode Grid Historical	Grid	Logical Volumes for Copy – Value at the end of the reporting interval.
Fr TVC By Cpy	AVG	' FR TVC BY CPY'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec transfered from CLx to all other clusters
Fr TVC Dev Rd	AVG	' FR TVC DEV RD'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read from the Virtual Devices. Converted to MiB/s by VEHSTATS.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
G01 35DAv Pmig	EOI	'G01_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 35 Days Average Cache Age by Delayed Premigration
G01 35DVo Pmig	EOI	'G01_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 35 Days by Delayed Premigration
G01 48HAV Pmig	EOI	'G01_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 48 Hours Average Cache Age by Delayed Premigration
G01 48HVo Pmig	EOI	'G01_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 48 Hours by Delayed Premigration
G01 4HAV Pmig	EOI	' G01_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: 4 Hour Average Cache Age by Delayed Premigration
G01 4HVo Pmig	EOI	' G01_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Volumes Migrated Last 4 Hours by Delayed Premigration
G01 AvWtTmDlyV	EOI	'G01_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Average Waiting Time of Delayed Premigration Volumes
G01 NumTDVols	EOI	' G01_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Resident Volumes Waiting for Delayed Premigration
G01 TotSzTDVol	EOI	'G01_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Total Size of Resident Volumes Waiting for Delayed Premigration
G01 UnmigdVols	EOI	'G01_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0 + PG1: Unmigrated Vols
GiB Read	SUM	' GB READ'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel – Converted to GiB by VEHSTATS
GiB Write	SUM	' GB WRITE'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written by the Channel – Converted to GiB by VEHSTATS

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
GiBxy By Copy	SUM	' MB x-->y COPY'	Hnode Grid Historical	Grid-Cluster	Data Transferred From a Cluster x to Cluster y as part of a Copy Operation. (The value is reported in MiB or GiB, depending on the parameter USEGB)
HstWr ThRsn TA	EOI	'HSTWR_THRSN_TA'	Hnode HSM Historical	Extended HSM – Cache Container	Host Write Throttle Reason(s) for Tape Attached Cache Partition
Max Ahead Cnt	MAX	' MAX AHEAD'	Vnode Virtual Device Historical	Vnode Virtual Device	Maximum ahead count
Max Av DEF Min	MAX	'MAX AV DEF SEC'	Hnode Grid Historical	Grid	Average Deferred Queue Age – Maximum from the reporting period.
Max Av RUN Min	MAX	'MAX AV RUN SEC'	Hnode Grid Historical	Grid	Average Immediate Queue Age – Maximum from the reporting period.
Max Behind Cnt	MAX	' MAX BEHIND'	Vnode Virtual Device Historical	Vnode Virtual Device	Maximum behind count
Max Confgd Thr	EOI	' MAX AVAIL THR'	Vnode Virtual Device Historical	Vnode Virtual Device	Configured Maximum Throughput
Max CPU Util	MAX	' MAX CPU UTIL'	Hnode HSM Historical	HSM – Cache	Maximum CPU Usage Percentage during the interval
Max Disk Util	MAX	' MAX DISK UTIL'	Hnode HSM Historical	HSM-Cache	Maximum Disk Usage Percentage
Max MiB to Cpy	MAX	' MAX MB TO CPY'			Max of Total Awaiting Replication to available Clusters during period (day, week, month)
Max MiB to Mig	MAX	' MAX MB TO MIG'			Max of Total Unmigrated Data during period (day, week, month)
Max MiB to Recv	MAX	'MAX MB TO RECV'	Hnode Grid Historical	Grid	Data to Copy – Maximum from the reporting period.
Max Phy Mntd	MAX	' MAX PHY MNTD'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Maximum Physical Devices Mounted
Max Phy Mtime	MAX	' MAX PHY MTIME'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Maximum Physical Mount Time
Max Qtr MB/s	MAX	' MAX MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS
Max QtrRd MB/s	MAX	' MAX RD MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel - Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Max QtrWr MB/s	MAX	' MAX WR MB/S'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written by the Channel – Computed by VEHSTATS from the 15 minute (quarter hour) intervals. Converted to MB/s by VEHSTATS.
Max Virt Drvs	MAX	' MAX VIRT DRVS'	Vnode Virtual Device Historical	Vnode Virtual Device Container	Maximum Virtual Devices Mounted
Max VV to Recv	MAX	'MAX VV TO RECV'	Hnode Grid Historical	Grid	Logical Volumes for Copy – Maximum for the reporting period.
Max xy MiB/s	CALC	'MAX x-->y MB/S'	Hnode Grid Historical	Grid-Cluster	Max rate MiB/s of Data Transferred From a Cluster x to Cluster y as part of a Copy Operation.
MiB Data Exp	SUM	' MB DATA EXP'	Hnode Export/Import Historical	Export/Import	Amount of data exported
MiB Data Imp	SUM	' MB DATA IMP'	Hnode Export/Import Historical	Export/Import	Amount of data imported
MiB/S By GGM	AVG	' MIB/S BY GGM'	Hnode Grid Historical Record	Grid-Cluster Container	Speed during GGM
MiBRecv By CLx	SUM	' MB S-->x RECV'	Hnode Grid Historical	Grid-Cluster	Sum MiB received by Cluster x from all others.
MiBRecvDEF CLx	SUM	' MB S-->x DEF'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of a deferred copy operation
MiBRecvIMM CLx	SUM	' MB S-->x IMM'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of an Immediate copy operation
MiBRecvSYN CLx	SUM	' MB S-->x SYN'	Hnode Grid Historical	Grid-Cluster	Data Transferred into a cluster x from other clusters as part of a sync mode copy operation
MiBSecRecvCLx	CALC	' CLx MB/S RECV'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec received by CLx from all other clusters
Mount Hit Pct	CALC	' MOUNT HIT %'	Hnode HSM Historical	HSM – Cache – Partition	Computed by VEHSTATS as Percent of hit mounts within all mounts (scratch mounts + cache mounts + sync mounts / total number of mounts (including miss mounts))
Mount Hit% n	CALC	' MOUNT HIT% n'	Hnode HSM Historical	HSM – Cache – Partition Container	Percent of hit mounts within all mounts (scratch mounts + cache mounts + sync mounts / total number of mounts (including miss mounts)) on Cache Partition n
OVERALL CARTRIDGE MEDIA					
PARTITIONS INFO / PARTITION n STATISTICS					
(m = 0 or 1 – partition group number, n = 0,1,..7 – partition number)					
Partitn Num	CALC	' PARTITN NUM'	Hnode HSM Historical	HSM – Cache Container	Number of partitions

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Partitn Size n	EOI	'PARTITN SIZE n'	Hnode HSM Historical	HSM – Cache – Partition Container	Partition Size. The size is updated when it changes.
Pct Int w Tdly	AVG	' THRDLY PERCNT'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay Percent
PG0 35D AV MIN	EOI	'PG0 35D AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	35 Day Average Cache Age
PG0 35D VV MIG	EOI	'PG0 35D VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 35 Days
PG0 35DAv Pmig	EOI	'PG0_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 35 Days Average Cache Age by Delayed Premigration
PG0 35DVo Pmig	EOI	'PG0_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 35 Days by Delayed Premigration
PG0 48H AV MIN	EOI	'PG0 48H AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	48 Hour Average Cache Age
PG0 48H VV MIG	EOI	'PG0 48H VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 48 Hours
PG0 48HAv Pmig	EOI	'PG0_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 48 Hours Average Cache Age by Delayed Premigration
PG0 48HVo Pmig	EOI	'PG0_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 48 Hours by Delayed Premigration
PG0 4HAv Pmig	EOI	' PG0_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: 4 Hour Average Cache Age by Delayed Premigration
PG0 4HR AV MIN	EOI	'PG0 4HR AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	4 Hour Average Cache Age
PG0 4HR VV MIG	EOI	'PG0 4HR VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 4 Hours
PG0 4HVo Pmig	EOI	' PG0_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Volumes Migrated Last 4 Hours by Delayed Premigration

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG0 AvWtTmDlyV	EOI	'PG0_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Average Waiting Time of Delayed Premigration Volumes
PG0 GB in TVC	EOI	' PG0 GB IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Data Resident in Cache – Converted to GB by VEHSTATS
PG0 MiB to CPY PG0 GiB to CPY	EOI	' PG0 MB TO CPY' ' PG0 GB TO CPY'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Awaiting Replication to available Clusters
PG0 MiB to MIG PG0 GiB to MIG	EOI	' PG0 MB TO MIG' ' PG0 GB TO MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Unmigrated Data
PG0 NumPfrRm n	EOI	'PG0 NUMPFRRM n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes on Cache Partition n (applicable only for PG0) Not available now.
PG0 NumPfrRmv	EOI	' PG0_NUMPFRRMV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes Not available now.
PG0 NumTDVols	EOI	' PG0_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Resident Volumes Waiting for Delayed Premigration
PG0 RDCp Age	SUM	' PG0 RDCP AGE'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG0: Removed time delayed copies average age. This field contains the average age of the removed time delayed copies. The age is in minutes.
PG0 RDCp LVL		' PG0 RDCP LVL'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG0: Time delayed copies removal count. This field contains the count of time delayed copy volumes removed over the last 4 hours.
PG0 SizPfrRm n	EOI	'PG0 SIZPFRRM n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes on Cache Partition n (applicable only for PG0) Not available now.
PG0 SizPfrRmv	EOI	' PG0_SIZPFRRMV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes Not available now.
PG0 TotSzTDVol	EOI	'PG0_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Total Size of Resident Volumes Waiting for Delayed Premigration
PG0 UnmigdVols	EOI	'PG0_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG0: Unmigrated Vols

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG0 VV in TVC	EOI	' PG0 VV IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Virtual Volumes in Cache
PG1 35D AV MIN	EOI	'PG1 35D AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	35 Day Average Cache Age
PG1 35D VV MIG	EOI	'PG1 35D VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 35 Days
PG1 35DAv Pmig	EOI	'PG1_35DAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 35 Days Average Cache Age by Delayed Premigration
PG1 35DVo Pmig	EOI	'PG1_35DVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 35 Days by Delayed Premigration
PG1 48H AV MIN	EOI	'PG1 48H AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	48 Hour Average Cache Age
PG1 48H VV MIG	EOI	'PG1 48H VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 48 Hours
PG1 48HAv Pmig	EOI	'PG1_48HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 48 Hours Average Cache Age by Delayed Premigration
PG1 48HVo Pmig	EOI	'PG1_48HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 48 Hours by Delayed Premigration
PG1 4HAv Pmig	EOI	' PG1_4HAV_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: 4 Hour Average Cache Age by Delayed Premigration
PG1 4HR AV MIN	EOI	'PG1 4HR AV MIN'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	4 Hour Average Cache Age
PG1 4HR VV MIG	EOI	'PG1 4HR VV MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Volumes Migrated Last 4 Hours
PG1 4HVo Pmig	EOI	' PG1_4HVO_PMIG'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Volumes Migrated Last 4 Hours by Delayed Premigration
PG1 AvWtTmDlyV	EOI	'PG1_AVWTTMDLYV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Average Waiting Time of Delayed Premigration Volumes

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG1 GB in TVC	EOI	' PG1 GB IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Data Resident in Cache – Converted to GB by VEHSTATS
PG1 MiB to CPY PG1 GiB to CPY	EOI	' PG1 MB TO CPY' ' PG1 GB TO CPY'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Awaiting Replication to available Clusters
PG1 MiB to MIG PG1 GiB to MIG	EOI	' PG1 MB TO MIG' ' PG1 GB TO MIG'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Unmigrated Data
PG1 NumPfrKeep	EOI	'PG1_NUMPFRKEEP'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Keep Volumes
PG1 NumPfrKp n	EOI	'PG1_NUMPFRKP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Keep Volumes on Cache Partition n (applicable only for PG1) Not available now.
PG1 NumPfrRmv	EOI	' PG0_NUMPFRRMV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Prefer Remove Volumes
PG1 NumPinned	EOI	'PG1_NUMPINNED '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Number of Pinned Volumes
PG1 NumTDVols	EOI	' PG1_NUMTDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Resident Volumes Waiting for Delayed Premigration
PG1 RDCp Age		' PG1 RDCP AGE'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG1: Removed time delayed copies average age. This field contains the average age of the removed time delayed copies. The age is in minutes.
PG1 RDCp LVL		' PG1 RDCP LVL'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group Container	PG1: Time delayed copies removal count. This field contains the count of time delayed copy volumes removed over the last 4 hours.
PG1 SizPfrKeep	EOI	'PG1_SIZPFRKEEP'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Keep Volumes
PG1 SizPfrKp n	EOI	'PG1_SIZPFRKP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Keep Volumes on Cache Partition n (applicable only for PG1) Not available now.
PG1 SizPfrRmv	EOI	' PG0_SIZPFRRMV'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Prefer Remove Volumes

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PG1 SizPinned	EOI	'PG1 SIZPINNED '	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Pinned Volumes
PG1 TotSzTDVol	EOI	'PG1_TOTSZTDVOL'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Total Size of Resident Volumes Waiting for Delayed Premigration
PG1 UnmigdVols	EOI	'PG1_UNMIGDVOLS'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	PG1: Unmigrated Vols
PG1 VV in TVC	EOI	' PG1 VV IN TVC'	Hnode HSM Historical	HSM – Cache – Partition – Preference Group	Virtual Volumes in Cache
PGm 35D Av CPn	EOI	'PGm 35D AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	35 Day Average Cache Age on Cache Partition n in Preference group m. This field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 35 days worth of hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.
PGm 35D VV Mgn	EOI	'PGm 35D VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 35 Days on Cache Partition n in Preference group m
PGm 48H Av CPn	EOI	'PGm 48H AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	48 Hour Average Cache Age on Cache Partition n in Preference group m. This field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 48 hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.
PGm 48H VV Mgn	EOI	'PGm 48H VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 48 Hours on Cache Partition n in Preference group m

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PGm 4Hr Av CPn	EOI	'PGm 4HR AV CPn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	4 Hour Average Cache Age on Cache Partition n in Preference group m. This 4 byte hexadecimal field contains the average age, in minutes, of the oldest logical volume in cache, excluding outliers, from the previous 4 hourly samples. Each hourly sample discards “outliers” that are small numbers of logical volumes that are not representative of the cache as a whole. This value is for volumes that were assigned to the preference group this data is for.
PGm 4HR VV Mgn	EOI	'PGm 4HR VV MGn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Volumes Migrated Last 4 Hours on Cache Partition n in Preference group m
PGm AvWTDlyV n	AVG	'PGm AVWTDLYV n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Average Waiting Time of Delayed Premigration Volumes on Cache Partition n
PGm GB in CP n	EOI	'PGm GB IN CP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Data Resident in Cache on Cache Partition n in Preference group m . This field contains the amount of data in the TVC partition whose volumes are assigned to the preference this data is for.
PGm NumTDVol n	EOI	'PGm NUMTDVOL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Resident Volumes Waiting for Delayed Premigration on Cache Partition n
PGm RDCP Age n	AVG	'PGm RDCP AGE n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Removed time delayed copies average age on Cache Partition n in Preference group m
PGm RDCp LVL n		'PGm RDCP LVL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Time delayed copies removal count on Cache Partition n in Preference group m. This field contains the count of time delayed copy volumes removed over the last 4 hours.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
PgM Sz to Cpyn	EOI	'PGM SZ TO CPYn'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Awaiting Replication to available Clusters on Cache Partition n in Preference group m. This field contains the amount of data in the TVC partition whose volumes are assigned to this preference group, and are awaiting replication to other available clusters. Data to be replicated to clusters which are either not available (service or offline) or are blocked from receiving copies (Host Console Request) are not counted. This field depicts data that resides in cache. Data to be replicated that exists on tape only is not included.
PgM Sz to Mign	EOI	'PGM SZ TO MIGN'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Unmigrated Data on Cache Partition n in Preference group m. This field contains the amount of data in the TVC partition whose volumes are assigned to this preference group, and are not yet migrated to physical tape (cache only).
PgM ToSzDVol n	EOI	'PGM TOSZDVOL n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Total Size of Resident Volumes Waiting for Delayed Premigration on Cache Partition n
PgM UnMgVols n	EOI	'PGM UNMGVOLS n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Unmigrated Vols. Number of unmigrated virtual volumes on Cache Partition n. Delayed premigration volumes are excluded.
Pgm Version		' PGM VERSION'			The version of VEHSTATS program
PgM VV in CP n	EOI	'PGM VV IN CP n'	Hnode HSM Historical	Extended HSM – Cache – Partition – Preference Group Container	Virtual Volumes in Cache on Cache Partition n in Preference group m. This field contains the number of virtual volumes in the Tape Volume Cache (TVC) partition that are assigned to the preference group this data is for.
Phy DevType	EOI	'PHY DEVT MODEL'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Device Class ID
Phy Mig Mnts	SUM	' PHY MIG MNTS'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Pre-Migrate Mounts
Phy Rcm Mnts	SUM	' PHY RCM MNTS'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Reclaim Mounts
Phy Rd MiB/s	CALC	' PHY MB/S RD'	Hnode Export/Import Historical	Library - Pooling – General Use Pool (GUP)	The number bytes read from the media. Converted to MiB/s by VEHSTATS.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Phy Stg Mnts	SUM	' PHY STG MNTS'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Physical Recall Mounts
Phy Vols Exp	SUM	' PHY VOL EXP'	Hnode Export/Import Historical	Export/Import	Physical Volumes Exported
Phy Vols Imp	SUM	' PHY VOL IMP'	Hnode Export/Import Historical	Export/Import	Physical Volumes Imported
Phy Wr MiB/s	CALC	' PHY MB/S WR'	Hnode Export/Import Historical	Library - Pooling – General Use Pool (GUP)	The number bytes written to the media. Converted to MiB/s by VEHSTATS.
P-Mig Throt	EOI	' P-MIG THROT'	Hnode HSM Historical	HSM – Cache Container	Pre-migration Throttle Threshold
POOL nn			Hnode Library Historical		A set for each of the 32 general use pools is available
POOL nn 3592Jx	EOI	'POOL nn DEVTXX'	Hnode Library Historical	Library - Pooling – GUP - Media	Physical Media Identifiers
POOL nn ACT GB	EOI	'POOL nn ACT GB'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Data – Converted to GB by VEHSTATS
POOL nn ACT VV	EOI	'POOL nn ACT VV'	Hnode Library Historical	Library - Pooling – General Use Pool (GUP)	Active Logical Volumes
POOL nn GiBRD	SUM	' POOL nn MB RD'	Hnode Library Historical	Library - Pooling – GUP - Media	Data Read from Pool – Converted to GiB by VEHSTATS
POOL nn GiBWRT	SUM	'POOL nn MB WRT'	Hnode Library Historical	Library - Pooling – GUP - Media	Data Written to Pool – Converted to GiB by VEHSTATS
POOL nn Privat	EOI	'POOL nn # PRIV'	Hnode Library Historical	Library - Pooling – GUP - Media	Private Volume Count
POOL nn Scrtch	EOI	'POOL nn # SRCH'	Hnode Library Historical	Library - Pooling – GUP - Media	Scratch Volume Count
PRIMEDm 3592mm	EOI	'PRIMEDm 3592mm'	Hnode Library Historical	Library - Pooling – GUP - Media	Private Volume Count – Computed by VEHSTATS by summing all of the General Use Pool data.
Rd Hit	SUM	' RD HIT'	Hnode HSM Historical	HSM – Cache – Partition	Cache Hit Mounts
Rd Hit n	SUM	' RD HIT n'	Hnode HSM Historical	HSM – Cache – Partition Container	Cache Hit Mounts on Cache Partition n
Rd Miss	SUM	' RD MISS'	Hnode HSM Historical	HSM – Cache – Partition	Cache Miss Mounts. This field indicates the number of mount requests completed that required recall from a stacked volume during this interval.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Rd Miss n	SUM	' RD MISS n'	Hnode HSM Historical	HSM – Cache – Partition Container	Cache Miss Mounts. This field indicates the number of mount requests completed that required recall from a stacked volume during this interval on Cache Partition n
Read Comp	AVG	' READ COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average read compression ratio. Computed by VEHSTATS using Bytes Read from Virtual Devices and Bytes Read by the Channel.
Scratch	SUM	' SCRATCH'	Hnode HSM Historical	HSM – Cache – Partition Container	Fast Ready Mounts (Scratch mounts)
Scratch n	SUM	' SCRATCH n'	Hnode HSM Historical	HSM – Cache – Partition Container	Fast Ready Mounts (Scratch mounts) on Cache Partition n
SCRMEDm 3592mm	EOI	'SCRMEDm 3592mm'	Hnode Library Historical	Library - Pooling – GUP - Media	Scratch Volume Count – Computed by VEHSTATS by summing all of the General Use Pool data.
Sum x->N MiB/s	CALC	'SUM x-->N MB/S'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec transferred from CLx to all other clusters
Sync Mnts n	SUM	' SYNC n'	Hnode HSM Historical	HSM – Cache – Partition Container	Sync level mounts. This field indicates the number of mount requests completed using the sync mode copy method during this interval. Only mounts using both the primary cluster access point and the secondary cluster access point are included in this count on Cache Partition n.
ThrDlyAv 15Sec	AVG	' THRDLY AV SEC'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay (Average/Sec). The DlyAv value is how much delay on average per 1 second was introduced to slow down the host.
ThrDlyMx 15Sec	MAX	' THRDLY MX SEC'	Vnode Virtual Device Historical	Vnode Virtual Device	Throughput Delay (Max/Sec)
To TVC By Cpy	AVG	' TO TVC BY CPY'	Hnode Grid Historical	Grid-Cluster	Rate MiB/Sec received by CLx from all other clusters
To TVC Dev Wr	AVG	' TO TVC DEV WR'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Written to Virtual Devices. Converted to MiB/s by VEHSTATS.
Tot Mgrtd Gb	SUM	' TOT MGRTD GB'	Hnode HSM Historical	HSM – Cache – Partition Container	Total Size of Migrated Data for all partitions
Tot Mgrtd Gb n	EOI	'TOT MGRTD GB n'	Hnode HSM Historical	HSM – Cache – Partition Container	Total Size of Migrated Data on Cache Partition n. This field contains the total size of lvols which are in migrated state.
Tot Mnts	SUM	' TOT MNNTS'	Hnode HSM Historical	HSM – Cache – Partition	Number of total mounts

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

DAYSMRY – DAILY SUMMARY – Alphabetical Order					
Field name	Field Type	ORDER name	Record Name	Container Name	Description
Tot Mnts n	SUM	' TOT MNTS n'	Hnode HSM Historical	HSM – Cache – Partition Container	Number of total mounts on Cache Partition n
Tot Phy Mnts	SUM	' TOT PHY MNTS'	Hnode Library Historical	Library – Tape Device Usage (TDU)	Computed by VEHSTATS by summing the above 3 fields.
Total Comp	AVG	' TOTAL COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average read/write compression ratio. Computed by VEHSTATS using Bytes Read from Virtual Devices, Bytes Written to Virtual Devices, Bytes Read by the Channel, and Bytes Written by the Channel.
Total GiB Xfer	SUM	' TOT GB XFER'	Vnode Adapter Historical	Vnode Adapter-Port	Bytes Read by the Channel + Bytes Written by the Channel. Computed by VEHSTATS by summing the two fields. Converted to GiB by VEHSTATS
TVC Size	EOI	' TVC SIZE'	Hnode HSM Historical	HSM – Cache	TVC Size
TVC Used	SUM	' TVC USED'	Hnode HSM Historical	HSM – Cache Container	Total used cache
Type					Indicates if the column is a daily summary (Sunday – Saturday) or a weekly summary (Week_ended).
UTC OFFSET		' UTC OFFSET'			UTC offset value specified
Virt Vols Exp	SUM	' VIRT VOL EXP'	Hnode Export/Import Historical	Export/Import	Logical Volumes Exported
Virt Vols Imp	SUM	' VIRT VOL IMP'	Hnode Export/Import Historical	Export/Import	Logical Volumes Imported
VolRecvDEF CLx	SUM	' NUM S-->x DEF'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of a deferred copy operation
VolRecvIMM CLx	SUM	' NUM S-->x IMM'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of an Immediate copy operation
VolRecvSYN CLx	SUM	' NUM S-->x SYN'	Hnode Grid Historical	Grid-Cluster	Number of volumes Transferred into a cluster x from other clusters as part of a sync mode copy operation
Write Comp	AVG	' WRITE COMP'	Vnode Adapter Historical	Vnode Adapter-Port	Average write compression ratio. Computed by VEHSTATS using Bytes Written to Virtual Devices and Bytes Written by the Channel.
HstWr ThRsn P0	SUM	'HSTWR_THRSN_P0'	Hnode HSM Historical	HSM – Cache Container	Host Write Throttle Reason(s) on Cache Partition 0
WrtThrotImpac%	AVG	'AV % WRT THROT'	Hnode HSM Historical	HSM – Cache	Computed by VEHSTATS using: <ul style="list-style-type: none"> • Percent Host Write Throttle • Average Host Write Throttle • Equation is shown at bottom of table.

IBM TS7700 Series – VEHSTATS Decoder – June, 2017

$$\% \text{Relative Impact (\%RLTV IMPAC)} = \frac{(\# \text{ 30 sec samples with throttling}) * (\text{avg throttle value}) * (100 \text{ to express as } \%)}{(\# \text{ 30 sec samples in interval}) * (2 \text{ sec max value})}$$

MONSMRY

MONSMRY – Report Order

(C) IBM REPORT=MONSMRY(16049) MONTHLY SUMMARY RUN ON 24FEB2016 @ 8:13:56 PAGE 1
GRID#=BA008 DIST_LIB_ID= 1 VNODE_ID= 0 NODE_SERIAL=CL128C1P VE_CODE_LEVEL=008.033.000 UTCMINUS=07

Month	JUL2015	AUG2015
Code Level	33.00.0041	33.00.0045
Host Use Days	5	8

TS7700 CAPACITY

TVC Size GB	239784	239784
Active LVols	108596	169598
Active GB	108738	169617

.....

The fields, reported by this report, are exactly the same as in the report “DAYSMRY – Report Order” with one exception – “Host use Days”, which shows how many days the cluster was used.

MONSMRY – Alphabetical Order

The fields, reported by this report, are exactly the same as in the report “DAYSMRY – Alphabetical Order” with one exception – “Host use Days”, which shows how many days the cluster was used.

COMPARE

```
(C) IBM   REPORT=COMPARE( 16032)           INTERVAL CLUSTER COMPARISON
          FROM 12JAN2016 @ 1:00:00   TO 12JAN2016 @ 24:00:00

GRID/CLUSTER 00700/CL0 00700/CL1 00700/CL2 00700/CL3 00700/CL4
Code Level 32.01.0008 32.01.0008 32.01.0008 32.01.0008 32.01.0008
Host Use Days      13      16      9      8      2

TS7700 CAPACITY
TVC Size GB      239784      28000      239784      623651      623651
Active LVols     169598      72987      157881      101875      69709
Active GB        169617      69656      157864      97237      69772
.....
```

This report covers the requested interval. If 90 days of data are read, it summarizes all 90 days for comparison. If there were only 14 days of data, it is a 14 day summary comparison. The heading shows the From / To interval and the Days w/Activity line shows the number of different summarized days.

The fields, reported by this report, are exactly the same as in the report “DAYSMRY – Report Order” with one exception – “Host use Days”, which shows how many days the cluster was used.

HOURLAT – Alphabetical

Grid	CLIDMSER	Day	Date	End_Time	Code_Level	UTC_OFFSET	TVC_Size_GB	Active_LVols	Active_GB	Avg_CPU_Util	...
BA008	CL128C1P	Sun	26JUL2015	17:15:00	33.00.0041	-07:00:00	239784	84727	84679	4.0	...
BA008	CL128C1P	Sun	26JUL2015	17:30:00	33.00.0041	-07:00:00	239784	84727	84679	6.0	...

The fields, reported by this report, are exactly the same as in the report “DAYSMRY – Alphabetical Order”.

Be aware – field names in this report contains “_” (underscore) instead of 'blank', for example “Active_GB” against “Active GB”.

Disclaimers.

© Copyright 2016 by International Business Machines Corporation.

No part of this document may be reproduced or transmitted in any form without written permission from IBM Corporation.

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This information could include technical inaccuracies or typographical errors. IBM may make improvements and/or changes in the product(s) and/or programs(s) at any time without notice.

References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectual property rights, may be used instead. It is the user's responsibility to evaluate and verify the operation of any non-IBM product, program or service.

The information provided in this document is distributed "AS IS" without any warranty, either express or implied. IBM EXPRESSLY DISCLAIMS any warranties of merchantability, fitness for a particular purpose OR NON INFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted according to the terms and conditions of the agreements (e.g., IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. IBM is not responsible for the performance or interpretability of any non-IBM products discussed herein. The customer is responsible for the implementation of these techniques in its environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. Unless otherwise noted, IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

The provision of the information contained herein is not intended to, and does not grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

Trademarks

The following are trademarks or registered trademarks of International Business Machines in the United States, other countries, or both.

IBM, TotalStorage, DFSMS/MVS, S/390, z/OS, and zSeries.

Other company, product, or service names may be the trademarks or service marks of others.